

GOETTGE DEMOLITION RANGE

RANGE DESCRIPTION

Goettge Demolition Range is an active; Demolition Training Range located at Grid 77407290. It is accessible from route MCB 3.

Primary Use: Breacher Training

Alternate Uses: None.

Goettge Demo











DESCRIPTION: Breacher Range
STATUS: Active
LOCATION: 77407290

RANGE USES:
Primary Use: Dynamic Entry/Assault Breacher Course
Alternate Use: None

WEAPONS ACCOMMODATED:
-Shotgun

AMMUNITION AUTHORIZED:
-Demolitions (5 lbs and under)
-Avon/Lockbuster type shotgun load

TARGETS/SIMULATORS/DEVICES: None

PRIMARY DIRECTION OF FIRE: TBD

RANGE USE RESTRICTIONS/COMMENTS:

1. Only weapons and ordnance weights listed in this document will be used on this range (Net Explosive Weight of demolition shots must not exceed five lbs).
2. All unit and MOS explosive procedures will be strictly adhered to.
3. Both OIC and RSO must be present during training.

4. HERO sensitive munitions are commonly used on this range. It is the OIC/RSO responsibility to understand all capabilities and limitations of their munitions.

5. Entry into Goettge Demo range is prohibited while "hot".

6. Shotgun breaching live fire is to be oriented away from the staging area (see enclosed documents):

a. When firing from the current "shotgun house" the GDR road must be locked or have a road guard posted to deny entry.

b. When firing from the training device N of the staging area fire will be oriented towards "lower field". "Lower field" can not be occupied.

c. When firing from the modular ballistic training devices fire will be oriented towards "upper field". "Upper field" can not be occupied.

FACILITIES (Number of each):

Towers: 0
Sheds: 1
Ammo Breakdown: 1
Parking: Limited

Description of other structures:

- (1) After Action Classroom
- (1) SACON breacher house with wall facades
- (4) Small breacher houses/rooms
- (1) Steel breach house
- (1) Roof breacher façade
- (3) Storage trailers/boxes
- (1) Walled breaching compound with (5) small breaching houses/rooms
- (1) Window/door breaching facade
- (1) Storage facility

UTILITIES AVAILABLE:

Electricity: Yes
Lights: None
Water System: None

INSTALLED COMMUNICATIONS: None

<u>MEASURED DISTANCES:</u>	<u>MILES</u>	<u>MGRS</u>
MT (POL) TBS Distance:	9.8	87106390
Rations Distance:	10.0	87406374
To ASP Distance:	14.3	91256605
EMT/Fire (Fire House 3):	11.2	89606710
Nearest MEDEVAC LZ	0.0	7750672583 (LZ GROUSE/LOWER FIELD)

DIRECTIONS TO MEDEVAC LZ: LZ Grouse is located in the lower field, just north of the OCONUS compound.

LASERS AUTH: None

AREA SUITABILITY:

<u>Unit Type</u>	<u>Unit Size</u>	<u>No. of Units</u>
Engineers	Platoon	1
EOD	Platoon	1
Spec OPS Breachers	Platoon	1

GEOGRAPHICAL DATA:

Access Routes	MCB-3
Soil Type	Dirt
Terrain Type	Level
Vegetation	Grass/Woodland

APPLICABLE MAP SHEET. All grid coordinates listed in this order apply to the Quantico Military Installation Map V834S Edition 4-NGA 1:25000.

FACILITIES

Towers: 0
Sheds: 1
Ammo Breakdown: 1
Parking: No

COMMUNICATION REQUIREMENTS:

1. A radio check is required immediately upon occupying any portion of the RTA, every 30 minutes in a live fire status and every 3 hours in a non-live fire status.
2. The Range Control Facility (RCF) Fire Desk Net Control call sign is "Range Control". Your call sign is "Range XX" (name of range, training area or facility unit is occupying).
3. The primary RCF Fire Desk Net Control frequencies are: ELMR talk group "RC Safety" (ground) and 323.7 AM UHF (air).
4. The secondary RCF Fire Desk Net Control is telephone, numbers: 703-784-5321 or 5322.
5. OIC/RSO will monitor the RCF primary and secondary Safety Nets at all times. Instant communication is required.
6. Any unit with organic ELMR radios will have their ELMR radios programmed with the "RC Safety" talk group and use those radios as their primary means of communication within the RTA.

7. Units without organic ELMR assets will be issued ELMR radios from RMB upon check-in.
8. Approved Non-ELMR radios are only authorized for internal communication (ground).
9. If the RCF cannot reach a unit within the RTA via primary communication, the unit will be contacted via the secondary means of communication.
10. Upon loss of primary communication the OIC/RSO will initiate a "check fire"/cease training status and will contact the RCF via secondary communication. This communication will be maintained while primary communication is being restored. Units may only resume firing/training once primary communication has been re-established and clearance is granted by the RCF.

INJURY CLASSIFICATIONS:

Injuries are classified into the following categories in order to aid in casualty evacuation from the RTA.

1. ROUTINE. Routine injuries are those injuries that are not threatening to life, limb or eyesight; and conditions or illnesses treatable by medication or procedures available at the base medical facilities.
2. PRIORITY. Priority injuries are those injuries that require immediate medical attention but are not threatening to life, limb, or eyesight if treated promptly.
3. URGENT. Urgent injuries are severe injuries that are threatening to life, limb, or eyesight and require immediate medical attention.
4. MASS CASUALTY. A mass casualty is a series of injuries with multiple priority and urgent medical patients.

MEDICAL EVACUATION (MEDEVAC) PROCEDURES:

1. Injury occurs.
2. Range immediately cease-fires.
3. Medical support evaluates/treats injured personnel.
4. Range OIC/RSO notifies the RCF of the injury, is the victim conscious/unconscious and what type of MEDEVAC transportation is requested (ground/air).
5. The OIC/RSO must maintain constant radio contact with Range Control and awaits further instructions.

*Minor injuries and illnesses not requiring medical services need not be reported to the RCF but should be reported in unit training logs.