



### **Tailored Evaluation Guides**

These evaluation guides cannot hope to, nor are they intended to be all inclusive of explosives safety regulations. They are intended to help activities navigate the many regulations that mitigate the risk of a mishap while handling explosives. Managers and handlers alike should be thoroughly familiar with all references and regulations that impact explosives operations.



# Marine Corps Systems Command

## Environmental and Explosives Safety Evaluation Guide

**DLA**



EVG-DLA-002 Sep 22

### Program 7: Munition/Environmental

#### Element 03 - MPPEH

<u>ID#</u>	<u>Evaluation Question</u>	<u>Reference(s)</u>	<u>Chpt</u>	<u>Paragraph</u>	
70307	Does the installation ensure that MPPEH and MDEH are transferred only to entities or individuals that meet all receiver qualifications?	MCO 5090.2 Vol 21	3	030505.a thru 030505.d	[ ]Yes [ ]No [ ]N/A
70314	Does the installation require an explosives risk evaluation before allowing the receipt, management, or processing of MPPEH or MDEH?	MCO 5090.2 Vol 21	3	030505.e	[ ]Yes [ ]No [ ]N/A
70315	Does the installation ensure that only MDAS is released to the public?	MCO 5090.2 Vol 21	3	030505.f	[ ]Yes [ ]No [ ]N/A
70319	Does the installation verify that a documented evaluation indicates that the receiver of MPPEH or MDEH meets applicable requirements prior to the transfer or release from DoD control of such material?	MCO 5090.2 Vol 21	3	030506	[ ]Yes [ ]No [ ]N/A
70329	Does the installation ensure that a legible copy of the documentation determining the items' explosives safety status (MDAS or MDEH) accompany the material when it is transferred out of DoD control?	MCO 5090.2 Vol 21	3	030513	[ ]Yes [ ]No [ ]N/A
70330	Does the installation ensure that documentation accompanying the release of material from DoD control identifies the following:  -Does the documentation state that the material does not present an explosives hazard or that it is hazardous with the known or suspected explosives hazards stated and is only transferable or releasable to a qualified receiver? -Does the document contains two independent signatures of trained and certified personnel? -Is the first signatory a technically qualified, DoD employee or DoD contractor? -Is the second signatory a technically qualified U.S. citizen and either a DoD employee or a DoD contractor?	MCO 5090.2 Vol 21	3	030513	[ ]Yes [ ]No [ ]N/A
70345	Does the installation ensure that DLA or QRP have copies of the current CO's Safe Certification Designation letter?	NAVSEA OP 5 Vol 1	13	13-15.7	[ ]Yes [ ]No [ ]N/A