USMC Lean Six Sigma Yellow Belt Training








Administration

- Starting / ending time
- Restrooms
- Refreshments
 - Refrigerator and microwave available
- In case of fire muster at:
- Lunch / Breaks
 - Respect our time together return from breaks/lunch on time.
 - Phones / electronics off or on vibrate.
 - Handle outside business on breaks.
- Parking Lot



Administration

Downloads

Student Guide information can be downloaded

from our website: https://www.quantico.marines.mil/Offices-Staff/G-7-

<u>Performance-and-External-Affairs/Continuous-Process-Improvement-CPI-Lean-Six-Sigma</u>

- ✓ Yellow Belt Student Guides (2 files)
- ✓ Lean Six Sigma Terminology Sheet
- ✓ Unit Training Manager Walkthrough



Course Agenda

- > Introductions
- ➤ Lean Six Sigma Module
 - ✓ <u>D</u>efine
 - √ Measure
 - ✓ Analyze
 - ✓ <u>I</u>mprove
 - ✓ Control
- ➤ Wrap-Up



Introductions



- 1. What is your name?
- 2. Where do you work?
- 3. What task do you perform that is much harder than it should be?



Course Goals

At the end of this course you will be able to:

1. Advance the culture of Continuous Process Improvement (CPI).

2. Understand CPI tools.

3. Be an effective Team Member on CPI Events.



Course Objectives

At the end of this course you will be able to:

- Understand the barriers against change
- Be familiar with the objectives, tasks and deliverables for each phase of the Define, Measure, Analyze, Improve and Control (DMAIC) framework.
- Understand how the DMAIC framework is used to address process improvements.
- Understand the basic principles of Lean Thinking.
- Be prepared to apply some of the most commonly used DMAIC tools as a team member on a Rapid Improvement Event (RIE) or project.



Why Use CPI?

"There are four purposes for continuous process improvement: easier, better, faster, cheaper – and they appear in that order of priority." – Shigeo Shingo

- **1. Easier** Reduce frustrations for employees, work smarter; not harder.
- 2. Better Make a process more efficient/effective, improve quality.
- 3. Faster Reduce lead time to fulfill customer demand.
- **4.** Cheaper Reduce cost to customer.



What Can Lean Six Sigma Do for Me?

Recognize areas for tremendous improvement in your personal life and workplace setting.

✓ Identify and begin to eliminate waste in your job.





Journey to Effective Learning

"Fear makes the wolf bigger than he is."

— German Proverb

- ✓ Function as a team. Everyone participates with equal voice.
- ✓ Ask Questions!!
- ✓ Relate concepts learned to your processes.
- ✓ Have fun!



Change Management

"It is not the strongest of the species that survive, nor the most intelligent, but the one most responsive to change." – Charles Darwin

Purpose of Change Management

Improve the effectiveness and efficiency of the organization through:

- Continuous Process Improvement (CPI)
- > Continuous quest for excellence.

Change Principles

- > Change is continuously occurring.
- > A Process is required to manage change.



Change Management Barriers

What stops change?

- **Empire building**
- Excuses / scapegoats
- **Change resistance (Fear)**
- Culture of privacy (keeping quiet about problems)
- Politics and bureaucracy
- Authoritarian, autocratic management
- Little to no employee empowerment



Change within organizations can not be successful if the culture does not embrace the changes



Success Factors for Change

Building a Culture of Change with a systematic approach to:


- ➤ Change Management: starts with the culture of the organization, not a stand alone project.
- **Communication**: what is being worked, and who is responsible for it.
- Metrics: ensure that everyone knows what performance measures matter and if progress is being made.
- Accountability: ensures that the right actions are rewarded and the wrong actions (or inaction) are identified and corrected.



Organizations need a process to manage change. Lean Six Sigma is the vehicle for change management!

Change Management & CPI / LSS


For successful organizational change, attention should be given to both:





Change in Focus

"It is not necessary to change. Survival is not mandatory." - Edward Deming





What is Lean?

Tools and Methodology to:



WAR ON WASTE!



Improve Flow

Just-in-Time

Batch Reduction

Pull/Kanban

Standard Work

Value Stream Mapping

By using:



Lean Toolbox

Visual Controls

Set Up Reduction

6S

Poka-Yoke

Cellular Flow





What is Six Sigma?

Tools and Methodology to:



WAR
ON
VARIATION!



Measurement Systems Analysis

Pareto Charts

DMAIC

Statistical Process Control

Value Stream Mapping

By using:



Six Sigma Toolbox **Control Charts**

Analysis of Variance

Voice of the Customer

Histograms

Cause and Effect Diagrams





Lean Six Sigma Defined



Together providing the customer with the best possible Value in Quality, Cost and Time



History of Lean and Six Sigma

 Henry Ford: Continuous Improvement; reduce waste; improve flow; and improve value.



 Toyota Production System (TPS): Developed Lean by focusing on People, Quality, and Efficiency; Mistake proofing, reduced set-ups.



 Mikel Harry: Took Six Sigma from Motorola to Allied Signal and GE.



 <u>Jack Welch:</u> Utilized Six Sigma to eliminate variation from lean business operations to drive gains in productivity and financial performance for GE.




Maytag: Lean & Six Sigma integrated. Quality so good, the repairman has nothing to do.





DMAIC Methodology







Tollgate Review

DMAIC Improvement Process Road Map



Measure







Activities

- · Review Project Charter
- Validate Problem Statement and Goals
- Validate Voice of the Customer and Voice of the Business
- · Validate Financial Benefits
- Validate High-Level Value Stream Map and Scope
- Create Communication Plan
- · Select and Launch Team
- · Develop Project Schedule
- · Complete Define Gate
- Develop P
 Complete
- Tools
- Project Charter
- Voice of the Customer and Kano Analysis
- SIPOC Map
- Project Valuation / ROIC Analysis Tools
- · RACI and Quad Charts
- · Stakeholder Analysis
- · Communication Plan
- Effective Meeting Tools
- Inquiry and Advocacy Skills
- Time Lines, Milestones, and Gantt Charting
- Pareto Analysis
- Belbin Analysis

- Value Stream Map for Deeper Understanding and Focus
- Identify Key Input, Process and Output Metrics
- Develop Operational Definitions
- Develop Data Collection Plan
- Validate Measurement System
- Collect Baseline Data
- Determine Process Capability
- Complete Measure Gate

- Identify Potential Root Causes
- Reduce List of Potential Root Causes
- Confirm Root Cause to Output Relationship
- Estimate Impact of Root Causes on Key Outputs
- Prioritize Root Causes
- · Complete Analyze Gate

- Develop Potential Solutions
- Evaluate, Select, and Optimize Best Solutions
- Develop 'To-Be' Value Stream Map(s)
- Develop and Implement Pilot Solution
- Confirm Attainment of Project Goals
- Develop Full Scale Implementation Plan
- · Complete Improve Gate

- · Implement Mistake Proofing
- Develop SOP's, Training Plan and Process Controls
- Implement Solution and Ongoing Process Measurements
- Identify Project Replication Opportunities
- Complete Control Gate
- Transition Project to Process Owner

Identify and Implement Quick Improvements

- · Value Stream Mapping
- Value of Speed (Process Cycle Efficiency / Little's Law)
- Operational Definitions
- · Data Collection Plan
- · Statistical Sampling
- Measurement System Analysis (MSA)
- · Gage R&R
- Kappa Studies
- Control Charts
- Histograms
- · Normality Test
- Process Capability Analysis

- Process Constraint ID and Takt Time Analysis
- · Cause and Effect Analysis
- FMFA
- Hypothesis Tests/Conf. Intervals
- · Simple and Multiple Regression
- ANOVA
- Components of Variation
- Conquering Product and Process Complexity
- Queuing Theory

RIE/Kaizen, 5S, Value Analysis, Generic Pull Systems, Four Step Rapid Setup Method

- Replenishment Pull/Kanban
- Stocking Strategy
- Process Flow Improvement
- · Process Balancing
- · Analytical Batch Sizing
- Total Productive Maintenance
- · Design of Experiments (DOE)
- Solution Selection Matrix
- Piloting and Simulation

- Mistake-Proofing/ Zero Defects
- Standard Operating Procedures (SOP's)
- · Process Control Plans
- · Visual Process Control Tools
- Statistical Process Controls (SPC)
- · Solution Replication
- Project Transition Model
- Team Feedback Session



Project Management Constraints

Triple Constraints of Projects

- Quality (Better)
 - ✓ Clear and Specific
- Time (Faster)
 - ✓ Amount of time to complete process tasks
- Cost (Cheaper)
 - ✓ Money and Effort
- ➤ Prioritizing Constraints
 - ✓ Should be based on the view of the customer.



Critical Elements for CPI Implementation

- > Leadership commitment.
- > Improvement events aligned with the organizational strategy, objectives and customer requirements.
- **➢** Be Open-Minded
- > Program training & support.
- > Sharing information and knowledge.
- > Learn by doing, with use comes comfort.




Team Member Responsibilities

As a Yellow Belt you're expected to:

- ✓ Act as an change agent for the organization you're a member of and not yourself.
- ✓ Become familiar with the basic CPI and Lean Six Sigma tools.
- ✓ Participate in CPI events.
- ✓ Function in teams between 2 and 8 members



MCINCR-MCBQ Command Level Infrastructure



- Owns vision, direction, integration, business results.
- Leads change, provide strategic direction.
- Coordinates implementation of CPI efforts.
- · Communicates standards and guidelines.
- Develops supporting implementation plans.
- Coordinate / oversee Toll Gate Review Meetings, go/no go.
- Provide support & help remove barriers to success.
- Implement improvement solutions & sustain results.
- 1 Day of Training.
- Lead Complex projects.
- "Go To" subject matter experts.
- Transition results ownership and improvement solution to Sponsor.
- Mentors lower level belts.
- 4-5 Weeks of Training.
- Focus on Rapid Improvement Events.
- May participate on Black Belt teams.
- Close to business process.
- May assist Project Sponsor in implementing improvement solution.
- 1 Week of Training.
- Team members who assist in executing projects/RIEs
- Collect data.
- · Sustain results.
- Leverage/replicate opportunities.
- 1 day of Training.



Where Can I Use Lean Six Sigma?

- Administration
- Information Systems
- > Equipment Maintenance
- Services
- Logistics
- > Food and Drug











Customers are experiencing any:

- Defects
- Mistakes/Errors
- Delays
- Slowness of service



Lean Six Sigma Delivers Results

MCINCR-MCBQ G-7 Support Agreements

Agreement Managers

Agreements/Year











Finalized

10

With Lean Six Sigma





Finalized

55



Lean Six Sigma Delivers Results

MCINCR-MCBQ G-7 Support Agreements



50% staff

AND



HOW?

- Enabled us to work through a difficult process
- Created systematic way for us to achieve our objectives.
- ➤ End result: Doing more with less people, allowed us to hire an additional person for our CPI section!



Knowledge Check: DMAIC

What does DMAIC stand for?



What questions do you have so far?





Define Phase







Define Phase

Objectives:

- ➤ Identify what adds value to the process from both the business and customer perspective.
- ➤ Develop the business processes, define the critical customer requirements.

Activities:

- Create a project charter.
- Develop high-level process map.
- > Understand the Voice of the Customer.
- ➤ Develop a Communication Plan.
- > Leadership approval (Review).



Types of Improvement Opportunities

Name	Duration	Scope of Change	Size of Team	Time to Implement
Just Do It	1 – 2 Days	Solution ready to implement – problem well defined	Project Sponsor	Immediate
Kaizen / Rapid Improvement Event (RIE)	3 – 5 Days	Short term, high intensity effort to address a specific problem	4 – 12 (Full-Time During Event)	Immediate to Short Term
Project	3 – 6 Months	Complex problem, no apparent root cause	3 – 15 (Part-Time)	Mid to Long Term




Voice of the Customer (VOC)

VOC is obtained as part of the Define and Measure phase.

You must:

- > Identify all customers.
- Prioritize customers.
- > Gather the Voice of the Customer.



Capturing Voice of Customer is one of the critical elements of the methodology – understanding what requirements must be satisfied

Your Customer defines your success!



Translating VOC into Customer Requirements

Customer requirements must:

- Relate directly to the process of producing a service or product.
- Be measurable and specific.
- Cannot be vague and incomplete.
- Not be biased toward a particular solution or approach.

Example:

- Customer comment:
 - "We are unable to depend on delivery time when we need to get our parts"
- > Customers Key Issue:
 - There is too much variation in delivery days, and the delivery must fit within a specific window of time.
- Customer requirement:
 - Delivery products no earlier than three days and no greater than five days from the date of the confirmed order.



SIPOC

A process snapshot that captures information to a project.

>SIPOC stands for:

Suppliers

Inputs

Process

Outputs

Customers





SIPOC Example: Streamlining a Travel Request

Worked from RIGHT to LEFT

Suppliers Inputs **Process Outputs Customers** Traveler Traveler Destination **Travel Orders** See Below DTS Unit Rep **Transportation** Advances HQMC TECOM Mode(s) E-Tickets **TECOM Business Office** Job Order Number **Emails Travel Dates Itinerary** Claim Forms Step 1: Step 2: Step 4: Step 5: Step 3: Create **Execute** Generate Transport File **Orders** Travel Request Request





Claim


Knowledge Check: SIPOC

What does SIPOC stand for?



Project Charter

- The team's commencement document.
- ➤ Defines the team's project plan and mission.
- Covers 3 critical elements:
 - Problem / Opportunity Statements
 - Goal Statements
 - Scope Statements
- Living documents that are subject to change.





Opportunity / Problem Statements

Improvement opportunity / problem statements should provide the following information:

WHAT WHERE WHEN EXTENT IMPACT

➤ Goal Statements should follow the SMART criteria:

SPECIFIC MEASURABLE ACHIEVABLE REALISTIC TIME
BOUND

Scope Statements should provide awareness of specific boundaries of your improvement opportunity (Defined by SIPOC).




Examples of Opportunity or Problem Statement

Example of a bad opportunity or problem statement.

It takes too long to process a material order form and wrong parts are ordered.

Example of a better opportunity or problem statement.





Communication Plan

Effective Communications

Must have the following characteristics:

- > Simple and understood by all.
- > A consistent formal process.
- Contain current information.
- Have a feedback loop built into the process.

Audience	Media	Purpose	Topics of Discussion	Owner	Frequency	Notes/Status
Affected Functional Managers	Briefing E-mail	Support/ Remove Barriers	Team Status Expected Outcomes	Team Leader, Green Belt	Weekly	
Project Sponsor	Briefing	Buy-in Solicit Feedback	Support Needed Status	Team Leader, Green Belt	Monthly	





Knowledge Check: Communication Plan

What are the characteristics of an effective Communication Plan?



What questions do you have so far?





Measure Phase







Measure Phase

Objectives:

- > Identify critical measurements.
- > Understand the data calculations.


Activities:

- ➤ Map process and identify Inputs and Outputs.
- Establish Measurement plan.
- ➤ Collect baseline performance data.
- ➤ Validate measurement system.
- Leadership approval (Review).



Understanding Variation

- Common Cause Variation (inherent) is always present in a process.
 - A process that exhibits only common cause variation is a <u>stable</u> process.
 - A stable process is <u>predictable</u>.
- > Special Cause Variation (assignable) is some unusual, uncommon event.
 - A process that exhibits special cause variation is an <u>unstable</u> process.
 - An unstable process is <u>unpredictable</u>.





Data Types

Da•ta (Da' tä, Dä'tä) *pl n.(singular or plural in number)* − Information, usually organized for analysis.

Variable Data

- ➤ Data that could be <u>measured</u> on an infinitely divisible scale or continuum. There are no gaps between possible values.
- **Examples:**

Tire pressure (lbs/sq.in.)

Cycle Time (minutes)

Speed (mph)

Length (inches)

Response time (milliseconds)

Attribute Data

➤ Discrete data measures attributes, qualitative conditions, and counts. There are gaps between possible values.

Examples:

defects per unit

PO's placed per day

Number of calls on hold per hour

Shoe Size

Number of employees



Data Types Quiz


Beside the following examples, determine if: "Variable" (continuous) or "Attribute" (discrete).


- Average Labor Hours
- Data input accuracy
- Responsible organization
- Hole diameter using a "go/no-go" gage
- Hole diameter
- Order turnaround time
- Weight of refrigeration charge (grams)
- Cycle Time
- Certification Defects






Measurement Tool Properties







Accuracy without Precision

Precision without Accuracy

Accuracy and Precision

Bottom Line – Is the Measurement Tool adding variation?



Data Collection Plan

Key questions to consider:

- Why are we measuring?
- What are we measuring?
- ➤ <u>How</u> will we gather the data?
- Where will we gather the data?
- When / how often will the data be gathered?
- Who needs to see the data?

Objective (Why)	Measures/Data (What)	Data Collection Method (How)	Data Sources (Where)	Timing (When)	Responsible Party (Who)
Determine effectiveness of material & instructors	Survey questions on a scale of 1 to 5	Class evaluation form	Students	At the end of course	Instructor





Knowledge Check: Variation

Name the two types of variation?



Walk The Gemba

- Gemba means "real place" or "go see."
- > The workplace is where value is created.
- Management has a responsibility to "get the facts" from the workspace.

The Five Actuals

- 1. Go to the <u>actual</u> workplace.
- 2. Engage the people who do the actual work.
- 3. Observe the <u>actual</u> process.
- 4. Collect the <u>actual</u> data.
- 5. Understand the <u>actual</u> value stream.



Ohno's Circle

Direct Observation Leads to Better Understanding.





Process Maps

- Used for visualizing a system or process (sequence of events, tasks, activities, steps).
 - Can be used to identify opportunities for improvement such as streamlining or combining operations.
- ➤ Drawn with standard symbols representing different types of activities or operations.
- ➤ Several Types: Linear, Top-Down, Swim Lane, Value Stream



Process Maps







* Each process step should capture time (It's the one thing you can never get back!)



How to Build a Process Map

- Walk the Gemba (workplace/process), noting process steps, decision points and inventory (wait points).
- Keep track of forms/documents used, and obvious improvement areas with project bursts or call outs.
- Use Post-it® to allow for steps to be moved easily.










Process Map – Swim Lanes







Spaghetti Diagram

- ➤ Used to depict where there is wasted product, travel, people movement, queues, etc.
- Graphically describes:
 - Physical area layout
 - Flow of product through a series of process steps
 - The path person walks to complete their process

BEFORE



AFTER







Knowledge Check: Process Maps

What kind of diagram would we use if we were concerned with process layout?

What kind of Map visually shows how work flows from function to function?





Knowledge Check: Gemba

Why is it critical to walk the process (go to Gemba)?





What questions do you have so far?





Analyze Phase







Analyze Phase

Objectives:

- ➤ Data Analysis
- ➤ Determine Root Cause

Activities:


- ➤ Identify and validate Root Causes.
- ➤ Determine impact of root causes to process output.
- > Prioritize root causes.
- Leadership approval (Review).



Examples of Data Tools

Control/Run/Trend Chart: Shows change over time.





Run Chart


Run Number

Frequency Plot/Histogram: Shows distribution of variation and range.



Pareto Chart: Helps focus on key problems.







Pareto Charts


Used to prioritize problems to be solved The "80/20" Rule:

Illustrates the concept that, for any given distribution of the results:

The majority of the distribution (80%)


is determined by

a small part (20%) of the potential contributors or causes.





Pareto Charts - Example



Cumulative % line


% against this axis

Categories



Exercise

Pareto Chart








Pareto Chart Analysis Exercise


- 1. One Lego Bag per team.
- 2. Open Lego Bag.
- 3. Sort Lego's by color.
- 4. Highest number of Lego's on the Left.
- 5. Next Highest number of Lego's to the right.
- 6. Continue from highest to lowest until you reach the last color.
- 7. Plot the number of each color in descending order of magnitude.
- 8. Plot the number according to each color on the Occurrence Axis, from high to low.
- 9. Then plot the cumulative percent frequency showing the contributions from 0 to 100%.







Pareto Chart Analysis Exercise





Exercise Review

What does the chart tell you?

It tells you where to focus your attention.

> Comparing your chart with the group next to you, is the chart the same?

No. You can collect data on the same process at different times and have different results.

Which chart, you or your neighbor's accurately reflects the true population?

We don't know because we took a sample. We can only estimate based on the sample.

Yellow Belt Training



Knowledge Check: Pareto Chart

What is the underlying principle of the Pareto Chart?





Root Cause Analysis

"It's not that I'm so smart, it's just that I stay with problems longer. – Albert Einstein

- ➤ Root cause analysis is where the *real* cause of the problem is uncovered.
- ➤ A root cause is one that, if corrected would prevent a recurrence of the problem.
- > A technique used is asking "Why" 5 times




Analysis – Determining Root Cause

Problem: Lincoln memorial deteriorating at a high rate.

- **1.** Why? We wash this memorial more than the others.
- **2. Why?** Bird droppings make it unsanitary for tourists.
- **3. Why?** Birds eat the Spiders that gather in masse.
- 4. Why? Spiders gather to eat the flying midges that swarm.
- **5.** Why? Midges swarm around the bright, warm lights that are turned on at dusk.

Answer: Delay turning on the lights for one hour






Fishbone/Ishikawa Diagram

- Breaks problems down into bite-sized pieces.
- Displays many possible causes in a graphic manner.
- > Shows how causes interact.

Suggested Causes:

- Man
- Method
- Machine
- Material
- Measurement
- Mother Nature






Knowledge Check: Fishbone

What is the purpose of the Cause and Effect Diagram (Fishbone/Ishikawa)?



Six Sigma



Six Sigma is focused on the <u>reduction</u> <u>of variation</u> using process improvement tools, with the ultimate idea of removing defects (i.e. rework, waste).

Sigma Level	Defects per Million	Yield
6	3.4	99.99966%
5	230	99.977%
4	6,210	99.38%
3	66,800	93.32%
2	308,000	69.15%
1	690,000	30.85%



Difference Between 3 and 6 Sigma

Most U.S. companies operate @ 3-4 Sigma 97.7% performance (or up to 25% total revenue in defects).

THREE SIGMA	SIX SIGMA	
7 hours of lost electricity per month.	1 hour of lost electricity every 34 years.	
Unsafe drinking water about two hours each month.	Unsafe drinking water one second every six years.	
Nearly 1,350 incorrect surgical operations per week.	One incorrect surgical operation in 20 years.	
Five short or long landings at O'Hare each day.	One short or long landing in 10 years in all the airports in the United States.	
2.3 Defects per <u>hundred</u> opportunities.	3.4 Defects per <u>million</u> opportunities.	




Statistical Terminology

- > Population a complete set; all items of interest
- > Sample a <u>subset</u> of elements from the population
- > We can characterize a population or sample in 3 ways:
 - Measure of central tendency (location of center or middle).
 - 2. Measure of variation (spread or width).
 - 3. Measure of distribution (shape).



Data Characteristics

- ➤ Central Tendency (location) defines center or middle of data.
 - Examples: Mean, Median and Mode
- > Variation defines the width of the data.
 - Examples: Range, Variance, Standard Deviation
- > Distribution defines the shape of the data
 - Examples: Histogram, Stem & Leaf plots, Boxplots






Process Capability

A measure of how close a process is running to its specification limits.

Process Capability Values


- Process Capability < 1 indicates a process that is unable to meet specifications.
- Process Capability = 1 indicates a process that is able to meet specifications, but has no room for variation.
- Process Capability > 1 indicates a process that is able to meet specifications, and can allow for additional variation.






Control Charts

- Run Charts with additional information.
 - Centerline (mean)
 - Control Limits
- Data types determines control chart.
- Used to analyze variation in a process.
 - Attribute (count) based
 - Variable (measurement) based
- Used to determine if variation common cause or special cause.



In Control & Out of Control Conditions

- ➤ In control processes demonstrate common cause variation.
- Out of control demonstrate special cause variation conditions including:
 - Extreme Points, Trends & Shifts, Oscillation.





What questions do you have so far?





Improve Phase







Improve Phase

Objectives:

- ➤ Identify Potential solutions.
- ➤ Map out "TO BE" process.
- > Develop an Improvement Plan.
- > Pilot solution.

Activities:

- > Brainstorm potential solutions.
- > Evaluate and select best solution.
- > Identify solution impacts.
- > Produce "TO BE" process maps and present implementation plan.
- > Communicate solutions to all stakeholders.
- > Leadership approval (Review).



Lean Overview

- > Lean Principles
- > Types of waste within processes.
 - TIMWOOD and U
- Basic lean methods of process improvement.
 - Value Stream Mapping
 - Little's law
 - Mistake proofing
 - 5S + 1
 - Visual controls
 - Standard Work
 - **TAKT Time**



Lean Defined

"Becoming 'lean' is a process of eliminating waste with a goal of creating value."




Source: Lean Enterprise Value: Insights from MIT's Lean Aerospace Initiative by Earl Murman, Thomas Allen, Kirkor Bozdogan, Joel Cutcher-Gershenfed, Hugh McManus, Deborah Nightingale, Eric Rebentisch, Tom Shields, Fred Stahl, Myles Walton, Joyce Warmkessel, Stanley Weiss, Shela Wdnall, (Pagrave, 2002)



Lean Principles – Womack & Jones 1996

- > Value specified from the customer's perspective.
- The **Value Stream** has been identified for each service.
- > The product / service **Flows** without interruptions.
- > The customer can **Pull** value through the process.
- Continuous pursuit of Perfection.





Lean Principles - Value

- > Critical starting point for Lean.
- > Can only ultimately be defined by the customer.
 - NO two customers define Value identically.
- > Critical questions we must ask ourselves.
 - Do we truly understand Value from our customer's perspective?
 - Are we truly focused on providing that Value?
 - What are the barriers & obstacles preventing us from focusing on and providing that Value?



QUALITY

TIME

Value Added, Business Value, Non Value Added

Value Added

The customer wants it (and is willing to pay for it) <u>AND</u>, It changes form, fit, or function of a product or service <u>AND</u>, It is done right the first time.

Business Value

No value is created but customer is willing to pay for it.


Required by Law / Statute / Unchangeable Policy.

Non-Value Added - Waste

Consumes resources but creates no value in the eyes of the customer. If you can't get rid of the activity, reduce it.



Value Added, Business Value, Non Value Added







Definitions of Waste (Muda)

Anything that adds cost or time and does not add value to the customer.

Or

Anything other than the **MINIMUM** amount of:

- Equipment
- Materials
- Parts
- Space
- Worker's time

Is considered wasteful activities!!



8 Types of Waste

Identify and **Eliminate** these Wastes:

Types of Waste:

Transportation

Inventory (Excess)

Motion

W Waiting

Over-Production

Over-Processing

D Defects

8

Under Utilization of people





Transportation



Waste caused by **unnecessary** movement of material or product.

Primary Causes:

- **Inefficient Facility Layout**
- Multiple Storage Locations
- Batch (Push) Mentality
- Complex material handling systems






Inventory (Excess)

Waste of materials, parts and assembled goods, when purchased or produced <u>in advance</u> of customer requirements.






Increases Cycle Time & Process Lead Time



8 Wastes - Inventory (Excess)

Inventory Hides Problems!





Motion



Caused by non-value added movement of workers and/or production machines.

Primary Causes:

- Inefficient workplace layouts.
- Inefficient tools and / or fixtures.
- Lack of Standard Work causing inconsistency.
- Batch movement of product.



Waiting & Over Production

WAITING

Occurs whenever the hands of an employee are idle.






OVER PRODUCTION

Caused by producing more than the customer needs (Push) and leads to **excessive inventories**.



Over Processing

The Waste of **Unnecessary** or Non-Optimized Processes and/or Operations.



"There is nothing so useless as doing efficiently that which should not be done at all." Peter Drucker



Defects / Rework

Occurs when a process, product, or data does not conform to proper specifications.

- Product rework
- Scrap
- Escape of a defect to the customer.





What Causes Defects?

- Poor procedures or standards.
- Non-conforming materials.
- Worn or out of tolerance tooling.
- Human mistakes.



Under utilization of employees

ULTIMATE WASTE

Waste of a person's time







8 Wastes - Examples

Type of Waste	Physical Process	Example	Ways to Reduce / Eliminate
Transporting	Parts Moving to Warehouse and Back	Movement of Goods	Make the distance over which something is moved as short as possible
Inventory (Excess)	Excessive completed work or supplies	Supplies in a Warehouse that aren't being used, taking up space	Produce or maintain only enough to satisfy the work requirements of the customer
Motion	Retrieving Parts, Tools, Information	Poor Office Lay-Out	Arrange your files, parts, or tools so you can easily retrieve them
Waiting	Out of supplies, Lack of Information	Meetings, Approval, System Down Time	Prepare agendas, standardize required signature approval process, make a plan for outages
Over-Processing	Performing Unneeded Operations	Approvals (Too Many Sign-offs)	Eliminate signature requirements where possible
Over-Production	Working Ahead of Schedule	Printing Paper Too Soon	Establish a workflow sequence for the production
Defects	Scrap or Rework	Drawing or Planning Errors, Rework	Establish standardized work procedures
Under utilization of employees	More people involved transactional tasks.	than required to perform ph	ysical or



8 Wastes – Full Effect



When waste is identified in high volumes, it reduces the actual production of work.


In addition to a lack of productivity, there are other side effects that need to be considered. A wasteful environment can take a heavy toll on employees.

<u>Toxic Effects of Waste on Employees</u>

- Physical Fatigue
- Emotional Fatigue
- Increased Frustration
- Overworked
- Over- Stressed
- Decreased Level of self-worth.



8 Wastes – Results





Knowledge Check: 8 Wastes


What are the 8 types of waste?





Lean Principles – Value Stream


- > Value specified from the customer's perspective.
- The **Value Stream** has been identified for each service.
- > The product / service **Flows** without interruptions.
- > The customer can Pull value through the process.
- Continuous pursuit of Perfection.






Value Stream Analysis

- ➤ A "VISUAL" planning tool used to identify non-value added activity (NVA) and develop plans to eliminate the waste.
- Value Stream Analysis is the key to all improvement activities.
- Includes the entire set of activities running from requirement to finished product for a specific product or service.
- Seeks to optimize the whole from the standpoint of the final customer.






Value Stream Map (VSM)





VSM for Process 1 (Process Flow Map)



AS-IS METRICS

- •23 PROCESS STEPS
- •35 Queues
- •8 NVA STEPS
- \bullet TAT = 43 DAYS
- •TOTAL DISTANCE = 5242 Ft

TO-BE METRICS

- •15 PROCESS STEPS
- •23 Queues
- 0 NVA STEPS
- *TAT*= 12 *DAYS*
- •TOTAL DISTANCE=1528 Ft



Value Stream Map - Examples








Lean Principles – Flow

- > Value specified from the customer's perspective.
- The Value Stream has been identified for each service.
- > The product / service **Flows** without interruptions.
- > The customer can **Pull** value through the process.
- Continuous pursuit of Perfection.





What is Flow?

The continuous, progressive adding of Value in the eyes of the customer.

- Starts at receipt of customer request.
- Ends at delivery to customer.
- Flow utilizes the fewest number of steps with <u>no interruptions</u>.
- Eliminates waste.



People always working on the product and the product always being worked on.



Batch and Queue

Batching is the production of large lots of identical items to meet anticipated demand based on scheduled production.

- Increases inventory and cycle times.
- Increases wait times

Examples of Batching

- Waiting for a table at a restaurant (Table for 4).
- Waiting at IPAC to get CAC.
- On the telephone when on hold.
- Batching may be required in some instances
 - > Providing a product / service to a specific group / crowd.
 - Examples: In-class training, Base tours, Award presentations, Carpooling, etc.



Toyota Production System

- Taiichi Ohno / Shigeo Shingo create continuous flow in "smalllot" production.
- Ohno achieved small lot continuous flow by:
 - Aggressive root cause analysis.
 - Aligning equipment & resources to the Value Stream.
 - Single Minute Exchange of Die (SMED).
 - Cross Training.
 - Simple production control processes Pull / Kanban.
 - Visual controls.




One Piece Flow

The Ideal State:

Produce and move one piece at a time.






Segregate excess WIP away from the improved process; develop a plan to eliminate it.



Typical Flow – Before Improvements

Workplace Layout

- Batch operations
- Isolated processes
- Unknown status






Typical Flow – After Improvements

Workplace Layout ORDER **REMOVE INDUCT TEST PART** Single-piece flow INSTALL Visual status Reduced travel SOLDER **INSPECT TEST INSPECT SIGN-OFF**



Lean Flow In the Office



Before LeanShotgun Email Method

Problems:

- Confusing
- Wasted Time
- Increased Costs

Combining two documents into one with Tracked Changes takes a **MINIMUM** of **15** steps to complete.

In this example, you are combining 4 documents which means you would need to complete the combine process 3 times:


Document 1 + 2 Document (1 & 2) + 3 Document (1 & 2 & 3) + 4

TOTAL MINIMUM STEPS: 45





Lean Flow In the Office



After Lean
SharePoint Workflow

Benefits:

- Reduce Errors
- Improved flow, less confusion
- Decreased Costs

All changes are in ONE DOCUMENT with Tracked Changes. Processing this document now takes a **MINIMUM** of **5** steps to complete.

Before:

TOTAL MINIMUM STEPS: 45

After:

TOTAL MINIMUM STEPS: 5


Total Reduction: 89% reduction





Point of Use Systems (POUS)

POUS is a practice that ensures that the right information, parts, tools, equipment & people are available where & when needed. *Are your workers treated like doctors in an operating room?*





POUS/Kitting Examples














Lean Principles - Pull

- > Value specified from the customer's perspective.
- The Value Stream has been identified for each service.
- > The product / service **Flows** without interruptions.
- > The customer can **Pull** value through the process.
- Continuous pursuit of Perfection.






Push vs. Pull

Push:

Work is pushed into the system or process based on <u>forecasts or</u> schedules.

Pull:

A <u>customer-driven system</u> that produces and moves a product/service <u>ONLY</u> when the customer needs it.





Pull Systems



Let Customer's Pull Value

- No one upstream produces a good or service until the downstream customer asks for it.
- Replaces "Ready or not here I come" with "OK, Now I'm ready".

Requirements for Pull System


- **Elements**
 - Upstream Supplier
 - Downstream Customer
 - Visual Trigger (Kanban)

Sequenced - Use First In First Out (FIFO) lanes **Replenished - Create supermarkets**




Types of Pull Signals (Kanbans)


Square on Floor




Containers (Kits)



Lights



Cards





Pull System Example

Reordering Office Coffee







Step Two: Locate New Box



Step Three: Pull Kanban



Step Five: Place Kanban in Reorder Pouch




Step Four: Replace Box



Lean Principles – Perfection

- > Value specified from the customer's perspective.
- The Value Stream has been identified for each service.
- > The product / service **Flows** without interruptions.
- > The customer can Pull value through the process.
- > Continuous pursuit of **Perfection**.





Pursue Perfection

- Begins with understanding Lean Principles & visualizing the "perfect" process at the outset.
- > Look for ways to reduce or eliminate waste

> Achieving the "Lot Size of 1".

Achieving Continuous Flow.

> Achieving a CPI Culture.





It's Cultural

You Can't Become Lean without Learning

One Million – That's how many ideas Toyota *implements* each year.* Do the math: 3,000 ideas a day.

<u>Mostly tiny ones</u> by employees that view their role not to be simply doing the work, but taking it to the next level...every day, in some little way.

When an entire organization thinks lean, it becomes unstoppable.

* "The Elegant Solution: Toyota's Formula for Mastering Innovation" by Matthew May

