

WTBN RANGE 2 SOP


RANGE DESCRIPTION

Range 2 is an active, small arms, live-fire known distance range located at Grid 87506790. It is accessible from MCB-4. Range 2 has 50 firing points and firing distances from 15 to 600 yards.


Primary Use: The primary purpose is the execution of the Marine Corps Combat Marksmanship Program and Entry Level Marksmanship Training for students TBS and Annual Rifle Training for personnel assigned to the National Capital Region.

DOWN RANGE MOVEMENT INTO THE IMPACT AREA (BEYOND THE IMPACT BERM) IS PROHIBITED









GENERAL RANGE INFORMATION:

Number of Firing Points: 50

WEAPONS ACCOMMODATED: Detailed list is maintained in the Range Facility Management Support System (RFMSS).

- Service shotguns
- Service pistols
- Service rifles
- Approved sniper, competition and special application rifles up to .50 cal (Ball)
- Approved Foreign Weapons
- Pyrotechnics and illumination are authorized when fire conditions allow
- Light and medium machine guns
- Approved hand-held grenade launchers
- Approved R & D weapons
- Approved automatic rifles

AMMUNITION AUTHORIZED: Detailed list is maintained in the Range Facility Management Support System (RFMSS).

- Shotgun (All)
- Pistol (All)
- 5.56mm Ball/Link
- 7.62mm X 51mm Ball/Link
- 7.62mm X 51mm Special Ball (.308)
- 7.62mm X 67mm (.300 WinMag)
- 12.7mm X 99mm (.50 cal BMG ball)
- Approved foreign ammunition
- 40mm Grenade Illum and smoke
- Approved rifle team competition ammunition

LASERS AUTH: Class 1 - 3R. Standard aiming devices mounted on approved service rifles. Class 3B (Ex: PEQ-15/16) can be fired if safety screw is installed in lock out, preventing high power settings.

TARGETS/SIMULATORS/DEVICES.

- Targets on Range 2 will be placed in the target carriages for KD firing.
- For short-range shooting the targets will be placed online with the 100 yard firing line.
- Targets will be placed to ensure projectiles do not impact the protective berm and all rounds strike the impact berm number boards 1 and 50.
- Portable Infantry Targets (PITS), Training IED's, simulators, etc. are approved for this range and must be coordinated through the Training Systems Support Desk (TSSD).
- Additional targets are limited to paper, wood, plastic and approved ballistic steel reactive targets (SRT).
- OIC/RSO must ensure all targets are placed and engaged to ensure rounds do not exceed the left and right lateral limits.
- OIC/RSO must ensure all targets are placed and engaged to ensure targets are not uprange of personnel on adjacent ranges.
- Steel reactive targets (SRTs) must be a minimum of 3/8" and constructed of AR-500 or greater steel.
- EPR ammunition (M855A1/M80A1) is NOT authorized to be fired on SRTs or steel protective plates for Portable Infantry Targets (PITS).
- SRTs will not be engaged closer than 100m with 5.56mm or 7.62mm for targets provided by unit and 150m for TSSD provided SRT.
- No EPR ammunition will be fired on steel targets.**
- Contact Training Support Center (TSC) at (703)432-7026/7969 for target support or questions.

- Trackless Mobile Infantry Targets (TMITs) are not approved on this range.
- All new events must be coordinated with the Installation Range Safety Officer (IRSO) no less than 30 days prior to any new event.

Minimum engagement distances for portable ballistic steel targets:

- Pistol: 7 meters
- Shotgun (buck/bird): 10 meters
- Shotgun (slug): 50 meters

-5.56mm/.223 Ball/link: 150 meters for TSSD targets
100 meters for unit-owned targets
-7.62mm Ball/link: 150 meters for TSSD targets
100 meters for unit-owned targets
-7.62mm Special Ball: 150 meters
-.300 WinMag Ball: 300 meters

-Approved foreign weapons ammunition
-Pistol: 7 meters
-5.45mm: 150 meters for TSSD targets
100 meters for unit-owned targets
-7.62mm Ball and linked: 150 meters for TSSD targets
100 meters for unit-owned targets
-7.62mm x 54R: 150 meters for TSSD targets
100 meters for unit-owned targets

PRIMARY DIRECTION OF FIRE. North-Northwest

RANGE USE RESTRICTIONS/COMMENTS.

1. MCB Quantico Range regulations, Range SOPs, and WTBN SOP will be strictly adhered to.
2. Using unit will check-in with WTBN S-3 and receive range brief prior to occupying the range.
3. Red range flags will be placed on the pit poles next to target 1 and 50 and on the poles on either side of the firing lines being used. For night shooting a red strobe is located at the center of the 600 yard line.
4. **For weekly known-distance qualification details, the red pit flags will stay raised all day, Monday through Thursday, and will come down for the field-firing portion on Friday.**
5. During Tables 2-6 of qualification details, if not all 50 targets are being utilized, the firing detail needs to be centered in the middle of the range to reduce risk of projectile impacts with the flagpoles. Details will be set up to where projectile impacts will be in the impact berm, not the protective berm.
6. The only weapons and ammunition approved for use on this range are listed in this SOP and RFMSS. There shall be no deviations from or modification to the approved weapons and ammunition.
7. For WTBN units/sections: The OIC **and** RSO will be physically present on the range at all times during live fire training and events. For multiple ranges/events in one unit/section, only one OIC is required, but must be physically located on one of the ranges (SAT Range excluded).

8. For external units: The OIC and RSO will be physically present on each range at all times during live fire training and events. For multiple ranges/events with external units, an OIC and RSO is required for each range, and must be physically located on each of those ranges.
9. The Officer-in-Charge (OIC) shall be the rank of Staff Sergeant or above and will be certified in accordance with MCB Range Regulations. The Range Safety Officer (RSO) shall be the rank of Sergeant or above and will be qualified in accordance with MCB Range Regulations.
10. Strict inter-range and intra-range coordination and communication will be exercised to ensure personnel are not exposed to direct weapons fire or ricochet hazards.
11. Personnel on Range 2 cannot be forward of any targets on Range 1 or Range 3.
12. Personnel on Range 1 and Range 3 cannot be forward of any targets on Range 2.
13. Movement between firing lines must be coordinated with WTBn S-3 via radio communication.
14. Personnel will not occupy any portion of the SDZs unless they are protected by artificial barriers. Any personnel located in the pits will remain on the catwalk during firing.
15. Personnel will only enter/exit the pits when authorized by the RSO and WTBn S-3. The pit entrance is located at the 100 yard line on the right side of the range. Personnel will be instructed to make a left turn when exiting the tunnel. Range personnel will ensure the barrier and sign are posted after the last person enters the tunnel to ensure no enters back into a hot range.
16. Fire and Movement or Fire and Maneuver are not authorized. The only exception is firing on the move to support the execution of the Marine Corps Combat Marksmanship Program (MCCMP) Tables 2-6 short range engagements.
17. Procedures for firing on the move:
 - Movement will be restricted to walking straight forward, to the rear and simple button-hook techniques. (No fire team/individual rushes)
 - There will be no more than two shooters per instructor/safety supervisor moving at a time. (Example: 7 shooters = 4 instructor/safety supervisors).
 - There will be at least one target width separation between shooters.
 - Targets will be no farther than 50m.

-Targets will be constructed from paper, plastic or wood. Steel reactive targets must be engaged as described in Targets/Simulators/devices paragraph above.

-Shooters will fire at no more than two targets at a time while firing on the move.

-Semi-Automatic firing only as prescribed in MCCMP Tables 2-6.

18. When firing from the 600 yard line, a barrier must be placed on the road to prevent any personnel from moving forward of the firing line and into the WTBn ammunition issue/storage area.

19. When recreational fire is being conducted, only weapons with a distance x (maximum range) of 6500m (.50cal ball) or less will be fired.

20. When rifle team training or competition matches are being conducted, and specialized calibers below .50 cal are being used, a .50 cal ball SDZ (Dist X 6500m) will be utilized.

21. Units that have requested contractor support (PITS targets, Training IED's, simulators, etc.) are required to contact a Government representative (TECOM Systems Support Officer (SSO) or Fire Desk) if the unit will not be present on the specified range within 1 hour of the approved time in RFMSS.

22. Units that have occupied a range with approved contractor support (PITS targets, Training IED's, simulators, etc.) and that have not begun to use that support within 2 hours of the approved time in RFMSS will forfeit all contracted support for the day.

23. Units that are training with contractor support (PITS targets, Training IED's, simulators, etc.) that place themselves into a voluntary check fire for 2 hours or more during the approved support hours will forfeit remaining support for the day.

NOTE: Units that encounter situations where contractor support (PITS targets, Training IED's, simulators, etc.) is delayed or interrupted by circumstances beyond the control of the requesting unit (RMB directed check fire, ASP support, MEDEVAC, etc.) must contact a Government representative (SSO or Fire Desk) in order to arrange continued support within the scope of the contract and available assets.

24. If Training IED's or simulators, are to be used on this range, qualified personnel trained on the systems must be present.

25. The Interservice Matches Opening Shot has historically been conducted on WTBN Range 4. The Interservice Rifle Match Opening Shot Ceremony Certification dated 01 Jul 2010 explains the parameters and procedures for the event. The opening Shot Ceremony is authorized to be conducted on WTBN Range 2 or Range 3 provided the same safety parameters and procedures are followed. (Attached with this certification).

**WTBN S-3 will notify FBI Academy Ranges/COC of the event prior to execution.



Range 2 600 yard line.



Range 2 Short Range Targetry (100 yard line).

ADDITIONAL RANGE INFORMATION:

PRIMARY DIRECTION OF FIRE: North-Northwest

APPLICABLE MAP SHEET: All grid coordinates listed in this order apply to the Quantico Military Installation Map V734S Edition 5-NGA 1:50000.

FACILITIES

Towers: 1

Bleachers: 0

Sheds: 1

Ammo Breakdown table: 1 per 200, 300, 500 yard lines

Parking: Shooter parking lot is adjacent to MCB-4

UTILITIES AVAILABLE:

Electricity: Yes

Lights: No

Water System: None

INSTALLED COMMUNICATIONS: Yes/PA

<u>Nearest MEDEVAC Landing Zones (LZ)</u>	<u>MILES</u>	<u>LOCATION</u>
LZ-9	1/4	8820067600 (Range 4)

Directions: Exit Range 2, turn left. Go approx 300m to Range 4. LZ located between Garand Road and 700 yd line on right.

LASERS AUTHORIZED: Class 1 - 3R. Standard aiming devices mounted on approved service rifles. Class 3B can be fired if safety screw is installed preventing high power output.

COMMUNICATION REQUIREMENTS:

1. A radio check is required immediately upon occupying any portion of the RTA, every 30 minutes in a live fire status and every 3 hours in a non-live fire status.
2. The Range Control Facility (RCF) Fire Desk Net Control call sign is "Range Control". Your call sign is "Range 2".
3. The primary RCF Fire Desk Net Control frequencies are: ELMR talk group "RC Safety" (ground) and 323.7 AM UHF (air).
4. The secondary RCF Fire Desk Net Control is telephone, numbers: 703-784-5321 or 5322.
5. OIC/RSO will monitor the RCF primary and secondary Safety Nets at all times. Instant communication is required.
6. Any unit with organic ELMR radios will have their ELMR radios programmed with the "RC Safety" talk group and use those radios as their primary means of communication within the RTA.
7. Units without organic ELMR assets will be issued ELMR radios from RMB upon check-in.
8. Approved Non-ELMR radios are only authorized for internal communication (ground).
9. If the RCF cannot reach a unit within the RTA via primary communication, the unit will be contacted via the secondary means of communication.
10. Upon loss of primary communication the OIC/RSO will initiate a "check fire"/cease training status and will contact the RCF via secondary communication. This communication will be maintained while primary communication is being restored. Units may only resume firing/training once primary communication has been re-established and clearance is granted by the RCF.

INJURY CLASSIFICATIONS:

Injuries are classified into the following categories in order to aid in casualty evacuation from the RTA.

1. ROUTINE. Routine injuries are those injuries that are not threatening to life, limb or eyesight; and conditions or illnesses treatable by medication or procedures available at the base medical facilities.
2. PRIORITY. Priority injuries are those injuries that require immediate medical attention but are not threatening to life, limb, or eyesight if treated promptly.
3. URGENT. Urgent injuries are severe injuries that are threatening to life, limb, or eyesight and require immediate medical attention.
4. MASS CASUALTY. A mass casualty is a series of injuries with multiple priority and urgent medical patients.

MEDICAL EVACUATION (MEDEVAC) PROCEDURES:

1. Injury occurs.
2. Range immediately cease-fires.
3. Range notifies S-3/OOD of injury.
4. S-3/OOD dispatches corpsman.
5. Medical support evaluates/treats injured personnel.
6. OIC immediately notifies the RCF of the injury, stating briefly what happened, the extent of the injury and what type of MEDEVAC transportation needed (ground/air).
7. Maintain constant radio contact with Range Control and await further instructions.


Installation Range Safety Officer

29 November 2022