

SUPPLY CATALOG 2024/2025

Accessibility Statement for This Catalog:

This text-only version of the catalog has been developed to ensure the maximum amount of accessibility possible. If you experience a problem accessing the information in this catalog, please contact Judith Magana at (312) 886-8193 or judith.magana@gsa.gov.

Users of JAWS screen-reading software should use the keystroke commands listed below to navigate this PDF catalog. If you use a different screen reader or some other type of assistive technology, please refer to your specific technology's help menu to learn the best way to navigate a PDF.

This catalog is separated by bookmarks, which you can access by pressing the "F6" key until focus is placed in the bookmark window. Once focus is placed in this window, use the up and down arrow keys to navigate through the different selections. Press the "Enter" key for the desired product category, and then press the "F6" key again to place focus back in the body of the catalog.

Pressing the "Control" key plus "Page Up" or "Page Down" will allow you to move from page to page throughout the catalog.

Press "H" to find any headings on a desired page, and use the up and down arrow keys to read line by line..

YOUR MISSION.
YOUR WAY.

Highlights of GSA's Flexible Requisition and Acquisition Methods

Requisitioning from GSA

GSA Global Supply® offers products that meet the recurring needs of the federal government. Because GSA Global Supply has already procured the most in-demand products on the government's behalf, your order is a simple requisition or government-to-government (G2G) transaction. As a result, you are not required to consider multiple sources. Requisitions, regardless of size, satisfy all Federal Acquisition Regulation (FAR) requirements, including environmental initiatives, trade agreement policies, socioeconomic goals, AbilityOne mandates, and executive orders. Plus, you can order using your Activity Address Code (AAC), Department of Defense Activity Address Code (DoDAAC), or Government Purchase Card (GPC). Standard global delivery is included with most orders.

This catalog features some of GSA Global Supply's most popular products. To shop from our complete offering, visit www.GSAGlobalsupply.gsa.gov.

For more information about ordering from GSA Global Supply, see page iii of this publication.

Special Order Program

If your requirements cannot be met through www.GSAGlobalsupply.gsa.gov or by the products in this catalog, we can meet your complex mission-critical commodity requirements through our Special Order Program (SOP). SOP provides full-service acquisition support to help you find and buy products that require specialized attention. Through SOP, you have access to a wide variety of items, including safety and security products, maintenance and repair supplies, construction materials, tools, appliances, office equipment, and much more. Our certified contracting professionals offer acquisition-management services that completely support all phases of a project: pre-solicitation, pre-award, award, and post-award. SOP complies with the Federal Acquisition Regulation (FAR) and other applicable federal policies.

For more information on SOP, contact us at SpecialOrderProgram@gsa.gov.

Ensuring Reuse with GSA Personal Property Management

Screening available excess personal property is the federal government's priority source of supply. With today's increased emphasis on budget reductions, use of excess is a great way to save procurement dollars. Also, reusing excess property has become a source of both pride for the government and proven benefits for the environment. Remember, **reuse is recycling**. To help you acquire the excess property your agency needs, GSA offers GSAXcess® (accessible via www.gsaxcess.gov), the personal property tool that supports the excess property utilization program within the federal government. (During summer 2023, users will transition to www.ppms.gov for personal property programs including GSAXcess.) At GSAXcess, reporting, searching, and selecting excess property is convenient and user-friendly.

Purchasing from a GSA Vendor

In addition to requisitions from GSA Global Supply, customers can purchase through GSA's Multiple Award Schedule (MAS) program. If you do, you'll receive high-quality products and services directly from vendors at volume-discount pricing. Because of established contractor relationships, the MAS program offers short procurement lead times and low administrative costs compared to open-market purchases – resulting in simple, streamlined procurements. You can also meet small-business goals while promoting compliance with various environmental regulations. GSA requires all MAS contractors to accept the GSA SmartPay® 3 purchase card for products. To learn more, visit www.gsa.gov/acquisitionsolutions.

GSA proudly presents our 2024/2025 GSA Global Supply® catalog!

We hope this catalog will serve as a handy, useful resource that simplifies your shopping and allows you to focus on your mission. As part of our commitment to sustainability, we designed this edition to serve customers for both FY 2024 and FY 2025.

Every day, GSA Global Supply offers tens of thousands of tools, office supplies, cleaning products, and more. Many familiar items are identified with National Stock Numbers (NSNs), and the remainder have part numbers. All carry the benefits of GSA Global Supply. This catalog displays more than 8,200 of our most-popular items. You can find our full product line and the most-current information regarding product availability at www.GSAglobalsupply.gsa.gov.

After rigorous analysis by OMB, using varied criteria, GSA Global Supply was designated as a Best-in-Class (BIC) solution for federal buyers. Customers can increase their spend under management (SUM) by using GSA Global Supply.

Every item in this catalog is a GSA Global Supply item and carries with it our promise of:

- ▶ Easy Compliance – with the FAR, AbilityOne, etc.
- ▶ Simple Requisitions – no need to comparison shop, even above the micro-purchase level
- ▶ Ordering Options – online, phone, fax, and FEDSTRIP/ MILSTRIP
- ▶ Payment Options – government purchase card and AAC/DoDAAC
- ▶ Global Delivery
- ▶ Competitive Pricing
- ▶ Special-Order Capability

Regulatory Compliance

Through vigorous competition, we offer you quality goods at reasonable prices. More importantly, we verify that these items satisfy the requirements of the Federal Acquisition Regulation (FAR), AbilityOne mandates, executive orders on environmental policy, and other relevant procurement rules. GSA's mission is to make satisfying these mandates easy for you.

Also, when you use our supply program, there's no need to solicit multiple prices or comparison shop. We've already done that for you. All of this will help you focus on your mission instead of procurement paperwork.

Ordering Publications

To order a printed copy of this catalog or other GSA publications, access CMLS through www.gsa.gov/cmls. You can also order printed copies by calling 800-488-3111. If you don't have a CMLS account, please call and we'll create one for you.

Ordering Information

Ordering Directly from GSA Global Supply®

FEDSTRIP/MILSTRIP

We accept electronic orders routed through DLA. We also accept emailed copies of your Standard Form 344 or DD Form 1348 via ncscorders@gsa.gov.

Online: www.GSAGlobalsupply.gsa.gov

Available 24 hours a day, seven days a week, the GSA Global Supply website gives you access to hundreds of thousands of tools, office supplies, cleaning products, and more.

Telephone: 800-488-3111

Available from Sunday at 9 p.m. (ET) until Friday at 9:30 p.m.

Fax Orders: 800-856-7057

Order anytime, 24 hours a day, seven days a week. You will receive an order confirmation via fax. For your convenience, a fax order form is located at the back of this catalog.

GSA Global Supply accepts your Government Purchase Card or direct billing through your Activity Address Code (AAC) or Department of Defense Activity Address Code (DoDAAC). For information on confirming or obtaining an AAC or DoDAAC, contact our Order Management Office at ordermgmt@gsa.gov.

Additional Ordering Options

GSA Advantage!®: www.gsaadvantage.gov

Available 24 hours a day, seven days a week, this website displays all GSA Global Supply items, plus millions of products and services from Multiple Award Schedule

vendors. Register your Personal Identity Verification (PIV) or Common Access Card (CAC) at GSA Advantage! for streamlined access to GSA Advantage! and the GSA Global Supply website. The contractor field will indicate “GSA Global Supply.”

FedMall: <https://fedmall.mil>

Available 24 hours a day, seven days a week, the Defense Logistics Agency’s FedMall website displays all GSA-contracted NSNs and part-numbered products. When using FedMall to purchase GSA items, you must use your Department of Defense Activity Address Code (DoDAAC). The supplier field will indicate “GSA” if the product is offered by GSA Global Supply.

National Stock Numbers and GSA Part Numbers

This catalog features products identified with National Stock Numbers (NSNs). GSA also offers part-numbered items, which are visible online. You can order GSA part-numbered items as you would order NSN items – by phone, by fax, or online. For STRIP orders, you can submit a part-number requisition that includes the relevant part number(s) and one of the following identifiers:

A0B: For domestic shipment

A02: For overseas shipment

Reminder: To ensure prompt processing of your GSA order, be sure to enter “GSA” as your Routing Identifier Code. If you are an OCONUS customer, you also should verify that you’re using the correct Document Identifier Code (i.e., “A01” for NSN items or “A02” for part-numbered items). A valid unit of issue (U/I) code must always be used for the order to process.

Delivery

For most CONUS orders, delivery is included in GSA pricing, and most orders will arrive quickly via small-parcel carriers. Larger shipments will be delivered via common freight carriers. GSA prices also cover delivery of OCONUS orders for entry into the Defense Transportation System (or designated freight forwarder) for further routing overseas. A copy of the shipping record will accompany your order; you can use it to verify quantities and prices of items received. If possible, please provide contact information (name and phone) with your order. DOD users can insert it in a “Mark For” data field.

Supply Transformation and Direct Delivery

GSA Global Supply® has revised its business model to provide faster delivery and lower prices to our customers. We are partnering with industry for the direct delivery of all customer orders. Behind the scenes, we are also modernizing our information technology (IT) systems to provide greater transparency and functionality, both for GSA operators and our customers.

As a result, all items in this publication are direct delivery from our industry partners. If you have questions about any of these products, you can check the details section for each item on the GSA Global Supply website (www.GSAglobalsupply.gsa.gov) or call 800-488-3111. No matter from where a given item is shipped, GSA Global Supply will process your order and handle the billing. It will appear on your purchase card statement or billing as a GSA Global Supply item. If there is ever a problem with any of these items, the issue can be easily resolved by calling us at 800-488-3111.

Federal Strategic Sourcing Initiative (FSSI)

As part of GSA's commitment to use strategic sourcing to lower costs and increase value for our customers, GSA Global Supply now offers many of its NSN products from vendor partners awarded via Federal Strategic Sourcing Initiative (FSSI) solutions. The FSSI icon – **FSSI** – will appear online at both www.GSAglobalsupply.gsa.gov and www.gsaadvantage.gov and in GSA catalogs to easily highlight the availability of these items for our customers. GSA Global Supply customers continue to use the same convenient ordering methods, now with the added benefit of having easy-to-identify FSSI items.

Prices

Prices are subject to change. Please confirm prices when placing your order. The best source for current pricing is www.GSAglobalsupply.gsa.gov. Remember that for the vast majority of GSA Global Supply items, the price you see includes delivery.

Images and Product Information

Images in this publication are representative. Prices and product data are subject to change. Please verify at the time of your order.

Customer Service

Customers can find order status on GSA Global Supply orders online at AskGSA (ask.gsa.gov).

To obtain order status or other help, call 800-488-3111 or email us at NCSCcustomer.service@gsa.gov.

Around-the-clock customer service is available to our CONUS and OCONUS customers from Sundays at 9 p.m. until Fridays at 9:30 p.m. (ET).

Also, GSA Customer Service Directors (CSDs) provide training and guidance on a wide spectrum of program offerings. To find a CSD near you, visit www.gsa.gov/csd.

AbilityOne/UNICOR

GSA Global Supply® works with National Industries for the Blind (NIB) and SourceAmerica under the AbilityOne brand name, as well as with UNICOR (Federal Prison Industries), to provide you with the top-quality supplies you need. Look for the AbilityOne and UNICOR identifiers throughout this catalog and on www.GSAGlobalsupply.gsa.gov.

For more information on these partners:

AbilityOne
www.abilityone.gov

**National Industries
for the Blind**
800-433-2304
703-310-0500
www.nib.org

SourceAmerica
571-226-4660
www.sourceamerica.org

UNICOR
800-827-3168
www.unicor.gov

GSA Global Supply Billing Cycles

GSA Global Supply bills you once the product has shipped.

Order Method	Billing Cycles	
	Purchase Card	AAC/DoDAAC
Phone	Within 48 hours of order shipment and sent out daily.	On the 1st workday of the month and again near the 15th of the month.
Fax	Same as above.	Same as above.
GSA Global Supply website	Same as above.	Same as above.
Stores (CONUS or OCONUS)	Same as above.	Same as above.
FEDSTRIP/MILSTRIP	Not applicable.	Same as above.
GSA Advantage!®	When the shipment confirmation record is received by Finance. These are normally billed daily except when the customer selects the Summary Billing Option. If this is the case, the billing is generated around the 15th and always on the 1st workday of the month.	Same as above.

Environmental Products from GSA Global Supply

GSA offers a variety of environmentally sustainable products to help customers implement federal acquisition policies. These products comply with Federal Acquisition Regulation (FAR) Part 23, executive orders, and laws that require the purchase of environmental products and services. Ordering activities must give preference to products that have certain environmental attributes – including recycled and post-consumer material, energy efficiency, and biobased ingredients – and those with less-toxic or less-hazardous constituents.

However, the environmental purchasing requirements are only part of the rationale for buying environmental products and services. As the largest purchaser in the United States, the federal government can become a better steward of the environment by purchasing sustainable products, helping to minimize the negative impact on the environment.

In this catalog, environmentally sustainable items are identified with a variety of symbols, depending on the relevant attributes. Online, these items display the same icons. To find the icons easily online, visit the GSA Global Supply website at www.GSAglobalsupply.gsa.gov, click on the “Browse Products” option, and select the “Green Items” tab on the top of the main shopping page. This will highlight a list of all environmentally sustainable items, a list that can be sorted or filtered using specific product attributes or price.

On the main page of the GSA Global Supply website, click “Go” in the “Browse Products” area. On the new page, select the “Green Items” tab for a list of environmentally sustainable products.

The environmentally sustainable product offering can be narrowed further by scrolling to the bottom of the page and selecting the appropriate environmental attribute.

Support for OCONUS Customers

GSA Global Supply® now offers rapid delivery, typically in three to five business days, on high-demand products for customers in Europe and at multiple locations in the Pacific Rim Region: Guam, Hawaii, Japan, and South Korea. During 2023, similar service will be added for users in Alaska, Puerto Rico, and ten countries in the Middle East. To learn more about these forward-positioned supplies, please contact your local GSA representative. To find a CSD near you, visit www.gsa.gov/csd.

GSA also provides management and oversight for more than a dozen ServMart stores located throughout the Pacific Rim Region. In support of our Department of Defense partners, GSA assumes responsibility for procurement of items and coordination of daily store operations.

Authorized buyers can purchase supplies using their Government Purchase Card or via direct billing through the use of an Activity Address Code (AAC), Department of Defense Activity Address Code (DoDAAC), or equivalent.

Pacific Rim stores are located in:

Joint Base Pearl Harbor–Hickam, Hawaii
MCAS Kaneohe Bay, Hawaii
Joint Base Elmendorf–Richardson, Alaska
Osan AB, Korea
Kunsan AB, Korea
Andersen AFB, Guam
Naval Base Guam, Guam
Yokota AB, Japan
Camp Zama, Japan
Misawa AB, Japan
Kadena AB, Okinawa, Japan
Camp Butler, Okinawa, Japan
MCAS Iwakuni, Japan

Customers in the Pacific Rim can also consult an in-country GSA representative for assistance:

Mainland Japan

Defense Representative GSA (DRGJ)
 Sid Frazier
DSN: 315-225-2802
Comm (Intl): 011-81-311-755-2802
Email: sidney.frazier@gsa.gov

Korea

Defense Representative GSA (DRGK)
 Ronald Eisley
DSN: 315-784-6515
Comm (Intl): 011-82-31-661-6515
Email: ronald.eisley@gsa.gov

Guam

Customer Service Director
 Brandy Untalan
Comm: 671-333-4721
DSN: 315-333-4721
Email: brandy.untalan@gsa.gov

Okinawa

Defense Representative GSA
 Cynthia McKeague
DSN: 315-634-3641
Comm (Intl): 011-81-80-6492-8036
Email: cynthia.mckeague@gsa.gov

Customers in Europe, Africa and the Middle East can also contact:

GSA Customer Service Office Europe,
 Africa, and Middle East
DSN: 314-546-7499
Comm: +49-69-7535-7850

Table of Contents

What's New

..... New-2

Toner and Ink Cartridges

Toner Cartridges and Supplies..... T-2

Ink Cartridges and Supplies..... T-20

Office Products

Computer Accessories and Supplies 2

Office Machines and Equipment 11

Presentation and Visual 23

 Frames 35

 Awards 40

Calendars and Personal Organizers 41

Briefcases and Pad Holders..... 44

Writing Instruments and Supplies..... 46

Basic Office Supplies..... 66

Binders and Filing 87

Forms 110

Paper and Labels..... 112

Clocks and Watches..... 129

Packaging and Shipping Products

Bags and Sacks 136

Boxes, Cartons, and Crates 138

Drums and Cans 164

Envelopes and Mailing Supplies 165

Mailroom Equipment 169

Packaging and Packing Materials 170

Tape 177

Furniture and Furnishings

Introduction 182

Office Furniture 183

 Traditional Executive 183

 Contemporary Executive..... 197

Seating 206

Height Adjustable Workstations..... 211

Metal Desks and Workstations 215

Filing and Storage 217

Dormitory and Quarters Furniture 225

Healthcare Furniture..... 230

Special Use Furniture 240

Office Accessories..... 244

Housewares and Cleaning

Paper Products	248
Soaps and Laundry	255
Cleaning Supplies	266
Trash Cans and Liners	302
Personal Care	311
Kitchen and Breakroom Supplies	313
Bed and Bath	327
Appliances	335

Safety Products

Personal Protection and Supplies	338
Medical and First Aid	339
Protective Gear	342
Signs, Reflectors and Identifiers	346
Mats and Matting	349
Security Cabinets	355
Damage Control Bags	364

Tools and Hardware

Automotive	368
Chisels, Punches and Scrapers	376
Clamps and Vises	379

Construction and Building Supplies	381
Electrical and Electronic Tools	383
Files	388
Hammers	390
Hardware	395
Knives	422
Marking Tools	431
Measuring Tools	433
Pliers	441
Power Tools and Accessories	447
Saws	460
Scissors, Shears, Snips and Cutters	462
Screwdrivers	467
Shovels, Picks, Bars and Rakes	479
Sockets and Attachments	485
Taps, Dies, Reamers and Extractors	499
Tool Kits	504
Tool Storage Units	507
Twist Drills and Boring Tools	510
Wrenches	517
Outdoor Equipment	534

Index

NSN Index	538
-----------------	-----

Order form is located after page 594.

Units of Issue

AM	Ampoule	DZ	Dozen	PH	Pack (PAK)
AT	Assortment	EA	Each	PK	Package
AY	Assembly	EX	Feet, Inches and Fraction	PL	Pallet/Unit Load
BA	Ball	FD	Million Particles per Cubic Foot	PM	Plate
BD	Bundle	FT	Foot	PR	Pair
BE	Bale	FV	Five	PT	Pint
BF	Board Foot	FY	Fifty	PZ	Packet
BG	Bag	GA	Gallon	QT	Quart
BK	Book	GL	Gallon	RA	Ration
BL	Barrel	GL	Grams per Liter	RE	Reel
BL	Block	GM	Gram	RL	Reel
BO	Bolt	GP	Group	RL	Roll
BO	Bottle	GR	Gross	RM	Ream
BR	Bar	GS	Gross	RO	Roll
BT	Bottle	HD	One Hundred	SD	Skid
BX	Box	HK	Hank	SE	Set
CA	Cartridge	HU	Hundred	SF	Square Foot
CA	Case	IN	Inch	SH	Sheet
CB	Carboy	JR	Jar	SI	Square Inch
CC	Cubic Centimeter	KG	Kilogram	SK	Skein
CD	Cubic Yard	KR	Kiloroentgen	SL	Sleeve
CD	Carat	KT	Kit	SL	Spool
CE	Cone	LB	Pound	SO	Shot
CF	Cubic Foot	LG	Length	SP	Strip
CG	Card	LI	Liter	ST	Set
CI	Cubic Inches	MC	One Thousand Cubic Ft	SX	Stick
CK	Cake	ME	Meal	SY	Square Yard
CL	Coil	MG	Metric Gross Ton	TB	Tube
CM	Centimeter	ML	Milliliter	TD	Twenty Four
CN	Can	MM	Millimeter	TE	Ten
CO	Container	MR	Meter	TF	Twenty Five
CS	Case	MX	One Thousand	TH	Thousand
CS	Cassette	OT	Outfit	TN	Ton
CT	Carton	OZ	Ounce	TO	Troy Ounce
CY	Cylinder	PA	Pail	TS	Thirty Six
CZ	Cubic Meter	PC	Piece	TU	Tube
DM	Decimeter	PD	Pad	VI	Vial
DR	Drum	PG	Package	YD	Yard

WHAT'S NEW

2024 What's New

3D Printer Filament

Fits machine models: MAKERBOT REPLICATOR 3D PRINTERS. MAKERBOT REPLICATOR Z18; MAKERBOT 5TH GEN REPLICATOR MAKERBOT REPLICATOR 2

This Makerbot filament pack contains 10 spools of Filament that are 2 LBS each with assorted colors: TRUE RED, TRUE ORANGE, TRUE YELLOW, TRUE GREEN, TRUE BLUE, TRUE PURPLE, TRUE BLACK, TRUE WHITE, COOL GRAY, WARM GRAY.

12-month maximum shelf life (not extendable).

NEW, Federal Strategic Sourcing Initiative, 7510-01-659-8415, MP06572, Assorted, EA, \$471.05

3D Printer Filament, PLA Pro

Transform your creative ideas into tangible objects with help from this 3D printer filament by Skilcraft® that works with a variety of common 3D printers. Skilcraft 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Check printer to ensure compatibility or email 3dprint+advantage@gsa.gov for help.

Polylactic Acid (PLA) filament is a bio-plastic material for applications that require a tight dimensional accuracy. SKILCRAFT PLA Pro has high heat resistance and is easy to print. PLA is also environmentally preferred for its odorless quality and naturally degradation when exposed to the environment.

(PLA) Polylactic Fuel Filament, 1kg of 2.85 mm

NEW, 7045-01-705-7351, Skilcraft, AbilityOne, Natural, EA, \$45.18

NEW, 7045-01-698-3259, Skilcraft, AbilityOne, White, EA, \$45.18

NEW, 7045-01-705-7352, Skilcraft, AbilityOne, Black, EA, \$45.18

3D Printer Filament, ABS Pro

Transform your creative ideas into tangible objects with help from this 3D printer filament by Skilcraft® that works with a variety of common 3D printers. Skilcraft 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Check printer to ensure compatibility or email 3dprint+advantage@gsa.gov for help.

Acrylonitrile Butadiene Styrene (ABS) filament on spools for printing strong, temperature-resistant 3D parts. ABS combines the strength and rigidity of polymers with the toughness of rubber. ABS is hard, glossy, tough, and has electrical insulation properties.

(ABS) Acrylonitrile Butadiene Styrene, 1kg of 2.85 mm

NEW, 7045-01-705-7353, Skilcraft, AbilityOne, White, EA, \$47.20

NEW, 7045-01-705-7354, Skilcraft, AbilityOne, Black, EA, \$47.20

NEW, 7045-01-698-3260, Skilcraft, AbilityOne, Natural, EA, \$47.20

3D Printer Filament, Nylon Pro

Transform your creative ideas into tangible objects with help from this 3D printer filament by Skilcraft® that works with a variety of common 3D printers. Skilcraft 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Check printer to ensure compatibility or email 3dprint+advantage@gsa.gov for help.

Nylon polyimide 6 filament on spools for durability, minimal shrinkage, a vast range of chemical resistance, and printable at temperatures as low as 230C-270C. Nylon filament has a high tensile strength and makes thin, flexible prints as well as heavy-duty parts ranging from living hinges to interlocking gear mechanisms.

Nylon, 1kg of 2.85 mm

NEW, 7045-01-705-7355, Skilcraft, AbilityOne, Black, EA, \$56.63

NEW, 7045-01-705-7356, Skilcraft, AbilityOne, Natural, EA, \$56.63

3D Printer Filament, Water Soluble

Transform your creative ideas into tangible objects with help from this 3D printer filament by SKILCRAFT® that works with a variety of common 3D printers. SKILCRAFT 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Check printer to ensure compatibility or email 3dprint+advantage@gsa.gov for help.

Water soluble support filament dissolves quickly and completely in water for easy printing. Non-toxic and fully biodegradable. Needs to be soaked for 1-2 hours to easily work supports off by hand, or 2-6 hours to dissolve completely. Designed to be used as support material to large overhangs, intricate inner geometry, and deep cavities. Sensitive to high humidity. Store in sealed container with desiccant.

Water Soluble, 1kg of 1.75 mm

NEW, 7045-01-705-7357, Skilcraft, AbilityOne, Natural, EA, \$126.83

Water Soluble, 1kg of 2.85 mm

NEW, 7045-01-705-7358, Skilcraft, AbilityOne, Natural, EA, \$126.83

Powered Sit-Stand with Monitor Arm

Made in USA. Adjustable work surface is intended for federal agencies to be able to retrofit their existing fixed height work surfaces into adjustable standing height work surfaces. The work surface platform is large enough to accommodate keyboard, mousepad, and paper/notebook, which allows you to bring necessities with you when you stand. Accommodates monitors up to 24" diagonal. Includes VESA compliant display mounting and includes cable management features to keep monitor cables organized and out of the way. While work surfaces are designed to be freestanding, clamp mount or thru mount accessories are available, at no additional charge, upon request. Fully assembled.

Single monitor arms can hold up to 30 lbs and have a 180 degree display rotation (landscape to portrait).

Includes single monitor arm.

NEW, 7110-01-700-1030, Black, EA, \$658.26

NEW, 7110-01-700-0769, White, EA, \$658.26

Corner unit. Includes a single monitor arm.

NEW, 7110-01-700-1029, Black, EA, \$803.16

NEW, 7110-01-700-1031, White, EA, \$803.16

Dual monitor arms can hold up to 25 lbs on each arm and have 180 degree display rotation (landscape to portrait).

Includes dual monitor arms.

NEW, 7110-01-700-1033, Black, EA, \$792.12

NEW, 7110-01-700-1032, White, EA, \$792.12

Corner unit. Includes dual monitor arms.

NEW, 7110-01-700-1800, Black, EA, \$937.02

NEW, 7110-01-700-1034, White, EA, \$937.02

Bi-Fold Folding Table

Durable SKILCRAFT® Blow-Molded Folding Tables are commercial grade and made of high density polyethylene plastic with contemporary beveled, radius edged tops. Powder coated heavy gauge steel tubing legs with non mar plastic capped feet to protect floors. Lightweight and highly portable; Legs fold into underside cavity for safe storage and easy transport. For use indoors or outdoors. Tables clean easily and resist dents, scratches, rust, stains, and warping. Stated weight capacities refer to even weight distribution. Tops are made with approximately 35 percent preconsumer recycled content and all parts are recyclable at end of life. 15 year limited warranty. Tables meets ANSI/BIFMA standards. Made in the U.S.A. TAA and Berry Amendment compliant.

Bi-fold table folds in half for more compact storage.

NEW, 7110-01-702-5670, AbilityOne, Charcoal, 30" W x 26" H x 60" D - 250 lb Weight Capacity, EA, \$232.69

NEW, 7110-01-702-5675, AbilityOne, Charcoal, 30" W x 29" H x 60" D - 250 lb Weight Capacity, EA, \$205.63

Rectangular Folding Table

Durable SKILCRAFT® Blow-Molded Folding Tables are commercial grade and made of high density polyethylene plastic with contemporary beveled, radius edged tops. Powder coated heavy gauge steel tubing legs with non mar plastic capped feet to protect floors. Lightweight and highly portable; Legs fold into underside cavity for safe storage and easy transport. For use indoors or outdoors. Tables clean easily and resist dents, scratches, rust, stains, and warping. Stated weight capacities refer to even weight distribution. Tops are made with approximately 35 percent pre consumer recycled content and all parts are recyclable at end of life. 15 year limited warranty. Tables meets ANSI/BIFMA standards. Made in the U.S.A. TAA and Berry Amendment compliant.

NEW, 7110-01-702-5671, AbilityOne, Charcoal, 72" W x 29" H x 18" D; 250 lb weight capacity, EA, \$187.19

NEW, 7110-01-702-5673, AbilityOne, Charcoal, 60" W x 29" H x 18" D; 250 lb weight capacity, EA, \$174.54

Personal Adjustable Height Folding Table

Durable SKILCRAFT® Blow-Molded Folding Tables are commercial grade and made of high density polyethylene plastic with contemporary beveled, radius edged tops. Powder coated heavy gauge steel tubing legs with non mar plastic capped feet to protect floors. Lightweight and highly portable; Legs fold into underside cavity for safe storage and easy transport. For use indoors or outdoors. Tables clean easily and resist dents, scratches, rust, stains, and warping. Stated weight capacities refer to even weight distribution. Tops are made with approximately 35 percent pre consumer recycled content and all parts are recyclable at end of life. 15 year limited warranty. Tables meets ANSI/BIFMA standards. Made in the U.S.A. TAA and Berry Amendment compliant.

NEW, 7110-01-702-6953, AbilityOne, Charcoal, Round, 24"; 25 lb Weight Capacity, EA, \$74.97

NEW, 7110-01-702-6955, AbilityOne, Platinum, Round, 24"; 25 lb Weight Capacity, EA, \$74.97

NEW, 7110-01-702-6954, AbilityOne, Charcoal, 20" W x 30" L, EA, \$71.46

NEW, 7110-01-702-6956, AbilityOne, Platinum, 18" W x 26" L, EA, \$66.37

NEW, 7110-01-702-6957, AbilityOne, Charcoal, 18" W x 26" L, EA, \$66.37

Cotter Pin Assortment

Use uncoated steel-split cotter pins as fastening or safety devices. Assortment contains a total pins of the following sizes: 15 each of 1/16 x 1-1/2", 3/32 x 1/2", 3/32 x 1-1/2" and 5/32 x 1"; 5 each of 1/8 x 1/2", 1/8 x 1", 1/8 x 2" and 3/16 x 1-1/2"; and 20 each of 1/8 x 1-1/2". Packaged in a plastic compartmented container.

NEW, 5315-00-598-5916, AbilityOne, AT, \$10.84

Laptop and Tablet Security Lock

Laptop and Tablet lock has an anti-pick hidden pin. The carbon steel cable is cut-resistant and anchors to a desk, table or any fixed structure.

NEW, 5340-01-695-2544, AbilityOne, EA, \$48.08

Laptop and Tablet lock secures Ultra-Thin laptops and tablets. The carbon steel cable is cut-resistant and anchors to a desk, table or any fixed structure.

Comes with a resettable, 4-wheel number code with 10,000 possible combinations, selected by the user.

NEW, 5340-01-695-2546, AbilityOne, EA, \$38.45

Laptop and Tablet lock has a tough lock head that fits a wedge-shaped lock slot. The carbon steel cable is cut-resistant and anchors to a desk, table or any fixed structure.

Keyed lock comes with two barrel style keys.

NEW, 5340-01-695-2554, AbilityOne, EA, \$48.08

Comes with a resettable, 4-wheel number code with 10,000 possible combinations, selected by the user.

NEW, 5340-01-695-2557, AbilityOne, EA, \$38.45

Neck Lanyard

Cord style lanyard made of braided polyester.

Features a breakaway connector, a cord adjuster, side release buckle and a plastic swivel hook.

Patriotic themed.

NEW, 8455-01-698-8428, AbilityOne, Red, White and Blue, 36" x 0.25", DZ, \$37.13

Cord style lanyard made of braided polyester.

Features a cord adjuster and a breakaway connector with a sturdy plastic J hook clip which allows for easy attaching and detaching of ID cards.

Plastic frosted badge holder displays ID vertically.

NEW, 8455-01-698-8431, AbilityOne, Black, 36" x 0.25", DZ, \$43.54

Strap style lanyard made of durable nylon material.

Features a breakaway connector with two metal hooks for attaching a face mask.

NEW, 8455-01-698-8429, AbilityOne, Black, 36" x 0.375", DZ, \$21.19

Badge Holder

Dual ID card holder is made of rigid plastic. The holder will accommodate two (2) credit card sized ID cards. The front of each card is visible when the holder is flipped over.

Displays ID vertically.

NEW, 8455-01-698-8430, AbilityOne, Frosted, 3.44" x 2.15" x 0.25", DZ, \$16.18

Laser Pen Pointer

Red Laser Presentation Pointer. 650NM wavelength, 4 patterns, dot, circle, line, arrow.

NEW, 7520-01-694-1460, EL888024-RD, EA, \$48.38

Digital Shipping Scale

Digital shipping scale with LCD screen provides accurate reading of shipping weights within 0.1 ounce and includes a tare function. Scale with 25-pound capacity can be powered via USB cable or three AAA batteries (not included).

NEW, 7490-01-688-1538, Skilcraft, AbilityOne, Black/Silver, EA, \$53.69

Magnetic Pushpin

Hang documents and signs on any magnetic surface with magnetic pushpins. Ideal for use on whiteboards, filing cabinets, and refrigerators or as map pins. Each half-inch long magnetic pushpin holds up to six sheets of paper.

NEW, 7510-01-687-5678, SkilcraftAbilityOne AssortedPG(contains 6 EA), \$6.66

Airbrush Kit

Description to read: Single-action airbrush kit is used for painting and retouching. Includes one airbrush, one 1-oz and one 3-oz empty paint bottle with cap, one multipart head (medium size), one needle (medium size), one self-centering tip (medium size) and a plastic storage box. Includes 6ft of 1/8 inch air hose with couplings. Does not include a compressor.

NEW, 7520-00-939-6179, AB6179, EA, \$143.07

Letter Opener

Razor style letter opener. Concealed blade slips under envelope flap. When you push forward the blade cuts open envelope.

NEW, 7520-01-433-1787, QP101, 2 x 2-1/4", EA, \$3.22

Wire File

Description to read: Wire desk file features a graduated step design to allow easy visibility and access to files. Rack has six compartments.

NEW, 7520-01-450-4338, 72613, Black, 4-3/8"W x 6-1/2"D x 7-3/4"H, EA, \$20.57

Multi-Purpose Sanitizer and Cleaner

Cleans, degreases and disinfects any hard non-porous surface area where viruses and bacteria live. Compatible with the JAWS (Just Add Water) Dispensing System.

Box contains 12 concentrated, pre-measured (two ounce), drop-in, refill cartridges.

12-month maximum shelf life (extendable).

Material Safety Data Sheet

NEW, 7930-01-600-5749, AbilityOne, BX(contains 12 EA), \$26.97

Kit includes six 32 ounce, empty reusable bottles, with trigger sprayers and 12 concentrated, pre-measured (two ounce), drop in refill cartridges.

12-month maximum shelf life (extendable).

Material Safety Data Sheet

NEW, 7930-01-600-5752, AbilityOne, KT, \$53.93

Disposable Gloves

Disposable multipurpose gloves for serving food. Gloves are made of polyethylene and are powder and latex free. Designed to fit either hand.

NEW, 8415-01-692-2644, AbilityOne, Clear, LargeBX(contains 200 EA), \$3.08

Toilet Paper

Professional grade individually wrapped single roll 2-ply toilet paper. Toilet paper consists of 4" x 4" perforated sheets.

Contains 100% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

NEW, 8540-01-691-2277, SKILCRAFT, AbilityOne White 450 Sheets, BX(contains 80 EA), \$73.21

Toiletries Kit

Emergency Hygiene kit contains Antibacterial Cleaning Wipes, pack of 15 wipes, (5.7" X 7.5"); Antibacterial Soap, 1.0 ounce; Individual Plastic Comb, 5 inch; Facial Tissue, pack of 15 tissues (4" x 2" x 1"); Plastic Hairbrush, 4 inches; Hand and Body Lotion, 2 ounce; Hand Sanitizer, 2 ounce; Disposable Razor, Men's triple blade with cover; Shampoo, 1.86 ounce; Conditioner, 2.55 ounces; Shaving Lotion: 2.5 ounces; Toothbrush, 6.0 inch, polypropylene; Mouthwash, 1.5 ounce; Wash Cloth, 12" x 12" white cotton; Roll-on Deodorant, 2 ounce; Fluoride toothpaste, 8.5 inch.

24-month maximum shelf life (extendable).

NEW, 8530-01-698-8424, AbilityOne, BX(contains 12 KT), \$148.71

Urinal Screen Deodorizer

Round urinal screen is environmentally friendly. Anti-splash texture provides greater surface for coverage. Screen is flexible for a proper fit to nearly any urinal contour and is safe for use in waterless urinals.

Lasts for 30-45 days.

36-month maximum shelf life (extendable).

NEW, 6840-01-699-8437, AbilityOne, Apple Cinnamon fragrance Diameter: 7-1/4"; 1/16" thick, BX(contains 10 EA), \$28.17

NEW, 6840-01-699-8438, AbilityOne, Calypso Lime fragrance, Diameter: 7-1/4"; 1/16" thick, BX(contains 10 EA), \$28.17

NEW, 6840-01-699-8439, AbilityOne, Lavender Lace fragrance Diameter: 7-1/4"; 1/16" thick, BX(contains 10 EA), \$28.17

NEW, 6840-01-699-8440, AbilityOne, Mountain Air fragrance Diameter: 7-1/4"; 1/16" thick, BX(contains 10 EA), \$28.17

NEW, 6840-01-699-8443, AbilityOne, Ice fragrance Diameter: 7-1/4"; 1/16" thick, BX(contains 10 EA), \$28.17

Lasts for 45-60 days.

36-month maximum shelf life (extendable).

NEW, 6840-01-699-8442, AbilityOne, Mango Bay fragrance, Diameter: 7-1/4"; 1/4" thick, BX(contains 6 EA), \$28.31

NEW, 6840-01-699-8444, AbilityOne, Melon Mist fragrance, Diameter: 7-1/4"; 1/4" thick, BX(contains 6 EA), \$28.31

NEW, 6840-01-699-8445, AbilityOne, Mountain Air fragrance, Diameter: 7-1/4"; 1/4" thick, BX(contains 6 EA), \$28.31

NEW, 6840-01-699-8446, AbilityOne, Calypso Lime fragrance Diameter: 7-1/4"; 1/4" thick, BX(contains 6 EA), \$28.31

NEW, 6840-01-699-8447, AbilityOne, Apple Cinnamon fragrance, Diameter: 7-1/4"; 1/4" thick, BX(contains 6 EA), \$28.31

NEW, 6840-01-699-8448, AbilityOne, Lavender Lace fragrance, Diameter: 7-1/4"; 1/4" thick, BX(contains 6 EA), \$28.31

NEW, 6840-01-699-8449, AbilityOne, Ice fragrance, Diameter: 7-1/4"; 1/4" thick, BX(contains 6 EA), \$28.31

Upright Tilt-Angle Broom Kit

Tilt angle upright broom has steel handle with plastic grips. The extra wide broom head has angled black and grey poly fiber bristles with split ends. Broom includes plastic dustpan that snaps onto the broom handle for storage. Overall broom length is 53".

Plastic broom head is 9.5" wide with a 13" to 15" sweeping surface.

NEW, 7920-01-699-4055, AbilityOne, EA, \$17.73

TONER AND INK CARTRIDGES

IN THIS SECTION

Toner Cartridges and Supplies T-2

Ink Cartridges and Supplies T-20

To see our complete offering of toner and ink cartridges,
please visit www.GSAglobalsupply.gsa.gov.

Toner Cartridges and Supplies

Dell Toner Cartridges								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW		Dell-3110CN	310-8094	Cyan	8,000	7510-01-565-7166	\$364.08	EA
NEW			310-8096	Magenta	8,000	7510-01-565-7169	\$364.08	EA
NEW			310-8098	Yellow	8,000	7510-01-565-7161	\$425.51	EA
		Dell-3330DN	330-5207	Black	14,000	7510-01-604-6517	\$286.06	EA
		Dell-5130CDN	330-5843	Magenta	12,000	7510-01-604-6513	\$202.57	EA
			330-5846	Black	18,000	7510-01-604-6518	\$221.89	EA
			330-5850	Cyan	12,000	7510-01-604-6511	\$324.83	EA
			330-5852	Yellow	12,000	7510-01-604-6516	\$256.13	EA
		Dell-5330DN	330-2045	Black	20,000	7510-01-604-6514	\$216.60	EA
		Dell-5330DN and 5535DN	330-9792	Black	36,000	7510-01-604-6512	\$592.88	EA
		Dell-360D, 2360DN, B3460DN, B3465DN and B3465DNF	331-9805	Black	8,500	7510-01-661-1878	\$253.00	EA
		Dell-C5765DN	332-2115	Black	18,000	7510-01-668-7060	\$186.70	EA
			332-2116	Yellow	12,000	7510-01-668-7059	\$279.98	EA
			332-2117	Magenta	12,000	7510-01-668-7061	\$268.81	EA
			332-2118	Cyan	12,000	7510-01-668-7063	\$268.81	EA
		Dell-S2815DN	593-BBMF	Black	6,000	7510-01-665-0862	\$259.09	EA
		Dell-2330D, 2330DN, 2350D AND 2350DN	SKILCRAFT	Black	2,000	7510-01-659-0098	\$77.96	EA
NEW		Dell-1700 and 1710	SKILCRAFT	Black	6,000	7510-01-659-0100	\$47.07	EA
		Dell-B2360d, B2360dn, B3460dn, B3465dn and B3465dnf	SKILCRAFT	Black	2,500	7510-01-677-4487	\$72.02	EA
NEW			SKILCRAFT	Black	8,500	7510-01-677-4484	\$80.02	EA
NEW		Dell-B5460DN, B5465DNF	SKILCRAFT	Black	25,000	7510-01-677-4490	\$138.57	EA

Hewlett-Packard Toner Cartridges

NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW		HP-OfficeJet Pro 6015 and 9025	3HZ96AN#140	Cyan	700	7510-01-697-5522	\$28.92	EA
NEW		HP-OfficeJet 5540, 5640, 5660, 7640, 5740, 8040, 2000, 250	C2P04AN#140	Black	200	7510-01-697-6027	\$22.22	EA
NEW	C2P05AN#140		Black	600	7510-01-697-5509	\$32.94	EA	
NEW	C2P06AN#140		Tri-Color	165	7510-01-697-7341	\$34.22	EA	
NEW		HP-OfficeJet 5741, 5740, 5744; ENVY 5540, 7640; Officejet 8040; OfficeJet 250 Mobile; ENVY 5660; OfficeJet 200 Mobile and OfficeJet 5743	C2P07AN#140	Tri-Color	500	7510-01-697-5508	\$36.34	EA
	FSSI	HP-Color LaserJet 4600 Series and 4650 Series	C9720A	Black	9,000	7510-01-572-1159	\$228.97	EA
	FSSI		C9721A	Cyan	8,000	7510-01-566-8658	\$326.27	EA
	FSSI		C9722A	Yellow	8,000	7510-01-572-1162	\$194.11	EA
	FSSI		C9723A	Magenta	8,000	7510-01-566-9117	\$326.27	EA
	FSSI	HP-Color LaserJet 5500 Series and 5550 Series	C9730A	Black	13,000	7510-01-518-9665	\$229.00	EA
	FSSI		C9731A	Cyan	12,000	7510-01-518-9666	\$325.77	EA
	FSSI		C9732A	Yellow	12,000	7510-01-518-9667	\$353.21	EA
	FSSI		C9733A	Magenta	12,000	7510-01-518-9668	\$325.77	EA
NEW		HP-Color LaserJet CP6015, CM6030 MFP and CM6040 MFP	CB387A	Magenta	23,000	7510-01-603-2924	\$531.28	EA
NEW	FSSI	HP-M1120 MFP, M1120N MFP, M1522, M1522N, M1522NF, M1522N MFP, M1522NF MFP, P1505 and P1505N	CB436A	Black	2,000	7510-01-593-7127	\$62.40	EA
	FSSI	HP-Color LaserJet CP1215, CP1515, CP1518N	CB540A	Black	2,200	7510-01-581-6447	\$77.16	EA
	FSSI		CB541A	Cyan	1,400	7510-01-581-6452	\$71.40	EA
	FSSI	HP-CP1215, CP1515N, CP1518NI, CM1312 MFP	CB543A	Magenta	1,400	7510-01-581-6460	\$72.31	EA
	FSSI	HP-Color LaserJet CP4005 Series	CB400A	Black	7,500	7510-01-546-6400	\$188.20	EA
	FSSI		CB401A	Cyan	7,500	7510-01-546-6414	\$279.78	EA
	FSSI		CB402A	Yellow	7,500	7510-01-546-6411	\$274.92	EA
	FSSI		CB403A	Magenta	7,500	7510-01-546-6427	\$279.78	EA
		HP-P4014, P4015 and P4515, CC364A AND CC364X		Black	34,800	7510-01-600-5980	\$208.44	EA
	FSSI	HP-LaserJet P4014 Series, P4015 Series, and P4515 Series	CC364A	Black	10,000	7510-01-568-0644	\$140.05	EA
	FSSI		CC364AG	Black	10,000	7510-01-603-2944	\$166.83	EA
		HP-LaserJet P4014, P4015, P4515	CC364XD	Black	24,000	7510-01-603-2948	\$545.50	PG
	FSSI	HP-Color LaserJet CM2320 MFP Series, CP2020 Series and CP2025 Series	CC530A	Black	3,500	7510-01-576-4049	\$78.15	EA
	FSSI		CC531A	Cyan	2,800	7510-01-576-4055	\$75.24	EA
	FSSI		CC532A	Yellow	2,800	7510-01-576-4058	\$75.24	EA
	FSSI		CC533A	Magenta	2,800	7510-01-576-4060	\$75.24	EA
		HP-Color LaserJet CM3530 Series and CP3525 Series	CE250A	Black	5,000	7510-01-573-0117	\$115.77	EA
		HP-Laserjet CP3525, CM3530, CP3525, CM3530 MFP	CE250X	Black	10,500	7510-01-582-5432	\$156.30	EA

Hewlett-Packard Toner Cartridges, continued

NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
	FSSI	HP-Color LaserJet CM3530 Series and CP3525 Series	CE251A	Cyan	7,000	7510-01-573-0115	\$143.45	EA
		HP-Color LaserJet CM3530 Series and CP3525 Series	CE252A	Yellow	7,000	7510-01-573-0114	\$143.45	EA
NEW	FSSI	HP-LaserJet Enterprise Models P3015DN, P3015N, P3015D, P3015X, M521DN, M525C, M525F, and M525DN	CE255AG	Black	6,000	7510-01-687-9387	\$139.77	EA
NEW	FSSI	HP-CLJ CP1215/CP1515/CP1518/CM1312 MFP Series printers	CE259A	Tri-Color	1,400	7510-01-603-2958	\$199.65	PG
NEW		HP-P1102w, M1212nf MFP and M1217nfw MFP	CE285A	Black	1,600	7510-01-603-2937	\$47.67	EA
NEW	FSSI	HP-Laserjet 700, MFP M775 SERIES	CE340AG	Black	13,500	7510-01-687-9389	\$130.73	EA
NEW			CE341AG	Cyan	16,000	7510-01-697-5511	\$319.53	EA
NEW	FSSI		CE342AG	Yellow	16,000	7510-01-687-9390	\$323.90	EA
NEW	FSSI		CE343AG	Magenta	16,000	7510-01-687-9977	\$323.90	EA
NEW	FSSI	HP-M451DW, M475DN, M451DN, M475DW, M451NW and M375NW	CE410AG	Black	2,600	7510-01-687-9388	\$85.78	EA
NEW	FSSI	HP-M451DW, MFP M375NW, M451DN and M451NW	CE411AG	Cyan	2,600	7510-01-688-7922	\$78.70	EA
NEW	FSSI		CE412AG	Yellow	2,600	7510-01-688-7306	\$78.70	EA
NEW	FSSI		CE413AG	Magenta	2,600	7510-01-688-7307	\$79.42	EA
NEW	FSSI	Fits models: HP LaserJet P2035 and P2055 Series printers	CE505D	Black	2,300	7510-01-603-2898	\$138.98	PG
		HP-Color LaserJet Professional CP5220 and CP5225 Printer series	CE741A	Cyan	7,300	7510-01-603-2872	\$251.86	EA
			CE743A	Magenta	7,300	7510-01-603-2876	\$255.97	EA
	FSSI	HP-CLJ Pro MFP M176 and M177 printer series	CF350A	Black	1,300	7510-01-645-2734	\$69.79	EA
	FSSI	HP-CP3525 and CM3530 MFP	CE250AG	Black	5,000	7510-01-603-2902	\$135.93	EA
	FSSI		CE253AG	Magenta	7,000	7510-01-603-2915	\$186.86	EA
	FSSI		CE252AG	Yellow	7,000	7510-01-603-2911	\$197.50	EA
				Yellow	7,000	7510-01-673-1901	\$84.81	EA
				Magenta	7,000	7510-01-673-2686	\$84.81	EA
			CE253A	Magenta	7,000	7510-01-573-0059	\$132.82	EA
		HP-CP4000 CP4500, CP4025DN, CP4025N, CP4525DN, CP4525N and CP4525XH	CE260A	Black	8,500	7510-01-590-4409	\$116.13	EA
			CE261A	Cyan	11,000	7510-01-590-4422	\$162.58	EA
			CE262A	Yellow	11,000	7510-01-590-5022	\$162.58	EA
		HP-CP4025 and CP4525 series	CE263A	Magenta	11,000	7510-01-590-5023	\$162.58	EA
				Black	8,500	7510-01-673-1903	\$83.38	EA
				Cyan	11,000	7510-01-673-1197	\$86.25	EA
				Magenta	11,000	7510-01-673-1199	\$86.25	EA
				Yellow	11,000	7510-01-673-1195	\$86.25	EA

Hewlett-Packard Toner Cartridges, continued									
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue	
NEW		HP-Remanufactured Toner Cartridge for use with HP Series 654A Printers		Yellow	15,000	7510-01-691-2966	\$54.96	EA	
NEW				Magenta	15,000	7510-01-691-2969	\$54.96	EA	
NEW					Black	1,400	7510-01-694-5343	\$62.32	EA
NEW		HP-M1212, M1217 and P1102		Black	1,600	7510-01-660-3730	\$41.04	EA	
NEW		HP-M604, M605, M606, M630		Black	10,500	7510-01-670-3514	\$99.03	EA	
NEW					Black	25,000	7510-01-673-1196	\$129.38	EA
NEW		HP-4000, 4050 printers		Black	10,000	7510-01-560-6577	\$63.31	EA	
NEW		HP-M1536DNF MFP, P1566, and P1606DN, LBP6200D; Image Class LBP6200D and LBP6230		Black	3,000	7510-01-683-3781	\$39.82	EA	
NEW		HP-M252 and M277		Magenta	1,400	7510-01-682-1305	\$52.44	EA	
NEW		HP-LaserJet 1010, 1012, 1015, 1018, 1020, 1022, 1022N, 1022NW, 3015AIO, 3020AIO, 3030AIO, 3050AIO, 3052AIO, 3055AIO, M1005MFP and M1319FMFP		Black	2,000	7510-01-683-3487	\$31.62	EA	
NEW		HP-M203 and M227		Black	1,600	7510-01-688-6068	\$57.96	EA	
NEW		HP-Remanufactured Toner Cartridge for use with HP series 654x Printers		Black	20,500	7510-01-691-2280	\$79.99	EA	
NEW		HP-Remanufactured Toner Cartridge for use with CP5225dn and CP5225n		Cyan	7,300	7510-01-691-5757	\$64.62	EA	
NEW					Black	7,000	7510-01-691-5759	\$64.62	EA
NEW					Magenta	7,300	7510-01-691-5764	\$64.62	EA
NEW					Yellow	7,300	7510-01-691-5760	\$64.62	EA
	FSSI	HP-Color LaserJet Enterprise CP4025 Series, CP4525 and CM4540 MFP	CE260AG	Black	8,500	7510-01-603-2935	\$147.94	EA	
	FSSI	HP-Color LaserJet Enterprise CP4025 Series and CP4525	CE261AG	Cyan	11,000	7510-01-603-2942	\$203.34	EA	
	FSSI		CE262AG	Yellow	11,000	7510-01-603-2946	\$203.34	EA	
	FSSI		CE263AG	Magenta	11,000	7510-01-603-2951	\$203.34	EA	
		HP-CP4025, CP4525n, CP4525dn, CP4525xh and CM4540	CE260X	Black	17,000	7510-01-603-2938	\$195.01	EA	
NEW				CE265A	Black	36,000	7510-01-615-8270	\$25.85	EA
		HP-Color LaserJet Enterprise CP5520 AND CP5525	CE270A	Black	13,500	7510-01-603-2925	\$163.75	EA	
			CE272A	Yellow	15,000	7510-01-603-2931	\$268.67	EA	
			CE273A	Magenta	15,000	7510-01-603-2934	\$313.55	EA	
		HP-Color LaserJet CP5520 and M750 series	CE271A	Cyan	15,000	7510-01-594-4372	\$258.21	EA	
		HP CP6015, CM6030 MFP and CM6040 MFP	CB386A	Yellow	23,000	7510-01-603-2916	\$334.54	EA	
NEW	FSSI	HP-Color LaserJet CM1312nfi MFP, CP1210, CP1215, CP1510, CP1515n, CP1518ni and CM1312nfi	CB542A	Yellow	1,400	7510-01-581-6459	\$72.09	EA	
		HP-HP PRO 300 M351/MFP M375/PRO 400 M451		Magenta	2,600	7510-01-660-4952	\$65.15	EA	
		HP-Laserjet 1600 Series and Laserjet Pro P1606DN	CE278A	Black	2,100	7510-01-596-4260	\$51.73	EA	

Hewlett-Packard Toner Cartridges, continued

NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
		HP-LaserJet Enterprise 700 color MFP and M775 series	CE341A	Cyan	16,000	7510-01-616-3267	\$250.29	EA
			CE343A	Magenta	16,000	7510-01-616-3268	\$250.29	EA
			CE340A	Black	13,500	7510-01-616-3269	\$116.48	EA
			CE342A	Yellow	16,000	7510-01-616-3273	\$250.29	EA
NEW		HP-LaserJet M4555h/M4555f/M4555f/skm MFP, LJ 600 M601/M602/M603 Series	CE390X	Black	24,000	7510-01-603-2873	\$461.97	EA
	FSSI	HP-LaserJet Enterprise 500 Color and M551 printer series	CE400A	Black	5,500	7510-01-603-2919	\$142.43	EA
NEW	FSSI	HP-LaserJet Enterprise 500 Color Printers M551, M570, M575 printer series	CE400AG	Black	5,500	7510-01-687-9385	\$145.36	EA
NEW			CE400YC	Black	11,400	7510-01-697-5513	\$291.36	EA
			CE400X	Black	11,000	7510-01-603-2923	\$162.58	EA
	FSSI		CE401A	Cyan	6,000	7510-01-603-2926	\$155.87	EA
NEW			CE401AG	Cyan	6,000	7510-01-697-6028	\$163.68	EA
			CE402A	Yellow	6,000	7510-01-603-2929	\$142.08	EA
NEW	FSSI		CE402AG	Yellow	6,000	7510-01-687-9386	\$158.96	EA
			CE403A	Magenta	6,000	7510-01-603-2932	\$146.57	EA
NEW	FSSI		CE403AG	Magenta	6,000	7510-01-688-0575	\$158.96	EA
			HP-M607, 608, 609, 631, 632 and 633		Black	11,000	7510-01-682-2176	\$127.97
		HP-Enterprise 500 Color M551 and M575		Black	11,000	7510-01-660-4961	\$93.44	EA
				Magenta	6,000	7510-01-660-4962	\$89.52	EA
				Black	5,500	7510-01-660-4959	\$65.15	EA
				Cyan	6,000	7510-01-660-4951	\$89.52	EA
				Yellow	6,000	7510-01-660-4956	\$89.52	EA
		HP-M452 and M477		Black	2,300	7510-01-682-1928	\$49.23	EA
		HP-M533, M552, M553 and M577 Cartridge is remanufactured		Black	6,000	7510-01-682-1303	\$71.28	EA
		HP-LaserJet M4555h/M4555f/M4555f/skm MFP, LJ 600 M601/M602/M603	CE390A	Black	10,000	7510-01-603-2871	\$171.99	EA
	FSSI		CE390XG	Black	24,000	7510-01-603-2875	\$202.80	EA
		HP-M451DW, M475DN, M451DN, M475DW, M451NW and M375NW	CE410XD	Black	4,000	7510-01-649-1223	\$217.22	PG
	FSSI	HP-LaserJet P2035 Series and P2055	CE505A	Black	2,300	7510-01-572-1164	\$62.44	EA
	FSSI	HP-LaserJet P2035 Series, P2054, P2055, P2056, and P2057 series	CE505XD	Black	6,500	7510-01-603-2903	\$289.66	PG
	FSSI	HP-LaserJet P2050 series and P2055 series	CE505X	Black	6,500	7510-01-581-6451	\$125.54	EA
		HP-LaserJet 500 MFP, M521, M525, P3015, HP LaserJet Enterprise Flow MFP M525c	CE255X	Black	12,500	7510-01-580-8394	\$158.17	EA
	FSSI		CE255A	Black	6,000	7510-01-580-8395	\$134.49	EA
	FSSI	HP-LaserJet Enterprise MFP M525 and P3015 series	CE255XD	Black	12,500	7510-01-603-4853	\$389.48	PG

Hewlett-Packard Toner Cartridges, continued								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
		HP-Color LaserJet Professional CP5220	CE740A	Black	7,000	7510-01-603-2869	\$145.35	EA
			CE742A	Yellow	7,300	7510-01-603-2874	\$255.97	EA
	FSSI	HP-Color LaserJet Enterprise CM4540	CE264X	Black	17,000	7510-01-603-2930	\$148.76	EA
	FSSI		CF031A	Cyan	12,500	7510-01-603-2933	\$235.10	EA
	FSSI		CF032A	Yellow	12,500	7510-01-603-2879	\$235.10	EA
	FSSI		CF033A	Magenta	12,500	7510-01-603-2936	\$235.10	EA
NEW	FSSI	HP-LJP 200 color M251 and color MFP M276	CF210A	Black	1,600	7510-01-620-2015	\$69.07	EA
NEW	FSSI		CF211A	Cyan	1,800	7510-01-620-2017	\$90.37	EA
NEW	FSSI		CF212A	Yellow	1,800	7510-01-620-2019	\$90.27	EA
		HP-LaserJet 700 MFP, M712, M725, MFP M725z+ printer series Laserjet Enterprise 700, M725, 700 M712	CF214A	Black	10,000	7510-01-669-8032	\$214.84	EA
	FSSI	HP-LaserJet Pro M402 and MFP M426 printer series	CF226X	Black	9,000	7510-01-661-1487	\$150.10	EA
NEW		HP-LaserJet Enterprise M600	CF237A	Black	11,000	7510-01-672-1978	\$242.47	EA
NEW		HP-LaserJet Enterprise MFP M600	CF237Y	Black	41,000	7510-01-673-8628	\$196.95	EA
NEW		HP-LaserJet Enterprise M631, M632, M633, M608, M609 printer series	CF237XG	Black	25,000	7510-01-697-5516	\$328.33	EA
NEW		HP-Color LaserJet Pro M452, MFP M377, MFP M477 printer series	CF251AM	Tri-Color	2,300	7510-01-697-6030	\$371.98	EA
NEW		HP-LaserJet Pro MFP M428 and M404 printer series	CF258A	Black	3,000	7510-01-685-9365	\$117.89	EA
NEW			CF258X	Black	10,000	7510-01-686-4217	\$246.19	EA
NEW	FSSI	HP-LaserJet Pro M201 and MFP M225 printer series	CF283X	Black	2,200	7510-01-661-1486	\$60.82	EA
NEW	FSSI	HP-LaserJet Enterprise M506, PRO M501, MFP M527, FLOW MFP M527 printer series	CF287X	Black	18,000	7510-01-658-7385	\$203.52	EA
NEW		HP-LaserJet Enterprise MFP M528, M507 printer series	CF289A	Black	5,000	7510-01-697-5520	\$174.49	EA
NEW			CF289X	Black	10,000	7510-01-697-5523	\$257.54	EA
NEW	FSSI	HP-Color LJ enterprise M855 printer series	CF310A	Black	29,000	7510-01-661-1485	\$356.98	EA
NEW		HP-LaserJet Enterprise M651 and MFP M680	CF320AD	Black	11,500	7510-01-697-5517	\$471.60	EA
	FSSI	HP-LaserJet Enterprise MFP M680 printer series	CF320X	Black	21,000	7510-01-632-2379	\$172.80	EA
	FSSI	HP-Color LaserJet Enterprise MFP M680dn and MFP M680f	CF321A	Cyan	16,500	7510-01-632-1758	\$232.72	EA
	FSSI		CF322A	Yellow	16,500	7510-01-632-2381	\$232.72	EA
	FSSI		CF323A	Magenta	16,500	7510-01-632-2383	\$232.72	EA
	FSSI	HP-Color LaserJet Enterprise M651 printer series	CF330X	Black	20,500	7510-01-649-1225	\$190.68	EA
	FSSI		CF331A	Cyan	15,000	7510-01-664-7175	\$277.69	EA
			CF332A	Yellow	15,000	7510-01-664-7178	\$279.24	EA
			CF333A	Magenta	15,000	7510-01-664-8154	\$279.24	EA
NEW		HP-OfficeJet Pro 251dw, 276dw, 8100, 8600 Series, 8610, 8615, 8620, 8625, 8630	LOS28AN	Cyan	15,000	7510-01-697-5515	\$72.47	EA

Hewlett-Packard Toner Cartridges, continued

NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
	FSSI	HP-Color LaserJet M552, M553 and MFP M577	CF360X	Black	12,500	7510-01-661-1489	\$151.55	EA
			CF360A	Black	6,000	7510-01-651-6271	\$158.41	EA
	FSSI	Fits Machine Models: Color LJ Enterprise M553 (FLOW) and MFP M577 printer series	CF361X	Cyan	9,500	7510-01-661-1476	\$209.80	EA
		HP-LJ M533N, M553DN, M553DH, MFPM577DN, MFP M577F, MFP M577Z	CF361A	Cyan	5,000	7510-01-651-6268	\$198.69	EA
	FSSI	HP-Color LaserJet M552, M553 and MFP M577	CF362A	Yellow	5,000	7510-01-651-6270	\$196.51	EA
	FSSI		CF362X	Yellow	9,500	7510-01-661-1478	\$209.80	EA
NEW	FSSI		CF363A	Magenta	5,000	7510-01-651-6266	\$190.19	EA
	FSSI		CF363X	Magenta	9,500	7510-01-661-1477	\$209.80	EA
	FSSI	HP-Color LaserJet Enterprise MFP M476 printer series	CF380A	Black	2,400	7510-01-661-1479	\$109.83	EA
	FSSI		CF381A	Cyan	2,700	7510-01-661-1483	\$92.68	EA
NEW	FSSI		CF382A	Yellow	2,700	7510-01-661-1481	\$92.68	EA
	FSSI		CF383A	Magenta	2,700	7510-01-661-1482	\$92.68	EA
NEW		HP-LaserJet Pro M252 and MFP M277	CF400AQ1	Black/Tri-Color	Black: 1,420 Tri: 1,330	7510-01-697-6029	\$397.95	EA
NEW		HP-Color LaserJet Pro M452 and M477 printer series	CF410A	Black	2,300	7510-01-654-5082	\$103.28	EA
NEW			CF411A	Cyan	2,300	7510-01-654-5083	\$132.22	EA
NEW			CF411X	Cyan	5,000	7510-01-697-5786	\$231.95	EA
NEW			CF412A	Yellow	2,300	7510-01-654-5084	\$132.22	EA
NEW			CF412X	Yellow	5,000	7510-01-697-5787	\$231.95	EA
NEW			CF413A	Magenta	2,300	7510-01-654-5085	\$132.22	EA
NEW			CF413X	Magenta	5,000	7510-01-697-5785	\$231.95	EA
NEW		HP-M652, M653, MFP M681 and MFP M682 printer series	CF450A	Black	12,500	7510-01-697-5521	\$236.19	EA
NEW			CF451A	Cyan	10,500	7510-01-697-5519	\$302.16	EA
NEW			CF452A	Yellow	10,500	7510-01-699-5001	\$373.46	EA
NEW			CF453A	Magenta	10,500	7510-01-697-5788	\$290.12	EA
NEW		HP-DeskJet 1000, 1010, 1012, 1050, 1051, 1055, 1056, 1510, 1512, 1514, 2050, 2510, 2512, 2514, 2540, 2541, 2542, 2543, 2544, 2546, 2547, 2549, 3000, 3050, 3050A, 3051A, 3052A, 3054, 3054A, 3056A, 3510, 3511, 3512; ENVY 4500, 4501, 4502, 4504, 4505, 5530, 5531, 5532, 5535; OfficeJet 2620, 4630, 4631, 4632, and 4635	CR259FN	Black/Tri-Color	Black-190/ Tri-Color-165	7510-01-697-5783	\$45.07	EA
		HP-HP M402 and M426		Black	3,100	7510-01-670-3515	\$80.97	EA
	FSSI	HP-Color Laserjet 4250 and 4350 printer series		Black	42,000	7510-01-590-1500	\$179.32	EA
		HP-P2030,P2035, P2050,and P2055		Black	13,500	7510-01-600-5981	\$179.69	EA
NEW		HP-Envy 4520; HP OfficeJet 4650; OfficeJet 3830; DeskJet 2130; DeskJet 1112 and OfficeJet 5255	F6U61AN	Tri-Color	165	7510-01-697-5789	\$32.00	EA
NEW			F6U62AN	Black	190	7510-01-697-5790	\$27.37	EA
NEW			F6U63AN	Tri-Color	330	7510-01-697-5792	\$48.65	EA

Hewlett-Packard Toner Cartridges, continued								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW		HP-DesignJet Z5600 44-in PostScript and DesignJet Z2600 24-in PostScript	F9J86A	Black/Cyan	900	7510-01-697-5776	\$128.25	EA
NEW			F9J87A	Magenta/Yellow	900	7510-01-697-5775	\$128.25	EA
NEW			F9J88A	Matte Black/Chromatic Red	900	7510-01-697-5779	\$128.25	EA
NEW			F9K01A	Magenta	745	7510-01-697-5793	\$187.96	EA
NEW			F9K02A	Yellow	745	7510-01-697-6364	\$187.96	EA
NEW			F9K03A	Cyan	745	7510-01-697-6365	\$186.99	EA
NEW			F9K05A	Matte Black	745	7510-01-697-5794	\$186.99	EA
NEW			F9K06A	Chromatic Red	745	7510-01-697-5795	\$186.99	EA
NEW		HP-DeskJet 1112, 2130, 2132, 3630, 3631, 3632, 3633, 3634, 3636, 3637, HP ENVY 4511, 4512, 4516, 4520, 4521, 4522, 4524, HP OfficeJet 3830, 3831, 3832, 3833, 4650, 4652, 4654 and 4655	L0R46AN	Black/Tri-Color	Black-190/Tri-Color-165	7510-01-697-5777	\$55.51	EA
NEW		HP-ENVY Photo 6255; HP Envy Photo 7155; HP Envy Photo 7855; HP Tango X with Charcoal Linen Cover; HP Tango X with Indigo Linen Cover; HP Tango	N9J91AN	Tri-Color	415	7510-01-697-5512	\$48.88	EA
NEW		HP-DesignJet Z6610 Production Printer and DesignJet Z6810-Series Photo Printers	P2V99A	Magenta/Yellow	480	7510-01-697-5514	\$296.96	EA
NEW			P2W00A	Black/Light Gray	480	7510-01-697-5527	\$247.48	EA
NEW			P2W01A	Black/Cyan	480	7510-01-697-5525	\$242.50	EA
		HP-LaserJet 4200 Series printers	Q1338A	Black	12,000	7510-01-528-6287	\$161.92	EA
NEW	FSSI	HP-All-In-One-LaserJet 3015mfp, 3020, 3030, 3050, 3052, 3055 M1319f mfp and HP Laser-1010, 1012, 1018, 1020 Series, 3015mfp, 3020, 3030, 3050, 3052, 3055	Q2612A	Black	2,000	7510-01-525-4313	\$50.05	EA
		HP-All-In-One Laserjet 3390 and HP Laser-1160 Series, 1320 Series and 3390	Q5949A	Black	2,500	7510-01-527-3524	\$81.03	EA
		HP-All-In-One-LaserJet 4345MFP and M4350mfp	Q5945A	Black	18,000	7510-01-546-6425	\$253.98	EA
	FSSI	HP-Color LaserJet 4700 Series	Q5950A	Black	11,000	7510-01-545-5831	\$161.04	EA
	FSSI		Q5951A	Cyan	10,000	7510-01-545-5830	\$231.17	EA
	FSSI		Q5952A	Yellow	10,000	7510-01-545-5833	\$231.17	EA
	FSSI		Q5953A	Magenta	10,000	7510-01-545-5834	\$231.17	EA
		HP-M506 and M527		Black	9,000	7510-01-682-2180	\$98.93	EA
					Black	18,000	7510-01-682-6841	\$139.61
	FSSI	HP-All-In-One-Color LaserJet CM1015mfp, CM1017mfp and HP Laser-Color Laserjet 1600, 2600n, 2605 Series, CM1015mfp and CM1017mfp	Q6000A	Black	2,500	7510-01-538-8770	\$133.95	EA
		HP-Color LaserJet CM1015mfp, CM1017mfp and HP Laser-Color Laserjet 1600, 2600n, 2605 Series, CM1015mfp and CM1017mfp	Q6003A	Magenta	2,000	7510-01-538-8768	\$139.23	EA
		HP-Color Laserjet 3600 Series, 3800 Series and CP3505	Q6470A	Black	6,000	7510-01-546-6410	\$119.21	EA
		HP-Color LaserJet 3600 Series	Q6472A	Yellow	4,000	7510-01-546-6407	\$148.05	EA

Hewlett-Packard Toner Cartridges, continued								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
		HP-Color LaserJet 5200 Series	Q7516A	Black	12,000	7510-01-546-6413	\$189.85	EA
	FSSI	HP-LaserJet P3005, M3027MFP, M3035MFPP3005, M3027MFP, M3035MFP	Q7551A	Black	6,500	7510-01-546-6415	\$147.13	EA
	FSSI		Q7551X	Black	13,000	7510-01-546-6403	\$177.33	EA
		HP-LaserJet P2014, P2015 and M2727nf MFP	Q7553A	Black	3,000	7510-01-546-6418	\$106.70	EA
NEW		HP-Color LaserJet 3800 Series and CP3505	Q7582A	Yellow	6,000	7510-01-546-6426	\$199.04	EA
NEW		HP-Color LaserJet Enterprise MFP M776dn, MFP M776z, M776zs, M751n, M751dn, M856dn and M856x	W2004	Black, Cyan, Magenta and Yellow	65,000	7510-01-697-5530	\$246.13	EA
NEW		HP-Color LaserJet Pro M454DW, M454DN, MFP M479FDW, and MFP M479FDN	W2020A	Black	2,400	7510-01-696-5917	\$67.40	EA
NEW			W2021A	Cyan	2,100	7510-01-696-5353	\$87.22	EA
NEW			W2022A	Yellow	2,100	7510-01-696-5356	\$87.22	EA
NEW			W2023A	Magenta	2,100	7510-01-696-5355	\$87.22	EA
NEW	FSSI	HP-Color Laserjet Pro M283FDW and 255DW	W2111A	Cyan	1,250	7510-01-694-3018	\$83.11	EA
NEW	FSSI		W2112A	Yellow	1,250	7510-01-694-3021	\$83.11	EA
NEW	FSSI		W2113A	Yellow	1,250	7510-01-694-3024	\$83.11	EA
NEW		HP-Color LaserJet Enterprise M554/M555 and M578	W2120A	Black	5, 550	7510-01-700-5139	\$162.84	EA
NEW			W2120X	Black	13,000	7510-01-700-5142	\$238.42	EA
NEW			W2121A	Cyan	4,500	7510-01-700-5138	\$204.02	EA
NEW			W2121X	Cyan	10,000	7510-01-700-5143	\$336.65	EA
NEW			W2122A	Yellow	4,500	7510-01-700-5140	\$204.02	EA
NEW			W2122X	Yellow	10,000	7510-01-700-5144	\$336.65	EA
NEW			W2123A	Magenta	4,500	7510-01-700-5141	\$204.02	EA
NEW		HP-Color LaserJet Enterprise M653dh, M653x, M653dn, M652dn, M652n, MFP M682z, MFP M681f, MFP M681f, MFP M681z and MFP M681dh	W2123X	Magenta	10,000	7510-01-700-5145	\$336.65	EA

Lexmark Toner Cartridges								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
		Lexmark-E330, E332n, E332tn, E340 and E342n	34035HA	Black	6,000	7510-01-558-8440	\$244.74	EA
	FSSI	Lexmark-E260, E360, E460 and E462		Black	3,500	7510-01-641-9549	\$85.29	EA
	FSSI	Lexmark MS310, MS410, MS510, and MS610		Black	5,000	7510-01-659-0090	\$107.60	EA
	FSSI	Lexmark-MS510 and MS610		Black	20,000	7510-01-659-0093	\$140.39	EA
		Lexmark-MS410, MS510, and MS610		Black	10,000	7510-01-659-0092	\$112.57	EA
	FSSI	Lexmark-MS310, MS312, MS315, MS410, MS415, MS510 and MS610	50F000G	Black	1,500	7510-01-653-5885	\$53.02	EA
	FSSI		50F0H0G	Black	5,000	7510-01-653-4882	\$122.12	EA
	FSSI	Lexmark-MS510 and MS610	50F0U0G	Black	20,000	7510-01-653-4888	\$269.50	EA
	FSSI	Lexmark-MS410, MS415, MS510 and MS610	50F0X0G	Black	10,000	7510-01-653-4887	\$183.80	EA
NEW		Lexmark-MS310, MS410, MS510, MS610, MX310, MX410, MX510, MX511, and MX610	50F0Z0G	Tri-Color	60,000	7510-01-682-8375	\$58.13	EA
	FSSI	Lexmark-MX710, MX711, MX810, MX811 and MX812		Black	25,000	7510-01-659-0095	\$168.43	EA
	FSSI		52D0H0G	Black	25,000	7510-01-653-4895	\$342.27	EA
	FSSI		52D000G	Black	6,000	7510-01-653-4890	\$120.94	EA
	FSSI		62D000G	Black	6,000	7510-01-653-4894	\$115.39	EA
	FSSI		62D0H0G	Black	25,000	7510-01-653-4899	\$270.93	EA
	FSSI		62D0X0G	Black	45,000	7510-01-653-4901	\$423.76	EA
	FSSI	Lexmark-MS711, MS811 and MS812	52D0X0G	Black	45,000	7510-01-653-4898	\$457.68	EA
NEW		Lexmark-MS710, MS810, MX710 and MX810	52D0Z0G	Black	10,000	7510-01-695-4578	\$45.25	EA
NEW	FSSI	Lexmark-MS321DN, MS421DN, MS421DW, MS521DN, MS621DN, MS622DE, MX421ADE, MX521ADE, MX521DE, MX622ADE	56F000G	Black	6,000	7510-01-676-8568	\$153.62	EA
NEW	FSSI		56F0H0G	Black	6,000	7510-01-676-9797	\$315.28	EA
NEW	FSSI		56F0X0G	Black	6,000	7510-01-676-8323	\$346.91	EA
NEW	FSSI		58D0U0G	Black	55,000	7510-01-676-8327	\$521.62	EA
	FSSI	Lexmark-MX310, MX410, MX510, MX511, MX610 and MX611	60F0H0G	Black	10,000	7510-01-653-4886	\$183.80	EA
NEW	FSSI		60F000G	Black	2,500	7510-01-653-4889	\$77.99	EA
	FSSI		60F0X0G	Black	20,000	7510-01-653-4891	\$254.15	EA
	FSSI	Lexmark-MX910, MX911 and MX912	64G0H00	Black	32,500	7510-01-653-4902	\$148.06	EA
NEW	FSSI	Lexmark-T644	64475XA	Black	32,000	7510-01-653-4877	\$225.46	EA

Lexmark Toner Cartridges, continued

NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW	FSSI	Lexmark-CS310, CS410 and CS510	70C0HCG	Cyan	3,000	7510-01-653-5319	\$118.87	EA
	FSSI		70C0HMG	Magenta	3,000	7510-01-653-5323	\$118.87	EA
NEW	FSSI		70C0HKG	Black	4,000	7510-01-653-5321	\$87.89	EA
	FSSI		70C0HYG	Yellow	3,000	7510-01-653-5322	\$118.87	EA
NEW			70C0P0G	NA	40,000	7510-01-653-7592	\$200.00	EA
	FSSI		70C0XKG	Black	8,000	7510-01-652-6138	\$121.68	EA
NEW	FSSI		70C0XMG	Magenta	4,000	7510-01-652-6139	\$125.44	EA
NEW	FSSI		70C0XYG	Yellow	4,000	7510-01-652-6142	\$125.44	EA
NEW			Lexmark-C2132, CS310, CS410, CS510, CX310, CX410, CX510, XC2130, XC2132	70C0Z1G	Black	40,000	7510-01-653-6725	\$281.67
NEW		Lexmark-CS310dn, CS310n, CS317dn, CS410dn, CS410dtn, CS410n, CS417dn, CS510de, CS510dte, CS517de, CX310dn, CX310n, CX317dn, CX410de, CX410dte, CX410e, CX510de, CX417de, CX510dhe, CX510dthe, CX517de	70C0Z5G	Black and Tri-Color	40,000	7510-01-695-5083	\$268.80	EA
	FSSI	Lexmark-CS820, CX820, CX825 and CX860	72K00MG	Magenta	8,000	7510-01-662-3671	\$208.79	EA
	FSSI		72K00KG	Black	8,000	7510-01-662-3672	\$184.93	EA
	FSSI		72K0XKG	Black	33,000	7510-01-662-3673	\$313.83	EA
	FSSI		72K00CG	Cyan	8,000	7510-01-662-3674	\$208.79	EA
	FSSI		72K00YG	Yellow	8,000	7510-01-662-3675	\$208.79	EA
	FSSI	Lexmark-CS820	72K0XMG	Magenta	22,000	7510-01-662-7099	\$548.00	EA
	FSSI		72K0XCG	Cyan	22,000	7510-01-662-7100	\$548.00	EA
	FSSI		72K0XYG	Yellow	22,000	7510-01-662-7102	\$548.00	EA
	FSSI	Lexmark-CS725	74C0HCG	Cyan	12,000	7510-01-662-7110	\$314.15	EA
	FSSI		74C0HMG	Magenta	12,000	7510-01-662-7112	\$314.15	EA
	FSSI		74C0HYG	Yellow	12,000	7510-01-662-7113	\$314.15	EA
	FSSI	Lexmark-CS725 and CX725	74C0HKG	Black	20,000	7510-01-662-7121	\$299.37	EA
	FSSI	Lexmark-CS720, CS725 and CX725	74C00CG	Cyan	3,000	7510-01-662-7131	\$125.64	EA
	FSSI		74C00MG	Magenta	3,000	7510-01-662-7132	\$113.34	EA
	FSSI		74C00YG	Yellow	3,000	7510-01-662-7133	\$113.34	EA
	FSSI		74C0SYG	Yellow	7,000	7510-01-662-7106	\$183.80	EA
	FSSI		74C00KG	Black	3,000	7510-01-662-7101	\$85.90	EA
	FSSI		74C0SCG	Cyan	7,000	7510-01-662-7103	\$183.80	EA
	FSSI		74C0SMG	Magenta	7,000	7510-01-662-7105	\$183.80	EA
	FSSI		74C0SKG	Black	7,000	7510-01-662-7108	\$162.41	EA
	FSSI		Lexmark-CX622ADE, CX625ADE, CX625ADHE, CX522ADE, CX421ADN, CS421DN, CS521DN, CS622DE	76C0HC0	Cyan	34,000	7510-01-676-8325	\$613.98

Lexmark Toner Cartridges, continued								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW	FSSI	Lexmark-CS921DE, CS923DE, CX921DE, CX922DE, CX923DTE, CX923DXE, CX924DTE, CX924DXE	76C00C0	Cyan	11,500	7510-01-676-8314	\$245.25	EA
NEW	FSSI		76C00M0	Magenta	11,500	7510-01-676-8313	\$245.25	EA
NEW	FSSI		76C00Y0	Yellow	11,500	7510-01-676-8317	\$245.25	EA
	FSSI		76C0HMO	Magenta	34,000	7510-01-676-8320	\$613.98	EA
	FSSI		76C0HY0	Yellow	34,000	7510-01-676-8852	\$613.98	EA
NEW	FSSI	Lexmark-CS921DE, CS923DE, CX923DTE, CX923DXE, CX924DTE, CX924DXE	76C00K0	Black	18,500	7510-01-676-9798	\$239.01	EA
NEW	FSSI	Lexmark-CS923DE Series	76C0HK0	Black	34,000	7510-01-676-8319	\$407.36	EA
	FSSI	Lexmark-CX622ADE, CX625ADE, CX625ADHE, CX522ADE, CX421ADN, CS421DN, CS521DN, CS622DE	78C00CG	Cyan	1,400	7510-01-676-8851	\$93.04	EA
	FSSI		78C00MG	Magenta	1,400	7510-01-676-8321	\$93.04	EA
	FSSI		78C00YG	Yellow	1,400	7510-01-676-8322	\$93.04	EA
NEW	FSSI		78C00KG	Black	2,000	7510-01-676-8316	\$78.06	EA
NEW	FSSI		78C0XCG	Cyan	5,000	7510-01-676-8854	\$207.47	EA
NEW	FSSI		78C0XKG	Black	5,000	7510-01-676-8853	\$169.24	EA
NEW	FSSI		78C0XMG	Magenta	5,000	7510-01-676-8850	\$207.47	EA
NEW	FSSI		78C0XYG	Yellow	5,000	7510-01-676-8855	\$207.47	EA
	FSSI	Lexmark-CX622ADE, CX625ADE, CX625ADHE, CS521DN, CS622DE	78C0UCG	Cyan	7,000	7510-01-676-8856	\$213.95	EA
	FSSI		78C0UKG	Black	10,500	7510-01-676-8860	\$164.75	EA
	FSSI		78C0UMG	Magenta	7,000	7510-01-676-8859	\$239.59	EA
	FSSI		78C0UYG	Yellow	7,000	7510-01-676-8857	\$239.59	EA
NEW	FSSI	Lexmark-CS310, CS410 and CS510	80C0SKG	Black	2,500	7510-01-652-6108	\$55.38	EA
NEW	FSSI		80C0SYG	Yellow	2,000	7510-01-652-6112	\$79.77	EA
	FSSI		80C00CG	Cyan	1,000	7510-01-650-9328	\$51.94	EA
	FSSI		80C00KG	Black	1,000	7510-01-650-9325	\$40.05	EA
	FSSI		80C00YG	Yellow	1,000	7510-01-650-9324	\$51.94	EA
	FSSI		80C0HCG	Cyan	3,000	7510-01-652-6114	\$92.12	EA
	FSSI		80C0HKG	Black	4,000	7510-01-652-6109	\$82.30	EA
	FSSI		80C0HMG	Magenta	3,000	7510-01-652-6111	\$92.12	EA
	FSSI		80C0HYG	Yellow	3,000	7510-01-652-6113	\$92.12	EA
	FSSI		80C0XCG	Cyan	4,000	7510-01-652-6116	\$101.06	EA
	FSSI		80C0XKG	Black	8,000	7510-01-652-6118	\$117.24	EA
	FSSI		80C0XMG	Magenta	4,000	7510-01-652-6121	\$101.06	EA
	FSSI		80C0XYG	Yellow	4,000	7510-01-652-6120	\$101.06	EA
	FSSI	Lexmark-CX310N, CX310DN, CX410E, CX410DE, CX410DTE, CX510DE, CX510DHE, CX510DTHE	80C1SM0	Magenta	2,000	7510-01-650-9326	\$80.84	EA

Lexmark Toner Cartridges, continued								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
	FSSI	Lexmark-CX820, CX825 and CX860	82K0HCG	Cyan	17,000	7510-01-662-7104	\$306.03	EA
	FSSI		82K0HMG	Magenta	17,000	7510-01-662-7107	\$306.03	EA
	FSSI		82K0HYG	Yellow	17,000	7510-01-662-7109	\$306.03	EA
NEW	FSSI	Lexmark-CX860	82K0UKG	Black	55,000	7510-01-662-7129	\$426.96	EA
NEW	FSSI		82K0UYG	Yellow	55,000	7510-01-662-7125	\$654.32	EA
	FSSI	Lexmark-CX825 and CX860	82K0XCG	Cyan	22,000	7510-01-662-7111	\$336.79	EA
	FSSI		82K0XMG	Magenta	22,000	7510-01-662-7115	\$336.79	EA
	FSSI		82K0XYG	Yellow	22,000	7510-01-662-7116	\$336.79	EA
	FSSI	Lexmark-CX725	84C0HMG	Magenta	16,000	7510-01-662-7117	\$362.37	EA
	FSSI		84C0HYG	Yellow	16,000	7510-01-662-7118	\$362.37	EA
	FSSI		84C0HKG	Black	25,000	7510-01-662-7119	\$330.03	EA
	FSSI		84C0HCG	Cyan	16,000	7510-01-662-7114	\$362.37	EA
	FSSI	Lexmark-C522, C524 and C53X	C5346MX	Magenta	7,000	7510-01-652-7529	\$204.54	EA
NEW		Fits Machine Models: C734, C736, X734, X736 and X738	C734A2MG	Magenta	6,000	7510-01-587-2619	\$228.85	EA
NEW		Lexmark-C734, C736, X734, X736 and X738	C734X20G	Black	20,000	7510-01-695-4579	\$36.00	EA
NEW			C734X24G	Black and Color	20,000	7510-01-695-5085	\$162.00	EA
NEW			C734X44G	Black and Color	20,000	7510-01-695-5084	\$162.00	EA
NEW	FSSI	Lexmark-C73x and X73x	C736H4CG	Cyan	10,000	7510-01-590-9752	\$269.26	EA
NEW	FSSI		C736H4MG	Magenta	10,000	7510-01-593-1377	\$283.43	EA
NEW	FSSI		C736H4YG	Yellow	10,000	7510-01-590-9757	\$283.43	EA
NEW		Lexmark-C746 and C748	C746A2YG	Yellow	7,000	7510-01-695-4580	\$188.40	EA
NEW			C746H2KG	Black	12,000	7510-01-695-4570	\$226.80	EA
NEW			C746H4KG	Black	12,000	7510-01-695-4571	\$187.37	EA
	FSSI	Lexmark-C792 and X792	C792A4CG	Cyan	6,000	7510-01-652-6119	\$237.96	EA
	FSSI		C792A4KG	Black	6,000	7510-01-652-6123	\$156.83	EA
	FSSI		C792A4MG	Magenta	6,000	7510-01-652-6124	\$237.96	EA
	FSSI		C792A4YG	Yellow	6,000	7510-01-652-6126	\$237.96	EA
	FSSI		C792X4CG	Cyan	20,000	7510-01-652-7082	\$394.72	EA
	FSSI		C792X4KG	Black	20,000	7510-01-652-6115	\$229.30	EA
	FSSI		C792X4MG	Magenta	20,000	7510-01-652-6117	\$394.72	EA
	FSSI		C792X4YG	Yellow	20,000	7510-01-652-7083	\$394.72	EA

Lexmark Toner Cartridges, continued								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
	FSSI	C950, X950, X952, and X954	C950X2CG	Cyan	22,000	7510-01-600-3047	\$443.79	EA
	FSSI		C950X2KG	Black	32,000	7510-01-600-3046	\$379.50	EA
	FSSI		C950X2MG	Magenta	22,000	7510-01-600-3048	\$440.52	EA
	FSSI		C950X2YG	Yellow	22,000	7510-01-600-3049	\$433.45	EA
	FSSI	Lexmark-E232, E232T, E240, E234, E340, and E342	24015SA	Black	2,500	7510-01-581-7305	\$74.68	EA
	FSSI	Lexmark-E250, E350 and E352	E250A41G	Black	3,500	7510-01-565-8506	\$94.95	EA
	FSSI	Lexmark-E260D, E260DN, E360D, E360DN, E460DN, E460DW and E460DTN	E260A41G	Black	3,500	7510-01-572-1161	\$86.20	EA
		Lexmark-E260, E36X AND E46X	E260A21A	Black	3,500	7510-01-582-4358	\$158.70	EA
	FSSI	Lexmark-E260, E360, and E460	E260X22G	Black	30,000	7510-01-572-1160	\$25.15	EA
	FSSI	Lexmark-E260, E360, E460, E462, X264, X363, X364, X463, X464 and X466	E260X42G	Black	30,000	7510-01-653-9294	\$28.53	EA
	FSSI	Lexmark-E360, E460 and E462	E360H41G	Black	9,000	7510-01-653-4878	\$180.15	EA
	FSSI	Lexmark-E460	E460X41G	Black	15,000	7510-01-653-4879	\$243.57	EA
	FSSI	Lexmark-E462	E462U41G	Black	18,000	7510-01-653-4881	\$276.42	EA
	FSSI	Lexmark-E360 and E460	SKILCRAFT	Black	17,637	7510-01-600-5978	\$263.45	EA
		Lexmark-E450DN	E450H21A	Black	11,000	7510-01-568-0645	\$185.83	EA
	FSSI	Lexmark-E450	E450H41G	Black	11,000	7510-01-653-4880	\$165.50	EA
NEW		Lexmark-X642E, X644E, X646E, X646DTE and X646EF	X644A11A	Black	10,000	7510-01-566-3324	\$400.48	EA
	FSSI		X644X41G	Black	32,000	7510-01-653-5317	\$360.86	EA
	FSSI	Lexmark-X651, X652, X654, X656 and X658	X651A41G	Black	7,000	7510-01-616-2918	\$138.32	EA
	FSSI		X651H11A	Black	25,000	7510-01-616-2915	\$399.98	EA
	FSSI		X654X41G	Black	36,000	7510-01-616-2916	\$249.23	EA
	FSSI	Lexmark-X746, X748	X746A4CG	Cyan	7,000	7510-01-652-6133	\$175.12	EA
	FSSI		X746A4MG	Magenta	7,000	7510-01-652-6136	\$175.12	EA
	FSSI		X746A4YG	Yellow	7,000	7510-01-652-6141	\$168.71	EA
	FSSI		X746H4KG	Black	12,000	7510-01-652-6140	\$150.90	EA
	FSSI		X748H4CG	Cyan	10,000	7510-01-652-6143	\$204.03	EA
	FSSI		X748H4MG	Magenta	10,000	7510-01-652-6127	\$204.03	EA
	FSSI		X748H4YG	Yellow	10,000	7510-01-652-6128	\$215.45	EA

Lexmark Toner Cartridges, continued								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
		Lexmark-X792DE, X792DTE, X792DTFE, X792DTME, X792DTPE and X792DTSE	X792X1CG	Cyan	20,000	7510-01-649-9273	\$344.38	EA
			X792X1MG	Magenta	20,000	7510-01-649-9276	\$355.24	EA
	FSSI		X792X4YG	Yellow	20,000	7510-01-648-8174	\$325.16	EA
	FSSI		X792X4KG	Black	20,000	7510-01-648-8177	\$198.84	EA
	FSSI		X792X4CG	Cyan	20,000	7510-01-648-8179	\$325.17	EA
	FSSI		X792X4MG	Magenta	20,000	7510-01-648-8193	\$325.17	EA
	FSSI		Lexmark-X950, X952 and X954	X950X2KG	Black	32,000	7510-01-649-1224	\$96.48
	FSSI	X950X2MG		Magenta	22,000	7510-01-649-1554	\$463.15	EA
	FSSI	X950X2CG		Cyan	22,000	7510-01-649-1555	\$463.15	EA
	FSSI	X950X2YG		Yellow	22,000	7510-01-649-1556	\$463.15	EA
		Lexmark Fuser Maintenance Kit-X792DE and C792DE	40X7100	NA	150,000	7510-01-655-0666	\$226.41	EA
		Lexmark Transfer Module Kit-X792DE and C792DE	40X71030	NA	200,000	7510-01-654-9556	\$256.43	EA
		Lexmark Photoconductor Unit-C950, X952 and X954	C950X71G	Black	115,000	7510-01-600-3051	\$330.67	EA
	FSSI	Lexmark-MFP M585DN, M585F and M585Z	D8J10AG	Black	10,000	7510-01-645-8756	\$123.23	EA
	FSSI	Lexmark-E360, E460 and E462		Black	9,000	7510-01-641-9545	\$110.56	EA
		Lexmark-T650, T652, T654, T656, X651DE, X652DE, X656DE, X658DE, X658DFE, X658DME, X658DTE, X658DTFE AND X658DTME		Black	25,000	7510-01-641-9547	\$145.76	EA
		Lexmark-X860e, X862e and X864e	X860H22G	Black	48,000	7510-01-649-2976	\$160.79	EA

Okidata Toner Cartridges								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW		Okidata-OKI C831 series and MC873 series	24023245	Cyan	10,000	7510-01-695-8018	\$210.28	EA
NEW		Okidata-C5100N, C5150N, C5200N, C5300N, C5400	42126604	Black	15,000	7510-01-526-0716	\$172.40	EA
NEW		Okidata-OKI C810 series and C830 series	44059109	Yellow	8,000	7510-01-695-8013	\$171.72	EA
NEW			44059110	Magenta	8,000	7510-01-695-8014	\$132.00	EA
NEW			44059111	Cyan	8,000	7510-01-695-8011	\$224.53	EA
NEW			44059112	Black	8,000	7510-01-695-8016	\$145.22	EA
		Okidata-C610 Series Digital Color Printers; C610CDN, C610DN, C610DTN, C610N; digital pen printing solution and digital two pen printing solution	44315302	Magenta	6,000	7510-01-591-5409	\$271.60	EA
			44315303	Cyan	6,000	7510-01-591-5407	\$272.95	EA
NEW			44315304	Black	8,000	7510-01-591-5408	\$179.56	EA
		Okidata-C610, C610dn, C610cdn and C610dtn	44315301	Yellow	6,000	7510-01-591-5415	\$356.03	EA
NEW		Okidata-OKI C831 series and MC873 series	44844509	Yellow	10,000	7510-01-695-8015	\$221.74	EA
NEW			44844510	Magenta	10,000	7510-01-695-8017	\$206.42	EA
NEW			44844512	Black	10,000	7510-01-695-8019	\$126.26	EA
NEW		Okidata-OKI B721 and B731	45488801	Black	18,000	7510-01-695-8020	\$340.79	EA
NEW			45488901	Black	25,000	7510-01-695-8021	\$376.04	EA
NEW		Okidata-OKI C532 series and MC573 series	46490501	Yellow	3,000	7510-01-695-8022	\$119.99	EA
NEW			46490502	Magenta	3,000	7510-01-695-8023	\$119.99	EA
NEW			46490503	Cyan	3,000	7510-01-695-8024	\$119.99	EA
NEW			46490504	Black	3,000	7510-01-695-8025	\$119.99	EA

Samsung Toner Cartridges								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW		Samsung-CLP-620ND, CLP-670N AND CLP-670ND	CLT-C508L	Cyan	4,000	7510-01-612-8856	\$214.57	EA
NEW			CLT-K508L	Black	5,000	7510-01-612-8857	\$212.09	EA
NEW			CLT-M508L	Magenta	4,000	7510-01-612-8854	\$98.14	EA
NEW			CLT-Y508L	Yellow	4,000	7510-01-612-8855	\$98.14	EA
		Samsung-ML-4510ND, ML-4512ND, ML-5010ND, ML-5012ND, ML-5015ND and ML-5017ND	MLT-D307E	Black	20,000	7510-01-604-2614	\$347.01	EA
		Samsung-ML-4512ND, ML-5012ND AND ML-5017ND	MLT-D307L	Black	15,000	7510-01-602-9202	\$207.48	EA

Xerox Toner Cartridges								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW		Xerox-ProXpress M4530, ProXpress M4583	SV046A	Black	7,000	7510-01-691-7564	\$231.62	EA
NEW		Xerox-C8030, C8035, C8045, C8055, C8070, WC7525, 7530, 7535, 7545, 7556, 7830, 7835, 7845, 7855 and 7970	006R01509	Black	26,000	7510-01-695-8269	\$74.33	EA
NEW			006R01510	Yellow	15,000	7510-01-695-8267	\$74.33	EA
NEW			006R01511	Magenta	15,000	7510-01-695-8268	\$74.33	EA
NEW			006R01512	Cyan	15,000	7510-01-695-8271	\$74.33	EA
NEW			Xerox-7525, 7530, 7535, 7545, 7556, 7830, 7835, 7845, 7855, 7970, 7970i, 7830i, 7835i and 7845i	006R01513	Black	26,000	7510-01-695-8274	\$146.29
NEW		006R01514		Yellow	15,000	7510-01-695-8276	\$154.31	EA
NEW		006R01515		Magenta	15,000	7510-01-695-8277	\$154.31	EA
NEW		006R01516		Cyan	15,000	7510-01-695-8279	\$154.31	EA
NEW		013R00662		Black	125,000	7510-01-695-8280	\$481.85	EA
NEW		Xerox-B600, B610, B605 and B615	101R00582	Black	60,000	7510-01-695-8272	\$71.17	EA
NEW		Xerox-Phaser 7100	106R02602	Cyan	9,000	7510-01-695-8273	\$408.04	EA
NEW			106R02603	Magenta	9,000	7510-01-695-8275	\$408.04	EA
NEW			106R02604	Yellow	9,000	7510-01-695-8278	\$408.04	EA
NEW			106R02605	Black	10,000	7510-01-695-8282	\$250.25	EA
NEW			106R02605VP	2-Black, 1-Magenta, 1-Yellow, 1-Cyan	47,000	7510-01-695-8281	\$1,199.48	EA
NEW		Xerox-Phaser 3260, Workcenter 3215 and 3225	106R02777	Black	3,000	7510-01-695-8283	\$69.28	EA
NEW		Xerox-Phaser 6510 and Workcenter 6515	106R03480	Black	5,500	7510-01-695-8907	\$224.75	EA
NEW			106R03480VP	2-Black, 1-Magenta, 1-Yellow, 1-Cyan	12,700	7510-01-696-0261	\$621.02	EA
NEW		Xerox-Versalink C400 and C405	106R03500	Black	2,500	7510-01-695-8909	\$146.91	EA
NEW			106R03501	Yellow	2,500	7510-01-695-8911	\$183.61	EA
NEW			106R03502	Cyan	2,500	7510-01-695-8913	\$183.61	EA
NEW			106R03503	Magenta	2,500	7510-01-695-8914	\$183.61	EA
NEW			106R03512	Black	5,000	7510-01-695-8903	\$219.07	EA
NEW			106R03513	Yellow	5,000	7510-01-695-8904	\$292.52	EA
NEW			106R03514	Cyan	5,000	7510-01-695-8905	\$292.52	EA
NEW			106R03515	Magenta	5,000	7510-01-695-8906	\$292.52	EA
NEW			106R03580	Black	5,900	7510-01-695-8908	\$219.07	EA
NEW			Xerox-Versalink B600, B605, B610 and B615	106R03940	Black	10,300	7510-01-695-8910	\$241.80
NEW		106R03942		Black	25,900	7510-01-695-8912	\$344.06	EA
NEW		106R03944		Black	46,700	7510-01-695-8915	\$445.68	EA
NEW		106R04003		Black	25,000	7510-01-695-8899	\$386.25	EA

Xerox Toner Cartridges, continued								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW		Xerox-Versalink C605	106R04010	Cyan	16,800	7510-01-695-8901	\$379.40	EA
NEW			106R04011	Magenta	16,800	7510-01-695-8893	\$386.16	EA
NEW			106R04012	Yellow	16,800	7510-01-695-8892	\$333.93	EA
NEW			106R04013	Black	16,800	7510-01-695-8894	\$262.97	EA
NEW		Xerox-Phaser 6700 SERIES	108R00974VP	2-Black, 1-Magenta, 1-Yellow, 1-Cyan	22,100	7510-01-696-0262	\$452.89	EA
		Xerox-Phaser 3600	106R01370	Black	7,000	7510-01-581-6485	\$213.06	EA
		Xerox-Phaser 3600, Xerox Phaser 3600B, Xerox Phaser 3600DN, Xerox Phaser 3600N	106R01371	Black	14,000	7510-01-581-6475	\$308.27	EA
	FSSI	Xerox-Phaser 4600, 4620, and 4622	106R02638	Black	30,000	7510-01-653-4909	\$401.25	EA
		Xerox-Phaser 6280	106R01392	Cyan	5,900	7510-01-581-6483	\$735.16	EA
			106R01393	Magenta	5,900	7510-01-581-6486	\$735.16	EA
			106R01394	Yellow	5,900	7510-01-581-6487	\$686.14	EA
			106R01395	Black	7,000	7510-01-581-6488	\$257.27	EA
		Xerox-Phaser 6360	106R01220	Yellow	12,000	7510-01-561-9961	\$277.01	EA
	FSSI		106R01221	Black	18,000	7510-01-561-9962	\$186.60	EA
	FSSI	Xerox-Phaser 6600, WorkCentre 6605 and 6655 and VersaLink C400/C405	108R01124	Black	30,000	7510-01-640-9621	\$32.63	EA
	FSSI	Xerox-Phaser 6700	106R01510	Black	18,000	7510-01-627-0331	\$237.55	EA
	FSSI		106R01508	Magenta	12,000	7510-01-627-0327	\$320.32	EA
	FSSI		106R01507	Cyan	12,000	7510-01-627-0325	\$320.32	EA
	FSSI		106R01509	Yellow	12,000	7510-01-627-0330	\$338.83	EA
	FSSI	Xerox-Phaser 7500	106R01438	Yellow	17,800	7510-01-617-9433	\$570.19	EA
	FSSI		106R01436	Cyan	17,800	7510-01-617-9436	\$570.19	EA
	FSSI		106R01439	Black	19,800	7510-01-617-9429	\$378.79	EA
	FSSI		106R01437	Magenta	17,800	7510-01-617-9434	\$570.19	EA
	FSSI	Xerox-ColorQube 8570 and 8580	108R00928	Yellow	4,400	7510-01-594-4377	\$178.85	PG
	FSSI		108R00927	Magenta	4,400	7510-01-594-4379	\$167.08	PG
	FSSI		108R00930	Black	4,400	7510-01-594-4376	\$175.81	PG
	FSSI		108R00926	Cyan	4,400	7510-01-594-4378	\$178.85	PG
		Xerox imaging unit kit-WorkCentre: 6605DN, 6605N, 6655 and 6655XM	108R01121	Black, Cyan, Magenta and Yellow	60,000	7510-01-640-8656	\$303.68	KT
		Xerox Drum Kit-Phaser 3610, WorkCentre 3655 and WorkCentre 3615	113R00773	Black	68,000	7510-01-633-4176	\$96.31	EA
		Xerox Transfer Unit Kit-Phaser 6600/WorkCentre 6605 & VersaLink C400/C405	108R01122	NA	100,000	7510-01-640-7947	\$421.65	EA

Ink Cartridges and Supplies

Canon Ink Cartridges								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW		Canon-IPF500, 510, 600, 605, 610, 655, 700, 710, 720, 750, 760 and 765	PFI-102Y	Yellow	130 ml	7510-01-606-8632	\$90.49	EA

Hewlett-Packard Ink Cartridges								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW		HP-OfficeJet Pro 9015 and 9025	3HZ97AN	Magenta	Page Yield: 700	7510-01-697-7340	\$28.92	EA
NEW			3HZ98AN	Yellow	Page Yield: 700	7510-01-697-6026	\$28.92	EA
NEW			3HZ99AN	Black	Page Yield: 1,000	7510-01-697-5529	\$41.12	EA
NEW			3JA00AN#140	Cyan	Page Yield: 1,600	7510-01-697-5524	\$43.07	EA
NEW			3JA01AN#140	Magenta	Page Yield: 1,600	7510-01-697-5526	\$43.07	EA
NEW			3JA02AN#140	Yellow	Page Yield: 1,600	7510-01-697-5528	\$43.07	EA
NEW			3JA03AN#140	Black	Page Yield: 2,000	7510-01-697-5531	\$55.78	EA
NEW			3YP00AN#140	Tri-Color	Page Yield: 700	7510-01-697-6025	\$83.17	EA
NEW	FSSI	HP-Copiers 110, 120, 140, 145, 150, 155, 160, 170, 180, 190, 210, 210Lx, 260, 270, 280 and 290; DesignJet 700, 750, 750c, 750c plus and 755cm; DeskJet 1000cse/cxi, 1100c, 1120c/cse/cxi, 1220c/ps/cse/cxi, 1600c/cm/cn, 6122, 6127, 710c, 712c, 722c, 820cse/cxi, 830c, 832c, 850c, 855c/cse/cxi, 870cse/cxi, 880c, 882c, 890cse/cxi, 895cse/cxi, 930, 932c, 935c, 950c, 952c, 960cse/cxi, 970cse/cxi, 990cm/cse/cxi, 995c/ck, 9300; Fax 1220/xi; OfficeJet g55/xi, g85/xi, g95, k60/xi, k80/xi, r40, 60, 80, t45/xi, t65/xi; OfficeJet Pro1170c/cse/cxi, 1175c/cse/cxi; Photosmart p1000/xi, 1115, p1100/xi, Photosmart 1215/vm, 1218/xi and 1315 printers. Equal to HP Part #51645A	51645A	Black	Page Yield: 930	7510-01-452-6538	\$69.35	EA
	FSSI	HP-DesignJet T920/T930 /T1500/T1530 eSeries; HP DesignJet T2500/T2530 eMultifunction Series	B3P06A	Multi-Color	130 ml	7510-01-641-0695	\$331.54	EA
	FSSI		B3P19A	Cyan	130ml	7510-01-641-0137	\$72.25	EA
	FSSI		B3P20A	Magenta	130ml	7510-01-641-0689	\$72.25	EA
	FSSI		B3P21A	Yellow	130 ml	7510-01-641-0703	\$72.25	EA
	FSSI		B3P23A	Photo Black	130ml	7510-01-641-0699	\$72.25	EA
	FSSI		B3P24A	Gray	130ml	7510-01-641-0697	\$72.25	EA
	FSSI	HP-Designjet Z6200 42-in, Z6200 60-in	B6Y18A	Yellow	775 ml	7510-01-607-0147	\$354.43	EA
	FSSI	HP-DesignJet T920/T930 /T1500/T1530 eSeries; HP DesignJet T2500/T2530 eMultifunction Series	C1Q12A	Matte Black	300 ml	7510-01-641-0700	\$163.12	EA
NEW		HP-OfficeJet 5000 Series, 8040, 200 Mobile Series, HPENVY 5000 Series and 7640 Page Mobile Series, HP ENVY 5000 Series and 7640	C2P04AN	Black	Page Yield: 200	7510-01-661-1214	\$26.99	EA

Hewlett-Packard Ink Cartridges, continued								
NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
		HP-Officejet: 100, 150, 2710, 6200, 6210, 7210, 7310, 7410, Photosmart 2610, 2710, PSC 1600, 1610, 2350, 2355, 5740, 5940, 6520, 6540, 6620, 6830v, 6840, 6980, 9800, Officejet H470 and HP Photo -Deskjet 460, 5740, 5940, 6520, 6540, 6620, 6830v, 6840, 6940, 6950, 9800, Officejet 6200, 6210, 7210, 7310, 7410, Photosmart 2610, 2710, 325, 335, 375, 385, 422, 425, 428, 475, 8050, 8150, 8450, 8750, Photosmart Pro B8350, 1600, 1610, 2350, 2355 and HP Portable -Deskjet 460, H470, Photosmart 325, 335, 375, 385, 422, 425, 428, 475	C9363WN	Tri-Color	Page Yield: 560	7510-01-542-5295	\$60.33	EA
	FSSI	HP-Designjet Printers T610 24-in, T610 44-in, T620, T770 24-in HD, T770 44-in HD, T790 24-in, T790 24-in PS, T790 44-in, T790 44-in PS, T1100 24-in, T1100 44-in, T1100ps 24-in, T1100ps 44-in, T1100 MFP, T1120 24-in, T1120 44-in, T1120ps 24-in, T1120ps 44-in, T1120 SD MFP, T1120 HD MFP, T1200, T1200 PostScript, T1200 HD MFP, T1300 44-in, T1300 44-in PostScript, T2300, T2300 PostScript	C9370A	Photo Black	130 ml	7510-01-574-2336	\$60.94	EA
	FSSI		C9371A	Cyan	130 ml	7510-01-574-2355	\$73.22	EA
	FSSI		C9372A	Magenta	130 ml	7510-01-574-2350	\$73.22	EA
	FSSI		C9373A	Yellow	130 ml	7510-01-574-2340	\$73.22	EA
	FSSI		C9374A	Gray	130 ml	7510-01-574-8933	\$60.94	EA
	FSSI		C9380A	Photo Black/ Gray		7510-01-606-4444	\$95.06	EA
	FSSI		C9383A	Magenta/Cyan		7510-01-606-4445	\$95.06	EA
	FSSI		C9384A	Matte Black/ Yellow		7510-01-606-4446	\$95.06	EA
			C9403A	Matte Black	130 ml	7510-01-574-2338	\$86.27	EA
NEW	FSSI	HP-Officejet Pro L7500 Series, L7580, L7590, L7650, L7680, L7780 and HP Inkjet -Officejet Pro K5400 Series, K550 Series, K8600 Series and HP Wide Format -Officejet Pro K8600 Series printers	C9381A	Black and Yellow	Page Yield: 4150	7510-01-566-6209	\$121.93	EA
NEW	FSSI	HP-Designjet Printers: Z2100, Z3100 24-in, Z3100 44-in, Z3100ps GP 24-in, Z3100ps GP 44-in, Z3200 24-in, Z3200 44-in, Z3200ps 24-in, Z3200ps 44-in and Z5400	C9390A	Light Cyan	130 ml	7510-01-606-4458	\$80.49	EA
	FSSI		C9448A	Matte Black	130 ml	7510-01-606-7915	\$107.59	EA
NEW	FSSI		C9449A	Photo Black	130 ml	7510-01-606-7916	\$107.59	EA
NEW	FSSI		C9451A	Light Gray	130 ml	7510-01-606-7919	\$104.15	EA
NEW	FSSI		C9452A	Cyan	130 ml	7510-01-606-7925	\$107.59	EA
NEW	FSSI		C9453A	Magenta	130 ml	7510-01-606-7929	\$107.59	EA
NEW	FSSI		C9454A	Yellow	130 ml	7510-01-606-7935	\$107.59	EA
NEW	FSSI		C9455A	Light Magenta	130 ml	7510-01-606-7937	\$104.15	EA
	FSSI	HP-Designjet Z6200 42-in, Z6200 60-in	CE017A	Matte Black/ Chromatic Red		7510-01-607-0148	\$232.95	EA
	FSSI		CE018A	Magenta/ Yellow		7510-01-607-0149	\$232.95	EA
	FSSI		CE019A	Light Magenta/ Light Cyan		7510-01-607-0137	\$232.95	EA
	FSSI		CE020A	Photo Black/ Light Gray		7510-01-607-0138	\$232.95	EA

Hewlett-Packard Ink Cartridges, continued

NEW	FSSI	Fits Machine Models	Mfg. Part No.	Color	Approx. Page Yield	NSN	Price	Unit of Issue
NEW	FSSI	HP-Designjet Z6200 42-in, Z6200 60-in	B6Y15A	Matte Black	775 ml	7510-01-607-0141	\$354.43	EA
NEW	FSSI		B6Y17A	Magenta	775 ml	7510-01-607-0145	\$354.43	EA
NEW	FSSI		B6Y19A	Light Magenta	775 ml	7510-01-607-0139	\$354.43	EA
NEW	FSSI		B6Y20A	Light Cyan	775 ml	7510-01-607-0140	\$354.43	EA
NEW	FSSI		B6Y21A	Photo Black	775 ml	7510-01-607-0142	\$354.43	EA
NEW	FSSI		B6Y22A	Light Gray	775 ml	7510-01-607-0144	\$354.43	EA
	FSSI	HP-T1200, T1200 PostScript, T1200 HD MFP, T1300 44-in, T1300 44-in PostScript, T2300, T2300 PostScript	CH575A	Matte Black	300 ml	7510-01-607-1383	\$206.25	EA
NEW	FSSI	HP-Designjet Printers T7100	CH647A	Dark Gray/Gray		7510-01-606-9859	\$201.61	EA
NEW	FSSI		CH648A	Matte Black		7510-01-606-9866	\$201.61	EA
		HP-Officejet Pro 276dw Multifunction; 8630; 8100 -N811a/N811d; 251dw; 8610 and 8620	CN045AN	Black	Page Yield: 2,300	7510-01-604-1045	\$41.97	EA
NEW			CN046AN	Cyan	Page Yield: 1,500	7510-01-604-1046	\$40.43	EA
NEW			CN048AN	Yellow	Page Yield: 1,500	7510-01-604-1063	\$40.43	EA
	FSSI	HP-MFPM585DN, M585F AND M585Z	D8J07AG	Cyan	Page Yield: 6,600	7510-01-645-8755	\$110.59	EA
	FSSI		D8J08AG	Magenta	Page Yield: 6,600	7510-01-645-8754	\$110.59	EA
NEW		HP-DesignJet TT730 36-In (F9A29A B1K); HP DesignJet T830 24-In Multifunction (F9A28A B1K); HP DesignJet T830 36-In Multifunction (F9A30A B1K)	F9J68A	Matte Black	Page Yield: 1,000	7510-01-658-9383	\$334.33	EA
NEW			F9K15A	Yellow		7510-01-658-9392	\$327.43	EA
NEW			F9K16A	Magenta		7510-01-658-9395	\$334.33	EA
NEW			F9K17A	Cyan		7510-01-658-9402	\$334.33	EA
NEW		HP-Office Jet Pro 7720, 7740, 8210, 8216, 8710, 8715, 8720, 8725, and 8740; and Office Jet 8702	LOR39AN#140	Black	Page Yield: 3,000	7510-01-671-2563	\$95.61	EA
NEW			LOS64AN#140	Magenta	Page Yield: 1,600	7510-01-671-2565	\$51.07	EA
NEW		HP-OfficeJet 7510 Wide Format; Officejet 6600 -H711a/H711g; OfficeJet 7612 Wide Format; and OfficeJet 7110 Wide Format -H812a	LOS27AN	Black	Page Yield: 400	7510-01-697-5784	\$50.35	PG (2)
NEW		HP-OfficeJet 5000 Series, 8040, 200 Mobile Series, HPENVY 5000 Series and 7640 Page Mobile Series, HP ENVY 5000 Series and 7640	N9H64FN	Black/Tri-Color	Page Yield: 200	7510-01-697-5780	\$44.16	PG (2)
NEW		HP-DesignJet T2600dr 36-in PostScript Multifunction; HP DesignJet T2600 36-in PostScript Multifunction; HP DesignJet T1600dr 36-in PostScript; HP DesignJet T1700dr 44-in PostScript; HP DesignJet T1600 36-in Postscript; HP DesignJet T1700 44-in	P2V66A	Gray	130 ml	7510-01-682-1229	\$83.55	EA
NEW			P2V68A	Cyan	300.0 mL	7510-01-682-1213	\$174.75	EA
NEW			P2V69A	Magenta	300.0 mL	7510-01-682-0818	\$174.46	EA
NEW	FSSI		P2V70A	Yellow	300.0 mL	7510-01-682-1187	\$174.32	EA
NEW	FSSI		P2V71A	Matte Black	300.0 mL	7510-01-682-1160	\$174.32	EA
NEW	FSSI		P2V72A	Gray	300.0 mL	7510-01-682-1127	\$174.32	EA
NEW	FSSI		P2V73A	Photo Black	300.0 mL	7510-01-682-0826	\$174.32	EA

OFFICE PRODUCTS

IN THIS SECTION

Computer Accessories and Supplies	2	Writing Instruments and Supplies	46
Office Machines and Equipment	11	Basic Office Supplies	66
Presentation and Visual	23	Binders and Filing	87
Frames	35	Forms	110
Awards	40	Paper and Labels	112
Calendars and Personal Organizers	41	Clocks and Watches	129
Briefcases and Pad Holders	44		

Data Media and Media Storage

USB Flash Drive

A fast and efficient security processor that provides advanced portable security through AES 256-bit hardware encryption, authentication and manageability. Built in protection and 10 key PIN pad eliminates the need to enter a password making it immune to hacking attempts. FIPS 140-2, Level 3 validation meets the highest government standards. Tamper-resistant metal enclosure is waterproof and dustproof meeting IEC 60529 IP57 and MIL-STD-810F. Supports up to 10 users on one device with one administrator enforcing policies. Compatible with USB 1.1, 2.0 and WIN2000/XP/Vista/7/Linux. Features plug and play USB technology, Drag and drop transfer of files, password encryption and LED indicator. 5-year limited warranty.

7045-01-599-9355, SKILCRAFT, AbilityOne, Black, Capacity: 32 GB, EA, \$171.06

USB flash drive provides convenience of portable storage in an ultra-slim format that does not block adjacent USB ports. Compatible with USB 1.1 and 2.0 and OS WIN 2000/NT/ME/XP/Vista/7, Mac OS9+ and Linux 2.4+, Windows 7/8. Read speed is approximately 30 MB/sec and write speed is approximately 20 MB/sec., peak 25MB/sec. Supports password protection. Plug and play with no driver needed for most OS. LED indicator-light on when in use. Durable and reliable storage, data retention for 10+ years. Features 1,000G shock resistance. USB bus-powered; no batteries required; no external power required. Lifetime warranty. Includes lanyard with sturdy detachable clip.

7045-01-558-4988, SKILCRAFT, AbilityOne, Silver, Capacity: 16 GB, EA, \$30.19

Federal Strategic Sourcing Initiative, 7045-01-570-2661, SKILCRAFT, AbilityOne, Silver, Capacity: 32 GB, EA, \$55.09

Federal Strategic Sourcing Initiative, 7045-01-558-4986, SKILCRAFT, AbilityOne, Capacity: 2 GB, EA, \$21.04

Federal Strategic Sourcing Initiative, 7045-01-558-4985, SKILCRAFT, AbilityOne, Capacity: 8 GB, EA, \$21.98

USB Flash Drive with 256-bit AES Encryption

Portable storage device with 256-bit AES Encryption. Highest level of data protection approved by the federal government. Meets FIPS 140-2 Standards. Level 1 Certified, Certificate No. 347 ISC. UltraLock software preloaded ready for password customization. "Drag and Drop" interface. No back door entry for maximum security. Compatible with USB 1.1, 2.0, IN2000/NT/ME/XP/Vista, Windows 7/8. Read speed 30MB/sec. Write speed 20MB/sec; peak 25MB/sec. LED Indicator-light on when in use. Durable and reliable storage data retention for 10+ years. 1,000G shock resistance. USB bus-powered; no batteries required; no external power required. Lifetime warranty. Includes lanyard with sturdy detachable clip.

7045-01-569-1704, SKILCRAFT, AbilityOne, Capacity: 32 GB, EA, \$48.86

Portable Hard Drive

High-capacity mobile storage for data, photos, presentations, videos and music. Pocket-sized and lightweight, this product is compatible with both PC and MAC. USB 3.0 (compatible with USB 1.1 and USB 2.0) powered and requires no drivers to install. Total media backup software included. 1 year warranty. 5"L x 3-1/4"W x 3/4"H.

Federal Strategic Sourcing Initiative, 7045-01-568-9695, SKILCRAFT, AbilityOne, Capacity: 500 GB, EA, \$153.10

Recordable CD-R

These discs provide reliable data security. Large storage capacity. They are compatible with all types and speeds of CD-R writing systems. The playback is compatible with all CD-ROM drives and audio CD players. CD-R 700MB, 52X write speed, 80 minutes recording capacity.

100 pack spindle.

Federal Strategic Sourcing Initiative, 7045-01-515-5375, Capacity: 700MB, PG(contains 100 EA), \$38.60

Recordable CD-R Gold

High-grade media used for long-term archiving. Contains a 24-Karat gold reflective layer for durability. The diamond coat surface is designed to protect media from scratches, repeated use and handling. Write once format. Nonflexible. Recording (REC) Capacity 650MB (DATA) minimum; Rec time 74 minutes (audio) minimum; Rec speed 12X minimum.

Contains 50 with tyvek sleeves and mailers.

Federal Strategic Sourcing Initiative, 7045-01-429-3462, SKILCRAFT, AbilityOne, Capacity: 650MB, BX(contains 50 EA), \$162.86

Rewritable CD-RW

Recordable / Rewritable CD allows users to overwrite directly and repeatedly. Playable on all CD-ROM drives equipped with MultiRead functionality. Recording speed 1X minimum to 4X maximum; Rewritability up to 1,000 times; 80 minutes (audio) minimum; Recording speed 4x maximum.

25 pack spindle.

7045-01-515-6774, Capacity: 700MB, PG(contains 25 EA), \$19.55

Rewritable CD allows the user to record, erase and re-write up to 1,000 times. Records speeds from 4x to 12x. 80 minute (audio). Compatible with leading CDRW, DVD and multi-read drives.

Five CD-RWs with jewel cases.

7045-01-470-3592, SKILCRAFT, AbilityOne, Capacity: 700 MB, BX(contains 5 EA), \$7.82

Recordable/Rewritable DVD

Rewritable/recordable media disc features a 4.7 GB capacity and up to 4X recording speed. Rewritable up to 1,000 times. Holds seven times more data than a full size CD-R. Stores up to two hours of MPEG2 DVD video or digital video and digital audio files.

DVD-RW. Includes jewel cases.

7045-01-515-5371, PG(contains 5 EA), \$8.81

Includes jewel cases. Rewritable/recordable media disc features a 4.7 GB capacity and up to 4X recording speed. Rewritable up to 1,000 times. Stores up to two hours of MPEG2 DVD video or digital video and digital audio files.

DVD+RW. 25 pack spindle.

Federal Strategic Sourcing Initiative, 7045-01-515-5373, PG(contains 25 EA), \$29.37

Recordable DVD

This DVD has a 4.7 GB recording capacity and up to 16X recording speed. Writes once, single sided, and stores up to 2 hours of digital video in SP mode or 4 hours in EP mode. Holds 7 times more data than a full size CD-R.

DVD-R. 25 pack spindle.

Federal Strategic Sourcing Initiative, 7045-01-515-5372, PG(contains 25 EA), \$14.91

DVD+RW. 25 pack spindle.

7045-01-515-5374, PG(contains 25 EA), \$14.23

Recordable DVD-R

This DVD-R has a 4.7 GB recording capacity and up to 16X recording speed. Writes once, single sided, and stores up to 2 hours of digital video in SP mode or 4 hours in EP mode. Thermal printable silver surface on non-recordable side.

DVD+R. 100 pack spindle.

Federal Strategic Sourcing Initiative, 7045-01-614-7492, SKILCRAFT, AbilityOne, PG(contains 100 EA), \$38.32

Inkjet Printable DVD-R

Inkjet Printable DVD-Rs allow you to print directly on the disc surface for quick and easy labeling. For use with leading inkjet printers with white matte surface for excellent print quality. Write-once format. 16X recording speed.

60-month maximum shelf life (extendable).

7045-01-658-2771, SKILCRAFT, AbilityOne, White, Capacity: 4.7 GB, PG(contains 50 EA), \$26.58

Laser Printable DVD-R

Laser Printable DVD-Rs allow you to print directly on the disc surface for quick and easy labeling. For use with leading inkjet printers with white matte surface for excellent print quality. Write-once format. 16X recording speed, 120 minutes

60-month maximum shelf life (extendable).

7045-01-658-2772, SKILCRAFT, AbilityOne, White, Capacity: 4.7 GB, PG(contains 50 EA), \$25.94

CD/DVD Label Kit Refill

Refill labels for the CD/DVD label maker kit NSN 7530-01-554-9537.

CD matte label refill.

7530-01-554-9538, SKILCRAFT, AbilityOne, White, PG(contains 50 EA), \$14.85

CD/DVD Holders

This quick-load, loose-leaf CD/DVD holder sheets feature two pockets each, providing a total capacity of 20 disks. Pages fit neatly into three-ring binders.

7510-01-504-7385, Clear, PG(contains 10 EA), \$4.60

CD/DVD Jewel Case

Replacement jewel case protects and stores any standard CD or DVD. Soft plastic, Clam-shell design

Federal Strategic Sourcing Initiative, 7045-01-554-7681, SKILCRAFT, AbilityOne, Clear, PG(contains 25 EA), \$16.79

Slim, replacement jewel case protects and stores any standard CD or DVD. Designed to hold inserts/literature in front and back. Thinner than standard CD/DVD cases for more compact storage.

5 each per color - Red, Yellow, Green, Blue and Purple.

7045-01-554-7682, SKILCRAFT, AbilityOne, Assorted, 5-1/8" X 11-3/4" X 11-1/4", PG(contains 25 EA), \$13.35

Thermal Printable CD-R

Thermal Printable CD-Rs allow you to print directly on the CD surface for quick and easy labeling. For use with leading thermal printers, the surface showcases excellent print quality. Write once format. 52X recording speed. 80 minutes.

60-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7045-01-658-2773, SKILCRAFT, AbilityOne, Silver, Capacity: 700 MB, PG(contains 100 EA), \$38.23

3-1/2" Diskette

High-quality, error-free floppy disks for data processing applications.

Formatted.

7045-01-442-1631, SKILCRAFT, AbilityOne, 1.44MB, DS/HD, BX(contains 25 EA), \$25.00

Maintenance and Care

Mini-Vacuum

This lightweight hand-held vacuum cleaner/blower is a fast and easy way to clean computers and office equipment. Complete with a 19-inch flexible hose, pin pointer nozzle, crevice tool, dust brush, four-piece micro-cleaning tool kit, shoulder strap, and five disposable bags.

For replacement filter/bags see PC Vacuum Replacement Bag NSN 7045-01-417-3206.

Federal Strategic Sourcing Initiative, 7910-01-423-9525, Model: MDV-1BA or equal, 16" x 4" x 4", EA, \$145.85

Air Duster

This ozone-safe dust blaster delivers a concentrated blast of air that removes dust from office computer equipment, sensitive parts or electronics.

Low VOC, Material Safety Data Sheet

7930-01-398-2473, 894002 or equal, AbilityOne, 10 oz. aerosol, BX(contains 6 EA), \$31.50

CRT Screen Cleaning Wipes

Pre-moistened anti-static computer screen wipes are effective for removing dirt and smudges from LCD and CRT computer screens. Non-abrasive, lint free wipes come in a convenient pop-up container. Box contains 12 pop-up containers of 50 sheets.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-454-1138, AbilityOne, 6.3 x 6.25", BX(contains 12 EA), \$77.90

Power Protection/UPS

Portable Battery Pack

Compact and easy to carry power packs with integrated flashlight are rechargeable up to 500 times. Charge two devices at once with dual charging ports; LED power indicator shows the amount of charge remaining.

Fully recharge devices with the 12,000mAh portable USB power packs.

NEW, 6140-01-672-8907, SKILCRAFT, AbilityOne, Black, 5.75" H x 2.875" W x 0.5" D, EA, \$38.48

Fully recharge devices with the 6,000mAh portable USB power packs.

6140-01-672-8906, SKILCRAFT, AbilityOne, Black, 5.75" H x 2.875" W x 0.5" D, EA, \$31.54

Surge Suppressor

Surge suppressor provides protection to your electronic equipment. Features a 6-foot cord and eight-outlets total with a minimum of 3 outlets with transformer spacing. 480 joule rating, 120 volts AC, EMI/RFI filtration. UL 1449.

5920-01-422-8851, TLP88USBB or equal, EA, \$25.24

Plug strip features a 6-foot cord and eight-outlets total with 3 outlets with transformer spacing, 2000 joules, 120 volt AC, EMI/RFI filtration, 15 amps. UL 1449.

5920-01-422-8857, 03405 or equal, EA, \$25.24

Power strip has a 6-foot cord and eight-outlets. three-mode protection, 15 amps, 120 volts AC, 1380 joules. UL 1449.

5920-01-422-8844, EA, \$56.35

Surge suppressor with a 6-foot cord and six-outlets. Features a plastic case, three conductors, 15 amps, 120 volts AC, 312 joules, EMI/RFI filtration, lighted master On/Off switch, and built-in T-slots for wall mounting. UL 1449.

5920-01-384-8597, 06-PT6683 or equal, EA, \$13.78

Surge suppressor features a 6-foot cord and six-outlets. 90 joules, maximum spike current of 4000 amps or better, 600 volts clamping, and a response time of one nanosecond or less. UL 1449.

5920-01-384-8501, S-25H-6S or equal, EA, \$10.89

Surge suppressor has a 6-foot cord and six-outlets. Features a 15 amp circuit breaker, 360 joules, 27,000 peak amps, EMI/RFI filtration, 330 volts clamping. UL 1449.

5920-01-422-8867, 03984 or equal, EA, \$18.34

Surge suppressor with a 6-foot cord and six-outlets. Features 672 joules, 15 amps, 120 volts AC, three mode protection. UL 1449.

5920-01-384-7958, APCPR07 or equal, EA, \$18.34

Surge protection for devices. Features a 6-foot cord and eight outlets total, with a minimum of 3 outlets with transformer spacing. Minimum 1035 joules of protection, EMI/RFI filtration, meets UL 1449.

5920-01-433-0301, TLP88TUSBB or equal, EA, \$23.52

Surge protector with a 6-foot cord and 7 outlets. Includes RJ-11 modem/fax/DSL protection. 240-joule rating, EMI/RFI filtration, meets UL 1449.

5920-01-384-8699, BE107200-06 or equal, EA, \$44.85

Six-outlet strip surge protector with a 15-foot cord. Features a LED surge indicator, LED wiring fault indicator, three-line protection, thermal safety fuse, and on/off switch. 15 amps, 210 joules. UL 1449.

5920-01-490-6691, 3880 or equal, EA, \$25.24

Uninterruptible Power Supply

Voltage regulator has a 5-foot cord and a minimum power rating of 600 volt-amperes. Features seven NEMA 5-15 outlets, including five with a battery backup and two surge-only and USB connectivity to provide management of the UPS via the USB port. LED light for power status. Input/output 120 volts, 420 joules. UL 1778.

6110-01-450-4385, ECO750UPSTAA or equal, EA, \$127.65

Computer Accessories

Screen and Lens Cleaner Kit

Anti-static cleaning kit includes a pump spray bottle; a 12x12 microfiber cleaning cloth, and a ready-to-use cleaning solution that dissipates static (12 oz), cleans dust, fingerprints, and other light contaminants from screens, lenses, LCD and plasma.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

6850-01-683-1761, AbilityOne, KT, \$17.23

Portable External Hard Drive

Portable hard drives are an easy-to-use solution to instantly add storage to a computer or take files on the go. This hard drive is equipped with software to schedule, automate, and individualize backups. USB powered with 3.0 connectivity for fast data transfers, also works with USB 2.0 ports and meet plug and play standards.

2TB portable hard drive.

Material Safety Data Sheet

7050-01-689-7546, SKILCRAFT, AbilityOne, Black, 0.75" H X 3.125" W X 4.5" D, EA, \$140.22

4TB portable hard drive.

7050-01-689-7545, SKILCRAFT, AbilityOne, Black, 0.75" H X 3.125" W X 4.5" D, EA, \$198.96

1TB portable hard drive.

Material Safety Data Sheet

7050-01-689-7544, SKILCRAFT, AbilityOne, Black, 0.75" H X 3.125" W X 4.5" D, EA, \$95.63

Computer Speakers

Computer stereo speakers deliver rich, full sound and superior convenience. Speakers can be used with your PC, portable CD or cassette player, MP3 player and more. (Includes two speakers, one with on/off switch and volume control.) Minimum peak power is 4 watts.

7045-01-490-7254, 4"L x 3-1/2"W x 7-1/2"H, EA, \$24.61

Laptop Lock

T-bar Combination laptop lock has a 4-wheel keyless, push button lock and a strong six foot steel cable that loops around an immovable object. The anchor plate is designed to secure a device that does not have a Kensington security slot found on notebook or laptop computers.

Federal Strategic Sourcing Initiative, 5340-01-598-7496, AbilityOne, EA, \$30.24

Office Machine Lock

Desktop and peripherals locking kit has a strong eight foot steel cable, anchor plate and a keyed lock. Comes with two barrel style keys.

5340-01-598-7495, K64615US, AbilityOne, EA, \$35.72

Notebook or Laptop Security Cable

"MicroSaver" security cable has a strong six foot steel cable that loops around an immovable object. Features a one-step key locking process. Works with the Kensington security slot on notebook or laptop computers. Comes with two barrel style keys.

Federal Strategic Sourcing Initiative, 5340-01-384-2016, AbilityOne, EA, \$43.24

Notebook/LCD Monitor Privacy Filter

Made using quality 3M™ materials to provide world class black out privacy. These privacy filters are for desktop and notebook LCD monitors and enable the user to keep classified and/or sensitive material from being viewed by others. Protects screens from scratches and fingerprints while also minimizing glare and reducing eyestrain. Easily installed and removed with no harm to screens. Filter stays in place when notebook is closed. Custom cut for specific devices, be sure to confirm the model and size before ordering.

For use in a 16:9 Aspect Ratio Computer Screen

48-month maximum shelf life (not extendable).

7045-01-671-2141, SKILCRAFT, AbilityOne, Black23.6" Widescreen, EA, \$102.71

7045-01-671-2140, SKILCRAFT, AbilityOne, Black23.8" Widescreen, EA, \$129.13

7045-01-671-2138, SKILCRAFT, AbilityOne, Black 27" Diagonal Widescreen, 23-9/16" W x 13-1/4" H, EA, \$154.66

Prevent visual hacking in any environment with Privacy Shield Privacy Filters with Frame for desktop computers. Quality 3M materials provide world class "black out" privacy that delivers incredible screen image clarity when monitor is viewed from the front but makes images appear dark when viewed from an angle. Lightweight filter removes easily for shared viewing without damage to desktop monitor. Available in several sizes, confirm monitor dimensions and aspect ratio before ordering.

Standard Screen

Comprehensive Procurement Guideline Compliant

7045-01-570-8900, SKILCRAFT, AbilityOne, 15" Diagonal, 12" W x 9" H, EA, \$50.04

Federal Strategic Sourcing Initiative, 7045-01-570-8904, SKILCRAFT, AbilityOne, 17" Diagonal, 14-1/2" W X 9-1/16" H, EA, \$115.07

Federal Strategic Sourcing Initiative, 7045-01-570-8908, SKILCRAFT, AbilityOne, 19" Diagonal, 14-13/16" W X 11-7/8" H, EA, \$115.16

7045-01-570-8910, SKILCRAFT, AbilityOne, 20-1/16" Diagonal, 16-1/8" W X 12-1/8" H, EA, \$97.01

Widescreen.

7045-01-570-8902, SKILCRAFT, AbilityOne, 15-3/8" Diagonal, 13-1/16" W x 8-3/16" H, EA, \$89.68

Federal Strategic Sourcing Initiative, 7045-01-570-8898, SKILCRAFT, AbilityOne, 17" Diagonal, 14-1/2" W X 9-1/16" H, EA, \$125.25

Federal Strategic Sourcing Initiative, 7045-01-570-8907, SKILCRAFT, AbilityOne, 19" Diagonal, 16-3/16" W X 10-1/8" H, EA, \$115.76

16:10 Aspect Ratio

7045-01-649-7196, SKILCRAFT, AbilityOne, 20" Diagonal, 17-7/16" W x 9-13/16" H, EA, \$172.61

Federal Strategic Sourcing Initiative, 7045-01-570-8895, SKILCRAFT, AbilityOne, 22" Diagonal, 18-7/8" W X 11-5/8" H, EA, \$147.66

Federal Strategic Sourcing Initiative, 7045-01-570-8897, SKILCRAFT, AbilityOne, 24" Diagonal, 20-3/8" W X 12-3/4" H, EA, \$152.79

7045-01-649-6592, SKILCRAFT, AbilityOne, 23" Diagonal, 20-1/16" W x 11-5/16" H, EA, \$98.74

Comprehensive Procurement Guideline Compliant

7045-01-570-8894, SKILCRAFT, AbilityOne, 20-1/16" Diagonal, 17-1/8" W X 10-3/4" H, EA, \$92.87

For use in a 16:9 Aspect Ratio Computer Screen

Federal Strategic Sourcing Initiative, 7045-01-619-2983, SKILCRAFT, AbilityOne, 24" Widescreen, 24"-5/8" D X 20-7/8" W X 13-1/8" H, EA, \$153.18

Federal Strategic Sourcing Initiative, 7045-01-599-5302, SKILCRAFT, AbilityOne, 15.6" Widescreen, 14" D x 12-3/16" W x 6-7/8" H, EA, \$44.16

Federal Strategic Sourcing Initiative, 7045-01-662-0015, SKILCRAFT, AbilityOne, Black, 24" Widescreen, 20-15/16" W X 11-13/16" H, EA, \$271.06

Federal Strategic Sourcing Initiative, 7045-01-662-0013, SKILCRAFT, AbilityOne, Black, 22" Widescreen, 19-1/2" W X 10-15/16" H, EA, \$260.28

Federal Strategic Sourcing Initiative, 7045-01-599-5286, SKILCRAFT, AbilityOne, 21-1/2" Diagonal, 18-3/4" W X 10-9/16" H, EA, \$128.20

Framed Wide Screen.

16:9 Aspect Ratio

Federal Strategic Sourcing Initiative, 7045-01-614-6233, SKILCRAFT, AbilityOne, 22" Diagonal, 19-1/8" W X 12-1/8" H, EA, \$268.65

Federal Strategic Sourcing Initiative, 7045-01-614-6232, SKILCRAFT, AbilityOne, 24" Diagonal, 20-7/8" W X 13-1/8" H, EA, \$283.59

Federal Strategic Sourcing Initiative, 7045-01-614-6231, SKILCRAFT, AbilityOne, 19" Diagonal, 18 L x 12" H, EA, \$188.25

Federal Strategic Sourcing Initiative, 7045-01-687-3470, SKILCRAFT, AbilityOne, Black, 27" Diagonal, 29.2" L x 13.9" H., EA, \$199.00

Federal Strategic Sourcing Initiative, 7045-01-613-7629, SKILCRAFT, AbilityOne, 17" Diagonal, 13-5/8" W X 10-15/16"H, EA, \$135.81

Framed Standard Screen.

7045-01-613-7630, SKILCRAFT, AbilityOne, 19" Diagonal, 15-5/16"W X 12-3/8" H, EA, \$164.14

USB Wired Keyboard

Spill-resistant, wired keyboard with 104-key English/French standard layout, full size F-keys, and numeric key pad features a sleek contemporary design that occupies less space on desktops and in travel bags. Wide soft-touch keys improve keystroke accuracy while reducing typing noise. No software required, simply connect the 60-inch USB cable to your PC or laptop and start typing.

7025-01-677-4742, SKILCRAFT, AbilityOne, Black, 5 x 17 3/8 x 1 1/8", EA, \$24.59

Wireless PC Keyboard and Mouse Combo

This Wireless PC Keyboard and Mouse Combo featuring a low-profile keyboard with quiet soft-touch keys and an ambidextrous mouse design is perfect for the workplace or home office. Easy connectivity – just plug the dongle into a USB port and get to work. Keyboard and mouse use 2.4GHz wireless connectivity for seamless, interruption-free use within a 30-foot range and transition to low power consumption mode when not in active use. Keyboard requires one AAA; mouse requires one AA alkaline battery. Batteries not included.

Material Safety Data Sheet

NEW, 7025-01-690-9998, SKILCRAFT, AbilityOne, Black, EA, \$41.47

Wireless Mouse

Navigate web based documents on the internet with ease using Wireless Mouse with micro USB receiver. Enjoy the reliable performance of 2.4 GHz wireless technology in a comfortable, ergonomic soft touch design. This unit is battery operated with standard navigation buttons plus a DPI switch button for cursor speed control and forward and back web navigation buttons located on the side. Uses 2 AAA batteries, sold separately.

Right-Handed.

NEW, 7025-01-651-8938, SKILCRAFT, AbilityOne, Black, EA, \$29.88

Optical Mouse

Mouse's optical sensor makes for superior and precise control. Works on virtually any surface, no mouse pad needed and no mouse ball to clean. The ergonomic shape and rubberized sides make this the ideal mouse for comfort and precision. USB and PS/2 interface. Ambidextrous use.

NEW, 7025-01-490-6701, Gray, EA, \$23.32

Featuring a smooth ergonomic shape this optical mouse features two Navigation buttons and a scroll wheel for ease of operation. With an 800 dpi optical sensor this mouse can be used on a variety of surfaces. Plugs into any USB port for ease of operation. Can be used with any PC or Windows application. Includes: ergonomic design is for right-handed use.

NEW, 7025-01-618-4138, SKILCRAFT, AbilityOne, Black/Gray, EA, \$16.84

Mouse Pad

This standard mouse pad is comprised of open-cell sponge rubber with a polyester fabric surface. Pad is impact-absorbent and provides excellent traction.

Federal Strategic Sourcing Initiative, 7045-01-368-4809, SKILCRAFT, Blue, 9-3/8" x, EA, \$2.80

AbilityOne, 7-7/8 x 1/4", Federal Strategic Sourcing Initiative, 7045-01-368-4808, SKILCRAFT, Red, 9-3/8" x 7-7/8 x 1/4", EA, \$2.05

Federal Strategic Sourcing Initiative, 7045-01-368-4810, SKILCRAFT, Gray, 9-3/8" x 7-7/8 x 1/4", EA, \$2.05

Package contains three pads; one each of grey, red, and blue.

7045-01-368-4811, SKILCRAFT, AbilityOne, Assorted, 9-3/8" x 7-7/8 x 1/4", PG(contains 3 EA), \$5.98

Mouse Pad with Wrist Rest

Mouse pad with wrist pillow provides ergonomic support with gel cushion comfort.

7045-01-406-4657, Blue, 8"L x 10"W, EA, \$9.63

7045-01-412-5317, Black, 8"L x 10"W, EA, \$21.62

Wrist rest and mouse pad combination features a gel-filled chamber that conform to your wrist shape for maximum comfort. The gel-filling is non-toxic.

7045-01-441-9577, Black, 8 x 9-1/2", EA, \$22.65

Gel pad conforms to wrist, providing firm, soothing support while redistributing pressure points for exceptional comfort. Mouse pad provides superior tracking.

7045-01-444-2534, Platinum/Graphite, 6-1/4 x 1-1/8 x 10-1/4", EA, \$15.41

Gel wrist rest glides freely at the base of the mouse pad to reduce inflection and redistribute pressure points. Soothing gel conforms to your wrist for maximum comfort and support.

7045-01-477-7792, Black, 12" L x 10" W x 1-1/2" H, EA, \$30.53

Wrist Rest

This ergonomic gel wrist rest provides exceptional support while redistributing pressure points. Offers height and tilt adjustment for an individualized fit. Features a durable covering that withstands daily wear and tear. Non-skid base holds wrist rest firmly in place.

7045-01-444-2535, Graphite, 3-3/4" L x 19-1/2" W x 1-1/4" H, EA, \$16.67

Gel wrist rest is ergonomically designed to provide exceptional forearm and wrist comfort and support for improved productivity. Easily cleaned with warm water and soap.

7045-01-444-2533, Graphite, 3-1/2" L x 19" W x 1-1/10" H, EA, \$21.62

Gel wrist rest features smooth lycra covering and non-skid base.

7045-01-441-9576, Black, 19" L x 3-1/2" W x 1" H, EA, \$18.52

Wrist support is ergonomically designed to support your hands in a comfortable position. Has an acrylic keyboard base with a plastic foam pad in an attractive design. Size of support base is 18-7/8 x 12"; pad size is 2-1/2 x 1" (flat).

Federal Strategic Sourcing Initiative, 7045-01-406-4663, Gray, EA, \$55.93

Thermal Transfer Ribbon

The Thermal Transfer Ribbon is a critical component in thermal transfer printing. In this print method, a hot print head creates the printed image by melting the ribbon material onto the paper stock. The resulting print stabilizes quickly and is durable enough for most non-archival barcode and shipping needs. High speed 4400 printer; cardboard core; silver polyester leader; 4.50" W x 1,500' L; Color: black; Plastic polyester film; For Intermec media products

12-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-01-444-9445, EA, \$45.86

5095 Performance Resin Thermal Ribbon for Zebra printers P4T and RP4T

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-586-7695, Zebra 05095BK110D, Black, 4-1/3" W x 98 FT L, BX(contains 10 EA), \$301.81

For use Intermec model NO. 8646 printer

12-month maximum shelf life (extendable).

7510-01-373-8843, 12084106, Black, 4-1/10" W x 500' L, EA, \$37.50

Ribbon, Inking

Ribbon, Inking, Thermal Resin Ribbon. color: Black, length: 52" feet, width: 4.33 inches, a premium resin ribbon for printing images in harsh environments. Thermal resin ribbon refill for the mobile Zebra PT 400 and PT 403 printers.

7510-01-475-9607, ZEBRA 05100BK110C, EA, \$15.55

3D Printer Filament, Nylon Pro

Transform your creative ideas into tangible objects with help from this 3D printer filament by SKILCRAFT® that works with a variety of common 3D printers. SKILCRAFT 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Check printer to ensure compatibility or email 3dprint+advantage@gsa.gov for help.

Nylon polyimide 6 filament on spools for durability, minimal shrinkage, a vast range of chemical resistance, and printable at temperatures as low as 230C-270C. Nylon filament has a high tensile strength and makes thin, flexible prints as well as heavy-duty parts ranging from living hinges to interlocking gear mechanisms.

Nylon, 1 KG. 1.75 mm.

7045-01-685-9192, SKILCRAFT, AbilityOne, NATURAL, 8.25" L X 8" W, EA, \$56.51

7045-01-685-8923, SKILCRAFT, AbilityOne, BLACK, 8.25" L X 8" W, EA, \$56.51

3D Printer Filament, PLA Pro

Transform your creative ideas into tangible objects with help from this 3D printer filament by SKILCRAFT® that works with a variety of common 3D printers. SKILCRAFT 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Check printer to ensure compatibility or email 3dprint+advantage@gsa.gov for help.

Polylactic Acid (PLA) filament is a bio-plastic material for applications that require a tight dimensional accuracy. SKILCRAFT PLA Pro has high heat resistance and is easy to print. PLA is also environmentally preferred for its odorless quality and naturally degradation when exposed to the environment.

PLA - Polylactic Acid, Black, 1 KG. 1.75 mm.

7045-01-685-8920, SKILCRAFT, AbilityOne, NATURAL, 8.25" L X 8" W, EA, \$45.07

7045-01-685-8921, SKILCRAFT, AbilityOne, WHITE, 8.25" L X 8" W, EA, \$45.07

7045-01-685-8922, SKILCRAFT, AbilityOne, BLACK, 8.25" L X 8" W, EA, \$45.07

3D Printer Filament, ABS Pro

Transform your creative ideas into tangible objects with help from this 3D printer filament by SKILCRAFT® that works with a variety of common 3D printers. SKILCRAFT 3D evaluates and selects the best 3D printing materials from the top manufacturers in the market. This collection of superior printing filaments is produced for the Federal Government. Our focus is on reliability: reliable product quality supported by reliable service. Check printer to ensure compatibility or email 3dprint+advantage@gsa.gov for help.

Acrylonitrile Butadiene Styrene (ABS) filament on spools for printing strong, temperature-resistant 3D parts. ABS combines the strength and rigidity of polymers with the toughness of rubber. ABS is hard, glossy, tough, and has electrical insulation properties.

ABS - Acrylonitrile Butadiene Styrene, 1 KG. 1.75 mm.

7045-01-685-8918, SKILCRAFT, AbilityOne, White, 8.25" L X 8" W, EA, \$47.08

7045-01-685-8919, SKILCRAFT, AbilityOne, Natural, 8.25" L X 8" W, EA, \$47.08

7045-01-685-9763, SKILCRAFT, AbilityOne, BLACK, 8.25" L X 8" W, EA, \$47.08

Calculators and Accessories

Scientific Calculator

Texas Instruments Part # TI-36X PRO is a scientific calculator with a slide-on cover case and non-skid rubber feet. Hand held machine is programmable and features liquid crystal 4-line LCD display. Powered by solar cell one battery with an automatic multiplication feature. 16 digit entering capacity and 16 digit totalizing capacity. It has a built in memory with 7 variables. Automatic shutoff included.

7420-01-246-3043, TI-36X PRO, Black, EA, \$30.77

With a two line, minimum eight-digit display, this hand-held pre-programmed calculator features scientific and statistical functions. Including log, anti-log, reciprocals, power, trigonometric, mean and standard deviation functions. Solar operated.

7420-01-412-4136, EA, \$23.52

DeskMate II Plastic Storage Clipboard with Calculator

DeskMate II Plastic Storage Clipboard holds your complete mobile office. Made of durable polypropylene construction and features solar powered and battery operated calculator. AG10 button battery included. Bottom opening for convenient access. Strong low profile clip with rubber grips holds up to 1/2" paper securely. Larger internal storage holds pads, pens, etc. Fits paper sizes up to 9 1/2" x 11 3/4".

7520-01-622-7156, SKILCRAFT, AbilityOne, Army Green, 16" x 10" x 2-1/2", EA, \$15.96

Federal Strategic Sourcing Initiative, 7520-01-622-7157, SKILCRAFT, AbilityOne, Black, 16" x 10" x 2-1/2", EA, \$17.20

Desktop Calculator

Desktop, 12-digit two-color printing and display calculator uses 2-1/4" plain paper. A/C operated.

Features memory, percent key and item count.

NEW, 7420-01-412-4138, EA, \$128.48

Dual-powered portable desktop calculator uses both solar and battery power for display. Big number angled display is easy to read with ergonomically designed body and keys. Three memory keys.

10-digit calculator.

Federal Strategic Sourcing Initiative, 7420-01-484-4580, SKILCRAFT, AbilityOne, Black, EA, \$22.68

12-digit calculator also features square root, sign change, sign shift and "00" keys.

Federal Strategic Sourcing Initiative, 7420-01-484-4560, SKILCRAFT, AbilityOne, Black, EA, \$25.88

This desktop calculator is an eight-digit model that is solar powered. Features percent, square root, one or more memories.

NEW, 7420-01-412-4135, EA, \$6.51

Handheld Calculator

Eight-digit flip-up calculator opens with the touch of a button. Ergonomically designed rubber keys; features three memory keys. Battery operated.

Federal Strategic Sourcing Initiative, 7420-01-484-4559, SKILCRAFT, AbilityOne, Black and Silver, EA, \$12.58

Eight-digit calculator features one memory, floating decimal, percent function and automatic constant. Solar operated.

7420-01-182-8532, EA, \$3.69

Eight-digit calculator features one memory. Solar operated.

NEW, 7420-01-412-4131, EA, \$5.72

Brush, Typewriter

6" Long Typewriter Brush, G5 Straight Rectangular, Standard artist type.

7510-00-550-8446, 6.0 inches x 1.5 inches, EA, \$29.90

Counter, Currency

GFB-830 - Banknote counter Achieving a counting speed of 1,800 notes per minute, the GFB820 is an advanced and configurable banknote counter delivering exceptional speed and efficiency. Our trusted counting technology minimizes the errors and miscount rates that often accompany increased speed.

7490-01-344-0206, GFB820, 10.8 in x 9.1 in x 9.3 in, EA, \$1,600.00

Shredder Accessories

Shredding Machine Lubricant

This specially formulated lubricant is designed for use in all shredders; designed especially for use in Cross-Cut and High-Security models. The clear 1 gallon plastic bottle is designed to fit standard automatic oilers.

Material Safety Data Sheet

NEW, 7490-01-441-0134, 1 gal, BX(contains 4 GL), \$218.77

Shredder Oil

Shredder lubricant helps to ensure maximum cross cut shredder performance. This high viscosity oil for manual oiling keeps shredder running at peak performance by conditioning the cutters and extending the life of the machine.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7490-01-481-0403, 16 fl. oz per bottle., BX(contains 8 EA), \$79.81

Shredder oil helps lubricate the shredder, extending its life and allowing the shredder to run smoothly and quietly. Comes in squeeze type bottle with extension nozzle.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7490-01-459-8264, BT(contains 12 OZ), \$6.94

Shredder Bag

Low density shredder bags for personal shredders and office/home trash receptacles. Fits most shredders.

Medium duty. Gallon capacity: 10.

8105-01-557-4975, SKILCRAFT, AbilityOne, Clear, 24 x 26", BX(contains 100 EA), \$16.66

Low density shredder bags for personal shredders and office/home trash receptacles. Fits most shredders. Includes ties.

Medium duty. Gallon capacity: 20.

8105-01-399-4791, SKILCRAFT, AbilityOne, Clear, 29 x 30", BX(contains 100 EA), \$17.39

Medium duty. Gallon capacity: 26.

8105-01-399-4792, SKILCRAFT, AbilityOne, Clear, 31 x 36", BX(contains 50 EA), \$14.48

Medium duty. Gallon capacity: 39.

8105-01-399-4793, SKILCRAFT, AbilityOne, Clear, 36 x 39", BX(contains 50 EA), \$17.60

Medium duty. Gallon capacity: 45.

8105-01-557-4974, SKILCRAFT, AbilityOne, Clear, 44 x 39", BX(contains 50 EA), \$26.04

Medium duty. Gallon capacity: 50.

8105-01-557-4976, SKILCRAFT, AbilityOne, Clear, 39 x 51", BX(contains 50 EA), \$27.04

Medium duty. Gallon capacity: 60.

8105-01-557-4982, SKILCRAFT, AbilityOne, Clear, 49 x 51", BX(contains 50 EA), \$32.89

Shredders

Paper Shredder (High Security)					
Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
Dahle	7490-01-390-6011	EAGLE E-10T	Eagle E-10T Shredder	115V / 60HZ	\$1,647.17
HSM	7490-01-509-1322	15644	HSM 15644 Classic 411.2 L6 High Security Micro Cross Cut Paper Shredder	115V / 60HZ	\$4,552.95
Fellowes	7490-01-395-3362	420HS	Fellowes C-420HS Powershred High Security Shredder	115V / 60HZ	\$2,077.98
Whitaker	7490-01-501-8543	2350 SMC	Destroyit 2350 SMC	115V / 60HZ	\$1,661.49
Fellowes	7490-01-505-2540	DS-3	Powershred® DS-3 Cross-Cut Shredder	120V / 60HZ	\$2,111.29
Skilcraft	7490-01-631-3693	NSN6313693	AbilityOne®, Skilcraft Level 6 Cross-Cut Shredder	115V / 60HZ	\$2,286.43
Capital	7490-01-697-1171	240HS6	Kobra 240 HS6 High Security Shredder Equal to K9 DOD High Security Paper Shredder	115V / 60HZ	\$1,557.68
Whitaker	7490-01-697-3351	MBM2603-0364-220	Destroyit 2603/2 SMC High Security Shredder	220V / 50HZ	\$2,781.80
Whitaker	7490-01-697-3360	MBM2603-0364	Destroyit 2603/2 SMC High Security Paper Shredder	115V / 60HZ	\$2,781.80

Paper Shredder (High Security) (NSA EPL)					
Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
Dahle	7490-00-368-7821	20434DS	Dahle 20434 DS Deployment Shredder	115V / 60HZ	\$3,553.33
HSM	7490-01-183-7247	225.2 HS L6	HSM Classic 225.2 HS L6 Cross-Cut Shredder	115V / 60HZ	\$3,086.20
SEM	7490-01-395-3263	266/4	SEM Model 266/4 NSA Listed High Security Shredder with Auto Oiler	110 - 120V / 60HZ	\$7,042.09
HSM	7490-01-395-3355	HSM CLASSIC 125.2	HSM Classic 125.2 Level P-7 Cross Cut Shredder with Automatic Oiler	115V / 60HZ	\$1,735.82
SEM	7490-01-461-6119	5140C	SEM Model 5140C/4 Level P-7 Paper Shredder	115V / 60HZ	\$7,615.46
SEM	7490-01-475-4305	1324C/3	SEM Model 1324C/3WO High Security Paper Shredder with Oiler	115V / 60HZ	\$1,003.71
SEM	7490-01-481-0399	2226CC	SEM Model 2226CC/3WO High Security Paper Shredder with Oiler	115V / 60HZ	\$4,234.23
Whitaker	7490-01-498-9095	0077SL	Datastroyer 0077SL High Security Paper Shredder	115V / 60HZ	\$10,572.65

Paper Shredder (High Security) (NSA EPL), continued

Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
Whitaker	7490-01-498-9096	2604 SMC	Destroyit 2604 SMC	115V / 60HZ	\$2,140.13
Whitaker	7490-01-501-8544	4014/2	Destroyit 4014/2 SMC High Security Paper Shredder	115V / 60HZ	\$6,696.33
Whitaker	7490-01-503-9122	502 SF	Datastroyer 502 SF High Security Shredder	115V / 60HZ	\$2,930.95
SEM	7490-01-504-5605	244/4	SEM Model 244/4 High Security Paper Shredder	115V / 60HZ	\$3,628.06
Whitaker	7490-01-505-2541	DS-5	Datastroyer DS-5 High Security Deployment Paper Shredder Level 6/P-7	115V / 60HZ	\$3,641.33
Whitaker	7490-01-505-2543	007SF	Datastroyer 007SF High Security Paper Shredder Package Level 6/P-7	115V / 60HZ	\$7,369.53
Whitaker	7490-01-509-1323	WHI1215MS-220V	220V-50Hz Datastroyer 1215 MS High Security Shredder with Auto Oiler Level 6/P-7	220V / 50HZ	\$1,866.29
Intimus	7490-01-605-5416	297291	Intimus 175CP7 High Security Paper Shredder with Auto Oiler	110 - 120V / 60HZ	\$4,650.31
Dahle	7490-01-622-9348	Dahle 40434	DAHLE 40434 High Security Shredder	115V / 60HZ	\$2,478.00
SEM	7490-01-664-8153	600344	SEM Model 344 High Security Shredder - Level 8	115V / 60HZ	\$3,495.95
SEM	7490-01-664-9499	6001201CC	SEM Model 1201CC NSA Listed High Security Shredder	115V / 60HZ	\$7,586.41
SEM	7490-01-694-6014	2226CC/3W230v (2226CC)	SEM 2226CC/3WO High Security Paper Shredder 220V	220V / 50HZ	\$3,778.14
SEM	7490-01-694-6015	6252226CC/3NO230	SEM Model 2226CC/3-NO High Security Shredder no oiler	115V / 60HZ	\$2,408.75
SEM	7490-01-694-6017	600244W/4230	SEM 244/4 High Security Paper Shredder 220V	220V / 50HZ	\$3,573.35
SEM	7490-01-694-6504	6001324/3WO	SEM 1324C/3 High Security Paper Shredder	115V / 60HZ	\$1,870.40
SEM	7490-01-694-6505	60011324C/3WO	SEM 1324C/3WO High Security Paper Shredder 220V	220V / 50HZ	\$1,870.40
SEM	7490-01-694-6959	6005140C/4_220V	SEM 5140C/4 High Security Paper Shredder 220V	220V / 50HZ	\$6,442.84
SEM	7490-01-694-6960	600344230_220V	SEM 344 High Security Shredder 220V	220V / 50HZ	\$3,881.47
SEM	7490-01-694-7764	6001201CC230	SEM 1201CC High Security Shredder	115V / 60HZ	\$6,249.32
Whitaker	7490-01-696-3666	0077SL 220V/50HZ	Datastroyer 0077SL High Security Paper Shredder	220V / 50HZ	\$10,572.65
Whitaker	7490-01-696-3673	007SF 220V/50HZ	Datastroyer 007SF High Security Paper Shredder	220V / 50HZ	\$7,986.48
Intimus	7490-01-696-4179	278294S1 EQUAL TO 202SF	Intimus 45CP7 Paper Shredder Equal To Datastroyer 202 SF High Security Paper Shredder	115V / 60HZ	\$1,929.84
Intimus	7490-01-696-4181	278294S1-220V EQUAL TO 202SF 220V/50HZ	Intimus 45CP7 Paper Shredder Equal To Datastroyer 202 SF High Security Paper Shredder 220 Volts	220V / 50HZ	\$1,833.36
Whitaker	7490-01-696-4950	402SF	Datastroyer 402 SF High Security Paper Shredder	115V / 60HZ	\$2,433.20
Whitaker	7490-01-696-4951	502SF 220V/50HZ	Datastroyer 502 SF High Security Paper Shredder 220 VOLTS	220V / 50HZ	\$3,638.60
Whitaker	7490-01-696-5916	WHIDS3-220 220V/50HZ	Datastroyer DS-3 Deployment Shredder 220 Volts	220V / 50HZ	\$2,658.60
Whitaker	7490-01-696-6330	302SF	Datastroyer 302 SF High Security Paper Shredder	115V / 60HZ	\$1,985.20
Whitaker	7490-01-696-7023	WHIDS4-220 220V/50HZ	Datastroyer DS-4 Deployment Shredder 220 Volts	220V / 50HZ	\$2,797.20
Whitaker	7490-01-696-7278	1628 MS 220V/50HZ	Datastroyer 1628 MS High Security Paper Shredder 220 VOLTS	220V / 50HZ	\$3,789.38
Whitaker	7490-01-696-7279	SCH502-227974	Datastroyer 502 Cross Cut P-5 Paper Shredder	115V / 60HZ	\$2,238.60
Whitaker	7490-01-696-7281	1215 MS 220V/50HZ	220V-50Hz Datastroyer 1215 MS High Security Shredder with Auto Oiler Level	220V / 50HZ	\$3,196.20

Paper Shredder (High Security) (NSA EPL), continued					
Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
Whitaker	7490-01-696-7282	1615 MS	Datastroyer 1615 MS High Security Shredder	115V / 60HZ	\$3,838.80
Whitaker	7490-01-696-7456	HSMDCS-366A 220V/50HZ	HSM DCS 36/6 High Security Paper and Optical Media Shredder 220 Volts	220V / 50HZ	\$4,922.08
Whitaker	7490-01-696-7457	DCS 36/6	HSM DCS 36/6 High Security Paper and Optical Media Shredder 115 Volts	115V / 60HZ	\$4,922.08
Whitaker	7490-01-696-8928	1010 MS 220V/50HZ	Datastroyer 1010 MS High Security Paper Shredder 220 VOLTS	220V / 50HZ	\$2,088.80
Whitaker	7490-01-696-8929	DS-9	Datastroyer DS-9 Deployment Shredder	115V / 60HZ	\$7,315.55
Whitaker	7490-01-696-8931	DS-6	Datastroyer DS-6 Deployment Shredder	115V / 60HZ	\$4,228.83
Whitaker	7490-01-696-8932	DS-7	Datastroyer DS-7 Deployment Shredder	115V / 60HZ	\$10,337.65
Capital	7490-01-697-1167	K16/2	K-16 DOD High Security "No Oil" Paper Shredder	115V / 60HZ	\$7,075.85
Capital	7490-01-697-1169	M10CT	M10CT High Security Paper Shredder	115V / 60HZ	\$2,891.00
Capital	7490-01-697-1170	M10T	M10T DOD High Security Paper Shredder	115V / 60HZ	\$2,633.40
Whitaker	7490-01-697-1676	WHIDS10	Datastroyer DS-10 High Security Deployment Shredder	115V / 60HZ	\$9,038.10
Whitaker	7490-01-697-1677	SCH702-297292P1-220	Datastroyer 702 SF High Security Paper Shredder 220 VOLTS	220V / 50HZ	\$5,168.83
Whitaker	7490-01-697-1682	WHIDS8	Datastroyer DS-8 High Security Deployment Paper Shredder	115V / 60HZ	\$6,931.33
Whitaker	7490-01-697-3352	MBM2605-0366	Destroyit 2605 SMC High Security Paper Shredder	115V / 60HZ	\$3,077.20
Whitaker	7490-01-697-3355	MBM2605-0366A	220V-50Hz Destroyit 2605 SMC High Security Shredder 220 VOLTS	220V / 50HZ	\$3,077.20
Whitaker	7490-01-697-3356	MBM2360-0055A	220V-50Hz Destroyit 2360 SMC High Security Paper Shredder	220V / 50HZ	\$1,537.20
Whitaker	7490-01-697-3357	MBM2600SMC-0334	Destroyit 2600/2 SMC High Security Paper Shredder	115V / 60HZ	\$2,364.60
Whitaker	7490-01-697-3358	MBM4014-0503	Destroyit 4014/2 SMC High Security Paper Shredder 220 Volts	220V / 50HZ	\$6,696.33
Whitaker	7490-01-697-3359	MBM2600SMC-0334-220	Destroyit 2600/2 SMC High Security Paper Shredder 220 Volts	220V / 50HZ	\$2,364.60
SEM	7490-01-700-5136	6252226CC/3NO230	SEM Model 2226CC/3WO High Security Paper Shredder with Oiler	120V / 60HZ	\$4,576.63
SEM	7490-01-700-5137	6252226CC/3NO230	SEM Model 2226CC/3WO High Security Paper Shredder with Oiler	230V / 50HZ	\$4,576.63
SEM	7490-01-681-3681	266/4-220	SEM Model 266/4 High Security Paper Shredder	115V / 60HZ	\$6,439.10

Paper Shredder (Medium Security)

Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
HSM	7490-01-390-6163	SECURIO B24C	HSM Securio B24 Level P-4 Cross Cut Shredder	120V / 60HZ	\$588.80
SEM	7490-01-475-2734	2226P	SEM Model 2226PWO Cross-Cut Paper Shredder	115V / 60HZ	\$1,856.79
Whitaker	7490-01-504-5602	Destroyit 4002	Destroyit 4002 Cross Cut Paper Shredder with Auto Oiler Level 3/P-4	115V / 60HZ	\$3,111.32
Skilcraft	7490-01-598-3988	NSN5983988	AbilityOne®, Skilcraft 1125C Continuous-Duty Cross-Cut Shredder	115V / 60HZ	\$1,696.50
Skilcraft	7490-01-598-3989	NSN5983989	AbilityOne®, Skilcraft 1040C Continuous-Duty Cross-Cut Shredder	115V / 60HZ	\$745.85
Skilcraft	7490-01-598-3990	NSN5983990	AbilityOne®, Skilcraft 1225C Continuous-Duty Cross-Cut Shredder	115V / 60HZ	\$2,367.33
Skilcraft	7490-01-598-3991	NSN5983991	AbilityOne®, Skilcraft 1080C Continuous-Duty Cross-Cut Shredder	115V / 60HZ	\$1,031.48
Skilcraft	7490-01-662-2531	NSN6622531	AbilityOne®, Skilcraft 920C Cross-Cut Shredder	115V / 60HZ	\$380.77
HSM	7490-01-653-5320	HSM1853	HSM Securio P36i Level P-4 Cross Cut Shredder	115V / 60HZ	\$2,386.03
SEM	7490-01-673-4012	600F65P	SEM F65 General-Purpose 65-Sheet Cross-Cut Shredder	115V / 60HZ	\$5,808.57

Paper Shredder (Low Security)

Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
HSM	7490-01-390-6147	HSMB34S	HSM Securio B34 1/8" Strip Cut Shredder Level 2/P-2	120V / 60HZ	\$717.60
Skilcraft	7490-01-598-3987	NSN5983987	AbilityOne®, Skilcraft 1125 Continuous-Duty Strip-Cut Shredder	115V / 60HZ	\$1,423.86
Skilcraft	7490-01-598-3992	NSN5983992	AbilityOne®, Skilcraft 1080 Continuous-Duty Strip-Cut Shredder	115V / 60HZ	\$780.36
Skilcraft	7490-01-598-3993	NSN5983993	AbilityOne®, Skilcraft 1225 Continuous-Duty Strip-Cut Shredder	115V / 60HZ	\$2,136.50

Paper Shredder (Personal Size)

Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
HSM	7490-01-390-6162	HSM 102SC	HSM 102.2 Strip Cut Shredder	115V / 60HZ	\$369.10
HSM	7490-01-450-4974	HSM102.2CC	HSM Classic 102.2 Cross-Cut Shredder	115V / 60HZ	\$358.44
HSM	7490-01-450-4973	HSM 90.2SC	HSM Classic 90.2 Cross-Cut Shredder	115V / 60HZ	\$371.98
Skilcraft	7490-01-631-3694	NSN6313694	AbilityOne®, Skilcraft Level 3 Cross-Cut Shredder	115V / 60HZ	\$186.74

Optical Destruction Device (NSA EPL)					
Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
Capital	7490-01-691-2152	Capital Shredder SS-16D	SS-16D DOD High Security Paper & CD Shredder	115V / 60HZ	\$8,570.45
Capital	7490-01-697-1168	400HS6Combi	Kobra 400 HS6 Combi High Security equal to K-16 Destroyer DOD High Security Paper and CD Shredder	115V / 60HZ	\$7,634.99
Whitaker	7490-01-697-1675	WHI303BUNDLE	Datastroyer 303-DVD High Security Optical Media Destroyer Bundle	115V / 60HZ	\$4,198.60
Whitaker	7490-01-697-1680	WHI303CABINET-BUNDLE	Datastroyer 303-DVD/C with Custom Cabinet	115V / 60HZ	\$4,581.33
Whitaker	7490-01-697-1681	WHI303BUNDLE-220	Datastroyer 303-DVD/C High Security Optical Media Destroyer Bundle with Cabinet 220 VOLTS	220V / 50HZ	\$4,581.33
Whitaker	7490-01-697-1685	WHI303DVD	Datastroyer 303-DVD High Security Optical Media Destroyer	115V / 60HZ	\$4,058.60
Whitaker	7490-01-697-2225	WHI103DVD	Datastroyer 103-DVD High Security Optical Media Shredder	115V / 60HZ	\$4,105.45
Whitaker	7490-01-697-2226	WHI108-E3	Datastroyer 108 Solid State Shredder	120V / 60HZ	\$8,618.63

Hard Drive Destruction					
Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
SEM	7490-01-694-8148	600HDDEST	SEM 0101 Automatic Hard Drive Crusher	115V / 60HZ	\$5,141.66
SEM	7490-01-694-8150	850SSDKIT	SEM 0101 Automatic Hard Drive Crusher [SSD KIT only]	115V / 60HZ	\$3,409.74
SEM	7490-01-694-8151	600HDDEST220	SEM 0101 Automatic Hard Drive Crusher 220V	220V / 50HZ	\$5,086.96
SEM	7490-01-695-1072	HD-0315-1.5/375-120-VK	SEM 0315 Combo 1.50 Single Phase	120V / 60HZ	\$35,014.99
SEM	7490-01-695-1075	HD-0305-150/SSD-375-208	SEM 0305-HDD/SSD Enterprise Combo Shredder	208V / 60HZ 3-Phase	\$72,554.01
SEM	7490-01-695-1076	HD-0315-1.5 375-120	SEM 0315 HDD/SSD Enterprise Combo Shredder	110, 208V / 60HZ	\$32,556.76
SEM	7490-01-695-2551	HD-0315-1.5/375-208-3-60	SEM 0315 Combo 1.5" Three Phase 208V	208V / 60HZ 3-Phase	\$32,555.73
SEM	7490-01-695-2552	HD-0315-1.5/375-230	SEM 0315 Combo 1.5" Three Phase 230V	230V / 60HZ 3-Phase	\$32,556.76
SEM	7490-01-695-2553	HD-0315-1.5/375-460-3-60	SEM 0315 Combo 1.5" Three Phase 460V	460V / 60HZ 3-Phase	\$32,556.76
SEM	7490-01-695-2555	HD-0315-1.50-120	SEM 0315-1.5 HDD Hard Drive Shredder	120V / 60HZ	\$25,317.29
SEM	7490-01-695-2556	HD-0315-1.50-460	SEM 0315 Enterprise Hard Drive Shredder	460V / 60HZ	\$25,317.29
Whitaker	7490-01-697-2224	WHIMCD-HS	Datastroyer MCD-HS Hard Drive Crusher	115V / 60HZ	\$4,698.83
Whitaker	7490-01-697-2227	WHIACD-HS	Datastroyer ACD-HS Hard Drive Crusher	110V / 60HZ	\$5,873.83
Whitaker	7490-01-697-2922	WHI104-2HDS	Datastroyer 104/2 Hard Drive Shredder	120V / 60HZ	\$26,905.15

Paper Disintegrator (NSA EPL)

Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
Whitaker	7490-01-697-1932	WHIDCS100	Datastroyer DCS 100 Disintegrator	220V / 60HZ / Single Phase	\$14,277.43
Whitaker	7490-01-697-1933	WHI310	Datastroyer 310 Data Disintegrator	208V, 220V, 460V / 60HZ 3-Phase	\$63,884.75
Whitaker	7490-01-697-1934	WHI125	Datastroyer 125 Data Disintegrator	208V, 220V, 460V / 60HZ 3-Phase	\$32,972.85
Whitaker	7490-01-697-1935	WHI120	Datastroyer 120 Data Disintegrator	208V, 220V, 460V / 60HZ 3-Phase	\$22,435.45
Whitaker	7490-01-697-1936	WHI240	Datastroyer 240 Disintegrator	208V, 220V, 460V / 60HZ 3-Phase	\$47,330.18
Whitaker	7490-01-697-1937	WHIDCS300	Datastroyer DCS 300 Light Office Disintegrator	220V / 60HZ / Single Phase	\$18,192.53
Whitaker	7490-01-697-1938	WHIDCS600F	Datastroyer DCS 600F Office Disintegrator	220V / 60HZ / Single Phase	\$30,186.93
SEM	7490-01-700-6544	6252226CC/3NO230	SEM Model 2226CC/3WO High Security Paper Shredder with Oiler	208V, 220V, 460V / 60HZ 3-Phase	\$125,481.75
SEM	7490-01-700-6545	MBM2603-0364-220	MBM Destroyit 2603/2 SMC High Security Paper Shredder Level 6/P-7	208V, 230V, 460V / 60HZ 3-Phase	\$146,241.32
SEM	7490-01-700-6546	MBM2603-0364-22	MBM Destroyit 2603/2 SMC High Security Paper Shredder Level 6/P-8	208V, 230V, 460V / 60HZ 3-Phase	\$30,694.42
SEM	7490-01-700-7930	1012/5-VK	SEM 1012/5 Disintegrator Value Kit	208V, 230V, 460V / 60HZ 3-Phase	\$94,729.71
SEM	7490-01-700-7931	1012/5-VKE	SEM 1012/5 VKE Disintegrator System	208V, 230V, 460V / 60HZ 3-Phase	\$115,754.50
SEM	7490-01-700-7935	225VK	SEM 225 VK Disintegrator Value Kit System	208V, 230V, 460V / 60HZ 3-Phase	\$123,499.52
SEM	7490-01-701-0685	225VKE	SEM 22/5 Disintegrator Value Kit	208V, 230V, 460V / 60HZ 3-Phase	\$144,248.32
SEM	7490-01-461-6124	SEM 200	SEM Model 200 Marine Light Volume Disintegrator	115V / 60HZ	\$10,053.35
KOBRA	7490-01-612-4131	CYCLONE HS L6 EQUAL TO MX-5	Kobra Cyclone HS L6 Equal To MX-5 Multi-Media High Security Disintegrator 208V	208V / 60HZ 3-Phase	\$22,507.59

Magnetic Degausser (NSA EPL)

Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
Whitaker	7490-01-697-3143	WHIDEG105HD	Datastroyer 105 Hard Drive Degausser	110V, 220V / 60HZ, 50HZ - SINGLE PHASE	\$16,446.48
Whitaker	7490-01-697-3144	WHIDEG106HD	Datastroyer 106 Hard Drive Degausser	110V, 220V / 60HZ, 50HZ - SINGLE PHASE	\$16,446.48
Whitaker	7490-01-697-3348	WHI105HDS-DS	105 Hard Drive® Cross Cut Shredder (.4" x 1.20")	220V / 60HZ / 3-Phase	\$48,727.25
Whitaker	7490-01-697-3349	WHI105HDS-SSNCONV	105 Hard Drive Single Cut Shredder (.75" x random)	220V / 60HZ / 3-Phase	\$33,838.83
SEM	7490-01-700-2954	MBM2603-0364-220	SEM Model EMP1000-HS NSA Listed Degausser	110V, 220V / 60HZ, 50HZ - SINGLE PHASE	\$17,210.81

Data/CD Destroyer					
Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
Whitaker	7035-01-485-2134	101	101-CD DataDestroyer	115V / 60HZ	\$3,372.18

Media Disintegrater (High Security) (NSA EPL)					
Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
SEM	7490-01-504-5606	DS-200	SEM Model DS-200 Turnkey Disintegrator	115V / 60HZ	\$11,864.87

Punched Tape Disintegrators (NSA EPL)					
Manufacturer	NSN/GSA Part No.	Approved Part No.	Product Name/ Model Name	Power	Price
Whitaker	7490-01-697-1683	WHIKTS200	Datastroyer KTS 200 Keytape Paper Shredder	120V / 60HZ	\$4,698.83

Labeling and Laminating

Desktop Label Printer

The Dymo LabelWriter 550 label printer comes with the unique automatic label recognition feature, so you always know the size, type, and number of labels remaining. The direct thermal label printer replaces the need to buy costly ink or toner, while the portable size helps it fit into any modern workspace. Label printer for customized creation and printing of labels Prints up to 62 labels per minute Produces barcodes, text, graphics, and more with 300 dpi resolution Direct thermal print is not affected by sunlight or friction Uses only high-quality and BPA-free authentic Dymo LabelWriter labels; the paper labels are made of an FSC certified material Create and customize more than 60 label types through USB connectivity Dimensions: 7.38"H x 5.33"W x 8.5"D Lets you see the size, type, and number of remaining labels at a glance No expensive ink or toner required 2-year manufacturer limited warranty

7490-01-585-1431, 2112552, EA, \$210.08

Label Printer

The most efficient solution for your professional labeling, filing, and mailing needs, this thermal label printer saves time and money. Connect the device to your computer to import data directly and print impressive labels and more without a standard desktop printer. Label maker includes printer, adapter, power cable, USB 2.0 cable, Quick Start guide, and starter roll of 4- x 6-inch extra-large shipping labels.

7490-01-687-1136, SKILCRAFT, AbilityOne, Black, EA, \$276.29

4" Hot Laminator

Laminates documents, luggage tags and business cards up to 4-1/4" wide. Quick heat-up time, ready in under 10 minutes maximum. Includes indicator light for accurate operation.

7490-01-477-7789, EA, \$83.38

Laminator

Hot/cold laminator, maximum pouch thickness of 3 mil., 3 temperature settings, laminating speed 12.00in. per minute, for hot pouches or any self-adhesive cold pouch, jam prevention release lever disengages pouch for re-centering or removal, compatible with 5 mil. document pouches index card size or smaller, for ids and photos. Laminates documents, luggage tags and business cards up to 9.5 " wide. Includes Laminator starter kit.

7490-01-477-7790, 5725601, 17.5" x 4.25" x 5.75", EA, \$57.44

Laser Printer Label

Versatile, self-adhesive labels feed automatically from paper tray.

Package contains 100 sheets with 20 labels each (for a total of 2,000 labels).

Federal Strategic Sourcing Initiative, 7530-01-289-8190, AbilityOne, White, Label Size: 1"L x 4"W, BX(contains 100 SH), \$46.76

Dymo Label Printing Machine

Complete labeling, filing, and mailing tasks quickly and efficiently with the Dymo LabelWriter 450 and Labels. Connect to laptop or computer to print up to 51 labels per minute from Microsoft Word and other popular programs. Contains 600 X 300 DPI print resolution. Thermal printing technology eliminates the need for costly ink or toner with a compact design that's an easy and attractive addition to any modern workspace. Select from more than 60 label layouts.

Federal Strategic Sourcing Initiative, 7490-01-657-6126, SKILCRAFT, AbilityOne, Black/Silver, EA, \$158.74

Handheld Label Maker

Complete industrial labeling jobs quickly and correctly with the All-Purpose Labeling Tool Kit. QWERTY Keyboard. Easily create and format wire/cable wraps, flags, fixed-length labels, and more with hot key shortcuts and store most commonly used labels, symbols, and terms in favorites. Print labels up to 3/4 inch wide on flexible nylon, permanent polyester, or durable vinyl materials or directly onto heat-shrink tubes. Six AA batteries included.

Federal Strategic Sourcing Initiative, 7490-01-657-6125, SKILCRAFT, AbilityOne, EA, \$174.04

Dymo Label Maker

Print up to 10 copies of one label with the easy-to-use Dymo LabelManager 360D. Powered by a rechargeable lithium-ion battery, the label maker features a computer-style keyboard, nine-label memory, and save function. Choose from three fonts in seven sizes, plus seven text styles, eight boxes and an underline feature to create custom labels for almost any job. Kit includes starter label cassette, storage bag, and quick reference guide.

Federal Strategic Sourcing Initiative, 7490-01-657-6124, SKILCRAFT, AbilityOne, Silver, EA, \$104.43

Dymo Adhesive Labels

Dymo Adhesive White Name Badge Labels are the perfect size for printing shipping labels, name labels, name badges, and many other projects. Each bright white, high quality, self-adhesive label measures 2-1/4" X 4" and is sold 250 labels per roll, 1 roll per package. Compatible with Dymo LabelWriters series printers.

7530-01-657-8882, SKILCRAFT, AbilityOne, Black/White, EA, \$16.85

Dymo Address Labels

Make professional-grade labels with ease using these Dymo White Address Labels. Manufactured from high-quality paper for a premium look and feel, these labels feature a black-on-white design for enhanced legibility so you can see them even in poor lighting. Labels are 1-1/8" x 3-1/2" and are sold 260 labels per roll, 2 rolls per package. Compatible with Dymo LabelWriters series printers.

7530-01-657-8883, SKILCRAFT, AbilityOne, Black/White, PG(contains 2 EA), \$14.39

Dymo File Folder Labels

The perfect solution for all your file labeling needs, Dymo White File Folder Labels make office organization easy. Never lose track of a document again with durable, reliable labels. Labels are 9/16" x 3-7/16" and sold 130 labels per roll, 2 rolls per package. Compatible with Dymo LabelWriters series printers.

7530-01-657-9756, SKILCRAFT, AbilityOne, Black/White, PG(contains 2 EA), \$8.84

Dymo Shipping Labels

Dymo White Shipping Labels feature clear, legible text that helps ensure the accurate delivery of all your packages. These 2-1/8" x 4" labels are the perfect size for printing shipping labels or any other labels for your home or office. Labels are sold 220 labels per roll, 2 rolls per package. Compatible with Dymo® LabelWriter series printer.

7530-01-657-8884, SKILCRAFT, AbilityOne, Black/White, PG(contains 2 EA), \$14.56

Dymo Label Cassette

Dymo Label Cassette is the perfect solution for anyone in need of durable, semi-permanent labels. These cassettes are ideal for most applications and are easy to apply with their split-backing. They feature a UV-resistant material and adhesive that ensures the label will not fall off over time. Remove Labels Without Leaving Adhesive Residue.

Prints Black on White

Compatible with NSN 7490-01-657-6124 and 7490-01-657-6125.

7510-01-657-7786, SKILCRAFT, AbilityOne, Black/White, 3/4" x 26.2', EA, \$17.35

Compatible with NSN 7490-01-657-6124, 7490-01-657-6125 and 7490-01-657-6126..

Federal Strategic Sourcing Initiative, 7510-01-657-6746, SKILCRAFT, AbilityOne, Black/ White, 1/2" x 24', EA, \$14.42

Prints Black on Yellow

Compatible with NSN 7490-01-657-6124 and 7490-01-657-6125.

7510-01-657-6745, SKILCRAFT, AbilityOne, Black/Yellow, 1/2" x 23', EA, \$13.09

Dymo Heat Shrink Label Cassette offers a premium method of labeling wires and cables. Simply slide the tube onto the cable and shrink snugly to the cable using a heat gun. Labels will never fall off. Industrial-grade polyolefin offers a 3:1 heat shrink ratio and the convenience of printing directly on the tubing itself. Heat-shrink tubes are tested to meet SAE, ASTM and military specifications. Meets OSHA, ANSI and ISO standards.

Prints Black on White

7510-01-657-6749, SKILCRAFT, AbilityOne, Black/White, 1-1/2" x 5', EA, \$33.76

Dymo Label Cassette is the perfect solution for anyone in need of durable, semi-permanent labels. These cassettes are ideal for most applications and are easy to apply with their split-backing. They feature a UV-resistant material and adhesive that ensures the label will not fall off over time. Remove Labels Without Leaving Adhesive Residue.

Prints White on Black

Compatible with NSN 7490-01-657-6124 and 7490-01-657-6125.

7510-01-657-6748, SKILCRAFT, AbilityOne, White/Black, 1/2" x 23', EA, \$13.86

Prints Black on Clear

Compatible with NSN 7490-01-657-6124 and 7490-01-657-6125.

7510-01-657-6747, SKILCRAFT, AbilityOne, Black/Clear, 1/2" x 23', EA, \$13.95

Brother P-Touch Label Maker

Creates professional, laminated, adhesive-backed labels that can be useful for virtually any office and commercial application. Includes - 8 built-in-fonts, 11 type styles, 8 type sizes, vertical and mirror printing, seven line printing, bar code printing, uses 6 different tz tape label widths which are available in a variety of colors. Full color display that shows the label appearance before printing. Can also be connected to your computer for greater flexibility including photos, logos and other graphics (software included). Uses 1" laminated tape available in many different color combinations. This dual-operation machine is a stand-alone with keyboard and display and a PC/Mac based printing unit. Uses AC adapter (AD-E001), included or optional six AA batteries (not included). Brother Part No PT-D600VP

Min. Order Qty: 1 EA; Max Order Qty: 300 EA per month.

7490-01-490-7262, Brother P/N PT-D600VP, 7.9" x 7.6" x 3.4", EA, \$224.92

Brother P-Touch Labels

Labeling tape for Brother label maker models PT-1000BM, PT-1010, PT1010B, PT-1010NB, PT-1010R, PT-1010S, PT-1090, PT-1090BK, PT-1100, PT1100SB, PT-1100SBVP, PT-1100ST, PT-1120, PT-1160, PT-1170, PT-1180, PT-1190, PT-11Q, PT-1200, PT-1230PC, PT-1280, PT-1280SR, PT-1280VP, PT-128AF, PT-1290, PT-1300, PT-1400, PT-1500PC, PT-1600, PT-1700, PT-1750, PT-1800, PT-1810, PT-1830, PT-1830C, PT1830SC, PT-1830VP, PT-1880, PT-18R, PT-1900, PT-1950, PT-1960, PT-200, PT-2030, PT-2030AD, PT-2030VP, PT-2100, PT-2110, PT-2200, PT-2210, PT-2300, PT-2310, PT-2400, PT-2410, PT-2430PC, PT-2500PC, PT-2600, PT-2610, PT-2700, PT-2710, and PT-2730.

Federal Strategic Sourcing Initiative, 7510-01-490-7265, Brother P/N TZ231, Black on White, Width:1/2" Length 26 ft, EA, \$15.64

Labeling tape for Brother label maker models PT-200, PT-1200, PT-1250, PT210E, PT-220, PT-300, PT-310, PT-340C, PT-1800, PT-2710 PT-2730VP, PT-1300, PT-1400, PT-1500, PT-1500PC, PT-1600, PT-1700, PT-170K, PT-1750, PT-1800, PT-1810, PT-1830, PT-1830C, PT-1830SC, PT-1830VP, PT-1880C, PT-1880SC, PT-1880W, PT-1890C, PT-1890SC, PT-1890W, PT-18R, PT-18RKT, PT-1900, PT-1910, PT-1950, PT-1960, PT-2030, PT-2030AD, PT-2030VP, PT-2100, PT-2110, PT-2200, PT-2210, PT-2300, PT-2310, PT-2400, PT-2410, PT-2430PC, PT-2500PC, PT-2600, PT-2610, PT-2700, PT-2710, PT-2730, PT-2730VP, PT-300, PT-300B, PT-310, PT-310B, PT-320, PT-330, PT-340, PT-350, PT-3600, PT-4000, PT-520, PT-530, PT-540, PT-550, PT-580C, PT-7500, PT-7600, PT-9200DX, PT-9200PC, PT-9400, PT-9500PC, PT-9600, PT-9700PC, PT-9800PCN, PT-D400, PT-D400AD, PT-D400VP, PT-D450, PT-D600, PT-D600VP, PT-D800W, PT-E300, PT-E500, PT-E550W, PT-E800W, PT-H300, PT-H300LI, PT-H500LI, PT-P700, PT-P750W, PT-P750WVP, PT-P900, PT-P900W, PT-P950NW, ST-1150, ST-1150DX, and ST-5

Federal Strategic Sourcing Initiative, 7510-01-490-7266, Brother TZE241, Black on White, Width:3/4" Length 26 ft, EA, \$17.18

Embossing tape is for: Brother P-Touch III,PT-6,PT-8,PT-10,PT-12,PT-12N,PT-15,PT-150,PT-170K,PT-20,PT-25 label making systems.

Federal Strategic Sourcing Initiative, 7510-01-383-0233, Brother P/N TC20, Black on White, Width:1/2" Length 25 ft, PG(contains 2 EA), \$30.63

Embossing tape is for: Brother P-Touch III,PT-6,PT-8,PT-10,PT-12,PT-12N,PT-15,PT-150,PT-170K,PT-20,PT-25 label making systems.

Federal Strategic Sourcing Initiative, 7510-01-385-0747, Brother P/N TC10, Black on Clear, Width:1/2" Length 25 ft, PG(contains 2 EA), \$27.42

Labeling tape for Brother label maker models: GL-100, PT-1000, PT-1000BM, PT-1010, PT-1010B, PT-1010NB,PT-1010R, PT-1010S, PT-1090, PT-1090BK, PT-1100, PT1100SB,PT-1100SBVP, PT-1100ST, PT-1120, PT-1130, PT-1160, PT-1170, PT-1180, PT-1190, PT-11Q, PT-1200, PT-1230PC, PT-1280, PT-1280SR, PT-1280VP, PT-1290BT, PT-1290BT2, PT-1290RS, PT-1300, PT-1400, PT-1500, PT-1500PC,PT-1600, PT-1700, PT-1750, PT-1800, PT-1810, PT-1830, PT-1830C, PT-1830SC, PT-1830VP, PT-1880C, PT-1880SC, PT-1880W, PT-1890C, PT-1890SC, PT-1890W, PT-18R, PT-18RKT, PT-1900, PT-1910, PT-1950, PT-1960, PT-200, PT-2030, PT-2030AD, PT-2030VP, PT-2100, PT-2110, PT-2200, PT-2210, PT-2300, PT-2310, PT-2400, PT-2410, PT-2430PC, PT-2500PC, PT-2600, PT-2610, PT-2700, PT-2710, PT-2730, PT-2730VP, PT-300,PT-300B, PT-310, PT-310B, PT-320, PT-330, PT-340, PT-350, PT-3600, PT-4000, PT-520, PT-530, PT-540, PT-550, PT-580C,PT-6100, PT-7100, PT-7500, PT-7600, PT-9200DX, PT-9200PC,PT-9400, PT-9500PC, PT-9600, PT-9700PC, PT-9800PCN, PT- D200, PT-D200BT, PT-D200DA, PT-D200G, PT-D200MA, PT- D200SA, PT-D210, PT-D400, PT-D400AD, PT-D400VP, PT-D450,PT-D600, PT-D600VP, PT-D800W, PT-E100, PT-E300, PT-E500, PT-E550W, PT-H100, PT-H110, PT-H300, PT-H300LI, PT-H500LI,P-touch CUBE, White, P-touch CUBE, Blue, PT-P700, PT-P750W,PT-P750WVP, PT-P900W, PT-P950NW, ST-1150, ST-1150DX, ST-5

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-630-2385, TZE221, Black on White, Width: 9.0 mm (0.38in) Length 26 ft, EA, \$14.07

Brother Laminated Tape Cartridge

Brother Brand PTouch TZ131.

15-month maximum shelf life.

7510-01-586-7696, TZ131, Black, 1/2" W x 26 1/5" L, EA, \$12.06

Laminating ID Hot Pouch

Laminating hot pouch for use with a 4-inch hot laminator. Each pouch has a glossy finish and is pre-trimmed for a perfect fit.

9330-01-490-7374, 52015 or Equal, 3-7/8"L x 2-5/8"W, 5 mil thick, PG(contains 100 EA), \$25.38

Labeling Tape

For use with the Brother PT-2610.

15-month maximum shelf life.

7510-01-534-2166, TZe252, Red on White, Width:1", EA, \$29.31

Length 26 ft, 7510-01-534-2165, TZ641, Black on Yellow, 3/4" W, EA, \$15.02

7510-01-532-6085, TZ354, Gold on Black, 1" W, EA, \$19.62

7510-01-532-6084, TZ243, Blue on White, 3/4" W, EA, \$15.02

7510-01-534-2164, TZ651, Black on Yellow, 1"W, EA, \$17.30

7510-01-532-6082, Brothers TZE242, Red on White, 1/2" W, EA, \$12.67

7510-01-532-6081, Brothers TZE242, Red on White, 3/4" W, EA, \$21.68

Label Tape Cassette

Industrial nylon label tape cassette for use in NSN: 7490-01-657-6125.

24-month maximum shelf life (not extendable).

7530-01-687-1404, SKILCRAFT, AbilityOne, Black on White, 1/2" x 18', EA, \$14.24

Marker and Presentation Boards

Quartet®/SKILCRAFT® Dry Erase Steel Easel

Adjustable silver aluminum frame presentation easel features a 29" W x 40" L melamine dry erase writing surface. Four sturdy steel legs adjust from 40 to 70 inches high for tabletop or standing use and have rubber feet to prevent skidding or marring floors. Includes a spring-loaded flip chart holder, full-length accessory tray and one SKILCRAFT® dry-erase marker. Recommended for light use; 10-year warranty. Clean regularly for best results.

7520-01-642-1219, AbilityOne, Black Steel Frame, 29" x 40", EA, \$140.14

Quartet®/SKILCRAFT® Magnetic Presentation Easel

Dual-purpose brushed aluminum presentation easel features a smooth, 27" W x 39" L magnetic whiteboard writing surface with flip chart pad retainer with adjustable hooks and extendable arms that allow simultaneous display of up to three sheets of paper. Height adjusts for tabletop or standing use, with telescoping aluminum legs cross-braced for added rigidity. Folds for easy storage or travel; includes an accessory tray with built-in clips and one SKILCRAFT® dry-erase marker. Recommended for moderate use; 10-year warranty. Clean regularly for best results.

7520-01-642-1221, AbilityOne, Brushed Aluminum/Charcoal Rails, 27" x 39", EA, \$219.13

Quartet®/SKILCRAFT® Standard Presentation Easel

Presentations stand out on this painted steel easel with a 27" W x 35" L dry erase surface that can also be used as a magnetic bulletin board. Adjustable pad retainer holds standard-size flip chart pads in place. Easy to clean, the tripod adjusts from 42 to 70 inches, with locking easel legs and non-skid plastic feet that won't mar tabletops or floors. Folds for easy storage or transport and includes a full-length accessory tray and one SKILCRAFT® dry-erase marker. Recommended for light use; 10-year warranty.

7520-01-642-1222, AbilityOne, Graphite Gray Frame, 27" x 35", EA, \$118.58

Quartet®/SKILCRAFT® Whiteboard/Flipchart Presentation Easel

Portable dual-sided, aluminum frame presentation easel with 27" W x 34" L white melamine dry erase surfaces is great for multipurpose work environments. Writing surfaces can be angled to enhance visibility or positioned for use as a drafting table. This versatile, lightweight easel has U-shaped aluminum legs that easily adjust from 40 to 70 inches for tabletop or floor use. Folds for easy storage or travel and includes a spring-loaded flip chart holder, accessory tray and one SKILCRAFT® dry-erase marker. Recommended for moderate use; 10-year warranty.

7520-01-642-1223, AbilityOne, Black Metal Frame, 27" x 34", EA, \$155.64

Quartet®/SKILCRAFT® Dual-Sided Presentation Easel

Portable dual-sided aluminum frame presentation easel with 26" W x 34" L Total Erase® whiteboard surface featuring a subtle grid pattern that assists with writing alignment yet is virtually invisible to audiences. Writing surfaces can be locked at any angle for comfortable viewing and writing or positioned as a drafting table. Lightweight yet sturdy, the U-shaped aluminum legs easily adjust from 40 to 70 inches for tabletop or standing use. Folds for easy storage and travel and includes a spring-loaded flip chart holder, accessory tray, eraser and four SKILCRAFT® dry-erase markers. Recommended for moderate use; 10-year warranty.

7520-01-642-1225, AbilityOne, Black Metal Frame, 26" x 34", EA, \$272.92

Quartet®/SKILCRAFT® Dry Erase Presentation Easel/Flipchart

Ideal for presentation and collaboration, the Futura easel features a 26" W x 35" L melamine dry-erase board with flip chart pad holder. Adjust from 40 to 67 inches high for tabletop or standing use with the press of a button. Durable steel frame with contemporary black lacquer finish is compact and portable for easy storage and transport. Includes full-length accessory tray and one SKILCRAFT® dry-erase marker. Recommended for low-use work environments; 10-year warranty. Whiteboard requires regular cleaning.

7520-01-642-2441, AbilityOne, Black Steel Legs, 26" x 35", EA, \$146.33

Easel

Easel height adjusts from tabletop to standing height (41 to 68") with the twist of a knob. This compact, lightweight frame easel provides a versatile surface with flipchart pad retainer and collapses for space-efficient storage and portability. A built-in accessory tray allows for marker and eraser storage.

Green chalkboard.

Federal Strategic Sourcing Initiative, 7520-01-424-4845, SKILCRAFT, AbilityOne, 38" L x 29" W, EA, \$248.65

Dry erase melamine white board.

(NFES #3161).

Federal Strategic Sourcing Initiative, 7520-01-424-4867, SKILCRAFT, AbilityOne, 38" L x 29" W, EA, \$301.41

Easel Pad

This paper pad is ideal for a variety of situations including lectures, demonstrations, training sessions and conferences. Can be used with crayons, graphite pencils, or quick-drying markers. Can be used on easel or hung on wall. Pad is perforated at the top for easy tear-off and features two holes, spaced 17-1/2" apart for mounting. Has a sturdy cardboard backing.

Paper is un-ruled.

Basis Weight: 20lb.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-619-8880, SKILCRAFT, AbilityOne, White, 27 x 34", PD(contains 50 SH), \$18.91

Paper is ruled.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-398-2661, SKILCRAFT, AbilityOne, White, 27 x 34", PD(contains 50 SH), \$18.90

Display Easel Tripod

Sturdy aluminum construction with easy to assemble 'unfold and twist' action collar that locks legs in place. Adjustable height, from 35 to 64 inches for table top to floor displays. Holds signs, marker boards, flip charts and other display materials up to 25-lbs of display weight. Folds up to compact size to carry or store. Comes with handy pad holder clamp.

Federal Strategic Sourcing Initiative, 7520-01-456-7876, SKILCRAFT, AbilityOne, Silver, 35" to 64" H, EA, \$103.96

Self-Stick Easel Pad

Self-stick easel pads are convenient and leave no marks. Recommended easel stand is NSN 7520-01-424-4867. Two pads per carton. 30 sheets per pad. Paper is un-ruled.

24-month maximum shelf life (extendable); 30% Postconsumer Material

Federal Strategic Sourcing Initiative, 7530-01-393-0104, SKILCRAFT, AbilityOne, White, 25 x 30", PG(contains 2 EA), \$78.13

Self-stick tabletop easel pad with bleed-through resistant pull off sheets attach anywhere making them ideal for any meeting area. Paper is un-ruled.

24-month maximum shelf life (extendable); 30% Postconsumer Material

7530-01-577-2170, SKILCRAFT, AbilityOne, White 20 x 23", PD(contains 20 SH), \$22.09

Marker Board

Magnetic porcelain marker board with hard non-porous, non-absorbent, porcelain enamel surface resists scratching and denting and cleans without ghosting or shadows. This durable lifetime board is designed for heavy use. Mounting system includes clear plastic hangers with a pre-installed round hole. Can be hung horizontally or vertically. Attachable full length marker tray with protective plastic end caps included, for use in the horizontal position. Boards with aluminum frames feature satin-finish and are made of 30% pre-consumer recycled aluminum. One SKILCRAFT black dry erase marker included. Occasional use of cleaners recommended. Purchase of these AbilityOne products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

Magnetic Porcelain Dry Erase Board with Wood Frame.

7110-01-334-7078, AbilityOne, Oak finish frame., 24" x 18", EA, \$53.44

7110-01-334-7079, AbilityOne, Oak finish frame., 36" x 24", EA, \$80.87

7110-01-334-7080, AbilityOne, Oak finish frame., 48" x 36", EA, \$132.14

7110-01-630-5171, AbilityOne, Mahogany finish frame., 48" x 36", EA, \$173.14

7110-01-334-7082, AbilityOne, Oak finish frame., 48" x 72", EA, \$476.42

7110-01-334-7081, AbilityOne, Oak finish frame., 60" x 36", EA, \$273.39

7110-01-630-5170, AbilityOne, Mahogany finish frame., 72" x 48", EA, \$490.38

Magnetic Porcelain Dry Erase Board with Satin-Finish Aluminum Frame.

30%

7110-01-555-0292, AbilityOne, Aluminum finish frame, 24" x 18", EA, \$64.53

7110-01-555-0294, AbilityOne, Aluminum finish frame., 36" x 24", EA, \$136.60

7110-01-555-0293, AbilityOne, Aluminum finish frame, 48" x 36", EA, \$329.58

7110-01-568-0406, AbilityOne, Aluminum finish frame., 60" x 36", EA, \$400.25

7110-01-568-0399, AbilityOne, Aluminum finish frame., 72" x 48", EA, \$628.97

SKILCRAFT Total Erase® Whiteboards offer an upgraded writing surface that resists ghosting and staining, you can count on these boards to stand up to all busy office communication and collaboration needs. A light grid pattern is printed on the board surface to help keep writing aligned, but is virtually invisible to audiences. Available in mahogany or titanium finish frames, Titanium finish frames feature rounded corners. Perfect whiteboards for moderate use needs. Includes one marker and detached marker tray. Seven year warranty. These quality SKILCRAFT products are produced by The Lighthouse for the Blind, Inc. Seattle, WA. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

Mahogany finish frame.

7110-01-622-2128, AbilityOne, Mahogany finish frame., 3' x 2', EA, \$55.00

7110-01-622-2118, AbilityOne, Mahogany finish frame., 4' x 3', EA, \$97.62

Titanium finish frame with stylish rounded corners.

7110-01-622-2117, AbilityOne, Titanium finish frame., 2' x 1-1/2', EA, \$51.89

7110-01-622-2121, AbilityOne, Titanium finish frame, 3' x 2', EA, \$69.48

Titanium finish aluminum frame with stylish rounded corners.

7110-01-622-2125, AbilityOne, Titanium finish frame, 4' x 3', EA, \$127.11

Wall-mounted marker board features a white melamine surface and full length marker tray with protective end caps included to be used when hung in the horizontal position. This economical board perfect for cubicles, offices, break rooms at a lower price than porcelain and Total Erase boards. Requires regular use of cleaners for optimal performance. Aluminum frame includes a minimum of 30% pre-consumer recycled material. Includes one black dry erase marker. These quality SKILCRAFT products are produced by The Lighthouse for the Blind, Inc. Seattle, WA. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

Light Use Melamine Dry Erase Board.

7110-01-630-5156, AbilityOne, Oak finish frame, 4' x 3', EA, \$75.08

30%

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-416-5198, AbilityOne, Aluminum finish frame, 2' x 1-1/2', EA, \$32.08

7110-01-484-1756, AbilityOne, Aluminum finish frame, 3' x 2', EA, \$47.36

7110-01-568-0405, AbilityOne, Aluminum finish frame, 4' x 3', EA, \$92.38

7110-01-568-0398, AbilityOne, Aluminum finish frame, 6' x 4', EA, \$365.38

White melamine dry erase marker board with heavy duty black designer frame. Built-in eraser/pen tray. Easy-to-use, adjustable hangers allow board to be hung on office partition walls 1-1/2" to 3" thick. Adds to your office workspace without taking up desk space. Perfect for messages, dates and office organization.

Federal Strategic Sourcing Initiative, 7520-01-454-5704, SKILCRAFT, White, 29" L x 38.5" W, EA, \$112.07

AbilityOne, **Combination Board**

Combination melamine coated dry erase and natural cork surface features oak frame and self-healing cork bulletin board. Marker tray and mounting hardware included. One black dry erase marker included. Purchase of these AbilityOne products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

30%

7110-01-568-0402, AbilityOne, Aluminum Frame, 18" x 30", EA, \$56.98

7110-01-568-0401, AbilityOne, Oak Finish Frame, 24" x 36", EA, \$66.26

7110-01-568-0404, AbilityOne, Oak Finish Frame, 36" x 48", EA, \$100.43

Cubicle Board

Make efficient use of cubicle space with the Cubicle Magnetic Dry Erase Board. The painted steel-magnetic surface doubles as a bulletin board, adding a hard-working communication space to personal workplaces. The versatile and easy to hang mounting system hangs on fabric panels or drywall. Includes adjustable clips for level drywall installation and pins for cubicle mounts. One black dry erase marker included. Frame contains a minimum of 30% pre-consumer recycled aluminum. Horizontal side measurement listed first.

30%

7110-01-622-2132, AbilityOne, Aluminum Frame, 14" x 11", EA, \$26.00

Make efficient use of cubicle space with the Cubicle Magnetic Dry Erase Board. The painted steel-magnetic surface doubles as a bulletin board, adding a hard-working communication space to personal workplaces. The versatile and easy to hang mounting system hangs on fabric panels or drywall. Includes adjustable clips for level drywall installation and pins for cubicle mounts. One black dry erase marker included. Frame contains a minimum of 30% pre-consumer recycled aluminum. Horizontal side measurement listed first. Purchase of these Ability One products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

30%

7110-01-568-0400, AbilityOne, Aluminum Frame, 18" x 30", EA, \$54.22

7110-01-568-0407, AbilityOne, Aluminum Frame, 24" x 13", EA, \$40.48

Magnetic cubicle board is ruled to form a 1 month undated calendar.

30%

7110-01-568-0397, AbilityOne, Aluminum Frame, 18" x 30", EA, \$60.04

Bulletin Board

Natural cork bulletin board with oak frame. Keep important information on display with this natural cork board. Durable light oak frame gives the board a bold, contemporary look. Creates a convenient display center wherever documents or photos need to be posted. Cork surface self-heals, adding lasting durability, pin-holes won't show. Cork is laminated to sturdy fiberboard to prevent warpage. Quick installation with mounting hardware included. Can be hung vertically or horizontally.

Oak wood frame.

7195-01-567-9520, AbilityOne, Oak, 12" x 36", EA, \$30.87

7195-01-567-9519, AbilityOne, Oak, 18" x 24", EA, \$27.06

7195-01-235-4161, AbilityOne, Oak, 2 x 3 ft., EA, \$44.59

7195-01-218-2026, AbilityOne, Oak, 3 x 4 ft., EA, \$80.73

7195-01-567-9521, AbilityOne, Oak, 48" x 72", EA, \$340.49

Keep important information on display within a cubicle with this natural cork board. Satin-finished, anodized aluminum frame. Cork surface self-heals so pin holes won't show, adding long lasting durability. Cork is laminated to high-density fiberboard to prevent warping and ensure longevity. For use with push pins and thumb tacks. Hanging hardware is included.

Aluminum frame.

7195-01-484-0007, AbilityOne, 1-1/2 x 2 ft., EA, \$26.71

30%

Comprehensive Procurement Guideline Compliant

7195-01-567-9517, AbilityOne, 18" x 30", EA, \$37.38

7195-01-622-2141, AbilityOne, 24" W x 14" L, EA, \$30.12

7195-01-484-0005, AbilityOne, 2 x 3 ft., EA, \$47.23

7195-01-484-0010, AbilityOne, 3 x 4 ft., EA, \$85.05

7195-01-567-9522, AbilityOne, 72" x 48" (6' x 4'), EA, \$264.51

Magnetic Work/Plan Kit

Magnetic Work/Plan kit features a white, painted steel, magnetic marker board with 2" wide x 1" long black grid and aluminum frame. Frame is made using 30% pre-consumer recycled aluminum. Surface can be used with magnetic accessories and write-on/wipe-off markers. Magnetic surface resists ghosting. Each kit includes: month, day, & date magnetic headings and magnetic cardholders with insert cards in 5 colors. Hanging hardware is included. Created with pride by Americans who are Blind or have other Severe Disabilities.

30%

7110-01-622-2127, AbilityOne, Aluminum Frame, 3' W x 2'L, 16 Columns, 20 Rows, EA, \$133.25

Dry Erase Calendar Board

Board has an aluminum frame with a Mylar-laminated surface that can be erased with a damp cloth, as well as a vertical section for notes. Includes four markers in black, blue, green and red.

90-day organizer has 1-1/4 x 2-7/8" writing boxes.

30%

7110-01-407-0160, AbilityOne, Aluminum Frame, 24" x 36", EA, \$47.79

Dry Erase Calendar Planner

This 30-day non-dated planner features a laminated mylar surface on hardboard backing, satin finish aluminum frame and daily squares. Organizer features ruled section for notes, attached full length accessory tray with protective end caps to hold erasers and markers. For use with dry erase markers. Includes 4 markers: black, blue, green, red. Frames contain a minimum of 30% pre-consumer recycled aluminum. Horizontal side measurement listed first.

30%

7110-01-444-7735, AbilityOne, Aluminum Frame, 24" x 18", EA, \$36.20

Board has an aluminum frame with a Mylar-laminated surface that can be erased with a damp cloth, as well as a vertical section for notes. Includes four markers in black, blue, green and red.

60-day organizer has 1-3/4 x 2-3/4" writing boxes.

30%

Comprehensive Procurement Guideline Compliant

7520-01-223-9897, AbilityOne, Black/Aluminum, 21-1/2" x 32", EA, \$47.79

30-day organizer has 3-5/8 x 3" writing boxes.

30%

Comprehensive Procurement Guideline Compliant

7520-01-223-9896, AbilityOne, Black/Aluminum, 21-1/2" x 32", EA, \$47.79

4-month dry erase calendar board allows you to track plans and events for 4 months at a time. The board is divided into 4 month sections. Individual undated day and date boxes can be used month after month and year after year. Patented "Easy Mount" hanging system for simple installation. Frame is made using 30% pre-consumer aluminum and delivers exceptional style and durability. Dry erase calendar includes one dry-erase marker and attached marker tray.

30%

7110-01-622-2133, AbilityOne, Aluminum Frame., 4' x 3', EA, \$141.00

Monthly Control Board

Unframed board has a special plastic-laminated surface that permits write on/wipe off with a damp cloth. Includes one black marker.

30-day organizer has 4-1/4 x 3-1/2" writing boxes.

7520-01-207-4057, AbilityOne, Green, 24 x 36", EA, \$17.83

In-Out Schedule Board

Board has columns for time in, time out, time back, destination, telephone messages and instructions. Each board holds up to 12 names. Plastic laminated surface (write on/wipe off).

Unframed board comes with one black marker.

7520-01-207-4061, AbilityOne, 18 x 24", EA, \$13.35

In-Out Dry Erase Schedule Board

In/Out easel wallboard features a durable magnetic painted steel surface, accommodates up to 14 persons. For use with any dry erase markers or magnetic accessories. Includes one magnetic black dry erase marker with eraser cap and magnets per each person. Mounts vertically. 5 columns for name/in/out/return time/remarks. Aluminum frame contains minimum of 30% pre-consumer recycled aluminum. Resists scratches and dents; cleans easily. Size is designed for convenience and mobility. Clear plastic hangers with round hole pre-installed.

30%

Comprehensive Procurement Guideline Compliant

7520-01-484-5261, AbilityOne, 11" x 14", EA, \$38.90

In/Out Erasable Marker Board

Wall mounted, in/out, dry erase marker board with magnetic surface. 5 columns for name/in/out/return time/remarks, accommodates up to 29 persons. Includes one magnetic black dry erase marker with eraser cap and magnets per each person. Mounts vertically. Aluminum frame contains minimum of 30% pre-consumer recycled aluminum. Resists scratches and dents; cleans easily.

30%

7110-01-568-0403, AbilityOne, Aluminum Frame., 18" x 24", EA, \$94.08

Erasable Custom Wall Calendar

36" x 24", Blank Planner. Erasable calendar has full color agency logo located at the top with 10% screened image logo located in the body of the calendar. Month and date boxes are blank for reuse. Includes one blank fine point erasable marker. Horizontal side measurement listed first.

7520-01-496-5475, AbilityOne, 36" x 24", EA, \$30.81

Erasable Wall Calendar (Yearly)

Features full color agency logo located at top with screened image of logo located in the body of the calendar. Month and date boxes are blank for reuse. Includes black fine point erasable marker. 12-month per view calendar.

7520-01-496-5473, AbilityOne, Blue/white, 24 x 36", EA, \$30.81

Calendar Planner

Silk-screened monthly calendar planner for scheduling office events. Wallboard features a smooth, melamine finish for brilliant dry erase marker colors and easy clean up. Board comes with an office decor aluminum frame. Wall hangers and instructions are included.

7520-01-484-5263, AbilityOne, Height: 2 ft.; Width: 3 ft., EA, \$58.10

Erasable Custom 30 Day Calendar, Planner, undated, can be customized with your agency's logo, has 3 3/4 inch x 3 1/4 inch write-in boxes, write on-wipe off surface, dry erase black marker included.

7520-01-496-5474, Ability One, AbilityOne, White writing surface, 24 inches H x 36 inches W, EA, \$30.81

Erasable Custom 3 Month Calendar, Planner, undated, can be customized with your agency's logo, has 1 1/2 inch x 2 1/4 inch write-in boxes, write on-wipe off surface, dry erase black marker included.

7520-01-496-5476, Ability One, AbilityOne, White writing surface, 24 inches H x 36 inches W, EA, \$30.81

Erasable Custom 12 Month Calendar, Planner, undated, can be customized with your agency's logo, has 1 1/2 inch x 1 3/4 inch write-in boxes, one box for each month, write on-wipe off surface, dry erase black marker included.

7520-01-496-5477, AbilityOne, EA, \$43.31

Board Accessories

Colored Chalk Assortment

For more dynamic presentations, create color-coded charts or graphics with dustless, nontoxic, 45% calcium carbonate chalk. Art and Craft Materials Institute certified. Assortment includes 144 pieces, which contain a minimum of six colors other than white.

7510-00-282-6924, Dixon-Ticonderoga 5100, Multi Color, AT, \$20.73

Dry Erase Marker Kit

This whiteboard eraser holds three large-sized chisel-tip markers black, red and blue (included) and is easy to grip. Nylon erasing surface wipes away the most stubborn marks, while the soft pads pick up dust and marker residue. The nylon pad also doubles as a Velcro mounting strip.

AP certified non-toxic.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7510-01-446-8311, Sanford EXPO P/N 81503, Assorted, EA, \$7.99

Markers contain low-odor, non-toxic ink for use on whiteboards and other non-porous surfaces. Quick-drying ink erases easily. Chisel tip allows for broad, medium or thin line marks. Four color set includes one each of black, red, blue and green. Set includes 2-oz. bottle of dry erase spray cleaner and one eraser. I.A.W. ASTM-D4236 OR ASTM-D236

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-557-4971, SKILCRAFT, AbilityOne, Assorted, KT, \$9.73

Organizer holds six chisel tip markers in black, red, blue, green, orange and brown and an eraser at your fingertips. Mounts easily to any smooth surface with double-sided tape (included).

I.A.W. ASTM-D4236 OR ASTM-D236.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-352-7321, SKILCRAFT, AbilityOne, Assorted, SE, \$13.52

Set contains 12 markers, whiteboard eraser and cleaning kit in a durable storage case. Each set contains four fine point markers (black, blue, red and green) and eight chisel tip markers in black, blue, red, green, brown, orange, purple and yellow and (1) 8 oz. board spray cleaner bottle

I.A.W. ASTM-D4236 OR ASTM-D236, low odor, AP certified non-toxic, and BPA free.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-365-6126, SKILCRAFT, AbilityOne, Assorted, KT, \$29.03

Dry Erase Marker Set

Set of 4 pen-style, bullet point dry erase markers are used on whiteboards, glass and other non-porous surfaces. Ink wipes off with a tissue, dry cloth or dry eraser. Quick drying water-based ink is certified non-toxic and low-odor. Four marker set includes one each: black, red, green and blue. ACMI-AP CERTIFIED NON-TOXIC

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-156-1411, Assorted, Fine Point, SE, \$4.27

Federal Strategic Sourcing Initiative, 7520-01-450-8920, Assorted, Super Fine Point, SE, \$23.08

These dry erase markers are perfect for writing, lettering and drawing on whiteboards and other non-porous surfaces. The durable bullet-tip makes a bold, uniform line. Four marker set includes one each color: black, green, red and blue.

Low odor, quick drying, ACMI approved non-toxic, and BPA free.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-383-7950, SKILCRAFT, Assorted, SE, \$8.40

AbilityOne, Dry erase chisel tip markers are used on whiteboards, glass and other non-porous surfaces. Ink dries quickly and wipes off easily with a dry cloth or eraser. Eight marker set includes one each of green, yellow, brown, orange, purple, red, black and blue.

Low odor, AP certified non-toxic, and BPA free

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-186-3605, SKILCRAFT, AbilityOne, Assorted, AT, \$13.42

Low-odor dry erase marker has a chisel tip and is used on whiteboard and non-porous surfaces. Also great for use on porcelain, enamel, glass, and unpainted, polished metal. Marks are easily removed with a dry cloth, tissue or dry eraser. Four marker set includes one each color: Black, Blue, Red and Green

ACMI approved non-toxic, BPA free. and quick drying.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-553-8142, AbilityOne, Assorted, SE, \$5.86

Retractable Dry Erase Marker Set

A retractable markers with easy single handed operation eliminates the need for capping and re-capping while in use. Low-odor, non-toxic premium ink dries quickly on whiteboards and won't ghost or leave shadows. Tip is made of durable polyester that holds its shape and will not leak. Chisel tip allows broad, medium and fine point marking. Includes handy pocket clip. Set of four markers includes one each of red, black, blue, and green.

18-month maximum shelf life (extendable).

Comprehensive Procurement Guideline Compliant Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-519-5769, SKILCRAFT, AbilityOne, Assorted, SE, \$7.70

Dry Erase Marker

Low-odor dry erase marker has a chisel tip and is used on whiteboard and non-porous surfaces. Also great for use on porcelain, enamel, glass, and unpainted, polished metal. Marks are easily removed with a dry cloth, tissue or dry eraser.

Low odor, quick drying, ACMI approved non-toxic, and BPA free.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-294-3791, SKILCRAFT, Black, DZ, \$12.22

AbilityOne, This low odor dry-erase marker dries instantly and wipes off easily; for use on white boards. AMCI approved non-toxic.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-510-5658, SKILCRAFT, AbilityOne, Blue, Chisel Tip, DZ, \$9.73

7520-01-510-5661, SKILCRAFT, AbilityOne, Red, Chisel Tip, DZ, \$9.73

7520-01-510-5655, SKILCRAFT, AbilityOne, Black, Bullet Tip, DZ, \$9.68

SKILCRAFT's low odor dry-erase marker that dries instantly and wipes off easily; for use on white boards. AMCI approved non-toxic. Green, Chisel tip.

18-month maximum shelf life (extendable).

7520-01-510-5659, SKILCRAFT, AbilityOne, Green, DZ, \$9.73

Dry Erase Eraser

Whiteboard eraser features a soft pile that removes markings quickly and cleanly from dry-eraser surfaces. Use on whiteboards, porcelain and melamine surfaces. Eraser can be cleaned with soap and water. Scratch free and reusable.

Federal Strategic Sourcing Initiative, 7510-01-316-6213, SKILCRAFT, AbilityOne, Charcoal Gray, EA, \$3.89

Assorted Markers

Dry-erase markers for writing and drawing. Includes black, red, blue, green, orange, brown, pink, aqua, purple, lime, plum, pumpkin. Chisel tips create thick or thin lines.

18-month maximum shelf life (extendable).

7520-01-654-0768, Expo, SE, \$27.74

Transparency Marker Set

These fine-line, felt-tip, wet erase markers are designed for writing on visual-aid transparencies, whiteboards and erasable calendars. Protective plastic cap indicates color of water-soluble ink. Eight marker set includes one each of purple, orange, green, yellow, brown, red, blue and black.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-00-138-7981, Assorted, Fine Point, AT, \$9.41

These water-based ink markers are perfect for use on overhead transparencies and other types of films and acetates. Marking can be removed easily using a damp cloth or eraser. Four marker set includes one each black, blue, green and red.

Sanford Vis-A-Vis 16074

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-005-8881, Vis-A-Vis 16074, Assorted, Fine Point, AT, \$7.64

Overhead Transparency Marker Set

These permanent ink visual aid markers are waterproof and non-toxic. Product is quick drying and can be used on overhead transparency film or other glossy surfaces such as photos, slide frames, glass, acrylic and vinyl. Four marker set includes one each black, blue, green and red.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-392-5296, Assorted, Medium Point, SE, \$7.59

Presentation Supplies

Certificate Binder

Vinyl holder proudly displays two award certificates, one each inside the front and back covers. Includes transparent protector sheets.

Dark blue with U.S. Air Force seal embossed on front cover. Holds one 8-1/2 x 11" and one 11 x 14" certificates.

25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-00-134-8179, Dark Blue, 14-1/2 x 11-1/2", EA, \$14.77

Blue with gold Navy seal embossed on front cover. Holds two 8-1/2 x 11" certificates. Packaging for this product is compliant with the U.S. Navy "Plastics Removal in the Marine Environment (PRIME)" program which calls for non-plastic packaging, packing, and associated marking requirements. The definition of plastic shall be in accordance with that given in ASTM D883-00, "Standard Terminology Related to Plastics".

25% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-482-2994, SKILCRAFT, AbilityOne, Blue/Gold, 11-5/8" L x 9" W, EA, \$7.53

Blue with silver U.S. Air Force seal embossed on front cover. Holds two 8-1/2 x 11" certificates.

25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-115-3250, SKILCRAFT, AbilityOne, Blue/Silver, 11-5/8" L x 9" W, EA, \$7.51

Green and gold with U.S. Army seal embossed on front cover. Holds two 8-1/2 x 11" certificates.

25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-755-7077, SKILCRAFT, AbilityOne, Green/Gold, 11-5/8" L x 9" W, EA, \$7.68

Scarlet red with gold U.S. Marine Corps seal embossed on front cover. Holds two 8-1/2 x 11" certificates. Packaging for this product is compliant with the U.S. Navy "Plastics Removal in the Marine Environment (PRIME)" program which calls for non-plastic packaging, packing, and associated marking requirements. The definition of plastic shall be in accordance with that given in ASTM D883-00, "Standard Terminology Related to Plastics".

25% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-056-1927, SKILCRAFT, AbilityOne, Scarlet Red, 11-5/8" L x 9" W, EA, \$7.51

Navy blue without military seal on the front cover. Holds two 8-1/2 x 11" certificates.

25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-390-0712, SKILCRAFT, AbilityOne, Navy Blue, 11-5/8" x 9", EA, \$8.55

This lightweight, imitation leather binder (with levant grain) holds a single award certificate. Binder is dark blue with a gold border. Accommodates 10-1/8 x 12-1/8" certificates.

The inside back cover includes narrow, diagonal ribbons 3/4" from each corner. The inside front cover features an attractive red, white and blue grosgrain ribbon, which is set diagonally across one corner.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-00-157-8618, Dark Blue, 11 x 12-3/4", EA, \$53.76

Certificate/Document Cover

Certificate/document cover is die-cut to hold 8-1/2 x 11", 8 x 10" and A4-size award or documents. 80-lb. linen stock with gold foil stamped cover.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Federal Strategic Sourcing Initiative, 7510-01-519-5770, SKILCRAFT, AbilityOne, Black, 12-1/2 x 9-3/4", PG(contains 5 EA), \$10.01

Federal Strategic Sourcing Initiative, 7510-01-519-5771, SKILCRAFT, AbilityOne, Blue, 12-1/2 x 9-3/4", PG(contains 5 EA), \$9.45

Certificate Holders

Certificate holders are made with 80lb linen stock which features an elegant gold-foil design. Reinforced four die-cut slots on back cover securely hold certificates and documents in place. Documents can be placed in the vertical or horizontal position. Covers are made to fit 8 1/2" x 11", 8" x 10" and A4 size certificates or documents.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7510-01-627-2958, SKILCRAFT, AbilityOne, Burgundy, 12-1/2" L x 9-3/4" W, PG(contains 6 EA), \$9.50

7510-01-627-2960, SKILCRAFT, AbilityOne, Red, 12-1/2" x 9-3/4", PG(contains 6 EA), \$9.50

7510-01-627-2961, SKILCRAFT, AbilityOne, Green, 12-1/2" x 9-3/4", PG(contains 6 EA), \$9.50

Laser Pointer

Dark Gray or Black metal pen size red laser pointer fits comfortably in your pocket and comes with a handycap. Features a 300 yard range, 5,000 hours life. On / off switch. Constant wave. 3 volts total. A wavelength of 650NM. Two AAA batteries included.

Material Safety Data Sheet

7520-01-392-5300, Length: 5-1/4", EA, \$22.69

This pen style red laser presentation pointer features a wavelength of 650NM and has a 400 yard range. Constant wave. 3 volts total. A rugged on/off switch, low battery indicator and separate buttons for solid line and blink functions. Two AAA batteries are included

7520-01-449-8335, 5.5" L x 1/2" D, EA, \$31.34

Pen style green light laser pointer features 5.0 mW power output, 532NM wavelength with constant wave output mode; 3 volts total. Two AAA batteries included. 9,000 ft. maximum range.

Material Safety Data Sheet

7520-01-574-8720, 6" L x 1/2" D, EA, \$35.48

Neck Lanyard

Cord style lanyard made of braided polyester.

Detachable braided loop to attach to ID card.

8455-01-666-0465, AbilityOne, Black, 36" x 0.25", DZ, \$43.15

Features a breakaway connector, a cord adjuster, and a side release buckle. Removable swivel hook with a rigid RFID protection, single card holder.

8455-01-666-0466, AbilityOne, Black, 36" x 0.25", DZ, \$61.26

Includes a non-breakaway connector and a metal J hook clip which allows for easy attaching and detaching of ID cards.

8455-01-645-2730, AbilityOne, Black, 36" L x 0.25" Thick, DZ, \$7.76

Flight Line lanyard uses a cord loop instead of a metal hook for safe use on the flight line. Features a breakaway connector with a detachable cord. Includes attached rigid dual card holder and clear vinyl zip lock card holder.

8455-01-648-5709, AbilityOne, Black, 36" L x 0.25" Thick, DZ, \$64.72

Strap style lanyard made of durable nylon material.

Includes a lightweight non-breakaway connector and sturdy metal J hook clip which allows for easy attaching and detaching of ID cards.

8455-01-645-2729, AbilityOne, Black, 36" L x 0.75" Thick, DZ, \$7.95

Badge Holder

Top loading vinyl badge holder has a re-sealable closure and includes a slot and dual chain holes for easy lanyard or chain attachment. Maximum insert size: 3-3/4" x 2-5/8".

8455-01-648-5710, AbilityOne, Clear, BX(contains 25 EA), \$16.95

Dual ID card holder is made of rigid plastic. The holder will accommodate two (2) credit card sized ID cards. The front of each card is visible when the holder is flipped over.

Holder has 1 slot for a lanyard or badge reel.

Displays ID vertically or horizontally.

8455-01-666-0468, AbilityOne, Clear, 2.5" x 3.75", DZ, \$12.18

Displays ID vertically.

8455-01-666-0469, AbilityOne, Clear, 2.5" x 3.75", PG(contains 24 EA), \$13.25

Armband badge holder is top loading with a clear vinyl re-sealable closure. Armband has a hook and loop adjustment to fit various arm sizes.

8455-01-666-0467, AbilityOne, Black, max insert 3-3/4" x 2-5/8", EA, \$7.08

Badge and smart card holder is RFID shielded on one side. Closed face design displays ID vertically or horizontally. GSA FIPS 201 approved to meet HSPD-12.

8455-01-666-0470, AbilityOne, 2.5" x 3.8", DZ, \$22.74

RFID shielded holder for smartcards or other forms of ID. Closed face design holds two CAC cards with a thumb-notch on both sides. GSA FIPS 201 approved to meet HSPD-12.

8455-01-645-2732, AbilityOne, BX(contains 250 EA), \$847.55

Identification card reel easily attaches to clothing for instant ID card access. Round plastic enclosure houses a retractable reel attached to a nylon cord. Reinforced vinyl strap with a snap for attaching ID cards or badges.

A metal bulldog clip secures the badge to a belt or article of clothing.

8455-01-648-5708, AbilityOne, Black, DZ, \$45.49

Retractable ID Badge Holder

Identification card reel easily attaches to clothing for instant ID card access. Round plastic enclosure houses a retractable reel attached to a nylon cord. Reinforced vinyl strap with a snap for attaching ID cards or badges.

36 inch retractable nylon cord. A metal spring clip secures the badge to a belt or article of clothing.

8455-01-545-3657, AbilityOne, Black, DZ, \$45.49

Clip Style Badge Holder

Strap clip adapter attaches PIP/CAC cards or badge holder to neck lanyard. Strap clip adapter is clear with 2 holes and comes with a rotating bulldog clip.

8455-01-645-2727, AbilityOne, BX(contains 100 EA), \$16.18

Clear plastic badge holder with a swivel clip for attachment to clothing. Includes white or light colored heavy paper insert. Set includes 50 holders and 50 inserts.

8455-01-412-9537, 95543 or Equal, Clear, 4" W x 3" H, BX(contains 50 EA), \$37.90

Photography Supplies

Foam Board

White foam board is used in picture framing and displaying.

7510-01-383-7952, White, 32 x 40"; Thickness: 3/16", BX(contains 25 EA), \$231.62

Premium Glossy Photo Paper

This 92 bright paper for glossy, photo quality color prints. Ideal for photos, proofs, displays, enlargements or posters. This paper is designed to meet demanding needs for excellent printing results.

Basis Weight: 68lb.

Federal Strategic Sourcing Initiative, 7530-01-490-7271, White, 8-1/2 X 11", PG(contains 20 SH), \$15.70

Photographic Brush

Designed for dusting camera lenses and photo negatives. Soft bristles made of horse hair and ox ear hair. Paintbrush design is 1 inch wide; 1/4 inch thick min. Hair is 1 inch long, overall brush length is 6 inches.

7920-00-205-0565, EA, \$10.24

Transparency Film

Transparency film for use in HP Designjet Models: 300, 400, 650C 650C/PS, 700 and 1000 Series Printers.

Federal Strategic Sourcing Initiative, 7530-01-443-5285, C3875A, Clear, 36" W x 75' L, RO(contains 75 FT), \$323.92

Frames

Military Themed Picture Frame

Attractive picture frames have a stain finished hardwood molding with embossed rope design on the inside. U.S. Army has enamel finish. The cardboard backing is held in place with metal flex tabs for easy installation of photos or certificates. Wall mounts vertically or horizontally, include a clear glass front and reversible white/black mat. Pictures not included with frames. All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7.

Made especially for our ARMY customers. Hardwood moulding with a raised black & gold metallic braid measures 1-3/8" wide. Mounts on wall either vertically or horizontally with clear glass front & white/black reversible mat.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-458-8209, Army, AbilityOne, Black w/Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$123.59

7105-01-458-8210, Army, AbilityOne, Black w/Gold, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$134.34

7105-01-458-8212, Army, AbilityOne, Black w/Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$109.28

7105-01-458-8211, Army, AbilityOne, Black w/Gold, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$125.07

7105-01-458-8213, Army, AbilityOne, Black w/Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$169.44

7105-01-458-8230, Army, AbilityOne, Black w/Gold, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$123.72

Made especially for our NAVY customers. Hardwood moulding with a navy blue finish and raised gold rope design measures 1-3/8" wide. Mounts on wall either vertically or horizontally with clear glass front and white/black reversible mat.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-458-8214, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$97.37

7105-01-458-8216, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.37

7105-01-458-8218, NAVY, AbilityOne, Navy Blue w/Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$91.62

7105-01-458-8215, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$125.07

7105-01-458-8217, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$129.01

7105-01-458-8231, Navy, AbilityOne, Navy Blue w/Gold, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$123.72

Made especially for our MARINE customers. Hardwood moulding in a navy blue finish with a gold metallic braid & scarlet piping measures 1-3/8" wide. Mounts on wall either vertically or horizontally with clear glass front and white/black reversible mat.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-458-8224, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$126.20

7105-01-458-8226, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$137.13

7105-01-458-8225, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$92.87

7105-01-458-8228, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$160.99

7105-01-458-8227, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$172.85

7105-01-458-8232, USMC, AbilityOne, Navy Blue w/Gold, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$126.02

Made especially for our USAF customers. Hardwood moulding with a blue & silver finish measures 1-3/8" wide. Mounts on wall either vertically or horizontally with clear glass front and white/black reversible mat.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-458-8220, USAF, AbilityOne, Blue w/Silver, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$97.37

7105-01-458-8219, USAF, AbilityOne, Blue w/Silver, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.37

7105-01-458-8221, USAF, AbilityOne, Blue w/Silver, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$90.28

7105-01-458-8223, USAF, AbilityOne, Blue w/Silver, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$125.07

7105-01-458-8222, USAF, AbilityOne, Blue w/Silver, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$129.01

7105-01-458-8229, USAF, AbilityOne, Blue w/Silver, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$123.72

Hardwood Vinyl Wrapped Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front & reversible white/black mat. Gold & Oak styles also include hook & loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

Vinyl wrapped hardwood finished frame with gold beaded molding measuring 3/4" wide. Includes white beveled cut mat, clear glass and wall mounts. Mounts on wall vertically or horizontally with optional pop out easel back for desktop display size 11" x 14" and smaller.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-424-6494, AbilityOne, Black, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$57.45
 7105-01-424-6473, AbilityOne, Black, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$78.67
 7105-01-424-6477, AbilityOne, Black, Document Size: 8-1/2 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$113.90
 7105-01-424-6484, AbilityOne, Black, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41
 7105-01-424-6489, AbilityOne, Black, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$49.52
 7105-01-424-6479, AbilityOne, Black, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$154.11
 7105-01-424-6498, AbilityOne, Black, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$92.81
 7105-01-424-6481, AbilityOne, Black, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$98.21
 7105-01-424-6485, AbilityOne, Black, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$110.20
 7105-01-424-6505, AbilityOne, Black, Document Size: 20 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64
 7105-01-424-6501, AbilityOne, Black, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74
 7105-01-424-6483, AbilityOne, Oak, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$57.45
 7105-01-424-6475, AbilityOne, Oak, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$95.35
 7105-01-424-6471, AbilityOne, Oak, Document Size: 8.5 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$89.80
 7105-01-424-6488, AbilityOne, Oak, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41
 7105-01-424-6499, AbilityOne, Oak, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74
 7105-01-424-6487, AbilityOne, Oak, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$49.52
 7105-01-424-6472, AbilityOne, Oak, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$128.02
 7105-01-424-6495, AbilityOne, Oak, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$81.11
 7105-01-424-6480, AbilityOne, Oak, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$71.98
 7105-01-424-6492, AbilityOne, Oak, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$123.58
 7105-01-424-6504, AbilityOne, Oak, Document Size: 20 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64
 7105-01-419-5302, AbilityOne, Gold, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$76.06
 7105-01-419-5318, AbilityOne, Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$86.76
 7105-01-419-5329, AbilityOne, Gold, Document Size: 8.5 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$96.07
 7105-01-419-5339, AbilityOne, Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41
 7105-01-419-5358, AbilityOne, Gold, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$64.79
 7105-01-419-5350, AbilityOne, Gold, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74
 7105-01-419-5298, AbilityOne, Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$117.99
 7105-01-419-5347, AbilityOne, Gold, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$96.98
 7105-01-419-5289, AbilityOne, Gold, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$95.94
 7105-01-419-5309, AbilityOne, Gold, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$88.46
 7105-01-419-5360, AbilityOne, Gold, Document Size: 20 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64
 7105-01-424-6482, AbilityOne, Mahogany, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$57.45
 7105-01-424-7865, AbilityOne, Mahogany, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$78.67
 7105-01-424-6476, AbilityOne, Mahogany, Document Size: 8.5 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$114.03
 7105-01-424-6497, AbilityOne, Mahogany, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41
 7105-01-424-6491, AbilityOne, Mahogany, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$60.62
 7105-01-424-6486, AbilityOne, Mahogany, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74
 7105-01-424-6478, AbilityOne, Mahogany, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$154.30
 7105-01-424-6503, AbilityOne, Mahogany, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$92.81
 7105-01-424-6474, AbilityOne, Mahogany, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$98.21
 7105-01-424-6490, AbilityOne, Mahogany, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$110.20
 7105-01-424-6493, AbilityOne, Mahogany, Document Size: 20 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64
 7105-01-419-5305, AbilityOne, Walnut, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$57.45
 7105-01-419-5293, AbilityOne, Walnut, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$78.67
 7105-01-419-5322, AbilityOne, Walnut, Document Size: 8.5 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$81.89
 7105-01-419-5319, AbilityOne, Walnut, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.41
 7105-01-419-5338, AbilityOne, Walnut, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$108.74
 7105-01-419-5351, AbilityOne, Walnut, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$49.52
 7105-01-419-5332, AbilityOne, Walnut, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$119.66
 7105-01-419-5296, AbilityOne, Walnut, Document Size: 12 x 24", Mat Cut Out Area: 16 x 20", BX(contains 6 EA), \$145.64
 7105-01-419-5353, AbilityOne, Walnut, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$92.81
 7105-01-419-5344, AbilityOne, Walnut, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$91.98
 7105-01-419-5355, AbilityOne, Walnut, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$110.20

Antique Gold Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front & reversible white/black mat. Gold & Oak styles also include hook & loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

Antique gold hardwood molding measures 3/4" wide. Mounts on wall either vertically or horizontally. Glass front and reversible white/black mat. Includes velcro for easy attachment to fabric cubicle walls, as well as, pop out easel back for desktop display. 12 per box.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-440-6065, Ability One, Antique Gold, 8-1/2 x 11", Velcro, BX(contains 12 EA), \$87.66

7105-01-440-6072, Ability One, Antique Gold, 9 x 12", Velcro, BX(contains 12 EA), \$76.34

7105-01-440-6080, AbilityOne, Antique Gold, Size: 5 x 7", Velcro, BX(contains 12 EA), \$60.63

7105-01-440-6082, AbilityOne, Antique Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", Easel/Velcro, BX(contains 12 EA), \$110.65

7105-01-440-6073, AbilityOne, Antique Gold, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", Easel/Velcro, BX(contains 12 EA), \$66.17

7105-01-440-6083, AbilityOne, Antique Gold, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", Easel/Velcro, BX(contains 12 EA), \$65.14

7105-01-440-6067, AbilityOne, Antique Gold, 8 x 10", Velcro, BX(contains 12 EA), \$67.65

7105-01-440-6064, AbilityOne, Antique Gold, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", Easel/Velcro, BX(contains 12 EA), \$89.67

7105-01-440-6071, AbilityOne, Antique Gold, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", Easel/Velcro, BX(contains 12 EA), \$70.75

7105-01-440-6081, AbilityOne, Antique Gold, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", Easel/Velcro, BX(contains 12 EA), \$110.35

Black Enamel Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front & reversible white/black mat. Gold & Oak styles also include hook & loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

Black clear coat hardwood moulding measures 3/4" wide. Mounts on wall either vertically or horizontally; has clear glass front & white/black reversible mat.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-00-052-8690, AbilityOne, Black, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$75.07

7105-00-052-8689, AbilityOne, Black, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$81.75

7105-00-465-6199, AbilityOne, Black, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$65.50

7105-00-051-1212, AbilityOne, Black, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$57.74

7105-00-052-8686, AbilityOne, Black, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$104.06

7105-00-052-8684, AbilityOne, Black, Document Size: 14 x 17", No Mat, BX(contains 6 EA), \$62.85

7105-00-053-0170, AbilityOne, Black, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$90.59

7105-00-061-5834, AbilityOne, Black, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$104.62

7105-00-297-3398, AbilityOne, Black, Document Size: 20 x 24", No Mat, BX(contains 6 EA), \$78.99

Cherry Finished Wood Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front & reversible white/black mat. Gold & Oak styles also include hook & loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

Rich cherry finished hardwood moulding with raised beads measures 1" wide. Mounts on wall either vertically or horizontally; clear glass front and white/black reversible mat.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-357-9978, AbilityOne, Cherry, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$92.21

7105-01-357-9979, AbilityOne, Cherry, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$104.04

7105-01-357-9980, AbilityOne, Cherry, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$84.32

7105-01-357-9981, AbilityOne, Cherry, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$133.41

Clear Finish Oak Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front & reversible white/black mat. Gold & Oak styles also include hook & loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

Solid oak with clear finish molding measures 3/4" wide. Mounts on wall vertically or horizontally. Glass front and reversible white/black mat. Includes velcro for easy attachment to fabric cubicle walls, as well as, easel back for desktop display. 12 per box.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-440-6066, AbilityOne, Clear Oak, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$103.07

7105-01-440-6068, AbilityOne, Clear Oak, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$79.27

7105-01-440-6069, AbilityOne, Clear Oak, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$88.30

7105-01-440-6079, AbilityOne, Clear Oak, Document Size: 8.5 x 11", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$76.71

7105-01-440-6074, AbilityOne, Clear Oak, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$60.59

7105-01-440-6070, AbilityOne, Oak, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$63.18

7105-01-440-6078, AbilityOne, Clear Oak, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$80.05

7105-01-440-6077, AbilityOne, Clear Oak, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$78.66

7105-01-440-6076, AbilityOne, Clear Oak, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$104.78

7105-01-440-6075, AbilityOne, Clear Oak, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$72.11

Walnut Stained Wood Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front & reversible white/black mat. Gold & Oak styles also include hook & loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

Traditional walnut finished hardwood moulding with raised gold lip measures 1-3/8" wide. Mounts on wall either vertically or horizontally; clear glass front and white/black reversible mat.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-282-0630, AbilityOne, Walnut, Document Size: 8 x 10", Mat Cut Out Area: 5 x 7", BX(contains 12 EA), \$95.70

7105-01-282-0631, AbilityOne, Walnut, Document Size: 8-1/2 x 11", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$103.61

7105-01-282-0632, AbilityOne, Walnut, Document Size: 10 x 14", Mat Cut Out Area: 8 x 10", BX(contains 6 EA), \$51.04

7105-01-282-0633, AbilityOne, Walnut, Document Size: 18 x 24", Mat Cut Out Area: 14 x 20", BX(contains 6 EA), \$98.54

Walnut Vinyl Gold Trimmed Frame

All frames are created with pride by Americans who are blind or have other severe disabilities. Purchase of these products fulfills the required source provision of the Javits-Wagner-O'Day Act and FAR 8.7. All frames mount on wall either vertically or horizontally (by punch out saw tooth hangers) with a clear glass front & reversible white/black mat. Gold & Oak styles also include hook & loop fasteners for attachment to cubical walls and punch out easel backs for desktop display.

Walnut vinyl wrapped hardwood moulding with a raised gold lip measures 1-3/8" wide. Mounts on wall either vertically or horizontally; clear glass front and white/black reversible mat.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-408-9957, AbilityOne, Walnut, Document Size: 8-1/2 x 11", Mat Cut Out Area: 5x7", BX(contains 12 EA), \$112.67

7105-00-903-1842, AbilityOne, Walnut, Document Size: 5 x 7", Mat Cut Out Area: 3 x 5", BX(contains 12 EA), \$61.09

7105-00-903-1843, AbilityOne, Walnut, Document Size: 9 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$104.56

7105-00-149-1282, AbilityOne, Walnut, Document Size: 10 x 12", Mat Cut Out Area: 7 x 9", BX(contains 12 EA), \$85.94

7105-00-149-1281, AbilityOne, Walnut, Document Size: 11 x 14", Mat Cut Out Area: 8 x 10", BX(contains 12 EA), \$129.08

7105-00-297-3397, AbilityOne, Walnut, Document Size: 14 x 18", Mat Cut Out Area: 9 x 12", BX(contains 6 EA), \$75.83

7105-00-641-4385, AbilityOne, Walnut, Document Size: 11-1/2 x 14", Mat Cut Out Area: 10 x 12", BX(contains 12 EA), \$102.65

7105-00-052-8697, AbilityOne, Walnut, Document Size: 10 x 14", Mat Cut Out Area: 8x10", BX(contains 6 EA), \$77.08

7105-00-052-8698, AbilityOne, Walnut, Document Size: 8 x 10", Mat Cut Out Area: 5x7", BX(contains 12 EA), \$109.48

7105-00-052-8695, AbilityOne, Walnut, Document Size: 18 x 24", Mat Cut Out Area: 14x20", BX(contains 6 EA), \$107.61

7105-00-052-8696, AbilityOne, Walnut, Document Size: 16 x 20", Mat Cut Out Area: 12 x 16", BX(contains 6 EA), \$82.90

Awards

Award Plaque

Pre-assembled, brushed-edge plaque with an 8-1/2 x 11" certificate. Has non-glare pocket cover, mailer and blank "Certificate of Appreciation".

Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

Comprehensive Procurement Guideline Compliant

9905-01-357-9986, 18812M or equal, Oak, 11-1/4 x 13-3/4", EA, \$17.24

9905-01-357-9985, 18811M or equal, Dark Walnut, 11-1/4 x 13-3/4", EA, \$17.70

Pre-assembled plaque displays awards measuring 8-1/2 x 11". The plaque has a black marble finish with a gold colored frame to accentuate the award.

Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

Comprehensive Procurement Guideline Compliant

9905-01-385-7522, 2380 (BM) Black Marble or equal, Black Marble Finish, 11-1/2 x 14", EA, \$17.81

Insta-Plaque

Do-it-yourself award maker instantly assembles to present and protect awards, letters, documents, licenses, photographs and diplomas with a clear acrylic cover. Reusable plaque has a clear protective cover with four pre-drilled holes and four decorative tacks for attaching the acrylic frame to the plaque. Plaque holds 8-1/2 x 11" documents.

Includes a blank "Certificate of Award" for inscription.

Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

Comprehensive Procurement Guideline Compliant

9905-01-357-9983, 301 or Equal, Oak, 10-1/2 x 13", EA, \$9.43

9905-01-357-9984, 302 or equal, Walnut, 10-1/2 x 13", EA, \$19.42

Includes a blank "Certificate of Appreciation" for inscription.

Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

Comprehensive Procurement Guideline Compliant

9905-01-408-6051, MWP3 or equal, Black Marble, 10-1/2 x 13", EA, \$16.66

9905-01-408-6049, MWP2 or equal, Oak, 10-1/2 x 13", EA, \$17.01

9905-01-408-2270, MWP1 or equal, Dark Walnut, 10-1/2 x 13", EA, \$17.70

Calendars and Accessories

28-Month Planner

This 28-month planner features pages in standard date block format and a black leatherette cover. Each month is generously spread over two pages, leaving plenty of space for notes and appointments. latest version of this product will be provided.

Federal Strategic Sourcing Initiative, 7510-01-528-8310, 8-1/2 x 11", EA, \$7.02

Desk Calendar Stand

Metal or plastic base features removable arch-shaped wires for use with loose-leaf, flip-style calendars. Features non-marking protective shoes.

For use with 3-1/2 x 5-1/2" executive-style refill.

25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-483-8994, SKILCRAFT , AbilityOne, Black, 6-1/8 x 7-5/8", EA, \$6.44

Federal Strategic Sourcing Initiative, 7520-00-139-4277, SKILCRAFT , AbilityOne, Beige, 6-1/8 x 7-5/8", EA, \$6.05

Dry Erase Calendar Planner

Unframed board has a special plastic-laminated surface that permits write on/wipe off with a damp cloth. Includes one black marker.

60 day organizer features 2 x 3-1/4" writing boxes

30% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-207-4058, SKILCRAFT , AbilityOne, 24 x 36", EA, \$24.54

90 day organizer features 1-3/4 x 3-1/4" writing boxes

30% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-207-4059, SKILCRAFT , AbilityOne, 24 x 36", EA, \$32.73

120 day non-dated dry erase silk-screened melamine calendar planner board with contrasting black graphics. Versatile and easy to hang mounting system. Aluminum frame. Marker tray and one black dry erase marker included. Frames are made using 30% pre-consumer recycled aluminum. Horizontal side measurement listed first.

30%

7110-01-555-0295, AbilityOne, Aluminum Frame, 24 x 36", EA, \$59.47

Wall Calendar Board

Perfect for long-term planning, the calendar board displays three months at a time. Features three pairs of hooks and is designed for use with wall calendars (calendar not included).

Chipboard.

Basis Weight 50 lbs; Thickness 0.080"

50% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-789-2455, SKILCRAFT , AbilityOne, 12-1/4 x 29-5/8", EA, \$4.63

Executive-style frame with laquer finish.

7510-01-185-5626, Oak, 15 x 30 x 1", EA, \$71.95

7510-01-141-8657, Walnut, 15 x 30 x 1", EA, \$73.75

In-Out Schedule Board

Board has columns for time in, time out, time back, destination, telephone messages and instructions. Each board holds up to 12 names. Plastic laminated surface (write on/wipe off).

Aluminum framed board includes four markers, one each black, blue, green and red.

7520-01-223-9898, SKILCRAFT 7520-01-223-9898, AbilityOne, 36" x 24", EA, \$47.79

Franklin Covey Planners

Franklin Covey Planner

Contains 7 fastener ring binder with a 1-1/4" capacity, uncluttered page layouts, photo holder, zipper pouch and two months of Flex-Dated daily pages. Also includes: one set of 1-to-31 numerical tabs; a full year of Flex-Dated calendar tabs; address/phone tabs; and a dated twopage monthly calendar. Cover Material: Vinyl

Zipper closure.

NEW, 7530-01-332-1560, Franklin Covey P/N 28880, Burgundy, 5-1/2 x 8-1/2" Classic, EA, \$82.11

30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-332-1561, Franklin Covey P/N 28878, Burgundy, 8-1/2 x 11" Monarch, EA, \$110.17

30% Postconsumer Material

7530-01-418-1687, Franklin Covey P/N 28888, Black, 3-1/2 x 6" Pocket, EA, \$71.30

7530-01-366-5856, Franklin Covey P/N 28881, Black, 5-1/2 x 8-1/2" Classic, EA, \$82.23

Open planner; no zipper.

30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-308-7293, Franklin Covey P/N 28943, Black, 5-1/2 x 8-1/2" Classic, EA, \$74.98

Rite in the Rain Accessories

Rite in the Rain Planner

Tactical field planner comes in a binder with Cordura cover includes adjustable Wrist Strap, Front Zippered Pocket and Velcro Badge Strap along with the writing guard and ruler. Also includes: 12 monthly tabs with calendar, 12 Alpha TabS (a-z), one year overview calendar, six generic tabs, four-year overview, 4 year future planning, business cardholder, six credit card slots, No. 97 pen, removable drive holder, clear Zipper pouch, six pen/pencil slots.

For best results, the paper should be written on with a pencil or Rite in the Rain pen NSN 7520-01-498-2079, 7520-01-498-1876, or 7520-01-544-9467.

Fits: 8-1/2 x 11" paper, 3 hole punch.

7530-01-631-4245, 9255M-MX, Multi-Cam, 11-1/8 x 13", EA, \$187.47

7530-01-577-7676, 9255B-MX, Black, 11-1/8 x 13", EA, \$187.47

7530-01-577-7671, 9255T-MX, Tan, 11-1/8 x 13", EA, \$187.47

7530-01-577-7675, 9250T-MX, Tan, 11-1/8 x 13", KT, \$91.84

Fits: 4 5/8 x 7" paper, 6 hole punch.

Military essential and medical items with greater than 60-month shelf life.

7530-01-575-5879, 9255T, Tan, 7-1/2 x 8-3/4", KT, \$151.18

7530-01-631-2666, 9250M, Multi-Cam, 7-1/4 x 8-1/2", EA, \$65.04

7530-01-577-7668, Rite in the Rain 9250T, Tan, 7-1/4" x 8-1/2", EA, \$65.04

7530-01-544-9455, Rite in the Rain 9255B, Black, 7-1/2" x 8-3/4", KT, \$151.18

Rite-In-The-Rain Planner Refill

Daily, undated calendar pages (365 days) with 12 monthly tabs, 4-year overview, 4-year future planner.

Fits 8-1/2 x 11" Rite-In-The-Rain, 3-hole punched planners (9255T-MX - Tan and 9255B-MX - Black).

7510-01-575-4562, Rite-In-The-Rain 9260D-MX, 8-1/2" x 11", EA, \$54.54

Daily, undated weekly calendar pages (52-weeks) with 12 monthly tabs, 4-year overview, 4-year future planner.

Fits 8-1/2 x 11" Rite-In-The-Rain, 3-hole punched planners NEW,(9255T-MX - Tan and 9255B-MX - Black).

7510-01-575-4564, Rite-In-The-Rain 9260W-MX, 8-1/2" x 11", EA, \$39.08

Daily, undated calendar pages (365 days) with 12 monthly tabs, 4-year overview, 4-year future planner.

Fits 4-5/8 x 7" Rite In The Rain, 6-hole punched planners (NSNs 7530-01-575-5879-Tan, 7530-01-544-9476-ACU Pattern, 7530-01-544-9455-Black, 7510-01-498-2077 and 7510-01-505-3664).

7510-01-575-4563, Rite-In-The-Rain 9260D, 7" x 4-5/8", EA, \$40.71

Weekly Calendar Pages

Daily, undated weekly calendar pages (52-weeks) with 12 monthly tabs, 4-year overview, 4-year future planner.

Fits Rite in the Rain 8-1/2 x 11" 3-Ring Binders and Standard Planners

7510-01-577-8121, 9260W, Tan, 4-5/8" x 7", EA, \$28.12

Briefcases and Accessories

Briefcase

All-purpose case is made of duck nylon or Cordura. Features one zippered main compartment with a shoulder strap and hand strap.

8460-01-193-9769, 99200GR or equal, Smoke Gray, 16" L x 12"H x 3"W, EA, \$55.26

Soft, expandable briefcase with multi-compartment interior expands from 4 to 6 inches. Conveniently organizes glasses, calculator, pens, pencils, and keys.

Front flap with quick-release buckles features zipper pocket for passports and valuables. Removable, adjustable shoulder strap with molded pad provides full comfort. Reinforced carrying handle. Double rear pocket can accommodate airline tickets or magazines. Perfect for laptop computers.

8460-01-364-9493, 99200 or equal, Black, 16 x 12", EA, \$55.26

Computer Case

Made of lightweight, water-resistant, durable ballistic nylon, this commuter/travel bag features padded laptop protection, inside file compartment and outside accessory pockets for PDA, CD, cell phone, etc. Easy grip handle, padded shoulder and luggage strap are included. Computer Type Fits: Standard Notebook Laptop; up to size 15.60 inches

Basis Weight : 4 lbs Maximum

7045-01-490-7309, Black, 16-1/2"L x 3-1/2"D x 14"H, EA, \$36.52

Lightweight and durable ballistic nylon bag with roomy design. Expandable center zipper section provides additional two-inch storage. Great for extra paperwork or overnight necessities. Three zippered compartments: back has three folio divider sections; front has compartments for media, business cards, pens, cell phones and other supplies; exterior has a quick access pocket. Removable shoulder strap with extra padding.

Accommodated Computer Type: Standard Notebook Laptop; Accommodated Computer Size 15.60 inches

Basis Weight: 5 lbs maximum

7045-01-490-7303, Black, 13-1/2"H x 16-1/2"W x 7"D, EA, \$88.44

Wheeled computer /catalog case is made of durable ballistic nylon, high-impact ball bearing wheels and a padded pull handle for ease of operation. With multiple interior dividers and combination lock for added security. Features a padded computer compartment. Computer Type Fits: Standard Notebook Laptop; up to size 15.60 inches.

Basis Weight : 13 lbs Maximum

7045-01-490-7307, Black, 14"H x 18" W x 8"D, EA, \$157.50

Catalog Case

Top opening, box-style, artificial leather catalog case with rigid frame, through-the-flap handle fastening, steel core handle, two interior dividers, and two locks.

8460-01-070-7516, STB251322BLK or equal, Black, 22.2"L x 13.5"H x 8.8"W, EA, \$145.91

Heavy-Duty Travel Cart

Travel cart handles up to 250-lbs. with ease. Ideal for moving boxes, publications, luggage and more. Features a sturdy tubular steel frame and platform, elasticized safety cord. Oversized 6" diameter ball-bearing wheels. Padded, telescoping pull handle. Extended size: 15-1/2" W x 44-1/2" H x 19" D; Folded size: 15-1/2" W x 27" H x 6-1/2" D; Platform size: 12" x 12".

8460-01-490-7344, 33892 or equal, Black and Chrome, EA, \$229.94

Portfolios and Accessories

Notebook

Portable office notebook includes: 8-1/2 x 11" notepad; calculator; pen; pencil; two highlighters; paperclips; ruler; stapler and 3 x 3" self-stick notes - all in a handy portfolio.

7510-01-445-9342, Burgundy, EA, \$86.82

Steno Pad Holder, Vinyl

Durable, vinyl with foam-padded covers to protect a 80-page steno notebook. Slit pocket on inside front cover holds additional papers. Slit on back cover securely holds steno notebook in place.

7510-01-454-7388, SKILCRAFT, AbilityOne, Black, 6" W X 9" L, EA, \$10.67

Writing Portfolio

Camouflage pocket pad holder can be used with either NSN 7530-00-243-9366 (accounting book 3-1/2"-6"), NSN 7530-01-060-7511 (memorandum pad 3-1/2" x 4-1/2") or NSN 7530-00-285-3090 (writing pad 3 x 5"). Memo book is included. Includes a pen loop which holds a minimum of 50% post-consumer waste recycled U.S. Government retractable pen. Also includes a pocket insert for business cards and notes.

7510-01-557-4970, SKILCRAFT, AbilityOne, Camouflage, 4" W X 6" L, DZ, \$40.25

Side-opening notebook includes space for a writing pad on one side; the other side features a pocket for loose papers. The stiff vinyl plastic cover boasts a simulated leather-grain finish.

Holds a 8-1/2 x 11" letter-size pad (not included).

Contains 80% Postconsumer Material Paperboard, Contains 25% Recovered Material Plastic

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-145-0296, SKILCRAFT, AbilityOne, Black, 9-1/2" W x 12-1/8" L, EA, \$7.06

Holds a 5 x 8" memo-size pad (not included).

Federal Strategic Sourcing Initiative, 7510-01-053-5591, SKILCRAFT, AbilityOne, Black, 6-1/8" W x 9" L, EA, \$3.63

Side-opening portfolio features an embossed vinyl cover in a new, digitized camouflage pattern. Portfolio also has a clip on one side for a writing pad, a pocket on the opposite side for loose documents, a loop for a pen, and a slot for business cards. Writing pad and pen included. Contains 30% Post-consumer waste for writing pad, Contains 50% post-consumer waste for pen

7510-01-557-4978, SKILCRAFT, AbilityOne, Camouflage, 6" W x 9" L, EA, \$7.42

Standard side opening portfolio has space for a writing pad on the right side. The left side has a full sized pocket for loose papers, as well as a slot for business cards. Pen loop in center. Portfolio has a padded simulated leather grain embossed vinyl cover. The portfolio includes a letter size pad.

50%, Which Includes 30% Postconsumer Material

7510-01-484-0004, SKILCRAFT, AbilityOne, Black, 9 x 12", EA, \$8.41

Portfolio offers a professional look with brass clip and corners. Constructed with simulated leather-grain embossed vinyl in new digitized camouflage pattern along with foam backed liner for a softer feel. Side-opening pad holder has clip for a writing pad on one side, a pocket on opposite side for loose documents, a loop for pen and a slot for business cards. Writing pad and pen included.

7510-01-557-4980, SKILCRAFT, AbilityOne, Camouflage, 6 x 9", EA, \$8.56

Zippered Portfolio

This soft, artificial leather, zippered portfolio features a computer disk pocket, business card holder, credit card holder, a storage pocket for loose paper, pen loops and an 8-1/2 x 11" ruled pad.

7510-01-435-8537, Black, 10-1/4" W x 12-1/4" L, EA, \$46.46

Portfolio with Calculator

Portfolio features a leather-look vinyl cover with inside pocket and solar-powered, eight-digit calculator with rubber keys. Also includes 8-1/2" x 11" lined writing pad and a rubberized-grip retractable pen.

Contains 30% Postconsumer Material for Paper

7510-01-484-4563, SKILCRAFT, AbilityOne, Black, 9" W x 12" L, EA, \$39.61

Key and Credit Card Holder

Simulated leather key and credit card holder has 4 metal rings and is perfect for holding credit cards. Snap pocket on front.

Federal Strategic Sourcing Initiative, 7510-01-445-9348, SKILCRAFT, AbilityOne, Black, 2-1/2" W x 4" L, EA, \$10.19

Manuals Pouch

Heavy-duty cloth pouch is ideal for storing technical manuals and equipment maintenance literature. Made of mildew-resistant, water-repellent cotton duck with snap fasteners. Should read two pockets that measures 16" L x 9-3/4" W x 1-1/8" D and 16" L x 9" W x 1-3/8" D.

Federal Strategic Sourcing Initiative, 7520-00-559-9618, SKILCRAFT, AbilityOne, Olive Drab, 13-3/4" W x 22" L, EA, \$35.49

Map Case

Waterproof Map Case made from waterproof, dust proof and weather resistant nylon with a clear vinyl lining. Features two zip-lock storage areas for double protection. Keeps maps and documents safe and dry.

7510-01-411-6323, Woodland Green, 13-1/2" W X 13-1/2" L, EA, \$11.27

Fine Writing

Rosewood Pen

Executive Twist ballpoint desk or pocket pen features a real wood barrel, double plated gold accents and engraved center band, retractable.

Compatible with refill NSN 7510-01-425-6802.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-458-3934, SKILCRAFT, AbilityOne, Black Ink, Medium Point, EA, \$24.88

Liberty Series 3-in-1 Pen/Pencil

Three writing instruments in one. Ergonomic pen and pencil combination includes both black and red ink in the ball point pen along with a mechanical pencil (with 0.5-mm lead). All metal construction features a rubberized grip barrel for writing comfort. Comes with a metal pocket clip, eraser with cap, and extra black and red cartridge.

Pen refill NSN 7510-01-439-0497; Pencil refill NSN 7510-01-317-6421

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-439-3388, SKILCRAFT, AbilityOne, EA, \$22.21

Pen and Pencil Sets

Illusion Pen & Pencil Set

Bold classical Rosewood body with gold colored pocket clip and accents. Ballpoint pen features twist-action mechanism to advance the medium writing point with black ink. Mechanical pencil features twist-action mechanism to advance the 0.5mm lead which includes an eraser. Set includes a matching Rosewood gift box.

7520-01-484-0021, SKILCRAFT, AbilityOne, Rosewood Barrel, Black Ink, SE, \$35.77

Zebra Pen and Pencil Set

M/F 301 ballpoint pen and pencil set features self-loading 0.5mm mechanical pencil with matching, retractable, refillable 0.7mm ballpoint pen (black ink). Both feature an attractive and durable stainless steel barrel and contoured triangular rubber grip.

7520-01-455-2675, Zebra P/N ZPC-57010, Black with Silver Accents, SE, \$12.62

Inpuria Tri-Wood Pen & Pencil Set

Inpuria tri-wood pen and pencil set includes matching wood case. Pen features twist-action mechanism to advance the medium writing point with black ink. Pencil features twist-action mechanism to advance the 0.5mm lead and includes eraser.

18-month maximum shelf life (extendable).

7520-01-484-4577, SKILCRAFT, AbilityOne, Three Swirled Woods, SE, \$64.52

Imperial Pen and Pencil Set

Imperial ballpoint pen and pencil set features a smooth wooden barrel. Metal accents are included on the clip, barrel ring and tips of both pen and pencil. Pen features a medium point and refillable black ink. Mechanical pencil uses 0.5mm lead with eraser. Presented in a two-chambered wooden case. Pencil lead refill: NSN 7510-01-317-6421.

This item is part of a desk set of matched rosewood office items. The following items are sold separately. Letter opener [7520-01-584-0879], a mini desk clock [6645-01-584-0892], a self-stick note holder [7520-01-584-0881], a business card holder [7510-01-584-0893], a 12" ruler [7510-01-516-9247], and the Illusion twist-action medium point ballpoint pen and 0.8mm mechanical pencil set [7520-01-458-3932].

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-458-3932, SKILCRAFT, AbilityOne, Maplewood, SE, \$33.66

Federal Strategic Sourcing Initiative, 7520-01-458-3933, SKILCRAFT, AbilityOne, Rosewood, SE, \$29.26

Gel Ink

LVX Retractable Pen

Essential LVX pen is retractable with a replaceable ink cartridge. Features a translucent clear barrel and uses easy writing low viscosity ink. Cap and pocket clip are provided.

18-month maximum shelf life (extendable).

7520-01-451-9181, SKILCRAFT, AbilityOne, Blue, Medium Point, DZ, \$26.65

Federal Strategic Sourcing Initiative, 7520-01-451-9178, SKILCRAFT, Black, Medium Point, DZ, \$16.59

7520-01-451-9177, Red, Fine Point, DZ, \$25.44

Eco-Bottle Retractable Gel Pen

Retractable Gel Pen is made from 100% recycled plastic water bottles. It provides a smooth writing experience with gel ink that dries fast – no smearing or smudging – and contains a transparent ink barrel.

18-month maximum shelf life (not extendable); 100% Recycled Plastic, Which Includes a Minimum of 20% Postconsumer Material

7520-01-658-0392, SKILCRAFT, AbilityOne, Blue, 0.7 mm, DZ, \$12.08

18-month maximum shelf life (not extendable); 100% Recycled Plastic, Which Includes 100% Postconsumer Material

Material Safety Data Sheet

7520-01-658-0393, SKILCRAFT, AbilityOne, Black, 0.7 mm, DZ, \$12.08

Precise Gel Roller

The Precise rollerball pen features waterproof gel ink that assures ultrasmooth writing without smearing. Features patented Pilot Precise needle-point technology. Non-retractable/Non-refillable. IAW A-A-3196 Type IV, Point 2, Style B, Grip 4

P-500

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-465-1449, Pilot P/N 38600, Black Ink, Extra Fine Point 0.5mm, DZ, \$18.18

Federal Strategic Sourcing Initiative, 7520-01-465-1454, Pilot P/N 38601, Blue Ink, Extra Fine Point 0.5mm, DZ, \$33.14

P-700

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-465-1425, Pilot P/N 38610, Black Ink, Fine Point 0.7mm, DZ, \$16.02

7520-01-465-1427, Pilot P/N 38611, Blue Ink, Fine Point 0.7mm, DZ, \$45.53

Uni-ball Gel Impact Pen

Uni-ball Gel Impact rollerball pen is non-retractable with a replaceable ink cartridge. Pen features rubber grip. IAW A-A-3196 Type III, Point 1, Style B, Grip 1

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-481-7461, Sanford P/N 65800, Black Ink, Bold Point 1.0mm, DZ, \$28.99

Federal Strategic Sourcing Initiative, 7520-01-481-7462, Sanford P/N 65801, Blue Ink, Bold Point 1.0mm, DZ, \$41.23

Gel Ink Pen

The Gel-Ink retractable rollerball pen features water-resistant, smearproof gel ink and a contoured rubber grip. Refillable. IAW A-A-3196 Type I, Point 1, Style B, Grip 1

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-465-1431, Red Ink, Extra Fine Point 0.5mm, DZ, \$17.27

7520-01-465-1432, Red Ink, Fine Point 0.7mm, DZ, \$17.27

Alpha Gel Pen

Non-retractable, refillable water-based pigment gel ink pen. Smooth writing performance that won't fade or bleed. Clear barrel is comfortable to hold and shows amount of ink remaining. Locking cap with cushioned pad prevents dry-out and protects metal tip. Pocket clip identifies gel-ink color.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-484-5250, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$15.30

7520-01-484-5252, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$16.86

7520-01-484-5253, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$20.82

Alpha-Elite Gel Ink Pen

Alpha-Elite features a wide barrel with ribbed cushion grip. This non-retractable pen uses water-based gel which glides effortlessly across the paper. The clear barrel allows for monitoring of ink level. IAW A-A-3196 Type III, Point 1, Style C, Grip 3

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-500-5214, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$18.51

7520-01-500-5212, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$20.58

7520-01-500-5213, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$20.58

Vista Gel Pen

This refillable, retractable gel ink pen is tinted the color of the ink and is transparent enough to allow the user to monitor the ink supply levels. The clip and rubber grip match the ink color. The pen has a safety clip that when pulled away from the barrel, retracts the point, preventing leakage when not in use. Smooth gliding ink will not fade, run or smear.

18-month maximum shelf life (extendable).

7520-01-684-9424, SKILCRAFT, AbilityOne, Black, 1.0 mm Point, DZ, \$24.30

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-506-8500, SKILCRAFT, AbilityOne, Black Ink, 0.7mm Point, DZ, \$28.03

Federal Strategic Sourcing Initiative, 7520-01-506-8502, SKILCRAFT, AbilityOne, Blue Ink, 0.7mm Point, DZ, \$25.01

Federal Strategic Sourcing Initiative, 7520-01-564-6054, SKILCRAFT, AbilityOne, Red Ink, 0.7mm Point, DZ, \$26.53

Biodegradable Gel Pen

Biobased, retractable, refillable gel ink pen is comprised of 35 percent biobased and biodegradable corn based bio-resin. Pen provides vivid lines with exceptionally smooth ink flow. Acid-free, archival quality ink preserves documents. Features a latex-free rubber grip to protect against allergic reactions while also providing added writing comfort. Grip color indicates ink color. Translucent barrel allows monitoring of ink supply.

For use with refill NSN 7510-01-506-8515

18-month maximum shelf life (extendable); 35% Postconsumer Material

Comprehensive Procurement Guideline Compliant, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-588-2363, SKILCRAFT, AbilityOne, Black Ink, Medium Point 0.7 mm, DZ, \$23.19

For use with refill NSN 7510-01-506-8514

18-month maximum shelf life (extendable); 35% Postconsumer Material

Comprehensive Procurement Guideline Compliant, Material Safety Data Sheet

7520-01-588-2364, SKILCRAFT, AbilityOne, Blue Ink, Medium Point 0.7 mm, DZ, \$20.86

Retractable Gel Pen

Retractable, non-refillable gel pen, designed with a latex-free, non-slip grip for comfort, the ultra-smooth, quick-drying, water-based gel provides a flowing, crisp writing experience.

18-month maximum shelf life (not extendable).

7520-01-647-3138, SKILCRAFT, AbilityOne, Blue Ink, Bold Point: 1.0mm, DZ, \$12.75

7520-01-682-6565, SKILCRAFT, AbilityOne, Red, Medium Point, DZ, \$12.75

7520-01-682-6564, SKILCRAFT, AbilityOne, Red, Fine Point, DZ, \$12.75

Material Safety Data Sheet

7520-01-647-3137, SKILCRAFT, AbilityOne, Black Ink, Bold Point: 1.0mm, DZ, \$12.75

Federal Strategic Sourcing Initiative, 7520-01-647-3136, SKILCRAFT, AbilityOne, Blue Ink, Medium Point: 0.7mm, DZ, \$15.45

Federal Strategic Sourcing Initiative, 7520-01-647-3134, SKILCRAFT, AbilityOne, Blue Ink, 0.5 mm Fine Point, DZ, \$15.16

Federal Strategic Sourcing Initiative, 7520-01-647-3133, SKILCRAFT, AbilityOne, Black Ink, Medium Point: 0.7mm, DZ, \$15.16

Federal Strategic Sourcing Initiative, 7520-01-647-1706, SKILCRAFT, AbilityOne, Black Ink, Fine Point: 0.5mm, DZ, \$14.90

Refill, Gel Ink

Package contains three large capacity medium point (0.7mm) gel ink refills with transparent bodies and attached springs are packed in a zip top clear plastic bag.

Refill for Vista Gel Ink Pen (NSN 7520-01-506-8500).

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-01-506-8515, SKILCRAFT, AbilityOne, Black, 0.7mm, PG(contains 3 EA), \$2.61

Refill for Vista Gel Ink Pen (NSN 7520-01-564-6054).

7510-01-564-7766, SKILCRAFT, AbilityOne, Blue, 0.7mm, PG(contains 3 EA), \$2.61

Rollerball

Metal Grip Pen

The metal grip pen has a round barrel with shiny metallic finish and a cushion grip for greater comfort. Grip color indicates ink color. Ink cartridge is replaceable and pocket clip is provided.

18-month maximum shelf life (extendable).

7520-01-445-7230, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$22.99

Retractable Ballpoint Pen

Retractable ballpoint pen has a cushioned grip for maximum control and added writing comfort to create vivid lines. Pocket clip and rubber grip identifies ink color. The tinted transparent barrel and tip allows user to monitor ink levels. Ink is refillable.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-645-1148, SKILCRAFT, AbilityOne, Black Ink, 1.4 mm Bold, DZ, \$14.20

The stainless steel pen combines style, strength, and value in a durable, lightweight writing instrument with a sleek, attractive appearance. Narrow pen with stainless steel barrel and sturdy metal pocket clip is ideally sized for pockets, planners, or clipboards. Oil based easy-glide ink provides a smooth, smudge-free writing experience.

Minimum Order Qty: 1. This item is non-returnable because it is a dated item. Please contact customer service (800-827-3168) for more details.

2 EA per package

18-month maximum shelf life (not extendable).

7520-01-666-1050, SKILCRAFT, AbilityOne, Black Ink, Fine Point, PG(contains 2 EA), \$6.81

7520-01-666-1049, SKILCRAFT, AbilityOne, Black Ink, Medium Point, PG(contains 2 EA), \$6.81

Rollerball Pen

This disposable pen with metal roller dispenses quick-drying, non-fading ink that will not smear. Clip cap indicates color of ink. Non-refillable. IAW A-A-2695B, Type IV, Size C

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4264, Black Ink, 0.5 mm, DZ, \$11.93

Non-retractable rollerball gel pen is refillable and features a super smooth point and has an airplane safe, free-ink device. Ink is waterproof and fade proof. Barrel is light gray.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-504-8933, Black Ink, Broad Point, EA, \$2.22

7520-01-504-8931, Blue Ink, Fine Point, EA, \$2.20

Executive Magnus Rollerball Pen

This elegant pen's ceramic rollerball provides smooth writing with an ink lay-down that is especially dense. Precision engineering and manufacturing prevent the ball from corroding. Each Magnus pen comes in a handsome package that reflects the style and quality of the pen itself.

Features rubber grip for extra comfort.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-424-4861, SKILCRAFT, AbilityOne, Black Ink, Black Barrel, 0.7 mm Point, EA, \$13.46

Liquid Magnus Retractable Rollerball Pen

This retractable/refillable rollerball pen offers a sleek design with a needle point tip for precision and airplane-safe pigment-based liquid ink. Rubberized grip for comfort with color-coordinated pocket clip.

24-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 7520-01-653-9297, SKILCRAFT, AbilityOne, Black Ink, 0.5mm Micro Point, DZ, \$24.34

7520-01-653-9298, SKILCRAFT, AbilityOne, Black Ink, 0.7mm Fine Point, DZ, \$20.18

7520-01-653-9300, SKILCRAFT, AbilityOne, Blue Ink, 0.5mm Micro Point, DZ, \$20.18

Liquid Needle Point Rollerball

Free-ink rollerball with metal clip provides smooth writing. Ink color is indicated on top of pen. Permanent non-fading ink.

18-month maximum shelf life (extendable).

7520-01-506-8498, SKILCRAFT, AbilityOne, Red Ink, 0.5mm Micro Point, DZ, \$20.79

7520-01-506-8497, SKILCRAFT, AbilityOne, Blue Ink, 0.5mm Micro Point, DZ, \$20.79

Federal Strategic Sourcing Initiative, 7520-01-506-8494, SKILCRAFT, AbilityOne, Black Ink, 0.5mm Micro Point, DZ, \$24.83

7520-01-506-8501, SKILCRAFT, AbilityOne, Red Ink, 0.7mm Fine Point, DZ, \$20.79

Federal Strategic Sourcing Initiative, 7520-01-506-8495, SKILCRAFT, AbilityOne, Black Ink, 0.7mm Fine Point, DZ, \$25.17

Liquid Magnus Rollerball

This retractable/refillable rollerball pen offers a sleek design with a needle point tip for precision and airplane-safe pigment-based liquid ink. Rubberized grip for comfort with color-coordinated pocket clip.

24-month maximum shelf life (not extendable).

7520-01-653-9299, SKILCRAFT, AbilityOne, Blue Ink, 0.7mm Fine Point, DZ, \$20.18

Liquid Magnus rollerball pen features a visible ink supply within the barrel that allows users to monitor ink level. Ink color indicated on end caps of pen. Translucent cap with metal clip, silver barrel color. Non-refillable/non-retractable.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-494-0908, SKILCRAFT, AbilityOne, Red Ink, 0.5mm Micro Point, DZ, \$25.17

Federal Strategic Sourcing Initiative, 7520-01-461-2660, SKILCRAFT, AbilityOne, Black Ink, 0.5mm Micro Point, DZ, \$24.83

Federal Strategic Sourcing Initiative, 7520-01-461-2663, SKILCRAFT, AbilityOne, Blue Ink, 0.5mm Micro Point, DZ, \$24.23

Federal Strategic Sourcing Initiative, 7520-01-461-2664, SKILCRAFT, AbilityOne, Black Ink, 0.7mm Fine Point, DZ, \$23.62

Federal Strategic Sourcing Initiative, 7520-01-461-2665, SKILCRAFT, AbilityOne, Blue Ink, 0.7mm Fine Point, DZ, \$29.32

Federal Strategic Sourcing Initiative, 7520-01-494-0907, SKILCRAFT, AbilityOne, Red Ink, 0.7mm Fine Point, DZ, \$29.54

Liquid Impression Porous Point Pen

Liquid Impression marker combines function and style in an attractive, translucent barrel with visible ink supply. Free-flowing, liquid ink provides smooth writing from beginning to end. Tough, plastic tip holds up to extended use. Non-refillable, with non-permanent ink. Four color set includes two black and one each of blue and red.

Ergonomic Product; 18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-519-4367, SKILCRAFT, AbilityOne, Red, Ultra-Fine Point, DZ, \$28.47

Deluxe Rollerball Pen

Pen has a pocket clip, is non-retractable, non-refillable and contains permanent ink. Ink is acid free archival quality and is non-fading and water resistant.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-349-6303, Black Ink, 0.5mm Micro Tip, DZ, \$24.29

Precise Gel Roller

The Precise rollerball pen features waterproof gel ink that assures ultrasmooth writing without smearing. Features patented Pilot Precise needle-point technology. Non-retractable/Non-refillable. IAW A-A-3196 Type IV, Point 2, Style B, Grip 4
18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-465-1448, Pilot P/N 38602, Red Ink, Extra Fine Point 0.5mm, DZ, \$20.08

Liquid Magnus Rollerball Stick Pen

Liquid Magnus rollerball pen features a black rubberized grip with metal clip, silver cap and silver foil wrapped barrel with ink color indicator. Pen is non-refillable and non-retractable.

To prevent possible leaking this pen should not be used in low atmospheric conditions (such as airplanes). Product features a specially formulated ink to help prevent document fraud and check washing.

18-month maximum shelf life (extendable).

7520-01-587-7801, SKILCRAFT, AbilityOne, Black Ink, 0.5 mm., PG(contains 4 EA), \$9.27

Micro Point, 7520-01-587-7791, SKILCRAFT, AbilityOne, Black Ink Fine Point, 0.7 mm, PG(contains 4 EA), \$9.27

Rollerball Pen Set

Draw attention to any item with this set of waterproof fluorescent pens. Set of five pens includes one each of red, green, purple, blue and pink.

Set of five pens includes one each of red, green, purple, blue and pink.

18-month maximum shelf life (extendable).

7520-01-442-1469, Assorted, Fine Point 0.7mm, PG(contains 5 EA), \$11.27

Set of 12 colorful pens includes three each of passion pink and majestic purple and two each of scarlet red, brilliant blue, and evergreen.

18-month maximum shelf life (extendable).

7520-01-446-6194, Assorted, Fine Point 0.7mm, DZ, \$26.80

Ballpoint

Multifunction Pen

B3 Aviator pen is multifunction ballpoint pen with medium point black and red ink; and screw top with a white eraser. Pen barrel is sand-colored coated metal.

7520-01-691-1540, AbilityOne, Black and Red Ink, 0.5mm, EA, \$17.80

Multifunction Pen with a stylus and a green LED light tip.

18-month maximum shelf life (extendable).

NEW, 7520-01-691-0488, SKILCRAFT, AbilityOne, Black Ink, Pen is 1mm., EA, \$28.23

Flexpen

Flexible ballpoint pen features a soft vinyl barrel. Medium point with black ink. The pen is designed for safe use in high risk areas where sharp objects may pose harm to residents or employees.

7520-01-451-5391, SKILCRAFT, AbilityOne, BX(contains 100 EA), \$40.11

Push Cap Ballpoint Pen

Retractable, refillable ballpoint pen. Styled in classic European fashion found in more expensive pens. Barrel and cap made from high impact plastic with gold trim.

Black barrel.

18-month maximum shelf life (extendable); 25% Postconsumer Material

NEW, Federal Strategic Sourcing Initiative, 7520-01-451-1065, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$20.04

EconoGard Pen

This retractable pen includes a rubber grip for added writing comfort. Both economical and effective, this pen is ideal for use in medical facilities, offices and other public areas.

18-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-542-5943, SKILCRAFT, AbilityOne, Black Barrel/Black Ink, Medium Point, DZ, \$13.15

Federal Strategic Sourcing Initiative, 7520-01-542-5950, SKILCRAFT, AbilityOne, Black Barrel/Black Ink, Fine Point, DZ, \$12.09

Metal Grip Pen

The metal grip pen has a round barrel with shiny metallic finish and a cushion grip for greater comfort. Grip color indicates ink color. Ink cartridge is replaceable and pocket clip is provided.

Refill using NSNs 7510-01-451-2269 (black) and 7510-01-451-2273 (blue).

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-445-7237, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$25.78

Federal Strategic Sourcing Initiative, 7520-01-445-7226, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$25.90

Cushion Grip Ballpoint Pen

The Cushion Grip retractable pen has a round barrel, replaceable ink cartridge and includes cap and pocket clip. This pen features a plunger and clip that indicates the color of the ink.

24-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-424-4879, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$23.14

Federal Strategic Sourcing Initiative, 7520-01-424-4857, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$23.15

Federal Strategic Sourcing Initiative, 7520-01-424-4865, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$15.04

Retractable Ballpoint Pen

Wide body retractable pen is ergonomically balanced and weighted to reduce gripping tension. Cushion grip delivers added writing comfort. Smooth-writing low viscosity ink produces bold, vivid lined.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-629-6573, SKILCRAFT, AbilityOne, Black Ink, Medium Point 1.0 mm, EA, \$7.99

Rubberized barrel with four-color woodland green camouflage pattern and a black plastic nose tip and clip.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-457-5400, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$13.93

This retractable pen provides smooth writing and the high-quality ink will not smear. "U.S. Government" is lettered on the barrel. Includes a convenient pocket clip. Barrel signifies ink color.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-00-935-7135, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$11.91

Federal Strategic Sourcing Initiative, 7520-01-332-3967, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, DZ, \$11.27

Federal Strategic Sourcing Initiative, 7520-00-935-7136, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$10.55

(NFES #0447).

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-332-2833, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$10.59

Push-action pen is made of corn bi-products resin which is both biobased and biodegradable. This permanent ink pen is refillable and features a green barrel with a rubber grip and pocket clip. Plunger and clip color indicates the color of the ink.

18-month maximum shelf life (extendable).

7520-01-578-9307, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$12.47

Retractable ballpoint pen has a cushioned grip for maximum control and added writing comfort to create vivid lines. Pocket clip and rubber grip identifies ink color. The tinted transparent barrel and tip allows user to monitor ink levels. Ink is refillable.

18-month maximum shelf life (not extendable).

7520-01-645-1149, SKILCRAFT, AbilityOne, Red Ink, 1.4mm Bold, DZ, \$14.20

7520-01-645-1147, SKILCRAFT, AbilityOne, Blue Ink, 1.4mm Bold, DZ, \$14.20

This lightweight retractable ballpoint pen features low viscosity (LV) ink which writes out smoother and is water and smear resistant. The slim color-coded translucent barrel features a rubber grip for added comfort. Metallic pocket clip and nose cone tip are added features. A color coded cap is included for easy identification

18-month maximum shelf life (extendable); 65% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7520-01-587-9640, SKILCRAFT, AbilityOne, Black ink, Fine Point 0.7 mm, PG(contains 3 EA), \$4.80

7520-01-587-9633, SKILCRAFT, AbilityOne, Black Ink, Medium Point 1.0 mm, PG(contains 3 EA), \$4.80

BMP-500 Ballpoint Pen

This slim-line ballpoint pen is non-refillable retractable and has a lightweight rubberized barrel. Color coded clip indicates color of ink. IAW A-A-2905

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-422-0315, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$13.54

Federal Strategic Sourcing Initiative, 7520-01-422-0327, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, DZ, \$17.34

Federal Strategic Sourcing Initiative, 7520-01-422-0326, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$17.34

Federal Strategic Sourcing Initiative, 7520-01-422-0314, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$15.23

7520-01-422-0323, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$16.24

Retractable Rubberized Ballpoint Pen

Refillable ballpoint with rubberized barrel features gripper rings for comfort. The nickel silver-tipped cartridge contains ink that won't fade or smear. Cap and clip match ink color.

For use with Ballpoint Pen Refill 7510-01-381-7997.

24-month maximum shelf life (extendable); 55% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-352-7309, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$19.37

For use with Ballpoint Pen Refill 7510-01-381-8014.

24-month maximum shelf life (extendable); 55% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-352-7310, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, DZ, \$18.61

For use with Ballpoint Pen Refill 7510-01-381-7998.

24-month maximum shelf life (extendable); 55% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-352-7311, SKILCRAFT, AbilityOne, Red Ink, Fine Point, DZ, \$19.12

For use with Ballpoint Pen Refill 7510-01-368-3500.

24-month maximum shelf life (extendable); 55% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-368-7771, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$20.53

For use with Ballpoint Pen Refill 7510-01-368-3501.

24-month maximum shelf life (extendable); 55% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-368-7772, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$18.70

For use with Ballpoint Pen Refill 7510-01-368-3502.

24-month maximum shelf life (extendable); 55% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-368-7773, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$19.02

Vista Cushion Grip Ballpoint Pen

Vista Cushion Grip pen features round transparent barrel. Ink cartridge is replaceable, and cap and pocket clip are provided.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-445-7233, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$20.20

Federal Strategic Sourcing Initiative, 7520-01-445-7228, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, DZ, \$21.10

Federal Strategic Sourcing Initiative, 7520-01-445-7225, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$19.09

Federal Strategic Sourcing Initiative, 7520-01-484-5272, SKILCRAFT, AbilityOne, Red Ink, Fine Point, DZ, \$21.38

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-445-7223, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$21.06

Federal Strategic Sourcing Initiative, 7520-01-484-5271, SKILCRAFT, AbilityOne, Red, Medium Point, DZ, \$17.13

L VX Retractable Pen

Essential L VX pen is retractable with a replaceable ink cartridge. Features a translucent clear barrel and uses easy writing low viscosity ink. Cap and pocket clip are provided.

18-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-451-9179, SKILCRAFT, AbilityOne, Black, Fine Point, DZ, \$19.29

Recycled Retractable Pen

The recycled retractable ballpoint pen has a strong carbide ballpoint. The pen cap is made from 100 percent post-consumer plastic.

24-month maximum shelf life (extendable); 30% Postconsumer Recycled Plastic

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-386-1618, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$7.59

Federal Strategic Sourcing Initiative, 7520-01-386-1604, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$7.54

Hybrid Ink Retractable Ballpoint Pen

This ballpoint, retractable hybrid pen features a co-molded pearlized finish barrel. Color-coded full length rubber grip barrel with a black pocket clip. Low viscosity ink writes smoother than standard ball point pens, ink is water and smear resistant.

18-month maximum shelf life (extendable).

7520-01-587-9646, SKILCRAFT, AbilityOne, Black Ink, Medium Point 1.0 mm, PG(contains 6 EA), \$9.46

Alphagrip Pen

This refillable stick pen is non-retractable and includes a cap. The ergonomic design features a cushion grip for reduced writing fatigue.

18-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-424-4884, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$15.04

Federal Strategic Sourcing Initiative, 7520-01-424-4875, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$14.27

Federal Strategic Sourcing Initiative, 7520-01-424-4859, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$10.83

Federal Strategic Sourcing Initiative, 7520-01-424-4847, SKILCRAFT, AbilityOne, Red Ink, Fine Point, DZ, \$18.09

Federal Strategic Sourcing Initiative, 7520-01-424-4872, SKILCRAFT, AbilityOne, Blue Ink, Medium Point, DZ, \$10.83

AlphaBasic Ballpoint Pen

Ballpoint pen with a round barrel provides for a comfortable writing instrument. The tough tungsten-carbide point delivers smooth writing without skipping. Pen is lightweight, disposable and economical. White barrel and cap color matches ink.

18-month maximum shelf life (extendable); 25% Postconsumer Material

7520-01-484-5267, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$3.44

Rubberized Ballpoint Pen and Refill

Refillable pen has a long-lasting ink supply and a rubberized barrel for greater writing comfort. Includes a stainless steel tip that will not wear down and a tungsten carbide point that reduces blotting.

For use with ballpoint pen refill 7510-01-357-6836.

18-month maximum shelf life (extendable).

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-357-6841, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$15.13

Rubberized Barrel Stick Pen

Rubberized stick pen has a light-weight barrel designed for easy gripping. Color-coded cap/clip assembly indicates ink color. Non-refillable.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-422-0312, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$12.39

Federal Strategic Sourcing Initiative, 7520-01-422-0318, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$11.17

Traditional Stick Ballpoint Pen

This non-retractable pen dispenses quick-drying, non-fading ink that will not smear. The barrel is white, and the clip cap indicates ink color. Non-refillable.

18-month maximum shelf life (extendable).

7520-01-060-5820, SKILCRAFT, AbilityOne, Black Ink, Fine point, DZ, \$5.47

Federal Strategic Sourcing Initiative, 7520-01-058-9978, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$5.61

Federal Strategic Sourcing Initiative, 7520-01-059-4125, SKILCRAFT, AbilityOne, Red Ink, Medium Point, DZ, \$6.33

Federal Strategic Sourcing Initiative, 7520-01-060-5821, SKILCRAFT, AbilityOne, Red Ink, Fine Point, DZ, \$8.34

Plastic Tip Pen

Plastic stick pen features permanent water resistant ink that won't bleed through paper. Plastic fine point delivers a precise, consistent writing line. Plastic tip allows for a more controlled ink flow, allows user to write or draw more precisely.

18-month maximum shelf life (not extendable); 25% Postconsumer Material

Material Safety Data Sheet

7520-01-645-9515, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$18.84

Ballpoint Pen

Ballpoint pen features an advanced oil-based ink and long-wearing tungsten carbide ball for a soft, fluid comfortable write. Soft rubber triangular grip provides writing comfort and control. Refillable.

Federal Strategic Sourcing Initiative, 7520-01-465-1450, Pilot P1L32001, Black Ink, 0.7 mm Fine Point, DZ, \$8.55

Liquid Impression Porous Point Pen

Liquid Impression marker combines function and style in an attractive, translucent barrel with visible ink supply. Free-flowing, liquid ink provides smooth writing from beginning to end. Tough, plastic tip holds up to extended use. Non-refillable, with non-permanent ink. Four color set includes two black and one each of blue and red.

18-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-519-4369, SKILCRAFT, AbilityOne, Blue, Ultra-Fine Point, DZ, \$30.59

Specialty

Biodegradable Retractable Pen

Push-action pen is made of corn bi-products resin which is both biobased and biodegradable. This permanent ink pen is refillable and features a green barrel with a pocket clip. Plunger and clip color shall indicate the color of the ink.

18-month maximum shelf life (extendable).

7520-01-578-9305, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$11.13

7520-01-578-9304, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$11.13

Biodegradable Rubbergrip Pen

Push-action pen is made of corn bi-products resin which is both biobased and biodegradable. This permanent ink pen is refillable and features a green barrel with a rubber grip and pocket clip. Plunger and clip color indicates the color of the ink.

18-month maximum shelf life (extendable).

7520-01-578-9306, SKILCRAFT, AbilityOne, Black Ink, Fine Point, DZ, \$12.47

Luminator LED Light Pen

The Luminator LED Light pen has a red LED light that illuminates as you write. Pressurized filler writes in extreme weather, including cold and wet, or in flight and zerogravity conditions, built to last with a nonreflective metal barrel that withstands heavy duty use. Refillable pen includes battery and spare battery and ink refill.

12-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 7520-01-661-1669, SKILCRAFT, AbilityOne, Black Ink, 1.0 mm Tip, EA, \$34.94

Four-Color Pen

With a push and a click, you can change the color of the ink to black, blue, green or red.

18-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-453-6287, SKILCRAFT, AbilityOne, Assorted, Medium Point, DZ, \$14.45

Liquid Impression Porous Point Pen

Liquid Impression marker combines function and style in an attractive, translucent barrel with visible ink supply. Free-flowing, liquid ink provides smooth writing from beginning to end. Tough, plastic tip holds up to extended use. Non-refillable, with non-permanent ink. Four color set includes two black and one each of blue and red.

Four color set includes two black and one each of blue and red.

18-month maximum shelf life (extendable); 25% Postconsumer Material

7520-01-519-4364, SKILCRAFT, AbilityOne, Assorted Colors, Extra Fine Point, SE, \$13.35

Federal Strategic Sourcing Initiative, 7520-01-519-4373, SKILCRAFT, AbilityOne, Black, Extra Fine Point, DZ, \$23.49

Federal Strategic Sourcing Initiative, 7520-01-519-4366, SKILCRAFT, AbilityOne, Black, Medium Point, DZ, \$32.66

Vista Gel Secure Pen

This retractable, smooth-flowing gel pen has specially formulated ink that aids in preserving document integrity and security. The ink absorbs into the fabric of the paper and cannot be removed using everyday household chemicals or bleach. Gel ink is acid-free and archival safe. Tinted barrel is transparent enough to monitor the ink supply level. Features Latex-free grip.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-574-5970, SKILCRAFT, AbilityOne, Black, .7mm, PG(contains 3 EA), \$7.99

Federal Strategic Sourcing Initiative, 7520-01-574-5971, SKILCRAFT, AbilityOne, Blue, .7mm, PG(contains 3 EA), \$7.03

Rite in the Rain All-Weather Pen

Navigate web based documents on the internet with ease using Wireless Mouse with micro USB receiver. Enjoy the reliable performance of 2.4 GHz wireless technology in a comfortable, ergonomic soft touch design. This unit is battery operated with standard navigation buttons plus a DPI switch button for cursor speed control and forward and back web navigation buttons located on the side. Uses 2 AAA batteries sold separately.

Pen writes on wet paper, underwater, and/or upside down in temperatures from -30 to 250° F.

Clicker style pen with flat black metal barrel.

7520-01-544-9467, Rite in the Rain 97B, Blue Ink, Fine Point, EA, \$13.03

Bullet-style pen folds up to 3-3/4”.

7520-01-498-2079, Rite in the Rain P/N 96, Black Ink, 0.9 mm Point, EA, \$21.17

Pen is refillable with NSN 7510-01-498-1880, 7510-01-544-9469, and 7510-01-544-9466.

NEW, 7520-01-498-1876, Rite in the Rain P/N 97, Black Ink, 0.9 mm Point, EA, \$13.03

7520-01-693-7348, OD97, Olive Drab Green, 0.9 mm Point, EA, \$13.29

7520-01-693-7347, FDE97, Flat Dark Green, 0.9 mm Point, EA, \$13.29

7520-01-693-7345, OR97, Orange, 0.9 mm Point, EA, \$13.29

Rite in the Rain Pen Refill

Rite in the Rain all-weather products are created specifically for writing field notes in all weather conditions. For use with the Rite in the Rain paper products and accessories. This pen ink refill cartridges is 3 1/2” long. Don't worry about the refill fitting your pen; all Rite in the Rain All-Weather Pens use the same pen refill style. Writes on wet paper, underwater, and/or upside down in temperatures from -30 to 250 degrees F. For use with Rite in the Rain pen NSN 7520-01-498-2079, 7520-01-498-1876 and 7520-01-544-9467.

Writes on wet paper, underwater, and/or upside down in temperatures from -30 to 250 degrees F.

For use with Rite in the Rain pen NSN 7520-01-498-2079, 7520-01-498-1876 & 7520-01-544-9467.

25% Postconsumer Material

7510-01-498-1880, Rite in the Rain P/N 37R, Black Ink, 0.9mm Point, EA, \$5.66

7510-01-544-9469, Rite in the Rain 47R, Blue Ink, 0.9mm Point, EA, \$5.66

7510-01-544-9466, Rite in the Rain 57R, Red Ink, 0.9mm Point, EA, \$5.66

Aviator Pen/Pencil Combo

B3 Aviator multi-function ballpoint pen/mechanical pencil includes: two pen colors and a 0.5mm pencil with screw top and eraser. Features non-reflective black coating on brass plated steel barrel and is FOD and TAA compliant.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-564-9906, SKILCRAFT, AbilityOne, Black/Red Ink, 0.5 mm Medium Point, EA, \$22.43

7520-01-655-9036, SKILCRAFT, AbilityOne, Black/Blue Ink, 0.5 mm Medium Point, EA, \$22.90

Aviator Pen/Pencil Refill Pack

Refill package for the B3 Aviator pen/pencil combo (NSN 7520-01-564-9906, 7520-01-646-1095 and 7520-001-655-9036) includes two each medium point black and red ink ballpoint pen refills, two white erasers and a package of one dozen 0.5mm leads.

18-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7510-01-565-0621, SKILCRAFT, AbilityOne, KT, \$9.10

Security Ballpoint Pen

This non-retractable pen features a 24" chain that attaches to table or desk to prevent loss. Writes smoothly without smearing.

18-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-449-3740, SKILCRAFT, AbilityOne, Black Ink, Medium Point, DZ, \$22.01

This refillable pen is attached to its holder via a coiled cable, preventing the pen from being removed from its fixed location. Pressure-sensitive adhesive keeps the holder in place and will stick to most surfaces.

18-month maximum shelf life (extendable); 25% Postconsumer Material

7520-01-207-4272, Blue Ink, Medium Point, EA, \$5.70

Rubberized barrel chain pen has a grip for writing comfort. Includes an upright holder that swivels 360°, and an adhesive base. A 24" steel-ball chain attaches to the pen and base. Base and barrel match ink color.

For use with refill NSN 7510-00-543-6792, 7510-00-543-6793, 7510-00-754-2688, 7510-00-754-2689 and 7510-00-754-2691.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-463-1990, SKILCRAFT, AbilityOne, Black Ink, Medium Point, EA, \$7.84

Liberty Series Laser-Pen

Combination ball point pen and laser pointer for presentations and other office needs. Laser pointer range extends up to 500 yards. Metal barrel pen with a marbled finish includes three laser batteries inside to operate the laser pointer. Push button operates the laser pointer. Pen is retractable with a twist action and includes one extra blue refill.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-439-3397, SKILCRAFT, AbilityOne, Blue Ink, Fine Point, EA, \$39.12

Correction Pen

This chisel tip correction marker removes permanent lumocolor marks from maps and overlays. Pocket Clip provided. Non-refillable, Non-replaceable.

18-month maximum shelf life (extendable); 25% Postconsumer Material

7520-01-385-5271, Clear, BX(contains 10 EA), \$49.80

Multifunction Defender PressTip pen

The multifunction Defender PressTip pen has a cap that breaks glass up to 8mm thick, and comes with the essential Phillips and flathead screwdriver for quick repairs. The presstip writing mechanism has a distinctive click to open and close and can write upside down and in extreme weather conditions, including cold and wet. Heavy duty metal barrel is made of durable aircraft grade aluminum. Includes one ink refill.

Federal Strategic Sourcing Initiative, 7520-01-661-1668, SKILCRAFT, AbilityOne, Black Ink, 1.0 mm Tip, EA, \$32.37

Multi-Function Pen/Stylus

Specially designed to fit flight suit and military uniform pockets, this medium point, multifunction twist pen comes with black OR red ink, a 0.5mm pencil with eraser and a stylus. Featuring non reflective flat black finish on a brass plated steel barrel, this pen is FOD and TAA compliant. Provides a 2,000 foot write-out per ink color and 10,000 swipes with the stylus.

18-month maximum shelf life (extendable); 25% Postconsumer Material

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-646-1095, SKILCRAFT, AbilityOne, Black or Red Ink, Medium Point, EA, \$25.01

Combo Pen and Highlighter

Pocket highlighter combined with a black ballpoint pen. Pen features a ballpoint, black medium ink. Highlighter has chisel point with fluorescent yellow ink and pocket clip. Non-refillable, non-replaceable.

18-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-484-0020, SKILCRAFT, AbilityOne, Black/Yellow, DZ, \$28.64

Mechanical Pencils and Supplies

Mechanical Pencil

Perfect for drafting, this push-action mechanical pencil has a fixed pipe that minimizes lead movement and breakage. Includes a spring pocket clip, replaceable eraser and four lead refills in the interior storage compartment.

25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-652-2436, SKILCRAFT, AbilityOne, Burgundy Barrel, Black Lead, 0.5 mm Fine Point, DZ, \$23.58

Federal Strategic Sourcing Initiative, 7520-01-652-2439, SKILCRAFT, AbilityOne, Blue Barrel, Black Lead, 0.7 mm Medium Point, DZ, \$18.69

Side-action mechanical pencil has a retractable plastic sliding sleeve to advance the lead with the touch of a button. The grooved finger rubber grip is an added ergonomic feature for comfort writing. The translucent barrel has an attached pocket clip and features new twist-action eraser retraction mechanism with a replaceable eraser.

For use with replacement lead NSN 7510-01-317-6421.

Federal Strategic Sourcing Initiative, 7520-01-386-1581, SKILCRAFT, AbilityOne, Blue Barrel, Black Lead, 0.5 mm. Fine Point, BX(contains 6 EA), \$20.05

Convenient push-action pencil includes a spring pocket clip and a replaceable eraser. An interior compartment neatly stores lead refills.

Designed for drawing fine lines, pencil has an extended point protector to minimize breakage. Comes with a cap and three H or HB leads.

For use with pencil lead NSN 7510-01-317-6421.

Federal Strategic Sourcing Initiative, 7520-00-590-1878, SKILCRAFT, AbilityOne, Burgundy Barrel, Black Lead, 0.5 mm Fine Point, DZ, \$32.14

Federal Strategic Sourcing Initiative, 7520-01-132-4996, SKILCRAFT, AbilityOne, Burgundy Barrel, Black Lead, 0.7 mm Medium Point, DZ, \$31.87

Pencil comes with four HB leads. (Does not include a point protector or cap.)

Federal Strategic Sourcing Initiative, 7520-00-161-5664, SKILCRAFT, AbilityOne, Black Barrel Black Lead, 0.9 mm. Bold Point Lead, DZ, \$25.30

This pencil's barrel design provides writing comfort while its modern, push-action mechanism advances lead from a chamber that houses three leads. Equipped with a metal pocket clip and a replaceable eraser.

Federal Strategic Sourcing Initiative, 7520-01-347-9581, SKILCRAFT, AbilityOne, Black Barrel, Black Lead, 1.1mm Bold Point Lead, DZ, \$24.34

Rubberized barrel mechanical pencil features an automatic push-action and includes a replaceable eraser., For use with replacement lead NSN 7510-01-317-6421.

65% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-424-4864, SKILCRAFT, AbilityOne, Black Barrel, 0.5mm Fine Point, DZ, \$26.39

For use with replacement lead NSN 7510-01-317-6422.

65% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7520-01-424-4874, SKILCRAFT, AbilityOne, Blue Barrel, 0.7mm Medium Point, DZ, \$29.90

Refillable Absolute III mechanical pencil has a cushioned grip section that reduces writing fatigue. The pencil is a push-action lead with a twist-action eraser. Features a burgundy rubber grip barrel. Includes a pocket clip and an automatic operating mechanism

Federal Strategic Sourcing Initiative, 7520-01-451-2267, SKILCRAFT, AbilityOne, Burgundy Barrel, 0.5mm, BX(contains 6 EA), \$21.06

Federal Strategic Sourcing Initiative, 7520-01-451-2268, SKILCRAFT, AbilityOne, Blue Barrel, 0.7mm, BX(contains 6 EA), \$20.69

Prism mechanical pencil features a translucent barrel, latex-free rubber grip and fixed sleeve. Automatic operating mechanism. Includes two each smoke, green, blue, purple, turquoise, and red.

Includes two each smoke, green, blue, purple, turquoise, and red.

25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-565-4870, SKILCRAFT, AbilityOne, Assorted, 0.5mm Fine point., DZ, \$15.71

Federal Strategic Sourcing Initiative, 7520-01-565-4871, SKILCRAFT, AbilityOne, Assorted, 0.7mm Medium point., DZ, \$16.62

Precision 305 mechanical pencil with rubber grip features metal construction and is lightweight and durable. Black rubberized grip is latex-free. Features sliding sleeve to protect lead. Item is being provided six pencils to a package. Price reflects the actual quantity being sent. Automatic lead dispenser operating mechanism.

7520-01-565-4873, SKILCRAFT, AbilityOne, Silver with Black Accents, 0.7mm, PG(contains 6 EA), \$11.32

Item is being provided six pencils to a package. Price reflects the actual quantity being sent.

7520-01-565-4875, SKILCRAFT, AbilityOne, Silver with Black Accents, 0.5mm Fine point., PG(contains 6 EA), \$10.99

SlickerClicker side advanced, mechanical pencil with sliding sleeve includes a rubber grip for added writing comfort. Both grip and eraser are made of latex-free rubber. The low profile side button allows user to advance the lead without changing writing position. Features sliding sleeve to protect lead.

7520-01-565-4874, SKILCRAFT, AbilityOne, Translucent Blue, 0.7mm, DZ, \$28.82

Federal Strategic Sourcing Initiative, 7520-01-565-4872, SKILCRAFT, AbilityOne, Translucent Black, 0.5mm Fine point., DZ, \$33.77

Bio-Write Mechanical Pencil

Bio-write mechanical pencil uses black lead. Features green body with black rubber grip and black clip end. The mechanical pencil is biobased and biodegradable. Includes a long twist-up replaceable latex and phthalate free eraser. Biodegradable barrel and nose clip. Hardness: medium firm (HB).

For use with replacement lead NSN 7510-01-317-6421.

20% Postconsumer Material

7520-01-587-3933, Black, 0.5 mm, DZ, \$37.28

Dual-Action Mechanical Pencil

Convenient push-top action advances lead, and a sliding sleeve retracts to protect pocket. Twist-top raises and lowers the extra-large (1-1/2") eraser on this pencil. Comes with four lead refills. Shock-absorbing cushion-point mechanism reduces lead breakage. Hardness: HB

For use with replacement eraser NSN 7510-01-317-4222 and replacement lead NSN 7510-01-317-6421.

45% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-317-6428, SKILCRAFT, AbilityOne, Burgundy barrel, Black Lead., 0.5 mm Fine Point, DZ, \$38.40

Federal Strategic Sourcing Initiative, 7520-01-317-6140, SKILCRAFT, AbilityOne, Black barrel, Black Lead., 0.7 mm Medium Point, DZ, \$37.54

Double-Ended Mechanical Pencil

This double-ended pencil with spring pocket clip includes two colored wax leads. Black barrel twists to expel lead; ends are color-coded to indicate lead inside. Accepts 1-3/8"-long leads that are specifically designed for use with double-ended pencils.

Uses replacement lead red: 7510-00-285-5855.

7520-00-285-5822, Black and Red Lead Color, 0.9 mm, DZ, \$172.73

Stainless Elite Mechanical Pencil

A sleek, streamlined mechanical pencil with a stainless steel top barrel and metal eraser cover for a professional look, with storage for extra lead in the barrel. Push action, chrome plated pocket clip.

36-month maximum shelf life (not extendable).

7520-01-655-8504, SKILCRAFT, AbilityOne, Blue Barrel, 0.7mm, PG(contains 3 EA), \$12.94

7520-01-655-8004, SKILCRAFT, AbilityOne, Black Barrel, 0.5 mm, PG(contains 3 EA), \$12.94

Wide-Body Mechanical Pencil

Refillable ergonomic mechanical pencil has a wide body and thick-grip cushion that are engineered for comfortable writing. Features a rubber grip barrel, pocket clip, protective removable eraser cap

25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-451-2271, SKILCRAFT, AbilityOne, Gray Barrel, 0.5mm Fine Point, BX(contains 6 EA), \$25.89

Federal Strategic Sourcing Initiative, 7520-01-451-2270, SKILCRAFT, AbilityOne, Blue Barrel, 0.7mm Medium Point, BX(contains 6 EA), \$13.58

Mechanical Pencil Lead

The polymer resin-based formula of this replacement lead provides a consistently stronger, darker and smoother line. Hardness: HB

Fits any 0.5 mm Skillcraft mechanical pencil and most other brands.

7510-01-317-6421, SKILCRAFT, AbilityOne, Black Lead Color, 0.5mm Fine Point, TU(contains 12 EA), \$1.01

Fits any 0.7 mm Skillcraft mechanical pencil and most other brands.

7510-01-317-6422, SKILCRAFT, AbilityOne, Black Lead Color, 0.7mm Medium Point, TU(contains 12 EA), \$1.03

Mechanical Pencil Eraser

Non-abrasive, non-smearing replacement eraser conveniently twists down into a push-button pencil. For use with Mechanical Pencils 7520-01-317-6428, 7520-01-317-6140, 7520-01-451-2267 and 7520-01-451-2268.

For use with Mechanical Pencils 7520-01-317-6428, 7520-01-317-6140, 7520-01-451-2267 and 7520-01-451-2268.

36-month maximum shelf life (extendable); 25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7510-01-317-4222, SKILCRAFT, AbilityOne, White, Length: 1-1/2", BX(contains 4 EA), \$5.66

Wood and Wax Pencils

Wood Pencil

Hexagonal pencil has extra-thin lead for fine-line writing. Retains point longer and requires fewer sharpenings than ordinary pencils and includes an eraser.

Hardness: No. 2 (Medium).

Federal Strategic Sourcing Initiative, 7510-00-281-5234, SKILCRAFT, AbilityOne, Yellow, DZ, \$3.35

Colored Pencil Set

Set contains 12 pencils, one of each vermilion, brown, terra cotta, tuscan red, blue, carmine red, green, yellow, black, purple, light blue and light green. Each pencil has an eraser tip. Smear-proof, non-refillable, non-retractable. Used for drawing.

7510-01-060-5896, Assorted, Lead: Thin, SE, \$9.30

Mechanical Wax Pencil

Automatic, mechanical, twist action wax pencil is ideal for writing on photographs, cellophane, china, glass, plastics, rubber, wood, metal. Has a spring pocket clip. Long lasting and extra thin.

7520-00-223-6676, SKILCRAFT, AbilityOne, Yellow Barrel, Yellow Lead, 0.12" Diameter, Medium-hard, DZ, \$15.88

Federal Strategic Sourcing Initiative, 7520-00-268-9913, SKILCRAFT, AbilityOne, Orange Barrel, Orange Lead, 0.12" Diameter, Medium-hard, DZ, \$20.93

Federal Strategic Sourcing Initiative, 7520-00-223-6675, SKILCRAFT, AbilityOne, Red Barrel, Red Lead, 0.12" Diameter, Medium-hard, DZ, \$17.28

Federal Strategic Sourcing Initiative, 7520-00-223-6672, SKILCRAFT, AbilityOne, Black Barrel, Black Lead, 0.12" Diameter, Medium-hard, DZ, \$17.23

Wax Pencil

Spiral paper-wrapped wax marking pencil writes easily on china, glass, photographs, cellophane and other smooth, glazed surfaces.

7510-00-240-1526, Black, 6-1/4" L, Extra Thick, DZ, \$7.40

Pencil Accessories

Pocket-Size Pencil Sharpener

Pocket-size drafting sharpener has two adjustable blades for shaving the wood of a pencil or for sharpening the lead to a tapered point. Accommodates large diameter charcoal and sketching pencils.

7520-00-227-1451, EA, \$2.15

Pencil Sharpener

Heavy-duty commercial grade, thermally protected, electric sharpener features precision steel cutters that sharpen to a perfect point. Features a removable shaving tray. Sharpens all wood, composite and recycled pencils. Powered by 115 V, 60 Hz and 2 Amps.

7520-01-481-5368, 8-1/4"D x 4"W x 6"H, EA, \$36.77

Heavy-duty model electric sharpener is more powerful than a personal sharpener, but smaller than a commercial model. Auto stop feature prevents over-sharpening. Outer case is made of hardened steel. See through shaving receptacle is made of engineering grade styrene homopolymer plastic. Helical blades are made of heat treated carbon steel. Powered by 115 V and 60 Hz.

Federal Strategic Sourcing Initiative, 7520-01-241-4229, SKILCRAFT, AbilityOne, Black/Silver, 3 3/4 W x 5 3/4 L x 6 1/2" H, EA, \$48.39

Creates a perfectly tapered medium point every time. Manually operated sharpener with dual, steel cutters and a crank handle has an adjustable plate that accepts pencils ranging from 1/4 to 7/16" in diameter with 8 pencil dial holes. Sharpener is desk or wall mounted with included screws. Metal or plastic container catches shavings.

7520-00-162-6178, EA, \$21.34

Sharpen pencils quickly and quietly with this heavy-duty, UL-listed electric pencil sharpener with carbon steel helical blades. Features include a thermal cutoff, automatic stop to prevent over-sharpening, translucent shavings receptacle with safety lock, and a storage area for pencil organization. TAA compliant.

7520-01-680-7013, AbilityOne, Gray/Green, EA, \$36.82

Automatic sharpener operates on four AA batteries (not included).

7520-01-316-4446, Black, 1-3/4"L x 5-1/4"W x 3-1/4"H, EA, \$26.20

Electric pencil sharpener is made from plastic and has carbon steel blades. Accommodates six different pencil diameters. Pencil entry is horizontal. Features include: auto stop, translucent safety lock shavings receptacle, and thermal overload safety mechanism. Commercial grade.

7520-01-680-7012, AbilityOne, Grey and Green, EA, \$48.21

Eraser

Rubber, smudge-resistant and latex-free standard rectangular erasers with beveled ends. Non-abrasive.

7510-00-223-7046, 2 3/4" L x 3/4" W x 1/4" TH, DZ, \$7.97

Highlighters (Individual)

Highlighter

Highlighter, Gel, Fluorescent Yellow Ink; Unit of issue is Dz.

Gel highlighters for highlighting, writing, doodling, and drawing. Bright, see-through fluorescent, non-toxic ink. Cap can be left off for up to a week without drying out.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

NEW, 7520-01-691-9222, AbilityOne, DZ, \$14.10

Combo Pen and Highlighter

This combo unit features a chisel tip, twist type retractable ballpoint pen on one end and fluorescent yellow chisel point highlighter on the opposite end.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-620-5405, SKILCRAFT, AbilityOne, Black/Yellow, Medium Point, PG(contains 2 EA), \$3.93

Federal Strategic Sourcing Initiative, 7520-01-620-6416, SKILCRAFT, AbilityOne, Black/Yellow, Medium Point, DZ, \$22.78

Fluorescent Highlighter

This high-quality flat highlighter features a chisel tip, an ergonomically designed barrel, and fluorescent ink. Each highlighter includes a handy pocket clip. Conforms with ASTM D-4236.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-351-9146, SKILCRAFT, AbilityOne, Pink, DZ, \$13.98

Federal Strategic Sourcing Initiative, 7520-01-201-7791, SKILCRAFT, AbilityOne, Yellow, DZ, \$14.41

Tube type free ink highlighter features a chisel tip, and a cap with a plastic tip. The non-replaceable feeder rod feeds ink from ink tank to the writing tip. The ink tank holds free-flowing liquid, a water-based pigmented fluorescent ink. The end plug and cap indicate ink color and the barrel has a clear window to observe ink supply. Non-refillable.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-461-2661, SKILCRAFT, AbilityOne, Blue, BX(contains 6 EA), \$12.70

Federal Strategic Sourcing Initiative, 7520-01-461-2662, SKILCRAFT, AbilityOne, Yellow, BX(contains 6 EA), \$10.77

Federal Strategic Sourcing Initiative, 7520-01-461-2667, SKILCRAFT, AbilityOne, Pink, BX(contains 6 EA), \$13.11

Federal Strategic Sourcing Initiative, 7520-01-461-2666, SKILCRAFT, AbilityOne, Green, BX(contains 6 EA), \$13.11

Multi-purpose chisel tip neon highlighter features visible ink supply and free-flow ink delivery system. Features include non-roll, flat body design and visible ink supply with free-flowing ink delivery system for improved performance. Liquid ink delivers longer write-out. Push tip to restart ink flow if left uncapped. Conforms with ASTM D-4236.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-553-8143, SKILCRAFT, AbilityOne, Yellow, DZ, \$14.89

Line Liter Highlighter (Rubberized Barrel)

Pocket highlighter has rubberized barrel for ergonomic writing comfort. Chisel point with fluorescent highlighting ink. Ink color matches pen highlights. Writes 300 meters.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-451-2272, SKILCRAFT, AbilityOne, Yellow, DZ, \$9.99

Chisel Tip Highlighter

These fluorescent, tube-type highlighters include durable chisel tips and can be used in various positions for fine, medium and bold strokes. The quick-drying transparent ink vividly highlights important text in books and on paper. These jumbo-size highlighting pens are premium-quality and ACMI approved non-toxic.

ACMI approved non-toxic, BPA free, and quick drying.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-00-904-4476, SKILCRAFT, AbilityOne, Yellow, DZ, \$9.78

Federal Strategic Sourcing Initiative, 7520-01-166-0682, SKILCRAFT, AbilityOne, Green, DZ, \$10.75

Federal Strategic Sourcing Initiative, 7520-01-383-7924, SKILCRAFT, AbilityOne, Orange, DZ, \$14.37

Federal Strategic Sourcing Initiative, 7520-00-460-7598, SKILCRAFT, AbilityOne, Pink, DZ, \$10.55

Federal Strategic Sourcing Initiative, 7520-01-159-1585, SKILCRAFT, AbilityOne, Blue, DZ, \$14.37

Retractable Chisel Tip Highlighter

Retractable highlighter with an easy single handed operation eliminates the need for capping and re-capping while in use. Quick drying ink will not smear or leak. Bright neon colored to add emphasis to materials. Tip is made of durable polyester that holds its shape during marker use. Chisel tip designed to allow broad, medium and fine point highlighting. Features pocket clip.

50% pre-consumer recycled plastic for marker barrels and plungers

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-554-8210, SKILCRAFT, AbilityOne, Yellow, DZ, \$21.62

Highlighter Sets

Fluorescent Highlighter Set

These fluorescent, tube-type highlighters include durable chisel tips and can be used in various positions for fine, medium and bold strokes. The quick-drying transparent ink vividly highlights important text. These jumbo-sized highlighting pens are premium quality and ACMI approved non-toxic.

Set of four highlighters includes one of each blue, green, yellow and pink.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-383-7938, SKILCRAFT, AbilityOne, Assorted, PG(contains 4 EA), \$5.73

Set of six highlighters includes one each of yellow, green, orange, purple, pink and blue.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-383-7943, SKILCRAFT, AbilityOne, Assorted, PG(contains 6 EA), \$6.99

A window in the barrel reveals the long-lasting, pigmented fluorescent ink supply. These highlighters feature a chisel tip for precise highlighting and a sturdy clip for secure hold.

Set of three highlighters includes one each of blue, pink and yellow.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-383-7959, SKILCRAFT, AbilityOne, Assorted, SE, \$4.21

SKILCRAFT pocket highlighter. Rubberized barrel for ergonomic writing comfort. Chisel point with fluorescent highlighting ink. Ink color matches pen highlights. Writes 300 meters. The six-pack includes three yellow and one each of green, blue, and pink pocket highlighters.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-484-0013, SKILCRAFT, AbilityOne, Assorted, PG(contains 6 EA), \$9.07

go-brite Liquid Highlighter Set

Chisel tip fluorescent highlighters feature visible ink supply window in barrel.

Set of four highlighters includes one each of pink, green, yellow and blue.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-461-3779, SKILCRAFT, AbilityOne, Assorted, SE, \$7.05

Flat Liquid Ink Highlighter

These high-quality highlighters feature a chisel tip, an ergonomically designed barrel, and fluorescent ink in assorted eye-catching colors. The multi-purpose ink even works on faxes. Each highlighter includes a handy pocket clip. Conforms to ASTM D-4236.

Set of four highlighters includes one of each orange, green, pink and yellow. (NFES #1039).

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-238-1728, SKILCRAFT, AbilityOne, Assorted, SE, \$6.21

Liquid Ink Highlighter (Flat Tip)

These high-quality highlighters feature a chisel tip, an ergonomically designed barrel, and fluorescent ink in assorted eye-catching colors. The multi-purpose ink even works on faxes. Each highlighter includes a handy pocket clip. Conforms to ASTM D-4236.

Set of five highlighters includes one each of orange, green, pink, yellow and blue.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-463-6556, SKILCRAFT, AbilityOne, Assorted, SE, \$7.09

Multi-purpose chisel tip neon highlighter features visible ink supply and free-flow ink delivery system. Features include non-roll, flat body design and visible ink supply with free-flowing ink delivery system for improved performance. Liquid ink delivers longer write-out. Push tip to restart ink flow if left uncapped. Conforms with ASTM D-4236.

Five color set includes one each of green, yellow, pink, blue and orange.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-553-8141, SKILCRAFT, AbilityOne, Assorted, SE, \$9.69

Retractable Chisel Tip Highlighter

Retractable highlighter with an easy single handed operation eliminates the need for capping and re-capping while in use. Quick drying ink will not smear or leak. Bright neon colored to add emphasis to materials. Tip is made of durable polyester that holds its shape during marker use. Chisel tip designed to allow broad, medium and fine point highlighting. Features pocket clip.

Five color set includes one each of green, pink, orange, blue and yellow.

18-month maximum shelf life (extendable).

Comprehensive Procurement Guideline Compliant

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-554-8211, SKILCRAFT, AbilityOne, Assorted, SE, \$7.98

Set of ten includes three yellow, two each of green, blue and pink, and one of orange.

18-month maximum shelf life (extendable).

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-554-8208, SKILCRAFT, AbilityOne, Assorted, SE, \$14.61

Permanent Markers

Felt-Tip Marker

This redesigned marker features a high-capacity "XPE" reservoir for consistent writing performance in excess of 2,000 feet. The new acrylic nib is an improved design, with a shoulder to reduce "mush out". The improved markers also offer brighter and more vibrant inks. These markers feature sleek barrels and caps, in new stylish metallic colors, signifying ink color and includes a metal pocket clip.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-00-904-1265, SKILCRAFT, AbilityOne, Black, Fine Point, DZ, \$12.98

7520-00-904-1266, SKILCRAFT, AbilityOne, Red, Fine Point, DZ, \$12.95

Permanent Marker

This permanent, fine-tip marker is designed for writing, drawing, lettering and sketching on porous and non-porous surfaces. Tip stays firm and sharp. Plastic tapered barrels are gray. Caps come with a pocket clip and match ink color.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-511-4319, SKILCRAFT, AbilityOne, Blue, Fine point, DZ, \$11.82

Federal Strategic Sourcing Initiative, 7520-00-043-3408, SKILCRAFT, AbilityOne, Black, Fine Point, DZ, \$12.99

7520-01-511-4324, SKILCRAFT, AbilityOne, Red, Fine point, DZ, \$11.82

Permanent Marker (Chisel Tip)

This jumbo-size, permanent, tube-type marker features a durable chisel tip and can be used in various positions for fine, medium or wide strokes. The waterproof, quick-drying ink is perfect for use on porous and non-porous surfaces. This all-purpose marker is premium-quality and ACMI approved nontoxic.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-00-973-1061, SKILCRAFT, AbilityOne, Green, DZ, \$12.56

Federal Strategic Sourcing Initiative, 7520-00-973-1059, SKILCRAFT, AbilityOne, Black, DZ, \$9.55

7520-00-973-1060, SKILCRAFT, AbilityOne, Blue, DZ, \$9.94

7520-00-973-1062, SKILCRAFT, AbilityOne, Red, DZ, \$9.94

Permanent Marker (Bullet Tip)

All-purpose, jumbo permanent tube-type markers are waterproof and feature durable bullet-tip that makes a uniform line. Quick drying premium ink is perfect for use on porous and non-porous surfaces. Premium quality and ACMI approved non-toxic.

ACMI approved non-toxic, BPA free, and quick drying.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-424-4883, SKILCRAFT, AbilityOne, Black, DZ, \$11.67

Permanent Marker Set (Chisel Tip)

This jumbo-size, permanent, tube-type marker features a durable chisel tip and can be used in various positions for fine, medium or wide strokes. The waterproof, quick-drying ink is perfect for use on porous and non-porous surfaces. This all-purpose marker is premium-quality and ACMI approved nontoxic.

Set of three markers includes one of each black, blue and red.

(NFES #0768).

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-00-558-1501, SKILCRAFT, AbilityOne, Assorted, SE, \$2.77

Metallic Marker

Metallic permanent marker features silver ink for writing on dark surfaces such as wood, plastic, metal, coated paper. This fine point marker dries fast, resists water, stays permanently even on rough surfaces.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-504-8140, Silver, Fine Point, DZ, \$16.14

Permanent Impression Marker

Permanent impression marker is perfect for writing, drawing, or lettering on almost any surface. Features durable porous tip, fade and water-resistant ink that will not smear. Stylish barrel features a rubber grip and pocket clip which indicates color of ink.

18-month maximum shelf life (extendable).

Comprehensive Procurement Guideline Compliant

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-520-3153, SKILCRAFT, AbilityOne, Black, Ultra-Fine Point, DZ, \$15.25

Federal Strategic Sourcing Initiative, 7520-01-520-3889, SKILCRAFT, AbilityOne, Red, Ultra-Fine Point, DZ, \$19.79

Federal Strategic Sourcing Initiative, 7520-01-519-4378, SKILCRAFT, AbilityOne, Blue, Fine Point, DZ, \$21.59

Federal Strategic Sourcing Initiative, 7520-01-519-4372, SKILCRAFT, AbilityOne, Black, Fine Point, DZ, \$15.10

Four color set includes one each of black, blue, red and green.

Ergonomic Product; 18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-520-3888, SKILCRAFT, AbilityOne, Assort, Ultra-Fine Point, SE, \$9.32

Set of four markers includes one each green, black, red and blue.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-519-4380, SKILCRAFT, AbilityOne, Assorted, Fine Point, SE, \$6.28

7520-01-520-3887, SKILCRAFT, AbilityOne, Blue, Ultra-Fine Point, DZ, \$13.95

Red, Fine Point.

Ergonomic Product; 18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-519-4374, SKILCRAFT, AbilityOne, Red, Fine Point, DZ, \$13.95

Retractable Permanent Marker

Retractable marker with an easy single handed operation eliminates the need for capping and re-capping while in use. Low odor, non-toxic premium ink dries quickly and will not smear or leak. Marks on wood, glass, plastic, metal, porous surfaces and more. Tip is made of durable polyester that holds its shape. Includes handy pocket clip. 18-month maximum shelf life (extendable).

Fine point produces clear precise lines.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-555-0296, AbilityOne, Black, Fine Tip, PG(contains 4 EA), \$5.40

Chisel tip allows broad, medium and fine point marking.

Material Safety Data Sheet

7520-01-555-0297, AbilityOne, Black, Chisel Tip, PG(contains 4 EA), \$5.69

Super Sharpie Permanent Markers

“Super Sharpie” Permanent Marker - fast drying, water-resistant ink. Durable point writes on almost any surface - AP Certified nontoxic. Super large ink supply. Classic Sharpie tip marks fine, bold lines up to 0.4mm wide

Black Ink

18-month maximum shelf life (extendable).

Material Safety Data Sheet

NEW, Federal Strategic Sourcing Initiative, 7520-01-536-9244, Sanford SAN33001, Black, DZ, \$16.86

Lumocolor Marker Set

Non-Permanent visual aid markers are water-based. Perfect for writing on most surfaces; may be removed from glossy surfaces such as whiteboards using a damp cloth or eraser. Designed with pen style and fiber tip nib.

4-pack, fine point, assorted colors

Green, Blue, Red and Black.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-507-6958, Assorted, SE, \$5.76

Permanent visual aid markers are alcohol based and perfect for writing on most surfaces. Quick-drying inks remain on the surface, are smudge proof, waterproof, and durable. Designed with a pen style barrel and fiber tip nib.

Set of eight markers includes one of each of blue, black, green, red, brown, yellow, orange and violet.

Federal Strategic Sourcing Initiative,

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-507-6972, Assorted, Fine Point, SE, \$8.14

Federal Strategic Sourcing Initiative, 7520-01-507-6974, Assorted, Medium Point, SE, \$14.50

Lumocolor Marker

Permanent visual aid markers are alcohol based and perfect for writing on most surfaces. Quick-drying inks remain on the surface, are smudge proof, waterproof, and durable. Designed with a pen style barrel and fiber tip nib.

6 Assorted colors: Orange, Red, Blue, Green, Brown, and Black.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-507-6969, SKILCRAFT/STAEDTLER 7520-00-NIB-1637, Assorted, SE, \$10.75

Non-Permanent visual aid markers are water-based. Perfect for writing on most surfaces; may be removed from glossy surfaces such as whiteboards using a damp cloth or eraser. Designed with pen style and fiber tip nib.

8 Assorted colors: Black, Red, Blue, Green, Yellow, Orange, Violet, and Brown

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-507-6965, SKILCRAFT/STAEDTLER 7520-00-NIB-1582, Assorted, SE, \$7.46

8-pack, fine point, assorted colors

Yellow, Red, Blue, Orange, Green, Violet, Brown and Black.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-507-6963, SKILCRAFT/STAEDTLER 7520-00-NIB-1636, Assorted, PG(contains 8 EA), \$21.03

Uni-Paint Marker

Quick-drying oil-based paint comes in a pen-type marker for maximum neatness and control. Marks both opaque and glossy. For lettering, color coding, marking and touch-ups on almost any surface: metal desks, filing cabinets, automobiles, appliances, ironwork, wood, glass, paper, plastic and other materials.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4159, SKILCRAFT, AbilityOne, White, Fine Point, DZ, \$30.93

Paint Marker

This paint marker is ideal for machine shops, tool rooms, motor pools, fabricators, QC inspectors and welders. Can be used for decorative, professional and industrial applications. Works on variety of surfaces (indoor/outdoor) including metal, glass, wood, rubber and plastic. Using oil-based paint that resists water, sunlight, rough handling and various chemicals; highly visible and vibrant opaque colors make long lasting crisp lines or bold marks. A bullet style fiber tip (nib) is replaceable which extends the useful life of the marker. Featuring a rubber non-slip ergonomic cushion grip, durable plastic clip and color-coded cap and barrel for comfort and ease of use.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-588-9100, SKILCRAFT, AbilityOne, Red, Medium Line, PG(contains 6 EA), \$15.56

7520-01-588-9097, SKILCRAFT, AbilityOne, Yellow, Medium Line, PG(contains 6 EA), \$15.56

7520-01-588-9098, SKILCRAFT, AbilityOne, Blue, Medium Line, PG(contains 6 EA), \$15.56

Federal Strategic Sourcing Initiative, 7520-01-588-9099, SKILCRAFT, AbilityOne, Black, Medium Line, PG(contains 6 EA), \$19.25

Federal Strategic Sourcing Initiative, 7520-01-588-9101, SKILCRAFT, AbilityOne, Green, Medium Line, PG(contains 6 EA), \$23.53

Federal Strategic Sourcing Initiative, 7520-01-588-9102, SKILCRAFT, AbilityOne, White, Medium Line, PG(contains 6 EA), \$19.44

Specialty Markers

Felt-Tip Marker

This redesigned marker features a high-capacity “XPE” reservoir for consistent writing performance in excess of 2,000 feet. The new acrylic nib is an improved design, with a shoulder to reduce “mush out”. The improved markers also offer brighter and more vibrant inks. These markers feature sleek barrels and caps, in new stylish metallic colors, signifying ink color and includes a metal pocket clip.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-00-904-1268, SKILCRAFT, AbilityOne, Blue, Fine Point, DZ, \$13.00

Uni-Paint Marker

Quick-drying oil-based paint comes in a pen-type marker for maximum neatness and control. Marks both opaque and glossy. For lettering, color coding, marking and touch-ups on almost any surface: metal desks, filing cabinets, automobiles, appliances, ironwork, wood, glass, paper, plastic and other materials.

Six marker set includes one of each red, yellow, white, green, blue and black.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-465-9889, Assorted, Fine Point, SE, \$18.47

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4167, SKILCRAFT, AbilityOne, Assorted, Medium Point, SE, \$18.00

12 marker set includes one each pink, brown, orange, gold, violet, silver, red, black, green, blue, yellow and white.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4168, SKILCRAFT, AbilityOne, Assorted, Medium Point, SE, \$38.94

Chalk

Dustless, non-toxic chalk makes a neater presentation than standard chalk.

Made of 85% calcium carbonate.

7510-00-223-6706, White, 3-1/8”L x 3/8”D, GR, \$8.76

Marking Crayon Assortment

Paper-wrapped, wax-based crayon assortment includes a rainbow of colors: black, blue, brown, green, orange, red, violet and yellow.

7510-00-285-1728, 5/16 x 3-1/2”, AT, \$1.13

Marking Crayon

Rectangular soapstone/steatite crayon is ideal for marking on bare or any painted metals, fabrics, wood or ceramic surface.

Material Safety Data Sheet

7510-00-223-6708, White, 1/2” wide, 5” long, 3/16” thick, GR, \$55.66

Tape and Dispensers

Tape with Dispenser

Kit contains one black, weighted, contemporary tape dispenser which accommodates 1" core roles with an outside diameter of 2-1/2". Also includes ten rolls of tape; made from quality 3M materials that are virtually invisible when applied.

Features a 1" core.

Colorless; matte finish.

Federal Strategic Sourcing Initiative, 7510-01-580-6224, SKILCRAFT , AbilityOne, Transparent, 3/4" W x 1,000 "L, KT, \$26.27

Multi-purpose tape comes in a refillable hand-held dispenser. Refill with 1" core tapes. Surface can be written on by pen, pencil or marker.

Glossy finish; colorless.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7520-01-516-7576, SKILCRAFT , AbilityOne, Transparent, 3/4" x 36 yds., EA, \$3.59

Transparent, matte finish.

12-month maximum shelf life (extendable).

7520-01-516-7575, SKILCRAFT , AbilityOne, Transparent, 3/4" x 36 yds, EA, \$3.04

Tape is virtually invisible when applied. Ideal for mending documents, maps, charts and blueprints.

Features a 1" core. Cutting dispenser included.

Colorless; matte finish.

24-month maximum shelf life (extendable).

7510-00-082-2521, Transparent, 1/2" W x 450" L, DZ, \$48.89

7510-00-082-2520, Transparent, 300" L x 3/4" W, DZ, \$18.29

This tape is used for temporary mending, attaching, sealing and for protecting labels. Made of cellophane or similar materials.

Features a 1" core. Cutting dispenser included.

Glossy finish; colorless.

18-month maximum shelf life (extendable).

7510-00-551-9822, Transparent, Width: 1/2", RO(contains 500 IN), \$1.97

7510-00-551-9819, Transparent, Width: 3/4", RO(contains 500 IN), \$2.62

Tape Dispenser

Manually operated, hand held, plastic tape dispenser dispenses cellulose or plastic acetate tape up to 1" wide with 3" diameter core and outside diameter of 5". Has a weighted, rubber base to protect work surface. Serrated cutting edge.

Federal Strategic Sourcing Initiative, 7520-00-240-2417, SKILCRAFT , AbilityOne, Gray, EA, \$21.86

Contemporary-style plastic desk tape dispenser accommodates a 36-yard roll of tape up to 3/4" wide with an outside diameter of 2-1/2". The drum fits a roll with a 1" diameter core. Rubber base prevents marring. Serrated cutting edge is guarded for safe handling.

Federal Strategic Sourcing Initiative, 7520-00-240-2411, SKILCRAFT , AbilityOne, Black, EA, \$5.18

Sturdy dispenser with nonslip feet is ideal for use in a mail room or shipping department. Holds a 72-yard roll of cellulose tape or a 60-yard roll of plastic-backed sealing tape. Outside tape diameter can be up to 5". Accommodates rolls with a 3" core. Serrated tear-off cutting edge is guarded for user protection. Can be used for single or multiple rolls of tape.

7520-00-634-6724, SKILCRAFT , AbilityOne, Up to 3"W tape., EA, \$37.98

Plastic, handheld tape dispenser accommodates a 36-yard roll of tape up to 3/4" wide with a 1" diameter core. Two mated halves separate to insert tape roll. Serrated cutting edge is guarded for safe handling.

Federal Strategic Sourcing Initiative, 7520-00-240-2408, SKILCRAFT , AbilityOne, PG(contains 12 EA), \$15.83

Transparent Tape

Tape is virtually invisible when applied. Ideal for mending documents, maps, charts and blueprints.

Features a 1" core without dispenser. Surface can be written on by pen, pencil or marker.

Colorless; matte finish.

24-month maximum shelf life (extendable).

7510-00-551-9825, Transparent, Width: 3/4", RO(contains 36 YD), \$2.93

7510-00-813-4952, Transparent, Width: 1/2", RO(contains 36 YD), \$1.85

Features a 3" core without dispenser.

Colorless; matte finish.

12-month maximum shelf life (extendable).

7510-00-551-9824, Transparent, Width: 3/4", RO(contains 72 YD), \$6.28

7510-00-551-9823, Transparent, Width: 1", RO(contains 72 YD), \$11.59

Self-stick adhesive holds securely, yet can be removed or repositioned.

Features a 3" core.

24-month maximum shelf life (extendable).

7510-01-203-4663, Transparent, Width: 3/4", RO(contains 2592 IN), \$9.27

This tape features a glossy finish and is superb for temporary mending, attaching, and sealing. Also great for protecting labels. Made of cellophane or similar materials.

Features a 1" core without dispenser.

18-month maximum shelf life (extendable).

7510-00-551-9818, Transparent, Width: 3/4", RO(contains 36 YD), \$4.44

Features a 3" core without dispenser.

18-month maximum shelf life (extendable).

7510-00-551-9817, Transparent, Width: 1", RO(contains 72 YD), \$7.01

7510-00-234-7960, Transparent, Width: 2", RO(contains 72 YD), \$8.71

Made using quality 3M materials this tape is virtually invisible when applied. Ideal for mending documents, maps, charts and blueprints.

Features a 1" core without dispenser. Surface can be written on by pen, pencil or marker.

Glossy finish; colorless.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-580-6225, SKILCRAFT , AbilityOne, Transparent, 3/4 x 1,000", PG(contains 6 EA), \$15.60

Colorless; matte finish.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-580-6226, SKILCRAFT , AbilityOne, Transparent, 3/4 x 1,000", PG(contains 6 EA), \$10.43

Double-Sided Tape

Coated with adhesive on both sides, this tape is used for mounting photographs, drawings and clippings or for holding premiums and samples. Has a 3" core.

Transparent, film-based tape does not include a liner. Aging, moisture and UV resistant.

24-month maximum shelf life (extendable).

7510-00-550-7814, Natural, Width: 1", RO(contains 108 FT), \$20.65

Colorless, double-sided tape with adhesive on both sides is excellent for attaching

two sheets of paper, mounting photos, artwork and more with no mess. Tape won't show when applied and won't dry out or yellow. Comes in a durable, refillable plastic dispenser.

Removable, mounting post tape, 3 mm thick

24-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 7510-01-565-9541, SKILCRAFT, AbilityOne, Clear, 3/4 x 150", RO(contains 150 IN), \$7.38

Clear, colorless, repositionable double sided tape.

3" Core.

Includes liner.

18-month maximum shelf life (extendable).

7510-00-935-5848, Natural, Width: 1", RO(contains 36 YD), \$11.02

Does not include liner.

24-month maximum shelf life (extendable).

7510-00-904-2663, Natural, Width: 3/4", RO(contains 36 YD), \$15.12

Velcro Hook-and-Loop Fastener Tape

Industrial-strength hook-and-loop fastener tape features an adhesive backing that sticks to smooth surfaces. Waterproof, for indoor or outdoor use.

8315-01-504-8856, VEK90198 or equal, White, Width: 2", RO(contains 5 YD), \$22.41

Mounting Roll

Opaque, double-sided, heavy-duty, foam mounting tape with self-sticking adhesive on both sides makes any presentation or marketing project a breeze. Includes dispenser and liner.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-445-9340, White, Width: 1/2", RO(contains 75 IN), \$3.26

Graphic Chart Tape

Graphic chart tape for your presentation needs.

7510-01-019-7842, Black, 1/4" W, RO(contains 54 FT), \$8.14

Magnetic Strip

A variety of items can be magnetized with this adhesive-backed magnetic strip. Features a peel-off protective backing that affixes to plastic, metal and cardboard surfaces. Strip is resistant to ozone, oxygen, acids and other chemicals.

0.06" thick.

5340-00-914-5107, C060ASIA1 or Equal, Width: 1", RO(contains 100 FT), \$42.41

Paper and Binder Clips

Magnetic Paper Clip Dispenser

Includes a removable, magnetic cap for easy dispensing. Top-load dispenser holds 100 paper clips. Also holds pins, tacks, small screws and bolts. Tinted base.

7510-01-351-9138, Black/Smoke, EA, \$3.31

Paper Clip

Butterfly design wire clip.

Medium, steel clip has a 3/8" sheet capacity.

7510-00-161-4291, Silver, BX(contains 50 EA), \$4.02

Jumbo

Federal Strategic Sourcing Initiative, 7510-00-161-4292, SKILCRAFT , AbilityOne, Silver, Length: 1", MX, \$8.82

Federal Strategic Sourcing Initiative, 7510-01-467-6738, SKILCRAFT , AbilityOne, Silver, Length: 1", HD, \$1.65

Federal Strategic Sourcing Initiative, 7510-00-958-0743, Silver, Length: 2", HD, \$0.78

Binder Clip

Spring-type binder clip holds large bundles of papers. Wire handles snap down flat to secure pages. Made of tempered steel.

Small clip has a sheet capacity of 1/4".

Federal Strategic Sourcing Initiative, 7510-00-282-8201, SKILCRAFT , AbilityOne, DZ, \$1.55

Medium clip has a sheet capacity of 1/2".

(NFES #0784).

Federal Strategic Sourcing Initiative, 7510-00-223-6807, SKILCRAFT , AbilityOne, DZ, \$3.14

Large clip has a sheet capacity of 1".

Federal Strategic Sourcing Initiative, 7510-00-285-5995, SKILCRAFT , AbilityOne, DZ, \$6.69

Magnetic Clip

Magnetic, nickel plated, steel clip consists of a round magnet with clip attached. Sheet capacity of 1/2 ". 12 clips per card.

7520-01-011-2371, Silver, 2-1/4" W, EA, \$1.33

Clam Clips and Refills

Clam Clip Dispenser

Fastening system uses removable, reusable stainless steel clips to fasten papers neatly and securely. Clips will not crease, scratch or bend the edges of the paper. Used by sliding the dispenser over pages and pushing a button.

Handheld model.

Secures up to 20 pages. For use with clam clip NSN 7510-01-392-6512.

Federal Strategic Sourcing Initiative, 7510-01-392-6964, SKILCRAFT , AbilityOne, Small, DZ, \$41.04

Secures up to 40 pages. For use with clam clip NSN 7510-01-317-4228.

Federal Strategic Sourcing Initiative, 7510-01-317-4220, SKILCRAFT , AbilityOne, Medium, DZ, \$52.73

Secures up to 60 pages. For use with clam clip NSN 7510-01-392-6513.

Federal Strategic Sourcing Initiative, 7510-01-392-6965, SKILCRAFT , AbilityOne, Large, DZ, \$53.66

Clam Clip Refills

Stainless steel clip secures papers without scratching the paper surface. Clam clip must be used in conjunction with a dispenser.

Secures up to 20 pages.

For use with clam clip dispenser NSN 7510-01-392-6964.

7510-01-392-6512, SKILCRAFT , AbilityOne, Small, BX(contains 50 EA), \$4.06

Secures up to 40 pages.

For use with clam clip dispenser NSN 7510-01-317-4220.

7510-01-317-4228, SKILCRAFT , AbilityOne, Medium, BX(contains 50 EA), \$5.58

Secures up to 60 pages.

For use with clam clip dispensers NSN 7510-01-392-6965.

7510-01-392-6513, SKILCRAFT , AbilityOne, Large, BX(contains 35 EA), \$4.04

Pushpins

Pushpin

Sturdy plastic head with stainless steel pin. Assorted colors blue, green, red. Rust resistant.

(NFES #1046).

7510-01-207-3978, SKILCRAFT , AbilityOne, Assorted, Length: 3/8", BX(contains 100 EA), \$2.99

Federal Strategic Sourcing Initiative, 7510-00-940-0935, SKILCRAFT , AbilityOne, Clear, Length: 3/8", HD, \$3.02

Thumbtack

Corrosion-resistant thumbtack has a bright metal head. For use on drawing boards and bulletin boards. Made of nickel-plated steel.

Head Size 1/2"

Federal Strategic Sourcing Initiative, 7510-00-272-6887, SKILCRAFT , AbilityOne, Silver, Length: 5/16", BX(contains 100 EA), \$1.58

Head Size 3/8"

Federal Strategic Sourcing Initiative, 7510-00-272-6886, SKILCRAFT , AbilityOne, Length: 5/16", BX(contains 100 EA), \$1.18

Stapling

Desktop Stapler

Patented, one-finger stapling technology only needs the push of a finger to staple up to 20 sheets of paper. Easy-to-use, low-profile powerhouse is designed with a lightweight, heavy-duty die cast metal housing for ultimate durability. Ergonomic, low force technology delivers lasting, jam-free performance.

Staple Size - 210 Commercial Standard Duty.

Federal Strategic Sourcing Initiative, 7520-01-627-3358, SKILCRAFT , AbilityOne, BLACK/ SILVER, EA, \$26.73

Manual Stapler

Light weight, full strip, light-duty desktop stapler, staples up to 20 sheets, corrosion resistant metal components, non-slip rubber base pad protects surfaces, opens easily for tacking, standard or pin clinch, patented single channel.

7520-01-644-3713, SKILCRAFT , AbilityOne, Red, EA, \$25.46

Standard desktop stapler operates manually. Base swings clear for tacking. Crown width is 1/2". Holds 210 staples per load.

Has a 3" throat.

For use with staples NSN 7510-00-272-9662.

7520-01-315-9854, Black, EA, \$6.61

Desk-type stapler operates manually to staple up to 20 sheets of paper at one time. Anvil adjusts to produce either standard or pin clinch. Base swings clear for tacking. Holds 210 staples per load. Use with staples NSN 7510-00-272-9662.

Has a 3" throat.

Federal Strategic Sourcing Initiative, 7520-00-139-6170, SKILCRAFT , AbilityOne, Beige, EA, \$15.03

Federal Strategic Sourcing Initiative, 7520-01-467-9433, SKILCRAFT , AbilityOne, Black, EA, \$15.34

7520-01-467-9434, SKILCRAFT , AbilityOne, Burgundy, EA, \$15.57

NFES 2575.

Federal Strategic Sourcing Initiative, 7520-00-281-5895, SKILCRAFT , AbilityOne, Gray, EA, \$15.26

Pliers-type stapler is hand-held for comfortable manual operation. Works easily with light pressure and staples up to 15 sheets at one time. Also may be used to close bags, packages and wrappings. Fixed anvil produces standard clinch on staples, and base swings clear for tacking. Holds 100 staples per load.

Has a 2" throat.

For use with staples NSN 7510-00-272-9662.

Federal Strategic Sourcing Initiative, 7520-00-240-5727, SKILCRAFT , AbilityOne, EA, \$18.60

Desk-type stapler is ideal for tacking. Holds 210 staples per load.

Has a 12" throat.

For use with staples NSN 7510-00-272-9662.

7520-00-281-5896, SKILCRAFT , AbilityOne, EA, \$20.41

Exceptionally sturdy, heavy-duty stapler has a fixed anvil for standard clinches. Staples up to 20 sheets when using 1/4" staples; up to 60 sheets when using 3/8" staples and up to 100 sheets when using 1/2" staples. Holds 100 staples per load.

Has a 3-1/4" throat.

For use with Staples NSNs 7510-00-275-7217, 7510-00-272-9409 and 7510-00-272-9410.

Federal Strategic Sourcing Initiative, 7520-00-243-1780, SKILCRAFT , AbilityOne, EA, \$56.18

Upright full-strip stapler with cushioned grips. Stands vertically taking up minimal desktop space. Stapler stands 6" high, is balanced by two rubber bases. Uses standard 1/4" staples and is easy to load.

For use with NSN 7510-00-272-9662 (Staples).

Federal Strategic Sourcing Initiative, 7520-01-515-3549, SKILCRAFT , AbilityOne, Black with gray rubber grips, 6" high, EA, \$17.22

Light weight, full strip, light-duty desktop stapler, staples up to 20 sheets, corrosion resistant metal components, non-slip rubber base pad protects surfaces, opens easily for tacking, standard or pin clinch, patented single channel.

NEW, 7520-01-644-3712, SKILCRAFT , AbilityOne, Grey, EA, \$14.41

Stapler Heavy Duty

Easy squeeze Heavy Duty Spring Powered Stapler, with push-button, drop-in front end loading for jam-free performance. Power drives staples through up to 100 sheets of paper at a time with little effort.

Federal Strategic Sourcing Initiative, 7520-01-598-4238, SKILCRAFT , AbilityOne, EA, \$94.63

Spring Powered Desktop Stapler

Lightweight, power assisted, desktop stapler has an ergonomic design and rubberized non-slip handle. Unique design allows horizontal or vertical placement for a smaller footprint. Made with durable plastic, stapler delivers staple-driving power with the pressure of a single finger.

For use with NSN 7510-00-272-9662 (Staples).

Federal Strategic Sourcing Initiative, 7520-01-566-8649, SKILCRAFT , AbilityOne, Grey/Black Finish, 15 Sheet Capacity, EA, \$20.65

Federal Strategic Sourcing Initiative, 7520-01-566-8648, SKILCRAFT , AbilityOne, Grey/Black Finish, 20 Sheet Capacity, EA, \$28.98

Federal Strategic Sourcing Initiative, 7520-01-566-8647, SKILCRAFT , AbilityOne, Grey/Black Finish, 25 Sheet Capacity, EA, \$35.38

Federal Strategic Sourcing Initiative, 7520-01-566-8656, SKILCRAFT , AbilityOne, Grey/Black Finish, 65 Sheet Capacity, EA, \$57.32

Dual-Powered Stapler

Dual-Powered, stapler can handle up to 20 sheets of 20-lb. bond paper. AC adapter included. Batteries not included.

7520-01-436-6417, EA, \$39.19

Electric Stapler

High end electric unit that staples up to 80 sheets of 20-lb. paper at a time. Uses staple cartridge 7510-01-504-7387.

7520-01-504-7384, EA, \$609.97

Electric motor stapler holds up to 210 standard staples.

General use machine can staple up to 20 pages of 20-lb. basis weight at a time.

For use with staples NSN 7510-00-272-9662.

Federal Strategic Sourcing Initiative, 7520-01-436-4130, EA, \$57.36

Commercial type can staple up to 25 pages of 20-lb. basis weight paper at a time, up to 60 times per minute. Powerful motor-driven operation for virtually jam-free operation.

For use with staples NSN 7510-00-272-9662.

7520-01-407-9431, Black, EA, \$89.70

Staples

Pre-formed and ready for use in office staplers, these steel staples are rust-resistant. (Crown width and leg length are shown below.)

Heavy-duty staples with chisel points.

Can staple up to 20 sheets of paper.

7510-00-275-7217, 1/2"W x 1/4"L, BX(contains 5000 EA), \$3.54

Can staple up to 60 sheets of paper.

Federal Strategic Sourcing Initiative, 7510-00-272-9409, 1/2"W x 3/8"L, BX(contains 5000 EA), \$9.25

Can staple up to 90 sheets of paper.

Federal Strategic Sourcing Initiative, 7510-00-272-9410, 1/2"W x 1/2"L, BX(contains 5000 EA), \$10.56

Standard duty staples for use in Stapler NSNs 7520-00-281-5895, 7520-00-139-6170, 7520-01-315-9854, 7520-00-240-5727, 7520-01-407-9431 and 7520-00-281-5896.

(NFES #0773)

Federal Strategic Sourcing Initiative, 7510-00-272-9662, SKILCRAFT , 1/2"W x 1/4"L, BX(contains 5000 EA), \$2.36

AbilityOne, Light-duty staples with chisel points.

For use with Bostitch B-8 Staplers only.

7510-00-264-5478, 7/16"W x 1/4"L, BX(contains 5000 EA), \$1.94

Staples (Refill Cartridge)

Staple refill cartridge is for use in stapler NSN 7520-01-504-7384 (Hunt Models 90147 and 5080). Contains 5,000 staples.

Federal Strategic Sourcing Initiative, 7510-01-504-7387, EA, \$35.33

Staple Remover

This staple remover is easier to use than most standard tweezer-type staple removers. Removes standard staples without tearing paper. Molded plastic handle is designed with comfort in mind.

7520-01-407-9430, Black, 6"L, EA, \$1.67

This hassle-free tweezers-type staple remover sports metal jaws and comfortable plastic finger grips. Removes standard staples without tearing paper.

Federal Strategic Sourcing Initiative, 7520-00-162-6177, SKILCRAFT , AbilityOne, 2"L, DZ, \$18.69

Rubber Bands

Rubber Bands

Natural or synthetic rubber bands are long-lasting and dependable.

Size 117B. Measures 1/8" wide and 7" long. 250 rubber bands per bag.

36-month maximum shelf life (extendable).

7510-01-578-3512, SKILCRAFT , AbilityOne, BG(contains 16 OZ), \$4.06

Size 117. Measures 1/8" wide and 7" long.

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-578-3516, SKILCRAFT , AbilityOne, Red, PG(contains 12 EA), \$1.44

Size 16. Measures 1/16" wide and 2-1/2" long.

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-205-1439, SKILCRAFT , AbilityOne, BG(contains 0.25 LB), \$2.48

Size 18. Measures 1/16" wide and 3" long.

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-243-3437, SKILCRAFT , AbilityOne, BG(contains 0.25 LB), \$2.48

Size 19. Measures 1/16" wide and 3-1/2" long.

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-205-1438, SKILCRAFT , AbilityOne, BG(contains 0.25 LB), \$2.48

Size 32. Measures 1/8" wide and 3" long.

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-243-3434, SKILCRAFT , AbilityOne, BG(contains 0.25 LB), \$2.48

Size 33. Measures 1/8" wide and 3-1/2" long.

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-205-0842, SKILCRAFT , AbilityOne, BG(contains 0.25 LB), \$2.48

Size 64. Measures 1/4" wide and 3-1/2" long.

(NFES #0786).

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-243-3435, SKILCRAFT , AbilityOne, BG(contains 0.25 LB), \$2.48

Federal Strategic Sourcing Initiative, 7510-01-058-9974, SKILCRAFT , AbilityOne, BG(contains 16 OZ), \$6.13

Size 84. Measures 1/2" wide and 3-1/2" long.

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-205-0371, SKILCRAFT , AbilityOne, BG(contains 0.25 LB), \$2.48

Scissors

Bent Trimmer's Shears

These lightweight shears are for light paper cutting and trimming applications. These balanced shears reduce fatigue. They are made of rust resistant stamped stainless steel. The molded, ambidextrous plastic handles are for left or right hand use.

IAW GSA Purchase Description 5110-01-241-4371.

Federal Strategic Sourcing Initiative, 5110-01-241-4371, AbilityOne , AbilityOne, 8-1/4" L, 3-5/8" L Cut., EA, \$4.87

Bent Trimmer's Shears (Drop Forged Steel)

Heavy duty tailor's shears for cutting upholstery, carpet, canvas, duck, fabric and other sheet material. Shears have a bolt and lock nut for adjusting blade tension. Finger bow is provided with a table rest. Thumb ring has a contoured ledge for support of the thumb. One blade is pointed and has a thumb ring, the other is beveled, blunted or pointed. Blades are polished and nickel chrome plated. Handles are painted or nickel chrome plated.

Federal Strategic Sourcing Initiative, 5110-00-596-9703, 10" L, 4-1/2" L Cut., EA, \$36.85

Straight Trimmer's Shears

Use lightweight shears for light paper cutting and trimming applications. Balanced shears reduce fatigue. Have straight handles. Rust resistant stamped stainless steel. Molded plastic handles are for left and right hand use. Both blades are stamped stainless steel and pointed.

IAW GSA Purchase Description 5110-01-241-4373.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-01-241-4373, AbilityOne , AbilityOne, 8-1/4" L, 3-5/8" L Cut., EA, \$8.83

Heavy duty shears for cutting fine to heavy fabrics, cording, plastics, rubber, leather, vinyl and tape. Shears are intended for heavier applications such as upholstery, or on production lines where longer cuts and greater strength are needed. The shears have straight handles and have polished chrome plated drop forged steel blades. Comfort grip handles.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-6371, 8" L, 3-5/8" L Cut., EA, \$59.11

Federal Strategic Sourcing Initiative, 5110-00-161-6909, 9" L, 4" L Cut., EA, \$12.99

Recycled content (99 percent) and post-consumer content (87 percent).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-9199, AbilityOne , AbilityOne, 7" L, 3" L Cut., EA, \$12.91

Paper or Stationer's Shears

These heavy duty paper or stationer's shears have long, narrow blades, straight handles and polished nickel chrome plated blades. Both blades are drop forged steel and pointed. 99.9 percent recycled with 87 percent of it being post consumer content.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-161-6912, AbilityOne , AbilityOne, 9" L, 4-5/8" L Cut., EA, \$17.13

Sewing Scissors (Stamped Stainless Steel)

Lightweight sewing scissors for cutting, trimming and clipping. The scissors have ring shaped handles and straight blades. The molded plastic handles are for left and right hand use. Both blades are pointed or one blade is pointed and the other blade is beveled. Made of rust resistant stamped stainless steel.

Federal Strategic Sourcing Initiative, 5110-01-241-4375, AbilityOne , AbilityOne, 6-1/2" L, 3" L Cut., EA, \$4.64

Pocket Scissors (Stamped Stainless Steel)

Safely carry these lightweight scissors in your pocket. The scissors have ring shaped handles, straight blades and rounded blade points for extra protection. Made of rust resistant stamped stainless steel.

Federal Strategic Sourcing Initiative, 5110-01-241-4376, AbilityOne , AbilityOne, 5-1/4" L, 1-7/8" L Cut., EA, \$5.34

Ergonomic Scissors

Reduce hand fatigue. Soft touch multipurpose, spring action scissors have oversized cushion grip handles. Flat bottom styling allows the scissors to slide smoothly across a cutting surface. Scissors reduce discomfort in the thumb and fingers. Easy grip handles allow for right or left handed use. Ideal for cutting longer straight cuts as well as multiple layers of fabric, paper and cardboard. Scissors gently open after each cut.

Federal Strategic Sourcing Initiative, 5110-01-368-3507, 99117097 or equal., 10-3/16" L, 3" L Cut., EA, \$17.63

Trimmers

Rotary Paper Cutter

The "Safety First" paper cutter features a lightweight cutting board and a totally enclosed razor-sharp rotary blade that is self-sharpening. Blade cuts in both directions. Clear paper clamp holds paper securely.

Features a 18" metal base.

7520-01-483-8902, SKILCRAFT , AbilityOne, Grey, EA, \$68.36

The "Safety First" cutter offers precision trimming for lightweight materials, including tissue paper, blueprint paper, posterboard, Mylar and film. Cuts up to eight sheets of 20-lb. basis weight paper at a time. Rotary paper cutter features lightweight cutting board.

Features a 27" wood base.

7520-01-483-8900, SKILCRAFT , AbilityOne, gray, EA, \$417.11

Paper Trimmer

This tabletop trimmer is ideal for accurately cutting photographs, photo static work, paper, and lightweight cardboard. The cutting board features a movable trimming guide and a hand-operated drop knife with a handle. The handy ruling guide and 1/2" precision alignment grid provide exact squaring. Includes a built-in blade guard and locking device for safety.

Cuts up to 10 sheets of 20 lb. paper.

Federal Strategic Sourcing Initiative, 7520-00-224-7620, SKILCRAFT , AbilityOne, 12 x 12", EA, \$71.49

Federal Strategic Sourcing Initiative, 7520-00-634-4675, SKILCRAFT , AbilityOne, 15 x 15", EA, \$94.78

Federal Strategic Sourcing Initiative, 7520-00-163-2568, SKILCRAFT , AbilityOne, 18 x 18", EA, \$135.22

Federal Strategic Sourcing Initiative, 7520-00-224-7621, 24 x 24", EA, \$290.62

Manual Stencil Cutting Machine

Manual Stencil Cutting Machine has a Character Yield Capacity of 43 Characters Nominal Per 12 in.; 10 Lines Per Stencil Maximum. Character Height is 0.25".

7490-00-281-3959, Black, 26" L X 13" W X 20" H, EA, \$3,795.84

Manual Stencil Cutting Machine. The Character Yield Capacity Is 14, Characters Nominal Per 12 in.; 4 Lines Per Stencil Maximum. Character height is 1.0".

7490-00-164-0537, Black, EA, \$1,308.66

Manual Stencil Cutting Machine. The Character Yield Capacity Is 14, Characters Nominal Per 12 in.; 4 Lines Per Stencil Maximum. Character Height is 0.75".

7490-00-164-0542, Black, EA, \$1,447.67

Manual Stencil Cutting Machine. The Character Yield Capacity Is 23, Characters Nominal Per 12 in.; 6 Lines Per Stencil. Character Height is 0.50".

7490-00-164-0541, Black, EA, \$2,079.97

Punches

Precision Paper Punches

Fully adjustable 2-3 hole light duty paper punch with a 10 sheet capacity and removable chip tray.

7520-01-620-3827, SKILCRAFT , AbilityOne, Black, 11.25 x 2.25 x 2.25", EA, \$12.02

Fully adjustable 3-hole desktop paper punch features a metallic base and a black grip handle with a 15 sheet capacity and removable chip tray

7520-01-620-8390, SKILCRAFT , AbilityOne, Metallic / Black, 11.5 x 2.25 x 2.25", EA, \$16.17

Fully adjustable 3-hole light duty paper punch features a black base with a metallic handle with an 11 sheet capacity and removable chip tray.

7520-01-620-3317, SKILCRAFT , AbilityOne, Metallic / Black, 11.25 x 2.25 x 2.25", EA, \$11.90

Adjustable 3-hole heavy duty paper punch features a black comfort grip with a 28 sheet capacity and removable chip tray.

7520-01-620-4671, SKILCRAFT , AbilityOne, Black, 10.25 x 5.25 x 4.75", EA, \$45.12

Adjustable 2-hole heavy duty paper punch features a black base and black grip handle with a 30 sheet capacity and removable chip tray.

7520-01-620-3314, SKILCRAFT , AbilityOne, Black, 4.25 x 6.25 x 5", EA, \$14.39

Adjustable 3-hole heavy duty paper punch features a black base and a metallic comfort-grip handle with a 32 sheet capacity and removable chip tray.

Federal Strategic Sourcing Initiative, 7520-01-620-3315, SKILCRAFT , AbilityOne, Metallic / Black, 10.25 x 5.25 x 4.75", EA, \$39.98

Fully adjustable 3-hole light duty paper punch with an eight sheet capacity and removable chip tray.

7520-01-620-3828, SKILCRAFT , AbilityOne, Black, 11.25 x 2.25 x 2.25", EA, \$11.97

Hole Punch

Non-adjustable two-hole paper punch features a protective rubber base and a spring-loaded handle. Operated by a hand lever, this standard-duty device punches 1/4" round holes, spaced 2-3/4" apart. An adjustable paper guide locks at common paper sizes.

Capable of punching a hole through up to 30 sheets of 16-lb. basis weight paper and 25 sheets of 20-lb paper in a single operation.

Federal Strategic Sourcing Initiative, 7520-00-224-7589, SKILCRAFT , AbilityOne, Gray, EA, \$11.74

Adjustable three-hole paper punch makes 1/4" round holes and features a movable paper guide.

Capable of punching a hole through up to 30 sheets of 16-lb. basis weight paper and 25 sheets of 20-lb paper in a single operation.

Federal Strategic Sourcing Initiative, 7520-00-139-3942, SKILCRAFT , AbilityOne, Beige, EA, \$47.60

Capable of punching a hole through up to 25 sheets of 20-lb. basis weight paper in a single operation.

(NFES #0268).

Federal Strategic Sourcing Initiative, 7520-00-163-2563, SKILCRAFT , AbilityOne, Gray, EA, \$49.83

Adjustable three-hole paper punch features all-metal construction and a protective rubber base. Operated by a hand lever, the device punches 13/32" round holes, from 1-3/8 to 8-1/2" center to center. A nine-inch scale and graduated extension guide with a paper stop is mounted to slide into the base.

Capable of punching a hole through up to 34 sheets of 16-lb paper and 28 sheets of 20-lb basis weight paper in a single operation.

Federal Strategic Sourcing Initiative, 7520-00-139-4101, SKILCRAFT , AbilityOne, Beige, EA, \$71.79

Capable of punching a hole through up to 28 sheets of 20-lb. basis weight paper in a single operation.

Federal Strategic Sourcing Initiative, 7520-00-263-3425, SKILCRAFT , AbilityOne, Gray, EA, \$70.43

Adjustable three-hole punch with lever action for easy punching. Heavy-duty steel construction. Fully adjustable punch heads for paper sizes to 15" and adjustable paper guide and measurement scale. Scuff and slip resistant rubber feet. Removable chip tray. Capable of punching up to 34 sheets of 16-lb paper and 28 sheets of 20-lb paper.

9/32-inch holes.

Federal Strategic Sourcing Initiative, 7520-01-431-6240, SKILCRAFT , AbilityOne, Black, EA, \$71.68

13/32-inch holes.

Federal Strategic Sourcing Initiative, 7520-01-431-6251, SKILCRAFT , AbilityOne, Black, EA, \$70.91

This manual paper punch can be adjusted for two to seven holes. Three punch heads are included, additional heads are available. Heavy-duty, capable of punching holes through up to 32 sheets of 20-lb. basis weight paper in a single operation.

7520-01-504-7392, EA, \$125.45

Electric Hole Punch

Non-adjustable standard three-hole punch is capable of handling up to 20 sheets of 20-lb. basis weight paper. Features one touch push button operation, vertical paper feed, transparent scrap receptacle and heavy-duty sealed motor. Power source is 120V AC 60H, UL listed.

Federal Strategic Sourcing Initiative, 7520-01-436-2575, EA, \$139.57

Correction Supplies

Correction Fluid

This hydrocarbon solvent-based opaque coating is fast drying and covers typing errors made in either black or blue ink. Works well on fresh faxes and photocopies without smearing, discoloring or lumping.

12-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7510-01-333-6242, SKILCRAFT , AbilityOne, White, 1/2 oz., DZ, \$29.92

This fast-drying, opaque coating allows the user to correct typing errors, make manual changes, and block out unwanted markings. Fluid is applied over desired area with the brush attached to the inside of the bottle cap.

Water-based fluid can be used to correct errors on xerographic copies.

12-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7510-01-020-2806, SKILCRAFT , AbilityOne, White, 1/2 oz., DZ, \$29.57

Correction Pen

This convenient, pen-type dispenser contains fast-drying fluid for correcting typewriter originals, carbons, photocopies, and computer printouts.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-01-386-1609, SKILCRAFT, White, Fine Point, 0.4 ounces, EA, \$3.51

AbilityOne, that includes Pocket Clip., **Refillable Correction Film**

This single-line, refillable white correction film is fast, easy to use, and clean. It goes on smooth and dry so you can write on it immediately and instantly fax or photocopy without shadowing. Contains 472" of tape.

For refill, use NSN 7510-01-350-1810

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-338-3317, SKILCRAFT , AbilityOne, White, Width 0.20", EA, \$8.84

Correction Tape

This single line white correction film is fast, easy to use and clean. It goes on smooth and dry so you can write on it immediately and instantly fax or photocopy without shadowing. Made using cornstarch based resin. 70% biobased and biodegradable by total weight of the product.

24-month maximum shelf life (extendable).

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-390-0717, SKILCRAFT , AbilityOne, White, 1/6"W x 394"L, EA, \$4.76

White correction tapes are acid-free and feature the same sideways application as mono-correction tape dispensers. Four-pack includes dispensers in the following colors: blue, green, purple and yellow. Non-refillable.

Covers single line of type.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-504-8940, SKILCRAFT , AbilityOne, White, 1/6"W x 394"L, PG(contains 4 EA), \$13.25

Recycled, sideways dispenser with white tape in a transparent case. Tape width 1/5" x 394" length.

36-month maximum shelf life (not extendable).

7510-01-691-9220, AbilityOne, EA, \$2.90

Mini-Dispenser, non-refillable. Tape is white with a transparent case. Tape width 1/5" x 236" length.

Unit of Issue is Ea.

36-month maximum shelf life (not extendable).

7510-01-691-9217, AbilityOne, EA, \$2.00

Make fast, easy, and precise corrections with the Precision Liner Correction Tape. Tear-resistant flim based single line white tape suitable for left-handed or right-handed use. No dry time required so you can immediately write or type over corrections. Ergonomically designed pen-shaped dispenser with comfort grip features a translucent body so you can see when a refill is needed.

12-month maximum shelf life (extendable).

7510-01-685-7914, AbilityOne, Assorted Colors, PG(contains 4 EA), \$10.67

Mini-Dispenser, non-refillable, recycled. Tape is white with a transparent case. Tape width 1/5" x 236" length.

Unit of issue is PG. PG contains 3 correction tapes.

36-month maximum shelf life (not extendable).

7510-01-691-9671, AbilityOne, PG(contains 3 EA), \$4.38

Correction Tape, Retractable Pen-Style

Pen-style correction tape dispenser is ergonomically designed to fit your hand for maximum comfort. Retractable tip cover protects tape when not in use.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-614-3526, SKILCRAFT , AbilityOne, Black/Translucent, EA, \$3.44

Correct-It Mini Dispenser 3-Pack

This single line, non-refillable, white correction film is fast, easy to use and clean. It goes on smooth and dry so you can write on it immediately and instantly fax or photocopy without shadowing. It is equally useful correcting or updating address books/card files, schedules and records. Dispenser is 70% biodegradable.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-511-7933, SKILCRAFT , AbilityOne, 0.125 x 157.0 IN, PG(contains 3 EA), \$9.74

Correct-It Roller

This single line, non-refillable, white correction film is fast, easy to use and clean. It goes on smooth and dry so you can write on it immediately and instantly fax or photocopy without shadowing. It is equally useful correcting or updating address books/card files, schedules and records. Dispenser is 70% biodegradable.

7510-01-511-7930, SKILCRAFT , AbilityOne, 0.16 x 335 FT, EA, \$3.69

Stamps and Supplies

RubberStamp Kit

Office tile stamps are pre-inked and re-inkable and need no stamp pad. Stamps produce clear, legible messages for up to 50,000 impressions. Soft touch grip handle for stamping comfort and ease. Kit contains 4 stamps: 1 each of "SECRET", "TOP SECRET", "CLASSIFIED" and "CONFIDENTIAL".

18-month maximum shelf life (extendable).

7520-01-484-0014, SKILCRAFT , AbilityOne, KT, \$17.80

Numbering Stamp

Self-inking rubber stamp features with 6 bands 0-9 (0-999,999) plus a blank and dash. Impression size is 1/8 to 3/16" high by 7/8 to 1-1/8" wide. No border. Inkpad can be re-inked or replaced.

18-month maximum shelf life (extendable); 25% 100% Postconsumer Material Recycled Plastic

Material Safety Data Sheet

NEW, 7520-01-207-4151, SKILCRAFT , AbilityOne, Black-inked, EA, \$27.65

Custom Stamp

Get printer quality stamps with this custom stamp kit. Pre-inked for up to 50,000 impressions. The quick-drying ink is available in black, blue and red. Simply fill out card and order on-line or by mail. You will receive your custom stamp within two weeks. Requesting multiple lines of print (up to 7) will result in a smaller font size.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-386-2444, SKILCRAFT , AbilityOne, Impression Size: 1" x 2-3/4", EA, \$34.22

Rotary Dater/Time Stamp

Rotary time stamp simultaneously prints the date in red and the word "RECEIVED" in blue with an arrow. Five-year band also contains six phrases including REC'D, ANS'D, ENT'D, PAID, A.M. and P.M. Stamp is self-inking and can be refilled.

Date is stamped in Month-Day-Year sequence (for example: Oct 1 2015).

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4188, SKILCRAFT , AbilityOne, Blue and Red Ink, Impression Height: 3/16", EA, \$55.99

Line Dater

Compact date stamp provides month, day and year with four year bands and six phrases including A.M., P.M., PAID, ENT'D, ANS'D, and REC'D. Self-inking stamp has a built-in inkpad (included) that can be re-inked or replaced.

Date is stamped in Month-Day-Year sequence (for example: Oct 1 2015).

Phrase is stamped in Month-Day- Phrase (for example: Oct 1 PAID).

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-352-3019, SKILCRAFT , AbilityOne, Black, EA, \$32.00

7520-01-352-3018, SKILCRAFT , AbilityOne, Red, EA, \$29.76

Self-Inking Rubber Stamp

Pre-inked and reusable title stamp with a retractable frame keeps stamp surface away from desktop until ready to use. Impression size: 1-5/8", title printing area 1/2" x 1-3/4".

Reads: "APPROVED".

18-month maximum shelf life (not extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4196, SKILCRAFT , AbilityOne, Blue-inked, EA, \$14.77

Reads: "CANCELLED".

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4228, SKILCRAFT , AbilityOne, Blue-inked, EA, \$14.22

Reads: "COMPLETED".

18-month maximum shelf life (not extendable).

Material Safety Data Sheet

7520-01-324-6955, SKILCRAFT , AbilityOne, Blue-inked, EA, \$17.79

Reads: "CONFIDENTIAL".

18-month maximum shelf life (not extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-419-5949, SKILCRAFT , AbilityOne, Red-inked, EA, \$12.50

Reads: "COPY".

18-month maximum shelf life (not extendable).

Material Safety Data Sheet

7520-01-207-4194, SKILCRAFT , AbilityOne, Blue-inked, EA, \$16.56

Federal Strategic Sourcing Initiative, 7520-01-207-4108, SKILCRAFT , AbilityOne, Red-inked, EA, \$11.89

Reads: "FILE".

18-month maximum shelf life (not extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4209, SKILCRAFT , AbilityOne, Red-inked, EA, \$14.38

Reads: "ORIGINAL".

18-month maximum shelf life (not extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4222, SKILCRAFT , AbilityOne, Blue-inked, EA, \$11.89

Reads: "POSTED".

7520-01-207-4207, SKILCRAFT , AbilityOne, Red-inked, EA, \$8.35

Reads: "RECEIVED".

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7520-01-207-4226, SKILCRAFT , AbilityOne, Blue-inked, EA, \$8.35

Federal Strategic Sourcing Initiative, 7520-01-207-4231, SKILCRAFT , AbilityOne, Red-inked, EA, \$11.84

Reads: "SECRET".

18-month maximum shelf life (not extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4119, SKILCRAFT , AbilityOne, Red-inked, EA, \$14.61

Reads: "UNCLASSIFIED".

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4242, SKILCRAFT , AbilityOne, Red-inked, EA, \$14.77

Pre-inked stamp with a retractable frame, prints message in capital letters.

Impression size: 1/2 x 1-5/8".

Reads: "COMPLETED".

18-month maximum shelf life (not extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-01-207-4111, SKILCRAFT , AbilityOne, Red-inked, EA, \$11.56

Self-Inking Rubber Stamp Tray

Small, plastic, rectangular, tray keeps pre-inked stamps neat and in order.

Holds seven title stamps or 12 specialty stamps.

Federal Strategic Sourcing Initiative, 7520-01-207-4190, Gray, 7-1/2" L x 2-1/2" W x 2-7/8" H, EA, \$5.83

Self-Inking Do-It-Yourself Stamp Kit

Complete printing set provides everything needed for making rubber stamps: one-line and four-line font holders; tweezers for inserting fonts into holders; handle; ink pad for black ink; instruction sheet. Comes with uppercase and lowercase alphabets, numerals and marks and symbols. All fonts are 12-point New Gothic on a 14-point body.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7520-00-264-3718, SKILCRAFT , AbilityOne, SE, \$17.54

Stamp Pad

Make a clear and legible impression with highly absorbent pad. Comes in a leak-proof, rust resistant, snap-shut case. Use with stamp pad ink.

Pad is made of foam latex rubber or foam plastic.

7510-00-526-1741, SKILCRAFT , AbilityOne, 3-1/4 x 6-1/4", EA, \$4.57

Self-Inking Rubber Stamp Ink

Re-inking refill for pre-inked stamps.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7510-01-207-3961, SKILCRAFT , AbilityOne, Black, 10 ML, EA, \$6.24

Federal Strategic Sourcing Initiative, 7510-01-207-3959, SKILCRAFT , AbilityOne, Blue, 10 ML, EA, \$7.03

Federal Strategic Sourcing Initiative, 7510-01-207-3960, SKILCRAFT , AbilityOne, Red, 10 ML, EA, \$6.80

Self-Adhesive Notes

Self-Stick Notes

Self-stick notes use adhesive on the back which allows each sheet to be attached to almost any surface and removed without leaving a mark. Each pad contains 100 sheets.

Notes are unruled.

24-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-116-7866, SKILCRAFT , AbilityOne, Yellow, 1-1/2 x 2", DZ, \$6.44

Federal Strategic Sourcing Initiative, 7530-01-207-4353, SKILCRAFT , AbilityOne, Pink, 2 x 3", DZ, \$10.03

Federal Strategic Sourcing Initiative, 7530-01-207-4354, SKILCRAFT , AbilityOne, Blue, 2 x 3", DZ, \$10.03

Federal Strategic Sourcing Initiative, 7530-01-207-4355, SKILCRAFT , AbilityOne, Green, 2 x 3", DZ, \$10.03

Federal Strategic Sourcing Initiative, 7530-01-207-4356, SKILCRAFT , AbilityOne, Yellow, 2 x 3", DZ, \$11.85

Federal Strategic Sourcing Initiative, 7530-01-116-7867, SKILCRAFT , AbilityOne, Yellow, 3 x 3", DZ, \$16.45

Federal Strategic Sourcing Initiative, 7530-01-116-7865, SKILCRAFT , AbilityOne, Yellow, 3 x 5", DZ, \$20.86

Federal Strategic Sourcing Initiative, 7530-01-285-8355, SKILCRAFT , AbilityOne, Yellow, 4 x 6", DZ, \$17.11

Stamp Pad Ink

Quick-drying ink makes clean, clear images. Use with rubber stamp inking pads made of fabric, foam latex rubber or foam plastic.

Does not include a brush applicator.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-00-782-6257, Black, BT(contains 8 OZ), \$8.99

Applicator may be brush or roll-on.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-00-161-4237, SKILCRAFT , AbilityOne, Black, BT(contains 2 OZ), \$2.90

Package contains three pads each of blue, green, pink and yellow.

12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-398-2660, SKILCRAFT , AbilityOne, Assorted, 2 x 3", DZ, \$11.48

Package contains two pads each of pastel pink and green, and one pad each of blue and yellow.

12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-456-2249, SKILCRAFT , AbilityOne, Assorted, 3 x 3", PG(contains 6 EA), \$6.95

Federal Strategic Sourcing Initiative, 7530-01-456-0683, SKILCRAFT , AbilityOne, Assorted, 3 x 5", PG(contains 6 EA), \$11.66

Package contains two pads each of neon bright lemon and pink, and one each of lime and melon.

12-month maximum shelf life (extendable); Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-418-1281, SKILCRAFT , AbilityOne, 3 x 3", PG(contains 6 EA), \$10.76

Federal Strategic Sourcing Initiative, 7530-01-418-1420, SKILCRAFT , AbilityOne, 3 x 5", PG(contains 6 EA), \$14.29

Fanfold.

15-month maximum shelf life; 30% Postconsumer Material Contains 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-352-6616, Yellow, 3 x 3", PG(contains 12 EA), \$14.36

12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-286-5121, SKILCRAFT , AbilityOne , Yellow, 3 x 4", DZ, \$13.28

Pop-up note pads include six pads of alternating sheets of neon pink and orange, and six pads of alternating sheets of neon green and hot pink. Pad fits in a handy pop-up dispenser. Fan-folded.

12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-385-7533, Assorted, 3 x 3", DZ, \$21.38

Notes are ruled.

30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-346-4849, SKILCRAFT , AbilityOne, Yellow, 3 x 5", DZ, \$23.79

24-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-273-3755, SKILCRAFT , AbilityOne, Yellow, 4 x 6", DZ, \$35.85

Package contains two pads each of neon lemon, pink and lime.

12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-418-1212, SKILCRAFT , AbilityOne, 4 x 6", PG(contains 6 EA), \$18.35

Package contains two pads each of pastel pink and green, and one pad each of blue and yellow.

12-month maximum shelf life (extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-456-0684, SKILCRAFT , AbilityOne, 4 x 6", PG(contains 6 EA), \$20.17

Ultra colors: Turquoise, Fuschia and Yellow.

12-month maximum shelf life (extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-557-3179, Assorted, 3 x 3", PG(contains 6 EA), \$11.75

Self-stick notes use adhesive on the back which allows each sheet to be attached to almost any surface and removed without leaving a mark. Each pad contains 90 sheets.

Super Sticky Lined Note Pad in Neon Colors: Green, Blue, Yellow, Pink, and Orange.

12-month maximum shelf life (extendable); 30% Recovered Material, Which Includes 30% Postconsumer Material

Federal Strategic Sourcing Initiative, 7530-01-557-3174, Assorted, 4 x 4", PG(contains 90 SH), \$16.59

These self-stick notes come in bright neon colors. Each pad contains 100 sheets.

Notes are unruled.

Package contains three pads of each of the following neon colors: citrus, green, watermelon and orange.

12-month maximum shelf life (extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Federal Strategic Sourcing Initiative, 7530-01-385-7560, SKILCRAFT , AbilityOne, Assorted, 1-1/2 x 2", PG(contains 12 EA), \$8.07

Package contains four pads each neon pink, lemon and lime.

Federal Strategic Sourcing Initiative, 7530-01-393-0103, SKILCRAFT , AbilityOne, Assorted, 2 x 3", DZ, \$11.37

Self-Stick Note Tray

Fan-fold pop-up note dispenser with 12 fan-fold yellow notepads.

12-month maximum shelf life (extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-565-2771, SKILCRAFT , AbilityOne, 3 x 3", SE, \$16.97

Repositionable Tape Flag Dispenser

Multi-colorful self-stick flags mark important information in documents, books, newspapers or magazines. Flags are repositionable. 4 assorted colors include red, yellow, blue and green flags. 35 flags per dispenser.

36-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-620-0283, SKILCRAFT , AbilityOne, Assorted, 0.5" W x 1.7" L, PG(contains 4 EA), \$3.92

Repositionable Tape Flag

Repositionable tape serves as a flag for securely marking a place in a book, magazine or newspaper. Half the tape is clear; the other half is brightly colored, making it perfect for color-coding. Flag can also be written on. 50 flags per dispenser, two dispensers.

36-month maximum shelf life (extendable).

7510-01-621-1307, SKILCRAFT , AbilityOne, Bright Blue, 1 x 1-3/4", PG(contains 2 EA), \$2.91

24-month maximum shelf life (extendable).

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-399-1152, SKILCRAFT , AbilityOne, Bright Green, 1 x 1-3/4", PG(contains 100 EA), \$4.36

7510-01-315-2023, SKILCRAFT , AbilityOne, Orange, 1 x 1-3/4", PG(contains 100 EA), \$4.12

Federal Strategic Sourcing Initiative, 7510-01-399-1153, SKILCRAFT , AbilityOne, Bright Pink, 1 x 1-3/4", PG(contains 100 EA), \$4.44

Federal Strategic Sourcing Initiative, 7510-01-315-2021, SKILCRAFT , AbilityOne, Blue, 1 x 1-3/4", PG(contains 100 EA), \$3.68

7510-01-315-2020, SKILCRAFT , AbilityOne, Green, 1 x 1-3/4", PG(contains 100 EA), \$3.65

7510-01-315-8654, SKILCRAFT , AbilityOne, Purple, 1 x 1-3/4", PG(contains 100 EA), \$4.34

Federal Strategic Sourcing Initiative, 7510-01-315-2019, SKILCRAFT , AbilityOne, Red, 1 x 1-3/4", PG(contains 100 EA), \$3.55

Federal Strategic Sourcing Initiative, 7510-01-315-2022, SKILCRAFT , AbilityOne, White, 1 x 1-3/4", PG(contains 100 EA), \$4.45

Federal Strategic Sourcing Initiative, 7510-01-315-2024, SKILCRAFT , AbilityOne, Yellow, 1 x 1-3/4", PG(contains 100 EA), \$3.59

Removable, yet secure repositionable tape with preprinted messages help organize, route and mark a variety of paperwork.

Reads: "SIGN HERE" in red.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-389-2262, SKILCRAFT , AbilityOne, Red, 1 x 1-3/4", PG(contains 100 EA), \$4.62

Reads: "INITIAL HERE".

24-month maximum shelf life (extendable).

7510-01-410-7012, 1 x 1-3/4", PG(contains 100 EA), \$6.41

Repositionable arrow shaped plastic signal tab reads: "Sign and Date". Includes 20 of each flag for a total of 80 flags.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-455-0022, Assorted Colors, 1/2 x 1-3/4", PG(contains 80 SH), \$4.48

Preprinted on half the tag, self-adhesive on the other half. Flags are repositionable. Unique arrow design. Plastic, reusable dispenser roll is refillable.

Reads: "SIGN HERE" with arrow.

24-month maximum shelf life (extendable).

7510-01-316-2165, Blue, 9/16 x 2", PG(contains 120 EA), \$9.45

7510-01-315-8656, Red, 9/16 x 2", PG(contains 120 EA), \$5.75

Repositionable Page Markers

These self-stick page markers ensure you never lose your place again. If you are tired of bookmarks falling out, use these repositionable markers that stay securely in place yet still remove easily without damaging the page. Contains one row of each neon color: lime, melon, yellow, orange and pink.

24-month maximum shelf life (not extendable).

7510-01-421-4751, AbilityOne, Assorted, 1/2 x 2", PG(contains 500 SH), \$3.74

Antimicrobial Peel & Stick Display Pockets

Removeable peel & stick tape-backed polypropylene holders have built-in AgION coating to prevent the growth of bacteria, yeast, mold & fungi. AgION is EPA registered and FDA recognized. Attach to walls, doors, etc. to display phone lists, schedules, and more. Removable adhesive won't mar delicate surfaces. Convenient drop-front allows for easy loading. Holds 8 1/2 x 11 documents.

7510-01-539-9845, C-Line CLI36911, Clear, PG(contains 10 EA), \$10.21

Miscellaneous Office Supplies

Counter

The perfect tool for counting people, vehicles, trees, packages, blood cells, bacteriological colonies, and any other visible objects. Handheld instrument is actuated by the thumb and the four-wheel mechanism registers up to 9,999. Features reset knob and clear window. Corrosion-resistant, dustproof case protects unit while not in use.

NEW, 6680-00-641-3206, EA, \$22.56

Cash Box

Steel cash box has a handle on the cover and a metal or plastic tray. With five compartments that are useful for cash, stamps or classified papers, the box comes with a snap-type lock and two keys. Although intended for heavy use, the box does not afford protection against unauthorized entry.

7520-00-281-5931, 9-1/2"W x 4"H x 7"D, EA, \$36.82

Business Cards

High-quality uncoated heavyweight cardstock optimized to produce sharp, clear text can be printed on both sides. Clean Edge technology ensures cards snap apart easily, leaving a smooth edge. Compatible with laser and inkjet printers.

7530-01-687-8444, SKILCRAFT , AbilityOne, White, 2 x 3-1/2", PG(contains 20 SH), \$17.41

Currency Counter

Multi-Function Adjustable Touch Panel Display has Two Pocket, Counterfeit And Fitness Detection Scanner W/ Magnetic, Ultraviolet And Fluorescence Sensor, Count, Sort And Find; Top Hopper Hold 800 Circulated Bills, Scanning Speed Up To 1000 Bills Per Minute. I.A.W. FEDERAL RESERVE FITNESS STANDARDS

7490-01-599-7186, 11.5"W x 17.0"D x 18.0"H, EA, \$3,698.45

Ruler

This standard ruler is great for measuring small items, as well as drawing clean, straight lines. Wood with a beveled surface features 1/16" graduations and a metal-edge.

Plastics Removal in Marine Environments

7510-00-161-6215, Oakwood, Length: 12", EA, \$1.03

Double sided steel layout ruler is used for the preparation of all types of forms. Marked in graduations of 1/32, 1/16, 1/12, 1/6 and 1/10", the ruler is punched for indicating standard file hole placement.

7510-00-173-4897, Length: 16", EA, \$6.91

Transparent, plastic ruler features an inch scale on one edge (1/16" increments) and a metric scale on the other edge (1mm increments). Both edges are beveled on the top and undercut on the bottom. Measurement markings are slightly raised.

7510-00-935-1005, Length: 12", EA, \$1.33

Wooden ruler. Comes in a protective velvet sleeve.

This item is part of a desk set of matched rosewood office items. It contains a letter opener [7520-01-584-0879], a mini desk clock [6645-01-584-0892], a self-stick note holder [7520-01-584-0881], a business card holder [7510-01-584-0893], a 12" ruler [7510-01-516-9247], and the Illusion twist-action medium point ballpoint pen and 0.8mm mechanical pencil set [7520-01-458-3932].

7510-01-516-9247, SKILCRAFT , AbilityOne, Rosewood, 12", EA, \$6.00

Personal Desk Kit

Ideal for telecommuters, temporary assignments, training classes, new hires and people who work at home. This kit collects 21 essential office products in one convenient unit. Includes: 3 x 3" self-stick note pad; 100 paper clips; 4-oz. bag of rubber bands; stapler; 5,000 staples; staple remover; tape dispenser; 36-yard roll of invisible tape; wooden ruler; white correction tape; pair of scissors (8"); cushion-grip mechanical pencil; lead refill for mechanical pencil (7 mm); letter opener; three retractable ballpoint pens; three no. 2 pencils; fluorescent highlighters (set of four colors); one lined writing pad (8-1/2 x 11"); one medium-size clam clip; one box of clam clip refills; "while you were out" message pads.

Federal Strategic Sourcing Initiative, 7520-01-493-6006, SKILCRAFT , AbilityOne, KT, \$69.46

Fingerprinting Kit

Fingerprint kit consists of one fingerprint card holder, 20 ink cleaner towelettes, one porelon fingerprint pad, one accessory case, polypropylene, and one black, glossy carrying case with folding handle and locking latches. Includes instruction booklet.

Material Safety Data Sheet

7520-01-441-9130, AbilityOne, Black, KT, \$210.41

Recyclable Paper Collection Container

Save money and recycle paper easily with this functional container. Embossed with the white, recycle logo and recycling instructions.

Made of rubber-type plastic.

Central container.

20% Postconsumer Material

8115-01-430-5668, Blue, 20"W x 11"D x 30"H, EA, \$188.59

Portable Office Machine Stand

Portable stand transports typewriters and other office machines where they are needed. Two drop leaves measuring 12 x 18 are securely attached with piano hinges. Leaves are held in the raised position with supports. Modesty panels on the sides and back are 9-3/4 wide. Four sturdy, 1-square, stainless or chrome-plated legs have a bright finish. Casters are 2-1/2 in diameter with ball bearing swivels. A-A-2122.

Has a 1"-thick, walnut-patterned laminated plastic top with a self-edge.

7110-00-601-9835, NISH , AbilityOne, Black, 26 to 27"h x 18"d x 23 to 26"w, EA, \$358.23

7110-00-601-9849, NISH , AbilityOne, Parchment, 26 to 27"h x 18"d x 23 to 26"w, EA, \$358.23

Has a gray enamel finish and a white, leather-patterned plastic top with a self-edge.

7110-01-136-1563, NISH , AbilityOne, Gray with white top, EA, \$358.23

Step Stool

The product design of this stool minimizes rolling and overturning for your safety. The steel or plastic body is mounted on swivel casters that recede when weight is applied. The two steps are covered with rubber treads. Handles loads up to 350 lbs. Heavy duty.

7105-00-782-3166, Black, Height: 13"; Depth: 16", EA, \$61.10

Cushion

This rectangular cushion for a chair or stool is comprised of a urethane foam insert inside a cotton/polyester cloth cover. Cushion features boxed edges and rounded corners. Cover is woven cloth on the box edge and on one side of the cushion. The reverse side of the cushion cover is vinyl coated simulated rattan cloth.

7210-00-205-3545, VT-FOAM-0098/A or equal, Dark Brown, 16" W x 15" D x 1-1/2" T, EA, \$50.04

7210-00-205-3544, VT-FOAM-0097/A or equal, Green, 18-1/2" W x 17-1/2" D x 2" T, EA, \$58.17

Coat and Hat Hook

Wall-mounting hook with a single arm is made of bright brass and has a 3" projection. Mounting screws included.

ANSI Standard A156.16

5340-00-244-2728, PG(contains 10 EA), \$16.56

Desk Accessories

Desktop Organizer

8 compartment, space-saving desktop organizer holds multi-sized postable notes, pens, pencils and more. Contemporary-design organizer is made of durable high-impact plastic. Includes a built-in tape dispenser, paper clip compartment, 4 Post-It compartments, a miscellaneous compartment.

Postconsumer Material

7520-01-316-0361, Black, 6-1/2"W x 2-1/2"H x 9-1/2"L, EA, \$20.01

Desk Tray Organizer

This convenient plastic organizer keeps desk drawers tidy. Features 12 special compartments that are expandable to fit most standard drawers.

100% Recovered Material, Which Includes 50% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-362-8656, Black, 10-1/4" W x 1-1/2" H x 11-3/5" D, EA, \$36.40

Organizer with Desk Tray

This compact adjustable, plastic filing system includes two horizontal letter-size trays and five vertical sorters.

Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-316-2177, Black, 13.75 W x 12.75 H x 10.0" D, EA, \$22.29

Combination file includes three horizontal shelves and three vertical shelves.

7520-01-452-1563, SKILCRAFT , AbilityOne, Beige, 14"W x 11"D x 7-3/4"H, EA, \$42.97

7520-01-452-1564, SKILCRAFT , AbilityOne, Black, 14"W x 11"D x 7-3/4"H, EA, \$108.10

Horizontal Desk File

Horizontal Desk File, 12" x 8 1/2" x 19 5/8", 8 Shelf; Beige

Five shelves.

7520-01-457-0723, SKILCRAFT, AbilityOne, Black, 12"W x 8-1/2"D x 12-1/2"H, EA, \$41.06

Six shelves.

7520-00-139-4869, SKILCRAFT, AbilityOne, Beige, 12"W x 8-1/2"D x 15"H, EA, \$51.28

7520-00-728-5761, SKILCRAFT, AbilityOne, Gray, 12"W x 8-1/2"D x 15"H, EA, \$51.28

Desk Tray Stationery Holder

Five compartments of various sizes facilitate organizing letter-size stationery in your desk drawer. Steel tray may also be used on top of the desk.

7520-01-413-5061, Black or Gray, 3-3/16"H x 11-3/8"L x 21-1/8"H, EA, \$46.15

Desk Tray

Sturdy plastic tray is self-stacking to conserve desk space. Side-loading tray affords easy access.

25% Postconsumer Recycled Plastic

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-094-4307, SKILCRAFT, AbilityOne, Black, Letter Size, PG(contains 2 EA), \$10.68

Federal Strategic Sourcing Initiative, 7520-01-094-4309, SKILCRAFT, AbilityOne, Black, Legal Size, PG(contains 2 EA), \$13.13

Wooden desk tray sports a full felt bottom to protect work surface. Cut-outs are provided on both ends for quick access to materials.

7520-00-232-6828, Mahogany, Legal Size, EA, \$36.66

Desk Pad

Executive-size desk pad comes in smooth linoleum or vinyl with a non-skid backing.

7520-01-130-3208, Black, 24 x 36", EA, \$86.26

Flexible Desk Blotter Cover

Flexible clear plastic sheet is used for covering desk blotters.

7510-01-269-4478, 24 x 37", EA, \$6.07

Vertical Desk File

Steel vertical desk file with eight slots. Letter size.

7520-01-452-1562, SKILCRAFT, AbilityOne, Beige, 8"H x 11"W x 14-1/4"D, EA, \$45.24

Bookends

Heavy-duty bookends have a classic rounded design. Formed from a single piece of 20-gauge steel with an Powder-Coat Finish.

15% Recycled Plastic, Which Includes 15% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-00-264-5479, SKILCRAFT , AbilityOne, Gray, 5-1/2 x 4-3/4 x 6", PR, \$13.04

Product features non-skid, padded base which protects surfaces and prevents slippage. Steel bookends feature radius styling with a unique powder-coat finish.

15% Recycled Plastic, Which Includes 15% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-484-4579, SKILCRAFT , AbilityOne, Black, 9"H x 5-7/8"W x 8-1/8"D, PR, \$28.57

Copyholder

Non-magnetic easel back design. Hold copy at optimum angle to relieve eye and neck strain. Accommodates multiple pages and includes removable line guide and multi-position paper holder. Folds flat for easy storage.

7520-01-219-2308, Black, Letter Size, EA, \$16.96

This deluxe magnetic copyholder includes special features to help increase typing accuracy and comfort. Heavy-duty metal construction. Folds flat for convenient storage. "See-thru" magnetic line guide.

Federal Strategic Sourcing Initiative, 7520-01-292-0013, Black, Letter Size, EA, \$29.97

Wall Pocket

Made of a virtually unbreakable plastic, this wall pocket is designed for maximum visibility and ease of retrieval of files and documents. Mounts easily using either screws or self-adhesive mounting tape (both included). Additional units can be stacked vertically for a multi-pocket system.

100% Recycled Plastic, Which Includes 25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-582-7273, SKILCRAFT , AbilityOne, Clear, 13-1/4"W x 14-7/8"H x 4"D, EA, \$11.69

Federal Strategic Sourcing Initiative, 7520-01-582-7279, SKILCRAFT , AbilityOne, Smoke, 13-1/4"W x 14-7/8"H x 4"D, EA, \$11.69

Federal Strategic Sourcing Initiative, 7520-01-582-7274, SKILCRAFT , AbilityOne, Clear, 13-1/4"W x 14-7/8"H x 4"D, PG(contains 3 EA) , \$18.33

Federal Strategic Sourcing Initiative, 7520-01-582-7277, SKILCRAFT , AbilityOne, Smoke, 13-1/4"W x 14-7/8"H x 4"D, PG(contains 3 EA), \$24.65

Binders-Ring

Swing-Hinge Binder

Organize and access paperwork with ease. Swing-hinge loose-leaf binder accommodates 8-1/2 x 11" sheets. Made of rigid vinyl plastic, this three metal hinge binder features a split prong.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-272-3231, SKILCRAFT, AbilityOne, Dark Green, Capacity: 3", EA, \$14.47

Recycled D-Ring Binder

Recyclable binder features EZ-clip ring removal system. Clip and rivet system allows for the easy separation of the metal rings from the 100% post-consumer waste (PCW) cover boards. This new feature facilitates recycling both the board and metal components. Metal rings contain 40% PCW material. Accommodates 8-1/2 x 11" sheets.

75% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

7510-01-579-9329, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$9.25

7510-01-579-9317, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$9.87

7510-01-579-9319, SKILCRAFT, AbilityOne, Black, Capacity: 3", EA, \$9.67

Slant D-Ring Binder

Plastic vinyl framed binder is ideal for enhancing important presentations. Frames title page and spine for a professional look. Mounting sheet keeps pages from "floating." One-touch ring opens, closes and locks in one easy step. Easy insert spine allows for quick loading. Back-mounted rings allow pages to lay flat. Accommodates 8-1/2 x 11" sheets.

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-462-1387, SKILCRAFT, AbilityOne, White, Capacity: 1/2", EA, \$6.81

Federal Strategic Sourcing Initiative, 7510-01-462-1390, AbilityOne, Black, Capacity: 1", EA, \$8.03

Federal Strategic Sourcing Initiative, 7510-01-462-1388, AbilityOne, Navy Blue, Capacity: 1", EA, \$9.20

Federal Strategic Sourcing Initiative, 7510-01-462-1389, AbilityOne, Black, Capacity: 1-1/2", EA, \$8.35

Federal Strategic Sourcing Initiative, 7510-01-462-1391, SKILCRAFT, AbilityOne, White, Capacity: 1-1/2", EA, \$8.39

75% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-462-1384, AbilityOne, Black, Capacity: 1/2", EA, \$7.39

Federal Strategic Sourcing Initiative, 7510-01-462-1383, SKILCRAFT, AbilityOne, Navy Blue, Capacity: 1/2", EA, \$8.16

45% Postconsumer Material

Federal Strategic Sourcing Initiative, 7510-01-462-1386, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$7.70

Federal Strategic Sourcing Initiative, 7510-01-462-1385, SKILCRAFT, AbilityOne, Navy Blue, Capacity: 1-1/2", EA, \$6.97

Slant D-rings lock in place to secure contents. Clear-view style covers have a crystal clear overlay on the front, back and spine and horizontal pockets on inside front and back covers. Accommodates 8-1/2 x 11" sheets.

Federal Strategic Sourcing Initiative, 7510-01-495-0694, White, Capacity: 3", EA, \$16.29

Federal Strategic Sourcing Initiative, 7510-01-495-0696, SKILCRAFT, AbilityOne, White, Capacity: 4", EA, \$13.12

Federal Strategic Sourcing Initiative, 7510-01-495-0695, White, Capacity: 5", EA, \$15.19

Federal Strategic Sourcing Initiative, 7510-01-495-0697, Black, Capacity: 3", EA, \$8.24

Federal Strategic Sourcing Initiative, 7510-01-495-0698, Black, Capacity: 5", EA, \$28.66

75% Postconsumer Material Contains 25% Recovered Material

Federal Strategic Sourcing Initiative, 7510-01-495-0692, White, Capacity: 2", EA, \$11.86

Slant D-ring binder includes a clear overlay on front, spine and back cover. Pockets on inside covers. Accommodates 8-1/2 x 11" sheets.

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-417-1879, SKILCRAFT, AbilityOne, Red, Capacity: 1", EA, \$8.83

Federal Strategic Sourcing Initiative, 7510-01-384-8786, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$8.26

Federal Strategic Sourcing Initiative, 7510-01-417-1882, SKILCRAFT, AbilityOne, Blue, Capacity: 1-1/2", EA, \$9.56

Federal Strategic Sourcing Initiative, 7510-01-417-1877, SKILCRAFT, AbilityOne, Red, Capacity: 1-1/2", EA, \$9.43

Federal Strategic Sourcing Initiative, 7510-01-385-6711, SKILCRAFT, AbilityOne, White, Capacity: 1-1/2", EA, \$8.90

Federal Strategic Sourcing Initiative, 7510-01-417-1884, SKILCRAFT, AbilityOne, Blue, Capacity: 2", EA, \$10.68

Federal Strategic Sourcing Initiative, 7510-01-417-1878, SKILCRAFT, AbilityOne, Red, Capacity: 2", EA, \$8.10

Federal Strategic Sourcing Initiative, 7510-01-384-8788, SKILCRAFT, AbilityOne, White, Capacity: 2", EA, \$9.73

Federal Strategic Sourcing Initiative, 7510-01-417-1876, SKILCRAFT, AbilityOne, Red, Capacity: 2-1/2", EA, \$12.04

Federal Strategic Sourcing Initiative, 7510-01-384-8673, SKILCRAFT, AbilityOne, White, Capacity: 2-1/2", EA, \$11.66

Federal Strategic Sourcing Initiative, 7510-01-412-6338, SKILCRAFT, AbilityOne, Black, Capacity: 3", EA, \$11.64

Federal Strategic Sourcing Initiative, 7510-01-368-3487, SKILCRAFT, AbilityOne, Blue, Capacity: 3", EA, \$12.49

Federal Strategic Sourcing Initiative, 7510-01-368-3485, SKILCRAFT, AbilityOne, Red, Capacity: 3", EA, \$13.23

Federal Strategic Sourcing Initiative, 7510-01-368-3486, SKILCRAFT, AbilityOne, White, Capacity: 3", EA, \$12.51

Federal Strategic Sourcing Initiative, 7510-01-417-1883, SKILCRAFT, AbilityOne, Blue, Capacity: 2-1/2", EA, \$12.04

75% Postconsumer Material Contains 80% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-420-8078, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$7.92

Federal Strategic Sourcing Initiative, 7510-01-417-1881, SKILCRAFT, AbilityOne, Blue, Capacity: 1", EA, \$8.71

Clear-view style covers have a crystal clear overlay on the front, back and spine. Accommodates 8-1/2 x 11" sheets.

75% Postconsumer Material Contains 25% Recovered Material

7510-01-412-6336, Bone, Capacity: 3", EA, \$12.97

Slant D-ring binder includes a clear overlay on front, spine and back cover. Plastic bound, rigid cover. Accommodates 8-1/2 x 11" sheets.

75% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

7510-01-277-6459, White, Capacity: 2", EA, \$29.90

General use, Slant-D ring no-frills, three-ring vinyl binder. Accommodates 8-1/2 x 11" sheets.

75% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

7510-01-316-2167, Black, Capacity: 4", EA, \$14.96

Federal Strategic Sourcing Initiative, 7510-01-392-5283, SKILCRAFT, AbilityOne, Black, Capacity: 5", EA, \$14.22

Round Ring View Binder

Standard rigid three-ring binder with clear overlay for insert on front cover to customize binder. Accommodates 8-1/2 x 11" sheets.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-510-4859, SKILCRAFT, AbilityOne, White, Capacity: 1/2", EA, \$6.81

75% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-510-4865, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$7.36

Federal Strategic Sourcing Initiative, 7510-01-519-4381, SKILCRAFT, AbilityOne, White, Capacity: 1-1/2", EA, \$8.31

Federal Strategic Sourcing Initiative, 7510-01-510-4866, SKILCRAFT, AbilityOne, White, Capacity: 3", EA, \$13.43

Federal Strategic Sourcing Initiative, 7510-01-510-4869, SKILCRAFT, AbilityOne, Blue, Capacity: 1", EA, \$8.09

General-use, three-ring loose-leaf binder features stiff vinyl cover. Accommodates 8-1/2 x 11" sheets.

Has clear front, back and spine panels for inserts.

75% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-283-5274, SKILCRAFT, AbilityOne, Black, Capacity: 1/2", EA, \$7.60

Federal Strategic Sourcing Initiative, 7510-01-203-4708, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$7.64

60% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-203-8814, SKILCRAFT, AbilityOne, White, Capacity: 2", EA, \$7.00

Features pockets on inside front and back covers.

75% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-425-6139, SKILCRAFT, AbilityOne, Red, Capacity: 1/2", EA, \$6.15

Has a clear vinyl cover in front for inserts.

75% Postconsumer Material Contains 25% Recovered Material

7510-01-251-2097, White, Capacity: 3", EA, \$7.13

Slant D-rings lock in place to secure contents. Clear-view style covers have a crystal clear overlay on the front, back and spine and horizontal pockets on inside front and back covers. Accommodates 8-1/2 x 11" sheets.

75% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-283-5273, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$9.58

Round Ring Binder

This binder has a rigid cover design with a leather grain finish.

Accommodates 8-1/2 x 11" sheets.

75% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-281-6180, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$6.83

Federal Strategic Sourcing Initiative, 7510-00-530-8881, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$8.81

Standard rigid three-ring binder constructed of heavy-duty vinyl with inside horizontal pocket. Accommodates 8-1/2 x 11" sheets.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-01-510-7492, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$5.32

7510-01-278-4131, SKILCRAFT, AbilityOne, Black, Capacity: 1", EA, \$5.06

75% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-278-4130, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$7.08

Federal Strategic Sourcing Initiative, 7510-01-278-4129, SKILCRAFT, AbilityOne, Black, Capacity: 3", EA, \$11.25

Federal Strategic Sourcing Initiative, 7510-00-409-8647, SKILCRAFT, AbilityOne, Red, Capacity: 1", EA, \$5.20

Federal Strategic Sourcing Initiative, 7510-00-409-8646, SKILCRAFT, AbilityOne, Blue, Capacity: 1", EA, \$7.33

Federal Strategic Sourcing Initiative, 7510-00-782-2664, SKILCRAFT, AbilityOne, Gray, Capacity: 2", EA, \$13.45

25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-431-6236, SKILCRAFT, AbilityOne, Blue, Capacity: 2", EA, \$11.51

Federal Strategic Sourcing Initiative, 7510-01-431-6244, SKILCRAFT, AbilityOne, Red, Capacity: 2", EA, \$12.50

Loose-leaf binder features cloth cover.

Accommodates 8-1/2 x 11" sheets.

Rigid cover design.

75% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-00-579-2751, SKILCRAFT, AbilityOne, Black, Capacity: 2", EA, \$26.50

Organize and access paperwork with ease. Round ring loose-leaf binder accommodates 8-1/2 x 11" sheets. Made of rigid vinyl plastic, this three metal hinge binder features a split prong.

Has a clear vinyl cover in front for inserts.

75% Postconsumer Material Contains 25% Recovered Material

Federal Strategic Sourcing Initiative, 7510-01-272-3219, Black, Capacity: 1.5", EA, \$11.14

High-quality, three-ring polyethylene binders are durable and lightweight and have nickel-plated ring mechanisms. Resists grease and scuffmarks. Double opening and closing boosters.

75% Postconsumer Material Contains 25% Recovered Material

7510-01-484-1743, SKILCRAFT, AbilityOne, White, Capacity: 2", EA, \$5.78

7510-01-484-1759, SKILCRAFT, AbilityOne, White, Capacity: 1", EA, \$4.90

7510-01-484-1761, SKILCRAFT, AbilityOne, White, Capacity: 1/2", EA, \$4.54

Loose-leaf binder features vinyl cover.

Accommodates 5-1/2 x 8-1/2" sheets.

Flexible cover design.

75% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-00-187-6486, Black, Capacity: 1", EA, \$14.63

Spring-Back Binder

Aluminum spring-back binder features easy, secure insertion of forms or papers. Hole punching is not required.

Holds 8-1/2 x 11" or smaller sheets.

Federal Strategic Sourcing Initiative, 7510-00-286-6954, SKILCRAFT, AbilityOne, Polished Aluminum, Capacity: 1/2", EA, \$37.16

Loose-Leaf Binder

Standard rigid three-ring binder with clear overlay for insert on front cover to customize binder. Accommodates 8-1/2 x 11" sheets.

75% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-519-4383, SKILCRAFT, AbilityOne, Red, Capacity: 1-1/2", EA, \$9.29

7510-01-510-4871, SKILCRAFT, AbilityOne, Black, Capacity: 3", EA, \$10.58

Federal Strategic Sourcing Initiative, 7510-01-510-4858, SKILCRAFT, AbilityOne, Blue, Capacity: 3", EA, \$13.75

Federal Strategic Sourcing Initiative, 7510-01-510-4860, SKILCRAFT, AbilityOne, Blue, Capacity: 1/2", EA, \$7.85

Federal Strategic Sourcing Initiative, 7510-01-519-4382, SKILCRAFT, AbilityOne, Blue, Capacity: 1-1/2", EA, \$26.05

Loose-leaf binder features cloth cover.

Accommodates 8-1/2 x 11" sheets.

30% Postconsumer Material Contains 25% Recovered Material

Comprehensive Procurement Guideline Compliant

7510-00-984-5787, SKILCRAFT, AbilityOne, Black, Capacity: 1/2", EA, \$4.06

Camouflage Binder

Vinyl camouflage binder has front and back pockets and a heavy-duty ring mechanism.

Contains 100% Recovered Plastic

100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-01-484-1755, SKILCRAFT, AbilityOne, Green Camouflage, Capacity: 1", EA, \$7.59

Binders-Military and Navigational

Tactical Reference Card

Tactical reference cards used in Rite in the Rain Field Binder 9200T (7510-01-505-3664). Cards contain the same info as reference material found in all-weather book 980T (7530-01-505-3661). Including tactical mission graphics, friendly and enemy unit symbols, sector sketch preparation instructions, standard range card preparation instructions. Set includes a total of 16 pages containing eight cards.

Contains 80% Recovered Material, Which Includes 80% Postconsumer Material

7530-01-528-5808, Rite in the Rain 9200T-R, Tan, 7"L x 4.625"W, EA, \$8.10

ACU Record Book

This digital-camo record book features hook and loop fastener faceplates on the front for a person's name and rank, inside organizer pocket with pen holder, and a side hide-away pocket with hook and loop fastener. The cover is designed to fit NSN 7530-00-222-3521 (5-1/2 x 8" Record book) and NSN 7530-00-286-6207 (not included).

Federal Strategic Sourcing Initiative, 7530-01-618-8427, SKILCRAFT, AbilityOne, ACU Pattern, 6 x 9", EA, \$9.10

Rite in the Rain Field Binder

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Tactical field binder measures 5-5/8 x 7-1/2". Made of PolyDura plastic with an inside clear pocket to hold military symbol stencils or index cards. Holds Rite in the Rain tactical loose-leaf paper NSN 7530-01-498-2081.

Contains 80% Recovered Material, Which Includes 80% Postconsumer Material

7510-01-498-2077, Rite in the Rain P/N 9200, Green, EA, \$10.34

7510-01-505-3664, Rite in the Rain P/N 9200T, Tan, EA, \$10.34

U.S. Army Equipment Record Folder

Equipment record folder includes four vinyl envelopes and two pockets that allow grouping of similar records. The vinyl folder displays a four-color camouflage pattern, and the front cover features a convenient transparent window that measures 3-1/8 x 5-1/8". Folder is embossed with the U.S. Army emblem and the inscription "United States Army".

Federal Strategic Sourcing Initiative, 7510-01-065-0166, SKILCRAFT, AbilityOne, Camouflage, 8 x 10", EA, \$12.18

U.S. Army Equipment Log Book

This handy organizer for aircraft and vehicle maintenance records features a green vinyl cover, which is embossed with U.S. Army seal and reads: "U.S. Army Equipment Log Book". Includes two clear title slots: one on the front for a 3 x 5" insert card and one on the spine for a 1 x 3" insert. Also features pockets on inside front and back covers and comes with its own protective envelope. Three-ring closure with booster clips; rings are spaced 3-1/2" apart. Accommodates 9-1/2 x 6-3/8" sheets and has a 1-1/2" capacity.

Federal Strategic Sourcing Initiative, 7510-00-889-3494, SKILCRAFT, AbilityOne, Green, 10-1/4 x 8-1/2", EA, \$12.07

Flight Checklist Binder

This flexible loose-leaf binder comes with plastic envelopes for insertion of flight checklists. Blue plastic cover includes a title slot and 2" diameter snap-ring fasteners.

This size-2 binder features five snap rings and includes 25 plastic envelopes.

30% Postconsumer Material Contains 25% Recovered Material

Federal Strategic Sourcing Initiative, 7510-00-766-4269, SKILCRAFT, AbilityOne, Blue, 5-1/2"W x 8-3/8"L, EA, \$13.46

This size-4 binder features five snap rings and includes 55 plastic envelopes.

75% Postconsumer Material Contains 25% Recovered Material

Federal Strategic Sourcing Initiative, 7510-00-240-6012, SKILCRAFT, AbilityOne, Blue, 5-1/2"W x 8-3/8"L, EA, \$24.99

Long format flight crew check list binder consists of a hard cover, 30 pages each, packed 13 to a carton. Envelopes hold newer long format check lists for C-17, C-130, KC-135 and similar aircraft/platforms. Envelopes meet MilSpec LP-375 type II.

Uses refill sheets NSN 7510-01-560-3446.

7510-01-561-2755, SKILCRAFT, AbilityOne, Blue, 11-1/2 x 5-3/4", EA, \$28.45

Flight Binder Replacement Envelopes

Clear plastic envelope replacements have 16 holes and are used in the flight crew check binder NSN 7510-00-766-4269.

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

7510-01-537-1400, SKILCRAFT, AbilityOne, Matte Clear, 8-3/4 x 6 x 1", BX(contains 700 EA), \$300.51

Flight Record Book

Closed-back, side-opening binder holds 11 x 8-1/2" sheets with seven ring fasteners. Binder's frosted, flexible vinyl cover is labeled "A/C Flight Report and Maintenance Record".

75% Postconsumer Material Contains 25% Recovered Material

7510-00-086-7550, Capacity: 1-1/4", EA, \$40.25

Binder Accessories

File Guide Card Set

Guide card set is made of durable pressboard, intended for heavy-duty use, and conveniently collated. Uncoated pressboard tabs extend 1/2" above the long edge of the card. Does not have a lower projection.

Features 1/5-cut tabs.

Tabs are blank.

30% Postconsumer Material Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-989-0684, SKILCRAFT, AbilityOne, Light Green, Letter Size, HD, \$40.43

Document Protector

Top-loading document protectors are made of durable polypropylene. Will not absorb ink from copier paper, turn yellow or become brittle. Seven-hole punched on 11" side. Documents slide through top pocket opening easily and static free.

Medium Weight

40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-616-9670, SKILCRAFT, AbilityOne, Clear, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$5.22

Federal Strategic Sourcing Initiative, 7510-01-347-9580, Clear, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$7.97

Federal Strategic Sourcing Initiative, 7510-01-381-5300, Non-Glare, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$5.30

Heavyweight.

7510-01-347-9579, Clear, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$7.97

7510-01-381-2219, Non-Glare, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$7.97

These top-loading sheet protectors can be used for separating or indexing documents by category or organizing presentations. Each sheet features seven holes on the 11" side which will fit a variety of binders. Twenty sheets of each color (red, yellow, green, blue and white) per box for a total of 100 protectors.

Color appears on 1/5 straight cut edge.

7510-01-318-6591, Clear, For 8-1/2 x 11" sheets, BX(contains 100 EA), \$12.88

Color appears on 1/5 cut protruding tabs.

7510-01-506-7475, Clear, For 8-1/2 x 11" sheets, BX(contains 100 EA), \$36.72

Guard important paperwork against accidental spills or tears. Letter-sized, three-hole-punched protector is made of heavy-gauge clear plastic.

Heavyweight.

40% Postconsumer Material

Federal Strategic Sourcing Initiative, 7510-01-236-0059, SKILCRAFT, AbilityOne, Clear, For 8-1/2 x 11" sheets, BX(contains 50 EA), \$10.16

Transparent Project Sleeve

Heavy-duty clear plastic project sleeve is sealed on 2 sides with a notched front for quick and easy removal of documents.

40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-616-9667, SKILCRAFT, AbilityOne, Clear, For 8-1/2 x 11" sheets, PG(contains 24 EA), \$7.17

Index Tab

Organize, label and color-code papers, project files, and binders with index tabs. Durable, secure self-stick tabs in assorted colors are easy to write on and simple to reposition or replace. Page Markers in assorted neon colors stick securely and remove cleanly.

24-month maximum shelf life (not extendable); 25% Postconsumer Material

7510-01-661-4493, SKILCRAFT, AbilityOne, Red/Blue/Yellow, PG(contains 66 EA), \$4.28

7510-01-661-4494, SKILCRAFT, AbilityOne, Red/Yellow, PG(contains 44 EA), \$5.64

Index Sheet Set

Three-hole-punched index sheet comes with five tabs to write on. Sheet is made of heavy-duty cardstock.

10% Postconsumer Material Contains 10% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-418-1230, Manila, 8-1/2 x 11", BX(contains 20 EA), \$33.07

Index sheet features 1/5-cut, blank self-tabs in all positions. Sheets are three-hole punched for use in three-ring binders. Made of 32-lb. index paper stock.

Set includes 100 sheets.

30% Recovered Material Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-959-4441, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", SE, \$7.47

For a more professional look, use these insertable Index sheets 1/5-cut tab, 5-dividers which are made of buff index paper with clear reinforced binding edge. Three-hole punched for use in three-ring binder.

50% Recovered Material, Which Includes 20% Postconsumer Material

7510-01-386-2431, Clear, 8-1/2 x 11", SE, \$5.57

Includes five 5-tab sets. Dividers have reinforced tabs, clear reinforced three-hole-punched binding edge. Print graphics and text directly onto divider and tabs with laser printers.

50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-461-8586, White, 8-1/2 x 11", PG(contains 5 EA), \$23.96

These clear, but tinted labels virtually disappear when applied to 1/5 cut tabs. For fast formatting, use preset layouts in WordPerfect, Microsoft Word, etc. For use in both laser and inkjet printers. 5 sheets per set.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-434-4198, SKILCRAFT, AbilityOne, Assorted, 8-1/2 x 11", SE, \$7.02

Three-hole punched sheet has insertable plastic tabs. Durable enough for repeated use.

Includes eight index tabs.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-151-6860, Assorted Colors, 8-1/2 x 11", SE, \$1.73

Index Sheet paper is three-hole punched for three-ring binders. Black leather tabs are stamped in gold. Rip proof; Reinforced binding edge.

Tabs are numerical, from 1 to 31.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-316-4455, Buff, 8-1/2 x 11", SE, \$4.32

Tabs are alphabetical, from A to Z.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-316-4457, Buff, 8-1/2 x 11", SE, \$3.04

Coordinated system of reinforced table of contents page and matching preprinted tab dividers make referencing easy. Dividers feature heavier weight paper for added durability, Plastic reinforcement tabs and binding edges helps prevent tearing. Includes Table of Contents Sheet that can be typed on Repromaster typing guide and run through your plain copier. Preprinted Tab Dividers; Mylar reinforcement.

Numerical Tabs, 1-12

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-621-5258, SKILCRAFT, AbilityOne, Assorted Colors, 8 1/2 x 11", SE, \$2.15

Tabs are alphabetical, from A to Z.

50% Recovered Material Contains 30% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-368-3492, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2 x 11", SE, \$3.63

Tabs are numerical, from 1 to 10.

50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-368-3489, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2 x 11", SE, \$2.54

Tabs are numerical, from 1 to 31.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-368-3493, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2 x 11", SE, \$5.00

Tabs are labeled, January to December.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-368-3490, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2 x 11", SE, \$2.95

Federal Strategic Sourcing Initiative, 7530-01-368-3491, Clear/Black Ink, 8-1/2 x 11", SE, \$3.91

One-step multiple index set organizes several binders as easily as just one. No tab typing or tab inserting. Laser and inkjet compatible.

Tabs are numerical, from 1 to 5.

50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-364-9489, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2 x 11", SE, \$1.55

These convenient self-tabbed alphabetical index sheets are punched for use in three-ring binders. Tabs are printed in black with a Mylar covering and a reinforced binding, for added strength. Made of 32-lb. buff ledger paper with 4 1/4" center to center hole spacing. Rounded corner tabs and sheets.

Tabs are alphabetical from A to Z

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-160-8477, Buff, 11x 8-1/2", SE, \$4.40

Three-hole punched sheet with plastic tabs and reusable inserts. Durable enough for repeated use.

Includes five index tabs.

30% 50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-352-9250, Assorted Colors, 8-1/2 x 11", SE, \$0.77

Index Marker Sheet Set

Clear label dividers.

One set includes 8 color tabs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-6970, SKILCRAFT, AbilityOne, Assorted Colors, 8-1/2" x 11", SE, \$8.68

Standard sized, 3-hole punched, 5-tab, white.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-6977, SKILCRAFT, AbilityOne, White, 8-1/2" x 11", SE, \$6.90

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-600-6981, SKILCRAFT, AbilityOne, 8-1/2" x 11", PG(contains 5 EA), \$27.43

Standard-sized, 3-hole punched, 8-tab, white.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-6978, SKILCRAFT, AbilityOne, white, 8-1/2" x 11", SE, \$8.30

Federal Strategic Sourcing Initiative, 7530-01-600-6982, SKILCRAFT, AbilityOne, 8-1/2" x 11", PG(contains 5 EA), \$29.65

Plastic Sheet

Colorless, Polyethylene Terephthalate (PET/PETG) sheet has many uses.

Polished-finish surface is ideal for protection of documents, cards, and similar items. With removable paper backing that reveals pressure-sensitive adhesive.

Thickness: 0.002".

36-month maximum shelf life (extendable).

9330-00-618-7215, LAM250C or equal, 10 x 12", BX(contains 50 SH), \$20.94

Thickness: 0.005".

36-month maximum shelf life (extendable).

9330-01-358-4390, LAM550C or equal, 10 x 12", BX(contains 50 SH), \$28.40

Matte-finish surface is suitable for marking, lettering, writing and erasing.

With removable paper backing that reveals pressure-sensitive adhesive.

Thickness: 0.005".

36-month maximum shelf life (extendable).

9330-01-358-4392, LAM550M or equal, 10 x 12", BX(contains 50 EA), \$31.61

Without adhesive.

9330-01-358-7529, NLI-7529 or equal, Width: 40", Thickness: 0.005", RO(contains 50 FT), \$96.83

High-polished-finish surface is ideal for use as a bulletin board cover, index guide card and container.

Without adhesive.

9330-01-358-7527, NLI-7527 or equal, Width: 40"; Thickness: 0.010", RO(contains 50 FT), \$131.59

9330-01-358-7525, NLI-7525 or equal, Width: 40"; Thickness: 0.008", RO(contains 50 FT), \$109.42

Polished-finish surface is ideal for protection of documents, cards, and similar items. With removable paper backing that reveals pressure-sensitive adhesive.

36-month maximum shelf life (extendable).

9330-01-358-4391, LAMR550 or equal, Width: 21"; Thickness: 0.005", RO(contains 50 FT), \$46.26

9330-00-618-7214, LAMR250 or equal, Width: 26"; Thickness: 0.002", RO(contains 50 FT), \$31.64

Sheeting is .007" thick by 24" wide and 200' long. Minimum tensile strength is 1700 lbs with a white opaque finish on both sides. Treated 7-1/2 percent ultraviolet inhibitors rated for 5 years. Material is polyethylene plastic, meeting A A-3174, Class 3: Biaxially oriented, Type IV: Heat shrinkable polyethylene, and Finish 1 standards: Untreated.

Which Includes 10% Postconsumer Material

8135-01-250-4931, RO(contains 200 FT), \$809.34

Legal Divider

Legal offices make good use of these non-punched dividers to organize and enhance the appearance of briefs, presentations and general reports. Made of heavy-duty white stock with boldly printed black characters on sturdy tabs. Each set comes with a separate table of contents index sheet.

Contains tab titles 26 through 50.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-407-2248, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", SE, \$3.47

Contains tab titles 1 through 25.

30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-407-2250, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", SE, \$2.51

Label Holder

Aluminum holder has a pressure-sensitive adhesive backing with a protective liner. Features a plastic window shield and a solid back. US Army Natick Lab Drawing 8-2-165.

Overall dimensions - 9-11/16 x 11-3/4". Accommodates a sign 10-1/2 x 8".

12-month maximum shelf life (extendable).

Plastics Removal in Marine Environments,

9905-00-866-0334, AbilityOne, PG(contains 10 EA), \$83.44

Book Ring

Plated steel ring is hinged for smooth opening and closing. Interlocking catches keep ring closed securely around bound materials.

7510-00-286-5787, Diameter: 1", BX(contains 100 EA), \$9.19

7510-00-286-5789, Diameter: 2", BX(contains 50 EA), \$7.72

Clipboards

Arch Board File

This composition hardboard file features two arched prongs with a locking device, which holds paper securely. Prongs are spaced 2-3/4" apart. Has a 2.0" capacity.

Does not include index, cover or perforator.

25% Postconsumer Material

7520-00-255-7081, SKILCRAFT, 9 x 17", EA, \$7.67

Polydura Field Desk (Rite in the Rain)

This Polydura storage clipboard is the key to your outdoor office! It stores 8 1/2" x 11" data sheets, pencils, and other field equipment inside. The durable plastic shell has a warmer feel than metal clip boards.

Lightweight and completely weatherproof for all your outdoor tactical documents. 200 data sheet capacity.

25% Postconsumer Material

7530-01-536-2658, Silver, 8 1/2" W x 11"L x 1"D, EA, \$14.79

SlimMate Plastic Storage Clipboard

This storage clipboard is perfect for use in backpacks, briefcases, or vehicle storage. Features a large smooth writing surface and a low profile clip with 1/2 inch capacity for those professionals that require their paperwork to be filled out while in the field. It is made of durable polypropylene, providing a sturdy yet lightweight mobile writing surface for those who are on-the-go while keeping materials organized. Papers or writing pads are held in place by a strong nickel-plated steel spring clip with rubber corner grips. Inside storage is 3/4 inches, designed to accommodate paper documents such as forms, pens and pencils where they are accessible but protected from the elements.

25% Postconsumer Material

7520-01-619-0302, SKILCRAFT, AbilityOne, Green, 9-1/2" W x 13-1/2" L x 1-1/2" D, EA, \$9.29

7520-01-619-0303, SKILCRAFT, AbilityOne, Blue, 9-1/2" W x 13-1/2" L x 1-1/2" D, EA, \$17.55

DeskMate II Plastic Storage Clipboard

DeskMate II Plastic Storage Clipboard holds your complete mobile office. 3/4" pen and paper storage area protects against wear and weather. Made of durable polypropylene construction. Slim design ensures easy storage. Strong low profile clip with rubber grips holds up to 1/2" paper securely. Bottom opening for convenient access. Fits forms up to 8-1/2" x 12". Perfect for use in mobile and office environments.

25% Postconsumer Material

7520-01-622-2123, SKILCRAFT, AbilityOne, Blue, 16" L x 10" W x 2-1/2" D, EA, \$12.85

Reinforcement Ring

Avoid having loose-leaf sheets accidentally ripped from binders. Use these eyelets for reinforcing the punched holes. Also ideal for repairing ripped loose-leaf holes. Eyelets are made of self-adhesive poly-vinyl.

7510-00-285-5422, White, 3/8" Holes, HD, \$14.37

Slide Fastener Base

Each compressor-type slide fastener base is intended for use in binding together papers and similar printed materials. Features 2-3/4" spacing between prongs. Without compressor. Made of tempered steel with a corrosion-resistant finish.

For fasteners with a 2" binding capacity.

7510-00-223-6814, SKILCRAFT, AbilityOne, HD, \$8.19

Federal Strategic Sourcing Initiative, 7520-01-622-2122, SKILCRAFT, AbilityOne, Black, 16" L x 10" W x 2-1/4" D, EA, \$12.55

Clipboard

A 5-1/2" width rust-resistant metal clip centered near the top edge keeps a tight grip on important papers. Features rounded corners and composition board construction. Heavy clip spring allows a generous 1" capacity. Clipboard may be hung from the hole in the base of the clip.

25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-00-281-5918, SKILCRAFT, AbilityOne, Brown, 9 x 12-1/2", EA, \$3.92

Federal Strategic Sourcing Initiative, 7520-00-254-4610, SKILCRAFT, AbilityOne, Brown, 9 x 15-1/2", EA, \$5.03

Federal Strategic Sourcing Initiative, 7520-00-240-5503, SKILCRAFT, AbilityOne, Brown, 9 x 17", EA, \$5.96

Plastic base clipboard features 4" metal, wire spring clip.

50% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-439-3391, SKILCRAFT, AbilityOne, Blue, 9 x 12", EA, \$8.03

A plastic base clipboard features 4-1/4" width rust-resistant metal clip centered near the top edge keeps a tight grip on important papers. Heavy, low rise, wire spring clip allows a generous 0.5" capacity. Clipboard may be hung from the hole in the base of the clip.

60% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7520-01-386-3670, SKILCRAFT, AbilityOne, Red, 9 x 12", EA, \$6.34

Aluminum base clipboard features 5-1/2" metal, flat spring clip.

80% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-439-3387, SKILCRAFT, AbilityOne, Aluminum, 9 x 12", EA, \$12.01

For legal-size and larger sheets.

80% Recovered Material

7520-01-439-3398, SKILCRAFT, AbilityOne, Aluminum, 9 x 15", EA, \$12.08

File Folders (Non-Hanging)

Classification Folder

Heavy-duty folder fits easily in a drawer for convenient storage. Made of 217-lb. stock and features a plain, folded bottom. This Kraft paperboard folder expands to 3/4" and includes straight-cut self-tabs.

Fasteners not included.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-222-3443, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$30.96

Federal Strategic Sourcing Initiative, 7530-00-222-3444, SKILCRAFT, AbilityOne, Kraft, Legal Size, HD, \$36.14

A 1-1/2" prong fastener is located on the inside top edge of rear cover.

Compressor not included.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-926-8978, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$73.12

Federal Strategic Sourcing Initiative, 7530-00-926-8980, SKILCRAFT, AbilityOne, Kraft, Legal Size, HD, \$75.03

This sturdy, heavy-duty folder is made of 217-lb pressboard and conveniently folds to form a three-section folder. A prong fastener is located on inside top of each side section. Total of three prongs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-707-8406, SKILCRAFT, AbilityOne, Red, Letter Size, EA, \$1.27

Federal Strategic Sourcing Initiative, 7530-01-484-0001, SKILCRAFT, AbilityOne, Red, Letter Size, PG(contains 10 EA), \$17.38

This sturdy, heavy-duty folder is made of 370-lb pressboard, with a cloth-gusset bottom. Includes a straight-cut self-tab and expands to 1".

Includes one prong fastener on top right-hand side of folder. Compressor not included.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-926-8981, SKILCRAFT, AbilityOne, Green, Letter Size, HD, \$103.17

7530-00-926-8982, SKILCRAFT, AbilityOne, Green, Legal Size, HD, \$157.88

Includes two prong fasteners on top right and left-hand sides of folder.

Compressor not included.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-043-1194, SKILCRAFT, AbilityOne, Green, Letter Size, HD, \$121.00

Secures materials with fasteners located at opposite ends of the flap. Folder has a self-tab on the right four-fifths of the folder. Made of kraft stock. Has a 217-lb. basis weight.

One fastener in the horizontal position on the inside top left cover, one fastener in the vertical position in the inside middle part of the right cover. Each fastener has a 1" capacity.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-00-811-7169, SKILCRAFT, AbilityOne, Light Brown, Letter Size, HD, \$65.83

Pressboard folder has side tabs (2/5), six sections and fasteners on both sides of the two inner dividers and inside covers. Has a 2" capacity.

30% Postconsumer Material, Which Includes 30% Recovered Material

Federal Strategic Sourcing Initiative, 7530-01-418-1314, SKILCRAFT, AbilityOne, Blue, Letter Size, BX(contains 10 EA), \$45.82

This eight-part folder pressboard has three dividers with a durable Tyvek® reinforced pleat that expands up to three-inches. Includes 1-1/2 inches capacity metal prong fasteners on both sides of each divider and inside and back covers.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-572-6208, SKILCRAFT, AbilityOne, Earth Red, Letter Size, PG(contains 10 EA), \$60.44

This eight-part folder pressboard has three dividers with a durable Tyvek reinforced pleat that expands up to three-inches. Includes one-inch capacity metal prong fasteners on both sides of each divider and inside and back covers.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-572-6205, SKILCRAFT, AbilityOne, Earth Red, Legal Size, PG(contains 10 EA), \$55.50

7530-01-572-6207, SKILCRAFT, AbilityOne, Green, Letter Size, PG(contains 10 EA), \$58.75

Heavy-duty pressboard folder (25 pt.) with cloth gusset bottom expands to 1". Has full top tab and two 1" prong fasteners.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-556-7913, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 25 EA), \$28.31

Heavy-duty 25 pt. pressboard folder features a two inch expandable Tyvek® reinforced tape gusset for added durability. Folder includes 17 pt. Kraft dividers with 1-1/2 inch prongs on each side and on front and back cover.

1 divider, 4 Part.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-554-7683, SKILCRAFT, AbilityOne, Red, Legal Size, PG(contains 10 EA), \$79.95

Military essential and medical items with greater than 60-month shelf life; 30% Postconsumer Material

7530-01-561-3024, SKILCRAFT, AbilityOne, Dark Red, Legal, PG(contains 10 EA), \$29.44

1/3-cut tab including cover.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-523-4594, SKILCRAFT, AbilityOne, Red Earth, Letter Size, EA, \$4.23

7530-01-463-2330, SKILCRAFT, AbilityOne, Light Green, Letter Size, EA, \$3.65

2 dividers, 6 part.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-556-7912, SKILCRAFT, AbilityOne, Rust, Letter Size, BX(contains 10 EA), \$41.84

Federal Strategic Sourcing Initiative, 7530-01-556-7914, SKILCRAFT, AbilityOne, Dark Blue, Letter Size, BX(contains 10 EA), \$40.88

Federal Strategic Sourcing Initiative, 7530-01-556-7915, SKILCRAFT, AbilityOne, Light Blue, Letter Size, BX(contains 10 EA), \$39.62

Federal Strategic Sourcing Initiative, 7530-01-556-7916, SKILCRAFT, AbilityOne, Dark Green, Letter Size, BX(contains 10 EA), \$41.60

Federal Strategic Sourcing Initiative, 7530-01-556-7917, SKILCRAFT, AbilityOne, Red, Letter Size, BX(contains 10 EA), \$38.16

7530-01-556-7918, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 10 EA), \$38.48

Federal Strategic Sourcing Initiative, 7530-01-554-7684, SKILCRAFT, AbilityOne, Green, Letter Size, PG(contains 10 EA), \$41.93

1/3-cut tab including cover.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-463-2324, SKILCRAFT, AbilityOne, Rust Red, Legal Size, EA, \$5.55

7530-01-517-1781, SKILCRAFT, AbilityOne, Green, Legal Size, EA, \$4.85

1/3-cut tab with straight-cut tab cover.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-990-8884, SKILCRAFT, AbilityOne, Rust Red, Letter Size, EA, \$3.43

7530-01-011-9454, SKILCRAFT, AbilityOne, Rust Red, Legal Size, EA, \$3.69

Straight cut folder is made of heavy weight pressboard with expandable cloth gusset. Includes straight-cut self-tabs.

Folder features a 1-1/2" prong fasteners on the inside fold of the last section and expands to 1". Compressor not included.

Basis Weight: 370 Lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-290-2009, SKILCRAFT, AbilityOne, Red, Letter Size, HD, \$138.58

Folder features a 1-1/2" prong fastener on the top edge of the last section and expands to 1". Compressor not included.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-634-1785, SKILCRAFT, AbilityOne, Red, Letter Size, HD, \$119.31

These six-section classification folders feature 2" capacity prong fasteners on the outside covers and 1" capacity prong fasteners on each side of the pocket dividers. Expandable reinforced Tyvek® gusset with 2" capacity. Front and back covers are 25 pt. pressboard. Pocket dividers are 11 pt. Kraft.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-600-6984, SKILCRAFT, AbilityOne, Light Blue, Letter Size, BX(contains 10 EA), \$39.66

7530-01-600-6980, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 10 EA), \$39.66

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-600-6983, SKILCRAFT, AbilityOne, Dark Green, Letter Size, BX(contains 10 EA), \$39.66

7530-01-600-6979, SKILCRAFT, AbilityOne, Earth Red, Letter Size, BX(contains 10 EA), \$39.66

7530-01-600-6972, SKILCRAFT, AbilityOne, Dark Red, Letter Size, BX(contains 10 EA), \$70.15

7530-01-600-6971, SKILCRAFT, AbilityOne, Dark Blue, Letter Size, BX(contains 10 EA), \$67.33

7530-01-600-6975, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 10 EA), \$39.66

Reinforced Manila Folder

Reinforced manila folder expands to 2". This medium duty folder is made of 133-lb manila stock. Features a self-tab and 2-inch prong fastener on both inside front and back covers. Compressor is not included.

1/3 cut.

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-484-0002, SKILCRAFT, AbilityOne, Manila, Letter Size, PG(contains 10 EA), \$11.33

Manila Folder

Standard manila file folder expands to 3/4". This light-duty folder is constructed of durable 11-pt stock, with a plain, folded bottom. Fasteners not included.

1/2 cut.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-455-6052, SKILCRAFT, AbilityOne, Manila, Letter Size, PG(contains 24 EA), \$4.88

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-281-5945, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$15.81

Federal Strategic Sourcing Initiative, 7530-00-281-5960, SKILCRAFT, AbilityOne, Manila, Legal Size, HD, \$20.30

1/3 cut.

Postconsumer Material Contains 30% Recovered Material

7530-01-455-6059, SKILCRAFT, AbilityOne, Letter Size, PG(contains 24 EA), \$5.55

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-00-282-2508, SKILCRAFT, AbilityOne, Manila, Legal Size, HD, \$17.24

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-282-2507, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$13.44

1/5 cut.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-455-6051, SKILCRAFT, AbilityOne, Manila, Letter Size, PG(contains 25 EA), \$5.50

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-281-5941, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$14.91

Straight cut.

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-291-0098, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$14.91

7530-01-455-6093, SKILCRAFT, AbilityOne, Manila, Letter Size, PG(contains 25 EA), \$5.01

7530-00-285-1732, SKILCRAFT, AbilityOne, Manila, Legal Size, HD, \$17.85

For detailed projects, this sturdy standard-duty file folder is the answer. Files easily in a drawer. Has a 147-lb. basis weight.

Straight cut.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-00-985-7012, SKILCRAFT, AbilityOne, Manila, Legal Size, HD, \$23.46

Manila File Jacket

Manila file jackets are closed on 3 sides with full height expansion gussets for all your filing and storage needs. Features a straight tab cut top.

Flat.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-632-1016, SKILCRAFT, AbilityOne, Manila, Letter Size, BX(contains 100 EA), \$31.75

Expanding Manila File Jacket

Manila file jackets are closed on 3 sides with full height expansion gussets for all your filing and storage needs. Features a straight tab cut top.

Jacket expands to 2.0" Capacity-400 sheets

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-632-1017, SKILCRAFT, AbilityOne, Manila, Letter Size, BX(contains 50 EA), \$28.23

Jacket expands to 1.0" Capacity-200 sheets

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-632-1013, SKILCRAFT, AbilityOne, Manila, Letter Size, BX(contains 50 EA), \$25.28

Colored File Folder

1/3-cut folder is made of 11-point paper stock. Expands to 3/4". Assortment of 24 folders includes six of each red, green, blue and yellow. Each color contains two of each tab position.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-484-0006, SKILCRAFT, AbilityOne, Assorted, Letter Size, PG(contains 24 EA), \$10.95

Straight-cut folder with reinforced top is made of heavyweight stock. Expands to 3/4".

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-364-9502, SKILCRAFT, AbilityOne, Blue, Letter Size, BX(contains 100 EA), \$21.00

Federal Strategic Sourcing Initiative, 7530-01-364-9486, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 100 EA), \$21.57

Federal Strategic Sourcing Initiative, 7530-01-364-9482, SKILCRAFT, AbilityOne, Pink, Letter Size, BX(contains 100 EA), \$21.82

Federal Strategic Sourcing Initiative, 7530-01-364-9484, SKILCRAFT, AbilityOne, Red, Letter Size, BX(contains 100 EA), \$21.57

Federal Strategic Sourcing Initiative, 7530-01-364-9483, SKILCRAFT, AbilityOne, Purple, Letter Size, BX(contains 100 EA), \$26.04

Federal Strategic Sourcing Initiative, 7530-01-364-9506, SKILCRAFT, Orange, Letter Size, BX(contains 100 EA), \$21.50

7530-01-364-9505, SKILCRAFT, AbilityOne, Green, Letter Size, BX(contains 100 EA), \$20.33

Federal Strategic Sourcing Initiative, 7530-01-203-1493, SKILCRAFT, AbilityOne, Lavender, Letter Size, BX(contains 100 EA), \$21.44

Federal Strategic Sourcing Initiative, 7530-01-364-9485, SKILCRAFT, AbilityOne, White, Letter Size, BX(contains 100 EA), \$21.14

Federal Strategic Sourcing Initiative, 7530-01-364-9504, SKILCRAFT, AbilityOne, Gray, Letter Size, BX(contains 100 EA), \$22.15

Inner File Folder - Color

Designed to fit within standard letter sized hanging file folders. Constructed from 11 pt. paper stock, this folder is cut shorter than standard for view of hanging folder label, scored for 3/4" expansion. 1/3 cut, one position. Each order contains a total of 25 folders, 5 of each red, green, blue, yellow and orange.

30% Postconsumer Material, Which Includes 30% Recovered Material

Federal Strategic Sourcing Initiative, 7530-01-483-9999, SKILCRAFT, AbilityOne, Assorted, PG(contains 25 EA), \$9.88

Chlorine Free File Folder

Folders are made of 11-point paper stock. Bottom is scored for 3/4" expansion. Folders is made with a water-based adhesive and are Process Chlorine Free, to protect our environment from harmful chemicals.

Single-ply 1/3-cut tabs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-566-4131, SKILCRAFT, AbilityOne, Blue, Letter Size, BX(contains 100 EA), \$23.94

Federal Strategic Sourcing Initiative, 7530-01-566-4132, SKILCRAFT, AbilityOne, Bright Green, Letter Size, BX(contains 100 EA), \$23.71

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-566-4134, SKILCRAFT, AbilityOne, Red, Letter Size, BX(contains 100 EA), \$23.71

Double-ply 1/3-cut tabs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Federal Strategic Sourcing Initiative, 7530-01-566-4146, SKILCRAFT, AbilityOne, Red, Letter Size, BX(contains 100 EA), \$27.62

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-566-4136, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 100 EA), \$28.14

Single-ply 1/3-cut tabs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-566-4137, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 100 EA), \$24.34

Folders are made of 11-point paper stock. Bottom is scored for 3/4" expansion. Folders is made with a water-based adhesive and are Process Chlorine Free, to protect our environment from harmful chemicals. Assortment of 100 folders includes 20 each of red, blue, yellow, green and purple.

Single-ply 1/3-cut tabs.

20223282

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-566-4138, SKILCRAFT, AbilityOne, Assorted, Letter Size, BX(contains 100 EA), \$25.42

Double-ply 1/3-cut tabs.

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-566-4143, SKILCRAFT, AbilityOne, Assorted, Letter Size, BX(contains 100 EA), \$33.97

Reinforced Folder

Folders are made of 11-point paper stock and are chlorine free.

Double-ply straight cut.

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-583-0557, SKILCRAFT, AbilityOne, Manila, Letter Size, BX(contains 100 EA), \$24.19

Double-ply 1/3-cut tabs.

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-583-0556, SKILCRAFT, AbilityOne, Manila, Letter Size, BX(contains 100 EA), \$24.19

Heavy-Duty Pressboard Folder

This heavy-duty folder keeps thicker materials stored confidently. Made of 370-lb. pressboard stock, with a cloth-gusset bottom. Folder expands to 1". Fasteners not included.

Features 1/5 cut self-tabs in all positions.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-286-7286, SKILCRAFT, AbilityOne, Light Green, Letter Size, HD, \$114.75

Features 1/3-cut self-tabs in all positions.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-00-286-8570, SKILCRAFT, AbilityOne, Light Green, Letter Size, HD, \$83.12

Each folder includes a convenient clear plastic tab with insert.

Features 1/3-cut tabs in all positions.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-286-6924, SKILCRAFT, AbilityOne, Light Green, Legal Size, HD, \$155.98

Federal Strategic Sourcing Initiative, 7530-00-286-6923, SKILCRAFT, AbilityOne, Light Green, Letter Size, HD, \$125.36

Kraft Folder

Medium-duty Kraft folders keep file drawers perfectly organized. Made of 147-lb. Kraft stock, with a plain, folded bottom. Fastener and compressor not included unless noted.

Each folder is reinforced and expands to 1".

Features straight-cut self-tabs that are marked to show 1/3-cut locations.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-663-0031, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$26.31

Each folder is reinforced and expands to 3/4".

Features 1/3-cut self-tabs in all positions.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-281-5940, SKILCRAFT, AbilityOne, Kraft, Legal Size, HD, \$20.94

Features straight-cut self-tabs that are marked to show 1/3-cut locations.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-200-4308, SKILCRAFT, AbilityOne, Kraft, Legal Size, HD, \$28.10

Features 1/3-cut self-tabs in all positions.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-281-5939, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$30.05

Each folder includes a 1-1/2"-long prong fastener on the top of the inside back cover. Features straight-cut self tabs that are marked to show 1/3-cut locations.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-889-3555, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$91.07

Single Tab File Folders

Organize and protect your important papers with single tab one-third cut file folders. Made of 11 pt stock, the 9.5 inch tab folders are great for use in filing cabinets, hanging file folders and brief case/portable filing systems. Available in standard or legal size, with three tab positions.

Position 1.

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-645-8093, SKILCRAFT, AbilityOne, Manila, Letter Size 9" x 11.75", BX(contains 100 EA), \$14.55

End Tab File Folder

This two-part end tab file folder is for open shelf filing without dividers. It includes two 2" prongs fasteners in the first and third positions. This folder is hinged with a reinforced Tyvek gusset which expands up to 2". Outside cover is made of 25-pt pressboard and dividers are made using 17-pt Kraft.

Basis Weight: 124 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-590-7105, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 25 EA), \$37.04

7530-01-590-7108, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 25 EA), \$32.78

This four-part End Tab file folder for open shelf filing with a single divider includes two 2" prongs on the inside front and back covers with two 1" prongs on each 1/3 cut tab divider. This folder is hinged with a reinforced Tyvek gusset which expands up to 2". Outside cover is made of 25-pt pressboard and dividers are made using 17-pt Kraft

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-590-7107, SKILCRAFT, AbilityOne, Earth Red, Letter Size, BX(contains 10 EA), \$36.60

7530-01-590-7106, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 10 EA), \$36.49

This six-part End Tab file folder for open shelf filing with two dividers includes two 2" prongs on the inside front and back covers with two 1-1/2" prongs on each 1/3 cut tab divider. This folder is hinged with a reinforced Tyvek® gusset which expands up to 2". Outside cover is made of 25-pt pressboard and dividers are made using 17-pt Kraft.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-590-7103, SKILCRAFT, AbilityOne, Light Green, Letter Size, BX(contains 10 EA), \$45.17

Federal Strategic Sourcing Initiative, 7530-01-590-7104, SKILCRAFT, AbilityOne, Earth Red, Letter Size, BX(contains 10 EA), \$45.53

Interior File Folder

Lightweight inner folder is ideal for providing additional filing options when used with follow-up file folders. Made of 133-lb stock, with a plain, folded bottom. Files easily in a drawer. Tabs are 2-3/4".

Back leaf has a prong fastener with 1-1/2" prongs located on the left edge. Compressor not included.

1/4 cut tabs is in the first position only; expands to 1".

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-273-9845, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$57.23

These file folders are designed to fit inside hanging file folders without obscuring the tabs. Ideal for subdividing projects within a folder. Folders are made of 11-point paper stock for durability and with a chlorine free process to help protect our environment from harmful chemicals.

1/3-cut-top tab.

100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-583-3820, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$13.75

Straight cut-top tab.

100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-583-3821, SKILCRAFT, AbilityOne, Manila, Letter Size, HD, \$12.70

File Folder

This heavy-duty folder keeps thicker materials stored confidently. Made of 370-lb. pressboard stock, with a cloth-gusset bottom. Folder expands to 1". Fasteners not included.

Each folder includes a convenient clear plastic tab with insert.

Features 1/5-cut tabs in all positions.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-286-6925, AbilityOne, Light Green, Letter Size, HD, \$173.07

Shelf File Folder

Extra-heavy-duty shelf file folder is made of 370-lb. pressboard, with a cloth-gusset bottom. Expands to 1" and has a 1" prong fastener at the top edge of the back cover; compressor not included.

Has straight-cut self-tabs.

30% Postconsumer Material Contains 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-00-926-8983, SKILCRAFT, AbilityOne, Green, Letter Size, HD, \$170.52

Heavy-duty shelf file folder keeps records secure. Made of 217-lb. Kraft stock, with a plain, folded bottom. Has straight-cut self-tabs and expands to 3/4". Has a 1-1/2" prong fastener on the inside top edge of the back cover; compressor not included.

30% Postconsumer Material Contains 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-926-8979, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$50.74

Work Organizer File

Accordion-style pocket folder expands to 15". Covered with leather-patterned paper. (Frame not included.)

Provides alphabetical indexing from A to Z with 21 pockets.

Features a closing flap and band.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-437-6365, SKILCRAFT, AbilityOne, Letter Size, EA, \$24.99

Filing Supplies

Paper Filing Binder

For filing miscellaneous papers when using a protective folder is not necessary. Consists of a single sheet of extra-heavyweight Kraft stock with prong fasteners spaced 2-3/4" apart at the top. Features square corners and a 1-1/2" capacity.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-285-2567, SKILCRAFT, AbilityOne, Kraft, Letter Size, HD, \$26.27

Reinforcement Ring

Avoid having loose-leaf sheets accidentally ripped from binders. Use these eyelets for reinforcing the punched holes. Also ideal for repairing ripped loose-leaf holes. Eyelets are made of self-adhesive poly-vinyl.

25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7510-01-315-9110, Clear, Diameter: 9/16, Hole:1/4", BX(contains 200 EA), \$2.15

Federal Strategic Sourcing Initiative, 7510-00-171-1123, White, Diameter: 9/16, Hole:1/4", BX(contains 200 EA), \$0.96

Hanging File Folder Tab

Plastic tab for use with hanging file folders includes an aperture for inserting a legend. Includes blank white 2 inch inserts.

1/3 cut.

25% Postconsumer Material

7510-00-053-9662, Clear, 9/16 x 3-1/2", PG(contains 25 EA), \$2.02

Federal Strategic Sourcing Initiative, 7510-01-375-4510, SKILCRAFT, AbilityOne, Clear with White Inserts, PG(contains 25 EA), \$2.70

Rite in the Rain Generic Tab Set

This pack is designed to use with the Rite in the Rain All-Weather Maxi Planner products. Includes 6 blank tabs.

7510-01-577-8118, 9271-MX, Tan, 8 1/2" x 11", SE, \$14.03

File Folder Label

High quality, bright white, printer labels are environmentally-friendly. Face sheet is made using 100 percent recycled post-consumer fibers and is processed chlorine-free (PCF). Labels are both acid-free and lignin-free and can safely be recycled. Compatible with both desktop laser and inkjet printers.

Package contains 50 sheets of 30 labels per sheet (for a total of 1,500 labels).

1/3 cut.

100% Postconsumer Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4905, SKILCRAFT, AbilityOne, White, 2/3 x 3-7/16", PG(contains 1500 EA), \$29.39

File Guide Card

Blank guide card made of pressboard is ideal for individual drawer filing systems. Pressboard tab extends 1/2" above the long edge of the card. Does not have a lower projection.

Features 1/3-cut tabs in the first position.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-988-6520, SKILCRAFT, AbilityOne, Light Green, Legal Size, HD, \$24.83

Features 1/3-cut tabs in the first or third position.

Basis Weight 370 lbs (24 "x36" per 500 sheets)

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-988-6515, SKILCRAFT, AbilityOne, Light Green, Letter Size, HD, \$21.34

Slide Fastener Compressor

This compressor is designed to receive paper fastener base prongs and hold them securely. Intended for use with a paper fastener base with 2-3/4" spacing between prongs. Made of tempered steel with a corrosion-resistant finish.

Replacement compressor for Prong Fasteners

Federal Strategic Sourcing Initiative, 7510-00-291-0140, SKILCRAFT, AbilityOne, Silver, HD, \$51.98

Slide Fastener

Slide fastener features compressor type closure and is intended for use in binding together papers and similar printed matter. Made of tempered steel with corrosion-resistant finish.

One-piece base features 2-3/4" spacing between prongs.

Has a 1" binding capacity.

7510-00-161-4284, SKILCRAFT, AbilityOne, BX(contains 50 EA), \$7.10

Has a 2" binding capacity.

Federal Strategic Sourcing Initiative, 7510-00-235-6068, SKILCRAFT, AbilityOne, BX(contains 50 EA), \$8.97

Stack-a-File

Use this wall or partition mountable filing system as a single file or in multiples. Comes equipped with two screws and double-sided tape for easy installation and is made of plastic.

Federal Strategic Sourcing Initiative, 7520-01-218-2053, Black, 13"W x 7"H x 4"D, PG(contains 2 EA), \$16.05

Report Covers

Work Organizer File

Keep documents secure in these colorful project file jackets made of durable, water- and tear resistant polypropylene material. Closed on two sides with a tuck flap closure for extra security, the acid-free material provides archival quality storage. Opaque backs in five solid colors for color coding with clear front for easy file identification.

7520-01-661-8834, SKILCRAFT, AbilityOne, Assorted, 9-1/4 x 11-3/4", PG(contains 5 EA), \$6.95

Organize papers in three-ring binders without hole punching with these three-ring slash-style file jackets made of durable, water-and-tear resistant polypropylene. Diagonal slash pockets on each side keep documents safe yet provide easy access when needed.

Available in clear or translucent file jackets in packs of five with one of each color: blue, green, yellow, clear, and red

7520-01-661-5817, SKILCRAFT, AbilityOne, Assorted Colors, 9-1/4" x 11-1/4", PG(contains 5 EA), \$12.29

Cover Paper

Durable, vellum-finished paper serves as an attractive cover for protecting documents, manuscripts, programs and periodicals. Ideal for use with staples and various binding machines, this sturdy, long-grain paper has a 50-lb. basis weight.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

9310-01-083-5210, Canary, 8-1/2 x 11", BX(contains 2000 SH), \$142.41

Durable, vellum-finished paper serves as an attractive cover for protecting documents, manuscripts, programs and periodicals. Ideal for use with staples and various binding machines, this sturdy, long-grain paper has a 65 lbs. basis weight.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

9310-01-083-5211, Vermillion Red, 8-1/2 x 11", BX(contains 2500 SH), \$162.93

Page Protector

Clear plastic sheet protects papers, documents or photographs. For use with loose-leaf binders. Punched on 11" side for three-ring binder use. Includes black album paper insert. Accommodates 8-1/2 x 11" sheets.

Has a shiny finish.

Basis Weight 56.00 lbs (+/- 4 LBS) (24" x 36" per 500 sheets)

7510-00-634-0209, 8 1/2 x 11", BX(contains 50 EA), \$12.03

Report Cover

Embossed-grained coated paper stock presentation cover with label panel. Three double-prong metal fasteners. Has a 3/8" capacity.

Side opening (clip on left side).

35% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-00-582-5398, Blue, 8-1/2 x 11", BX(contains 25 EA), \$23.58

Two-piece 20-point pressboard binder includes metal prong fasteners and a compressor.

Bottom end opening: clip located on top.

Has a 3" capacity.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7510-00-281-4309, SKILCRAFT, AbilityOne, Red, 8-1/2 x 11", BX(contains 25 EA), \$39.13

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-00-281-4310, SKILCRAFT, AbilityOne, Red, 11 x 17", BX(contains 25 EA), \$61.70

Side opening (clip on left side).

Has a 6" capacity.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-00-281-4313, SKILCRAFT, AbilityOne, Red, 8-1/2 x 11", BX(contains 25 EA), \$46.68

Has a 3" capacity.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-00-582-4201, SKILCRAFT, AbilityOne, Red, 11 x 8-1/2", BX(contains 25 EA), \$64.91

Clip Report Cover

This clip report cover does not require hole punching. Just pull out the clip, insert pages and push the clip back into place. Clear front cover allows title page to be seen.

30 Sheet Capacity.

7510-01-415-3566, Black, 8-1/2 x 11", BX(contains 25 EA), \$76.59

Double-Pocket Report Cover

Double-pocket presentation portfolio handily accommodates supporting materials, including samples, forms or reference materials. Made of coated, leather-grained paper stock. Each pocket is 4-1/2" deep x 9-1/2" wide and has a 3/8" capacity for 8-1/2 x 11" paper.

50 lbs Basis Weight

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-00-584-2490, SKILCRAFT, AbilityOne, Light Blue, 8-1/2 x 11", BX(contains 25 EA), \$18.68

Federal Strategic Sourcing Initiative, 7510-00-584-2491, SKILCRAFT, AbilityOne, Gray, 8-1/2 x 11", BX(contains 25 EA), \$18.48

Federal Strategic Sourcing Initiative, 7510-01-512-2415, SKILCRAFT, AbilityOne, Red, 8-1/2 x 11", BX(contains 25 EA), \$18.48

Federal Strategic Sourcing Initiative, 7510-00-584-2492, SKILCRAFT, AbilityOne, Tan, 8-1/2 x 11", BX(contains 25 EA), \$19.32

Federal Strategic Sourcing Initiative, 7510-01-512-2414, SKILCRAFT, AbilityOne, Yellow, 8-1/2 x 11", BX(contains 25 EA), \$20.26

Federal Strategic Sourcing Initiative, 7510-01-555-2905, SKILCRAFT, AbilityOne, Black, 11 x 8-1/2", BX(contains 25 EA), \$21.00

Federal Strategic Sourcing Initiative, 7510-01-484-4578, SKILCRAFT, AbilityOne, Green, 11 x 8-1/2", BX(contains 25 EA), \$18.34

Federal Strategic Sourcing Initiative, 7510-00-584-2489, SKILCRAFT, AbilityOne, Dark Blue, 8-1/2 x 11", BX(contains 25 EA), \$18.53

Five assorted colors include green, red, yellow, dark blue and light blue.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7510-01-316-2302, SKILCRAFT, AbilityOne, Assorted, 9-1/2 x 11-1/2", BX(contains 25 EA), \$19.55

Presentation Folder

This glossy laminated presentation folder has dual pockets (inside front and back covers). Accommodates 8-1/2 x 11" sheets, die-cut to hold business card.

Federal Strategic Sourcing Initiative, 7510-01-377-8162, Black, 9 x 11-1/2", BX(contains 25 EA), \$33.14

Federal Strategic Sourcing Initiative, 7510-01-377-8151, Navy Blue, 9 x 11-1/2", BX(contains 25 EA), \$21.91

Other Folders

Book File

This book-style, file is excellent for an array of secretarial and stenographic applications. The vinyl file accommodates very large filing and sorting tasks.

Contains alphabetical A to Z indexed sections and expands to 20" thick.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-00-286-1726, SKILCRAFT, AbilityOne, Blue, Letter Size, EA, \$25.35

Expanding File Folder

12 tab polypropylene letter size expanding file folder with flap and cord closure. Inside pockets are clear indexed dividers with tab inserts. Folder contains two business card holders.

7530-01-659-7149, SKILCRAFT, AbilityOne, Smoke Gray, 9-1/2 x 13", EA, \$12.37

7 tab polypropylene letter size expanding file folder with two large pockets for DVDs or CDs and two small pockets for index or business cards and space for letter size note pad. Includes a flap and cord closure

NEW, 7530-01-659-9976, SKILCRAFT, AbilityOne, Black, Letter size, EA, \$15.44

Pocket Folder

Records are easily accessed in this accordion-type folder. Made of two-ply heavy stock, this folder is reinforced with side gussets at least half the height of the pocket. (Without flap or tie.)

Expanded capacity: 7/8".

Basis weight 118 Lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-285-2915, SKILCRAFT, AbilityOne, Red, Letter Size, EA, \$6.28

Expanded capacity: 1-3/4". With two gussets.

Basis weight 118 Lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-285-2913, SKILCRAFT, AbilityOne, Red, Letter Size, EA, \$9.10

Federal Strategic Sourcing Initiative, 7530-00-285-2914, SKILCRAFT, AbilityOne, Red, Legal Size, EA, \$8.67

Expands to 3-1/2" capacity. With four gussets.

Basis weight 120 - 240 Lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 20% Postconsumer Material

Federal Strategic Sourcing Initiative, 7530-00-285-2917, Letter Size, BX(contains 25 EA), \$42.80

Federal Strategic Sourcing Initiative, 7530-00-285-2916, Legal Size, BX(contains 25 EA), \$43.63

Wallet Folder

This reliable expanding wallet folder includes a flap for keeping important documents safe. Full-height, cloth-reinforced gusset and sturdy two-ply construction provide extra protection. Flap is scored for easy folding.

Secured with an elastic loop tie. Expands to 3-1/2". Features four gusset folds.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-268-3993, SKILCRAFT, AbilityOne, Red, 9-1/2 x 11-3/4", EA, \$7.40

Expandable to 3-1/2 Inches.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-483-8889, SKILCRAFT, AbilityOne, Red, 9-1/2 x 11-3/4", PG(contains 5 EA), \$51.98

Secured with a cloth tape tie.

Expands to 3-1/2". Features four gusset folds.

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-268-3994, Red, 9-1/2 x 14-3/4", EA, \$14.72

Work Organizer File

Accordion-style pocket folder expands to 15". Covered with leather-patterned paper. (Frame not included.)

Provides daily filing with pockets numbered 1 through 31.

Does not have closing flaps.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-00-286-1723, SKILCRAFT, AbilityOne, Brown, 9-1/2 x 11-3/4", EA, \$28.74

Features a closing flap.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-437-6369, SKILCRAFT, AbilityOne, Brown, Letter Size, EA, \$29.55

Features a closing flap and band.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-01-437-6364, SKILCRAFT, AbilityOne, Brown, Letter Size, EA, \$38.67

Provides alphabetical indexing from A to Z with 21 pockets.

Does not have closing flaps.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7520-00-286-1722, SKILCRAFT, AbilityOne, Brown, 9-1/2 x 11-3/4", EA, \$23.59

Features a closing flap. (NFES #0615).

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7520-00-833-7343, SKILCRAFT, AbilityOne, Brown, 9-1/2 x 11-3/4", EA, \$19.55

File Folders (Hanging)

Hanging File Folder

This high-quality paperboard file folder is ideal for general office use and fits most filing systems. Expands to 2".

Includes insertable 1/5-cut plastic tabs for easy and convenient labeling.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-364-9495, SKILCRAFT, AbilityOne, Yellow, Legal Size, BX(contains 25 EA), \$28.87

Federal Strategic Sourcing Initiative, 7530-01-357-6857, SKILCRAFT, AbilityOne, Red, Legal Size, BX(contains 25 EA), \$20.68

Basis Weight 147 lbs minimum (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-364-9499, SKILCRAFT, AbilityOne, Blue, Letter Size, BX(contains 25 EA), \$17.23

Federal Strategic Sourcing Initiative, 7530-01-364-9498, SKILCRAFT, AbilityOne, Green, Letter Size, BX(contains 25 EA), \$17.27

Federal Strategic Sourcing Initiative, 7530-01-364-9500, SKILCRAFT, AbilityOne, Red, Letter Size, BX(contains 25 EA), \$17.33

Federal Strategic Sourcing Initiative, 7530-01-364-9501, SKILCRAFT, AbilityOne, Yellow, Letter Size, BX(contains 25 EA), \$18.13

Federal Strategic Sourcing Initiative, 7530-01-357-6856, SKILCRAFT, Blue, Legal Size, BX(contains 25 EA), \$20.35

Federal Strategic Sourcing Initiative, 7530-01-357-6855, AbilityOne, SKILCRAFT, Green, Legal Size, BX(contains 25 EA), \$19.31

Includes insertable 1/3-cut plastic tabs for easy and convenient labeling.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-364-9497, SKILCRAFT, AbilityOne, Green, Letter Size, BX(contains 25 EA), \$16.94

Quality paperboard hanging file folder for general office use fits most filing systems.

Tabs are not included.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-364-9496, SKILCRAFT, AbilityOne, Green, Letter Size, BX(contains 25 EA), \$15.81

Federal Strategic Sourcing Initiative, 7530-01-364-9487, SKILCRAFT, AbilityOne, Green, Legal Size, BX(contains 25 EA), \$17.38

Hanging Classification File Folders

Keep documents organized with these versatile hanging classification folders featuring 2" Tyvek expansion gusset bottoms and pivoting hangers that can be used with hanging file folder rods or folded down for carry-along convenience. Features 25-point pressboard covers with 1" capacity bonded fasteners, 17-point Kraft divider with 1" capacity dual fastener.

2 Dividers, 6 Sections, 2/5th ROC Top Tab.

7530-01-681-6534, AbilityOne, Red, Letter Size, BX(contains 10 EA), \$56.90

Hang this folder in a file cabinet or a desk drawer. Paper is secured using four (4) two-prong fasteners provided at the top of the inside covers and on both sides of the inner 217-lb Kraft dividers. Tyvek gussets expand to 2". Pivoting hangers fold down to allow convenience in carrying. Made of 25-point blue pressboard with 20-point gray pressboard interior.

4 Sections, including 1 Divider

30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-372-3102, SKILCRAFT, AbilityOne, Light Blue, Letter Size, BX(contains 10 EA), \$59.92

6 Sections, including 2 Dividers

30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-621-6198, SKILCRAFT, AbilityOne, Light Blue, Letter Size, BX(contains 10 EA), \$66.63

Box-Bottom Hanging File Folder

This high-quality paperboard hanging file folder is ideal for general office use and fits most filing systems.

Includes insertable 1/5-cut plastic tabs for easy and convenient labeling.

Includes small pockets for holding diskettes, photos or index cards.

30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-316-1639, SKILCRAFT, AbilityOne, Assorted, Letter Size, BX(contains 25 EA), \$15.00

Includes insertable 1/3-cut plastic tabs for easy and convenient labeling.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-357-6854, SKILCRAFT, AbilityOne, Green, Legal Size, BX(contains 25 EA), \$19.79

This high-quality paperboard file folder is ideal for general office use and fits most filing systems. 1/5-cut tabs included.

Features a half-height side closure to help keep contents in place. Gusset made of Tyvek.

2" capacity.

7530-01-298-5145, Blue, 8.5 x 11", BX(contains 25 EA), \$66.90

Hanging File Folder Tab

Plastic tab for use with hanging file folders includes an aperture for inserting a legend. Includes blank white 2 inch inserts.

1/5 cut.

25% Postconsumer Material

Federal Strategic Sourcing Initiative, 7510-01-375-0502, SKILCRAFT, AbilityOne, Clear, 9/16 x 2", PG(contains 25 EA), \$2.95

Hanging File Folder Frame

Frame supports hanging file folders in a filing cabinet. Features a corrosion-resistant steel coating.

Each holding 200 sheets of 20 lbs Bond Paper.

7520-00-246-2664, 27"D x 9-3/8"H, EA, \$7.97

Desktop Hanging File Folder Frame

Desktop rack keeps either letter or legal-size hanging folders at your desk. Holds approximately 25 folders (not included). Black plastic with walnut trim.

7520-01-316-1048, 16"W x 12"D x 11"H, EA, \$13.64

Card Filing

Rite in the Rain Index Card

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Rite in the Rain Combat Cards reinforce common operational skills under duress. 50 pocketable and weatherproof cards fit into any uniform pocket and survive any environment.

The 9-Line MEDEVAC form guides soldiers through the process of requesting and directing medical evacuation resources, and helps them prepare for the context of the evacuation and subsequent treatment of the casualty.

7530-01-693-7886, 9L991T, Tan, 6" L x 5" W, PG(contains 50 EA), \$11.82

The Tactical Combat Casualty Care Card documents casualty evaluation and initial care, then travels with the victim to a field hospital to advise medics of critical information such as tourniquet application and medication administration.

7530-01-693-7873, MIST991, Green, 6" L x 5" W, PG(contains 50 EA), \$11.82

The Standard Range Card template assists soldiers as they evaluate a sector, anticipate threats, range key landmarks, and prepare for engagement of an enemy at varied distances.

7530-01-693-7602, RC991T, Tan, 6" L x 5" W, PG(contains 50 EA), \$11.82

The Call for Fire template guides soldiers through the three critical transmissions of the conduct of fire protocol to request and direct artillery.

7530-01-693-7346, CFF991T, Tan, 6" L x 5" W, PG(contains 50 EA), \$11.82

Index Card (Rite in the Rain)

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Index Cards are printed on non-glare "Rite in the Rain" paper. Universal Grid (1/4" horizontal lines with faint vertical lines) on the front, blank on the back.

7530-01-536-2360, Rite in the Rain 991T, Tan, 3" W x 5" L, PG(contains 100 EA), \$11.39

7530-01-536-2359, Rite in the Rain 991T, Green, 3" W x 5" L, PG(contains 100 EA), \$11.39

Index Card

Standard index card made from 110 lb.stock.

Ruled on one side.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-247-0318, White, 3"L x 5" W, HD, \$0.95

Federal Strategic Sourcing Initiative, 7530-00-243-9437, White, 8" L x 5" W, HD, \$2.31

Unruled.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-243-9436, White, 5 x 8", HD, \$2.31

Laser Printer Index Card

Swear-No-Mores perforated index cards are originally 4 x 6" with perforated sides. Cards will not skew in printer or typewriter. Simply type in either direction and rip off the sides for a perfectly typed or printed 3 x 5" card after perforations are removed. Ideal for pocket schedules, speech notes, research notes, etc.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-372-3110, White, 3 x 5", PG(contains 50 EA), \$16.96

Index Card Kit

The Tactical Index Card Wallet Kit is the perfect fit for the Rite in the Rain tactical index cards. This kit is made of durable and tough Cordura fabric. The cover includes 100 of the 3" x 5" index cards and a #97 (Black) All-Weather Pen. Rite in the Rain All-Weather writing paper is a unique patented paper created specifically for writing field notes in all-weather conditions. For best results, the paper should be written on with a pencil or an All-Weather pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-631-2667, 991T-KIT, Tan, 4" L X 5-3/4" W X 0.5" H, EA, \$41.97

Card Protector

Transparent plastic card protector has a fold-over top and open sides and is flame resistant.

7510-00-045-9505, 8" L x 5-1/16" W, PG(contains 50 EA), \$18.21

Optional Forms

Optional Form

OF 41: Routing and Transmittal Slip.

10 pads per package, pad consists of 100 sheets.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-935-5862, UNICOR, 5-1/4 x 8", PG(contains 1000 SH), \$12.43

OF 65-A: U.S. Government Messenger Envelope.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-117-8424, UNICOR, 4-1/8 x 9-1/2", BX(contains 200 EA), \$37.41

OF 65-B: U.S. Government Messenger Envelope.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-222-3467, UNICOR, 9-3/4 x 12", BX(contains 250 EA), \$59.43

OF 65-C: U.S. Government Messenger Envelope.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-222-3468, UNICOR, 12 x 16", BX(contains 250 EA), \$121.57

OF 120: Diplomatic Pouch Mail Registration.

Serialized numbered and bar coded in two positions.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-138-9137, UNICOR, 3-1/8 x 7-1/2", PD(contains 100 EA), \$15.61

OF 297: Emergency Equipment Shift Ticket.

Consists of a four-part carbonless transfer.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-01-119-5628, UNICOR, 4-1/4 x 6-1/2", BK(contains 25 EA), \$6.10

OF 363: Memorandum of Call.

100 sheets per pad, 20 pads per package.

Form is available online for download and printing. Visit the GSA Forms Library at www.gsa.gov/forms.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-634-4018, UNICOR, 4 x 5-1/4", PG(contains 20 EA), \$13.02

Standard Forms

Standard Form

SF 66: Official Personnel Folder.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-222-3442, UNICOR, 10 x 11-3/4" (folded), HD, \$60.19

SF 66-C: Merged Records Personnel Folder (MRPF).

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-01-165-7295, UNICOR, 10 x 11-3/4" (folded), HD, \$85.48

SF 66-D: Employee Medical Folder.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-01-209-4939, UNICOR, 10 x 11-3/4" (folded), HD, \$65.24

SF 76: Registration and Absentee Ballot Request-Federal Post Card Application (FPCA).

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-634-5053, UNICOR, 8-1/2 x 11", HD, \$20.22

SF 87: OPM Fingerprint Card. (For use by OPM).

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-634-4037, UNICOR, 8 x 8", HD, \$17.09

SF 91: Motor Vehicle Accident Report.

Form is available online for download and printing. Visit the GSA Forms Library at www.gsa.gov/forms.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-634-4041, UNICOR, 5-1/2 x 8-1/2" (folded), HD, \$9.69

SF 97-1: The United States Government Certificate to Obtain Title to a Vehicle.

Single sheet document. THIS IS A SERIALLY NUMBERED CONTROLLED FORM.

7540-01-509-5208, UNICOR, 8-1/2 x 11", HD, \$55.10

SF 186: Federal Write-In Absentee Ballot for General Elections.

Consists of ballot, voter instructions and security envelope used by all overseas voters without ballots from the jurisdiction in which they are eligible to vote.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-01-218-4384, UNICOR, HD, \$48.81

SF 261: Crew Time Report.

Consists of a two-part set. Carbonless transfer.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-01-058-0222, UNICOR, 4-1/4 x 7-1/2", BK(contains 50 EA), \$6.53

SF 600: Chronological Record of Medical Care.

Form is available online for download and printing. Visit the GSA Forms Library at www.gsa.gov/forms.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-00-634-4176, UNICOR, 8-1/2 x 11", HD, \$9.60

SF 700: Security Container Information.

Consists of a three-part carbonless transfer with envelope.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7540-01-214-5372, UNICOR, HD, \$17.79

SF 706: Top Secret (label).

With six labels to a sheet.

7540-01-207-5536, UNICOR, 1-1/4 x 2-1/8", PD(contains 50 SH), \$26.15

SF 707: Secret (label).

With six labels to a sheet.

7540-01-207-5537, UNICOR, 1-1/4 x 2-1/8", PD(contains 50 SH), \$26.15

SF 708: Confidential (label).

With six labels to a sheet.

7540-01-207-5538, UNICOR, 1-1/4 x 2-1/8", PD(contains 50 SH), \$26.15

SF 710: Unclassified (label).

With eight labels to a sheet.

7540-01-207-5539, UNICOR, 1-11/16 x 1-3/16", PD(contains 50 SH), \$26.15

SF 712: Classified SCI (label).

With six labels to a sheet.

7540-01-267-1158, UNICOR, 1-1/4 x 2-1/8", PD(contains 50 EA), \$23.77

Copier and Printer Paper

100% Postconsumer Paper

This copier paper is environmentally friendly while delivering reliable, high quality performance. This 92 bright paper is excellent for daily use in copiers and printers. Processed chlorine free (PCF) without additional bleaching. Both paper and packaging are recyclable with general office waste.

2500 loose sheets (no ream wrappers) per box.

Basis Weight 20 lbs

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-611-0277, SKILCRAFT, AbilityOne, White, 8 1/2 x 11", BX(contains 2500 EA), \$41.45

5 reams per box.

Basis Weight 20 lbs

Postconsumer Material Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-611-1896, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5 RM), \$43.78

Legal Size

Basis Weight 20 lbs

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-503-8449, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", BX(contains 5000 SH), \$189.16

Federal Strategic Sourcing Initiative, 7530-01-503-8445, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$140.74

7530-01-503-8453, AbilityOne, SKILCRAFT, White, 11 x 17", BX(contains 2500 SH), \$139.51

Sheets are not three-hole punched.

Basis Weight 20 lbs

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-503-8441, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$131.25

50% Postconsumer Paper

This copier paper is processed chlorine free (PCF) and meets the requirements of JCP 065. This paper also meets Air Force Regulation #AF164-117, Paragraph 2.10.4. Minimum 92 brightness. Acid-free for archival quality.

Basis Weight 20 lbs

50% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-539-9831, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$116.75

Federal Strategic Sourcing Initiative, 7530-01-539-9835, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", BX(contains 10 RM), \$187.25

Federal Strategic Sourcing Initiative, 7530-01-539-9833, SKILCRAFT, AbilityOne, White, 11 x 17", BX(contains 5 RM), \$123.25

Paper is three-hole punched.

Basis Weight 20 lbs

50% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-539-9832, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$132.95

30% Postconsumer Paper

Hassle-free performance in copiers, laser and inkjet printers, plain paper fax machines and multifunction machines. This 92 bright paper provides excellent print contrast. Designed to stay flat and not curl. Perfect for correspondence, as well as presentations.

Basis Weight 20 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-335-2623, White, 8-1/2 x 11", BX(contains 10 RM), \$63.79

Metric 30% Postconsumer Paper

Metric-size dual-purpose paper for all your copying needs. This paper is not 8-1/2 x 11".

European cut; Style A4

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-412-5168, SKILCRAFT, AbilityOne, White, Metric A4 210 x 297mm (8.3 x 11.7"), BX(contains 5000 SH), \$119.97

HP Copier Paper

8-1/2 x 11" Hewlett Packard Brand copier paper.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-493-2820, Hewlett Packard HPE1120, White, BX(contains 5000 SH), \$71.18

Convenience Pack Copy Paper

Convenience pack copy paper has a brightness of 92 and is acid free. At 25-lbs it is half the weight of traditional copy paper boxes. Unique design offers easy access to the paper and contains no staples, tape or glue.

Ream wrapped 2,500 sheets.

Basis Weight 20 lbs

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-562-3259, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 2500 SH), \$40.87

Bulk pack, 2,500 sheets.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-562-3260, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 2500 SH), \$38.81

Copier Paper

Long-grain paper is suitable for use in wet toner liquid process copiers.

92 Brightness

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-200-2207, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$153.61

Basis Weight 20 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-200-2206, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", BX(contains 10 RM), \$172.09

This dual purpose quality paper can be used in high-speed dry toner copiers and on offset duplicating equipment. Archival Quality; Acid Free.

Basis Weight 20 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-146-3361, SKILCRAFT, AbilityOne, Blue, 8-1/2 x 11", BX(contains 10 RM), \$117.95

Sheets are not hole punched.

Basis Weight 20 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-156-4689, SKILCRAFT, AbilityOne, Goldenrod, 8-1/2 x 11", BX(contains 10 RM), \$126.80

This quality paper can be used in high-speed dry toner copiers and on offset duplicating equipment. Has a 20-lb. basis weight.

Sheets are not hole punched.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Federal Strategic Sourcing Initiative, 7530-01-147-6812, SKILCRAFT, AbilityOne, Green, 8-1/2 x 11", BX(contains 10 RM), \$131.92

Federal Strategic Sourcing Initiative, 7530-01-150-0334, SKILCRAFT, AbilityOne, Pink, 8-1/2 x 11", BX(contains 10 RM), \$117.95, Federal Strategic Sourcing Initiative, 7530-01-147-6811, SKILCRAFT, AbilityOne, Yellow, 8-1/2 x 11", BX(contains 10 RM), \$117.95

Federal Strategic Sourcing Initiative, 7530-01-085-5225, SKILCRAFT, AbilityOne, White, 11 x 17", BX(contains 5 RM), \$135.03

Sheets are three-hole punched.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-157-1015, SKILCRAFT, AbilityOne, Goldenrod, 8-1/2 x 11", BX(contains 10 RM), \$132.70

Federal Strategic Sourcing Initiative, 7530-01-033-8891, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$122.16

Quality neon-colored copier paper is ideal for promotional materials or any project where you want to catch someone's eye. Chlorine-free.

Brightness 92+

Basis Weight 20 lbs

7530-01-398-2680, SKILCRAFT, AbilityOne, Neon Pink, 8-1/2 x 11", RM, \$36.34

Federal Strategic Sourcing Initiative, 7530-01-398-2681, SKILCRAFT, AbilityOne, Neon Blue, 8-1/2 x 11", RM, \$18.09

Quality neon-colored copier paper is ideal for promotional materials or any project where you want to catch someone's eye. Has a 20-lb. basis weight.

Federal Strategic Sourcing Initiative, 7530-01-398-2682, SKILCRAFT, AbilityOne, Neon Green, 8-1/2 x 11", RM, \$18.09

Copy Paper

COPY PAPER WITH LASER PERF DOWN THE MIDDLE, 2500 PER BOX. BRIGHTNESS: 92.

7530-01-352-4257, 8-1/2" X 11", BX(contains 2700 EA), \$164.79

All-Weather Copier Paper

All weather Duracopy waterproof copy paper.

Basis Weight: 22 lbs

7530-01-536-2659, 6511, White, 8 1/2 x 11", PG(contains 100 SH), \$61.09

Rite in the Rain Duracopy

DuraCopy is a synthetic, heat resistant paper created for use in extreme conditions. It is actually waterproof and can even be used under water. Copy or laser print your own waterproof forms. Ideal for any extreme situation. Use in your photocopier or laser printer on both sides. Not for ink-jet printers.

7530-01-662-6369, 6511BP, White, 8 1/2 x 11", PG(contains 500 SH), \$238.02

Rite in the Rain Copier Paper

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Copier paper allows the user to copy or laser print forms, graphics, documents and worksheets on a paper that can survive in the harshest of weather conditions. NOT FOR USE ON INK-JET PRINTERS.

Basis Weight 20 lbs

7530-01-498-2085, Rite in the Rain P/N 9511, Green, 8-1/2 x 11", PG(contains 200 SH), \$28.47

7530-01-694-0256, 201117, White, 11" x 17", PG(contains 500 SH), \$109.97

7530-01-662-9148, 208511T, Tan, 8 1/2" x 11", PG(contains 500 SH), \$57.01

7530-01-662-6360, 208511G, Green, 8 1/2" x 11", PG(contains 500 SH), \$57.01

7530-01-662-6359, 208511, White, 8 1/2 x 11", PG(contains 500 SH), \$57.01

7530-01-498-2083, Rite in the Rain P/N 8511, White, 8-1/2 x 11", PG(contains 200 SH), \$28.47

7530-01-537-3576, Rite in the Rain 9511T, Desert Tan, 8-1/2 x 11", PG(contains 200 SH), \$28.47

Basis Weight 32 lbs

7530-01-694-0255, 328511T, Tan, 8-1/2" x 11", PG(contains 500 SH), \$69.23

Copier paper allows the user to copy or laser print forms, graphics, documents and worksheets on a paper that can survive in the harshest of weather conditions. NOT FOR USE ON INK-JET PRINTERS.

Basis Weight 32 lbs

7530-01-662-6368, 1008511, White, 8 1/2 x 11", PG(contains 500 SH), \$89.61

7530-01-662-6365, 328511, White, 8 1/2 x 11", PG(contains 500 SH), \$69.23

7530-01-536-2663, 9517T, Tan, 11" x 17", PG(contains 200 SH), \$53.04

7530-01-537-3569, LL8511, White, 8-1/2" x 11", PG(contains 150 SH), \$35.81

Rite in the Rain Copier Paper (#32)

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Copier paper allows the user to copy or laser print forms, graphics, documents and worksheets on a paper that can survive in the harshest of weather conditions. NOT FOR USE ON INK-JET PRINTERS.

Basis Weight 32 lbs

7530-01-662-6367, 321117, White, 11" x 17", PG(contains 500 SH), \$138.49

Bond Paper

Opaque, acid free paper for dual-sided laser, high speed offset and letterpress printing, writing, and high speed copying. 92 brightness

Regular bond paper gives a crisper image and is designed for use in inkjet or laser printers.

Basis Weight 20 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-364-9488, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 EA), \$148.96

Federal Strategic Sourcing Initiative, 7530-00-290-0617, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$158.54

7530-00-290-0618, SKILCRAFT, White, 8-1/2 x 14", BX(contains 5000 SH), \$172.07

Opaque, acid free paper for dual-sided laser, high speed offset and letterpress printing, writing, and high speed copying. 20-lb basis weight paper is 92 bright.

Writing bond paper is designed for casual applications and is not suitable for halftone reproduction on letterpress.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-077-5386, SKILCRAFT, AbilityOne, Blue, 8-1/2 x 11", BX(contains 5000 SH), \$128.18

7530-00-509-8632, SKILCRAFT, AbilityOne, Green, 8-1/2 x 11", BX(contains 5000 SH), \$128.18

7530-01-071-9794, AbilityOne, SKILCRAFT, Pink, 8-1/2 x 11", BX(contains 5000 SH), \$128.18

7530-01-077-5387, SKILCRAFT, Yellow, 8-1/2 x 11", BX(contains 5000 SH), \$128.18

Federal Strategic Sourcing Initiative, 7530-01-078-5649, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains, \$144.11

7530-01-071-9795, SKILCRAFT, AbilityOne, Salmon, 8-1/2 x 11", BX(contains 5000 SH), \$128.18

This archive quality paper is for use in high-speed photocopiers, laser printers, plain-paper fax or impact-type computer printers.

Basis Weight 20 lbs

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-398-2652, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$141.10

This paper has perforations that divides the sheet of paper into three equal parts. Allows paper to be fed through laser and inkjet printers

Basis Weight 20 lbs

Comprehensive Procurement Guideline Compliant

7530-01-315-1877, White, 8-1/2 x 14", BX(contains 5000 SH), \$279.65

HP Wide Format Bond Paper

This 95 bright white bond paper for high contrast on all of your large format printouts, features a specially treated matte surface consistently produces crisp line resolution and high-contrast color prints. For use with Inkjet printers.

Basis Weight 24 lbs

24-month maximum shelf life (extendable); 30% Postconsumer Material, Which Includes 30% Recovered Material

Federal Strategic Sourcing Initiative, 7530-01-556-2578, C1860A, White, 24" W x 150' L, RO(contains 150 FT), \$34.27

U.S. Federal Seal Eagle Watermark Paper

For official government correspondence and documents that require authenticity and security. For laser printers, high speed copiers, and offset printing. Acid-free for archival quality. U.S. Federal Seal Eagle Watermark Paper

87 Brightness

Basis Weight: 16 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-290-0599, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 5000 SH), \$156.12

92 Brightness

Basis Weight 20 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-200-2203, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", BX(contains 10 RM), \$131.84

7530-01-200-2204, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", BX(contains 10 RM), \$160.64

Index Paper

This sturdy paper stock is the right choice for generating posters or index cards.

Chemical wood-pulp paper.

Basis Weight 110 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

9310-00-955-0217, White, 8-1/2 x 11", BX(contains 2000 SH), \$185.15

Ink Jet Paper

HP wide format roll paper is perfect for everyday black and color line drawings. Inkjet paper offers a specially treated surface which dries fast and consistently produces crisp line resolution and high-contrast color prints. 95 Brightness

For use with HP DesignJet printers.

Basis Weight 24 lbs

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7530-01-500-5416, White, 36" x 300', RO(contains 300 FT), \$66.26

Large-Format Paper

Copier paper specifically used for the HP Design Jet 300, 400, 700, 1000 and 2000CP and 3000CP Series Printers. Semi-gloss coated paper comes in a roll.

Basis Weight 24 lbs

Federal Strategic Sourcing Initiative, 7530-01-476-2079, White, 36" x 150', EA, \$89.13

Multi-Part Computer Paper

Continuous, flat-fold computer paper is intended for use in a variety of printers (including Autodin) and features holes punched on both margins for a smooth sprocket feed. Vertical margin perforations are located 1/2" from left and right sides of each sheet.

Two-part set. Carbonless.

Three-part set.

24-month maximum shelf life (not extendable); Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-144-9601, White, 9-1/2"W x 11"L, BX(contains 1200 EA), \$109.05

Teletype Paper

For use with HP Design Jet 250C, 230, 650C, and 650C/PS printers. This special inkjet paper is 24-lb. basis weight with a semi-gloss finish.

Environment Protection - Waterproof is for outdoor and indoor application

NEW, Federal Strategic Sourcing Initiative, 7530-01-440-9927, White, Width: 36", RO(contains 150 FT), \$153.14

Single-Part Computer Paper

Continuous, flat-fold computer paper is intended for use in a variety of printers (including Autodin) and features holes punched on both margins for a smooth sprocket feed. Vertical margin perforations are located 1/2" from left and right sides of each sheet.

Basis Weight 20 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-800-0996, White, 9-1/2"W x 11"L, BX(contains 2300 SH), \$52.13

Pads and Writing Paper

Telephone Message Pad

This spiral-bound message pad features perforated edges and creates a carbonless copy. Each form measures 2-5/8 x 6-1/4". Four forms per page.

Book includes 200 message forms.

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

7510-01-357-6829, SKILCRAFT, AbilityOne, 7 x 11", EA, \$12.79

Engineer's Computation Pad

Three-hole punched on the 11" side, pad is ruled Quadrille five squares per inch on one side and has a marginal ruling on other side. Every 5th line heavy ruled; 50 lines per page. 25 equal sections. Cross sectional ruling. Line color is green. Binding location is on the top side. Unperforated. SFI Certified.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-764-0565, Green, 8-1/2 x 11", PD(contains 100 SH), \$10.35

Lined Writing Pad

Pad features a leatherette-stitched tape top, double-line margin and perforated sheets. Sheets are wide ruled on both sides with red ruled lines; Brown binding. The binding strip material is artificial leather stamped with "SKILCRAFT" and the recycled logo. Each pad contains 50 sheets. .050 cal backer boards

Legal ruled.

50%, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-209-6526, SKILCRAFT, AbilityOne, Yellow, 8-1/2 x 14", DZ, \$25.10

Basis weight 16 lb

50%, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-372-3107, SKILCRAFT, AbilityOne, White, 5 x 8", DZ, \$15.99

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-372-3108, SKILCRAFT, AbilityOne, White, 8-1/2 x 11-3/4", DZ, \$25.46

7530-01-372-3109, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", DZ, \$27.77

Narrow ruled.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

NEW, Federal Strategic Sourcing Initiative, 7530-01-516-7580, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", DZ, \$26.35

Sheets are wide ruled on both sides with blue horizontal ruled lines. Headstrip style pad.

Legal ruled.

Basis weight 16 lb.

50%, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-356-6726, SKILCRAFT, AbilityOne, Yellow, 5 x 8", DZ, \$16.38

Perforated sheets are ruled on one side with blue horizontal ruled lines. Each pad contains 50 sheets.

Legal ruled.

Basis weight 16 lb.

50%, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-356-6727, SKILCRAFT, AbilityOne, Yellow, 8-1/2 x 11-3/4", DZ, \$26.90

This memorandum pad is bound on top and contains 100 sheets of paper of 16-lb basis weight paper. Sheets are ruled on both sides.

Basis Weight 16 lbs

50%, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-124-5660, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", DZ, \$27.92

Single-line margin.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-124-7632, SKILCRAFT, AbilityOne, Canary, 8-1/2 x 14", DZ, \$24.62

Ruled on both sides. Each pad contains 50 sheets. Perforated 5/16" legal ruled writing pads with blue Tyvek binding.

Basis weight 16 lb

50%, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

NEW, 7530-01-447-1355, SKILCRAFT, AbilityOne, White, 5 x 8", DZ, \$10.03

30% Postconsumer Material, Which Includes 30% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-447-1353, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", DZ, \$20.18

Federal Strategic Sourcing Initiative, 7530-01-447-1356, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", DZ, \$23.99

100% chlorine-free perforated pad features a green leatherette tape-bound top stamped with "SKILCRAFT". Sheets are legal ruled and have double horizontal line on one side. 50 sheets per pad. Junior Size Pad Each pad contains 50 legal ruled (5/16") sheets

Basis Weight 20 lbs

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-516-9629, SKILCRAFT, AbilityOne, White, 5 x 8", DZ, \$14.74

100% chlorine-free perforated pad features a green leatherette tape-bound top stamped with "SKILCRAFT". Sheets are legal ruled and have double horizontal line on one side. 50 sheets per pad. Sheets are ruled with red vertical margins on one side with blue horizontal ruled lines.

a sturdy .050 cal backer board

Basis Weight 20 lbs

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-516-9627, SKILCRAFT, AbilityOne, White, 8-1/2 x 11-3/4", DZ, \$25.98

7530-01-516-9626, SKILCRAFT, AbilityOne, White, 8-1/2 x 14", DZ, \$23.64

This memorandum pad is bound on top and contains 100 sheets of 16-lb. basis weight paper. Sheets are narrow-ruled on two sides.

50% Recycled

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-516-7581, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", DZ, \$21.25

Notebooks

Spiral Notebook

Single subject Spiral Notebook with side opening, college rule, micro-perforation and 3-hole punch. Featuring acid free archive quality paper. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. 100 sheets per notebook.

Basis Weight 17 lbs

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-2025, SKILCRAFT, AbilityOne, White, 8 1/2" X 11", PG(contains 3 EA), \$11.63

Single subject Spiral Notebook with side opening and college rule. Featuring acid free archive quality paper. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. 80 sheets per notebook.

Basis Weight 17 lbs

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-2013, SKILCRAFT, AbilityOne, White, 5" X 7 1/2", PG(contains 6 EA), \$15.35

Five subject spiral notebook with side opening, college rule and flush dividers. Featuring acid free archive quality paper. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. 200 sheets per notebook. College-ruled. Process Chlorine Free.

Basis Weight 17 lbs

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-600-2015, SKILCRAFT, White, 8 1/2" x 11", EA, \$9.14

Three subject Spiral Notebook with side opening, college rule and flush dividers. Featuring 17 lb. acid free archive quality paper. 150 sheets per notebook.

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-2020, SKILCRAFT, AbilityOne, White, 6" x 9 1/2", PG(contains 3 EA), \$14.08

Single subject Spiral Notebook with side opening, college rule and micro-perforation. Featuring 17 lb. acid free archive quality paper. 80 sheets per notebook.

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-2017, SKILCRAFT, AbilityOne, White, 6" x 9 1/2", PG(contains 3 EA), \$8.73

Notebook Book

College ruled spiral bound notebook features 3 hole side punch and microperforation for easy tear out. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. Each single subject book contains 70 sheets.

Basis Weight 16 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-01-396-3414, White, 8-1/2 x 11", EA, \$4.44

Steno Pad

Steno Pad with top opening and Gregg rule. Featuring acid free archive quality paper. Soy ink. White Paper with blue lines. Margin / Line Color - red ink for line and margin. Faint red center line. 60 sheets per pad.

Basis Weight 17 lbs

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-600-2029, SKILCRAFT, AbilityOne, White, 6" x 9", PG(contains 6 EA), \$16.91

ACU Camouflage Stenopad Portfolio

Digital ACU camouflage color steno pad holder includes (1) steno pad size 6" x 9" and (1) retractable, ballpoint pen made of 30% post-consumer recycled materials. Constructed with simulated leather-grain embossed vinyl. Side opening has slot for writing pad on one side, pocket on the other for loose documents, loop for pen and slot for business cards

7510-01-600-8651, SKILCRAFT, AbilityOne, ACU Camouflage, 6 1/2" x 9 1/2", EA, \$7.48

Lined Writing Pad

These mini-sized pads contain fifty pages with narrow ruled blue lines. Wire spiral bound at top of the page. Twelve pads per package.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-454-7392, SKILCRAFT, AbilityOne, White, 3-1/4 x 5-1/2", DZ, \$14.52

Stenographer's Notebook

Gregg method design spiral bound notebook features horizontal lines that are 3/8" apart and one vertical center line, creating two columns.

Pad contains 80 sheets

Basis Weight 16 lbs

Postconsumer Material Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-223-7939, SKILCRAFT, AbilityOne, White, 6 x 9", PG(contains 12 EA), \$38.33

Package contains one each of green, gold and pink paper. Pad contains 60 sheets.

Basis Weight 20 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-454-5702, SKILCRAFT, AbilityOne, Assorted, 6 x 9", PG(contains 3 EA), \$11.48

Gregg ruled with faint red center line.

80 Pages.

Contains 100% Recovered Material, Which Includes 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-611-6427, SKILCRAFT, AbilityOne, Green, 6" x 9", PG(contains 6 EA), \$14.34

Memorandum Book

Pressboard cover is bound by a flexible wire-coil spiral. One-subject style contains 50 sheets that are ruled on both sides.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-286-6952, SKILCRAFT, AbilityOne, White, 8-1/2 x 11", PG(contains 12 EA), \$41.11

Loose-Leaf Paper

Rite in the Rain Loose-Leaf Paper

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Tactical loose-leaf paper has a round six-hole punch to fit a variety of organizers or binders. Pages have horizontal lines on front and 1/4" grid on the back. Fits perfectly with the Rite in the Rain tactical binder (NSN 7510- 01-498-2077).

7530-01-498-2081, Rite in the Rain P/N 982, Green, 4-5/8 x 7", PG(contains 100 SH), \$11.06

Tactical loose-leaf paper has an oval six-hole punch to fit a variety of organizers or binders. Pages have horizontal lines on front and 1/4" grid on the back. Fits perfectly with the Rite in the Rain tactical binder (NSN 7510-01-505-3664).

7530-01-505-3665, Rite in the Rain Part #982T, Tan, 4-5/8 x 7", PG(contains 100 SH), \$11.06

3 hole punch

7530-01-577-8865, 982T-MX, Tan, 8-1/2" x 11", PG(contains 100 SH), \$14.03

Rite in the Rain Pads

Rite in the Rain Notebook

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

These spiral bound notebooks have 84 Dot Grid pages (42 sheets). With the Dot Grid Pattern you can use this text for notes and scaled drawings. Useful reference material is also printed on the back and inside covers. Side binding spiral wire, cover is polydura.

7530-01-694-3252, 973TDG-LG, Tan, 6-5/8" W x 8-1/2" L, EA, \$11.06

7530-01-694-2769, 973DG-LG, Green, 6-5/8" W x 8-1/2" L, EA, \$11.06

7530-01-694-2779, 773DG-LG, Black, 6-5/8" W x 8-1/2" L, EA, \$11.06

This large side bound notebook is discretely sophisticated with its black fabroid cover and subdued light gray tinted paper. Each book contains 160 pages (80 sheets) of a dark gray Universal page pattern.

7530-01-662-6363, 770F-LG, Black, 8-3/4" L x 6-3/4" W, EA, \$19.23

These staple bound notepads have 48 Universal pages (24 sheets). With the universal pattern you can use this text for notes and scaled drawings. Binding is side stapled, cover is polydura

7530-01-694-2778, 971T-LG, Tan, 6-5/8" W x 8-1/2" L, EA, \$8.11

7530-01-694-2776, 771-LG, Black, 6-5/8" W x 8-1/2" L, EA, \$8.11

7530-01-694-2777, 971-LG, Green, 6-5/8" W x 8-1/2" L, EA, \$8.11

These staple bound notepads have 24 blank pages (12 sheets). Binding is top stapled, cover is polydura

Easily fits in a wallet

7530-01-694-2775, OTG771, Black, 2" W x 3-3/8" L, PG(contains 6 EA), \$10.34

7530-01-694-2774, OTG971, Green, 2" W x 3-3/8" L, PG(contains 6 EA), \$10.34

7530-01-694-2772, OTG971T, Tan, 2" W x 3-3/8" L, PG(contains 6 EA), \$10.34

"D.O.P.E" Data On Previous Engagements rifle data logbook tracks all of your essential notes. The design includes 104 pages (52 sheets), essential ballistic and environmental data to quickly find the page matching your shooting conditions. Helpful reference material assists in accounting for wind effect and converting between common units. MOA and MRAD rulers printed onto the front and back covers. Awind factor visualization helps accurately account for off-axis winds.

Fits easily in a hip pocket.

7530-01-693-7874, D746, Black, 4" W x 6" L, EA, \$7.29

"Thin Blue Line" Law Enforcement Notebook contains 122 pages (56 sheets) and serves our community's men and women in uniform. Designed to meet strict requirements for evidence gathering and fully weatherproof to save vital case notes from the elements.

Fits easily in a shirt pocket.

7530-01-693-7600, 1023, Black, 3" W x 5" L, EA, \$8.85

All-weather Mini-Stapled notebook is printed on white Universal paper. Features a yellow Field-Flex cover. 24 numbered pages (12 sheets).

NEW, 7530-01-642-7768, 371FX-M, White, 4-5/8" L x 3-1/4" W, PG(contains 3 EA), \$7.12

All-weather Stapled notebook is printed on white Universal paper. Features a yellow Field-Flex cover. 48 numbered pages (24 sheets).

7530-01-642-7769, 371FX, White, 7" L x 4-5/8" W, PG(contains 3 EA), \$11.82

This top spiral notebook is discretely sophisticated with its black Polydura Cover and subdued light gray tinted paper. Each book contains 100 pages (50 sheets) of a dark gray Universal page pattern.

7530-01-662-5587, 735, Black, 3" x 5", EA, \$2.93

This side bound notebook is discretely sophisticated with its black field-flex cover and subdued light gray tinted paper. Each book contains 112 pages (56 sheets) of a dark gray Universal page pattern.

7530-01-662-5592, 754, Black, 3-1/2" x 5", EA, \$4.83

Has a tough Field-Flex cover that will withstand the rigors of battle while fitting comfortably into your BDU pocket. Pages are printed on non-glare "Rite in the Rain" all-weather paper. Each sheet is perforated for easy removal. Universal Pattern for notes and scaled drawings. The Field Book contains 160 pages (80 sheets) including 16 pages of tactical reference materia with sector sketch preparation, unit symbol charts, mission graphics, call for fire procedure and more.

7530-01-498-1873, 980, Green, 4-5/8" W x 7-1/4" L, EA, \$12.81

7530-01-505-3661, 980T, Tan, 4-5/8" W x 7-1/4" L, EA, \$12.81

Rite in the Rain Spiral Notebook

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

These spiral bound notebooks have 84 Universal pages (42 sheets). With the Universal Pattern you can use this text for notes and scaled drawings. Useful reference material is also printed on the back and inside covers. Side binding spiral wire, cover is polydura.

7530-01-577-8866, 973T-MX, Tan, 8-1/2" W x 11" L, EA, \$15.47

7530-01-693-8227, 773-MX, Black, 8-1/2" W x 11" L, EA, \$15.47

These spiral bound notebooks have 64 Universal pages (32 sheets). With the Universal Pattern you can use this text for notes and scaled drawings. Useful reference material is also printed on the back and inside covers. Side binding spiral wire, cover is polydura.

7530-01-577-8867, 973-T, Tan, 4-5/8" W x 7" L, EA, \$5.66

7530-01-693-9093, 873, Gray, 4-5/8" W x 7" L, EA, \$5.66

7530-01-693-8222, 473, Brown, 4-5/8" W x 7" L, EA, \$5.66

7530-01-693-9094, 973, Green, 4-5/8" W x 7" L, EA, \$5.66

7530-01-693-8217, 273, Blue, 4-5/8" W x 7" L, EA, \$5.66

Marine Annual Rifle Training Databook is a guidebook and data recording book for the purpose of qualifying Marines for marksmanship and handling of their standard-issue rifle. The book contains 64 pages (32 sheets) and details weapon handling procedures, safety protocol, marksmanship basics, breath control, wind adjustment, trigger control, and other essential elements of field marksmanship and weapons handling.

NEW, 7530-01-694-1024, 973-ARQ, Green, 7" W x 4-5/8" L, EA, \$10.34

Army Combat Fitness Training spiral bound notebook is a reference and data recording book for the purpose of planning, training and executing your physical fitness progress. These spiral bound notebooks have 64 Universal pages (32 sheets). With the Universal Pattern you can use this text for notes and scaled drawings. Useful reference material is also printed on the back and inside covers. Side binding spiral wire, cover is polydura.

7530-01-693-8230, 973T-ACFT, Tan, 4-5/8" W x 7" L, EA, \$13.29

These spiral bound notepads have 100 Universal pages (50 sheets). With the Universal Pattern you can use this text for notes and scaled drawings. Useful reference material is also printed on the back and inside covers. Binding is top spiral wire, cover is polydura.

Fits easily in a hip pocket.

7530-01-693-8224, 846, Dark Gray, 4" W x 6" L, EA, \$4.04

7530-01-694-0254, 946L6, Green, 4" W x 6" L, PG(contains 6 EA), \$22.01

7530-01-694-0253, 946TL6, Tan, 4" W x 6" L, PG(contains 6 EA), \$22.01

7530-01-694-0252, 746L6, Black, 4" W x 6" L, PG(contains 6 EA), \$22.01

7530-01-693-9092, OR46, Orange, 4" W x 6" L, EA, \$4.04

Contains 80% Recovered Material, Which Includes 80% Postconsumer Material

7530-01-498-2078, Rite in the Rain P/N 946, Green, 4 x 6", EA, \$4.04

7530-01-505-3660, Rite in the Rain P/N 946T, Tan, 4 x 6", EA, \$4.04

7530-01-693-8228, 446, Brown, 4" W x 6" L, EA, \$4.04

7530-01-693-8225, 246, Blue, 4" W x 6" L, EA, \$4.04

Fits easily in a shirt pocket.

7530-01-693-8220, 835, Gray, 3" W x 5" L, EA, \$2.93

7530-01-693-8229, 435, Brown, 3" W x 5" L, EA, \$2.93

7530-01-694-0249, 735L6, Black, 3" W x 5" L, PG(contains 6 EA), \$17.56

7530-01-694-0250, 935TL6, Tan, 3" W x 5" L, PG(contains 6 EA), \$17.56

7530-01-505-3705, Rite in the Rain 935T, Tan, 3 x 5", EA, \$2.93

7530-01-693-8219, 235, Blue, 3" W x 5" L, EA, \$2.93

7530-01-498-2080, 935, Green, 3" W x 5" L, EA, \$2.93

7530-01-693-7599, OR35, Orange, 3" W x 5" L, EA, \$2.93

7530-01-694-0251, 935L6, Green, 3" W x 5" L, PG(contains 6 EA), \$17.56

Warrior's Notebook is a durable notebook with 11 pages of curated Bible verses specific to the combat warrior. Add your own selected passages or take standard notes on the remaining 114 pages (57 sheets) of Universal Grid note pages.

Fits easily in a shirt pocket.

7530-01-693-5841, WP735, Black, 3" W x 5" L, EA, \$4.83

The top spiral notebook features 50 two-sided field interview forms.

7530-01-536-2653, 104, Dark Gray, 3" W x 5" L, EA, \$3.62

These spiral bound notepads have 100 Universal pages (50 sheets). With the Universal Pattern you can use this text for notes and scaled drawings. Useful reference material is also printed on the back and inside covers. Binding is top spiral wire, cover is polydura.

NEW, 7530-01-662-5591, 746, White, 4" L x 6" W, EA, \$4.04

Rite in the Rain Tactical Memo Book

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Pages are printed on non-glare paper with fieldflex bound cover. Universal grid (1/4" horizontal lines with faint vertical lines) on both sides of page. Contains 120 universal pages (60 sheets) with standard reference materials on inside covers.

7530-01-536-2647, 964, Green, 3-1/2" W x 6" L, EA, \$6.23

7530-01-536-2648, 964T, Tan, 3-1/2" W x 6" L, EA, \$6.23

Pages are printed on non-glare paper with fieldflex bound cover. Universal grid (1/4" horizontal lines with faint vertical lines) on both sides of page. Contains 112 universal pages (56 sheets) with standard reference materials on inside covers.

7530-01-536-2655, 954, Green, 5" L x 3-1/2" W, EA, \$4.83

NEW, 7530-01-536-2650, 954T, Tan, 3-1/2" W x 5" L, EA, \$4.83

Rite in the Rain Tactical Spiral Notebook

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Side Spiral and a polydura cover with grey pages.

7530-01-662-6373, 773, Black, 7" L x 4-7/8" W, EA, \$5.66

Rite in the Rain Tactical Field Kit

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Tactical field binder with Cordura cover with an inside clear pocket to hold military symbol stencils or index cards. Kit includes Rite in the Rain tactical loose-leaf paper NSN 7530-01-505-3665, tactical reference card set 7610-01-528-5808 and #97 all weather pen NSN 7520-01-498-1876.

NEW, 7530-01-536-2652, 9200T-Kit, Tan, 8-3/4" L x 6-1/4" W, KT, \$56.44

Material Safety Data Sheet

7530-01-631-2661, 9200M-KIT, Multi-Cam, 8-3/4" L x 6-1/4" W, KT, \$56.44

The Rite in the Rain Spiral Notebook Kit includes the tan Tactical Field Binder with Cordura cover, the green Side Spiral Notebook (NSN 7530-01-693-9094), and the black Metal Clicker Pen (NSN 7520-01-498-1876).

7530-01-662-6355, 973-KIT, Tan/Green, 7-1/4" L x 4-3/4" W, KT, \$39.44

The Rite in the Rain Spiral Notebook Kit includes the tan Tactical Field Binder with Cordura cover, the tan Side Spiral Notebook (NSN 7530-01-577-8867), and the black Metal Clicker Pen (NSN 7520-01-498-1876).

7530-01-662-6358, 973T-KIT, Tan, 7-1/4" L x 4-3/4" W, KT, \$39.44

Rite in the Rain Tactical Memo Book

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Pages are printed on gray non-glare paper with a fabrikoid hard cover. Universal grid on both sides of page. Contains 160 universal pages (80 sheets) with standard reference materials on inside covers.

7530-01-662-6356, 770F-MX, Black, 8-1/2" W x 11" L, EA, \$24.40

Pages are printed on non-glare paper with fabrikoid hard cover. Universal grid on both sides of page. Contains 160 universal pages (80 sheets) with standard reference materials on inside covers.

7530-01-694-3025, 470F-LG, Brown, 6-3/4" W x 8-3/4" L, EA, \$19.23

7530-01-694-2429, 970TF, Tan, 4-3/4" W x 7" L, EA, \$14.79

7530-01-694-1994, 970F, Green, 4-3/4" W x 7" L, EA, \$14.79

7530-01-694-1793, 970F-LG, Green, 6-3/4" W x 8-3/4" L, EA, \$19.23

7530-01-694-1641, 970TF-MX, Tan, 8-1/2" W x 11" L, EA, \$24.40

7530-01-694-2430, 970F-MX, Green, 8-1/2" W x 11" L, EA, \$24.40

7530-01-694-1640, 970TF-LG, Tan, 6-3/4" W x 8-3/4" L, EA, \$19.23

7530-01-694-1639, 870F-LG, Gray, 6-3/4" W x 8-3/4" L, EA, \$19.23

7530-01-694-0618, 270F-LG, Blue, 6-3/4" W x 8-3/4" L, EA, \$19.23

Pages are printed on non-glare paper with fieldflex bound cover. Universal grid on both sides of page. Contains 128 universal pages (64 sheets) with standard reference materials on inside covers.

7530-01-694-1993, 974T, Tan, 4-3/4" W x 7" L, EA, \$11.82

7530-01-694-1794, 974, Green, 4-3/4" W x 7" L, EA, \$11.82

RITE IN THE RAIN BLACK BOUND BOOK. durable fabric covers protect your notes from impact and weather. Weather-resistant. For best results, the paper should be written on with a pencil or an All-Weather Pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

Pages are printed on gray non-glare paper with a fabrikoid hard cover. Universal grid on both sides of page. Contains 160 universal pages (80 sheets) with standard reference materials on inside covers.

7530-01-662-6364, 770F, Black, 7-1/4" L x 4-3/4" W, EA, \$14.79

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions.

Kit includes Tactical Field Book which features a tough field-flex cover that will withstand the rigors of battle while fitting comfortably into your BDU (battle dress uniform) pocket. Pages are printed on non-glare "Rite in the Rain" all-weather paper which is perforated for easy removal. Notebook features Universal Pattern for notes and scaled drawings and 16 pages of tactical reference material (160 pages, 80 sheets). Also includes the All-Weather Tactical black clicker pen with black ink which works upside down and in temperatures from -30 to 250° F. The Cordura cover will fit all "Rite in the Rain" 4-5/8 x 7" notebooks 4-5/8 x 7-1/4" Field-Flex books, or pocket-sized bound books. Cover has a rugged zipper closure and will hold up to four writing instruments.

Features a transparent sheet protector for use with a Map Marker or Grease Pencil (not included)

7530-01-693-7613, BB980T-KIT, Tan, 8-3/8" L x 7" W, KT, \$74.06

Rite in the Rain Maxi Field Starter Kit

This base kit allows you to build your field planner just the way you want it. A durable zippered Cordura cover and rust resistant 1" capacity ring binder protect the sheets. All pages are printed on Rite in the Rain All-Weather non-glare Tan paper. This start-up kit includes the Cordura Cover with adjustable Wrist Strap, Front Zippered Pocket and Velcro Badge Strap along with the writing guard and ruler.

7530-01-631-2662, 9250M-MX, Multi-Cam, 11-1/4" x 13", KT, \$91.84

Rite in the Rain Field Book Kit

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions.

Kit includes Tactical Field Book which features a tough field-flex cover that will withstand the rigors of battle while fitting comfortably into your BDU (battle dress uniform) pocket. Pages are printed on non-glare "Rite in the Rain" all-weather paper which is perforated for easy removal. Notebook features Universal Pattern for notes and scaled drawings and 16 pages of tactical reference material (160 pages, 80 sheets). Also includes the All-Weather Tactical black clicker pen with black ink which works upside down and in temperatures from -30 to 250° F. The Cordura cover will fit all "Rite in the Rain" 4-5/8 x 7" notebooks 4-5/8 x 7-1/4" Field-Flex books, or pocket-sized bound books. Cover has a rugged zipper closure and will hold up to four writing instruments.

7530-01-631-2660, 980M-KIT, Multi-Cam, 4-5/8 x 7-1/4", KT, \$44.42

7530-01-536-2649, 980-KIT, Green, 8-3/8" L x 7" W, KT, \$44.42

7530-01-536-2651, 980T-KIT, Tan, 8-3/8" L x 7" W, KT, \$44.42

Rite in the Rain Shirt Cover Kit

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Kit includes Rite in the Rain pocket notebook, pen and cover. Spiral bound notebook includes 100 pages (50 sheets) with Universal Pattern for use in notes or scaled drawings. Includes specific reference material on the back and inside covers. Cover is made of denier cordura nylon with zipper closure and holds up to four writing utensils.

7530-01-536-2661, 935-KIT, Woodland Green, 3" W x 5" L, KT, \$30.92

NEW, 7530-01-536-2662, 935T-KIT, Tan, 3" W x 5" L, KT, \$30.92

7530-01-662-5593, 735B-KIT, Black, 3" W x 5" L, KT, \$30.92

7530-01-631-2663, 935M-KIT, Multi-Cam, 3 x 5", KT, \$30.92

Rite in the Rain Hip Cover Kit

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Kit includes Rite in the Rain pocket notebook, pen and cover. Spiral bound notebook includes 100 pages (50 sheets) with Universal Pattern for use in notes or scaled drawings. Includes specific reference material on the back and inside covers. Cover is made of denier cordura nylon with zipper closure and holds up to four writing utensils.

7530-01-536-2664, 946-Kit, Green, 7-3/4"W x 5"L, KT, \$33.19

7530-01-631-2665, 946M-KIT, Multi-Cam, 7-3/4" W x 5" L, KT, \$33.19

7530-01-536-2665, 946T-KIT, Tan, 7" W x 5" L, KT, \$33.19

Rite in the Rain Planner

Tactical field planner comes in a binder with Cordura cover includes adjustable Wrist Strap, Front Zippered Pocket and Velcro Badge Strap along with the writing guard and ruler. Also includes: 12 monthly tabs with calendar, 12 Alpha TabS (a-z), one year overview calendar, six generic tabs, four-year overview, 4 year future planning, business cardholder, six credit card slots, No. 97 pen, removable drive holder, clear Zipper pouch, six pen/pencil slots.

For best results, the paper should be written on with a pencil or Rite in the Rain pen NSN 7520-01-498-2079, 7520-01-498-1876, or 7520-01-544-9467.

7530-01-631-3699, 9255M, Multi-Cam, 7" x 8-3/4", KT, \$151.18

RITE IN THE RAIN BLACK PLANNER SET. Hardy CORDURA fabric and smooth, reliable YKK zippers. Sewn-in pen slots and pouches store everything you'll need to write in the field. Black cover. For best results, the paper should be written on with a pencil or an All-Weather Pen (NSN 7520-01-498-1876 and 7520-01-498-2079).

7530-01-577-7673, 9250B-MX, Black, 13" L x 11-1/4" W, KT, \$91.84

Rite in the Rain Field Planner Starter Kit

This base kit allows you to build your field planner just the way you want it. A durable zippered Cordura cover and rust resistant 1" capacity ring binder protect the sheets. All pages are printed on Rite in the Rain All-Weather non-glare Tan paper. This start-up kit includes the Cordura Cover with adjustable Wrist Strap, Front Zippered Pocket and Velcro Badge Strap along with the writing guard and ruler.

7530-01-577-7679, 9250B, Black, 7" x 8-1/2", EA, \$65.04

Rite in the Rain Field-Flex Bound Book

The Rite in the Rain all-weather writing products are created specifically for writing field notes in all weather conditions. For best results, the paper should be used with a pencil or an all-weather pen, such as NSNs 7520-01-498-1876 and 7520-01-498-2079.

Has a soft Field-Flex cover that will withstand the rigors of battle while fitting comfortably into your BDU pocket. Pages are printed on non-glare "Rite in the Rain" all-weather paper. Universal Pattern for notes and scaled drawings.

7530-01-662-6357, 774, Black, 4-5/8" x 7-1/4", EA, \$11.82

Specialty Papers

Thermal Calculator Paper

For use in various thermal computing machines.

7530-01-357-6852, White, 2-1/4"W x 85"L, BX(contains 72 EA), \$230.18

Protective Paper

Impregnated with synthetic latex, pressure-sensitive and adhesive-coated paper protects aluminum or other metal sheets from abrasion during metalworking operations.

6-month maximum shelf life (extendable).

8135-00-946-2090, 36" W, RO(contains 60 YD), \$763.00

Ruled Loose-Leaf Paper

Horizontally ruled white paper, for use in 3- ring loose leaf binders.

Basis Weight 16 lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-286-4339, SKILCRAFT, AbilityOne, White, 8-1/2" x 11", HD, \$2.96

Laser Business Cards

Create professional looking business cards yourself with these micro-perforated sheets which separate easily. Edges are clean and smooth. Each 8-1/2 x 11" sheet contains 10 cards, 25 sheets per box for a total of 250 cards. For use with most laser printers.

Federal Strategic Sourcing Initiative, 7530-01-449-6946, Ivory, Card Size: 2 x 3-1/2", PG(contains 250 EA), \$14.00

Contains 50% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-418-1504, Ivory, Card Size: 2 x 3-1/2", BX(contains 25 SH), \$11.86

Federal Strategic Sourcing Initiative, 7530-01-418-1282, White, Card Size: 2 x 3-1/2", BX(contains 25 SH), \$23.69

Laser Tent Card

Self-standing for easy reading at meetings, presentations, or conferences.

Federal Strategic Sourcing Initiative, 7530-01-449-6945, White, Card Size: 3-1/2 x 11", PG(contains 50 EA), \$21.71

Laser Rotary Cards

Three blank cards come on each of fifty 8-1/2 x 11" sheets which are used in laser printers for professional results. These perforated sheets are designed for easy separation into 3 x 5" cards which fit rotary card files. Total of 150 cards in each box.

Federal Strategic Sourcing Initiative, 7530-01-444-3068, White, Card Size: 3 x 5", BX(contains 150 EA), \$26.88

Parchment Paper

Genuine, long-grain parchment paper is perfect for certificates and awards. This attractive paper features a mottled finish.

Basis Weight 60 lbs

7530-01-134-2873, Off-White, 25 x 38", PG(contains 500 EA), \$570.40

Carbon Paper

Specially designed for use with manual and electric typewriters. Corners are cut for easy removal, and the carbon will not smudge or slip.

Contains 20% Recovered Material

Material Safety Data Sheet

7530-00-244-4035, SKILCRAFT, AbilityOne, Black, 8-1/2 x 11", HD, \$12.29

HP Plotter Paper

The bond plotter paper is designed for black-and-white or monochrome plotting applications. It can be used in modern inkjet plotters and replaces genuine Hewlett Packard opaque bond for pen plotters

Basis Weight 20 lbs

Federal Strategic Sourcing Initiative, 7530-01-243-1061, 36" W x 150" L, RO(contains 150 FT), \$31.72

Labels

Address Label

This repositionable mailing label with re-adhesive technology, you can remove and reapply without damaging the label or envelope. The adhesive becomes permanent over time and is guaranteed not to fall off. Works on Laser and Inkjet Printers.

Package contains 25 sheets of 30 labels per sheet (for a total of 750 labels).

18-month maximum shelf life (extendable); 100% Postconsumer Material Contains 100% Recovered Material

Federal Strategic Sourcing Initiative, 7530-01-398-2662, White, Label Size: 2-5/8 x 1", BX(contains 25 SH), \$4.08

Label Size - text: 0.75 x 2; Label Color(s): White; Machine Compatibility: All DYMO LabelWriter Label Printers; Catalog Description: Return Address.

7530-01-643-1462, Dymo 30330, EA, \$32.70

Continuous-Feed Label

Pressure-sensitive rectangular labels, with rounded corners have marginal pin-feed holes, are fan-folded and perforated every 12".

Labels on a 4-1/2" wide backing sheet one across.

18-month maximum shelf life (extendable); Contains 20% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-082-2661, White, Label Size: 3-1/2"W x 15/16"L, BX(contains 5000 EA), \$32.50

Thermal Printer Labels

Multi-purpose label for use in thermal printers.

24-month maximum shelf life (not extendable).

7530-01-687-1406, SKILCRAFT, AbilityOne, Black on White, 4 x 6", RO(contains 220 EA), \$25.29

Laser and Inkjet Name Badges

High quality, bright white, printer labels are environmentally-friendly. Face sheet is made using 100 percent recycled post-consumer fibers and is processed chlorine-free (PCF). Labels are both acid-free and lignin-free and can safely be recycled. Compatible with both desktop laser and inkjet printers.

Box includes 50 sheets of eight name badges each (for a total of 400 badges).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

7530-01-578-9299, SKILCRAFT, AbilityOne, White, Label Size:2-1/3" x 3-3/8", BX(contains 400 EA), \$28.44

Recycled Copier Labels

Versatile, self-adhesive labels feed automatically from paper tray.

Package contains 100 sheets of 10 labels per sheet (for a total of 1,000 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

7530-01-587-2621, SKILCRAFT, AbilityOne, White, Label Size: 2 x 4-1/4", BX(contains 100 SH), \$31.67

CD/DVD Printer Labels

Box includes 40 matte-finish CD labels. Each label features permanent adhesive that will not damage discs or peel off in CD drive.

18-month maximum shelf life (extendable); 100% Postconsumer Material

Federal Strategic Sourcing Initiative, 7530-01-502-6508, Fellowes P/N 99942, PG(contains 40 EA), \$19.42

Recycled Laser and Inkjet Labels

High quality, bright white, printer labels are environmentally-friendly. Face sheet is made using 100 percent recycled post-consumer fibers and is processed chlorine-free (PCF). Labels are both acid-free and lignin-free and can safely be recycled. Compatible with both desktop laser and inkjet printers.

Box includes 100 sheets with six labels each (for a total of 600 labels).

18-month maximum shelf life (extendable); 100% Postconsumer Material

7530-01-578-9294, SKILCRAFT, AbilityOne, White, Label Size: 3-1/2 x 4", BX(contains 600 EA), \$29.85

Box contains 100 sheets of 80 labels per sheet (for a total of 8,000 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4911, SKILCRAFT, AbilityOne, White, 1/2 x 1-3/4", PG(contains 8000 EA), \$30.22

Box includes 100 sheets with 30 labels each (for a total of 3,000 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4904, SKILCRAFT, AbilityOne, White, 1 x 2-5/8", PG(contains 3000 EA), \$28.43

Box contains 100 sheets with 20 labels each (for a total of 2,000 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4913, SKILCRAFT, AbilityOne, White, 1 x 4", PG(contains 2000 EA), \$28.23

Box contains 100 sheets with 10 labels each (for a total of 1,000 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-514-4903, SKILCRAFT, AbilityOne, White, 2 x 4", PG(contains 1000 EA), \$27.84

Box includes 25 sheets with 30 labels each (for a total of 750 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-578-9292, SKILCRAFT, AbilityOne, White, Label Size: 1 x 2-5/8", PG(contains 750 EA), \$9.63

Box includes 250 sheets with 30 labels each (for a total of 7,500 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-578-9290, SKILCRAFT, AbilityOne, White, Label Size: 1 x 2-5/8", BX(contains 7500 EA), \$57.94

Box includes 25 sheets with 20 labels each (for a total of 500 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-578-9296, SKILCRAFT, AbilityOne, White, Label Size: 1 x 4", PG(contains 500 EA), \$9.68

Box contains 25 sheets with 10 labels each (for a total of 250 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-578-9293, SKILCRAFT, AbilityOne, White, Label Size: 2 x 4", PG(contains 250 EA), \$9.68

Box includes 100 sheets with one label each (for a total of 100 labels).

18-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

7530-01-578-9298, SKILCRAFT, AbilityOne, White, Label Size: 8-1/2 x 11", BX(contains 100 EA), \$29.85

Box contains 250 sheets with 10 labels each (for a total of 2500 sheets).

36-month maximum shelf life (extendable); 100% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-647-1413, SKILCRAFT, AbilityOne, White, 2 X4", BX(contains 250 SH), \$59.58

Box contains 100 sheets with 14 labels each (for a total of 1,400 labels).

36-month maximum shelf life (extendable); 60% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-01-673-6513, AbilityOne, White, 1-1/3" x 4", PG(contains 100 SH), \$34.13

Printer Label

Versatile, self-adhesive labels feed automatically from paper tray.

Package contains 100 sheets of 14 labels per sheet (for a total of 1,400 labels).

Federal Strategic Sourcing Initiative, 7530-01-302-5504, SKILCRAFT, AbilityOne, White, Label Size: 1-1/3"L x 4"W, BX(contains 100 EA), \$44.27

Package contains 100 sheets of 6 labels per sheet (for a total of 600 labels).

Federal Strategic Sourcing Initiative, 7530-01-349-4464, SKILCRAFT, AbilityOne, White, Label Size: 3-1/3"L x 4"W, PG(contains 100 SH), \$43.71

Full sheet label. 100 Labels per box.

Federal Strategic Sourcing Initiative, 7530-01-349-4463, SKILCRAFT, AbilityOne, White, Label Size: 8-1/2" W x 11" L, PG(contains 100 SH), \$43.48

Package contains 100 sheets with 30 labels each (for a total of 3,000 labels).

7530-01-289-8191, AbilityOne, White, Label Size: 1" L x 2-5/8"W, BX(contains 100 SH), \$39.96

Package contains 25 sheets of 80 labels per sheet (for a total of 2,000 labels).

Federal Strategic Sourcing Initiative, 7530-01-349-4462, White, Label Size: 1/2"L x 1-3/4"W, BX(contains 2000 EA), \$13.42

Package contains 100 sheets of 10 labels per sheet (for a total of 1,000 labels).

7530-01-336-0540, AbilityOne, White, Label Size: 2"L x 4"W, BX(contains 100 SH), \$45.26

Designed for laser or inkjet printer use.

Package contains 50 sheets of 10 labels per sheet (for a total of 500 labels).

Federal Strategic Sourcing Initiative, 7530-01-514-4909, SKILCRAFT, AbilityOne, Clear, 2 x 4-1/8", PG(contains 500 EA), \$34.08

Package contains 50 sheets of 6 labels per sheet (for a total of 300 labels).

Federal Strategic Sourcing Initiative, 7530-01-514-4912, SKILCRAFT, AbilityOne, Clear, 3-1/3 x 4-1/8", PG(contains 300 EA), \$34.67

Package contains 25 sheets with 80 labels each (for a total of 2,000 labels).

Federal Strategic Sourcing Initiative, 7530-01-514-4910, SKILCRAFT, AbilityOne, Clear, Label Size: 1/2 x 1-3/4", PG(contains 2000 EA), \$20.95

Package contains 50 sheets with 30 labels per sheet (for a total of 1500 labels).

Federal Strategic Sourcing Initiative, 7530-01-514-4907, SKILCRAFT, AbilityOne, Clear, 1 x 2-3/4", PG(contains 1500 EA), \$35.05

Pressure Sensitive Label

Pressure sensitive removable label. (A2).

890 labels per roll.

6-month maximum shelf life (extendable).

7530-01-353-0571, White, 4" W x 6" L, RO(contains 500 FT), \$356.98

Labels

The common applications for polyester labels include company asset labels and other identification labels, asset labels and property labels used for identification of property, equipment and electronics. They are durable, waterproof, tearproof, and scratch and heat resistant. These labels can withstand harsh environments, including high heat, sunlight, and UV.

4" x 6" white polyester label. For use on Zebra 4000 Printer. 1000 labels per roll.

Federal Strategic Sourcing Initiative, 7530-01-475-9611, White, 4" W x 6" L, RO(contains 1000 EA), \$23.50

Long A-2 Rectangular shape labels.

Roll form with 350 labels per roll and 2 rolls per box for a total of 700 labels.

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7530-01-379-2211, White, 1-1/8" x 3.5", BX(contains 700 EA), \$21.33

A1 square, 4"x4", versatile, tear-resistant, tag/label combinations for multiple uses and can with stand a variety of conditions. Can be used on Tec and Zebra printers B-452-TC-QQMT, Z4M, Z4000 and Z6000. Thermal adhesive tags.

The box contains 1000 labels per package 6 packages per case.

12-month maximum shelf life (extendable).

NEW, 7530-01-511-7590, White, 4" W x 4" L, BX(contains 6000 EA), \$745.97

Thermal printer label.

12-month maximum shelf life (extendable).

7530-01-454-2127, E06175, White, 4 W x 6"L, RO(contains 980 EA), \$45.28

Copier Machine Label

Address label for plain paper dry toner and laser printer/copiers.

Package contains 100 sheets of 24 labels per sheet (for a total of 2,400 labels).

18-month maximum shelf life (extendable); 100% Postconsumer Material

7530-01-207-4363, Skilcraft, AbilityOne, White, Label Size: 1.370"L X 2.830" W, BX(contains 2400 EA), \$31.67

Package contains 100 sheets of 33 labels per sheet (for a total of 3,300 labels).

18-month maximum shelf life (extendable); 100% Postconsumer Material

7530-01-086-4518, SKILCRAFT, AbilityOne, White, Label Size: 1.00"L x2.83" W, BX(contains 100 SH), \$28.40

Weatherproof Labels

Weatherproof label provides strong protection for harsh environments and conditions. This durable polyester label features a strong adhesive for a variety of surfaces. Can be used with most laser printers.

Package contains 50 sheets of 30 labels per sheet (for a total of 1500 labels).

18-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7530-01-498-9209, White, Label Size: 1" x 2-5/8", BX(contains 1500 EA), \$30.28

36-month maximum shelf life (not extendable).

7530-01-673-6516, AbilityOne, White, Label Size: 1" x 2-5/8", PG(contains 50 SH), \$30.53

Package contains 50 sheets of 6 labels per sheet (for a total of 300 labels).

36-month maximum shelf life (not extendable).

7530-01-673-6217, AbilityOne, White, Label Size: 3-1/3" x 4", PG(contains 50 SH), \$37.03

Package contains 50 sheets of 10 labels per sheet (for a total of 500 labels).

36-month maximum shelf life (not extendable).

7530-01-673-6220, AbilityOne, White, Label Size: 2" x 4", PG(contains 50 SH), \$38.69

Package contains 50 sheets with 2 labels per sheet (for a total of 100 labels).

Federal Strategic Sourcing Initiative, 7530-01-498-9211, White, Label Size: 5-1/2 x 8-1/2", BX(contains 100 EA), \$36.78

36-month maximum shelf life (not extendable).

7530-01-673-6219, AbilityOne, White, Label Size: 5-1/2" x 8-1/2", PG(contains 50 SH), \$35.87

Clocks and Watches

LCD Digital Clock

The LCD digital display clock's radiocontrolled movement keeps highly accurate time and is ideal for desktop or wall hanging. The display includes time in standard or military format, date, day of week, year and indoor temperature (in C° or F°). Also features dual alarms with snooze function. Includes foldout stand for convenient desktop display. Two AAA batteries required (not included).

12-month maximum shelf life (not extendable).

6645-01-661-1877, SKILCRAFT, AbilityOne, Silver with Black Detail, 9.75" x 7.25" x 1", EA, \$39.74

Atomic Wall Clock

Round plastic clock hangs flush against the wall. This 12-hour SKILCRAFT Slimline battery operated (single AA battery is not included) features a sweep, red colored second hand, radio controlled quartz movement and a white (non-yellowing) dial face with easy to read black arabic numbers. The black minute and hour hands make this atomic clock easy to read.

30% Postconsumer Material

6645-01-491-9814, SKILCRAFT, AbilityOne, Black, 12" Diameter, EA, \$56.42

Atomic Hardwood Wall Clock

Radio-controlled atomic quartz-movement wall clock keeps accurate time to within one second of deciation every 30 million years and resets itself automatically for Daylight Savings changes in the spring and fall. Easy-to-read black Arabic numbers, white face, and mahogany case. Includes minute, hour and brass second hands. Uses one AA battery, not included.

30% Postconsumer Material

6645-01-492-0373, SKILCRAFT, AbilityOne, Mahogany, 16" Diameter, EA, \$121.19

Slimline Wall Clock

Round "Slimline" wall clock features quartz movement. Easy-to-read clock has black Arabic numerals, black minute and hour hands, white face, and a red sweep second hand. Hanging hardware is included. Requires one AA battery (not included).

The plastic clock frame is designed to biodegrade within an average of 2 years in a landfill environment. (reference ASTM D5511)

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

6645-01-046-8849, SKILCRAFT, AbilityOne, Bronze, Diameter: 12", EA, \$31.98

EPA Recommended, Comprehensive Procurement Guideline Compliant

6645-01-389-7958, SKILCRAFT, AbilityOne, Black, Diameter: 8", EA, \$24.30

6645-01-046-8848, SKILCRAFT, AbilityOne, Bronze, Diameter: 8", EA, \$24.30

6645-01-389-7944, SKILCRAFT, AbilityOne, Black, Diameter: 12", EA, \$31.98

12/24 Hour Wall Clock

Round 12/24-hour wall clock, makes two revolutions every 24 hours. Face is white; numbers, minute marks and hands are black; and second hand is red. Quartz movement provides accuracy to +/-1/3 second-per-day. Hanging hardware is included. Requires one AA battery (not included).

The plastic clock frame is designed to biodegrade within an average of 2 years in a landfill environment. (reference ASTM D5511)

30% Postconsumer Material

EPA Recommended, Comprehensive Procurement Guideline Compliant

6645-01-342-8199, SKILCRAFT, AbilityOne, Bronze, Diameter: 12", EA, \$31.84

24 Hour Wall Clock

Round, 24-hour wall clock makes one revolution every 24 hours. Face is white; numbers, minute marks and hands are black; and second hand is red. Quartz movement provides accuracy to +/-1/3 second-per-day. Hanging hardware is included. Requires one AA battery (not included).

The plastic clock frame is designed to biodegrade within an average of 2 years in a landfill environment. (reference ASTM D5511)

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

6645-01-342-5313, SKILCRAFT, AbilityOne, Bronze, Diameter: 8", EA, \$31.45

EPA Recommended, Comprehensive Procurement Guideline Compliant

6645-01-342-5314, SKILCRAFT, AbilityOne, Bronze, Diameter: 12", EA, \$32.42

Hardwood Wall Clock

This hardwood, executive-style wall clock features quartz movement. Easy-to-read black numerals, minute markings, and hour and minute hands. Also features a brass second hand, a glass crystal, and a white face. Requires one AA battery (not included).

30% Postconsumer Material

6645-01-421-6904, SKILCRAFT, AbilityOne, Mahogany Case, Diameter: 16", EA, \$116.79

Self-Set Clock

Quartz clock is programmed to set itself automatically to daylight saving time without relying on a signal. Features black hour and minute hands, red second hand, and a shatter-resistant crystal. Clock includes a switch that permits user to select the "old schedule" (compliant with pre-2007 daylight saving time regulations), "new-schedule" (2007) or the "off" position. Includes hanging hardware. Requires one AA battery (not included). Three-year limited warranty.

30% Postconsumer Material

6645-01-557-3148, SKILCRAFT, AbilityOne, Black, Diameter: 12", EA, \$39.38

6645-01-557-3149, SKILCRAFT, AbilityOne, Bronze, Diameter: 12", EA, \$39.38

Quartz clock is programmed to set itself automatically to daylight saving time, without relying on a signal. Features black Arabic numerals, black hour and minute hands, a red second hand, and a glass crystal. Clock features a switch that permits user to select the "old schedule" (pre-2007), "new-schedule" (2007) or the "off" position. Includes hanging hardware. Requires one AA battery (not included). Three-year limited warranty.

30% Postconsumer Material

6645-01-557-4606, SKILCRAFT, AbilityOne, Mahogany Hardwood, Diameter: 16", EA, \$109.54

Octagon-shaped clock with bezel.

30% Postconsumer Material

6645-01-557-4608, SKILCRAFT, AbilityOne, Mahogany Hardwood, Diameter: 8-1/2", EA, \$102.87

Self-Set Wall Clock

Self-Set clocks are programmed to automatically set itself to Daylight Saving Time without the use of a signal. It is ideal for use in facilities where a radio signal may not reach radio-controlled clocks. Clocks have quartz movement with extremely accurate time and include a white dial with black Arabic numerals, black hour and minute hands... "Old Schedule", "New Schedule" and "Off" switch allows user to revert to former schedules compliant with 2007 Daylight Savings regulations. Hanging hardware included. Battery-operated movement uses one AA battery (not included).

30% Postconsumer Material

6645-01-623-8823, SKILCRAFT, AbilityOne, Black Plastic Body, 14.5" Diameter, EA, \$41.18

Wall Clock

Round slim design workstation clock features quartz movement, black Arabic numerals and minute marks, black hour and minute hands and a red sweep second hand. Uses one AA battery (not included). Hanging hardware included.

30% Postconsumer Material

6645-01-623-7483, SKILCRAFT, AbilityOne, Black Plastic Body, 14.5" Diameter, EA, \$36.90

12" Round Wall Clock with Agency/Military Logo, White dialface, Black Numbers, Minute Marks & Hands, Red Second Hand, Quartz Movement, Hanging Hardware Included, AA Battery required. Accurate to .33 seconds per day.

30% Postconsumer Material

6645-01-456-6018, SKILCRAFT, AbilityOne, Bronze, 12" diameter, EA, \$37.73

Round 12/24-hour wall clock, makes two revolutions every 24 hours. Face is white; numbers, minute marks and hands are black; and second hand is red. Quartz movement provides accuracy to +/-1/3 second-per-day. Hanging hardware is included. Requires one AA battery (not included).

30% Postconsumer Material

6645-01-467-8478, SKILCRAFT, AbilityOne, Bronze, 8" diameter, EA, \$24.79

Stopwatch

Push-button stopwatch with a minimum of seven jewel bearings to ensure split-second accuracy over an extended period. It starts, stops or returns to zero with a single touch and times 30-minute intervals in increments as small as 1/5 second. Watch features a corrosion-resistant metal, fiberglass or plastic rust-resistant case. Clear glass or plastic cover over white enamel on a metal surface with arabic numerals.

NEW, 6645-00-250-4680, ST194007, 2" Diameter, EA, \$172.50

Digital handheld stopwatch displays minutes, seconds and 1/100th seconds, to a maximum of 59 minutes, 59.99 seconds. Water, shock and dust resistant instrument includes an automatic rollover to zero function. Powered by one or two calculator/watch batteries (not included). Warranty from the contractor for parts and labor for two years. Features a large display and large grip buttons for ease of use.

Designed with split-mode timing to freeze the split-time display while total timing continues. Has separate start/stop and reset controls.

NEW, 6645-01-106-4303, ST083009BK, 8.5L X 0.75W (IN), EA, \$15.67

Chronograph Watch

Commonly known as the Chronograph Search and Rescue (CSAR). The 25-Jewel automatic chronograph movement operates with 1/5th of a second accuracy, while the stopwatch feature uses 1/100 of a minute, decimal timing for use in flight record logbooks and tracking fuel consumption. It can track elapsed time up to 12 hours. This jumbo diver / pilot's watch features 316L stainless steel crown, caseback, crystal ring. It also includes: 30ATM submersibility, sapphire crystal plus 316L stainless steel case, 22MM lug width, black rubber strap with stainless steel hardware.

Official US Marine Corps dial markings

NEW, 6645-01-698-6036, WW194014-06-07-3-022-0040, 316L Stainless Steel, EA, \$4,300.00

Watch features black face with both 12 and 24-hour dials. The stem-winding mechanism has a minimum 36 hour running time. Diver's wristwatch with black dial which includes 3 sub-dials; luminous hands and hour markers; day/date calendar; 0 to 60 outer uni-directional bezel; inner time ring with 1/100 minute and 1/5 second timing; water resistant to 300 meters/1,000 feet. Sapphire crystal; 25 jewel automatic movement; stainless steel case; 46MM diameter x 18MM thick. Screw-down crown and side pushers. Bracelet is vulcanized rubber with stainless steel buckle. Light sources for dial and hands are provided by self-lighting tritium tubes (activity between 26 to 30 millicuries). The watch is Swiss made and carries a three-year warranty.

Available Upon Request: Strap Color (BK Rubber, Stainless, or set of both); Agency Engraving Update Part # to read: Marathon PN WW194014

6645-01-544-0408, WW194014, Black, EA, \$2,475.77

Watch Bracelet

This Marathon Watch stainless steel bracelet is made using high quality 316L stainless steel in a fine satin finish and contains a total of 14 solid links. It features a superior floating double screw link system and a locking buckle for extra security. It also has a diver's extension hidden underneath the clasp. Adjust the bracelet length using the 5 micro adjustments on the signed clasp and by removing up to 6 links. The solid end links are designed to perfectly fit Marathon GSAR / TSAR / SAR watches with 20MM lug width.

NEW, 6645-01-550-7391, WWW005005, stainless steel, 8" L x 0.75" W, EA, \$180.00

Quartz Field Watch

The Marathon 34mm General Purpose Quartz with MaraGlo (GPQ-M) is manufactured in accordance with MIL-PRF-46374G, Type I, Class 1. The hour indices and hands utilize MaraGlo luminescent paint, delivering a bright glow that will shine for up to 8 hours

NEW, 6645-01-699-8247, WW194009BK, Black, EA, \$142.50

NEW, 6645-01-699-9624, WW194009DT, Desert Tan, EA, \$142.50

NEW, 6645-01-699-9118, WW194009-SG, Sage Green, EA, \$142.50

The Marathon General Purpose Quartz with Date (GPQ-D) is manufactured in accordance with MIL-PRF-46374G, Type II, Class 1 and features a date complication at the 4:30 position. This field watch features tritium gas tube illumination on hour and minute hands and each hour marking; and 316L stainless steel (dull, gray, nonreflecting) crown, caseback, crystal ring. It also includes: 3ATM submersibility, sapphire crystal, high impact fibershell case with corrosion resistance, 16MM lug width, nylon strap plus an anti-magnetic buckle.

NEW, 6645-01-699-9110, WW194015-SG, Sage Green, EA, \$195.00

NEW, 6645-01-699-8603, WW194015SS, 316L Stainless Steel, EA, \$357.00

NEW, 6645-01-547-0300, WW194015BK, Black, EA, \$141.22

Official US Army dial markings.

NEW, 6645-01-697-8865, WW194015-00-, 316L Stainless Steel, EA, \$393.00

06-3-015-0016, NEW, 6645-01-694-1795, WW194015-12-, Black, EA, \$216.00

06-3-015-0016, Official US Airforce dial markings

NEW, 6645-01-697-8861, WW194015-00-00-3-022-0012, 316L Stainless Steel, EA, \$393.00

The General Purpose Quartz (GPQ) is manufactured in accordance with MIL-PRF-46374G, Type II, Class 1 Housing a Swiss-made, 3-Jewel high-torque quartz movement with an EOL (end-of-life) indicator for monitoring battery life. This field watch features tritium gas tube and MaraGlo illumination on hour and minute hands and each hour marking; and 316L stainless steel (dull, gray, nonreflecting) crown, caseback, crystal ring. It also includes: 3ATM submersibility, sapphire crystal, high impact fibershell case with corrosion resistance, 16MM lug width, nylon strap plus an anti-magnetic buckle.

NEW, 6645-01-696-2687, WW194004DT, Desert Tan, EA, \$178.50

6645-01-696-2688, WW194004-SG, Sage Green, EA, \$178.50

The Pilot's Navigator (NAV) is the standard issue navigator watch. This navigator watch has a sapphire crystal, steel crown and crystal retaining ring, as well as an easy-access battery hatch. Featuring a high-torque movement, with an EOL (end-of-life) indicator to notify you when it is time to change your battery; tritium tubes at the hour markers as well as on hour and minute hands, to deliver superior legibility, day or night; a 41mm high-impact composite fibreshell case for ultra-light durability; 20MM lug width; 6ATM submersibility; and a 12-hour bi-directional bezel.

NEW, 6645-01-696-2685, WW194001-SG, Sage Green, EA, \$216.00

Mechanical Field Watch

Commonly known as the General Purpose Mechanical (GPM). It can be wound through the automatic self-winding rotor or by manually winding the crown. Manufactured in accordance with MIL-PRF-46374G, Type II, Class 4. This field watch features: 24 jewel dual wind automatic movement; tritium gas tube illumination on hour and minute hands and each hour marking; and 316L stainless steel (dull, gray, nonreflecting) crown, caseback, crystal ring. It also includes: battery hatch, 6ATM submersibility, sapphire crystal, high impact fibershell case with corrosion resistance, 20MM lug width, nylon strap plus an anti-magnetic buckle.

NEW, 6645-01-696-8182, WW194003SG, Sage Green, EA, \$249.00

NEW, 6645-01-696-8175, WW194003SS, 316L Stainless Steel, EA, \$435.00

NEW, 6645-01-699-8599, WW194003DT, Desert Tan, EA, \$249.00

Available Upon Request: Strap Color (SG, DT, BK, Stainless); Strap Length, (10", 11", 12"); Strap Width (16mm, 18mm, 20mm, and 22mm); Agency Engraving

NEW, 6645-00-066-4279, WW194003BK, black, EA, \$197.00

Official US Army dial markings.

NEW, 6645-01-694-1800, WW194003-12-06-3-015-0016, Sage Green, EA, \$294.00

NEW, 6645-01-694-4636, WW194003-00-06-3-015-0016, 316L Stainless Steel, EA, \$540.00

GPS Wrist Watch

Garmin's Fenix 7 Smartwatches are multisport GPS-enabled with solar charging capabilities. The Fenix 7 series watch features mapping, music, grade-adjusted pace guidance and pulse ox sensors.

51mm case, 26mm band, 1.4" display, 280 x 280 pixel picture.

Solar Edition.

NEW, 6645-01-699-2508, 010-02541-00, GRAY / Black, EA, \$838.95

Model 7: 47mm case, 22mm band, 1.3" display w/ 260 x 260 pixel picture.

Sapphire Solar Edition.

NEW, 6645-01-699-2511, 010-02540-20, Black, EA, \$838.95

NEW, 6645-01-699-2509, 010-02540-34, Black, EA, \$838.95

Model 7S: 42mm case, 20mm band, 1.2" display w/ 240 x 240 pixel picture.

Sapphire Solar Edition.

NEW, 6645-01-699-2512, 010-02539-24, CARBON GRAY, EA, \$963.20

Model 7X: 51mm case, 26mm band, 1.4" display, 280 x 280 pixel picture.

Sapphire Solar Edition.

NEW, 6645-01-699-2510, 010-02541-10, CARBON GRAY, EA, \$932.95

NEW, 6645-01-699-2513, 010-02541-22, Black, EA, \$932.95

FENIX 7 - SOLAR EDITION, SLATE GRAY WITH BLACK BAND. BAND: SILICONE; EDITION: STANDARD; Garmin's Fenix 7 Smartwatches are multisport GPS-enabled with solar charging capabilities. The Fenix 7 series watch features mapping, music, grade-adjusted pace guidance and pulse ox sensors.

Model 7: 47mm case, 22mm band, 1.3" display w/ 260 x 260 pixel picture

Solar Edition.

NEW, 6645-01-699-2514, 010-02540-10, Grey / Black, EA, \$742.60

Navigator Watch

The Pilot's Navigator (NAV) is the standard issue navigator watch. This navigator watch has a sapphire crystal, steel crown and crystal retaining ring, as well as an easy-access battery hatch. Featuring a high-torque movement, with an EOL (end-of-life) indicator to notify you when it is time to change your battery; tritium tubes at the hour markers as well as on hour and minute hands, to deliver superior legibility, day or night; a 41mm high-impact composite fibershell case for ultra-light durability; 20MM lug width; 6ATM submersibility; and a 12-hour bi-directional bezel.

NEW, 6645-01-696-1137, WW194001DT, Desert Tan, EA, \$216.00

Official US Air Force dial markings.

NEW, 6645-01-694-7149, WW194001-10-, Black, EA, \$294.00

00-3-022-0012, The Marathon General Purpose Quartz with Date (GPQ-D) is manufactured in accordance with MIL-PRF-46374G, Type II, Class 1 and features a date complication at the 4:30 position. This field watch features tritium gas tube illumination on hour and minute hands and each hour marking; and 316L stainless steel (dull, gray, nonreflecting) crown, caseback, crystal ring. It also includes: 3ATM submersibility, sapphire crystal, high impact fibershell case with corrosion resistance, 16MM lug width, nylon strap plus an anti-magnetic buckle.

30%

NEW, 6645-01-699-9119, WW194015-DT, Desert Tan, EA, \$195.00

Navigator Watch with Date

The Pilot's Navigator with Date (NAV-D) is a modified version of the standard issue navigator that features a red-tipped second-hand and a date complication at the 4:30 position on the dial. This navigator watch has a sapphire crystal, steel crown and crystal retaining ring, as well as an easy-access battery hatch. Featuring a high-torque movement, with an EOL (end-of-life) indicator to notify you when it is time to change your battery; tritium tubes at the hour markers as well as on hour and minute hands, to deliver superior legibility, day or night; a 41mm high-impact composite fibreshell case for ultra-light durability; 16MM lug width; 3ATM submersibility; and a 12-hour bi-directional bezel.

NEW, 6645-01-699-5590, WW194013SG, Sage Green, EA, \$267.00

NEW, 6645-01-699-5584, WW194013-DT, Desert Tan, EA, \$267.00

NEW, 6645-01-698-4275, WW194013-00-, 316L Stainless Steel, EA, \$487.50

00-3-001-0012, Available Upon Request: Strap Color (SG, DT, BK); Strap Length, (10", 11", 12"); Strap Width (16mm, 18mm, 20mm, and 22mm); Dial Color (SG, DT, BK); Agency Engraving

NEW, 6645-01-544-9475, WW194013BK, Black, EA, \$158.22

Official US Marine Corps dial markings.

NEW, 6645-01-698-4274, WW194013USMC-SG, Sage Green, EA, \$285.00

NEW, 6645-01-698-6037, WW194013USMC-BK, Black, EA, \$285.00

NEW, 6645-01-698-4273, WW194013USMC-DT, Desert Tan, EA, \$285.00

Official US Air Force dial markings

NEW, 6645-01-699-5588, WW194013-10-00-3-022-0012, Black, EA, \$303.00

Diver's Watch

The Medium Search and Rescue Automatic (MSAR Auto) watches were built to withstand extreme conditions and match the capabilities of the user. This diver's watch features: overbuilt bezels for manipulation with gloved hands; low-light illumination for use in night missions; screw-in crown and O-ring system for 30ATM water-resistance; 18MM lug width; 24 jewel high-torque pinions connecting movement to hands; Incabloc shock absorbers on all automatic movements.

Black Dial. Black Rubber Strap with Stainless Buckle.

NEW, 6645-01-697-4204, WW194026, 316L Stainless Steel, EA, \$682.50

White Dial. Black Rubber Strap with Stainless Buckle.

NEW, 6645-01-699-8607, WW194026-WD, 316L Stainless Steel, EA, \$682.50

Black Dial. 316L Stainless Steel Bracelet.

NEW, 6645-01-699-8606, WW194007BRACE, 316L Stainless Steel, EA, \$749.00

NEW, 6645-01-699-8602, WW194026BRACE, 316L Stainless Steel, EA, \$784.00

White Dial. 316L Stainless Steel Bracelet.

NEW, 6645-01-699-9623, WW194026BRACE-WD, 316L Stainless Steel, EA, \$781.20

The Medium Search and Rescue Quartz (MSAR Quartz) watches were built to withstand extreme conditions and match the capabilities of the user. This diver's watch features: overbuilt bezels for manipulation with gloved hands; low-light illumination for use in night missions; screw-in crown and O-ring system for 30ATM water-resistance; 18MM lug width; 3 jewel high-torque pinions connecting movement to hands; shock absorbers on all automatic movements.

Black Rubber Strap with Stainless Buckle.

NEW, 6645-01-697-4203, WW194027, 316L Stainless Steel, EA, \$507.00

White Dial. Black Rubber Strap with Stainless Buckle.

NEW, 6645-01-697-4201, WW194027BRACE-WD, 316L Stainless Steel, EA, \$667.50

Black Dial. 316L Stainless Steel Bracelet.

NEW, 6645-01-697-4205, WW194027BRACE, 316L Stainless Steel, EA, \$667.50

White Dial. 316L Stainless Steel Bracelet.

NEW, 6645-01-697-4202, WW194027-WD, 316L Stainless Steel, EA, \$508.50

The Jumbo Day/Date (JDD) Search and Rescue watches were built to withstand extreme conditions and match the capabilities of the user. This diver's watch features: overbuilt bezels for manipulation with gloved hands; low-light illumination for use in night missions; screw-in crown and O-ring system for 30ATM water-resistance; 22MM lug width; 26 jewel high-torque pinions connecting movement to hands; Incabloc shock absorbers on all automatic movements.

Black Dial. 316L Stainless Steel Bracelet.

NEW, 6645-01-697-8862, WW194021BRACE, 316L Stainless Steel, EA, \$1,330.00

The Government Search and Rescue (GSAR) watches were built to withstand extreme conditions and match the capabilities of the user. This diver's watch features: overbuilt bezels for manipulation with gloved hands; low-light illumination for use in night missions; screw-in crown and O-ring system for 30ATM water-resistance; 20MM lug width; 26 jewel high-torque pinions connecting movement to hands; Incabloc shock absorbers on all automatic movement

White Dial. 316L Stainless Steel Bracelet.

NEW, 6645-01-699-5592, WW194006BRACE-WD, 316L Stainless Steel, EA, \$1,043.00

White Dial. Black Rubber Strap with Stainless Buckle

NEW, 6645-01-699-5591, WW194006-WD, 316L Stainless Steel, EA, \$868.00

Black Dial. Black Rubber Strap with Anthracite IP Black Stainless Buckle

NEW, 6645-01-699-5586, WW194006BK, Black / 316L, EA, \$914.20

Stainless Steel, Black Dial. Anthracite IP Black 316L Stainless Steel Bracelet with Butterfly Clasp.

NEW, 6645-01-699-5583, WW194006BKBRACE, Black / 316L, EA, \$1,449.00

Stainless Steel, Black Dial. Black Rubber Strap with Stainless Buckle.

Official US Marine Corps dial markings.

NEW, 6645-01-699-5589, WW194006USMC, 316L Stainless Steel, EA, \$833.00

Black Dial. 316L Stainless Steel Bracelet.

NEW, 6645-01-699-5585, WW194006BRACE, 316L Stainless Steel, EA, \$952.00

Official US Marine Corps dial markings.

NEW, 6645-01-699-5587, WW194006BRACE-USMC, 316L Stainless Steel, EA, \$973.00

The Jumbo Search and Rescue (JSAR) watches were built to withstand extreme conditions and match the capabilities of the user. This diver's watch features: overbuilt bezels for manipulation with gloved hands; low-light illumination for use in night missions; screw-in crown and O-ring system for 30ATM water-resistance; 22MM lug width; 3 jewel high-torque pinions connecting movement to hands; Incabloc shock absorbers on all automatic movements.

Black Dial. 316L Stainless Steel Bracelet

NEW, 6645-01-697-8864, WW194018BRACE, 316L Stainless Steel, EA, \$798.00

Black Rubber Strap with Stainless Buckle.

NEW, 6645-01-697-8863, WW194018, 316L Stainless Steel, EA, \$619.50

The Tritium Search and Rescue (TSAR) or the GSAR-Quartz watches were built to withstand extreme conditions and match the capabilities of the user. This diver's watch features: overbuilt bezels for manipulation with gloved hands; low-light illumination for use in night missions; screw-in crown and O-ring system for 30ATM water-resistance; 20MM lug width; 3 jewel high-torque pinions connecting movement to hands; Incabloc shock absorbers on all automatic movements.

Black Rubber Strap with Stainless Buckle.

Available Upon Request: Strap Color (BK Rubber, Stainless, or set of both); Dial Size (36MM, 41MM, 46MM); Agency Engraving

6645-20-001-9382, P/N WW194007, EA, \$512.37

Diver's wristwatch features a watertight stainless steel case (316L), screw down crown, easy-set date function and sapphire crystal. Watch is water resistant: 30 ATM (300m/1,000ft.) with tritium gas tube illumination and IAW ISO 6425. Swiss made 25 jewel automatic movement; screw-in crown; stainless steel case (316L); 41MM diameter x 14MM thick. Product also features unidirectional bezel (120 click), and comes with a vulcanized rubber strap with stainless steel buckle. Self-winding (minimum 36 hour running time), mechanical movement, 25 Jewels. White engraved US Government markings on the background and back of the watch.

Black Dial. Black Rubber Strap with Stainless Buckle

Available Upon Request: Strap Color (Rubber, Stainless, or set of both); Dial Size (36MM, 41MM); Multiple Language (English, French, Spanish); Agency Engraving

6645-21-558-0133, P/N WW194006, EA, \$707.76

PACKAGING AND SHIPPING PRODUCTS

IN THIS SECTION

Bags and Sacks	136
Boxes, Cartons, and Crates	138
Drums and Cans	164
Envelopes and Mailing Supplies	165
Mailroom Equipment	169
Packaging and Packing Materials.....	170
Tape	177

Bags and Sacks

Mailing Bag

Designed specifically for mailing small, unbreakable articles such as parts, bolts, nuts and screws. Made of unbleached cotton sheeting, regular, flat bag, stitching assembly, opens and closes at the end with a drawstring. Includes a white, cloth-lined paper address tag.

8105-00-183-6981, SKILCRAFT, AbilityOne, Natural, 3 x 4", BD(contains 100 EA), \$55.18

8105-00-281-3924, SKILCRAFT, AbilityOne, Natural, 3 x 5", BD(contains 100 EA), \$56.23

8105-00-183-6982, SKILCRAFT, AbilityOne, Natural, 4 x 9", BD(contains 100 EA), \$61.74

8105-00-179-0089, SKILCRAFT, AbilityOne, Natural, 4-1/2 x 8", BD(contains 100 EA), \$60.83

8105-00-183-6985, SKILCRAFT, AbilityOne, Natural, 5-1/2 x 14", BD(contains 50 EA), \$40.18

8105-00-271-1511, SKILCRAFT, AbilityOne, Natural, 6 x 9", BD(contains 100 EA), \$71.24

8105-00-174-0836, SKILCRAFT, AbilityOne, Natural, 6-1/2 x 10", BD(contains 50 EA), \$36.93

8105-00-183-6989, SKILCRAFT, AbilityOne, Natural, 7-1/2 x 18", BD(contains 50 EA), \$57.07

8105-00-290-3360, SKILCRAFT, AbilityOne, Natural, 8 x 10", BD(contains 50 EA), \$43.19

Handle mail easily with this cotton duck mailing/shipping bag. Flat, moisture-resistant bag has a drawstring closure.

8105-00-543-7837, UNICOR, Olive Drab, 8-1/2 x 16-1/2", EA, \$6.80

Shipping Bag

Especially useful for shipping or storing small, delicate instruments and electronic components. Made of 3/16"-thick, closed-cell, bubble-style plastic cushioning material, in the 2nd wall, formed into a bag, with a zip lock seal closure. Does not include a liner. Pre-printed in the lower left hand corner: "REUSABLE - DO NOT DISCARD".

8105-00-137-9132, Transparent, 4 x 6", PG(contains 50 EA), \$49.22

8105-00-137-9133, Transparent, 6 x 8", PG(contains 50 EA), \$48.01

8105-00-137-9134, Transparent, 8 x 10", PG(contains 50 EA), \$54.29

8105-00-137-9135, Transparent, 8 x 12", PG(contains 50 EA), \$96.01

8105-00-137-9136, Transparent, 10 x 12", PG(contains 50 EA), \$60.00

IAW MIL-DTL-117: Type 1 Heavy Duty, Class A waterproof, electrostatic protective, static dissipative. Style 2

8105-01-268-4413, Transparent, 36" W x 56" L, BX(contains 50 EA), \$278.30

Although not suitable for carrying food, this bag with its sewn side and bottom seams can carry most anything else. May be either new or used (cleaned and reconditioned). Does not include a liner. Weighs 6-3/4 oz. per linear sq. yd.

8105-00-179-0087, 40 x 26", BE(contains 100 EA), \$180.55

Desiccant Bag

Desi Pak® clay desiccant is a chemically inert, non-corrosive, bentonite clay packaged in Tyvek bags. Used to prevent damage by adsorbing excess moisture during shipping and storage.

8105-01-601-0260, 24878727696, 5" X 8", CO(contains 300 EA), \$1,345.61

Waterproof Bag

IAW MIL-DTL-117: Type 1 Heavy Duty, Class E watervaporproof, greaseproof. Style 1.

8105-00-295-6177, 295-6177, 46 x 13-1/2", EA, \$27.88

Moisture Resistant Bag

Used for protection of extremely critical or sensitive devices due to damage by ESD, EMI, Moisture and/or corrosion.

8105-01-516-3959, FCI40X31X42.75, 42- 3/4" x 31" x 40", EA, \$176.25

Fleece Bag

A protective, lightweight, washable polyester fleece bag with drawstring closure for use with AV-2000 and AV-3000 Facepieces.

8105-01-628-5366, 805534-01, Black, 13" x 13", EA, \$126.67

Shrink Tunnel Pallet Bag

Heat-shrinkable polyethylene bag is for use in shrink tunnels to secure loads on pallets. Furnished on a perforated, tear-off roll for 40 x 48" pallets. Weather resistant.

For heavy-duty use.

Material Safety Data Sheet

8105-00-191-3902, Clear, 50 x 42 x 65", RO(contains 32 EA), \$140.54

8105-00-025-1263, Clear, 50 x 42 x 76", RO(contains 32 EA), \$166.86

For normal-duty use.

8105-00-191-3701, Clear, 50 x 42 x 76", RO(contains 42 EA), \$186.46

Material Safety Data Sheet

8105-00-191-3776, Clear, 50 x 42 x 65", RO(contains 42 EA), \$156.55

Static Shielding Bags

Static Shielding Bags provide a static safe environment for sensitive electronic devices. Bag incorporates Faraday Cage Static Shielding protection. The bag has a A4 flat design, and heat sealable.

Open top.

8105-01-217-4312, 10 X12", BX(contains 100 EA), \$100.19

8105-01-218-5323, 18 x 18", BX(contains 100 EA), \$189.75

Plastic Bag

Heavy duty clear plastic waste bags made to fit SEM 3100, 4100, 5000, 5100, and 266 series shredder collection bins. Will also fit older models 404P, 405P, 1666, 425, 320, 1612CC, 1744, 3033, EDP, 16, 1760PC, 1616CC, 1620/1, 1620, 1730PC, 425P, 4251, 600, 455, 455/2, 428S, 428P, 4140.

8105-01-399-4821, 140/639SB140, BX(contains 100 EA), \$128.70

Textile Bag

Anti-Static, single wall, pink polyethylene plastic bags with slide fastener.

8105-01-185-2635, 185-2635, 8 x 11", BX(contains 1000 EA), \$775.50

Electrostatic protective and electromagnetic shielding, heat sealable barrier material.

8105-01-353-2497, Olive Drab, 11" x 13", EA, \$43.14

Anti Static Bag

Electrostatic protective and electromagnetic shielding, heat sealable barrier material.

8105-01-353-8808, Transparent, 18.5" x 16", PG(contains 100 EA), \$125.24

General Purpose Bag

Electrostatic protective and electromagnetic shielding, heat sealable barrier material.

General purpose container made of woven material to hold various military items.

8105-01-437-0820, Black, 53" L X 10.5" W, EA, \$65.21

Foam Packaging Bags

Instapak Quick RT Foam Packaging Bags provide product protection for fragile, high value products; by expanding up to 27 times their original size. Bags save space because you expand them when you need them within seconds to form a custom fit protective foam cushion around your breakables.

Same size as 8135-02-546-7624, but contains 25% more foam.

Material Safety Data Sheet

8135-01-546-7619, IQHRT00-60, 18" x 24", BX(contains 30 EA), \$256.00

8135-01-546-7622, IQHRT00-80, 22 x 27", BX(contains 24 EA), \$298.06

Interior Packaging Bag

For interior packaging of items packed inside other containers, this heat-sealable plastic bag keeps items separate and protects contents from scratches. Features heavy-duty seams.

IAW MIL-DTL-117: Type 1 Heavy Duty, Class E watervaporproof, greaseproof.

8105-00-269-4662, Transparent, 20 x 25", PG(contains 25 EA), \$129.41

Corrugated Boxes

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-00-418-4660	Shipping Box: Corrugated Fiberboard	4X4X12	SW WR RSC 350 Grade-V3C	25 EA		BD	\$46.55
8115-00-200-6954	Shipping Box: Corrugated Fiberboard	4X4X16	SW WR RSC 350 Grade-V3C	25 EA		BD	\$43.30
8115-00-183-9505	Shipping Box: Corrugated Fiberboard	6X4X4	SW WR RSC 275 Grade-W5C	25 EA		BD	\$15.52
8115-00-290-3364	Shipping Box: Corrugated Fiberboard	6X5X7	SW DOM RSC 200	25 EA		BD	\$13.14
8115-00-183-9503	Shipping Box: Corrugated Fiberboard	6X6X6	SW WR RSC 275 Grade-W5C	25 EA	Ability One	BD	\$28.59
8115-00-417-9440	Shipping Box: Corrugated Fiberboard	6X6X10	SW WR RSC 350 Grade-V3C	25 EA		BD	\$49.99
8115-00-190-4921	Shipping Box: Corrugated Fiberboard	6X6X24	SW WR RSC 350 Grade-V3C	25 EA		BD	\$129.13
8115-00-183-9500	Shipping Box: Corrugated Fiberboard	8X4X4	SW WR RSC 275 Grade-W5C	25 EA		BD	\$18.62
8115-00-281-3877	Shipping Box: Corrugated Fiberboard	8X6X6	SW WR RSC 350 Grade-V3C	25 EA		BD	\$73.13
8115-00-183-9501	Shipping Box: Corrugated Fiberboard	8X8X6	SW WR RSC 275 Grade-W5C	25 EA		BD	\$34.04
8115-00-183-9498	Shipping Box: Corrugated Fiberboard	8X8X8	SW WR RSC 275 Grade-W5C	25 EA	Ability One	BD	\$38.34
8115-00-183-9499	Shipping Box: Corrugated Fiberboard	8X8X10	SW WR RSC 275 Grade-W5C	25 EA	Ability One	BD	\$38.80
8115-00-281-3882	Shipping Box: Corrugated Fiberboard	8X8X12	SW WR RSC 400 Grade-V3C	25 EA		BD	\$57.67
8115-00-190-4936	Shipping Box: Corrugated Fiberboard	8X8X16	SW WR RSC 400 Grade-V3C	25 EA		BD	\$93.58
8115-00-417-9442	Shipping Box: Corrugated Fiberboard	8X8X24	SW WR RSC 400 Grade-V3C	15 EA		BD	\$137.99
8115-01-693-5851	Shipping Box: Corrugated Fiberboard	9X6X4	SW WR RSC 275 Grade-W5C	25 EA		BD	\$14.00
8115-00-190-4950	Shipping Box: Corrugated Fiberboard	9X6X6	SW WR RSC 275 Grade-W5C	25 EA		BD	\$33.97

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-01-166-6460	Shipping Box: Corrugated Fiberboard	9X9X9	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$77.58
8115-01-693-6360	Shipping Box: Corrugated Fiberboard	9X9X18	SW WR RSC 350 Grade-V3C	25 EA		BD	\$68.57
8115-00-183-9496	Shipping Box: Corrugated Fiberboard	6X10X4	SW WR RSC 275 Grade-W5C	25 EA		BD	\$33.67
8115-00-290-3369	Shipping Box: Corrugated Fiberboard	10X6X8	SW DOM RSC 200	25 EA		BD	\$46.18
8115-01-693-5844	Shipping Box: Corrugated Fiberboard	10X7X2	SW WR RSC 350 Grade-V3C	25 EA		BD	\$17.73
8115-00-183-9497	Shipping Box: Corrugated Fiberboard	10X8X6	SW WR RSC 275 Grade-W5C	25 EA	Ability One	BD	\$37.26
8115-00-183-9494	Shipping Box: Corrugated Fiberboard	10X10X8	SW WR RSC 275 Grade-W5C	25 EA	Ability One	BD	\$51.80
8115-00-190-4959	Shipping Box: Corrugated Fiberboard	10X10X10	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$68.47
8115-01-034-0370	Shipping Box: Corrugated Fiberboard	10X10X12	SW WR RSC 400 Grade-V3C	25 EA		EA	\$55.86
8115-00-417-9414	Shipping Box: Corrugated Fiberboard	10X10X16	SW WR RSC 400 Grade-V3C	15 EA		BD	\$88.63
8115-01-012-9071	Shipping Box: Corrugated Fiberboard	10.75X8X12	SW WR RSC 275 W5C	25 EA		BD	\$53.18
8115-00-417-9406	Shipping Box: Corrugated Fiberboard	11X11X11	SW WR RSC 400 V3C	25 EA		BD	\$82.57
8115-00-782-3932	Shipping Box: Corrugated Fiberboard	11X11X6.5	SW DOM RSC 200	25 EA		BD	\$55.61
8115-01-011-3619	Shipping Box: Corrugated Fiberboard	11.25X8.75X12	SW WR RSC 275 W5C	25 EA		BD	\$145.98
8115-01-011-3617	Shipping Box: Corrugated Fiberboard	11.25X8.75X3	SW WR RSC 275 W5C	25 EA		BD	\$111.90
8115-00-861-1574	Shipping Box: Corrugated Fiberboard	11.25X8.75X4	SW DOM RSC 200	25 EA		BD	\$33.70
8115-01-011-3621	Shipping Box: Corrugated Fiberboard	11.25X8.75X6	SW WR RSC 275 W5C	25 EA		BD	\$126.71
8115-01-011-3620	Shipping Box: Corrugated Fiberboard	11.25X8.75X7	SW WR RSC 275 W5C	25 EA		BD	\$91.29
8115-00-190-4969	Shipping Box: Corrugated Fiberboard	11.25X8.75X18	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$44.95
8115-00-190-4974	Shipping Box: Corrugated Fiberboard	12X6X12	SW WR RSC 275 Grade-W5C	25 EA		BD	\$77.33
8115-00-417-9380	Shipping Box: Corrugated Fiberboard	12X6X15	SW WR RSC 400 V3C	10 EA		BD	\$51.21
8115-00-281-3889	Shipping Box: Corrugated Fiberboard	12X8X6	SW WR RSC 350 Grade-V3C	25 EA		BD	\$73.85
8115-00-183-9493	Shipping Box: Corrugated Fiberboard	12X8X8	SW WR RSC 275 Grade-W5C	25 EA	Ability One	BD	\$46.40
8115-01-011-3626	Shipping Box: Corrugated Fiberboard	12X9X6	SW WR RSC 275 Grade-W5C	25 EA		BD	\$29.10
8115-00-514-2404	Shipping Box: Corrugated Fiberboard	12.5X9.625X6	SW WR RSC 350 Grade-V3C	25 EA		BD	\$123.35

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-00-176-8062	Shipping Box: Corrugated Fiberboard	12X10X10	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$62.00
8115-00-229-9340	Shipping Box: Corrugated Fiberboard	12X12X6	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$73.84
8115-00-417-9378	Shipping Box: Corrugated Fiberboard	12X12X8	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$81.37
8115-00-183-9490	Shipping Box: Corrugated Fiberboard	12X12X10	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$88.91
8115-00-183-9491	Shipping Box: Corrugated Fiberboard	12X12X12	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$96.98
8115-00-409-3807	Shipping Box: Corrugated Fiberboard	12X12X14	SW WR RSC 400 Grade-V3C	25 EA		BD	\$120.24
8115-00-418-4653	Shipping Box: Corrugated Fiberboard	12X12X16	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$112.04
8115-00-418-4656	Shipping Box: Corrugated Fiberboard	12X12X20	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$127.64
8115-00-418-4657	Shipping Box: Corrugated Fiberboard	12X12X24	SW WR RSC 400 V3C	15 EA		BD	\$88.39
8115-00-290-3371	Shipping Box: Corrugated Fiberboard	13X7X10.5	SW DOM RSC 200	25 EA		BD	\$45.70
8115-00-290-3373	Shipping Box: Corrugated Fiberboard	13.5X12X8.5	SW DOM RSC 200	25 EA		BD	\$43.65
8115-00-183-9488	Shipping Box: Corrugated Fiberboard	14X12X8	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$87.84
8115-00-183-9489	Shipping Box: Corrugated Fiberboard	14X14X12	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$120.64
8115-00-417-9321	Shipping Box: Corrugated Fiberboard	14X14X14	SW WR RSC 400 Grade-V3C	25 EA		BD	\$122.05
8115-00-417-9320	Shipping Box: Corrugated Fiberboard	14X14X18	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$147.53
8115-00-417-9319	Shipping Box: Corrugated Fiberboard	14X14X24	SW WR RSC 350 V3C	15 EA		BD	\$161.12
8115-01-693-5843	Shipping Box: Corrugated Fiberboard	16X8X5	SW WR RSC 275 Grade-W5C	25 EA		BD	\$27.99
8115-00-117-9527	Shipping Box: Corrugated Fiberboard	16X11X14	SW WR RSC 350 V3C	25 EA		BD	\$159.53
8115-00-183-9487	Shipping Box: Corrugated Fiberboard	16X12X8	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$77.61
8115-01-015-4241	Shipping Box: Corrugated Fiberboard	16X15X24	DW DOM RSC 275	10 EA		BD	\$85.09
8115-00-174-2349	Shipping Box: Corrugated Fiberboard	16X16X8	SW WR RSC 350 V3C	25 EA		BD	\$181.93
8115-00-176-8064	Shipping Box: Corrugated Fiberboard	16X12X12	SW WR RSC 150 Grade-V3C	25 EA	Ability One	BD	\$112.04
8115-00-183-9484	Shipping Box: Corrugated Fiberboard	16X14X12	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$128.72
8115-00-451-7853	Shipping Box: Corrugated Fiberboard	16X16X12	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$147.00
8115-00-190-5002	Shipping Box: Corrugated Fiberboard	16X16X16	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$167.44

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-00-165-6599	Shipping Box: Corrugated Fiberboard	16X16X24	SW WR RSC 350 Grade-V3C	25 EA		BD	\$150.72
8115-00-190-4864	Shipping Box: Corrugated Fiberboard	16X16X30	SW WR RSC 275 Grade-W5C	15 EA		BD	\$88.29
8115-00-616-9153	Shipping Box: Corrugated Fiberboard	17X15X10.5	TW WR RSC 1100	09 EA		BD	\$75.57
8115-01-693-5848	Shipping Box: Corrugated Fiberboard	18X10X25	SW WR RSC 350 Grade-V3C	10 EA		BD	\$85.64
8115-00-183-9464	Shipping Box: Corrugated Fiberboard	18X12X7.75	SW WR RSC 400 V3S	15 EA		BD	\$23.28
8115-01-011-3618	Shipping Box: Corrugated Fiberboard	18.5X12.5X10.5	SW WR RSC 275 Grade-W5C	25 EA		BD	\$71.45
8115-00-514-2409	Shipping Box: Corrugated Fiberboard	18.75X12.25X12	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$74.65
8115-00-190-5007	Shipping Box: Corrugated Fiberboard	18X15X10	SW WR RSC 400 Grade-V3C	25 EA	Ability One	BD	\$135.70
8115-00-417-9292	Shipping Box: Corrugated Fiberboard	18X15X15	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$97.23
8115-00-183-9482	Shipping Box: Corrugated Fiberboard	18X18X12	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$105.63
8115-00-428-4185	Shipping Box: Corrugated Fiberboard	18X18X18	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$125.96
8115-00-190-5012	Shipping Box: Corrugated Fiberboard	20X8X9	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$48.51
8115-01-166-6462	Shipping Box: Corrugated Fiberboard	20X10X10	SW WR RSC 400Grade-V3C	01 EA		EA	\$148.35
8115-00-275-5777	Shipping Box: Corrugated Fiberboard	20X16X16	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$112.40
8115-00-428-4183	Shipping Box: Corrugated Fiberboard	20X20X12	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$124.35
8115-00-428-4158	Shipping Box: Corrugated Fiberboard	20X20X20	SW WR RSC 400 Grade-V3C	10 EA	Ability One	BD	\$105.86
8115-00-598-5807	Shipping Box: Corrugated Fiberboard	21X21.5X19.5	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$172.02
8115-00-190-4865	Shipping Box: Corrugated Fiberboard	22.625X10X16	SW WR RSC 275 W5C	15 EA		BD	\$202.92
8115-00-428-4145	Shipping Box: Corrugated Fiberboard	22X22X12	SW WR RSC 350 Grade-V3C	05 EA		BD	\$134.76
8115-00-579-8405	Shipping Box: Corrugated Fiberboard	22X14X22	TW WR RSC 1100	05 EA		BD	\$116.15
8115-00-179-0550	Shipping Box: Corrugated Fiberboard	23.5X15X15	SW WR FOL 350 Grade-V3C	15 EA		BD	\$131.49
8115-00-190-4995	Shipping Box: Corrugated Fiberboard	24X14X24	SW WR RSC 350 Grade-V3C	05 EA		BD	\$90.17
8115-01-163-9189	Shipping Box: Corrugated Fiberboard	24X18X18	SW WR RSC 350 Grade-V3C	10 EA		BD	\$181.58
8115-00-417-9236	Shipping Box: Corrugated Fiberboard	24X20X16	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$159.11
8115-00-428-4124	Shipping Box: Corrugated Fiberboard	24X24X10	SW WR RSC 400 Grade-V3C	10 EA		BD	\$196.01

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-00-174-2354	Shipping Box: Corrugated Fiberboard	24X24X12	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$170.90
8115-00-417-9416	Shipping Box: Corrugated Fiberboard	24X24X24	SW WR RSC 400 Grade-V3C	03 EA	Ability One	BD	\$44.98
8115-00-579-9155	Shipping Box: Corrugated Fiberboard	25X21X15.25	SW WR RSC 400 Grade-V3C	10 EA	Ability One	BD	\$109.99
8115-01-166-6449	Shipping Box: Corrugated Fiberboard	26X12X10	SW WR RSC 400 Grade-V3C	15 EA		BD	\$144.31
8115-00-117-9529	Shipping Box: Corrugated Fiberboard	26X16X19	SW WR RSC 350 V3C	25 EA		BD	\$172.13
8115-00-190-5015	Shipping Box: Corrugated Fiberboard	26X26X18	SW WR CSSC 400 Grade-V3C	07 EA	Ability One	BD	\$103.99
8115-00-656-0912	Shipping Box: Corrugated Fiberboard	27X21.5X18.75	SW WR RSC 400 Grade-V3C	09 EA	Ability One	BD	\$114.92
8115-00-579-9156	Shipping Box: Corrugated Fiberboard	29.5X19.5X19.25	SW WR RSC 400 Grade-V3C	10 EA	Ability One	BD	\$123.69
8115-00-935-5902	Shipping Box: Corrugated Fiberboard	29X31.75X14.75	DW WR RSC 600 V11C	01 EA		EA	\$134.60
8115-00-935-5897	Shipping Box: Corrugated Fiberboard	29X31.75X35.25	DW WR RSC 600 V11C	01 EA		EA	\$134.60
8115-00-190-5017	Shipping Box: Corrugated Fiberboard	30X12X6	SW WR RSC 400 Grade-V3C	15 EA	Ability One	BD	\$78.15
8115-00-292-0120	Shipping Box: Corrugated Fiberboard	30X16X16	SW WR RSC 400 Grade-V3C	05 EA		BD	\$134.60
8115-00-190-5018	Shipping Box: Corrugated Fiberboard	30X17X12	SW WR RSC 400 Grade-V3C	10 EA	Ability One	BD	\$91.15
8115-01-163-3446	Shipping Box: Corrugated Fiberboard	30X20X12	SW WR RSC 350 Grade-V3C	10 EA		BD	\$403.57
8115-01-163-3447	Shipping Box: Corrugated Fiberboard	30X20X20	SW WR RSC 350 V3C	10 EA		BD	\$537.88
8115-01-693-5849	Shipping Box: Corrugated Fiberboard	36X8X8	SW WR RSC 350 Grade-V3C	25 EA		BD	\$169.80
8115-00-190-5020	Shipping Box: Corrugated Fiberboard	36X14X14	SW WR RSC 400 Grade-V3C	10 EA	Ability One	BD	\$93.97
8115-01-019-0767	Shipping Box: Corrugated Fiberboard	39.5X23.5X17.5	DW WR RSC 600 V11C	05 EA		BD	\$167.85
8115-01-019-0768	Shipping Box: Corrugated Fiberboard	39.5X35X23.50	DW WR RSC 600 V11C	05 EA		BD	\$239.77
8115-01-166-6452	Shipping Box: Corrugated Fiberboard	40X14X14	SW WR RSC 350 Grade-V3C	01 EA		EA	\$63.19
8115-01-010-4654	Shipping Box: Corrugated Fiberboard	40X20X12	SW WR RSC 350 Grade-V3C	01 EA		EA	\$46.55
8115-00-616-9154	Shipping Box: Corrugated Fiberboard	43X18.5X13	TW WR RSC 1100	03 EA		BD	\$57.07
8115-01-693-5847	Shipping Box: Corrugated Fiberboard	43.5X11X6	SW WR RSC 350 Grade-V3C	15 EA		BD	\$133.23
8115-01-693-5842	Shipping Box: Corrugated Fiberboard	48X8X8	SW WR RSC 350 Grade-V3C	15 EA		BD	\$129.03
8115-01-693-5845	Shipping Box: Corrugated Fiberboard	48.5X11.5X7.5	SW WR RSC 350 Grade-V3C	05 EA		BD	\$54.30

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-01-693-5846	Shipping Box: Corrugated Fiberboard	50X8X8	SW WR RSC 350 Grade-V3C	15 EA		BD	\$133.50
8115-01-693-5850	Shipping Box: Corrugated Fiberboard	72X7X26	SW WR RSC 350 Grade-V3C	05 EA		BD	\$122.03
8115-01-693-5840	Shipping Box: Corrugated Fiberboard	13X13X13	DW WR RSC 400 Grade-V13C	10 EA		BD	\$37.50
8115-01-693-6682	Shipping Box: Corrugated Fiberboard	32X16X13	DW WR FOL 600 Grade-V11C	10 EA		BD	\$238.09
8115-00-935-5896	Shipping Box: Corrugated Fiberboard	43X31.75X35.25	DW WR RSC 600 Grade-V11C	01 EA		EA	\$18.07
8115-00-360-2858	Shipping Box: Corrugated Fiberboard	48X40X36	DW WR RSC 600 Grade-V11C	01 EA		EA	\$52.77
8115-00-616-9150	Shipping Box: Corrugated Fiberboard	21X19X14.75	TW WR RSC 1100	04 EA		BD	\$72.54
8115-00-579-8406	Shipping Box: Corrugated Fiberboard	22X22X11	TW WR RSC 1100	04 EA		BD	\$171.48
8115-00-579-8407	Shipping Box: Corrugated Fiberboard	23X23X23	TW WR RSC 1100	03 EA		BD	\$74.90
8115-00-616-9148	Shipping Box: Corrugated Fiberboard	24X11.5X11.75	TW WR RSC 1100	07 EA		BD	\$97.02
8115-00-616-9151	Shipping Box: Corrugated Fiberboard	24X24X14.75	TW WR RSC 1100	03 EA		BD	\$54.84
8115-00-616-9147	Shipping Box: Corrugated Fiberboard	27X19X14.75	TW WR RSC 1100	04 EA		BD	\$65.75
8115-00-993-2791	Shipping Box: Corrugated Fiberboard	30X30X30	TW WR RSC 1100	03 EA		BD	\$80.68
8115-00-935-1140	Shipping Box: Corrugated Fiberboard	32X18X16	TW WR HSC 1100	01 EA		EA	\$50.57
8115-00-579-8461	Shipping Box: Corrugated Fiberboard	38X14X20	TW WR RSC 1100	03 EA		BD	\$52.50
8115-00-993-2790	Shipping Box: Corrugated Fiberboard	40X28X28	TW WR RSC 1100	03 EA		BD	\$86.89
8115-00-559-9997	Shipping Box: Corrugated Fiberboard	43X17X8.5	TW WR RSC 1100	4 EA		BD	\$55.96
8115-00-559-9998	Shipping Box: Corrugated Fiberboard	43X22X34	TW WR RSC 1100	02 EA		BD	\$70.22
8115-00-935-5906	Shipping Box: Corrugated Fiberboard	42.125X30.875X33.125	TW WR RSC 1100	01 EA		EA	\$37.47
8115-00-559-5516	Shipping Box: Corrugated Fiberboard	45X14X22	TW WR RSC 1100	03 EA		BD	\$143.98
8115-00-559-9999	Shipping Box: Corrugated Fiberboard	45X22X22	TW WR RSC 1100	02 EA		BD	\$56.88
8115-00-753-4690	Shipping Box: Corrugated Fiberboard	45X32X28.25	TW WR RSC 1100	01 EA		EA	\$43.95
8115-01-696-0841	Shipping Box: Corrugated Fiberboard	45X44X35	TW WR RSC 1100	01 EA		EA	\$55.97
8115-00-926-4886	Shipping Box: Corrugated Fiberboard	46.875X38.875X26	TW WR RSC 1100	01 EA		EA	\$38.34
8115-00-926-4887	Shipping Box: Corrugated Fiberboard	46.875X38.875X36	TW WR RSC 1100	01 EA		EA	\$63.51

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-00-926-4888	Shipping Box: Corrugated Fiberboard	46.875X38.875X42	TW WR RSC 1100	01 EA		EA	\$65.18
8115-00-559-9996	Shipping Box: Corrugated Fiberboard	46X46X22	TW WR RSC 1100	01 EA		EA	\$108.62
8115-01-696-0843	Shipping Box: Corrugated Fiberboard	47.5X39.5X18	TW WR HSC 1100	01 EA		EA	\$46.64
8115-00-901-6434	Shipping Box: Corrugated Fiberboard	47.5X39.5X28	TW WR RSC 1100	01 EA		EA	\$41.52
8115-00-953-0276	Shipping Box: Corrugated Fiberboard	47.5X39.5X35.50	TW WR RSC 1100	01 EA		EA	\$47.04
8115-00-782-1695	Shipping Box: Corrugated Fiberboard	48X40X28.25	TW WR RSC 1100	01 EA		EA	\$48.62
8115-00-774-6562	Shipping Box: Corrugated Fiberboard	48X40X36	TW WR RSC 1100	01 EA		EA	\$52.06
8115-01-696-0833	Shipping Box: Corrugated Fiberboard	48X40X42	TW WR RSC 1100	01 EA		EA	\$74.64
8115-01-696-0840	Shipping Box: Corrugated Fiberboard	48X25X23	TW WR RSC 1100	01 EA		EA	\$46.64
8115-00-142-9594	Shipping Box: Corrugated Fiberboard	46.875X38.875X15.812	TW WR RSC 1100	01 EA		EA	\$80.68
8115-00-901-6435	Shipping Box: Corrugated Fiberboard	47.5X39.5X28	TW WR RSC 1100	1		EA	\$48.31
8115-00-753-4691	Shipping Box: Corrugated Fiberboard	58X32X28.25	TW WR RSC 1100	01 EA		EA	\$49.46
8115-00-935-6510	Shipping Box: Corrugated Fiberboard	57.0625X42.0625X35.25	TW WR RSC 1100	01 EA		EA	\$68.75
8115-00-901-6428	Shipping Box: Corrugated Fiberboard	83X49X28	TW WR RSC 1100	01 EA		EA	\$55.86
8115-00-935-5904	Shipping Box: Corrugated Fiberboard	86X31.75X35.25	TW WR RSC 1100	01 EA		EA	\$68.71
8115-01-696-0842	Shipping Box: Corrugated Fiberboard	88X45X38	TW WR RSC 1100	01 EA		EA	\$97.02
8115-00-079-8447	Shipping Box: Corrugated Fiberboard	4.375 X4.375 X4.375	SW DOM RSC 275	25 EA		BD	\$23.28
8115-01-693-6679	Shipping Box: Corrugated Fiberboard	4X4X4	SW DOM RSC 200	25 EA		BD	\$6.99
8115-00-576-8428	Shipping Box: Corrugated Fiberboard	4X4X6	SW DOM RSC 125	25 EA		BD	\$31.03
8115-01-693-6671	Shipping Box: Corrugated Fiberboard	4X4X40	SW DOM RSC 200	25 EA		BD	\$39.19
8115-01-693-6684	Shipping Box: Corrugated Fiberboard	5X5X5	SW DOM RSC 200	25 EA		BD	\$9.33
8115-01-693-6674	Shipping Box: Corrugated Fiberboard	5X5X39	SW DOM RSC 200	25 EA		BD	\$53.65
8115-00-079-9015	Shipping Box: Corrugated Fiberboard	5X7X40	SW DOM RSC 275	25 EA		BD	\$96.16
8115-00-179-0565	Shipping Box: Corrugated Fiberboard	6X6X6	SW DOM RSC 125	25 EA		BD	\$25.60
8115-01-693-6680	Shipping Box: Corrugated Fiberboard	6X6X6	SW DOM RSC 200	25 EA		BD	\$13.07

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-00-179-0566	Shipping Box: Corrugated Fiberboard	6X6X10	SW DOM RSC 125	25 EA		BD	\$35.85
8115-01-693-6676	Shipping Box: Corrugated Fiberboard	6X6X24	SW DOM RSC 200	25 EA		BD	\$34.05
8115-01-693-6675	Shipping Box: Corrugated Fiberboard	6X6X48	SW DOM RSC 200	25 EA		BD	\$72.31
8115-00-782-3940	Shipping Box: Corrugated Fiberboard	7.5X7X3.375	SW DOM RSC 200	25 EA		BD	\$134.60
8115-00-290-3365	Shipping Box: Corrugated Fiberboard	8X4X4	SW DOM RSC 200	25 EA		BD	\$41.20
8115-00-290-5494	Shipping Box: Corrugated Fiberboard	8X5X4.5	SW DOM RSC 125	25 EA		BD	\$15.11
8115-00-290-3367	Shipping Box: Corrugated Fiberboard	8X6X7	SW DOM RSC 200	25 EA		BD	\$38.80
8115-00-179-0568	Shipping Box: Corrugated Fiberboard	8X8X8	SW DOM RSC 125	25 EA		BD	\$41.32
8115-01-357-9996	Shipping Box: Corrugated Fiberboard	8X8X8	SW DOM RSC 200 - WHITE	15 EA		BD	\$32.58
8115-01-693-7610	Shipping Box: Corrugated Fiberboard	8X8X8	SW DOM RSC 200	25 EA		BD	\$23.33
8115-01-694-4116	Shipping Box: Corrugated Fiberboard	8X8X12	SW DOM FOL 200	25 EA		BD	\$46.64
8115-00-079-8693	Shipping Box: Corrugated Fiberboard	8X8X16	SW DOM RSC 275	25 EA		BD	\$92.13
8115-01-693-7117	Shipping Box: Corrugated Fiberboard	8X8X60	SW DOM RSC 200	15 EA		BD	\$71.37
8115-00-079-8459	Shipping Box: Corrugated Fiberboard	9X9X9	SW DOM RSC 275	25 EA		BD	\$38.25
8115-00-179-0570	Shipping Box: Corrugated Fiberboard	10X8X6	SW DOM RSC 200	25 EA		BD	\$38.76
8115-00-179-0571	Shipping Box: Corrugated Fiberboard	10X10X6	SW DOM RSC 200	25 EA		BD	\$32.99
8115-01-693-7118	Shipping Box: Corrugated Fiberboard	10X10X10	SW DOM RSC 200	25 EA		BD	\$37.31
8115-01-693-7119	Shipping Box: Corrugated Fiberboard	10X10X10	SW DOM RSC 275	25 EA		BD	\$46.64
8115-01-693-7120	Shipping Box: Corrugated Fiberboard	10X8X6	SW DOM RSC 275	25 EA		BD	\$29.85
8115-01-691-1875	Shipping Box: Corrugated Fiberboard	10X10X20	SW DOM RSC 200	25 EA		BD	\$46.55
8115-01-693-7892	Shipping Box: Corrugated Fiberboard	11.25X8.75X2.75	SW DOM RSC 275	25 EA		BD	\$48.52
8115-01-693-7111	Shipping Box: Corrugated Fiberboard	11.25X8.75X4	SW DOM RSC 275	25 EA		BD	\$30.32
8115-01-693-7115	Shipping Box: Corrugated Fiberboard	11.25X8.75X6	SW DOM RSC 275	25 EA		BD	\$34.99
8115-01-693-7116	Shipping Box: Corrugated Fiberboard	11.25X8.75X8	SW DOM RSC 275	25 EA		BD	\$39.19
8115-01-693-7885	Shipping Box: Corrugated Fiberboard	11X11X8	SW DOM RSC 200	25 EA		BD	\$38.72

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-01-693-7894	Shipping Box: Corrugated Fiberboard	11X11X11	SW DOM RSC 200	25 EA		BD	\$30.32
8115-01-693-7893	Shipping Box: Corrugated Fiberboard	12X6X6	SW DOM RSC 200	25 EA		BD	\$18.66
8115-01-693-7884	Shipping Box: Corrugated Fiberboard	12X6X6	SW DOM RSC 275	25 EA		BD	\$23.79
8115-01-693-7889	Shipping Box: Corrugated Fiberboard	12X8X4	SW DOM RSC 200	25 EA		BD	\$20.52
8115-01-693-7890	Shipping Box: Corrugated Fiberboard	12X8X8	SW DOM RSC 200	25 EA		BD	\$30.32
8115-00-079-8677	Shipping Box: Corrugated Fiberboard	12X9X6	SW DOM RSC 275	25 EA		BD	\$39.09
8115-00-179-0575	Shipping Box: Corrugated Fiberboard	12X10X8	SW DOM RSC 200	25 EA		BD	\$40.19
8115-01-693-7891	Shipping Box: Corrugated Fiberboard	12X10X10	SW DOM RSC 200	25 EA		BD	\$40.58
8115-00-079-8679	Shipping Box: Corrugated Fiberboard	12X12X4	SW DOM RSC 275	25 EA		BD	\$37.19
8115-01-693-7871	Shipping Box: Corrugated Fiberboard	12X12X6	SW DOM RSC 200	25 EA		BD	\$40.58
8115-01-693-7877	Shipping Box: Corrugated Fiberboard	12X12X6	SW DOM RSC 275	25 EA		BD	\$50.84
8115-01-693-9338	Shipping Box: Corrugated Fiberboard	12.5X12.5X6	SW DOM RSC 200 MULTI-DEPTH	25 EA		BD	\$46.64
8115-01-693-7872	Shipping Box: Corrugated Fiberboard	12X12X8	SW DOM RSC 200	25 EA		BD	\$44.32
8115-01-693-9339	Shipping Box: Corrugated Fiberboard	12X12x12	SW DOM RSC 200 MULTI-DEPTH	25 EA		BD	\$52.72
8115-00-290-3370	Shipping Box: Corrugated Fiberboard	12X12X12	SW DOM RSC 200	25 EA		BD	\$47.22
8115-00-079-8680	Shipping Box: Corrugated Fiberboard	12X12X12	SW DOM RSC 275	25 EA		BD	\$82.73
8115-01-693-7875	Shipping Box: Corrugated Fiberboard	12X12X60	SW DOM RSC 200	10 EA		BD	\$62.98
8115-01-693-7876	Shipping Box: Corrugated Fiberboard	13X13X8	SW DOM RSC 200	25 EA		BD	\$49.91
8115-00-290-3374	Shipping Box: Corrugated Fiberboard	13X13X24	SW DOM RSC 200	25 EA		BD	\$91.89
8115-01-693-7881	Shipping Box: Corrugated Fiberboard	14X10X8	SW DOM RSC 200	25 EA		BD	\$40.12
8115-01-693-7878	Shipping Box: Corrugated Fiberboard	14X10X10	SW DOM RSC 200	25 EA		BD	\$44.32
8115-01-693-7879	Shipping Box: Corrugated Fiberboard	14X12X6	SW DOM RSC 200	25 EA		BD	\$43.39
8115-01-693-7880	Shipping Box: Corrugated Fiberboard	14X12X6	SW DOM RSC 275	25 EA		BD	\$58.31
8115-01-693-7887	Shipping Box: Corrugated Fiberboard	14X12X10	SW DOM RSC 200	25 EA		BD	\$52.25
8115-01-693-7882	Shipping Box: Corrugated Fiberboard	14X12X10	SW DOM RSC 275	25 EA		BD	\$52.25

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-01-693-7888	Shipping Box: Corrugated Fiberboard	14X12X12	SW DOM RSC 200	25 EA		BD	\$56.92
8115-01-693-7124	Shipping Box: Corrugated Fiberboard	14X14X6	SW DOM RSC 200	25 EA		BD	\$51.31
8115-00-290-3376	Shipping Box: Corrugated Fiberboard	14X14X8	SW DOM RSC 200	25 EA		BD	\$86.50
8115-01-693-7122	Shipping Box: Corrugated Fiberboard	14X14X8	SW DOM RSC 275	15 EA		BD	\$33.97
8115-00-079-8682	Shipping Box: Corrugated Fiberboard	14X14X10	SW DOM RSC 275	15 EA		BD	\$49.04
8115-01-693-9341	Shipping Box: Corrugated Fiberboard	14X14X14	SW DOM RSC 200 MULTI-DEPTH	25 EA		BD	\$71.37
8115-01-693-7123	Shipping Box: Corrugated Fiberboard	14X14X14	SW DOM RSC 200	25 EA		BD	\$71.37
8115-01-693-7109	Shipping Box: Corrugated Fiberboard	14X14X14	SW DOM RSC 275	25 EA		BD	\$89.56
8115-00-117-8338	Shipping Box: Corrugated Fiberboard	14.75X9.5X4.875	SW DOM RSC 200	25 EA		BD	\$50.83
8115-00-117-8347	Shipping Box: Corrugated Fiberboard	14.75X11.75X11.75	SW DOM 275 - WHITE	25 EA		BD	\$131.13
8115-01-693-7113	Shipping Box: Corrugated Fiberboard	15X10X10	SW DOM RSC 200	25 EA		BD	\$46.18
8115-01-693-7108	Shipping Box: Corrugated Fiberboard	15X10.5X4	SW DOM RSC 275	25 EA		BD	\$43.39
8115-01-693-7121	Shipping Box: Corrugated Fiberboard	15X10.5X6	SW DOM RSC 275	25 EA		BD	\$55.51
8115-01-693-7110	Shipping Box: Corrugated Fiberboard	15X10.5X8	SW DOM RSC 275	25 EA		BD	\$57.38
8115-01-693-7112	Shipping Box: Corrugated Fiberboard	15X10.5X12	SW DOM RSC 275	25 EA		BD	\$66.24
8115-01-357-9997	Shipping Box: Corrugated Fiberboard	15X12X10	SW DOM RSC 200 - WHITE	15 EA		BD	\$45.00
8115-01-693-9340	Shipping Box: Corrugated Fiberboard	15X12X12	SW DOM RSC 200 MULTI-DEPTH	25 EA		BD	\$61.57
8115-00-290-3380	Shipping Box: Corrugated Fiberboard	15X15X28	SW DOM RSC 200	15 EA		BD	\$72.24
8115-01-693-7114	Shipping Box: Corrugated Fiberboard	15X15X48	SW DOM RSC 200	10 EA		BD	\$83.78
8115-00-179-0578	Shipping Box: Corrugated Fiberboard	16X10X8	SW DOM RSC 275	25 EA		BD	\$56.68
8115-01-693-2195	Shipping Box: Corrugated Fiberboard	16X10X12	SW DOM RSC 200	25 EA		BD	\$82.01
8115-01-693-7611	Shipping Box: Corrugated Fiberboard	16X12X8	SW DOM RSC 200	25 EA		BD	\$51.31
8115-01-693-8671	Shipping Box: Corrugated Fiberboard	16X12X8	SW DOM RSC 275	25 EA		BD	\$64.37
8115-01-693-7623	Shipping Box: Corrugated Fiberboard	16X12X10	SW DOM RSC 200	25 EA		BD	\$56.44
8115-01-693-7622	Shipping Box: Corrugated Fiberboard	16X12X12	SW DOM RSC 275	25 EA		BD	\$70.90

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-01-693-7620	Shipping Box: Corrugated Fiberboard	16X16X8	SW DOM RSC 200	25 EA		BD	\$86.29
8115-01-693-7621	Shipping Box: Corrugated Fiberboard	16X16X12	SW DOM RSC 200	25 EA		BD	\$100.29
8115-01-693-7626	Shipping Box: Corrugated Fiberboard	16X16X16	SW DOM RSC 200	25 EA		BD	\$101.05
8115-00-079-8745	Shipping Box: Corrugated Fiberboard	16X16X16	SW DOM RSC 275	15 EA		BD	\$115.71
8115-01-693-7634	Shipping Box: Corrugated Fiberboard	16X16X30	SW DOM RSC 200	15 EA		BD	\$97.96
8115-01-693-7633	Shipping Box: Corrugated Fiberboard	16X16X30	SW DOM RSC 275	15 EA		BD	\$118.68
8115-00-079-8697	Shipping Box: Corrugated Fiberboard	16.5X12X10	SW DOM RSC 275	25 EA		BD	\$169.19
8115-01-693-7594	Shipping Box: Corrugated Fiberboard	17X6X6	SW DOM RSC 200	15 EA		BD	\$97.96
8115-01-694-0258	Shipping Box: Corrugated Fiberboard	17.25X11.5X12	SW DOM 200 MULTI-DEPTH	25 EA		BD	\$61.57
8115-01-693-2731	Shipping Box: Corrugated Fiberboard	17X12X12	SW DOM RSC 200	25 EA		BD	\$82.01
8115-01-693-7592	Shipping Box: Corrugated Fiberboard	17X13X5	SW DOM RSC 200	25 EA		BD	\$57.92
8115-00-782-3936	Shipping Box: Corrugated Fiberboard	17X13.5X12	SW DOM RSC 275	25 EA		BD	\$86.46
8115-00-290-3384	Shipping Box: Corrugated Fiberboard	17.5X14.5X8.5	SW DOM RSC 200	25 EA		BD	\$108.99
8115-01-693-7591	Shipping Box: Corrugated Fiberboard	17X17X8	SW DOM RSC 200	20 EA		BD	\$61.57
8115-01-694-4113	Shipping Box: Corrugated Fiberboard	18X4X4	SW DOM RSC 200	25 EA		BD	\$36.07
8115-01-694-4117	Shipping Box: Corrugated Fiberboard	18X8X8	SW DOM FOL 200	25 EA		BD	\$58.31
8115-01-357-9995	Shipping Box: Corrugated Fiberboard	18X12.5X3	SW RSC DOM 200 WHITE	15 EA		BD	\$32.58
8115-01-693-8234	Shipping Box: Corrugated Fiberboard	18X12X6	SW DOM RSC 200	25 EA		BD	\$49.45
8115-01-693-8231	Shipping Box: Corrugated Fiberboard	18X12X10	SW DOM RSC 200	25 EA		BD	\$60.17
8115-00-179-0579	Shipping Box: Corrugated Fiberboard	18X12X10	SW DOM RSC 275	25 EA		BD	\$93.89
8115-01-693-8232	Shipping Box: Corrugated Fiberboard	18X12X12	SW DOM RSC 200	25 EA		BD	\$65.31
8115-01-693-8233	Shipping Box: Corrugated Fiberboard	18X12X12	SW DOM RSC 275	15 EA		BD	\$82.11
8115-00-290-3386	Shipping Box: Corrugated Fiberboard	18X15X5.5	SW DOM RSC 200	25 EA		BD	\$148.90
8115-00-079-8788	Shipping Box: Corrugated Fiberboard	18X15X11	SW DOM RSC 275	15 EA		BD	\$71.66
8115-01-693-8218	Shipping Box: Corrugated Fiberboard	18X14X12	SW DOM RSC 200	25 EA		BD	\$75.57

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-00-179-0580	Shipping Box: Corrugated Fiberboard	18X14X18	SW DOM RSC 275	25 EA		BD	\$141.31
8115-01-693-8226	Shipping Box: Corrugated Fiberboard	18X18X4	SW DOM RSC 200	25 EA		BD	\$71.83
8115-01-693-8221	Shipping Box: Corrugated Fiberboard	18X18X8	SW DOM RSC 200	25 EA		BD	\$84.43
8115-00-290-3387	Shipping Box: Corrugated Fiberboard	18X18X18	SW DOM RSC 200	15 EA		BD	\$106.56
8115-01-693-8223	Shipping Box: Corrugated Fiberboard	18X18X18	SW DOM RSC 275	10 EA		BD	\$146.00
8115-01-693-7605	Shipping Box: Corrugated Fiberboard	20X8X9	SW DOM RSC 200	25 EA		BD	\$35.07
8115-01-693-7612	Shipping Box: Corrugated Fiberboard	20X12X8	SW DOM RSC 200	20 EA		BD	\$46.64
8115-01-693-7616	Shipping Box: Corrugated Fiberboard	20X12X12	SW DOM RSC 200	25 EA		BD	\$55.97
8115-01-693-7615	Shipping Box: Corrugated Fiberboard	20X12X12	SW DOM RSC 275	15 EA		BD	\$52.62
8115-01-693-7625	Shipping Box: Corrugated Fiberboard	20X14X6	SW DOM RSC 200	20 EA		BD	\$46.64
8115-01-693-7628	Shipping Box: Corrugated Fiberboard	20X14X8	SW DOM RSC 275	25 EA		BD	\$85.36
8115-01-694-0257	Shipping Box: Corrugated Fiberboard	20X14X14	SW DOM RSC 200 MULTI-DEPTH	15 EA		BD	\$51.50
8115-00-609-4165	Shipping Box: Corrugated Fiberboard	20X15.5X9.5	SW DOM RSC 275	25 EA		BD	\$74.64
8115-01-693-7629	Shipping Box: Corrugated Fiberboard	20X15.5X13.5	SW DOM RSC 275	25 EA		BD	\$85.36
8115-01-693-7609	Shipping Box: Corrugated Fiberboard	20X16X14	SW DOM RSC 275	15 EA		BD	\$73.33
8115-01-693-7608	Shipping Box: Corrugated Fiberboard	20X20X4	SW DOM RSC 275	25 EA		BD	\$46.64
8115-01-693-7627	Shipping Box: Corrugated Fiberboard	20X20X12	SW DOM RSC 200	15 EA		BD	\$68.85
8115-01-693-7617	Shipping Box: Corrugated Fiberboard	20X20X12	SW DOM RSC 275	10 EA		BD	\$57.66
8115-00-079-8823	Shipping Box: Corrugated Fiberboard	20X20X20	SW DOM RSC 275	15 EA		BD	\$57.59
8115-01-693-7624	Shipping Box: Corrugated Fiberboard	20X20X20	SW DOM RSC 200	10 EA		BD	\$68.74
8115-01-386-2238	Shipping Box: Corrugated Fiberboard	20X20X20	SW DOM RSC 200	15 EA		BD	\$63.63
8115-01-693-7631	Shipping Box: Corrugated Fiberboard	22X22X22	SW DOM RSC 200	10 EA		BD	\$69.04
8115-00-682-6820	Shipping Box: Corrugated Fiberboard	23.50X15X15	SW DOM OSC 350	15 EA		BD	\$36.48
8115-01-693-7636	Shipping Box: Corrugated Fiberboard	24X12X12	SW DOM RSC 200	20 EA		BD	\$83.97
8115-00-079-8825	Shipping Box: Corrugated Fiberboard	24X12.5X10	SW DOM RSC 275	15 EA		BD	\$230.59

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-00-179-0547	Shipping Box: Corrugated Fiberboard	24X12X24	SW DOM RSC 275	15 EA		BD	\$72.33
8115-01-693-7632	Shipping Box: Corrugated Fiberboard	24X15X15	SW DOM RSC 200	20 EA		BD	\$105.61
8115-01-693-7635	Shipping Box: Corrugated Fiberboard	24X16X6	SW DOM RSC 200	20 EA		BD	\$63.81
8115-01-694-0619	Shipping Box: Corrugated Fiberboard	24X16X12	SW DOM RSC 200 MULTI-DEPTH	15 EA		BD	\$57.85
8115-01-693-7637	Shipping Box: Corrugated Fiberboard	24X16X16	SW DOM RSC 275	25 EA		BD	\$114.75
8115-01-693-7638	Shipping Box: Corrugated Fiberboard	24X18X12	SW DOM RSC 275	15 EA		BD	\$85.09
8115-01-693-7597	Shipping Box: Corrugated Fiberboard	24X18X18	SW DOM RSC 200	15 EA		BD	\$81.16
8115-01-693-7595	Shipping Box: Corrugated Fiberboard	24X18X18	SW DOM RSC 275	10 EA		BD	\$67.92
8115-00-609-4164	Shipping Box: Corrugated Fiberboard	24X24X6	SW DOM RSC 275	25 EA		BD	\$65.31
8115-01-693-7593	Shipping Box: Corrugated Fiberboard	24X18X12	SW DOM RSC 275	10 EA		BD	\$68.85
8115-01-694-0259	Shipping Box: Corrugated Fiberboard	24X24X12	SW DOM RSC 200 MULTI-DEPTH	10 EA		BD	\$74.64
8115-01-693-7596	Shipping Box: Corrugated Fiberboard	24X24X12	SW DOM RSC 275	15 EA		BD	\$115.87
8115-01-693-7598	Shipping Box: Corrugated Fiberboard	24X24X16	SW DOM RSC 275	10 EA		BD	\$93.30
8115-01-693-7604	Shipping Box: Corrugated Fiberboard	24X24X18	SW DOM RSC 275	10 EA		BD	\$102.63
8115-01-693-7607	Shipping Box: Corrugated Fiberboard	24X24X24	SW DOM RSC 275	10 EA		BD	\$113.82
8115-01-693-7601	Shipping Box: Corrugated Fiberboard	24X24X24	SW DOM RSC 200	10 EA		BD	\$74.07
8115-00-290-3394	Shipping Box: Corrugated Fiberboard	25X20X5	SW DOM RSC 200	15 EA		BD	\$61.63
8115-00-782-3935	Shipping Box: Corrugated Fiberboard	25X20X10	SW DOM RSC 275	15 EA		BD	\$55.15
8115-01-693-7603	Shipping Box: Corrugated Fiberboard	26X12X12	SW DOM RSC 200	20 EA		BD	\$115.87
8115-01-693-7606	Shipping Box: Corrugated Fiberboard	26X12X12	SW DOM RSC 275	15 EA		BD	\$121.28
8115-01-693-7630	Shipping Box: Corrugated Fiberboard	26X26X12	SW DOM RSC 200	10 EA		BD	\$93.49
8115-01-694-0620	Shipping Box: Corrugated Fiberboard	26X26X12	SW DOM RSC 275	10 EA		BD	\$108.23
8115-00-609-4287	Shipping Box: Corrugated Fiberboard	27X17X14	SW DOM RSC 275	10 EA		BD	\$93.30
8115-01-694-0621	Shipping Box: Corrugated Fiberboard	28X28X6	SW DOM RSC 275	25 EA		BD	\$139.94
8115-01-694-0622	Shipping Box: Corrugated Fiberboard	30X30X30	SW DOM RSC 275	05 EA		BD	\$139.94

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-00-079-8989	Shipping Box: Corrugated Fiberboard	32X15X15	SW DOM RSC 275	15 EA		BD	\$75.40
8115-01-693-7614	Shipping Box: Corrugated Fiberboard	32X24X24	SW DOM RSC 275 MULTI-DEPTH	10 EA		BD	\$111.96
8115-01-694-1019	Shipping Box: Corrugated Fiberboard	36X6X6	SW DOM RSC 200	25 EA		BD	\$151.61
8115-01-694-1025	Shipping Box: Corrugated Fiberboard	36X8X8	SW DOM RSC 200	25 EA		BD	\$156.74
8115-01-694-1021	Shipping Box: Corrugated Fiberboard	36X20X15	SW DOM RSC 200	25 EA		BD	\$158.60
8115-01-694-1022	Shipping Box: Corrugated Fiberboard	36X24X6	SW DOM RSC 200	10 EA		BD	\$91.44
8115-01-694-1015	Shipping Box: Corrugated Fiberboard	36X24X24	SW DOM RSC 200	05 EA		BD	\$61.57
8115-00-128-8024	Shipping Box: Corrugated Fiberboard	37.5X23.5X18	SW DOM FTC 275	25 EA		BD	\$115.68
8115-01-694-1000	Shipping Box: Corrugated Fiberboard	40X15X7	SW DOM RSC 275	25 EA		BD	\$279.88
8115-01-694-1007	Shipping Box: Corrugated Fiberboard	50X8X8	SW DOM FOL 275	15 EA		BD	\$384.84
8115-01-696-0839	Shipping Box: Corrugated Fiberboard	9X9X12.5	DW DOM RSC 275	15 EA		BD	\$55.97
8115-01-696-1567	Shipping Box: Corrugated Fiberboard	12X12X8	DW DOM RSC 275	15 EA		BD	\$50.38
8115-01-696-1569	Shipping Box: Corrugated Fiberboard	12X12X12	DW DOM RSC 275	15 EA		BD	\$50.38
8115-01-696-1571	Shipping Box: Corrugated Fiberboard	12.5X12.5X15	DW DOM RSC 275	15 EA		BD	\$78.65
8115-01-696-1578	Shipping Box: Corrugated Fiberboard	14X14X12	DW DOM RSC 275	15 EA		BD	\$83.97
8115-01-694-4114	Shipping Box: Corrugated Fiberboard	16X12X8	DW DOM RSC 350	15 EA		BD	\$110.09
8115-01-696-1579	Shipping Box: Corrugated Fiberboard	16X16X16	DW DOM RSC 275	15 EA		BD	\$97.96
8115-01-696-1576	Shipping Box: Corrugated Fiberboard	18X12X12	DW DOM RSC 275	15 EA		BD	\$65.77
8115-01-696-1586	Shipping Box: Corrugated Fiberboard	18X18X18	DW DOM RSC 275	10 EA		BD	\$74.64
8115-01-696-0834	Shipping Box: Corrugated Fiberboard	20X20X12	DW DOM RSC 350	03 EA		BD	\$36.38
8115-01-696-1587	Shipping Box: Corrugated Fiberboard	20X20X20	DW DOM RSC 275	10 EA		BD	\$93.30
8115-01-696-1582	Shipping Box: Corrugated Fiberboard	21X11.75X17.25	DW DOM RSC 275	10 EA		BD	\$93.30
8115-01-696-1561	Shipping Box: Corrugated Fiberboard	22X22X22	DW DOM RSC 275	10 EA		BD	\$139.94
8115-01-696-1564	Shipping Box: Corrugated Fiberboard	24X16X16	DW DOM RSC 275	10 EA		BD	\$100.76
8115-01-696-1572	Shipping Box: Corrugated Fiberboard	24X24X24	DW DOM RSC 275	10 EA		BD	\$100.76

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8115-01-696-0835	Shipping Box: Corrugated Fiberboard	24X24X24	DW DOM RSC 350	15 EA		BD	\$158.60
8115-01-696-1588	Shipping Box: Corrugated Fiberboard	24X24X36	DW DOM RSC 275	05 EA		BD	\$102.63
8115-01-015-4994	Shipping Box: Corrugated Fiberboard	26X21X21	DW DOM RSC 600	10 EA		BD	\$154.32
8115-01-696-1562	Shipping Box: Corrugated Fiberboard	26X26X26	DW DOM RSC 275	05 EA		BD	\$100.76
8115-01-696-0836	Shipping Box: Corrugated Fiberboard	28X20X16.75	DW DOM RSC 350	04 EA		BD	\$59.71
8115-01-696-1574	Shipping Box: Corrugated Fiberboard	36X12X12	DW DOM RSC 275	10 EA		BD	\$89.56
8115-01-696-1565	Shipping Box: Corrugated Fiberboard	36X16X16	DW DOM RSC 275	10 EA		BD	\$126.89
8115-01-696-1563	Shipping Box: Corrugated Fiberboard	36X24X24	DW DOM RSC 275	05 EA		BD	\$102.63
8115-01-696-0837	Shipping Box: Corrugated Fiberboard	45X14X22	DW DOM RSC 350	03 EA		BD	\$55.97
8115-01-696-0838	Shipping Box: Corrugated Fiberboard	45X22X22	DW DOM RSC 350	03 EA		BD	\$74.64
8135-00-664-4092	Sheet: Corrugated Fiberboard	96X48	SW DOM 275	01 EA		SH	\$11.04
8135-01-696-5919	Sheet: Corrugated Fiberboard	24X18	SW WR Grade-W5C 275	50 EA		BD	\$1.74
8135-01-696-9644	Sheet: Corrugated Fiberboard	40X48	SW WR Grade-W5C 275	10 EA		BD	\$4.14
8135-00-132-9067	Sheet: Corrugated Fiberboard	96X48	SW WR Grade-V3C 400	01 EA		SH	\$117.77
8135-00-013-8961	Sheet: Corrugated Fiberboard	120X48	SW WR Grade-V3C 400	01 EA		SH	\$117.77
8135-00-281-4115	Sheet: Corrugated Fiberboard	96X60	SW WR Grade-V3C 400	01 EA		SH	\$20.26
8135-00-281-5105	Sheet: Corrugated Fiberboard	96X60	SW WR Grade-W5C 275	10 EA		BD	\$6.75
8135-00-281-4118	Sheet: Corrugated Fiberboard	120X72	SW WR Grade-V3C 400	01 EA		SH	\$117.77
8135-00-926-4906	Sheet: Corrugated Fiberboard	120X75	SW WR Grade-V3C 350	10 EA		BD	\$53.32
8135-00-204-9151	Sheet: Corrugated Fiberboard	72X36	SW WR Grade-V3C 350	10 EA		BD	\$5.54
8135-01-126-1435	Sheet: Corrugated Fiberboard	28X18	DW DOM 500	50 EA		BD	\$4.04
8135-01-126-1436	Sheet: Corrugated Fiberboard	28X26	DW WR 600 Grade-V11C	50 EA		BD	\$4.19
8135-01-697-0598	Sheet: Corrugated Fiberboard	96X48	DW WR 600 Grade-V11C	10 EA		BD	\$17.54
8135-01-697-0600	Sheet: Corrugated Fiberboard	120X48	DW WR 600 Grade-V11C	10 EA		BD	\$21.87
8135-01-696-9976	Sheet: Corrugated Fiberboard	120X66	DW WR 600 Grade-V11C	10 EA		BD	\$30.05

NSN	Type	Dimensions (Length x Width x Depth)	Configuration	Unit Package Qty	Source	Unit of issue	Price
8135-00-813-5192	Sheet: Corrugated Fiberboard	72X36	SW DOM 1100	10 EA		BD	\$8.44
8135-00-163-7925	Sheet: Corrugated Fiberboard	96X48	TW WR 1100	10 EA		BD	\$9.11
8135-00-926-4908	Sheet: Corrugated Fiberboard	120X75	TW WR 1100	10 EA		BD	\$229.48

Pelican Cases

Series	NSN	Item Name/ Model	Configuration	Color	Mfg. Part Number	Dimensions: Exterior (L x W x D)	Dimensions: Interior (L x W x D)	Weight	Price
Air	8115-01-697-0897	Pelican 1646 Air Case	No Foam	Black	016460-0010-110	35.3" x 19.0" x 15.1"	32.1" x 15.9" x 13.3"	20.5 lb	\$397.11
Air	8115-01-697-0893	Pelican 1646 Air Case	Foam	Black	016460-0000-110	35.3" x 19.0" x 15.1"	32.1" x 15.9" x 13.3"	25.7 lb	\$458.49
Air	8115-01-696-3670	Pelican 1637 Air Case	Foam	Black	016370-0001-110	26.6" x 20.7" x 14.9"	23.4" x 17.6" x 13.3"	19.4 lb	\$419.43
Air	8115-01-696-8473	Pelican 1615 Air Case	No Foam	Black	016150-0011-110	32.6" x 18.4" x 11.0"	29.6" x 15.5" x 9.4"	14.1 lb	\$315.27
Air	8115-01-696-8470	Pelican 1605 Air Case	Foam	Black	016050-0001-110	28.9" x 16.8" x 9.1"	26.0" x 14.0" x 8.4"	11.6 lb	\$309.69
Air	8115-01-696-8503	Pelican 1535TRVL Air Travel Case	Lid Organizer, Packing Cubes	Charcoal	015350-0080-185	21.9" x 13.9" x 8.9"	20.3" x 11.2" x 7.2"	10.3 lb	\$356.19
Air	8115-01-696-8930	Pelican 1535TRVL Air Travel Case	Lid Organizer, Packing Cubes	Indigo	015350-0080-125	21.9" x 13.9" x 8.9"	20.3" x 11.2" x 7.2"	10.3 lb	\$356.19
Air	8115-01-696-8502	Pelican 1535TRVL Air Travel Case	Lid Organizer, Packing Cubes	Black	015350-0080-110	21.9" x 13.9" x 8.9"	20.3" x 11.2" x 7.2"	10.3 lb	\$356.19
Air	8115-01-696-8491	Pelican 1507 Air Case	Foam	Yellow	015070-0001-240	16.9" x 14.1" x 9.3"	15.2" x 11.4" x 8.5"	5.2 lb	\$202.74
Air	8115-01-696-8489	Pelican 1507 Air Case	Foam	Silver	015070-0001-180	16.9" x 14.1" x 9.3"	15.2" x 11.4" x 8.5"	5.2 lb	\$202.74
Air	8115-01-696-8493	Pelican 1507 Air Case	Foam	Orange	015070-0001-150	16.9" x 14.1" x 9.3"	15.2" x 11.4" x 8.5"	5.2 lb	\$202.74

Series	NSN	Item Name/ Model	Configuration	Color	Mfg. Part Number	Dimensions: Exterior (L x W x D)	Dimensions: Interior (L x W x D)	Weight	Price
Air	8115-01-696-8496	Pelican 1507 Air Case	Foam	Black	015070-0001-110	16.9" x 14.1" x 9.3"	15.2" x 11.4" x 8.5"	5.2 lb	\$202.74
Air	8115-01-706-1543	Pelican 1535 Air Case Black With Foam	Foam	Black	015350-0002-110	22 x 14 x 9"	20.4 x 11.2 x 7.2"	8.7 lb	\$287.37
Air	8115-01-706-1542	Pelican 1535 Air Case Black No Foam	No Foam	Black	015350-0012-110	22 x 14 x 9"	20.4 x 11.2 x 7.2"	8.7 lb	\$243.20
Air	8115-01-701-4618	Pelican 1556 Air Black With Foam	Foam	Black	015560-0000-110	23.4 x 13.5 x 10.6"	21.6 x 10.7 x 8.9"	11.2 lb	\$299.00
Air	8115-01-701-4619	Pelican 1556 Air Black with No Foam	No Foam	Black	015560-0010-110	23.4 x 13.5 x 10.6"	21.6 x 10.7 x 8.9"	9.8 lb	\$253.89
Air	8115-01-702-2508	Pelican 1557 Air Case Black With Foam	Foam	Black	015570-0001-110	19.2 x 15.8 x 10.5"	17.3 x 13 x 9.8"	6.6 lb	\$259.01
Air	8115-01-702-4983	Pelican 1606 Air Black With Foam	Foam	Black	016060-0000-110	27.4 x 15.1 x 11.8"	24.5 x 12.3 x 10.2"	14.7 lb	\$350.61
Air	8115-01-702-4984	Pelican 1606 Air Black with No Foam	No Foam	Black	016060-0010-110	27.4 x 15.1 x 11.8"	24.5 x 12.3 x 10.2"	12.5 lb	\$294.34
Air	8115-01-706-1367	Pelican 1607 Air Case Black With Foam	Foam	Black	016070-0001-110	24.1 x 18.8 x 13.5"	21.1 x 15.8 x 11.6"	13.2 lb	\$376.19
Air	8115-01-706-1984	Pelican 1607 Air Case Black No Foam	No Foam	Black	016070-0011-110	24.1 x 18.8 x 13.5"	21.1 x 15.8 x 11.6"	13.2 lb	\$311.55
Air	8115-01-702-4985	Pelican 1615 Air Case Black With Foam	Foam	Black	016150-0001-110	32.6 x 18.4 x 11"	29.6 x 15.5 x 9.4"	14.1 lb	\$388.74
Air	8115-01-696-8473	Pelican 1615 Air Case Black With No Foam	No Foam	Black	016150-0011-110	32.6 x 18.4 x 11"	29.6 x 15.5 x 9.4"	14.1 lb	\$315.27
Air	8115-01-702-7950	Pelican 1626 Air Case Black With Foam	Foam	Black	016260-0000-110	31.2 x 17.1 x 13.3"	28.1 x 14 x 11.7"	14.7 lb	\$406.41
Air	8115-01-702-7952	Pelican 1626 Air Case Black No Foam	No Foam	Black	016260-0010-110	31.2 x 17.1 x 13.3"	28.1 x 14 x 11.7"	14.7 lb	\$336.20
Air	8115-01-702-8829	Pelican 1637 Air Case Black with foam	Foam	Black	016370-0001-110	26.6 x 20.7 x 14.9"	23.4 x 17.6 x 13.3"	19.4 lb	\$440.82
Air	8115-01-702-8830	Pelican 1637 Air Case Black No Foam	No Foam	Black	016370-0011-110	26.6 x 20.7 x 14.9"	23.4 x 17.6 x 13.3"	15.2 lb	\$349.68
Air	8115-01-702-7953	Pelican 1745 Air Case Black With Foam	Foam	Black	017450-0000-110	46.7 x 19.4 x 8.7"	44 x 16.8 x 7.9"	21.1 lb	\$436.64
Air	8115-01-703-0270	Pelican 1745 Air Case Black No Foam	No Foam	Black	017450-0010-110	46.7 x 19.4 x 8.7"	44 x 16.8 x 7.9"	17.2 lb	\$364.56
Air	8115-01-705-6701	Pelican 1755 Air Case with Foam (BLACK)	Foam	Black	017550-0000-110	57.8 x 17.3 x 8.9"	55 x 14 x 8"	25 lb	\$489.18
Air	8115-01-705-6700	Pelican 1755 Air Case Black no foam	No Foam	Black	017550-0010-110	57.8 x 17.3 x 8.9"	55 x 14 x 8"	25 lb	\$419.43
Cargo	8115-01-697-4194	Pelican BX90R Cargo Case	---	Black	BX90R	36.6" x 20.0" x 11.5"	32.4" x 15.0" x 8.8"	26.1 lb	\$554.92
Cargo	8115-01-697-3848	Pelican BX85S Cargo Case	---	Black	BX85S	56.0" x 13.0" x 11.5"	51.8" x 8.0" x 8.5"	29.7 lb	\$629.92
Cargo	8115-01-697-3847	Pelican BX80 Cargo Case	---	Black	BX80	25.0" x 17.3" x 16.0"	20.8" x 12.3" x 13.3"	19.3 lb	\$479.92
Cargo	8115-01-697-3846	Pelican BX55S Cargo Case	---	Black	BX55S	36.6" x 13.0" x 11.5"	32.4" x 8.0" x 8.5"	20.0 lb	\$479.92
Cargo	8115-01-697-3845	Pelican BX50 Cargo Case	---	Black	BX50	17.3" x 17.3" x 16.0"	3.0" x 12.3" x 13.3"	15.5 lb	\$404.92

Series	NSN	Item Name/ Model	Configuration	Color	Mfg. Part Number	Dimensions: Exterior (L x W x D)	Dimensions: Interior (L x W x D)	Weight	Price
Cargo	8115-01-697-3844	Pelican BX255 Cargo Case	---	Black	BX255	47.0" x 21.3" x 20.0"	42.8" x 16.3" x 17.2"	38.9 lb	\$719.93
Cargo	8115-01-697-4199	Pelican BX140R Cargo Case	---	Black	BX140R	46.0" x 24.0" x 11.5"	41.8" x 19.0" x 8.8"	35.1 lb	\$719.93
Cargo	8115-01-697-4200	Pelican BX135 Cargo Case	---	Black	BX135	41.0" x 17.3" x 16.0"	36.8" x 12.3" x 13.2"	28.7 lb	\$554.92
HardBack	8115-01-695-6610	Pelican 1085 Laptop Computer Case	Foam	Black	1085-020-110	15.6" x 12.4" x 2.5"	14.3" x 10.4" x 2"	2.6 lb	\$86.49
Micro	8115-01-695-6611	Pelican 1060 Micro Case	No Foam	Black	1060-025-110	9.4" x 5.6" x 2.6"	8.2" x 4.3" x 2.3"	1.0 lb	\$40.88
Micro	8115-01-692-8568	Pelican 1010 Micro Case	No Foam	Clear/Black	1010-025-100	5.4" x 4.1" x 2.1"	4.4" x 2.9" x 1.7"	0.4 lb	\$17.63
Protector	8115-01-697-0896	Pelican 1780 Protector Rifle Case	Rifle Foam Cut	Black	1780-006-110	44.9" x 25.3" x 16.5"	42.0" x 22.0" x 15.1"	53.0 lb	\$1,862.00
Protector	8115-01-696-9270	Pelican 1780 Protector Rifle Case	No Foam	Black	1780-001-110	44.9" x 25.3" x 16.5"	42.0" x 22.0" x 15.1"	38.4 lb	\$651.93
Protector	8115-01-696-3665	Pelican 1780 Protector Rifle Case	Foam	Desert Tan	1780-000-190	44.9" x 25.3" x 16.5"	42.0" x 22.0" x 15.1"	49.0 lb	\$555.43
Protector	8115-01-696-3663	Pelican 1780 Protector Rifle Case	Foam	Black	1780-000-110	44.9" x 25.3" x 16.5"	42.0" x 22.0" x 15.1"	49.0 lb	\$724.47
Protector	8115-01-696-3678	Pelican 1740 Protector Long Case	No Foam	Black	1740-001-110	44.0" x 16.0" x 14.0"	41.0" x 12.9" x 12.5"	22.0 lb	\$478.95
Protector	8115-01-589-9742	Pelican 1740 Protector Long Case	Foam	Black	1740-000-110	44.0" x 16.0" x 14.0"	41.0" x 12.9" x 12.5"	27.0 lb	\$558.00
Protector	8115-01-696-8483	Pelican 1730 Protector Transport Case	Foam	Desert Tan	1730-000-190	37.5" x 27.1" x 14.4"	34.0" x 24.0" x 12.5"	38.0 lb	\$644.49
Protector	8115-01-696-9643	Pelican 1730 Protector Transport Case	Foam	Olive Drab Green	1730-000-130	37.5" x 27.1" x 14.4"	34.0" x 24.0" x 12.5"	38.0 lb	\$644.49
Protector	8115-01-696-3677	Pelican 1730 Protector Transport Case	Foam	Black	1730-000-110	37.5" x 27.1" x 14.4"	34.0" x 24.0" x 12.5"	38.0 lb	\$644.49
Protector	8115-01-696-3676	Pelican 1720 Protector Long Case	No Foam	Black	1720-001-110	44.4" x 16.0" x 6.1"	42.0" x 13.5" x 5.3"	16.8 lb	\$305.97
Protector	8115-01-696-4182	Pelican 1700 Protector Long Case	No Foam	Black	1700-001-110	38.1" x 16.0" x 6.1"	35.8" x 13.5" x 5.3"	16.1 lb	\$282.72
Protector	8115-01-696-3675	Pelican 1700 Protector Long Case	Foam	Desert Tan	1700-000-190	38.1" x 16.0" x 6.1"	35.8" x 13.5" x 5.3"	17.0 lb	\$318.99
Protector	8115-01-696-8480	Pelican 1700 Protector Long Case	Foam	Olive Drab Green	1700-000-130	38.1" x 16.0" x 6.1"	35.8" x 13.5" x 5.3"	17.0 lb	\$318.99
Protector	8115-01-488-6186	Pelican 1700 Protector Long Case	Foam	Black	1700-000-110	38.1" x 16.0" x 6.1"	35.8" x 13.5" x 5.3"	17.0 lb	\$244.56
Protector	8115-01-696-4183	Pelican 1660 Protector Case	No Foam	Black	1660-021-110	31.5" x 22.9" x 19"	28.2" x 19.8" x 17.6"	34.2 lb	\$482.67
Protector	8115-01-696-4952	Pelican 1660 Protector Case	Foam	Desert Tan	1660-020-190	31.5" x 22.9" x 19"	28.2" x 19.8" x 17.6"	42.1 lb	\$529.17
Protector	8115-01-696-8475	Pelican 1660 Protector Case	Foam	Olive Drab Green	1660-020-130	31.5" x 22.9" x 19"	28.2" x 19.8" x 17.6"	42.1 lb	\$529.17
Protector	8115-01-641-3215	Pelican 1660 Protector Case	Foam	Black	1660-020-110	31.5" x 22.9" x 19"	28.2" x 19.8" x 17.6"	42.1 lb	\$529.17
Protector	8115-01-696-3674	Pelican 1650 Protector Case	No Foam	Olive Drab Green	1650-021-130	30.8" x 20.5" x 11.6"	28.5" x 17.4" x 10.5"	28.1 lb	\$338.52

Series	NSN	Item Name/ Model	Configuration	Color	Mfg. Part Number	Dimensions: Exterior (L x W x D)	Dimensions: Interior (L x W x D)	Weight	Price
Protector	8115-01-696-4685	Pelican 1650 Protector Case	No Foam	Black	1650-021-110	30.8" x 20.5" x 11.6"	28.5" x 17.4" x 10.5"	28.1 lb	\$338.52
Protector	8115-01-696-3672	Pelican 1650 Protector Case	Foam	Desert Tan	1650-020-190	30.8" x 20.5" x 11.6"	28.5" x 17.4" x 10.5"	28.1 lb	\$399.90
Protector	8115-01-696-3671	Pelican 1650 Protector Case	Foam	Olive Drab Green	1650-020-130	30.8" x 20.5" x 11.6"	28.5" x 17.4" x 10.5"	28.1 lb	\$399.90
Protector	8115-01-696-3669	Pelican 1630 Protector Case	No Foam	Desert Tan	1630-001-190	31.3" x 24.2" x 17.5"	27.7" x 21" x 15.5"	31.0 lb	\$462.21
Protector	8115-01-696-3668	Pelican 1630 Protector Case	No Foam	Black	1630-001-110	31.3" x 24.2" x 17.5"	27.7" x 21" x 15.5"	31.0 lb	\$462.21
Protector	8115-01-696-8469	Pelican 1620 Protector Case	Foam	Olive Drab Green	1620-020-130	24.6" x 19.4" x 13.8"	21.5" x 16.4" x 12.5"	24.6 lb	\$385.95
Protector	8115-01-548-0450	Pelican 1620 Protector Case	Foam	Black	1620-000-110	24.6" x 19.4" x 13.8"	21.5" x 16.4" x 12.5"	24.6 lb	\$385.95
Protector	8115-01-696-3667	Pelican 1610 Protector Case	Foam	Desert Tan	1610-020-190	24.8" x 19.7" x 11.9"	21.8" x 16.7" x 10.6"	19.5 lb	\$354.33
Protector	8115-01-696-8472	Pelican 1610 Protector Case	Foam	Olive Drab Green	1610-020-130	24.8" x 19.7" x 11.9"	21.8" x 16.7" x 10.6"	19.5 lb	\$354.33
Protector	8115-01-539-0008	Pelican 1610 Protector Case	No Foam	Black	1610-001-110	24.8" x 19.7" x 11.9"	21.8" x 16.7" x 10.6"	19.5 lb	\$297.60
Protector	8115-01-696-3664	Pelican 1560 Protector Case	No Foam	Black	1560-001-110	22.1" x 17.9" x 10.4"	19.9" x 15.0" x 9"	17.0 lb	\$244.59
Protector	8115-01-583-0300	Pelican 1560 Protector Case	Foam	Black	1560-000-110	22.1" x 17.9" x 10.4"	19.9" x 15.0" x 9"	20.0 lb	\$285.51
Protector	8115-01-695-9667	Pelican 1550 Protector Case	No Foam	Orange	1550-001-150	20.6" x 16.9" x 8.1"	18.4" x 14" x 7.6"	10.6 lb	\$196.23
Protector	8115-01-695-9668	Pelican 1550 Protector Case	Foam	Desert Tan	1550-000-190	20.6" x 16.9" x 8.1"	18.4" x 14" x 7.6"	11.9 lb	\$231.57
Protector	8115-01-695-9666	Pelican 1520 Protector Case	Foam	Desert Tan	1520-000-190	19.8" x 15.8" x 7.4"	18.1" x 12.9" x 6.7"	9.3 lb	\$204.60
Protector	8115-01-696-8500	Pelican 1510LFC Laptop Overnight Case	Computer Sleeve, Accessories Pouch, Foam Insert	Black	1510-008-110	22.0" x 13.8" x 9.0"	19.8" x 11.0" x 7.6"	13.0 lb	\$334.80
Protector	8115-01-696-8501	Pelican 1510LOC Laptop Overnight Case	Computer Sleeve, Accessories Pouch, Garment Bag	Black	1510-006-110	22.0" x 13.8" x 9.0"	19.8" x 11.0" x 7.6"	13.0 lb	\$416.64
Protector	8115-01-695-9673	Pelican 1510 Protector Case	No Foam	Olive Drab Green	1510-001-130	22.0" x 13.8" x 9.0"	19.8" x 11.0" x 7.6"	12.0 lb	\$226.92
Protector	8115-01-695-9672	Pelican 1510 Protector Case	No Foam	Black	1510-001-110	22.0" x 13.8" x 9.0"	19.8" x 11.0" x 7.6"	12.0 lb	\$226.92
Protector	8115-01-695-9671	Pelican 1510 Protector Case	Foam	Desert Tan	1510-000-190	22.0" x 13.8" x 9.0"	19.8" x 11.0" x 7.6"	13.6 lb	\$265.98
Protector	8115-01-589-9264	Pelican 1460 Protector Case	No Foam	Black	1460-001-110	20.9" x 12.7" x 12.8"	18.5" x 9.9" x 10.9"	8.8 lb	\$224.13
Protector	8115-01-589-9256	Pelican 1460 Protector Case	Foam	Black	1460-000-110	20.9" x 12.7" x 12.8"	18.5" x 9.9" x 10.9"	12.5 lb	\$274.35
Protector	8115-01-696-8497	Pelican 1450 Protector Case	Padded Dividers	Desert Tan	1450-004-190	16.0" x 13.0" x 6.9"	14.6" x 10.2" x 6.0"	6.4 lb	\$214.83
Protector	8115-01-696-8487	Pelican 1450 Protector Case	Foam	Yellow	1450-000-240	16.0" x 13.0" x 6.9"	14.6" x 10.2" x 6.0"	6.4 lb	\$160.89

Series	NSN	Item Name/ Model	Configuration	Color	Mfg. Part Number	Dimensions: Exterior (L x W x D)	Dimensions: Interior (L x W x D)	Weight	Price
Protector	8115-01-696-8498	Pelican 1450 Protector Case	Foam	Desert Tan	1450-000-190	16.0" x 13.0" x 6.9"	14.6" x 10.2" x 6.0"	6.4 lb	\$160.89
Protector	8115-01-696-8484	Pelican 1450 Protector Case	Foam	Silver	1450-000-180	16.0" x 13.0" x 6.9"	14.6" x 10.2" x 6.0"	6.4 lb	\$160.89
Protector	8115-01-696-8478	Pelican 1450 Protector Case	Foam	Orange	1450-000-150	16.0" x 13.0" x 6.9"	14.6" x 10.2" x 6.0"	6.4 lb	\$160.89
Protector	8115-01-696-8477	Pelican 1450 Protector Case	Foam	Olive Drab Green	1450-000-130	16.0" x 13.0" x 6.9"	14.6" x 10.2" x 6.0"	6.4 lb	\$160.89
Protector	8115-01-539-0058	Pelican 1450 Protector Case	Foam	Black	1450-000-110	16.0" x 13.0" x 6.9"	14.6" x 10.2" x 6.0"	6.4 lb	\$160.89
Protector	8115-01-696-0263	Pelican 1400 Protector Case	No Foam	Black	1400-001-110	13.4" x 11.6" x 6.0"	11.8" x 8.9" x 5.2"	4.0 lb	\$106.95
Protector	8115-01-556-7306	Pelican 1400 Protector Case	Foam	Black	1400-000-110	13.4" x 11.6" x 6.0"	11.8" x 8.9" x 5.2"	4.4 lb	\$126.48
Protector	8115-01-696-8481	Pelican 1200 Protector Case	Foam	Yellow	1200-000-240	10.6" x 9.7" x 4.9"	9.3" x 7.1" x 4.1"	2.9 lb	\$69.75
Protector	8115-01-696-8486	Pelican 1200 Protector Case	Foam	Desert Tan	1200-000-190	10.6" x 9.7" x 4.9"	9.3" x 7.1" x 4.1"	2.9 lb	\$69.75
Protector	8115-01-696-8488	Pelican 1200 Protector Case	Foam	Silver	1200-000-180	10.6" x 9.7" x 4.9"	9.3" x 7.1" x 4.1"	2.9 lb	\$69.75
Protector	8115-01-696-8494	Pelican 1200 Protector Case	Foam	Orange	1200-000-150	10.6" x 9.7" x 4.9"	9.3" x 7.1" x 4.1"	2.9 lb	\$69.75
Protector	8115-01-696-8492	Pelican 1200 Protector Case	Foam	Olive Drab Green	1200-000-130	10.6" x 9.7" x 4.9"	9.3" x 7.1" x 4.1"	2.9 lb	\$69.75
Protector	8115-01-556-7302	Pelican 1200 Protector Case	Foam	Black	1200-000-110	10.6" x 9.7" x 4.9"	9.3" x 7.1" x 4.1"	2.9 lb	\$69.75
Protector	8115-01-696-8479	Pelican 1170 Protector Case	No Foam	Black	1170-001-110	11.6" x 8.3" x 3.8"	10.5" x 6.0" x 3.2"	2.0 lb	\$58.59
Protector	8115-01-696-8476	Pelican 1170 Protector Case	Foam	Yellow	1170-000-240	11.6" x 8.3" x 3.8"	10.5" x 6.0" x 3.2"	2.1 lb	\$63.24
Protector	8115-01-696-8474	Pelican 1170 Protector Case	Foam	Desert Tan	1170-000-190	11.6" x 8.3" x 3.8"	10.5" x 6.0" x 3.2"	2.1 lb	\$63.24
Protector	8115-01-696-8471	Pelican 1170 Protector Case	Foam	Silver	1170-000-180	11.6" x 8.3" x 3.8"	10.5" x 6.0" x 3.2"	2.1 lb	\$63.24
Protector	8115-01-696-8173	Pelican 1170 Protector Case	Foam	Orange	1170-000-150	11.6" x 8.3" x 3.8"	10.5" x 6.0" x 3.2"	2.1 lb	\$63.24
Protector	8115-01-696-8174	Pelican 1170 Protector Case	Foam	Olive Drab Green	1170-000-130	11.6" x 8.3" x 3.8"	10.5" x 6.0" x 3.2"	2.1 lb	\$63.24
Protector	8115-01-696-8179	Pelican 1150 Protector Case	Foam	Yellow	1150-000-240	9.1" x 7.6" x 4.4"	8.2" x 5.7" x 3.6"	2.0 lb	\$50.22
Protector	8115-01-696-8180	Pelican 1150 Protector Case	Foam	Silver	1150-000-180	9.1" x 7.6" x 4.4"	8.2" x 5.7" x 3.6"	2.0 lb	\$50.22
Protector	8115-01-696-8178	Pelican 1150 Protector Case	Foam	Orange	1150-000-150	9.1" x 7.6" x 4.4"	8.2" x 5.7" x 3.6"	2.0 lb	\$38.50
Protector	8115-01-696-8177	Pelican 1150 Protector Case	Foam	Blue	1150-000-120	9.1" x 7.6" x 4.4"	8.2" x 5.7" x 3.6"	2.0 lb	\$50.22
Protector	8115-01-695-6609	Pelican 1120 Protector Case	No Foam	Black	1120-001-110	8.4" x 6.8" x 3.9"	7.3" x 4.8" x 3.3"	1.3 lb	\$35.34
Protector	8115-01-701-3732	Pelican 0550 Protector Transport Case	Foam	Black	0550-000-110	51.1" x 27.5" x 22.8"	47.6" x 24.1" x 17.7"	79.2 lb	\$1,302.43

Series	NSN	Item Name/ Model	Configuration	Color	Mfg. Part Number	Dimensions: Exterior (L x W x D)	Dimensions: Interior (L x W x D)	Weight	Price
Protector	8115-01-590-0295	Pelican 0550 Protector Transport Case	No Foam	Black	0550-001-110	51.1" x 27.5" x 22.8"	47.6" x 24.1" x 17.7"	79.2 lb	\$947.86
Protector	8115-01-590-0310	Pelican 1770 Protector Long Case	No Foam	Black	017700-0010-110	57.4" x 18.5" x 11.2"	54.6" x 15.6" x 8.6"	29.1 lb	\$504.80
Protector	8115-01-590-0308	Pelican 1770 Protector Long Case	Foam	Black	017700-0000-110	57.4" x 18.5" x 11.2"	54.6" x 15.6" x 8.6"	35.9 lb	\$724.47
Protector	8115-01-696-8468	Pelican 1650 Protector Case	Padded Dividers	Black	016500-0040-110	30.8" x 20.5" x 11.6"	28.5" x 17.4" x 10.5"	30.5 lb	\$535.68
Protector	8115-01-696-8499	Pelican 1510 Protector Case	Padded Dividers	Black	015100-0040-110	22.0" x 13.8" x 9.0"	19.8" x 11.0" x 7.6"	13.6 lb	\$318.06
Rackmount	8115-01-703-3980	Pelican BlackBox 3U	---	Black	BlackBox30-3U	44.5 x 24.6 x 11.4"	30 x 19 x 5.3"	46 lb	\$2,049.77
Rackmount	8115-01-705-3255	Pelican BlackBox 5U	---	Black	BlackBox30-5U	44.5 x 24.6 x 14.9"	30 x 19 x 2.2"	52 lb	\$2,153.77
Rackmount	8115-01-705-3253	Pelican BlackBox 7U	---	Black	BlackBox30-7U	30 x 19 x 5.3"	24 x 19 x 2"	51 lb	\$2,263.58
Rackmount	8115-01-705-3254	Pelican BlackBox 9U	---	Black	BlackBox30-9U	44.5 x 24.6 x 21.9"	30 x 19 x 2.2"	56 lb	\$2,379.20
Rackmount	8115-01-705-4084	Pelican SuperMAC 3U	---	Grey	SMAC2109-02/35/02	41.5 x 23.8 x 11.4"	30 x 19 x 2.2"	52 lb	\$2,790.07
Rackmount	8115-01-705-4083	Pelican SuperMAC 3U	---	Grey	SMAC2109-02/35/05W	44.5 x 23.8 x 11.4"	30 x 19 x 2.2"	54 lb	\$2,835.98
Rackmount	8115-01-705-4085	Pelican SuperMAC 3U	---	Grey	SMAC2109-05/35/05W	47.5 x 23.8 x 11.4"	30 x 19 x 5.2"	56 lb	\$2,878.72
Rackmount	8115-01-705-5766	Pelican SuperMAC 5U	---	Grey	SMAC2112-02/35/02	41.5 x 23.8 x 14.9"	30 x 19 x 2.2"	57 lb	\$3,090.05
Rackmount	8115-01-705-5764	Pelican SuperMAC 5U	---	Grey	SMAC2112-02/35/05W	44.5 x 23.8 x 14.9"	30 x 19 x 2.2"	59 lb	\$3,135.97
Rackmount	8115-01-705-5765	Pelican SuperMAC 7U	---	Grey	SMAC2116-02/35/02	41.5 x 23.8 x 18.4"	30 x 19 x 2.2"	62 lb	\$3,351.08
Rackmount	8115-01-705-5763	Pelican SuperMAC 7U	---	Grey	SMAC2116-02/35/05W	44.5 x 23.8 x 18.4"	30 x 19 x 2.2"	62 lb	\$3,404.88
Rackmount	8115-01-705-5769	Pelican SuperMAC 7U	---	Grey	SMAC2116-05/35/05W	47.5 x 23.8 x 18.4"	30 x 19 x 5.2"	67 lb	\$3,453.98
Rackmount	8115-01-705-5768	Pelican SuperMAC 9U	---	Grey	SMAC2119-02/35/02	41.5 x 23.8 x 21.9"	30 x 19 x 2.2"	66 lb	\$3,561.60
Rackmount	8115-01-706-0081	Pelican SuperMAC 9U	---	Grey	SMAC2119-02/35/05W	44.5 x 23.8 x 21.9"	30 x 19 x 2.2"	69 lb	\$3,620.16
Rackmount	8115-01-706-0082	Pelican SuperMAC 9U	---	Grey	SMAC2119-05/35/05W	47.5 x 23.8 x 21.9"	30 x 19 x 5.2"	71 lb	\$3,674.01
Rackmount	8115-01-705-9141	Pelican Super V 3U	---	Black	SUPER-V-SERIES- 3U-30	41.8 x 23.8 x 11.4"	30 x 19 x 2.2"	54 lb	\$2,196.18
Rackmount	8115-01-705-9140	Pelican Super V 5U	---	Black	SUPER-V-SERIES- 5U-30	38.5 x 28.3 x 14.9"	24 x 8.8 x 2.2"	55 lb	\$2,434.39
Rackmount	8115-01-705-9145	Pelican Super V 7U	---	Black	SUPER-V-SERIES- 7U-30	38.5 x 28.3 x 18.4"	24 x 12.3 x 2.2"	60 lb	\$2,532.00
Rackmount	8115-01-705-8901	Pelican Super V 9U	---	Black	SUPER-V-SERIES- 9U-30	38.5 x 28.3 x 21.9"	24 x 15.8 x 2.2"	64 lb	\$2,623.22
Storm	8115-01-696-9269	Pelican iM2400 Storm Case	Padded Dividers	Black	IM2400-00002	19.2" x 15.2" x 7.3"	18.0" x 13.0" x 6.7"	12.0 lb	\$245.52

Series	NSN	Item Name/ Model	Configuration	Color	Mfg. Part Number	Dimensions: Exterior (L x W x D)	Dimensions: Interior (L x W x D)	Weight	Price
Storm	8115-01-701-3730	Pelican iM3410 Storm Long Case	Foam	Black	IM3410-00001	39.8 x 16.5 x 6.7"	36.5 x 14 x 6"	19.8 lb	\$392.92
Vault	8115-01-700-1803	Pelican V800 Wheeled Hard Tactical Rifle Case	Foam	Desert Tan	VCV800-0000-TAN	56.1" x 19.2" x 6.7"	53.0" x 16.0" x 6.0"	25.0 lb	\$213.86
Vault	8115-01-700-1802	Pelican V800 Wheeled Hard Tactical Rifle Case	Foam	Black	VCV800-0000-BLK	56.1" x 19.2" x 6.7"	53.0" x 16.0" x 6.0"	25.0 lb	\$213.86
Vault	8115-01-700-1801	Pelican V770 Vault Single Rifle Case	Foam	Black	VCV770-0000-BLK	51.4" x 13.1" x 6.6"	50.0" x 10.0" x 6.0"	16.0 lb	\$158.06
Vault	8115-01-700-3699	Pelican V730 Wheeled Hard Tactical Rifle Case	Foam	Desert Tan	VCV730-0000-TAN	47.1" x 19.2" x 6.9"	44" x 16" x 6.25"	22.1 lb	\$149.70
Vault	8115-01-700-3698	Pelican V730 Wheeled Hard Tactical Rifle Case	Foam	Black	VCV730-0000-BLK	47.1" x 19.2" x 6.9"	44" x 16" x 6.25"	22.1 lb	\$149.70
Vault	8115-01-700-3697	Pelican Vault V700 Takedown Case	Foam	Black	VCV700-0000-BLK	39.6" x 17.6" x 6.6"	36.5" x 14.5" x 6"	16.2 lb	\$158.06
Vault	8115-01-700-0512	Pelican Vault V600 Large Equipment Case	Foam	Black	VCV600-0000-BLK	24.5" x 20.5" x 10.1"	21.0" x 17.0" x 9.5"	15.2 lb	\$148.76
Vault	8115-01-700-0513	Pelican Vault V550 Standard Equipment Case	Foam	Black	VCV550-0000-BLK	22.4" x 17.4" x 9.1"	19.0" x 14.0" x 8.5"	10.7 lb	\$120.85
Vault	8115-01-700-0045	Pelican V525 Vault Rolling Hard Case	Foam	Black	VCV525-0000-BLK	22.0" x 14.0" x 9.0"	19.9" x 10.6" x 7.3"	11.5 lb	\$139.45
Vault	8115-01-700-0044	Pelican Vault V300 Large Case	Foam	Black	VCV300-0020-BLK	17.5" x 14.2" x 7.1"	16.0" x 11.0" x 6.5"	6.6 lb	\$83.66
Vault	8115-01-700-0043	Pelican Vault V250 Tall Case	No Foam	Black	VCV250-0010-BLK	16.2" x 11.9" x 7.9"	12.7" x 10" x 6.3"	5.2 lb	\$62.96
Vault	8115-01-699-9098	Pelican Vault V200 Medium Case	Foam	Desert Tan	VCV200-0020-TAN	15.4" x 13.0" x 6.1"	14.0" x 10.0" x 5.5"	5.0 lb	\$74.36
Vault	8115-01-699-9103	Pelican Vault V200 Medium Case	Foam	Black	VCV200-0020-BLK	15.4" x 13.0" x 6.1"	14.0" x 10.0" x 5.5"	5.0 lb	\$57.01
Vault	8115-01-699-9101	Pelican Vault V100 Small Case	Foam	Desert Tan	VCV100-0020-TAN	12.2" x 12.0" x 5.1"	11.0" x 8.0" x 4.5"	3.4 lb	\$46.46
Vault	8115-01-699-9100	Pelican Vault V100 Small Case	Foam	Black	VCV100-0020-BLK	12.2" x 12.0" x 5.1"	11.0" x 8.0" x 4.5"	3.4 lb	\$46.46

Specialty Boxes and Containers

Special-Use Box

This corrugated, fiberboard box features lapped joints secured by wire stitching. Glued bottom. Flap closure. The lock-bottom box includes hand holes and has a bursting strength of 275 psi. Use exclusively for retiring, storing and shipping magnetic tapes to the Federal Archives and Records Center. IAW ASTM 5118

Use exclusively for retiring, storing and shipping both magnetic tapes and paper files to the Federal Archives and Records Center.

40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8115-00-117-8249, SKILCRAFT, AbilityOne, White, 14-3/4"L x 12"W x 9-1/2"H, BD(contains 25 EA), \$82.50

Fire Equipment Repack Box

For repacking up to six backpack pump outfits NSN 4320-00-289-8912. Style RSC.

Has a bursting strength of 275 psi. IAW ASTM 5118

25% Postconsumer Material Recovered Material

Comprehensive Procurement Guideline Compliant

8115-00-079-8879, 24"L x 17"W x 13"H, BD(contains 15 EA), \$417.82

Plywood Shipping Box

Plywood box comes knocked down and requires assembly. Includes cleats. Outside dimensions provided.

8115-00-935-6532, SKILCRAFT, 31-3/4"L x 29"W x 20-1/2"H, EA, \$248.27

Shipping Box

Plywood box comes knocked down and requires assembly. Includes cleats. Outside dimensions provided.

8115-00-935-6530, 57"L x 31-3/4"W x 20-1/2"H, EA, \$387.93

Folded pack lined with convoluted anti-static cushioning accommodates generally flat items such as circuit boards, electronic modules and tubes. Modified triple-slide style. The box and foam cushioning is reusable. Type II, Style D.

30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8115-01-499-0898, SKILCRAFT, AbilityOne, Brown, 6"L x 9"W x 4-1/2"H, EA, \$15.71

Compartment Box

Portable box for small parts with handles. Multiple compartments with dividers.

8115-01-589-8856, T203, 4-3/8"L x 8-1/4"W x 1-3/8"H, EA, \$12.42

8115-01-657-1364, 06115, 15"L x 11-39/125"W x 3-1/4"H, EA, \$188.59

8115-01-654-7924, 099-95, Gray, 18 x 12 x 3", EA, \$82.28

Fixed compartment box with hinges.

8115-01-588-4481, 45865T31, 4"L x 3"W x 2-5/8"H, EA, \$85.48

Parts Storage Box

This impact-resistant, rectangular box is ideal for organizing and storing small parts. Features a snap lock that holds the top in the closed position. Box is transparent, making its contents readily visible. Cover is hinged on long side. Molded from styrene or other rigid plastic.

Box has six equal permanent compartments. Has no mounting holes.

8115-00-761-8912, Transparent, 8"L x 4-1/8"W x 1-5/32"D, EA, \$5.40

Box with 16 compartments does not have mounting holes. Each compartment measures 1 x 1-3/8", plus one additional compartment measures 4 x 1-3/8".

8115-00-663-0212, Transparent, 7"L x 4"W x 1-1/8"D, EA, \$42.29

This stackable, plastic/polyethylene rectangular box is ideal for organizing and storing small parts. Box features a hinged cover, snap hook, and smooth contour design.

Box has eighteen equal permanent compartments that each measure 2 1/16 x 1 3/4"

8115-01-562-5722, 10-1/2"L x 6-3/16"W x 1-9/16"D, EA, \$123.55

Plastic Box

Plastic six compartment storage box is translucent and offers superior resistance to chemicals, solvents and gasoline.

8115-01-652-9919, Clear, 8" x 4" x 1 3/16", EA, \$29.96

Plastic Box with 24 Compartments.

8115-01-256-1118, Clear, 13"L x 8-3/4"W x 2-3/8"D, EA, \$53.76

Easy Storage Box

Versatile corrugated fiberboard storage box with an attached tucked top lid, fits both letter and legal size documents, with tuck top and hand holes. No tape, or glue or staples required to assemble.

40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8115-01-646-3158, SKILCRAFT, AbilityOne, White, 12"L x 14-3/4"W x 9-1/2"D, BD(contains 12 EA), \$28.42

Fiberboard Box

The perfect box for preserving, handling, shipping and storing serviceable and repairable items. This corrugated, fiberboard container includes interior cushioning and is weather-resistant and reusable. Dimensions shown are inside dimensions in order of length, width, and depth.

Vertical star pack holds meters, gauges, instruments and similar items. Maximum weight of box and contents is 140 lbs. IAW PPP-B-1672

Contains 40% Recovered Material

8115-00-134-3655, SKILCRAFT, AbilityOne, 12 x 12 x 14", EA, \$38.73

8115-00-050-5237, SKILCRAFT, AbilityOne, 12 x 12 x 18", EA, \$45.82

Folded, convoluted pack accommodates generally flat items such as circuit boards, electronic modules and tubes. Modified triple-slide style. Maximum weight of box and contents is 95 lbs. IAW PPP-B-1672

Contains 40% Recovered Material

8115-00-101-7647, SKILCRAFT, AbilityOne, 9 x 6 x 2-1/2", EA, \$9.48

8115-00-101-7638, SKILCRAFT, AbilityOne, 9 x 6 x 3-1/2", EA, \$10.38

8115-01-019-4085, SKILCRAFT, AbilityOne, 18 x 12 x 2-1/2", EA, \$18.69

Box Sleeve

Weather resistant AAA fluted triple wall corrugated fiberboard that is reusable. Die cut sleeve that enables fork lift entry from all sides.

Contains 25% Recovered Fiber, Which Includes 25% Postconsumer Fiber

8115-01-580-9476, Blue, 46-1/2" L x 38-1/2" W x 20-1/2" H, EA, \$43.45

8115-01-580-9475, White, 46.5" L x 38.5" W x 20.5" H, EA, \$43.45

Box Edge Protector

Steel strapping corner/edge protectors. 2" legs, 0.042" thick, ribbed without barbs, designed for 0.75" to 1.25" max width of strap. IAW ASTM D 3953, Type I Finish A

Which Includes a Minimum of 67% Postconsumer Steel

Contains 25% Recovered Material

8135-00-291-0962, BX(contains 500 EA), \$218.28

Orbis container

Shipping containers are ideal for transporting large quantities of parts for work-in-process, storage and transportation applications. These bulk containers fold when empty to reduce costs on return freight and storage. Container footprint is 32 x 30 x 34" with a 1500 LBS capacity. Dimensions are L x W x H.

NEW, 8115-01-699-5593, KD3230-34, Black, 29-2/10 x 27- 3/10 x 27-1/10", EA, \$743.92

Orbis Stakpak

Durable Polyethylene construction resists chemicals and extreme temperatures. Smooth, straight interior walls provide maximum cube utilization. Ribbed reinforcement for added stacking strength. Long box rim features a locking tab for secure stacking. Container footprint is 48 x 15 x 7-1/2". Dimensions are L x W x H.

NEW, 8115-01-699-4669, NXO4815-7, Blue or Green or Gray/Grey, 45-2/5 x 13 x 6-3/10", EA, \$101.79

Shoring & Decking Beam

Shoring & Decking Beam for Tricon Type 1 and Type 2 containers. Engages on vertical E-track system. Working load limit 2,200 lbs. Adjustable from 73.53" to 84.53"

8115-01-619-4833, Sea Box SB6200, EA, \$128.98

Mega Pak Jumbo

The Mega Pak Jumbo is a large load carrier for long term storage, BII storage and Sea Container transport. The Mega-Pak Jumbo is a Collapsible Container that is especially suited for the long-term storage transport periods and rough conditions on sea. The system generates a maximum utilization of the 20' and 40' Sea freight container. Exterior dimensions are in inches: L x W x H.

Mega-Pak Jumbo Type 1.1

8115-01-694-6956, FS154LS, 44-9/10"x 23-4/10"x 25", EA, \$343.57

8115-01-694-7147, FS185LS, Black, 46-9/10 x 44-9/10 x 33-1/3", EA, \$534.20

Mega-Pak Jumbo type 2.1

8115-01-694-7143, FS163LS, 46-9/10"x 44-9/10"x 25", EA, \$480.15

Mega-Pak Jumbo Type 2.3

8115-01-694-7145, FS112LS, 46-9/10" x 44-9/10" x 45-6/10", EA, \$710.15

Mega-Pak Jumbo Type 3.1

8115-01-694-7141, FS463LS, 58-9/10" X 44-9/10" X 25", EA, \$688.79

Mega-Pak Jumbo Type 3.2

8115-01-694-7142, FS485LS, 58-9/10"x 44-9/10"x 33-3/10", EA, \$729.56

Mega-Pak Jumbo Type 4.1

8115-01-694-6957, FS763LS, Black, 66-9/10"x 44-9/10"x 25", EA, \$647.97

Mega-Pak Jumbo Type 4.2

8115-01-694-6748, FS712LS, Black, 66-9/10"x 44-9/10"x 33-3/10", EA, \$741.12

Mega-Pak Jumbo Type 4.3

8115-01-694-6746, FS713LS, 66-9/10 x 44-9/10 x 45-4/10", EA, \$796.32

Mega-pak Jumbo Type 5.1

8115-01-694-6745, FS263LS, Black, 88-6/10"x 44-9/10"x 25", EA, \$799.30

Mega-Pak Jumbo Type 6.1

8115-01-695-2545, FSMSP1.1 RED, Red, 44- 9/10"x 23- 4/10" x 25", EA, \$401.07

8115-01-694-6958, FS182LS, Black, 46-1/10"x 29-9/10"x 32-1/10", EA, \$486.46

8115-01-695-2548, FSMSP2.1 RED, Red, 46-9/10"x 44-9/10"x 25", EA, \$554.90

8115-01-695-2549, FS4840LS, Black, 47-1/4 x 39-4/10 x 38-6/10, EA, \$444.20

8115-01-695-2550, FSMSP5.1 RED, Red, 88-6/10"x 44-9/10"x 25", EA, \$899.35

Transport Case

Hardened Poly plastic Transport Case with 2-4 Wheels. Metal carrying handles. Closed by 2 straps with buckles. Designed to carry projector frame. Meets ATA 300 specifications.

7520-01-608-5381, Black, 12" W x 50" L x 18" D, EA, \$436.99

Transport Case is made of durable polypropylene, with double throw ABS latches, stainless steel pins, and automatic pressure equalization valves to balance the interior pressure while keeping the water out. The polymer o-ring provides a watertight seal. The double wide fold down handles make lifting easy. The locking metal lid stays keep the lid locked into an open position when needed.

Interior Dimensions: 24.07"W x 47.57"L x 17.67"D. Water resistant, crush-proof and dust-proof. Stackable.

8115-01-590-0295, 0550NF, Black, EA, \$947.86

Shipping/Storage System Pallet Sleeve

Designed for use with NSN 8115-01-444-0211 (pallet top) and NSN 8115-01-444-0206 (pallet bottom). Drop panel included to provide easy access to each container even when stacked.

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

8115-01-444-0212, White, OUTSIDE DIMENSIONS: 40"W x 48"L x 45"D, EA, \$40.22

Designed for use with NSN 8115-01-444-0211 (pallet top) and NSN 8115-01-444-0206 (pallet bottom). Does not include drop panel.

8115-01-444-0197, White, Outside Dimensions: 38.5"W x 46.5"L x 28.5"D, EA, \$40.22

8115-01-444-0198, White, Outside Dimensions: 38.5"W x 46.5"L x 43.5"D, EA, \$40.22

Shipping/Storage System Pallet Top

Designed to be used with NSNs 8115-01-444-0198, 8115-01-444-0197 or 8115-01-444-0212 (pallet sleeves) and NSN 8115-01-444-0206 (pallet bottom).

8115-01-444-0211, Black Plastic, 40" x 48", EA, \$50.61

Shipping/Storage System Pallet Bottom (Base)

Designed to be used with NSNs 8115-01-444-0198, 8115-01-444-0197 or 8115-01-444-0212 (pallet sleeves) and NSN 8115-01-444-0211 (pallet top).

8115-01-444-0206, Black Plastic, 40"W x 48"L, EA, \$68.85

Shipping/Storage System

Kit contains black plastic top, base and corrugated fiberboard sleeve. Pallet is 4-way entry, nestable, fire retardant, reusable, with a 3,000 lb. capacity. Made of thermoformed high density polyethylene, assembled pallet weighs 22-lbs. and features no-drop panel. Also includes eight locking clips to attach top to sleeve and sleeve to base.

Actual sleeve height is 24".

25% Postconsumer Material Recovered Material

8115-01-556-2579, Black/White, Outside Dimensions: 40 x 48 x 30-1/2", KT, \$196.65

Actual sleeve height is 30".

8115-01-556-2580, Black/White, Outside Dimensions: 40 x 48 x 36-1/2", KT, \$202.40

Actual sleeve height is 45".

8115-01-556-2581, Black/White, Outside Dimensions: 40 x 48 x 51-1/2", KT, \$209.30

Standard Euro Pallet Box that's a self containing unit. This collapsible and reusable container made of injection molding and a polypropylene top and bottom for strength and durability. Lockable-4 built-in locks minimum. Includes a built-in pallet and drain holes. Bottom pallet has 9 legs. Four way forklifter entry. Can be lifted from front or side. Nestable. Box is formed with 1/2 inch thick gray, collapsible polysleeve, all ends are welded to make box weather proof resistant to rain and snow. Fire retardant. Manufactured from recycled materials.

US Standard

25% Postconsumer Material Recovered Material

8115-01-582-9711, G-PAK GP4300, Black/ Gray, Outside Dimensions: 48" L x 32" W x 36" H, EA, \$251.61

Large

8115-01-582-9710, G-PAK GP4600, Black/ Gray, Outside Dimensions: 48"L x 32"W x 50" H, EA, \$259.99

Small

8115-01-582-9709, G-PAK GP4400, Black/ Gray, Outer Dimensions: 48"L x 32"W x 26" H, EA, \$251.61

Shipping Cover Assembly

Shipping Cover Assembly is comprised of the following parts: Sealing Plates 2; Rubbergasket 1; Pin 1; Rivet 1; Retaining Ring 1; Cable Assembly 1; Cap 1

8115-00-245-8500, Silver Aluminum, Overall: 1" x 3-1/2", EA, \$82.27

G-Pak Mini Box

Designed For Shipping And Storing Various Supplies And For Rapid Deployment In The Field; System Consists Of 3 Main Components - Bottom Pallet, Top Cover, And A Sleeve; All Three Components Must Lock Together to Form A Self Containing Unit That Is Collapsible And Reusable. Bottom Pallet And Top Cover Are Lockable To A Sleeve; System Is Weather Resistant.

8115-01-673-2691, 24" x 31" x 28", PG(contains 10 EA), \$2,219.56

G-Sleeve (Large)

This light weight sleeve is constructed with tough impact resistant polypropylene. Strong, durable, collapsible, weather resistant and environmentally friendly, manufactured with recycled materials and metal free making it completely recyclable. The sleeve can be locked with bottom pallet and top to create a strong and secure system designed for years of service. Designed for use with top NSN 8115-01-444-0211 and pallet bottom NSN 8115-01-444-0206.

Drop panel included to provide easy access even when units are stacked.

8115-01-598-2716, FS6000, Gray, Width: 40"; Length: 48"; Depth: 45", EA, \$155.23

G-Sleeve (Small)

This light weight sleeve is constructed with tough impact resistant polypropylene. Strong, durable, collapsible, weather resistant and environmentally friendly, manufactured with recycled materials and metal free making it completely recyclable. The sleeve can be locked with bottom pallet and top to create a strong and secure system designed for years of service. Designed for use with top NSN 8115-01-444-0211 and pallet bottom NSN 8115-01-444-0206.

Does not include drop panel.

8115-01-598-2717, FS6001, Gray, Width: 40"; Length: 48"; Depth: 30", EA, \$127.94

Drums and Cans

Steel Shipping Drum

Steel cylindrical drum stores and ships military materials. It can also be used as overpack for liquid or semiliquid hazardous materials for transportation by military aircraft when their containers do not meet the 15 psi internal pressure requirements. Reusable, leakproof drum has bolt and nut closure with locking ring and a removable recessed cover. Does not meet POP requirement.

Drum holds 19 gallons; Gage size 18 USS Sheet Metal; Includes 2 expanding outward rolling hoops. MIL-D-6054

8110-00-753-4643, 23-7/8 x 15-3/8" diameter, EA, \$520.26

Container Assembly

Ship samples of petroleum fuel and lubricating oil. Fiberboard box has 1 tinplated inner container with a screw cap size 0.013" and a fixed bridge handle. Fitting space between containers is 0.125"; Top and bottom corrugated cushions. IAW ASTM 4306

8115-00-224-7935, 1-gal capacity; 12.00"L, EA, \$45.00

Fuel Sampling Kit

Fuel Sampling Kit; Durable, reusable kit is designed for the shipment of aviation fuel samples. Kit contains four capped bottles, Amber or Clear color, with tags (32 oz. each), cushioning material, shipping container and tamperproof seal.

8115-00-719-4111, KT, \$868.25

Fuel Sample Shipping Kit

Set consists of four replacement bottles for the fuel sample shipping kit. Each capped bottle has a 32-oz capacity. Tags are included.

8115-00-717-8572, EA, \$96.94

Shipping and Storage Drum

Poly drum with closed top.

8110-01-559-6836, Blue, 55-Gallon Capacity, EA, \$507.13

Shipping and Storage Pail

Pail features screw lid.

8110-01-559-6485, White, 5-Gallon Capacity, EA, \$48.08

Envelopes and Mailing Supplies

Mailing Tube

Untreated chipboard mailing tube is ideal for the shipment and storage of maps, blueprints, and drawings. The crush-resistant tube includes a tight-fitting, telescoping cover with metal ends and spiral-wound construction.

80% Postconsumer Material

8110-01-437-4425, SKILCRAFT, AbilityOne, Brown, Length: 18", Diameter: 2", BX(contains 60 EA), \$44.46

8110-00-291-0348, AbilityOne, Length: 42"; Diameter: 4-1/2", BX(contains 12 EA), \$138.00

Each package contains 24 tubes.

80% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8110-00-291-0347, SKILCRAFT, AbilityOne, Length: 42"; Diameter: 3", BX(contains 24 EA), \$120.75

CD and Disk Mailer

Heavy-duty, tough corrugated fiberboard mailer with large labeling area. This anti-static mailer has an adhesive closure.

90% Recovered Material, Which Includes 70% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8115-01-262-9613, 5-7/8 x 5-7/8", PG(contains 12 EA), \$31.89

Flight Check List Replacement Envelopes

For use with flight checklist binders NSN 7510-01-562-2752 and NSN 7510-01-561-2755.

7510-01-560-3446, SKILCRAFT, AbilityOne, 11-1/4 x 5-1/2", PG(contains 700 EA), \$431.54

Inter-Department Envelope

Each envelope is printed on both sides with "NAME" and "DEPARTMENT," enabling each envelope to be reused numerous times. Made from 28-lb. kraft stock with a string/button closure. Six see-through holes ensure that important documents are not left inside envelope.

Three-column box format.

30% Postconsumer Material

Federal Strategic Sourcing Initiative, 7530-01-463-3909, SKILCRAFT, Brown, 10" x 13", BX(contains 100 EA), \$66.34

Unprinted Envelope

Features a gummed flap that is cut high to prevent water-activated adhesive from touching contents.

Side-opening envelope is constructed of unbleached sulfate pulp paper.

Contains 30% Recovered Material, which includes 30% Postconsumer Material.

Comprehensive Procurement Guideline Compliant

7530-00-198-5876, Light Brown or Kraft, 4-1/8 x 9-1/2", BX(contains 500 EA), \$56.93

7530-00-577-4849, Light Brown or Kraft, 9-1/2 x 12-1/2", BX(contains 500 EA), \$132.25

7530-00-242-1218, Light Brown or Kraft, 10 x 15", BX(contains 500 EA), \$138.00

7530-00-926-9000, Light Brown or Kraft, 11 x 13", BX(contains 500 EA), \$171.35

7530-00-286-6963, Light Brown or Kraft, 12 x 16", BX(contains 500 EA), \$224.25

10% Recovered Material, Which Includes 10% Postconsumer Material

7530-00-247-6069, Light Brown or Kraft, 9-1/2 x 12", BX(contains 500 EA), \$94.30

Side-opening envelope is constructed of bleached white paper with a 20-lb. basis weight.

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-00-198-5873, White, 3-7/8 x 8-7/8", BX(contains 500 EA), \$41.74

Federal Strategic Sourcing Initiative, 7530-00-286-6970, White, 4-1/8 x 9-1/2", BX(contains 500 EA), \$24.21

7530-01-152-5122, White, 4-5/16 x 8-11/16", BX(contains 500 EA), \$72.56

Plain, side-opening envelope does not include a window.

Bleached white paper with a 24-lb. basis weight.

95% Recovered Material

Comprehensive Procurement Guideline Compliant

7530-00-286-6971, White, 4-1/2 x 10-3/8", BX(contains 500 EA), \$38.38

Heavy-duty envelope has a metal clasp for extra security and a gummed flap.

Contains 20% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 7530-01-316-6584, Kraft, 9 x 12", BX(contains 100 EA), \$15.33

Federal Strategic Sourcing Initiative, 7530-01-316-6585, Kraft, 10 x 13", BX(contains 100 EA), \$34.86

Brown envelope with 24-lb. basis weight.

Contains 10% Recovered Material, Which includes 10% Postconsumer Material.

B3 high cut diagonal seam.

7530-01-042-7400, Light Brown or Kraft, 6-1/16 x 9-1/2", BX(contains 500 EA), \$69.00

Extra-large mailing envelope features survivor open-end expansion to ensure that your package will not burst open in the mail. V bottom.

Contains 20% Recovered Material, which includes 20% Postconsumer Material.

B3 high cut diagonal seam.

Federal Strategic Sourcing Initiative, 7530-01-434-2255, White, 12 x 16", BX(contains 100 EA), \$221.98

Preprinted Envelope

Includes a gummed flap that is cut high on diagonal seam to keep water-activated adhesive from damaging contents.

Contains 30% Recovered Material, which includes 30% Postconsumer Material.

Reads: "Official Business. Penalty for Private Use \$300".

Envelope is made of unbleached sulfate pulp paper with a basis weight of 28-lbs.

Comprehensive Procurement Guideline Compliant

7530-00-767-5825, Light Brown or Kraft, 11 x 13", BX(contains 500 EA), \$169.18

7530-00-767-5756, Light Brown or Kraft, 10 x 15", BX(contains 500 EA), \$155.25

Contains 20% Recovered Material, Which Includes 20% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-767-5758, Light Brown or Kraft, 12 x 16", BX(contains 500 EA), \$241.50

Envelope is made of unbleached sulfate pulp paper with a basis weight of 20-lbs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7530-00-767-5729, Light Brown or Kraft, 4-1/8 x 9-1/2", BX(contains 500 EA), \$86.25

Envelope is made of bleached white paper with a basis weight of 20-lbs.

Comprehensive Procurement Guideline Compliant

NEW, 7530-00-767-5709, White, 4-1/8 x 9-1/2", BX(contains 500 EA), \$51.75

Printed, any seam except high-cut diagonal.

Contains 20% Recovered Material, Which Includes 20% Postconsumer Material

Reads: "Official Business".

Comprehensive Procurement Guideline Compliant

NEW, 7530-00-286-6965, Brown, 9-1/2 x 12", BX(contains 500 EA, EA has 500 BX), \$120.75

Plastic Envelope

Flexible plastic envelope is specially designed for USPS schedules, cards and documents. Has an open-end construction.

Federal Strategic Sourcing Initiative, 7510-00-782-6275, SKILCRAFT, AbilityOne, Clear, 8-3/4 x, PG(contains 25 EA), \$51.77

11-1/4", 7510-00-782-6274, AbilityOne, Clear, 4-1/2 x 11-1/4", PG(contains 25 EA), \$39.49

Padded Envelope

Shipping envelope protects publications, small parts, and other articles during mailing and handling with a cushioned plastic film lining. Made of doublewalled kraft paper with a flat bottom. Opens on one short side. Made from 100 percent recycled paper with 10 percent post consumer content. Bubble cushioning contains 10 percent recycled plastics.

Contains 10% Recovered Material, Which includes 10% Postconsumer Material.

Cushioned envelope has closed-cell plastic bubble film liner and a self-stick, adhesive-coated sealing flap. Envelope is lightweight. The material thickness is a minimum of 0.125 inches. Size and minimum inside dimensions shown.

Load capacity is 13 oz. (360g).

Comprehensive Procurement Guideline Compliant

8105-00-117-9860, SKILCRAFT, AbilityOne, 6" x 10", PG(contains 200 EA), \$50.54

Load capacity is 1.4 lbs. (635g).

Comprehensive Procurement Guideline Compliant

8105-00-117-9866, SKILCRAFT, AbilityOne, 7-1/4" x 12", PG(contains 100 EA), \$31.20

Load capacity is 2 lbs. (900g).

Comprehensive Procurement Guideline Compliant

8105-00-117-9869, SKILCRAFT, AbilityOne, 8-1/2" x 12", PG(contains 100 EA), \$34.05

Load capacity is 2.4 lbs. (1.1kg).

Comprehensive Procurement Guideline Compliant

8105-00-117-9870, SKILCRAFT, AbilityOne, 8-1/2" x 14-1/2", PG(contains 100 EA), \$42.84

Load capacity is 3 lbs. (1.4kg).

Comprehensive Procurement Guideline Compliant

8105-00-117-9872, SKILCRAFT, AbilityOne, 9-1/2" x 14-1/2", PG(contains 100 EA), \$52.26

Load capacity is 4.2 lbs. (1.9kg).

Comprehensive Procurement Guideline Compliant

8105-00-117-9879, SKILCRAFT, AbilityOne, 10-1/2" x 16", PG(contains 80 EA), \$43.64

Load capacity is 7.2 lbs. (3.3kg).

Comprehensive Procurement Guideline Compliant

8105-00-117-9881, SKILCRAFT, AbilityOne, 12-1/2" x 19", PG(contains 50 EA), \$42.83

Load capacity is 10 lbs. (4.5kg).

Comprehensive Procurement Guideline Compliant

8105-00-117-9886, SKILCRAFT, AbilityOne, 14-1/2" x 20", PG(contains 50 EA), \$44.69

Shipping envelope protects publications, small parts, and other articles during mailing and handling with a cushioned plastic film lining. Made of double-walled kraft paper with a flat bottom. Opens on one short side.

Cushioned envelope features a padding of macerated paper. Features a self-adhesive coated sealing flap. Bags are preprinted with "From" and "To" followed by three lines for addressing. Size and minimum inside dimensions shown. The basis weight 40 lbs for first wall and 60-lbs for second wall. Contains 15% Postconsumer Material for Paper; 100% Postconsumer Material for Cushioning.

Load capacity is 10 lbs. (4.5kg).

Contains 15% Postconsumer Material for Paper 100% Postconsumer Material for Cushioning

Comprehensive Procurement Guideline Compliant

8105-00-290-0340, SKILCRAFT, AbilityOne, 6" x 10", BX(contains, \$76.22

250 EA), 8105-00-290-0342, SKILCRAFT, AbilityOne, 7-1/4" x 12", HD, \$36.37

8105-00-290-0343, SKILCRAFT, AbilityOne, 8-1/2" x 12", HD, \$38.53

8105-00-281-1168, SKILCRAFT, AbilityOne, 9-1/2" x 14-1/2", HD, \$48.28

8105-00-281-1436, SKILCRAFT, AbilityOne, 10-1/2" x 16", HD, \$53.74

8105-00-281-1167, SKILCRAFT, AbilityOne, 12-1/2" x 19", BX(contains 50 EA), \$35.20

8105-00-281-1169, SKILCRAFT, AbilityOne, 14-1/4" x 20", BX(contains 50 EA), \$39.86

Especially useful for shipping or storing small, delicate instruments and electronic components. Made of 3/16"-thick, closed-cell, bubble-style plastic cushioning material, in the 2nd wall, formed into a bag, with a zip lock seal closure. Does not include a liner. Pre-printed in the lower left hand corner: "REUSABLE - DO NOT DISCARD".

8105-00-137-9131, Transparent, 12 x 12", PG(contains 50 EA), \$56.81

Return Materials Document Envelope

Flexible polyethylene envelope is colorless and features heat-sealed seams and a plastic zipper. Inside dimensions are 8-1/4" long "and 5-1/2" wide; 0.006" thick. Reads: "Return Materials Document Envelope NSN 8105-00-334-4120".

Comprehensive Procurement Guideline Compliant

8105-00-334-4120, Transparent, 5-3/4" x 9-3/4", HD, \$25.65

Packing List Envelope

Protects inventory control documents from rain, grease and dirt during storage and handling. Water-resistant envelope is made of polyethylene film and includes a self-adhering adhesive-coated back. The thickness is 0.003 inches, single wall

Does not include a legend.

8105-00-756-2710, Transparent, 3-11/16 x 7-1/2", MX, \$39.66

Reads: "Material release/receipt documents enclosed".

8105-00-224-8485, Bright Orange, 4-3/4 x 7", HD, \$14.84

8105-00-351-3385, Bright Orange, 9-1/2 x 8", HD, \$69.38

Reads: "Packing List Enclosed".

8105-00-857-2247, Bright Orange, 4-3/4 x 7", HD, \$14.84

8105-00-139-1276, Bright Orange, 5-1/2" x 8-1/2", HD, \$16.59

8105-00-985-7221, Bright Orange, 8" x 9-1/2", HD, \$18.38

Tamper-resistant, side-loading waterproof envelopes have a self-adhesive backing that sticks to cardboard, wood, plastic, or metal. With a distinctive orange header that reads Packing List Enclosed in bold black font.

8105-01-674-9014, SKILCRAFT, AbilityOne, Clear, 4.5 x 5.5", PG(contains 100 EA), \$4.82

Tear-Resistant Envelope

Tyvek lightweight envelope is tear- and water-resistant. Includes a protective strip over the self-adhesive flap. "Official Business" is printed in the upper left-hand corner in blue or black ink.

End opening.

Federal Strategic Sourcing Initiative, 7530-01-153-9699, White, 12 x 15-1/2", BX(contains 500 EA), \$101.11

Transparent Envelope

Flexible protector is open-ended with a double safety fold. Perfect for cards, photographs, blueprints and papers. Bound with black plastic edging on three sides and features a 1/4" metal eyelet for hanging applications. The material thickness 0.007 inches; lip on open side is 0.75 inches.

7510-00-272-9804, Clear, 6-1/2 x 10-1/2", HD, \$84.76

Federal Strategic Sourcing Initiative, 7510-00-272-9805, SKILCRAFT, AbilityOne, Clear, 10 x 13", HD, \$131.99

7510-01-647-7926, SKILCRAFT, AbilityOne, Clear, 10 x 13", BX(contains 25 EA), \$35.25

Matte-finish plastic envelope is excellent for use with a ring binder. Sealed on three sides, envelope features a double safety fold and reinforced plastic edges on the open end. Material thickness 0.010 inches; lip on open side is 0.75 inches.

Punched for use in three-ring binders.

7510-00-687-2664, Clear, 5-1/2 x 9-1/4", HD, \$48.82

Shipping Tag

Ideal for domestic shipping and transporting, this rectangular tag provides a sturdy marking surface and includes a polypropylene or synthetic tie.

Paper tag with paper-reinforced 7/32" eyelet. Shipping tag thickness of 0.015 inches.

8135-00-292-2354, Manila, 2-3/8 x 4-3/4", BX(contains 1000 EA), \$34.73

8135-00-292-2355, Manila, 2-5/8 x 5-1/4", BX(contains 1000 EA), \$42.40

8135-00-238-6917, Manila, 3-1/8 x 6-1/4", MX, \$55.11

8135-00-292-2351, Manila, 1-7/8 x 3-3/4", MX, \$35.99

Furnished with a twine or polypropylene tie and a paper-reinforced 7/32" eyelet.

8135-00-178-9151, White, 3-1/8 x 6-1/4", HD, \$15.18

Rectangular tag provides sturdy marking surface for use in shipping or transporting goods. The tag thickness is 0.006 inches Min to 0.008 Max.

Cloth tag with metal-reinforced 7/32" eyelet.

8135-00-292-2345, White, 2-5/8 x 5-1/4", MX, \$105.20

(NFES #0216).

8135-00-178-9193, White, 3-1/8" W X 6-1/4" L, BX(contains 1000 EA), \$159.47

Paper tag with paper-reinforced 7/32" eyelet. Shipping tag thickness of 0.015 inches.

8135-00-178-9192, Yellow, 6-1/4 x 3-1/8", MX, \$188.59

Stock Tag

Round paper tag is made of heavy-duty chemical wood stock and features a smooth writing surface. A narrow metal band covers the edge for extra rigidity. Tag features a paper-reinforced 7/32" hole and a 12" cotton string.

8135-00-239-1648, White, Diameter: 1-9/16", BX(contains 500 EA), \$52.53

Utility Aprons

One-piece, bib-style apron comes in one size with two large pockets and one pen holder pocket. The polyester/cotton blend twill cloth apron closes with a buckle-secured neck strap and waist tie-tapes. Washable apron is suitable for wear by package handlers.

8415-01-482-1205, UW-A-24263 or equal, Royal Blue, 26" L, 24" W, EA, \$10.22

Fingertip Moistening Compound

Tacky-finger compound makes handling paper hassle-free. The substance washes off and is packed in a container with a cover. Non-irritating, stainless, greaseless and odorless.

12-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-00-604-4150, 1 oz., EA, \$19.93

Mailroom Equipment

Table-Top Packaging System

NewAir I.B. Flex is this small machine designed for workbench or table top use has a compact footprint of just 5.5 square feet and produces up to 90 feet per minute of on-demand inflatable packaging materials. Includes 25 foot electric cord. The machine uses 115VAC, 60Hz, 3 Amps.

To be used with Sealed Air Inflatable Bubble Wrap P/Ns: 100568423, 100592860, 100568427, 100568452, 100567950, 100568428, 100568429, 100570284 and 100568453.

3540-01-518-6568, Sealed Air Corp 1001WY-20, Grey & White, 31"L x 23"W x 20"H, AY, \$6,226.66

Hand Truck

This hand truck is portable and lightweight with either a collapsible, compact or fold-up design. The wheels are high-impact poly, steel or rubber, 4 to 8" in diameter. Capacity: 200 lbs.

Federal Strategic Sourcing Initiative, 3920-00-847-1305, 220649 or equal, EA, \$49.79

Heavy-Duty Travel Cart

Travel cart handles up to 250-lbs. with ease. Ideal for moving boxes, publications, luggage and more. Features a sturdy tubular steel frame and platform, elasticized safety cord. Oversized 6" diameter ball-bearing wheels. Padded, telescoping pull handle. Extended size: 15-1/2" W x 44-1/2" H x 19" D; Folded size: 15-1/2" W x 27" H x 6-1/2" D; Platform size: 12" x 12".

8460-01-490-7344, 33892 or equal, Black and Chrome, EA, \$229.94

Mail Cart

Carbon steel mail cart features a non-nesting design and two removable baskets. The top basket has adjustable snap-on file guide bars. Cart also has two swivel wheels and two fixed wheels.

Upper basket measures 24" long, 17" wide and 11" high. Lower basket measures 24" long, 17" wide and 7" high.

Federal Strategic Sourcing Initiative, 7290-00-260-1147, LS-3 or equal, 28" L x 17" W x 34" H, EA, \$324.58

Upper basket measures 36" long, 17" wide and 11" high. Lower basket measures 36" long, 17" wide and 7" high.

Federal Strategic Sourcing Initiative, 7290-00-893-7339, LS-4 or equal, 41-1/2" L x 21" W x 37" H, EA, \$309.15

Drum Dolly

Morse Drum Dollies to move and position a plastic, steel or fiber drum. Clamp+GO Drum Dolly Handle.

7490-01-395-3208, MORSE 757DRDOL, EA, \$309.24

Packaging and Packing Materials

Cargo Container

Part of a mechanical restraint used to keep cargo from shifting during shipping in a cargo container.

8115-01-592-8655, SB6300, Multi-Length, PG(contains 2 EA), \$153.68

BEAM CARGO CONTAINER

8115-01-596-0412, SB6400, 85-1/8" X 96-1/8, EA, \$169.55

Part of a mechanical restraint used to keep cargo from shifting during shipping in a cargo container.

8115-01-592-5917, T00411-5083, Multi-Length, EA, \$608.06

Honeycomb Sheet

Honeycomb Sheets are constructed from compressed paper that is lightweight, yet durable. Honeycomb sheets are perfect for stacking up products: use to cushion between pallets or can be cut easily with a knife and used as void fill.

Pulp type: kraft. 1" thickness.

8135-01-697-9954, HC40481, Natural, 40 X 48", BD(contains 40 EA), \$517.56

Pulp type: kraft. 2" thickness.

8135-01-697-9955, HC40482, Natural, 40 X 48", BD(contains 20 EA), \$470.35

Pulp type: kraft. 42 or 38. 1" thickness.

8135-01-697-9956, HC48961, Natural, 48 X 96", BD(contains 40 EA), \$1,001.40

Pulp type: kraft. 42 or 38. 2" thickness.

8135-01-697-9959, HC48962, Natural, 48 X 96", BD(contains 20 EA), \$908.69

Sleeve

Belongs to top 8115-01-444-0211 AND BOTTOM 8115-01-444-0206

8115-01-663-4719, UP404845SS534, 40 X 48 X 45", EA, \$230.97

Steel Strapping

Surface Material - Hot dipped, Zinc coated, galvanized;coil winding: oscillated wound; Weight per coil - 100 pounds, Plus/ minus 10 pounds. Contains 25% Recovered Materials, Which Includes 16% Postconsumer steel BOF, 100% Recovered Materials, Which Includes 67% Postconsumer steel EAF.

8135-01-625-4516, 3CTU, 1-1/4" width, CL(contains 100 LB), \$881.19

Galvanized Steel Strapping, IAW ASTM D3953

8135-01-018-2858, QQ-S-781, 200 ft, CL(contains 200 FT), \$170.04

3/8" Strap Size, Open Type, Regular Duty, Galvanized, Manufactured I.A.W. ASTM D3953.

8135-00-239-5285, 5285, 10" L X 10" W, BX(contains 5000 EA), \$221.57

Steel, Strapping. ASTM D 3953-87 CLASS L,FINISH A,TYPE D,STYLE 3.

8135-00-285-1163, 1163, 1000, MX, \$215.62

Plastic Pallet

Plastic pallet features four-way entry and is nestable, fire-retardant and reusable. Twin-sheet thermoforming method to provide for lighter weight. Made of thermoformed high-density polyethylene. Pallets are designed for general use with a fork lift.

Capacity: 2,500 lbs. dynamic load. Overall weight: 19 lbs.

Contains 25% Recovered Material

8115-01-535-0149, Black, 48"L x 40"W x 6.5"H, EA, \$131.55

Capacity: 3,000 lbs. dynamic load. Overall weight: 22 lbs.

25% Postconsumer Material Recovered Material

8115-01-535-0150, Matte Black, 48"L x 40"W x 6"H, EA, \$131.55

Pallet Half Insert (Drawer)

Fiberglass half insert (or drawer) can be used in conjunction with 8115-01-371-3690 (PALCON P/N 102440-101). Insert is watertight with lid and handle at each end. Product may be used with or without racks (shelves) 8115-01-370-8761 (P/N 102418).

8115-01-377-8817, Olive Drab, 22-1/4"L x 17"W, EA, \$217.57

Bubble Wrap

Polyethylene anti-static bubble wrap.

8135-01-126-6275, Pink, 12" W, BD(contains 375 FT), \$424.06

Inflation bubble wrap, large non-perforated (3/4 in) inflated. For use on: NEW AIR I.B. EXPRESS MODEL 1001PFA04.

8135-01-640-9308, 100568427, 16" W x 1500', DZ, \$3,789.85

3/16 IN. Industrial bubble 24 IN. X 17 FT. Roll perforated every 12 IN.

8135-01-602-6306, S-398P, Pink, 750' L x 24" W x 3/16" D, BD(contains 2 EA), \$365.66

1/2 IN. Industrial bubble 24 IN. X 250 FT. Roll; perforated every 12 IN.

8135-01-598-1648, BD(contains 2 EA), \$236.37

1/2 IN. Industrial bubble 24 IN. X 250 FT. Roll; perforated every 12 IN.

8135-01-599-3189, Pink, BD(contains 2 EA), \$263.22

Inflation bubble wrap, large perforated (3/4 in) inflated. For use on: NEW AIR I.B. EXPRESS MODEL 1001PFA04.

8135-01-640-9309, 100645486, 16"W x 1500'L, DZ, \$3,789.85

8135-01-640-9310, 100645489, 16" W x 2000' L, DZ, \$3,789.85

Light Duty Bubble Wrap

Economy style bubble wrap for light duty protection. Perforated every 12". Bubble size is 0.1875 inches. 2 Rolls per bundle.

8135-01-599-3188, 24" W, BD(contains 2 EA), \$255.30

Cushioning Material

Cushioning Material, Packaging. IAW A-A-59135, Class 1, Grade B.

8135-01-122-5904, CUSHION FOAM 325, 48 x 300", RO(contains 300 FT), \$205.13

Cushioning Material, packaging. IAW A-A-59136 - Type IV, Class 1, Grade A.

8135-01-498-1809, 8135014981809, 2" x 24", SH, \$372.31

INSTAPAK Quick RT foam packaging bag provide superior product protection for Fragile, High-Value Products by expanding up to 27 times their original size.

Material Safety Data Sheet

8135-01-546-7623, IQHRT00-20, 18 x 18, BX(contains 36 EA), \$206.31

Cushioning Material, Packaging. IAW A-A-3129 - Type I, Style B, Class 1, Grade B.

8135-01-088-3849, 8135010883849, 500" x 12", BD(contains 4 EA), \$604.67

Cushioning Material, Packaging. IAW PPP-C-1120C - Type III.

8135-00-292-9789, 8783526, 72 x 24, SH, \$240.98

PPP-C-1120 TY3CLAGR3. 2.0 Inches thick.

8135-00-543-6844, 24" W x 72" L, DZ, \$545.12

Cellulose Wadding. Meets: A-A-1898 GR2CLBST1

8135-00-664-6948, 20" W, RO(contains 104 FT), \$319.93

Flexible open cell plastic material. IAW A-A-3129A -TYPE: 1, STYLE: A, CLASS 1, GRADE B.

8135-01-087-3599, 24" x 500", BD(contains 1000 FT), \$739.60

Cellulose water resistant wadding material. IAW A-A-1898C - STYLE: 3, CLASS B, GRADE 2, SIZE B.

8135-00-855-6969, 24" W, RO(contains 167 FT), \$198.21

Polyurethane packaging material. IAW MIL-PRF-26514G -TYPE: 1, CLASS 2, GRADE C.

8135-00-935-6596, 77 L x 30 W x 2" H, SH, \$146.34

Water Resistant, Medium Tensile Strength, Roll-Perforated, Cellulosic Cushioning Material. Thickness is 0.75 inches. IAW A-A-1898C - STYLE 3, CLASS B, GRADE II.

8135-00-855-6968, BX(contains 334 FT), \$332.44

Cushioning/Packing Material

Bubble Wrap cushioning material. PPP-C-795D CLASS 1. Thickness is 0.187 inches.

30% Recovered Material, Which Includes 15% Postconsumer Material

8135-00-926-8990, 12" W x 250' L, BD(contains 250 FT), \$201.66

8135-00-142-9005, 12" W x 500' L, BD(contains 4 EA), \$259.81

Plastic Polyurethane, IAW MIL-PRF-26514G - TYPE 1, CLASS 2, GRADE A.

8135-00-116-1443, 24" x 50' x 1", RO(contains 50 FT), \$368.69

Bubble Wrap cushioning material. PPP-C-795D CLASS 1. Thickness is 0.187 inches.

Medium Thickness.

30% Recovered Material, Which Includes 15% Postconsumer Material

8135-01-050-7970, 24" W x 375' L, BD(contains 375 FT), \$210.91

8135-00-142-9021, 48" W x 500' L, RO(contains 500 FT), \$259.81

PPP-C-1120 Type 4 Grade A, Color Coded Red-NO.211059.

8135-00-664-0057, 24" W x 6' L x 2" D, DZ, \$562.99

Flexible closed cell plastic film Bubble Wrap is Class 1 regular, and comes in roll form.

30% Recovered Material, Which Includes 15% Postconsumer Material

8135-00-142-9008, 500'L x 16"W x 1/8-1/4" Thick, BD(contains 3 EA), \$259.81

Resilient low density unicellular Polypropylene Foam, PPP-C-1797 TY1.

Perforated every 12 inches.

8135-01-008-8099, 72" W x 225' L, RO(contains 225 FT), \$483.08

Water resistance quality is featured with a low water absorbency rating. Longitudinally compressed cellulose wadding. IAW A-A-1898C - STYLE 3, CLASS B, GRADE II.

Plastics Removal in Marine Environments

8135-00-808-6446, 125' L x 24" W x 1" Thick, BX(contains 125 FT), \$204.83

Cushioning is 1/4" wide by 225 feet long and comes in a roll. Material is water and fungus resistant with a low water absorbency rate. Made of polypropylene plastic and meets PPP-C 1797 Type 1 standards.

8135-00-300-4905, 225'L x 30" W, BD(contains 2 EA), \$472.47

Cellulosic cushioning material meets commercial item description A-A-1898C, Grade II (water resistant), Class B (Medium Tensile Strength), Style 1 (plain roll form).

8135-00-664-6958, 60'L x 20"W x 1" Thick, RO(contains 60 FT), \$317.63

Cushioning material is made of flexible, open-cell plastic film. IAW A-A-3129A -TYPE: 1, STYLE: B, CLASS 2, GRADE B.

Non-perforated with reinforcing top film, static dissipative.

8135-01-087-3603, 375' L x 12" W x 1/4" Thick, BD(contains 4 EA), \$752.40

Flexible closed cell plastic film cushioning material. IAW PPP-C-795D, CLASS 1.

30% Recovered Material, Which Includes 15% Postconsumer Material

8135-00-142-9004, Transparent, 250' L x 48" W x 1/2" Thick., RO(contains 250 FT), \$252.43

Used for long-shipment cycle applications., 30% Recovered Material, Which Includes 15% Postconsumer Material,

8135-00-926-8991, 250'L x 24"W x 1/2" Thick, BD(contains 2 EA), \$247.83

Packaging material is made of flexible open cell plastic film and is used for cushioning and packaging applications. The item is static dissipative. It is not fire retardant or fungus resistant. IAW A-A-3129A -TYPE: 1, STYLE: B, CLASS 1, GRADE B.

8135-01-057-3607, 500' L x 48" W x 0.25" Thick, RO(contains 500 FT), \$704.32

Plastic cushioning material. IAW PPP-C-795D, CLASS 1.

8135-00-142-9016, 500"L x 24"W x 3/16" Thick, BD(contains 2 EA), \$259.81

Resilient low density unicellular Polypropylene Foam, PPP-C-1797 TY1.

Perforated every 12 inches.

8135-00-601-9221, 24" W x 225' L x 1/4" Thickness, BD(contains 3 EA), \$472.47

Cushioning/Packaging Material

Cushioning/Packaging Material flexible open cell plastic film. IAW A-A-3129A -TYPE: 1, STYLE: B, CLASS 2, GRADE B.

8135-01-087-3602, 24" W x 375' L x 1/4" Thickness, BD(contains 750 FT), \$800.71

Plastic Polyurethane, IAW MIL-PRF-26514G - TYPE 1, CLASS 2, GRADE B.

8135-00-116-1447, 24" x 50' x 2", RO(contains 50 FT), \$580.75

Thin bubble bag: Meets: PPP-C-795 CL2.

8135-01-234-6649, 24" W x 500' L x 3/16" Thickness, RO(contains 500 FT), \$232.59

Meets: IAW ASTM D 3575CL1GRA

8135-01-059-4636, 60" W x 450' L x 1/8" Thickness, RO(contains 450 FT), \$485.87

Plastic Polyethylene. IAW A-A-59135, CLASS 1.

8135-01-175-7168, 24" W x 108" L x 1" Thickness, SH, \$92.84

Meets: MIL-P-26514TY1CL2GR2.

8135-00-719-4825, Charcoal, 13.87" W x 14" L, EA, \$48.73

Closed cell foam plank; meets: A-A-59136CL1TYIGRA.

8135-01-408-9952, 36" W x 36" L, SH, \$299.00

Polyethylene foam meets: IAW A-A-59136 CL1 GRA TY1.

8135-01-189-7111, 30.0" W x108" L x 1.0" H, SH, \$382.74

Meets: A-A-59135CL1GRA

8135-01-187-6614, 24 W x 108" L, SH, \$430.62

Cushioning Material (Anti-Static)

This 1/2 inch thick anti-static bubble wrap is made from flexible closed plastic film. IAW PPP-C-795D, CLASS 2.

8135-01-235-8057, 48" W x 250' L, EA, \$241.50

Cushioning Material (Vermiculite)

Industrial untreated loose fill vermiculite. Cushioning material for packing hazardous chemicals or liquids. (I.A.W. A-A-52450 TYPE I GRADE 3). Volume Capacity is 4.00 cubic foot.

8135-01-324-2664, BG(contains 4.5 LB), \$91.05

Packaging Material

Provides corrosion protection when used with ferrous, aluminum and aluminum-based alloys and components that contain zinc plate, cadmium, lead (up to 9%) and zinc-based (up to 30%) alloys. Packaging wrap is coated with vapor-release inhibitor. IAW MIL-PRF-3420H - TYPE 1, CLASS 1, STYLE C.

Heavy-duty material.***Opaque, laminated material is greaseproof, waterproof and moldable.***

8135-00-985-7242, 36" W, RO(contains 100 FT), \$250.47

Packaging Wrap

Provides corrosion protection when used with ferrous, aluminum and aluminum-based alloys and components that contain zinc plate, cadmium, lead (up to 9%) and zinc-based (up to 30%) alloys. Packaging wrap is coated with vapor-release inhibitor. IAW MIL-PRF-3420H - TYPE 1, CLASS 1, STYLE C.

Heavy-duty material.***Opaque, laminated material is greaseproof, waterproof and moldable.***

Material Safety Data Sheet

8135-00-664-0015, Width: 36", RO(contains 200 YD), \$882.37

Heat Shrink Wrap

Heat Shrink Wrap is a premium grade polyethylene film formulated to shrink and conform to any structure when direct heat is applied. IAW A-A-3174 - TYPE IV, CLASS 3, FINISH 1.

8135-01-250-2301, SP2301, 20 x 200", RO(contains 200 FT), \$889.49

Polyethylene Foam Material

Material is flexible unicellular polyethylene foam. Packaging material is not flame or water resistant. IAW A-A-59136 - CLASS 1, GRADE A.

Product is fungus resistant.***Type 1, Class 1, Grade A***

8135-00-397-2583, 9'L x 24"W x 1"Thick, EA, \$316.25

Type 2, Class 1, Grade A.

8135-00-180-5922, 60'L x 48"W x 1/2" Thick, RO(contains 60 FT), \$181.47

Packaging material is made of closed cell polyethylene foam. Item is used for general purpose cushioning and packaging applications in temperatures ranging from -65 to +158° F. Density is two lbs. per cubic foot. Item is not static dissipative, fire retardant, or fungus resistant. IAW A-A-59136 - CLASS 1, GRADE A.

8135-01-005-8974, 9' L x 24" W x 2" Thick, EA, \$316.25

Plastic Sheeting

Normal impact-strength polyethylene plastic film is for general-purpose packaging. It protects items from dust and is highly resistant to water and moderately resistant to vapor. Low-slip type. (Note: Thickness is listed for identification purposes as nominal. Actual thickness may be less than listed.) IAW A-A-3174 - TYPE I, CLASS 1, GRADE A, FINISH 1.

Not for use in contact with food.

8135-00-584-0610, SKILCRAFT, AbilityOne, Clear, Width: 8 ft.; Thickness: 0.004", RO(contains 100 FT), \$26.81

8135-00-584-0619, SKILCRAFT, AbilityOne, Clear, Width: 8' 4"; Thickness: 0.002", RO(contains 200 FT), \$30.53

8135-00-579-6491, SKILCRAFT, AbilityOne, Black, Width: 10'; Thickness: 0.006", RO(contains 100 FT), \$41.01

8135-00-579-6489, SKILCRAFT, AbilityOne, Clear, Width: 12'; Thickness: 0.006", RO(contains 100 FT), \$53.28

8135-01-150-3052, Clear, Width: 20"; Thickness: 0.001", RO(contains 5000 FT), \$63.07

Not for use in contact with food., (NFES #0143),

8135-00-618-1783, SKILCRAFT, AbilityOne, Clear, Width: 16'; Thickness: 0.006", RO(contains 100 FT), \$61.57

(NFES #0144)

8135-00-579-6487, SKILCRAFT, AbilityOne, Black, Width: 20'; Thickness: 0.006", RO(contains 100 FT), \$82.64

Acetate Plastic Sheeting

Colorless cellulose-acetate sheet is used for covering desk blotters.

Measures 0.005" thick.

7510-01-269-2303, 24 x 37", EA, \$8.24

Pallet Wrap

Normal impact-strength polyethylene plastic film is for general-purpose packaging. It protects items from dust and is highly resistant to water and moderately resistant to vapor. Low-slip type. (Note: Thickness is listed for identification purposes as nominal. Actual thickness may be less than listed.) IAW A-A-3174 - TYPE I, CLASS 1, GRADE A, FINISH 1.

8135-01-321-4201, Width: 30", RO(contains 5000 FT), \$125.24

8135-00-079-2415, Width: 36", RO(contains 600 FT), \$1,518.00

Stretch Wrap Film

Machine wrap for the Mobilrap Pro80 is 80 gauge and is suitable for protecting large shipments, boxes or packages.

8135-01-386-2322, Width: 20", RO(contains 6000 FT), \$88.39

Plastic Wrap

Wrap it up in this flexible vinyl plastic film for general packaging in temperatures from 0 to 130° F. Waterproof and heat sealable. IAW ASTM D1593 - TYPE I.

Not for use in contact with food.

8135-00-050-7698, Clear, Width: 54" Thickness: 0.020", RO(contains 50 YD), \$324.22

Clear plastic film is suitable for use in automated machines or for hand wrapping meats and produce. Comes rolled around a 3" core.

8135-01-015-4139, Width: 17", RO(contains 5000 FT), \$69.93

Barrier Material

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-131K - CLASS 1.

With non-woven backing.

Material Safety Data Sheet

8135-00-282-0565, 36" W, RO(contains 200 YD), \$189.75

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-131K - CLASS 3.

With woven backing.

Material Safety Data Sheet

8135-01-015-2810, 36" W, RO(contains 200 YD), \$569.25

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-121K - TYPE I.

Medium-duty type.

Material Safety Data Sheet

8135-00-233-3871, 36" W, RO(contains 200 YD), \$164.75

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-121K - TYPE II.

Light-duty type.

Material Safety Data Sheet

8135-00-224-8885, 36" W, RO(contains 200 YD), \$163.74

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-81705E - TYPE I, CLASS 1.

Electrostatic protective and electromagnetic shielding, heat sealable barrier material.

Material Safety Data Sheet

8135-00-092-3220, 36" W, RO(contains 200 YD), \$442.75

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-121K - TYPE I.

Material Safety Data Sheet

8135-00-753-4661, 36" W, RO(contains 100 YD), \$293.25

This flexible Barrier Material is Grease and water proofed.

Light-duty type.

8135-00-753-4662, 36" W, RO(contains 100 YD), \$161.92

This flexible Barrier Material is Grease and water proofed.

Medium-Duty.

8135-00-226-3124, 36" W, RO(contains 200 YD), \$319.41

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-121K - TYPE I.

Medium-duty type.

8135-00-292-9719, 36" W, RO(contains 100 YD), \$86.25

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-121K - TYPE I.

Heat-sealable material has a nonstretchable, smooth surface. Use it to make packaging bags, sleeves, pouches and liners for fiberboard containers.

Medium-duty type.

8135-00-543-6574, 48" W, RO(contains 100 YD), \$124.78

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-121K - TYPE I, GRADE C, CLASS 1.

Moldable, self-adhering material can be used as an outer wrap for sealed, preserved surfaces. Heavy-duty type.

With adhesive coating on nongreaseproof side only.

8135-00-222-4027, 36" W, RO(contains 100 YD), \$122.10

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-121K - TYPE I, GRADE C, CLASS 2.

Moldable, self-adhering material can be used as an outer wrap for sealed, preserved surfaces. Heavy-duty type.

With both sides adhesive coated.

8135-00-292-9728, 36" W, RO(contains 100 YD), \$354.20

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-81705E - TYPE I, CLASS 1.

8135-01-495-0660, 50" W, RO(contains 200 YD), \$593.92

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-81705E - TYPE III, CLASS 1.

8135-01-185-6816, 36" W, RO(contains 150 FT), \$113.85

Meets: MIL-B-121TY1GRACL2.

8135-00-132-9589, Red, 36" W, RO(contains 200 YD), \$382.64

Scrim woven fabric meets: I.A.W. MIL-131K CL3

8135-01-019-4165, 12" W, RO(contains 200 YD), \$259.96

Waterproof kraft wrapping paper has a high degree of resistance to permeation by water vapor. Use as an interior wrap.

For individual packages and light parts.

Consists of two layers of 30-lb kraft paper and one layer of 50-lb asphalt.

8135-00-171-1559, 36" W, RO(contains 200 YD), \$304.87

This flexible Barrier Material is Grease and water proofed. IAW MIL-PRF-81705E - TYPE III, CLASS 1.

8135-01-163-3486, Pink, 24 x 36", EA, \$74.89

Barrier Material (Grease Proof)

This flexible barrier material is grease proof, acid free and non-corrosive. Heat sealable (I.A.W. MIL-PRF-131 CL1) is self-adhering.

8135-01-499-5302, 72" W x 3600" L, EA, \$548.55

Kraft Paper

Unbleached paper used as a wrapping for general, non-food purposes where a chemically neutral or vapor-proof barrier is not required. Paper roll has a 9" diameter. IAW CID A-A-203C, Style 1.

Basis weight: 30-lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8135-00-160-7753, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 1636 FT), \$77.11

Unbleached paper used as a wrapping for general, non-food purposes where a chemically neutral or vapor-proof barrier is not required. Paper roll has a 9" diameter.

Basis weight: 30-lbs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8135-00-160-7752, SKILCRAFT, AbilityOne, Natural, Width: 30", RO(contains 1200 FT), \$101.52

Basis weight: 40-lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8135-00-160-7757, SKILCRAFT, AbilityOne, Natural, Width: 24", RO(contains 1228 FT), \$50.89

8135-00-160-7762, SKILCRAFT, AbilityOne, Natural, Width: 48", RO(contains 1228 FT), \$94.65

8135-00-160-7759, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 1228 FT), \$78.43

Basis weight: 50-lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8135-00-160-7764, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 980 FT), \$78.19

Basis weight: 60-lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8135-00-160-7766, SKILCRAFT, AbilityOne, Natural, Width: 24", RO(contains 820 FT), \$46.16

8135-00-160-7768, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 820 FT), \$72.96

8135-00-160-7769, SKILCRAFT, AbilityOne, Natural, Width: 48", RO(contains 820 FT), \$89.99

Basis weight: 70-lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8135-00-160-7771, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 700 FT), \$61.74

Basis weight: 80-lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8135-00-160-7776, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 615 FT), \$61.79

AbilityOne

Unbleached, fire-resistant paper used as a wrapping for general non-food purposes where some fire resistance is required. Paper roll has a 9" diameter. Contains 100% Recycled Material, Which Includes 30% Postconsumer Material

Basis weight: 60-lbs.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8135-00-966-2532, SKILCRAFT, AbilityOne, Natural, Width: 36", RO(contains 300 YD), \$188.17

8135-00-966-2533, SKILCRAFT, AbilityOne, Natural, Width: 48", RO(contains 300 YD), \$248.64

Paper roll has a 9" diameter.**Basis weight: 50-lbs.**

Contains 25% Recovered Material, Which Includes 5% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8135-00-973-1835, SKILCRAFT, AbilityOne, Natural, Width: 24", RO(contains 300 YD), \$124.46

Wrapping Paper

General use wrap, protects items from dust. IAW MIL-DTL-17667E - TYPE I.

Paper is flat with a basis weight of 30-lbs.

8135-00-558-1242, Width: 36", RO(contains 600 FT), \$108.04

General use wrap, protects items from dust. IAW MIL-DTL-17667E - TYPE II.

Paper is stretchable and creped in one direction with a basis weight of 35 lbs.

8135-00-558-1245, Width: 36", RO(contains 600 FT), \$110.63

Laminated and creped wrapping paper. Use over Grades A and C greaseproof wrappers for added protection against mechanical damage and over items enclosed in water vapor-proof bags. Also use to wrap nonprecision parts or as a protective band on radial-type engine cylinders. It is not a waterproof barrier.

Heavy-duty paper.

8135-00-702-3158, Width: 36", RO(contains 200 YD), \$744.56

IAW MIL-P-130F - TYPE II, CLASS 2, STYLE B. Paper is Medium-Duty.

8135-00-680-2777, Width: 36", RO(contains 200 YD), \$625.42

Protective Paper

Contains Homogeneous Rubber And Pulp Paper With An External Vinyl Coating. Abrasive Resistant. Base Weight 192 Lb.

8135-00-654-9834, 48" W, RO(contains 30 YD), \$805.00

Preservative Paper

Creped or embossed kraft paper is treated with a corrosion inhibitor for protecting and preserving metal and for general packaging. Light-duty quality.

IAW MIL-PRF-3420H - CLASS 3, STYLE A.

8135-00-810-0481, Width: 36", RO(contains 200 YD), \$194.81

Paperboard

Single-faced, heavy-duty corrugated paperboard is useful as inner packing and outer wrapping cushion of parcel post shipments. It ensures maximum resiliency, folds easily and protects against breakage, abrasion, tearing, dirt, dust and foreign matter. Includes a strong outer kraft covering. Backing sheet is required.

IAW A-A-1051C - TYPE II.

Comprehensive Procurement Guideline Compliant

8135-00-290-3400, Width: 48", RO(contains 250 FT), \$165.59

Steel Strapping

Corrosion resistant steel strapping. ASTM-D3953, Type 1, Finish B, Grade 2, Regular Duty. Minimum breaking strength of 750-lbs.

25% Postconsumer Material Recovered Material

8135-01-016-9995, 5/8" W x 200' L x 3/200" TH, RO(contains 200 FT), \$118.31

Wire Tie Steel Strapping is made of Steel Wire, Black Annealed, 16 Gage, and is 3-1/2 Lbs. Per Coil

8135-01-054-0738, 330' L x 1/4" TH, CL(contains 4 LB), \$14.75

Flat steel strapping. ASTM-D3953, Type 1, Finish B, Grade Stainless Steel, Regular Duty. Nailless. Not perforated.

8135-01-023-4126, 1/2" W x 200' L x 0.020" TH, RO(contains 200 FT), \$120.08

Stainless Steel Strapping is rated AISI 201 and ASTM D 3953. Nailless. Not Perforated.

25% Postconsumer Material Recovered Material

8135-00-245-9439, 5/8" W x 100' L x 0.030" TH, CL(contains 100 FT), \$85.87

Steel Strapping, ASTM D 3953-87 Class R, Finish B, Grade 2, Type D, Style II. Designed For Use In Acme Model C1A5, Signode C-5823 Or YC-5823. For use in Sealing Tool or Stretching/Sealing Machines.

25% Postconsumer Material Recovered Material

8135-00-239-5291, 5/8" W x 7/8" L x 3/200" TH, BX(contains 5000 EA), \$323.61

Steel Strapping Wing Clamp

Stainless Steel Clamp Wing Seals with Ears. Corrosion resistant.

8135-01-030-1634, 1.0" L x 1/2" W, BX(contains 1000 EA), \$232.97

Strapping Seal

Heavy Duty closed type steel strapping seals. Seal Style II, Class H, Finish B, Finish Grade 2 and Type D (double notch) IAW- ASTM D3953 and 81346-ASTM. For use in Sealing Tool or Stretching/Sealing Machines.

For use with Machine models: C11D6, C17F635, or C18F635.

25% Postconsumer Material Recovered Material

8135-00-239-5293, 3/4", BX(contains 2000 EA), \$200.13

Classified as ASTM 3953-87 Class H, Finish B, Grade 2, Type D, and Style 2. For use in Sealing Tool or Stretching/Sealing Machines.

25% Postconsumer Material Recovered Material

8135-00-290-1077, 1 1/4", BX(contains 1000 EA), \$189.89

Regular Duty snap-on or open steel strapping seal is 3/4" wide. For use with ACME C1A6, SIGNODE C-3423 or YC1-3425 sealing tool or stretching/sealing machines. ASTM D 3953-87 Class R, Seal Finish B, Finish grade 2, Type D, (Double Notch) Seal Style 1.

25% Postconsumer Material Recovered Material

8135-00-239-5288, 3/4"W x 3/200" Thickness, BX(contains 5000 EA), \$199.05

Regular Duty open steel strapping seal is 5/8" wide. For use with ACME C1A5, SIGNODE C-5823 or YC-5823 sealing tool or stretching sealing machines. ASTM D 3953-87 Class R, Finish B, Grade 2, Type D, Style 1 steel with zinc coating.

25% Postconsumer Material Recovered Material

8135-00-290-1086, 0.625"W x 0.015-0.023" Thickness, , BX(contains 5000 EA), \$195.75

Regular Duty snap-on or open steel strapping seal is 1/2" wide. For use with ACME C1A4 or SIGNODE C-1223 or YC-1233 sealing tool or stretching/sealing machines. ASTM D 3953-87 Class R, Finish A, Type D, Style 1.

25% Postconsumer Material Recovered Material

8135-00-239-5308, 0.50" W x 1.00" L, BX(contains 5000 EA), \$162.36

Heavy Duty closed type steel strapping seals. Style II, Class H, Seal Finish B, Finish Grade 2 and Type D (double notch). 81346-ASTM D and 3953-87. For use in Sealing Tool or Stretching/Sealing Machines.

For use with: ACME 10D,10H,OR C11D10; SIGNODE C-1435 OR RCD-1435.

8135-00-239-5294, BX(contains 1000 EA), \$189.89

Strapping Seals (Wing)

Stainless steel wing clamp for steel strapping.

8135-01-120-8754, 0.625" x 1.0", MX, \$385.41

Strapping

Steel strapping is 0.375" wide x 0.020" thick. Packaged in coil form, nailless with a breaking strength of 600 lbs. minimum. ASTM-D-3953-97 and D3953-97, Type 1, Finish:B (regular duty zinc coated) Grade 2 steel.

25% Postconsumer Material Recovered Material

8135-00-283-0664, 0.375" W, CL(contains 100 LB), \$591.86

Regular duty steel strapping: 81346- ASTM D3953-87, Finish B (Galvanized, zinc coated) Grade 2 (Moderate coating).

25% Postconsumer Material Recovered Material

8135-00-286-8565, 0.625" W, CL(contains 100 LB), \$544.82

Strapping is 1 1/4" wide, 0.035" thick. Comes in coil, nailless with a 4,750-lb. minimum breaking strength. ASTM D 3953-87, Type 1, heavy duty, Grade A organic coated steel (painted).

25% Postconsumer Material Recovered Material

8135-00-531-7721, 1 1/4" W, CL(contains 100 LB), \$614.28

Nailless, regular-duty, ASTM D 3953-97 TYPE: 1 Regular Duty Coated Finish: A, Grade N Steel strapping has a nominal basis weight of 17.1 feet per pound. Minimum breaking strength of 1,380-lbs.

25% Postconsumer Material Recovered Material

8135-00-281-4069, 3/4"W x 1/42" Thickness, CL(contains 100 LB), \$227.21

Nailless, regular-duty, ASTM D 3953-97 TYPE: 1 Regular Duty Coated Finish: B, Grade 2, Steel strapping has a nominal basis weight of 17.1 feet per pound. Minimum breaking strength of 1,380-lbs.

Type 1, Grade 2.

25% Postconsumer Material Recovered Material

8135-00-283-0669, 3/4"W x 1/42" Thickness, CL(contains 100 LB), \$544.82

Nailless, regular-duty, organic coated, Grade-N steel strapping has a nominal basis weight of 19.6 feet per pound. Meets ASTM D 3953-87 Professional/Industrial Association Standard. Minimum breaking strength of 1,200-lbs.

25% Postconsumer Material Recovered Material

8135-00-285-4748, 3/4"W x 1/50" Thickness, CL(contains 100 LB), \$234.82

Nailless, heavy-duty, zinc coated finish strapping meets ASTM 3953-87, Type I, Heavy Duty, Grade 2, Moderate Coating. Minimum breaking strength of 2,850-lbs.

25% Postconsumer Material Recovered Material

8135-00-283-0670, 3/4"W x 1/29", CL(contains 60 LB), \$433.69

Nailless, regular-duty coil, organic steel coated finish strapping meets ASTM D 3953-87 Type 1. Minimum breaking strength of 800-lbs.

8135-00-285-4747, 1/2"W x 1/50" Thickness, CL(contains 100 LB), \$234.82

Nailless, heavy-duty, coated finish coil strapping. Bonded rayon cord. Meets ASTM D 3953 Type 1, Grade 3 steel. Minimum breaking strength of 765-lbs.

25% Postconsumer Material Recovered Material

8135-00-956-2153, 9/16"W x 4,000'L x 1/41" Thickness, CL(contains 1400 YD), \$95.99

Nailless, regular-duty, zinc coated finish coil meets ASTM D 3953-97, Type 1, Grade 2 steel. Minimum breaking strength of 800-lbs.

25% Postconsumer Material Recovered Material

8135-00-283-0666, 1/2"W x 1/50" Thickness, CL(contains 100 LB), \$591.86

Nailless, regular-duty, Finish A (organic coated) coil meets ASTM D 3953-97 Type 1, Grade N steel. Minimum breaking strength of 1,000-lbs.

25% Postconsumer Material Recovered Material

8135-00-281-4071, 5/8"W x 1/50" Thickness, CL(contains 100 LB), \$241.17

Nailless, regular-duty, Finish B: zinc coated coil strapping meets ASTM D 3953-97 Type 1, Grade 2 steel. Minimum breaking strength of 1,000-lbs.

25% Postconsumer Material Recovered Material

8135-00-283-0667, 5/8"W x 1/50" Thickness, CL(contains 100 LB), \$544.82

Nailless, regular-duty, zinc coated coil strapping meets ASTM D 3953-87 Type 1, Grade 2 steel. Minimum breaking strength of 1,200-lbs.

25% Postconsumer Material Recovered Material

8135-00-283-0668, 3/4"W x 1/50" Thickness, CL(contains 100 LB), \$544.82

Nailless, heavy-duty, zinc coated coil strapping meets ASTM D 3953-97 Type 1, Grade 2 steel. Minimum breaking strength of 4,750-lbs.

25% Postconsumer Material Recovered Material

8135-00-283-0671, 1-1/4"W x 7/200" Thickness, CL(contains 100 LB), \$591.86

Nailless, regular-duty, plastic coated, woven cord strapping meets ASTM 3950 Type 1A standards. Minimum breaking strength of 600-lbs. Item is package in a coil.

25% Postconsumer Material Recovered Material

8135-00-956-2151, 1/2"W x 3900'L, CL(contains 3900 FT), \$168.69

Tape

Box Sealing Tape

Extra sturdy polyester backing resists abrasion, moisture and scuffing for lasting hold. Adhesive sticks quickly to a variety of materials. Securely closes double and triple walled corrugated cartons and fiberboard. Seals cartons weighing up to 150 lbs. 3 mil thickness.

18-month maximum shelf life (extendable).

8135-01-023-4348, 2" W, RO(contains 60 YD), \$94.53

Packaging Tape

This "original 100 MPH" high-strength waterproof tape can withstand temperatures between -65 to 160° F. Features a woven cloth backing for exterior sealing. 3" core diameter.

12-month maximum shelf life (extendable).

7510-00-074-5029, SKILCRAFT, AbilityOne, Red, Width: 4", RO(contains 60 YD), \$31.26

Seals a wide variety of packages. 36 rolls total per case.

24-month maximum shelf life (extendable).

7510-00-923-0591, Blue or Black, 4" wide, RO(contains 36 YD), \$111.89

Quality Waterproof Packaging Tape For Military Packaging And Other Demanding Applications.

24-month maximum shelf life (extendable).

7510-00-118-2489, Silver, 2", RO(contains 60 YD), \$32.37

Commercial grade, polypropylene package sealing tape pre-pack includes 6-rolls of tape. Features a polypropylene backing with hot melt synthetic rubber-resin adhesive which allows tape to stick instantly and hold tightly. Each tape has a 3" core and is 55 yards long.

Tapes come with a red, grip dispenser.

3.1 mils. thick.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-579-6873, SKILCRAFT, AbilityOne, Transparent, Width: 2", PG(contains 6 EA), \$40.81

Tapes come with a blue, pistol grip dispenser (NSN 7520-01-566-4139).

3.1 mils. thick.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-579-6872, SKILCRAFT, AbilityOne, Transparent, Width: 2", PG(contains 6 EA), \$42.70

1.9 mils. thick.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-579-6871, SKILCRAFT, AbilityOne, Transparent, Width: 2", PG(contains 6 EA), \$26.98

3.1 mils. thick.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-579-6874, SKILCRAFT, AbilityOne, Transparent, Width: 2", PG(contains 6 EA), \$36.67

This medium-strength tape is waterproof and weather-resistant. Features a plastic film backing. Tape is for general use in sealing fiberboard boxes and covering exterior labels. Has a 3" core. Meets ASTM D 5486, Type I, Class 2.

18-month maximum shelf life (extendable).

7510-00-663-3732, Transparent, Width: 1", RO(contains 72 YD), \$14.43

7510-00-266-6715, Transparent, Width: 2", RO(contains 60 YD), \$7.88

7510-00-281-2700, Transparent, Width: 3", RO(contains 60 YD), \$11.82

Weather- and water-resistant tape sports a flat, paper backing. Useful for closing and sealing fiberboard containers. Has a 3" core. Meets ASTM D 5486 TYPE V.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-297-6655, SKILCRAFT, AbilityOne, Beige, Width: 2", RO(contains 120 YD), \$19.56

Federal Strategic Sourcing Initiative, 7510-00-297-6656, SKILCRAFT, AbilityOne, Beige, Width: 3", RO(contains 120 YD), \$34.58

Tape has a plastic film backing and is useful for sealing containers and attaching labels. Allows reading of labels when applied over them. Has a 3" core. Meets A-A-1684.

12-month maximum shelf life (extendable).

7510-01-425-6768, Transparent, Width: 2", RO(contains 330 FT), \$4.38

7510-00-073-6094, Transparent, Width: 4", RO(contains 72 YD), \$14.06

7510-00-073-6096, Transparent, Width: 6", RO(contains 72 YD), \$13.41

This tape is excellent for sealing containers in situations that require high strength and resistance to water, sunlight and other adverse elements. Includes a plastic film backing and can be used in temperatures ranging from -65 to 160° F. Has a 3" core. Meets ASTM D5486, TYPE: I, CLASS: 1.

(NFES #0395)

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-079-7906, SKILCRAFT, AbilityOne, Tan, Width: 2", RO(contains 60 YD), \$5.86

(NFES #0396)

12-month maximum shelf life (extendable).

7510-00-079-7907, Tan, Width: 4", RO(contains 60 YD), \$16.76

7510-00-079-7905, SKILCRAFT, AbilityOne, Tan, Width: 3", RO(contains 60 YD), \$9.36

Box sealing tape is moisture resistant, features polypropylene film backing and glossy finish. Used for non-critical closure such as lightweight containers exposed to minimal distribution hazards.

(NFES #0396)

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-01-317-4215, Transparent, Width: 2", RO(contains 55 YD), \$6.06

This "original 100 MPH" high-strength waterproof tape can withstand temperatures between -65 to 160° F. Features a woven cloth backing for exterior sealing. 3" core diameter.

4" wide. Meets ASTM D5486 Type III.

12-month maximum shelf life (extendable).

7510-00-074-4955, SKILCRAFT, AbilityOne, White, RO(contains 60 YD), \$31.26

Strapping Tape

Polyester filament-reinforced tape is suited for light-duty bundling and packaging. Use this low-tensile-strength tape when extra flexibility is needed. Has a 3" core. Meets ASTM: D5330, TYPE: I.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-290-8035, Opaque, Width: 3/4", RO(contains 60 YD), \$6.98

18-month maximum shelf life (extendable).

7510-00-290-8036, Natural, Width: 1", RO(contains 60 YD), \$7.30

Fiberglass filament-reinforced tape is for closing full overlap or full telescope boxes, as well as general bundling and packaging. Also used for carton reinforcing, unitizing and holding applications. Has a 3 inch core. Meets ASTM D5330, TYPE II.

Medium-tensile-strength tape (300 pounds per inch width) is transparent.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-802-8311, SKILCRAFT, AbilityOne, Natural, Width: 3/4", RO(contains 60 YD), \$5.46

For dispenser, see NSN 7520-00-579-9053. (NFES #0222)

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-582-4772, SKILCRAFT, AbilityOne, White, Width: 1", RO(contains 60 YD), \$6.39

Federal Strategic Sourcing Initiative, 7510-00-159-4450, SKILCRAFT, AbilityOne, White, Width: 2", RO(contains 60 YD), \$12.32

7510-00-582-4771, SKILCRAFT, AbilityOne, Transparent, Width: 1/2", RO(contains 60 YD), \$3.33

Packing Tape

Effectively seals fiberboard boxes and paper wrapping. (Requires moistening with water before use.) Meets ASTM D 5749, Type II, Grade B.

Made of non-reinforced, one-ply kraft paper.

Medium-duty tape has a 60-lb. basis weight. Non-strippable tape features a 1/2"-diameter core opening (minimum).

8135-00-271-1446, Brown, Width: 2-1/2", RO(contains 600 FT), \$56.48

8135-00-270-8717, Brown, Width: 3", RO(contains 600 FT), \$58.99

Two-ply paper tape is reinforced with fiberglass and laminated with nonasphaltic material.

Non-strippable tape features a 1/2"-diameter core opening (minimum). Not for use with food products. Meets A-A-1671, Type II, Class 2, Style B. Has 30-lb basis weight.

24-month maximum shelf life (extendable).

8135-00-598-6097, Width: 3", RO(contains 450 FT), \$11.27

Gummed tape that may be stripped easily from container. Safe for use with food products. Meets A-A-1671, Type II, Class I, Style A.

12-month maximum shelf life (extendable).

8135-00-155-5473, Width: 3", RO(contains 375 FT), \$66.01

Packaging Tape w/ Dispenser

Secure packages with this ultra-clear, moisture resistant packaging tape that adheres easily to most surfaces. Easy-to-unwind tape includes dispenser with built-in blade to prevent sticking back on the roll, while clear-to-the-core design makes it easy to determine when it.

24-month maximum shelf life (extendable).

7510-01-675-8745, SKILCRAFT, AbilityOne, Clear, 1.88" W, RO(contains 22 YD), \$3.02

Packaging Tape Dispenser

Handheld packaging tape dispenser accommodates 3" core, 2" wide tapes. Retractable safety blade reduces cuts and injuries. High-impact plastic handle with pistol grip for easy form fit. Includes tape break for one-hand operation. Comes with one 30 yard roll of tape. Meets OSHA requirements.

Federal Strategic Sourcing Initiative, 7520-01-566-4139, SKILCRAFT, AbilityOne, Blue, EA, \$21.79

This heavy-duty box sealing hand held tape dispenser features pistol-grip design for center seam sealing of boxes. Dispenser is for use with tape from 1-1/2" up to 2" wide and 60 yards long with a 3" core. Adjustable tension controls tape unwind. Construction of dispenser is heavy-duty plastic and metal.

7520-01-317-3230, Natural, EA, \$27.85

Sturdy dispenser with nonslip feet is ideal for use in a mail room or shipping department. Holds a 72-yard roll of cellulose tape or a 60-yard roll of plastic-backed sealing tape. Outside tape diameter can be up to 5". Accommodates rolls with a 3" core. Serrated tear-off cutting edge is guarded for user protection. Can be used for single or multiple rolls of tape.

7520-00-285-1772, SKILCRAFT, AbilityOne, Up to 2" W tape., EA, \$29.51

Tape Dispenser

The 3M ScotchCode STD Tape Dispenser carries 8-foot rolls of non-smear polyester tape numbered 0-9 to label wire, cable, control panels, sub-assemblies and parts. The wire marker tape features acrylic adhesive that resists flagging, solvents, oil and water. Refillable compartments offer hinged covers to easily access tape and tear off precise lengths as needed.

7520-01-209-1152, EA, \$48.24

Electric water-activated tape dispenser (also known as a paper tape dispenser, gummed or gum tape water-activated tape dispenser) made for fast-paced shipping and packaging environments. Features: Thermal cutoff; Safety interlock switch; and flame-retardant plastic, steel side frames, high grade solenoid link and zinc-plated steel parts. Power: 115V.

7520-00-045-4354, EA, \$442.42

Sealing Tape

Used primarily for sealing MIL-C-2439 fiber ammunition containers, MIL-C-3955 fiber cans, slip-cover metal containers and plastic containers. Usable in extreme climates of -66 to +155 deg.F. Plastic film-backed tape is waterproof and water-vapor proof. Medium-tensile-strength roll has a 3-diameter core.

12-month maximum shelf life (extendable).

7510-00-823-8072, Black, 2" wide, RO(contains 60 YD), \$60.05

Opaque tape has a plastic film backing and seals against moisture. Also use for interior packaging and identification marking; nonprintable. Has a 3" core.

18-month maximum shelf life (extendable).

7510-00-134-8830, Yellow, 4" wide, RO(contains 36 YD), \$14.62

Preservation and Sealing Tape

Intended for use in preservation and sealing of military vehicles, aircraft, missiles and other related equipment during handling, shipment and storage. Oil and weather-resistant plastic tape can be applied to clean, dry surfaces in all temperatures. Ideal for use with overcoating when unprotected outdoor storage is anticipated. Also may be used without overcoating when exposure to outdoor elements is not expected. Not intended for use on or near heat sources such as steam pipes or radiators. Have overall length that is 36" yards per roll and a 3" diameter core. Meets SAE-AMS-T-22085, Type II.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-01-652-5438, 481, Black, Width: 4.0", BX(contains 8 EA), \$859.62

7510-01-652-5436, 481, Black, Width: 3.0", BX(contains 12 EA), \$1,071.63

7510-01-652-5433, 481, Black, Width: 2", BX(contains 24 EA), \$1,429.07

7510-01-652-5432, 481, Black, Width: 2.5", BX(contains 24 EA), \$814.25

7510-01-652-5429, 481, Black, Width: 1", BX(contains 36 EA), \$1,071.80

7510-00-926-8941, Black, Width: 6", RO(contains 36 YD), \$37.57

ADVERTISEMENT

PRODUCTS WITH A PURPOSE

When you choose SKILCRAFT® products and other products provided through the AbilityOne® Program, you get more than quality. You help create jobs for thousands of skilled and dedicated people who are blind or have significant disabilities right here in America. Making the smart choice has never been easier.

Created with pride by Americans who are blind or have significant disabilities

FURNITURE AND FURNISHINGS

IN THIS SECTION

Introduction	182	Metal Desks and Workstations	215
Office Furniture	183	Filing and Storage	217
Traditional Executive	183	Dormitory and Quarters Furniture ...	225
Contemporary Executive	197	Healthcare Furniture	230
Seating	206	Special Use Furniture	240
Height Adjustable Workstations	211	Office Accessories	244

Whether your agency is military or civilian, we're ready to support your furniture and furnishings requirements!

GSA's Integrated Workplace Acquisition Center has expanded the categories and styles of furniture and furnishings available through GSA Global Supply® to include the most in-demand furniture products. Each product line is awarded to be compatible in design so that they can be used together in offices and conference rooms. Every furniture item in this catalog is a GSA Global Supply item that therefore may be requisitioned, regardless of size, from GSA, because GSA has already conducted a competitive procurement that satisfies all Federal Acquisition Regulation (FAR) requirements, including environmental initiatives, trade agreement policies, socioeconomic goals, AbilityOne mandates, and executive orders.

See the recently added healthcare furniture in the What's New section at the front of this catalog. The healthcare furniture line is intended for use in hospitals and other medical facilities. The healthcare furniture is available in a variety of wood or metal finish options, and the seating is available in a variety of healthcare-grade upholstery.

Delivery

For your convenience, all items in this publication are direct delivery from our industry partners, which provides faster delivery and lower prices to our customers. Delivery times vary by product line. The applicable delivery time for each NSN can be found by searching for the NSN at **www.GSAGlobalsupply.gsa.gov** or at **www.gsaadvantage.gov**.

Most of the furniture and furnishing items are priced as FOB Destination, so there will be no additional freight charges. However, if the NSN is listed as FOB Origin at **www.GSAGlobalsupply.gsa.gov**, additional freight charges may apply. GSA prices also cover delivery of OCONUS orders for entry into the Defense Transportation System or designated freight forwarder for further routing overseas.

Basic freight is dock-to-dock. GSA prices do not include liftgate service or physically carrying freight up or down stairs (where delivery is to a floor other than the the loading dock, and there is not an available elevator). Customers may arrange for inside delivery or additional services when they need freight delivered beyond their loading docks, at an extra cost. These rates may be predicated on established contract pricing or may need to be negotiated on a case-by-case basis.

Tip: For large orders and heavy furniture items, please make sure to include a point of contact and phone number for both the buyer and for delivery on your requisition in the event that questions arise about your delivery location or order. Because some furniture items are very heavy, providing a point of contact and phone numbers will help prevent costly delivery issues.

Traditional Executive

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Single Pedestal Desk

Single pedestal desk has a central locking system, recessed modesty panel, center drawer with a pull down front which can function as a drawer or a keyboard tray, dictation slide on the approach side, pencil drawer, box drawer and file drawer.

Right Pedestal Desk.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5154, Mahogany, Width: 66"; Depth: 30"; Height: 29", EA, \$2,582.50

7110-01-388-5212, Walnut, Width: 66"; Depth: 30"; Height: 29", EA, \$2,582.50

7110-01-383-8123, Mahogany, Width: 72"; Depth: 36"; Height: 29", EA, \$2,801.20

7110-01-383-8120, Walnut, Width: 72"; Depth: 36"; Height: 29", EA, \$2,593.72

Left Pedestal Desk.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5095, Mahogany, Width: 66"; Depth: 30"; Height: 29", EA, \$2,582.50

7110-01-388-5184, Walnut, Width: 66"; Depth: 30"; Height: 29", EA, \$2,582.50

7110-01-383-8116, Mahogany, Width: 72"; Depth: 36"; Height: 29", EA, \$2,801.20

7110-01-383-8107, Walnut, Width: 72"; Depth: 36"; Height: 29", EA, \$2,801.20

Double Pedestal Desk

Double Pedestal Desk, is available in Full Chassis or Conference Style. Conference style desks have 6" overhang on the approach side. Both full chassis and conference style desks have a central locking system, recessed modesty panel, center drawer with a pull down front which can function as a drawer or a keyboard tray, dictation slide on the approach side, pencil drawer, box drawer and file drawer.

Full Chassis.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-7920, Mahogany, Width: 64"; Depth: 30"; Height: 30", EA, \$2,865.24

7110-01-654-7921, Walnut, Width: 64"; Depth: 30"; Height: 30", EA, \$2,865.24

7110-01-388-5123, Mahogany, Width: 72"; Depth: 36"; Height: 30", EA, \$4,026.97

7110-01-195-6419, Walnut, Width: 72"; Depth: 36"; Height: 30", EA, \$4,026.97

Conference Style.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-495-2786, Mahogany, Width: 72"; Depth: 36"; Height: 30", EA, \$2,957.96

7110-01-495-2785, Walnut, Width: 72"; Depth: 36"; Height: 29", EA, \$2,957.96

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

“L-Shape” Desk

L-Shape desk has a central locking system, center drawer with a pull down front which can function as a drawer or a keyboard tray, dictation slide on the approach side, recessed modesty panels, pencil drawer, box drawer and file drawer. Articulating keyboard tray provided on the return and includes an interchangeable swivel mouse platform and palm support.

L-Shape, Right.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-383-8230, Mahogany, 66"w x 30"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$4,721.34

7110-01-195-6401, Walnut, 66"w x 30"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$4,721.34

7110-01-495-2816, Mahogany, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$4,940.04

7110-01-495-2815, Walnut, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$4,940.04

L-Shape, Left.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-383-8234, Mahogany, 66"w x 30"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$4,721.34

7110-01-195-6402, Walnut, 66"w x 30"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$4,721.34

7110-01-495-2818, Mahogany, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$4,940.04

7110-01-495-2817, Walnut, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$4,940.04

“U-Shape” Desk

U-Shape desk has a central locking system, center drawer with a pull down front which can function as a drawer or a keyboard tray, dictation slide on the approach side, recessed modesty panels, pencil drawer, box drawer and file drawer. Articulating keyboard tray provided on the return and include an interchangeable swivel mouse platform and palm support. Desk and credenza include 1 pedestal each.

U-Shape Desk, Right.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8327, Mahogany, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$5,656.46

7110-01-654-8325, Walnut, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$5,656.46

7110-01-654-8322, Mahogany, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$5,901.78

7110-01-654-8324, Walnut, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$5,901.78

U-Shape Desk, Left.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8323, Mahogany, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$5,656.46

7110-01-654-8331, Walnut, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$5,656.46

7110-01-654-8329, Mahogany, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$5,901.78

7110-01-654-8326, Walnut, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$5,901.78

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Single Pedestal Adjustable Height Desk

Single pedestal adjustable height desk features worksurface that adjusts, full height modesty panel, full extension drawers, and a central locking system.

Right Hand Return.

7110-01-698-8615, Mahogany, Width: 66"; Depth: 30"; Height: 30", EA, \$4,155.03

7110-01-698-8614, Walnut, Width: 66"; Depth: 30"; Height: 30", EA, \$4,155.03

7110-01-698-9703, Mahogany, Width: 72"; Depth: 36"; Height: 30", EA, \$4,374.15

7110-01-698-9702, Walnut, Width: 72"; Depth: 36"; Height: 30", EA, \$4,374.15

Left Hand Return

7110-01-698-8617, Mahogany, Width: 66"; Depth: 30"; Height: 30", EA, \$4,155.03

7110-01-698-8616, Walnut, Width: 66"; Depth: 30"; Height: 30", EA, \$4,155.03

7110-01-698-9707, Mahogany, Width: 72"; Depth: 36"; Height: 30", EA, \$4,374.15

7110-01-698-9704, Walnut, Width: 72"; Depth: 36"; Height: 30", EA, \$4,374.15

Double Pedestal Adjustable Height Desk

Double pedestal adjustable height desk features worksurface that adjusts, full height modesty panel, full extension drawers, and a central locking system.

Full Chassis Style.

7110-01-698-8619, Mahogany, 66"w x 30"d x 30"h, EA, \$4,423.64

7110-01-698-9068, Walnut, 66"w x 30"d x 30"h, EA, \$4,423.64

7110-01-698-9069, Mahogany, 72"w x 36"d x 30"h, EA, \$5,445.65

7110-01-698-8618, Walnut, 72"w x 36"d x 30"h, EA, \$5,445.65

L-Shape Reception Desk

L-Shape reception station includes a desk and return with (1) pedestal each and a transaction top. Desk also features full extension drawers, a central locking system, center drawer with a pull down front which can function as a drawer or a keyboard tray, full height 42" modesty panels. Articulating keyboard tray provided on the return and includes an interchangeable swivel mouse platform and palm support.

Right Hand Return.

7110-01-698-9710, Mahogany, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$5,671.42

7110-01-698-9708, Walnut, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$5,671.42

Left Hand Return.

7110-01-698-9711, Mahogany, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$5,671.42

7110-01-698-9709, Walnut, 72"w x 36"d x 30"h Desk, 48"w x 24"d x 30"h Return, EA, \$5,671.42

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

U-Shape Reception Desk

U-Shape reception station includes a desk, a bridge, a credenza and a transaction top. Desk and credenza include (1) pedestal each. Desk also features full extension drawers, a central locking system, center drawer with a pull down front which can function as a drawer or a keyboard tray, full height 42" modesty panels.

Right Hand Return.

7110-01-698-9713, Mahogany, 66"W x 30"D x 30"H Desk; 42"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$6,251.88

7110-01-698-9712, Walnut, 66"W x 30"D x 30"H Desk; 42"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$6,251.88

7110-01-698-9717, Mahogany, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$6,307.60

7110-01-698-9716, Walnut, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$6,307.60

7110-01-698-9695, Mahogany, 72"W x 36"D x 30"H Desk; 42"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$6,558.73

7110-01-698-9697, Walnut, 72"W x 36"D x 30"H Desk; 42"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$6,558.73

7110-01-698-9701, Mahogany, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$6,614.44

7110-01-698-9700, Walnut, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$6,614.44

Left Hand Return

7110-01-698-9715, Mahogany, 66"W x 30"D x 30"H Desk; 42"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$6,251.88

7110-01-698-9714, Walnut, 66"W x 30"D x 30"H Desk; 42"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$6,251.88

7110-01-698-9696, Mahogany, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$6,307.60

7110-01-698-9718, Walnut, 66"W x 30"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 66"W x 22"D x 30"H Credenza., EA, \$6,307.60

7110-01-698-9699, Mahogany, 72"W x 36"D x 30"H Desk; 42"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$6,558.73

7110-01-698-9698, Walnut, 72"W x 36"D x 30"H Desk; 42"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$6,558.73

7110-01-698-9706, Mahogany, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$6,614.44

7110-01-698-9705, Walnut, 72"W x 36"D x 30"H Desk; 48"W x 22"D x 30"H Bridge; 72"W x 22"D x 30"H Credenza., EA, \$6,614.44

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Hutch Cabinet

Hutch cabinets are sized to be used with desks and credenzas within this furniture line and feature task light mounted to the underside of the hutch cabinet, tackable surface, and wire management. Hutch cabinets are available with open shelves and a variety of lockable hinged door style options.

Overhead Storage Hutch with End Panels. Features lockable hinged doors, task lights mounted to the underside of the hutch cabinet, tackable surface, and wire management.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8343, Mahogany, 66" W x 15" D, EA, \$3,809.50

7110-01-654-8342, Walnut, 66" W x 15" D, EA, \$3,809.50

7110-01-417-0783, Mahogany, 72" W x 15" D, EA, \$4,004.51

7110-01-417-0782, Walnut, 72" W x 15" D, EA, \$4,004.51

Hutch with wood panel doors.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8336, Mahogany, 66" W x 15" D, EA, \$2,895.59

7110-01-654-8334, Walnut, 66" W x 15" D, EA, \$2,895.59

7110-01-495-2800, Mahogany, 72" W x 15" D, EA, \$2,984.99

7110-01-495-2799, Walnut, 72" W x 15" D, EA, \$2,984.99

Hutch with glass insert doors.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8341, Mahogany, 66" W x 15" D, EA, \$3,160.45

7110-01-654-8340, Walnut, 66" W x 15" D, EA, \$3,160.45

7110-01-495-2802, Mahogany, 72" W x 15" D, EA, \$3,252.75

7110-01-495-2801, Walnut, 72" W x 15" D, EA, \$3,252.75

Hutch with antique brass finished metal grill insert doors.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8328, Mahogany, 66" W x 15" D, EA, \$3,503.06

7110-01-654-8339, Walnut, 66" W x 15" D, EA, \$3,503.06

7110-01-495-2796, Mahogany, 72" W x 15" D, EA, \$3,593.70

7110-01-495-2795, Walnut, 72" W x 15" D, EA, \$3,593.70

Hutch with open shelves (no doors).

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8332, Mahogany, 66" W x 15" D, EA, \$2,067.75

7110-01-654-8330, Walnut, 66" W x 15" D, EA, \$2,067.75

7110-01-495-2798, Mahogany, 72" W x 15" D, EA, \$2,157.14

7110-01-495-2797, Walnut, 72" W x 15" D, EA, \$2,157.14

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Bookcase

Bookcase, 4 Shelves. The bookcase has three adjustable shelves and a fixed bottom shelf.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5196, Mahogany, 34" W x 15" D x 4-High, EA, \$1,277.73

7110-01-195-6423, Walnut, 34" W x 15" D x 4-High, EA, \$1,277.73

Bookcase, 5 Shelves. The bookcase has three adjustable shelves, fixed bottom shelf, and fixed center shelf.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-383-8144, Mahogany, 34"W x 15"D x 5-High, EA, \$1,497.28

7110-01-383-8142, Walnut, 34"W x 15"D x 5-High, EA, \$1,497.28

Bookcase with Glass Doors, 4 Shelves. The bookcase has two hinged glass doors, three adjustable shelves and a fixed bottom shelf.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5219, Mahogany, 34" W x 15" D x 4-High, EA, \$2,009.12

7110-01-195-6422, Walnut, 34" W x 15" D x 4-High, EA, \$2,009.12

Lateral File Cabinet

Lateral file cabinets feature a central locking system, anti-tip drawer interlock mechanism, and two handles on each drawer front. Modular lateral files can be used in a file bank application. Lateral files shown with bookcase hutch feature decorative trim and therefore can not be used in a file bank application.

Modular 4 Drawer Lateral File.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5069, Mahogany, Width: 36"; Depth: 22"; 4-High., EA, \$2,329.69

7110-01-246-3056, Walnut, Width: 36"; Depth: 22"; 4-High., EA, \$2,329.69

Modular 2 Drawer Lateral File.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5044, Mahogany, Width: 36"; Depth: 22"; 2-High., EA, \$1,424.51

7110-01-246-3055, Walnut, Width: 36"; Depth: 22"; 2-High., EA, \$1,424.51

2 Drawer Lateral File with Open Bookcase Hutch.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8335, Mahogany, 34"w x 20"d x 2-High Lateral File; 34"w x 15"d x 51"h Hutch, EA, \$2,588.73

7110-01-654-8333, Walnut, 34"w x 20"d x 2-High Lateral File; 34"w x 15"d x 51"h Hutch, EA, \$2,588.73

2 Drawer Lateral File with Glass Door Bookcase Hutch.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-654-8338, Mahogany, 34"w x 20"d x 2-High Lateral File; 34"w x 15"d x 51"h Hutch, EA, \$3,210.75

7110-01-654-8337, Walnut, 34"w x 20"d x 2-High Lateral File; 34"w x 15"d x 51"h Hutch, EA, \$3,210.75

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Mobile Computer Table

This mobile computer table has casters to allow easy movement within the office. The front casters have locks to prevent movement while in use. The table has a keyboard shelf or tray and wire management capabilities.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5117, Mahogany, Width: 36"; Depth: 24"; Height: 30", EA, \$1,562.14

7110-01-195-6406, Walnut, Width: 36"; Depth: 24"; Height: 30", EA, \$1,562.14

Table Desk with Center Drawer

Executive table desk with a center pull-out drawer conserves floor space in busy executive offices, courtrooms and conference rooms.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5159, Mahogany, Width: 60"; Depth: 30"; Height: 29", EA, \$1,259.45

7110-01-154-6985, Walnut, Width: 60"; Depth: 30"; Height: 29", EA, \$1,259.45

7110-01-388-5073, Mahogany, Width: 72"; Depth: 30"; Height: 29", EA, \$1,505.18

7110-01-155-7460, Walnut, Width: 72"; Depth: 30"; Height: 29", EA, \$1,505.18

Wardrobe

2- Door Wardrobe Cabinet features (2) hinged lockable doors with one half having adjustable shelves and the other half to having a coat rod and shelf.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-383-8106, Mahogany, Width: 32"; Depth: 24", EA, \$3,733.83

7110-01-383-8102, Walnut, Width: 32"; Depth: 24", EA, \$3,733.83

Wood Credenza

Storage Credenza. This credenza has two drawer sections and a closed center section with hinged doors, with a central locking system. The drawer sections have two box drawers and a file drawer. A grommet is provided to route wiring.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5197, Mahogany, Width: 72"; Depth: 22"; Height: 30", EA, \$2,618.25

7110-01-195-6426, Walnut, Width: 72"; Depth: 22"; Height: 30", EA, \$2,618.25

Kneespace Credenza. This credenza has a center knee space and two drawer pedestals with two storage drawers and a file drawer in each and features a central locking system. The open center knee space includes a drop-front center drawer which can function as a drawer or keyboard tray. A grommet is provided to route wiring.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5217, Mahogany, Width: 66"; Depth: 22"; Height: 30", EA, \$2,342.58

7110-01-195-6427, Walnut, Width: 66"; Depth: 22"; Height: 30", EA, \$2,342.58

7110-01-388-5129, Mahogany, Width: 72"; Depth: 22"; Height: 30", EA, \$2,543.41

7110-01-388-5118, Walnut, Width: 72"; Depth: 22"; Height: 30", EA, \$2,543.41

Conference Room Presentation Board

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Wall mounted presentation board has a solid wood frame with a white, dry erase board. This board includes doors to cover the marker board when it is not in use. Overall dimensions, when open, are 48" high and 96" wide. Doors have a fabric, tackable interior surface. Presentation board is available with or without pull-down projection screen.

Presentation board with doors.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-495-2812, Mahogany, Width: 48"; Depth: 5"; Height: 48", EA, \$2,194.98

7110-01-495-2811, Walnut, Width: 48"; Depth: 5"; Height: 48", EA, \$2,194.98

Presentation board with doors and pull-down projection screen.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-495-2814, Mahogany, Width: 48"; Depth: 5"; Height: 48", EA, \$2,597.05

7110-01-495-2813, Walnut, Width: 48"; Depth: 5"; Height: 48", EA, \$2,597.05

Conference Table

Utilized-style rectangular table constructed of 1-3/16" particle board, topped with a walnut grain high impact plastic laminate and edged with walnut hardwood. The apron is made of 1" x 3" walnut veneer plywood with a top overhang on both ends of 2" to 14" and a side overhang of 2" to 8" (size of table determines size of overhang). Black steel legs are 1-1/2" x 1-1/2" with adjustable leg glide inserts. Compact design conserves floor space in busy executive office, courtrooms, and conference rooms. Delivery within 90-120 days.

7110-00-958-0780, AbilityOne, Walnut, 30" x 60", Seats 6, EA, \$561.40

7110-00-823-7675, AbilityOne, Walnut, 30" x 60", Seats 8, EA, \$668.41

7110-00-903-3061, AbilityOne, Walnut, 36" x 96", Seats 10, EA, \$995.36

7110-00-902-3052, AbilityOne, Walnut, 48" x 120", Seats 12, EA, \$1,070.36

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of line of traditional-style wood furniture designed for federal offices, courtrooms, libraries, and conference rooms that are intended for use by government executives (or equivalent military rank) in the Executive, Judicial, and Legislative branches, or armed forces of the federal government. This traditional executive wood furniture, crafted in select hardwoods with walnut or mahogany veneers, will add a touch of sophistication to any executive office and associated areas. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Conference room table is available as rectangular table with panel legs or round table with center column traditional style base.

Rectangular Wood Conference Table - 96" Long.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5112, Mahogany, Width: 96"; Depth: 42"; Height: 30", EA, \$2,957.55

7110-01-154-6986, Walnut, Width: 96"; Depth: 42"; Height: 30", EA, \$2,957.55

Rectangular Wood Conference Table - 120" Long.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5132, Mahogany, Width: 120"; Depth: 48"; Height: 30", EA, \$4,223.65

7110-01-154-6987, Walnut, Width: 120"; Depth: 48"; Height: 30", EA, \$4,223.65

Rectangular Wood Conference Table - 144" Long.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5178, Mahogany, Width: 144"; Depth: 48"; Height: 30", EA, \$4,563.35

7110-01-154-6988, Walnut, Width: 144"; Depth: 48"; Height: 30", EA, \$4,563.35

Round Wood Conference Table with Center Column Traditional Style Base.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-388-5063, Mahogany, 42" Diameter, EA, \$1,944.67

7110-01-388-5148, Walnut, 42" Diameter, EA, \$1,944.67

7110-01-388-5194, Mahogany, 48" Diameter, EA, \$2,155.48

7110-01-246-3065, Walnut, 48" Diameter, EA, \$2,155.48

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

Coffee Table

Traditional style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

Rectangular Coffee Table.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3723, Mahogany Finish, 47" W x 18" D x 16" H, EA, \$603.59

7110-01-622-3719, Walnut Finish, 47" W x 18" D x 16" H, EA, \$603.59

Square Coffee Table.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3717, Mahogany Finish, 36" W x 36" D x 16" H, EA, \$645.64

7110-01-622-3713, Walnut Finish, 36" W x 36" D x 16" H, EA, \$645.64

End Table

Traditional style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

End Table.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3706, Mahogany Finish, 20" W x 24" D x 22" H, EA, \$502.47

7110-01-622-3704, Walnut Finish, 20" W x 24" D x 22" H, EA, \$502.47

Sofa Table

Traditional style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

Sofa/Console Table.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3733, Mahogany Finish, 47" W x 18" D x 30" H, EA, \$697.10

7110-01-622-3725, Walnut Finish, 47" W x 18" D x 30" H, EA, \$697.10

Corner Table

Traditional style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

Corner Table.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-622-3711, Mahogany Finish, 24" W x 21" D x 22" H, EA, \$517.22

7110-01-622-3708, Walnut Finish, 24" W x 21" D x 22" H, EA, \$517.22

Armless Guest Chair

Traditional style armless straight, guest or side chair. Due to current supply chain issues, delivery of this NSN may be delayed.

Walnut Finish Wood Base.

- 7110-01-622-3238, Black Leather, 24" W x 26" D x 36" H, EA, \$1,069.36
- 7110-01-622-3235, Brown Leather, 24" W x 26" D x 36" H, EA, \$1,069.36
- 7110-01-622-3227, Burgundy Leather, 24" W x 26" D x 36" H, EA, \$1,069.36
- 7110-01-622-3231, Navy Blue Leather, 24" W x 26" D x 36" H, EA, \$1,069.36
- 7110-01-622-3181, Black Vinyl, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-3178, Brown Vinyl, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-3175, Burgundy Vinyl, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-4207, Navy Blue Vinyl, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-3192, Black Fabric, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-3188, Brown Fabric, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-3183, Burgundy Fabric, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-3185, Navy Blue Fabric, 24" W x 26" D x 36" H, EA, \$777.63

Mahogany Finish Wood Base.

- 7110-01-622-4201, Black Leather, 24" W x 26" D x 36" H, EA, \$1,069.36
- 7110-01-622-4220, Brown Leather, 24" W x 26" D x 36" H, EA, \$1,069.36
- 7110-01-622-4213, Burgundy Leather, 24" W x 26" D x 36" H, EA, \$1,069.36
- 7110-01-622-3242, Navy Blue Leather, 24" W x 26" D x 36" H, EA, \$1,069.36
- 7110-01-622-4214, Black Vinyl, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-4212, Brown Vinyl, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-4206, Burgundy Vinyl, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-3176, Navy Blue Vinyl, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-4223, Black Fabric, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-4218, Brown Fabric, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-4215, Burgundy Fabric, 24" W x 26" D x 36" H, EA, \$777.63
- 7110-01-622-3186, Navy Blue Fabric, 24" W x 26" D x 36" H, EA, \$777.63

Closed Arm Guest Chair

Due to current supply chain issues, delivery of this NSN may be delayed. Traditional style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

Traditional style straight side or guest features a closed arm design and walnut or mahogany finish wood frame.

Walnut Finish Wood Frame.

- Low VOC, Comprehensive Procurement Guideline Compliant
- 7110-01-622-3292, Leather Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,476.07
- 7110-01-622-3289, Leather Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,476.07
- 7110-01-622-3282, Leather Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,476.07
- 7110-01-622-3285, Leather Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,476.07
- 7110-01-622-3378, Vinyl Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-3379, Vinyl Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-3383, Vinyl Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-3377, Vinyl Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-3783, Fabric Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-3386, Fabric Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-3384, Fabric Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-3385, Fabric Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,079.21

Mahogany Finish Wood Frame.

- Low VOC, Comprehensive Procurement Guideline Compliant
- 7110-01-622-4257, Leather Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,476.07
- 7110-01-622-4252, Leather Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,476.07
- 7110-01-622-4245, Leather Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,476.07
- 7110-01-622-3302, Leather Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,476.07
- 7110-01-622-4258, Vinyl Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-4263, Vinyl Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,047.43
- 7110-01-622-4259, Vinyl Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,047.43
- 7110-01-622-3382, Vinyl Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-4261, Fabric Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-4260, Fabric Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-4266, Fabric Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,079.21
- 7110-01-622-3387, Fabric Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,079.21

Open Arm Guest Chair

Due to current supply chain issues, delivery of this NSN may be delayed. Traditional style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

Traditional style straight side or guest features an open arm design with walnut or mahogany finish wood frame.

Walnut Finish Wood Frame.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3221, Fabric Upholstery, Black, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-3218, Fabric Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-3225, Fabric Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-3229, Fabric Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-3391, Leather Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,178.98
- 7110-01-622-3390, Leather Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,178.98
- 7110-01-622-3388, Leather Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,178.98
- 7110-01-622-3389, Leather Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,178.98
- 7110-01-622-3215, Vinyl Upholstery, Black, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-3210, Vinyl Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$833.12
- 7110-01-622-3207, Vinyl Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-3213, Vinyl Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$857.73

Mahogany Finish Wood Frame.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-4209, Fabric Upholstery, Black, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-4204, Fabric Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-4205, Fabric Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$833.12
- 7110-01-622-3223, Fabric Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-4265, Leather Upholstery, Black, 25"W x 26"D x 36"H, EA, \$1,178.98
- 7110-01-622-4264, Leather Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$1,178.98
- 7110-01-622-4262, Leather Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$1,178.98
- 7110-01-622-3392, Leather Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$1,144.53
- 7110-01-622-4202, Vinyl Upholstery, Black, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-4200, Vinyl Upholstery, Brown, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-4203, Vinyl Upholstery, Burgundy, 25"W x 26"D x 36"H, EA, \$857.73
- 7110-01-622-3217, Vinyl Upholstery, Navy Blue, 25"W x 26"D x 36"H, EA, \$857.73

High Back Executive Office Chair

Due to current supply chain issues, delivery of this NSN may be delayed. Traditional style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

Traditional style high back executive office chairs feature 5-star rotary wood base available in walnut or mahogany finish.

Walnut Finish Wood Base.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-1767, Leather Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$1,739.17
- 7110-01-622-1766, Leather Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$1,739.17
- 7110-01-622-0455, Leather Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$1,739.17
- 7110-01-622-1765, Leather Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$1,739.17
- 7110-01-622-2868, Vinyl Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$1,301.13
- 7110-01-622-1762, Vinyl Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$1,301.13
- 7110-01-622-1761, Vinyl Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$1,301.13
- 7110-01-622-1760, Vinyl Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$1,301.13
- 7110-01-622-2848, Fabric Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$1,301.13
- 7110-01-622-2845, Fabric Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$1,301.13
- 7110-01-622-2841, Fabric Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$1,301.13
- 7110-01-622-2842, Fabric Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$1,301.13

Mahogany Finish Wood Base.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-1811, Leather Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$1,739.17
- 7110-01-622-1770, Leather Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$1,739.17
- 7110-01-622-1768, Leather Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$1,739.17
- 7110-01-622-1769, Leather Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$1,739.17
- 7110-01-622-3773, Vinyl Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$1,263.99
- 7110-01-622-3771, Vinyl Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$1,263.99
- 7110-01-622-3769, Vinyl Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$1,263.99
- 7110-01-622-2876, Vinyl Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$1,263.99
- 7110-01-622-3785, Fabric Upholstery, Black, 28" W x 26.5" D x 42-46" H, EA, \$1,263.99
- 7110-01-622-3781, Fabric Upholstery, Brown, 28" W x 26.5" D x 42-46" H, EA, \$1,263.99
- 7110-01-622-3779, Fabric Upholstery, Burgundy, 28" W x 26.5" D x 42-46" H, EA, \$1,263.99
- 7110-01-622-2852, Fabric Upholstery, Navy Blue, 28" W x 26.5" D x 42-46" H, EA, \$1,263.99

High Back with Head Roll

High back traditional style judge's chair with head roll. Due to current supply chain issues, delivery of this NSN may be delayed.

Mahogany Finish Wood Base.

- 7110-01-622-3279, Black Leather, 30" W x 26" D x 43-46" H, EA, \$1,642.52
- 7110-01-622-3273, Brown Leather, 30" W x 26" D x 43-46" H, EA, \$1,642.52
- 7110-01-622-3269, Burgundy Leather, 30" W x 26" D x 43-46" H, EA, \$1,642.52
- 7110-01-622-3300, Black Vinyl, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3295, Brown Vinyl, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3287, Burgundy Vinyl, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3290, Navy Blue Vinyl, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3315, Black Fabric, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3309, Brown Fabric, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3301, Burgundy Fabric, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3307, Navy Blue Fabric, 30" W x 26" D x 43-46" H, EA, \$1,234.02

Walnut Finish Wood Base.

- 7110-01-622-2875, Black Leather, 30" W x 26" D x 43-46" H, EA, \$1,642.52
- 7110-01-622-2874, Brown Leather, 30" W x 26" D x 43-46" H, EA, \$1,642.52
- 7110-01-622-2869, Burgundy Leather, 30" W x 26" D x 43-46" H, EA, \$1,642.52
- 7110-01-622-2871, Navy Blue Leather, 30" W x 26" D x 43-46" H, EA, \$1,642.52
- 7110-01-622-3284, Black Vinyl, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3280, Brown Vinyl, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3275, Navy Blue Vinyl, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3299, Black Fabric, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3296, Brown Fabric, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3305, Burgundy Fabric, 30" W x 26" D x 43-46" H, EA, \$1,234.02
- 7110-01-622-3293, Navy Blue Fabric, 30" W x 26" D x 43-46" H, EA, \$1,234.02

Mid Back Executive Office Chair

Due to current supply chain issues, delivery of this NSN may be delayed. Traditional style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

Traditional style mid back executive office chairs feature 5-star rotary wood base available in walnut or mahogany finish.

Walnut Finish Wood Base.

- Low VOC, Comprehensive Procurement Guideline Compliant
- 7110-01-622-2854, Leather Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$1,634.46
- 7110-01-622-2850, Leather Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$1,634.46
- 7110-01-622-2844, Leather Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$1,634.46
- 7110-01-622-2847, Leather Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$1,634.46
- 7110-01-622-2865, Vinyl Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$1,209.86
- 7110-01-622-2861, Vinyl Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$1,209.86
- 7110-01-622-2857, Vinyl Upholstery, Burgundy, 28" W x 26.5" D x 39-43" H, EA, \$1,209.86
- 7110-01-622-2858, Vinyl Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$1,209.86
- 7110-01-622-2833, Fabric Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-2832, Fabric Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-2829, Fabric Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-2831, Fabric Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65

Mahogany Finish Wood Base.

- Low VOC, Comprehensive Procurement Guideline Compliant
- 7110-01-622-3789, Leather Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$1,683.68
- 7110-01-622-3787, Leather Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$1,683.68
- 7110-01-622-3786, Leather Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$1,683.68
- 7110-01-622-2856, Leather Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$1,683.68
- 7110-01-622-3792, Vinyl Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-3791, Vinyl Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-3790, Vinyl Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-2872, Vinyl Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-3776, Fabric Upholstery, Black, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-3775, Fabric Upholstery, Brown, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-3793, Fabric Upholstery, Burgundy, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65
- 7110-01-622-2837, Fabric Upholstery, Navy Blue, 28"W x 26 1/2" D x 39-43"H, EA, \$1,245.65

Lounge Chair

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

Traditional style executive lounge chairs with wood legs, measure approximately 34" wide x 34" deep x 34" high (overall).

Walnut Finish Wood Legs.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3372, Leather Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$1,979.44
- 7110-01-622-3371, Leather Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$1,979.44
- 7110-01-622-3365, Leather Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$1,979.44
- 7110-01-622-3366, Leather Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$1,979.44
- 7110-01-622-3737, Vinyl Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-3736, Vinyl Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-3730, Vinyl Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-3732, Vinyl Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-3767, Fabric Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-3764, Fabric Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-3752, Fabric Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-3759, Fabric Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84

Mahogany Finish Wood Legs.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-4656, Leather Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$1,979.44
- 7110-01-622-4654, Leather Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$1,979.44
- 7110-01-622-4671, Leather Upholstery, Cordovan, 33"W x 28 1/2"D x 33"H, EA, \$1,979.44
- 7110-01-622-3784, Leather Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$1,979.44
- 7110-01-622-4655, Vinyl Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$1,270.70
- 7110-01-622-5469, Vinyl Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-4657, Vinyl Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-3741, Vinyl Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-4662, Fabric Upholstery, Black, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-4659, Fabric Upholstery, Brown, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-4661, Fabric Upholstery, Burgundy, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84
- 7110-01-622-3772, Fabric Upholstery, Navy Blue, 33"W x 28 1/2"D x 33"H, EA, \$1,307.84

Two Seat Sofa

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

Traditional style executive two place sofas with wood legs, measure approximately 55" wide x 28 1/2" deep x 33" high (overall).

Walnut Finish Wood Legs.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3750, Leather Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$2,574.07
- 7110-01-622-3747, Leather Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$2,574.07
- 7110-01-622-3726, Leather Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$2,574.07
- 7110-01-622-3740, Leather Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$2,574.07
- 7110-01-622-3693, Vinyl Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3692, Vinyl Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3722, Vinyl Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3690, Vinyl Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3721, Fabric Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3718, Fabric Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3709, Fabric Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3712, Fabric Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45

Mahogany Finish Wood Legs.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-4667, Leather Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$2,574.07
- 7110-01-622-4666, Leather Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$2,574.07
- 7110-01-622-3755, Leather Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$2,574.07
- 7110-01-622-3763, Leather Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$2,574.07
- 7110-01-622-3710, Vinyl Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3703, Vinyl Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3695, Vinyl Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-3700, Vinyl Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-4663, Fabric Upholstery, Black, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-4660, Fabric Upholstery, Brown, 55"W x 28 1/2"D x 33"H, EA, \$1,698.45
- 7110-01-622-4658, Fabric Upholstery, Burgundy, 55"W x 28 1/2"D x 33"H, EA, \$1,648.33
- 7110-01-622-3724, Fabric Upholstery, Navy Blue, 55"W x 28 1/2"D x 33"H, EA, \$1,648.33

Three Seat Sofa

Traditional style executive lounge furniture is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies. Lounge chairs and sofas are available in leather, vinyl and fabric upholstery in a variety of fabric colors. Wood finishes for the traditional line of furniture include walnut and mahogany.

Traditional style executive three place sofas with wood legs, measure approximately 77" wide x 28 1/2" deep x 33" high (overall).

Walnut Finish Wood Legs.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3729, Leather Upholstery, Black, 77"W x 28 1/2"D x 33"H, EA, \$3,038.50
- 7110-01-622-3751, Leather Upholstery, Brown, 77"W x 28 1/2"D x 33"H, EA, \$3,038.50
- 7110-01-622-3743, Leather Upholstery, Burgundy, 77"W x 28 1/2"D x 33"H, EA, \$3,038.50
- 7110-01-622-3746, Leather Upholstery, Navy Blue, 77"W x 28 1/2"D x 33"H, EA, \$3,038.50
- 7110-01-622-3681, Vinyl Upholstery, Black, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3672, Vinyl Upholstery, Brown, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3686, Vinyl Upholstery, Burgundy, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3701, Vinyl Upholstery, Navy Blue, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3688, Fabric Upholstery, Black, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3720, Fabric Upholstery, Brown, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3715, Fabric Upholstery, Burgundy, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3716, Fabric Upholstery, Navy Blue, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74

Mahogany Finish Wood Legs.

Low VOC, Comprehensive Procurement Guideline Compliant

- 7110-01-622-3739, Leather Upholstery, Black, 77"W x 28 1/2"D x 33"H, EA, \$3,038.50
- 7110-01-622-3735, Leather Upholstery, Brown, 77"W x 28 1/2"D x 33"H, EA, \$3,038.50
- 7110-01-622-3731, Leather Upholstery, Burgundy, 77"W x 28 1/2"D x 33"H, EA, \$3,038.50
- 7110-01-622-3734, Leather Upholstery, Navy Blue, 77"W x 28 1/2"D x 33"H, EA, \$3,038.50
- 7110-01-622-3707, Vinyl Upholstery, Black, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3702, Vinyl Upholstery, Brown, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-624-1137, Vinyl Upholstery, Burgundy, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3687, Vinyl Upholstery, Navy Blue, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3697, Fabric Upholstery, Black, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3696, Fabric Upholstery, Brown, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3691, Fabric Upholstery, Burgundy, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74
- 7110-01-622-3694, Fabric Upholstery, Navy Blue, 77"W x 28 1/2"D x 33"H, EA, \$2,074.74

Contemporary Executive

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Single Pedestal Desk

Single pedestal desk features locking storage with two (2) box drawers and one (1) file drawer.

Desk with storage on right hand side.

7110-01-677-8341, Cherry Wood Grain, 66" W x 30" D, EA, \$1,010.00

7110-01-677-8344, Maple Wood Grain, 66" W x 30" D, EA, \$1,010.00

7110-01-677-8338, Cherry Wood Grain, 72" W x 30" D, EA, \$1,053.89

7110-01-677-8340, Maple Wood Grain, 72" W x 30" D, EA, \$1,053.89

Desk with storage on left hand side.

7110-01-677-8335, Cherry Wood Grain, 66" W x 30" D, EA, \$1,010.00

7110-01-677-8336, Maple Wood Grain, 66" W x 30" D, EA, \$1,010.00

7110-01-677-8343, Cherry Wood Grain, 72" W x 30" D, EA, \$1,053.89

7110-01-677-8346, Maple Wood Grain, 72" W x 30" D, EA, \$1,053.89

Double Pedestal Desk

Double pedestal desk features locking storage with two (2) box drawers and three (3) file drawers.

7110-01-677-8353, Cherry Wood Grain, 72" W x 30" D, EA, \$1,196.45

7110-01-677-8351, Maple Wood Grain, 66" W x 30" D, EA, \$1,153.39

7110-01-677-8345, Cherry Wood Grain, 66" W x 30" D, EA, \$1,153.39

7110-01-677-8355, Maple Wood Grain, 72" W x 30" D, EA, \$1,196.45

Double Pedestal Bowfront Desk

Double pedestal desk features locking storage with two (2) box drawers and three (3) file drawers.

Bowfront Desk.

7110-01-677-8356, Cherry Wood Grain, 72" W x 30" D, EA, \$1,411.33

7110-01-677-8359, Maple Wood Grain, 72" W x 30" D, EA, \$1,411.33

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

L-Shape Bowfront Desk

L-Shape pedestal bowfront desk workstation configuration features a locking storage bowfront pedestal with two (2) box drawers and (1) file drawer configuration and a return desk with two (2) locking file drawers.

Right Handed Bowfront Desk (72"W x 30/36"D), Return Desk (48"W x 24"D)

7110-01-677-9867, Cherry Wood Grain, 72"W x 84"W Overall, EA, \$1,954.37

7110-01-677-9868, Maple Wood Grain, 72"W x 84"W Overall, EA, \$1,954.37

Left Handed Bowfront Desk (72"W x 30/36"D), Return Desk (48"W x 24"D)

7110-01-677-9865, Cherry Wood Grain, 72"W x 84"W Overall, EA, \$1,954.37

7110-01-677-9864, Maple Wood Grain, 72"W x 84"W Overall, EA, \$1,954.37

L-Shape Bowfront Desk with Hutch

L-Shape pedestal bowfront desk workstation configuration features a locking storage bowfront pedestal with two (2) box drawers and (1) file drawer configuration, a return desk with two (2) locking file drawers, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

Right Handed Bowfront Desk (72"W x 30/36"D), Return Desk (48"W x 24"D), Hutch (48"W)

7110-01-677-9863, Cherry Wood Grain, 72"W x 84"W Overall, EA, \$2,965.62

7110-01-678-0518, Maple Wood Grain, 72"W x 84"W Overall, EA, \$2,965.62

Left Handed Bowfront Desk (72"W x 30/36"D), Return Desk (48"W x 24"D), Hutch (48"W)

7110-01-677-9861, Cherry Wood Grain, 72"W x 84"W Overall, EA, \$2,965.62

7110-01-677-9860, Maple Wood Grain, 72"W x 84"W Overall, EA, \$2,965.62

U-Shape Bowfront Desk

U-shape bowfront desk workstation configuration includes a single pedestal bowfront desk with two (2) box drawers and (1) file drawer, a bridge, and a credenza with two (2) file drawers. All storage is locking and keyed alike.

Left Handed Bowfront Desk (72" W x 30/36" D), Bridge (48" W x 22" D), Credenza (72" W x 24" D).

7110-01-678-2412, Cherry Wood Grain, 72"W x 108"W Overall, EA, \$2,496.57

7110-01-678-3060, Maple Wood Grain, 72"W x 108"W Overall, EA, \$2,496.57

Right Handed Bowfront Desk (72" W x 30/36" D), Bridge (48" W x 22" D), Credenza (72" W x 24" D).

7110-01-678-2416, Cherry Wood Grain, 72"W x 108"W Overall, EA, \$2,496.57

7110-01-678-2419, Maple Wood Grain, 72"W x 108"W Overall, EA, \$2,496.57

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

U-Shape Bowfront Desk with Hutch

U-shape bowfront desk workstation configuration includes a single pedestal bowfront desk with two (2) box drawers and (1) file drawer, a bridge, a credenza with two (2) file drawers, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard. All storage is locking and keyed alike.

Left Handed Bowfront Desk (72" W x 30/36" D), Bridge (48" W x 22" D), Credenza (72" W x 24" D), Hutch (72" W).

7110-01-678-2402, Cherry Wood Grain, 72"W x 108"W Overall, EA, \$3,737.33

7110-01-678-2404, Maple Wood Grain, 72"W x 108"W Overall, EA, \$3,737.33

Right Handed Bowfront Desk (72" W x 30/36" D), Bridge (48" W x 22" D), Credenza (72" W x 24" D), Hutch (72" W).

7110-01-678-2406, Cherry Wood Grain, 72"W x 108"W Overall, EA, \$3,737.33

7110-01-678-3061, Maple Wood Grain, 72"W x 108"W Overall, EA, \$3,737.33

L-Shape Peninsula Desk

L-Shape peninsula desk workstation configuration includes a peninsula desk with half modesty panel and black support column and a locking storage pedestal with two (2) box drawers and (1) file drawer configuration.

Right Handed Peninsula Desk (66"W x 30"D), Return Desk (48"W x 24"D)

7110-01-677-8871, Cherry Wood Grain, 66"W x 78"W Overall, EA, \$1,695.59

7110-01-677-8869, Maple Wood Grain, 66"W x 78"W Overall, EA, \$1,695.59

Left Handed Peninsula Desk (66"W x 30"D), Return Desk (48"W x 24"D)

7110-01-677-8867, Cherry Wood Grain, 66"W x 78"W Overall, EA, \$1,695.59

7110-01-677-8870, Maple Wood Grain, 66"W x 78"W Overall, EA, \$1,695.59

L-Shape Peninsula Desk and Hutch

L-Shape peninsula desk workstation configuration includes a peninsula desk with half modesty panel and black support column, a locking storage pedestal with two (2) box drawers and (1) file drawer configuration, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

Right Handed Pedestal Desk (66"W x 30"D), Return Desk (42"W x 24"D), Surface Mounted Hutch (72"W).

7110-01-677-8856, Cherry Wood Grain, 66"W x 72"W Overall, EA, \$2,904.16

7110-01-677-9862, Maple Wood Grain, 66"W x 72"W Overall, EA, \$2,904.16

Left Handed Pedestal Desk (66"W x 30"D), Return Desk (42"W x 24"D), Surface Mounted Hutch (72"W).

7110-01-677-8873, Cherry Wood Grain, 66"W x 72"W Overall, EA, \$2,904.16

7110-01-677-8872, Maple Wood Grain, 66"W x 72"W Overall, EA, \$2,904.16

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

U-Shape Peninsula Desk

U-shape peninsula desk workstation configuration features a peninsula desk with half modesty panel and black support column, a bridge, and a locking storage pedestal with two (2) box drawers and (1) file drawer configuration.

Left Handed Peninsula Desk (66" W x 30" D), Bridge (48" W x 22" D), Credenza (66" W x 24" D).

7110-01-678-2405, Cherry Wood Grain, 66"W x 102"W Overall, EA, \$2,225.26

7110-01-678-2407, Maple Wood Grain, 66"W x 102"W Overall, EA, \$2,225.26

Right Handed Peninsula Desk (66" W x 30" D), Bridge (48" W x 22" D), Credenza (66" W x 24" D).

7110-01-678-2408, Cherry Wood Grain, 66"W x 102"W Overall, EA, \$2,225.26

7110-01-678-2409, Maple Wood Grain, 66"W x 102"W Overall, EA, \$2,225.26

U-Shape Peninsula Desk with Hutch

U-shape peninsula desk workstation configuration features a peninsula desk with half modesty panel and black support column, a bridge, a locking storage pedestal with two (2) box drawers and (1) file drawer configuration, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

Left Handed Peninsula Desk (66" W x 30" D), Bridge (42" W x 22" D), Credenza (66" W x 24" D), Hutch (72" W).

7110-01-678-1757, Cherry Wood Grain, 66"W x 96"W Overall, EA, \$3,448.46

7110-01-678-2410, Maple Wood Grain, 66"W x 96"W Overall, EA, \$3,448.46

Right Handed Peninsula Desk (66" W x 30" D), Bridge (42" W x 22" D), Credenza (66" W x 24" D), Hutch (72" W).

7110-01-678-1758, Cherry Wood Grain, 66"W x 96"W Overall, EA, \$3,448.46

7110-01-678-1760, Maple Wood Grain, 66"W x 96"W Overall, EA, \$3,448.46

L-Shape Pedestal Desk

L-Shape pedestal workstation configuration features a pedestal desk with locking two (2) box drawers and (1) file drawer and a return desk with two (2) locking file drawers.

Right Handed Pedestal Desk (66" W x 30" D), Return Desk (48" W x 24" D).

7110-01-677-8862, Cherry Wood Grain, 66" x 78" Overall, EA, \$1,706.46

7110-01-677-8864, Maple Wood Grain, 66" x 78" Overall, EA, \$1,706.46

Right Handed Pedestal Desk (72" W x 30" D), Return Desk (42" W x 24" D).

7110-01-677-8860, Cherry Wood Grain, 72" x 72" Overall, EA, \$1,718.17

7110-01-677-8861, Maple Wood Grain, 72" x 72" Overall, EA, \$1,718.17

Left Handed Pedestal Desk (66" W x 30" D), Return Desk (48" W x 24" D).

7110-01-677-8858, Cherry Wood Grain, 66" x 78" Overall, EA, \$1,706.46

7110-01-677-8859, Maple Wood Grain, 66" x 78" Overall, EA, \$1,706.46

Left Handed Pedestal Desk (72" W x 30" D), Return Desk (42" W x 24" D).

7110-01-677-8863, Cherry Wood Grain, 72" x 72" Overall, EA, \$1,718.17

7110-01-677-8865, Maple Wood Grain, 72" x 72" Overall, EA, \$1,718.17

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

L-Shape Pedestal Desk with Hutch

L-Shape pedestal workstation configuration features a pedestal desk with locking two (2) box drawers and (1) file drawer, a return desk with two (2) locking file drawers, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

Right Handed Pedestal Desk (66" W x 30" D), Return Desk (42" W x 24" D), Surface Mounted Hutch (72" W).

7110-01-677-9546, Cherry Wood Grain, 66" x 72" Overall, EA, \$2,915.03

7110-01-677-8855, Maple Wood Grain, 66" x 72" Overall, EA, \$2,915.03

Left Handed Pedestal Desk (66" W x 30" D), Return Desk (42" W x 24" D), Surface Mounted Hutch (72" W).

7110-01-677-8866, Cherry Wood Grain, 66" x 72" Overall, EA, \$2,915.03

7110-01-677-8868, Maple Wood Grain, 66" x 72" Overall, EA, \$2,915.03

U-Shape Pedestal Desk

U-shape pedestal workstation configuration includes a locking storage pedestal desk with two (2) box drawers and one (1) file drawer, a bridge, and a credenza with two (2) locking file drawers.

Right Handed Desk (66" W x 30" D), Bridge (48" W x 22" D), Credenza (66" W x 24" D).

7110-01-678-2427, Cherry Wood Grain, 66"W x 102"W Overall, EA, \$2,236.13

7110-01-678-3059, Maple Wood Grain, 66"W x 102"W Overall, EA, \$2,236.13

Left Handed Desk (66" W x 30" D), Bridge (48" W x 22" D), Credenza (66" W x 24" D).

7110-01-678-2421, Cherry Wood Grain, 66"W x 102"W Overall, EA, \$2,236.13

7110-01-678-2423, Maple Wood Grain, 66"W x 102"W Overall, EA, \$2,236.13

U-Shape Pedestal Desk with Hutch

U-shape pedestal workstation configuration includes a locking storage pedestal desk with two (2) box drawers and one (1) file drawer, a bridge, a credenza with two (2) locking file drawers, and a surface mounted hutch with mounted task lighting and upholstered fabric tackboard.

Right Handed Desk (66" W x 30" D), Bridge (42" W x 22" D), Credenza (66" W x 24" D), Hutch (72" W).

7110-01-678-2414, Cherry Wood Grain, 66"W x 100"W Overall, EA, \$3,459.33

7110-01-678-2418, Maple Wood Grain, 66"W x 100"W Overall, EA, \$3,459.33

Right Handed Desk (72" W x 30" D), Bridge (42" W x 22" D), Credenza (72" W x 24" D), Hutch (72" W).

7110-01-678-2401, Cherry Wood Grain, 72"W x 100"W Overall, EA, \$3,515.76

7110-01-678-2403, Maple Wood Grain, 72"W x 100"W Overall, EA, \$3,515.76

Left Handed Desk (66" W x 30" D), Bridge (42" W x 22" D), Credenza (66" W x 24" D), Hutch (72" W).

7110-01-678-2432, Cherry Wood Grain, 66"W x 100"W Overall, EA, \$3,459.33

7110-01-678-2434, Maple Wood Grain, 66"W x 100"W Overall, EA, \$3,459.33

Left Handed Desk (72" W x 30" D), Bridge (42" W x 22" D), Credenza (72" W x 24" D), Hutch (72" W).

7110-01-678-2422, Cherry Wood Grain, 72"W x 100"W Overall, EA, \$3,515.76

7110-01-678-2426, Maple Wood Grain, 72"W x 100"W Overall, EA, \$3,515.76

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Double Pedestal Office Grouping

Executive office furniture configuration includes matching double pedestal desk with two (2) box drawers and three (3) file drawers and surface mounted hutch with mounted task lighting and upholstered fabric tackboard. Also includes matching kneespace credenza with four (4) file drawers All storage is locking.

Rectangular Desk (66" W x 30" D); 66" W Hutch; Credenza (66" W x 24" D).

7110-01-677-9558, Cherry Wood Grain, EA, \$3,463.93

7110-01-677-9559, Maple Wood Grain, EA, \$3,463.93

Bowfront Desk (72" W x 30/36" D), 72" W Hutch, Credenza (72" W x 24" D).

7110-01-677-9553, Cherry Wood Grain, EA, \$3,844.35

7110-01-677-9554, Maple Wood Grain, EA, \$3,844.35

Height Adjustable L-Shape Workstation

Height adjustable L-shape workstation configuration includes a freestanding height adjustable high pressure laminate top table with silver finish "T" leg base and return pedestal desk with locking storage. Table includes electrical adjustment and wire management with access to power, data and phone outlets below the worksurface. Return includes locking pedestal storage with (2) file drawers, one (1) half panel support leg and one (1) full panel support leg.

Height Adjustable Table Dimensions: 66" W x 30" D, Right-Handed Return Dimensions: 48" W x 24" D.

7110-01-678-2433, Cherry Wood Grain, 66"W x 78"W Overall, EA, \$2,527.09

7110-01-678-2417, Designer White, 66"W x 78"W Overall, EA, \$2,527.09

7110-01-678-2413, Maple Wood Grain, 66"W x 78"W Overall, EA, \$2,527.09

Height Adjustable Table Dimensions: 72" W x 30" D, Right-Handed Return Dimensions: 48" W x 24" D.

7110-01-678-2430, Cherry Wood Grain, 72"W x 78"W Overall, EA, \$2,541.72

7110-01-678-2415, Designer White, 72"W x 78"W Overall, EA, \$2,541.72

7110-01-678-2431, Maple Wood Grain, 72"W x 78"W Overall, EA, \$2,541.72

Height Adjustable Table Dimensions: 66" W x 30" D, Left-Handed Return Dimensions: 48" W x 24" D

7110-01-678-2425, Cherry Wood Grain, 66"W x 78"W Overall, EA, \$2,527.09

7110-01-678-2429, Designer White, 66"W x 78"W Overall, EA, \$2,527.09

7110-01-678-2077, Maple Wood Grain, 66"W x 78"W Overall, EA, \$2,527.09

Height Adjustable Table Dimensions: 72" W x 30" D, Left-Handed Return Dimensions: 48" W x 24" D.

7110-01-678-2420, Cherry Wood Grain, 72"W x 78"W Overall, EA, \$2,541.72

7110-01-678-2428, Designer White, 72"W x 78"W Overall, EA, \$2,541.72

7110-01-678-2424, Maple Wood Grain, 72"W x 78"W Overall, EA, \$2,541.72

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Height Adjustable Table

Freestanding height adjustable table features high pressure laminate top and silver finish "T" leg base. Table includes electrical adjustment and wire management with access to power, data and phone outlets below the worksurface. The height range of the desk is 24-50".

7110-01-677-9551, Cherry Wood Grain, 66" W x 30" D, EA, \$1,730.72

7110-01-677-9548, Maple Wood Grain, 66" W x 30" D, EA, \$1,730.72

7110-01-677-9547, White, 66" W x 30" D, EA, \$1,730.72

7110-01-677-9550, Cherry Wood Grain, 72" W x 30" D, EA, \$1,745.34

7110-01-678-0217, Designer White, 72" W x 30" D, EA, \$1,745.34

7110-01-677-9552, Maple Wood Grain, 72" W x 30" D, EA, \$1,745.34

Surface Mounted Hutch

Surface mounted hutch features mounted task lighting and upholstered fabric tackboard. Surface mounted hutch features mounted task lighting and upholstered fabric tackboard.

7110-01-677-8348, Cherry Wood Grain, 66" W, EA, \$1,200.21

7110-01-677-8350, Maple Wood Grain, 66" W, EA, \$1,200.21

7110-01-677-8352, Cherry Wood Grain, 72" W, EA, \$1,240.76

7110-01-677-8354, Maple Wood Grain, 72" W, EA, \$1,240.76

Storage Credenza

Storage credenza features hinged lockable doors

7110-01-677-8360, Cherry Wood Grain, 66" W x 24" D, EA, \$1,173.87

7110-01-677-8364, Maple Wood Grain, 66" W x 24" D, EA, \$1,173.87

7110-01-677-8365, Cherry Wood Grain, 72" W x 24" D, EA, \$1,226.56

7110-01-677-8366, Maple Wood Grain, 72" W x 24" D, EA, \$1,226.56

Bookcase

2-High Bookcase.

7110-01-677-8358, Cherry Wood Grain, 36" W, EA, \$501.24

7110-01-677-8362, Maple Wood Grain, 36" W, EA, \$501.24

3-High Bookcase.

7110-01-677-8363, Cherry Wood Grain, 36" W, EA, \$589.44

7110-01-677-8326, Maple Wood Grain, 36" W, EA, \$589.44

5-High Bookcase.

7110-01-677-8325, Cherry Wood Grain, 36" W, EA, \$739.94

7110-01-677-8327, Maple Wood Grain, 36" W, EA, \$739.94

Due to current supply chain issues, delivery of this NSN may be delayed. Mix and match from our complete line of contemporary style office furniture designed for managerial and executive offices in the modern workplace. This contemporary office furniture is crafted in high quality laminate with maple wood grain or cherry wood grain finishes and features ample space for necessary documents, gadgets and files while also ensuring greater personal working space. Items are shipped fully assembled and the hardware components and finishes of all items within this line match to complement the décor of private offices when used with other NSN items included within this line.

Wardrobe Tower

Wardrobe tower features hinged door, coat rod and shelf.

Left handed door.

7105-01-677-8628, Cherry Wood Grain, 18" W x 24" D x 72" H, EA, \$860.34

7105-01-677-8629, Maple Wood Grain, 18" W x 24" D x 72" H, EA, \$860.34

Right handed door

7105-01-677-8630, Cherry Wood Grain, 18" W x 24" D x 72" H, EA, \$860.34

7105-01-677-8622, Maple Wood Grain, 18" W x 24" D x 72" H, EA, \$860.34

Round Meeting Table

Round meeting tables feature high pressure laminate finish tops with silver metal finish "x" base.

7110-01-677-8329, Cherry Wood Grain, 36" Diameter, EA, \$786.76

7110-01-677-8328, Maple Wood Grain, 36" Diameter, EA, \$786.76

7110-01-677-8330, Cherry Wood Grain, 42" Diameter, EA, \$866.19

7110-01-677-8331, Maple Wood Grain, 42" Diameter, EA, \$866.19

Rectangular Conference Table

Conference tables feature high pressure laminate tops and matching panel base. Panel base includes (1) silver finish power module with a minimum of 2 receptacles and 1 data port.

Rectangular Conference Table.

7110-01-677-8332, Cherry Wood Grain, 72" W x 36" D, EA, \$1,478.19

7110-01-677-8334, Maple Wood Grain, 72" W x 36" D, EA, \$1,478.19

Boat-Shape Conference Table

Conference tables feature high pressure laminate tops and matching panel base. Panel base includes (1) silver finish power module with a minimum of 2 receptacles and 1 data port.

Boat-Shape Conference Table.

7110-01-677-8333, Cherry Wood Grain, 96" W x 42-48" D, EA, \$1,846.49

7110-01-677-8337, Maple Wood Grain, 96" W x 42-48" D, EA, \$1,846.49

7110-01-677-8339, Cherry Wood Grain, 120" D x 42-48" W, EA, \$2,983.13

7110-01-677-8342, Maple Wood Grain, 120" D x 42-48" W, EA, \$2,983.13

Mobile Pedestal with Cushion Top

Mobile pedestal file features cushion top and can be used as guest seating. Locking storage includes one (1) box drawer and one (1) file drawer.

7110-01-677-8357, Cherry Wood Grain, EA, \$624.14

7110-01-677-8361, Maple Wood Grain, EA, \$624.14

Due to current supply chain issues, delivery of this NSN may be delayed. Contemporary style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies but features furniture with a more modern design than the traditional. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Metal bases in the contemporary line of furniture are finished with an arctic silver powder coat.

Corner Table

Contemporary style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

Corner Table

7110-01-679-2664, Cherry Woodgrain, 24" W x 24" D x 20" H, EA, \$589.27

7110-01-679-2660, Maple Woodgrain, 24" W x 24" D x 20" H, EA, \$589.27

Coffee Table

Contemporary style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

Coffee Table, Square

7110-01-679-2668, Cherry Woodgrain, 36" W x 36" D x 15" H, EA, \$723.05

7110-01-679-2667, Maple Woodgrain, 36" W x 36" D x 15" H, EA, \$723.05

Coffee Table, Rectangular

7110-01-679-2674, Cherry Woodgrain, 48" W x 22" D x 15" H, EA, \$689.94

7110-01-679-2670, Maple Woodgrain, 48" W x 22" D x 15" H, EA, \$689.94

Console Table

Contemporary style occasional tables are available in a variety of sizes and wood finishes to complement executive lounge areas.

Console Table

7110-01-679-2677, Cherry Woodgrain, 48" W x 18" D x 28" H, EA, \$727.08

7110-01-679-2675, Maple Woodgrain, 48" W x 18" D x 28" H, EA, \$727.08

Seating

Due to current supply chain issues, delivery of this NSN may be delayed. Contemporary style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies but features furniture with a more modern design than the traditional. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Metal bases in the contemporary line of furniture are finished with an arctic silver powder coat.

Lounge Chair

Contemporary style executive lounge chairs with metal legs, measure approximately 29" wide x 28 1/2" deep x 33" high (overall).

- 7110-01-679-2627, Leather Upholstery, Black, 29" W x 28 1/2" D x 33" H, EA, \$1,818.81
- 7110-01-679-2630, Leather Upholstery, Dark Grey, 29" W x 28 1/2" D x 33" H, EA, \$1,818.81
- 7110-01-679-2628, Leather Upholstery, Tan, 29" W x 28 1/2" D x 33" H, EA, \$1,818.81
- 7110-01-679-2629, Leather Upholstery, White, 29" W x 28 1/2" D x 33" H, EA, \$1,818.81
- 7110-01-679-2635, Vinyl Upholstery, Black, 29" W x 28 1/2" D x 33" H, EA, \$1,118.13
- 7110-01-679-2636, Vinyl Upholstery, Dark Grey, 29" W x 28 1/2" D x 33" H, EA, \$1,118.13
- 7110-01-679-2638, Vinyl Upholstery, Tan, 29" W x 28 1/2" D x 33" H, EA, \$1,118.13
- 7110-01-679-2640, Vinyl Upholstery, White, 29" W x 28 1/2" D x 33" H, EA, \$1,118.13
- 7110-01-679-2642, Fabric Upholstery, Black, 29" W x 28 1/2" D x 33" H, EA, \$1,118.13
- 7110-01-679-2644, Fabric Upholstery, Dark Grey, 29" W x 28 1/2" D x 33" H, EA, \$1,118.13
- 7110-01-679-2645, Fabric Upholstery, Tan, 29" W x 28 1/2" D x 33" H, EA, \$1,118.13
- 7110-01-679-2648, Fabric Upholstery, Patterned, 29" W x 28 1/2" D x 33" H, EA, \$1,118.13

High Back Executive Office Chair

Contemporary style high back executive office chairs feature 5-star silver base.

- 7110-01-679-2673, Leather Upholstery, Black, 26" W x 26" D x 43-48" H, EA, \$1,298.89
- 7110-01-679-2647, Leather Upholstery, Dark Grey, 26" W x 26" D x 43-48" H, EA, \$1,298.89
- 7110-01-679-2650, Leather Upholstery, Tan, 26" W x 26" D x 43-48" H, EA, \$1,298.89
- 7110-01-679-2653, Leather Upholstery, White, 26" W x 26" D x 43-48" H, EA, \$1,298.89
- 7110-01-679-2656, Vinyl Upholstery, Black, 26" W x 26" D x 43-48" H, EA, \$1,035.81
- 7110-01-679-2659, Vinyl Upholstery, Dark Grey, 26" W x 26" D x 43-48" H, EA, \$1,035.81
- 7110-01-679-2662, Vinyl Upholstery, Tan, 26" W x 26" D x 43-48" H, EA, \$1,035.81
- 7110-01-679-2665, Vinyl Upholstery, White, 26" W x 26" D x 43-48" H, EA, \$1,035.81
- 7110-01-679-2672, Fabric Upholstery, Black, 26" W x 26" D x 43-48" H, EA, \$1,035.81
- 7110-01-679-2671, Fabric Upholstery, Dark Grey, 26" W x 26" D x 43-48" H, EA, \$1,035.81
- 7110-01-679-2676, Fabric Upholstery, Tan, 26" W x 26" D x 43-48" H, EA, \$1,035.81
- 7110-01-679-2679, Fabric Upholstery, Patterned, 26" W x 26" D x 43-48" H, EA, \$1,035.81

Mid Back Executive Office Chair

Contemporary style mid back executive office chairs feature 5-star silver base.

- 7110-01-679-2678, Leather Upholstery, Black, 26" W x 26" D x 37-42" H, EA, \$1,105.60
- 7110-01-679-2680, Leather Upholstery, Dark Grey, 26" W x 26" D x 37-42" H, EA, \$1,105.60
- 7110-01-679-2681, Leather Upholstery, Tan, 26" W x 26" D x 37-42" H, EA, \$1,105.60
- 7110-01-679-2682, Leather Upholstery, White, 26" W x 26" D x 37-42" H, EA, \$1,105.60
- 7110-01-679-2695, Vinyl Upholstery, Black, 26" W x 26" D x 37-42" H, EA, \$930.66
- 7110-01-679-2696, Vinyl Upholstery, Dark Grey, 26" W x 26" D x 37-42" H, EA, \$930.66
- 7110-01-679-2698, Vinyl Upholstery, Tan, 26" W x 26" D x 37-42" H, EA, \$930.66
- 7110-01-679-2697, Vinyl Upholstery, White, 26" W x 26" D x 37-42" H, EA, \$930.66
- 7110-01-679-2699, Fabric Upholstery, Black, 26" W x 26" D x 37-42" H, EA, \$930.66
- 7110-01-679-2700, Fabric Upholstery, Dark Grey, 26" W x 26" D x 37-42" H, EA, \$930.66
- 7110-01-679-2701, Fabric Upholstery, Tan, 26" W x 26" D x 37-42" H, EA, \$930.66
- 7110-01-679-2702, Fabric Upholstery, Patterned, 26" W x 26" D x 37-42" H, EA, \$930.66

Due to current supply chain issues, delivery of this NSN may be delayed. Contemporary style executive office seating is intended for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies but features furniture with a more modern design than the traditional. Executive office seating is available in leather, vinyl and fabric upholstery in a variety of fabric colors. Metal bases in the contemporary line of furniture are finished with an arctic silver powder coat.

Open Arm Guest Chair

Contemporary style guest features an open arm design and silver metal frame.

- 7110-01-679-2703, Leather Upholstery, Black, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$1,145.42
- 7110-01-679-2704, Leather Upholstery, Dark Grey, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$1,145.42
- 7110-01-679-2687, Leather Upholstery, Tan, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$1,145.42
- 7110-01-679-2685, Leather Upholstery, Dark Grey, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$1,145.42
- 7110-01-679-2686, Vinyl Upholstery, Black, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$882.34
- 7110-01-679-2690, Vinyl Upholstery, Dark Grey, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$882.34
- 7110-01-679-2692, Vinyl Upholstery, Tan, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$882.34
- 7110-01-679-2689, Vinyl Upholstery, White, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$882.34
- 7110-01-679-2691, Fabric Upholstery, Black, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$882.34
- 7110-01-679-2694, Fabric Upholstery, Dark Grey, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$882.34
- 7110-01-679-2623, Fabric Upholstery, Tan, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$882.34
- 7110-01-679-2624, Fabric Upholstery, Patterned, 24 1/2" W x 23 1/2" D x 33 1/2" H, EA, \$882.34

Two Seat Sofa

Contemporary style executive two place sofas with metal legs, measure approximately 51" wide x 28 1/2" deep x 33" high (overall).

- 7110-01-679-2651, Leather Upholstery, Black, 51" W x 28 1/2" D x 33" H, EA, \$2,386.59
- 7110-01-679-2654, Leather Upholstery, Dark Grey, 51" W x 28 1/2" D x 33" H, EA, \$2,386.59
- 7110-01-679-2657, Leather Upholstery, Tan, 51" W x 28 1/2" D x 33" H, EA, \$2,386.59
- 7110-01-679-2661, Leather Upholstery, White, 51" W x 28 1/2" D x 33" H, EA, \$2,386.59
- 7110-01-679-2663, Vinyl Upholstery, Black, 51" W x 28 1/2" D x 33" H, EA, \$1,452.36
- 7110-01-679-2666, Vinyl Upholstery, Dark Grey, 51" W x 28 1/2" D x 33" H, EA, \$1,452.36
- 7110-01-679-2669, Vinyl Upholstery, Tan, 51" W x 28 1/2" D x 33" H, EA, \$1,452.36
- 7110-01-679-2626, Vinyl Upholstery, White, 51" W x 28 1/2" D x 33" H, EA, \$1,452.36
- 7110-01-679-2625, Fabric Upholstery, Black, 51" W x 28 1/2" D x 33" H, EA, \$1,452.36
- 7110-01-679-2631, Fabric Upholstery, Dark Grey, 51" W x 28 1/2" D x 33" H, EA, \$1,452.36
- 7110-01-679-2622, Fabric Upholstery, Tan, 51" W x 28 1/2" D x 33" H, EA, \$1,452.36
- 7110-01-679-2632, Fabric Upholstery, Patterned, 51" W x 28 1/2" D x 33" H, EA, \$1,452.36

Three Seat Sofa

Contemporary style executive three place sofas with metal legs, measure approximately 73" wide x 28 1/2" deep x 33" high (overall).

- 7110-01-679-2633, Leather Upholstery, Black, 73" W x 28 1/2" D x 33" H, EA, \$2,860.87
- 7110-01-679-2634, Leather Upholstery, Dark Grey, 73" W x 28 1/2" D x 33" H, EA, \$2,860.87
- 7110-01-679-2637, Leather Upholstery, Tan, 73" W x 28 1/2" D x 33" H, EA, \$2,860.87
- 7110-01-679-2639, Leather Upholstery, White, 73" W x 28 1/2" D x 33" H, EA, \$2,860.87
- 7110-01-679-2641, Vinyl Upholstery, Black, 73" W x 28 1/2" D x 33" H, EA, \$1,780.33
- 7110-01-679-2643, Vinyl Upholstery, Dark Grey, 73" W x 28 1/2" D x 33" H, EA, \$1,780.33
- 7110-01-679-3320, Vinyl Upholstery, Tan, 73" W x 28 1/2" D x 33" H, EA, \$1,780.33
- 7110-01-679-2646, Vinyl Upholstery, White, 73" W x 28 1/2" D x 33" H, EA, \$1,780.33
- 7110-01-679-2649, Fabric Upholstery, Black, 73" W x 28 1/2" D x 33" H, EA, \$1,780.33
- 7110-01-679-2652, Fabric Upholstery, Dark Grey, 73" W x 28 1/2" D x 33" H, EA, \$1,780.33
- 7110-01-679-2655, Fabric Upholstery, Tan, 73" W x 28 1/2" D x 33" H, EA, \$1,780.33
- 7110-01-679-2658, Fabric Upholstery, Patterned, 73" W x 28 1/2" D x 33" H, EA, \$1,780.33

High Back Task Chair with Adjustable Headrest

Due to current supply chain issues, delivery of this NSN seating may be delayed. For updated information on estimated ship dates, email furniture@gsa.gov. This line of office seating is fully ergonomic and features pneumatic height adjustment, adjustable lumbar support, seat slider, swivel tilt lock with tension control, and urethane padded arm rests. Seating comes standard with dual hard wheels for use on carpeted floors and are rated for 300 lb. weight capacity. Instruction booklet included with each chair.

Mesh Back, Upholstered Seat

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-573-6539, Black, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$398.04

7110-01-598-1912, Blue, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$398.04

7110-01-573-6563, Gray, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$398.04

7110-01-630-5174, Red, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$398.04

Fully Upholstered

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-630-5176, Black, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$404.58

7110-01-630-5175, Blue, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$404.58

7110-01-630-5173, Gray, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$404.58

7110-01-630-5157, Red, 26.25" W x 20"-22" D x 45"-51" H (Overall), EA, \$404.58

High Back Task Chair with Integrated Headrest

Due to current supply chain issues, delivery of this NSN seating may be delayed. For updated information on estimated ship dates, email furniture@gsa.gov. This line of office seating is fully ergonomic and features pneumatic height adjustment, adjustable lumbar support, seat slider, swivel tilt lock with tension control, and urethane padded arm rests. Seating comes standard with dual hard wheels for use on carpeted floors and are rated for 300 lb. weight capacity. Instruction booklet included with each chair.

Fully Upholstered

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-555-8491, Black, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$382.87

7110-01-555-8496, Blue, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$382.87

7110-01-555-8494, Gray, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$382.87

7110-01-555-8492, Red, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$382.87

High Back Task Chair with Headrest

Due to current supply chain issues, delivery of this NSN seating may be delayed. For updated information on estimated ship dates, email furniture@gsa.gov. This line of office seating is fully ergonomic and features pneumatic height adjustment, adjustable lumbar support, seat slider, swivel tilt lock with tension control, and urethane padded arm rests. Seating comes standard with dual hard wheels for use on carpeted floors and are rated for 300 lb. weight capacity. Instruction booklet included with each chair.

Mesh Back, Upholstered Seat

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-630-5177, Black, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$345.64

7110-01-630-5178, Blue, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$345.64

7110-01-630-5180, Gray, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$345.64

7110-01-630-5181, Red, 26.25" W x 20"-22" D x 43"-49" H (Overall), EA, \$345.64

Mid Back Task Chair

Due to current supply chain issues, delivery of this NSN seating may be delayed. For updated information on estimated ship dates, email furniture@gsa.gov. This line of office seating is fully ergonomic and features pneumatic height adjustment, adjustable lumbar support, seat slider, swivel tilt lock with tension control, and urethane padded arm rests. Seating comes standard with dual hard wheels for use on carpeted floors and are rated for 300 lb. weight capacity. Instruction booklet included with each chair.

Mesh Back, Upholstered Seat, Adjustable Arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-573-6559, Black, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$302.35

7110-01-598-1918, Blue, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$302.35

7110-01-573-6562, Gray, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$302.35

7110-01-630-5159, Red, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$302.35

Fully Upholstered, Adjustable Arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-555-8495, Black, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$305.45

7110-01-555-8502, Blue, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$305.45

7110-01-555-8499, Gray, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$305.45

7110-01-555-8510, Red, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$305.45

Mesh Back, Upholstered Seat, Fixed Arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-573-6556, Black, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$304.55

7110-01-598-4383, Blue, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$304.55

7110-01-573-6560, Gray, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$304.55

7110-01-630-5161, Red, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$304.55

Fully Upholstered, Fixed Arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-630-5163, Black, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$300.71

7110-01-630-5172, Blue, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$300.71

7110-01-630-5164, Gray, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$300.71

7110-01-630-5165, Red, 26.26" W x 20-22" D x 37.5-43.5" H (Overall), EA, \$300.71

24/7 Intensive Use Task Chair

Intensive use 24/7 Task Chair with black upholstered seat and back features pneumatic height adjustments, adjustable lumbar support, seat slider, swivel tilt lock with tension control, 3" foam cushion and height adjustable arms with urethane padded arm rest. Seating comes standard with dual hard wheels for use on carpeted floors and attached instruction booklet details operation of chair. Rated for 400 Lb. weight capacity.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-630-5182, Black, 29" W x 26.5" D x 38-44" H (Overall), EA, \$400.75

Guest Chair

Guest or side chair features four post legs and open arms.

Fully Upholstered.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-587-1156, Black, 23" W x 22" D x 32" H (Overall), EA, \$186.92

7110-01-587-1157, Blue, 23" W x 22" D x 32" H (Overall), EA, \$186.92

7110-01-587-1159, Gray, 23" W x 22" D x 32" H (Overall), EA, \$186.92

7110-01-587-1160, Red, 23" W x 22" D x 32" H (Overall), EA, \$186.92

Mesh Back, Upholstered Seat.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-573-6558, Black, 23" W x 22" D x 32" H (Overall), EA, \$190.36

7110-01-598-4109, Blue, 23" W x 22" D x 32" H (Overall), EA, \$190.36

7110-01-573-6561, Gray, 23" W x 22" D x 32" H (Overall), EA, \$190.36

7110-01-630-5179, Red, 23" W x 22" D x 32" H (Overall), EA, \$190.36

Nesting Chair

Nesting chair with polyurethane back and upholstered seat features 4 post legs with casters and fixed arms.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-598-4111, Black, 23" W x 22" D x 32" H (Overall), EA, \$214.23

7110-01-598-4112, Blue, 23" W x 22" D x 32" H (Overall), EA, \$214.23

7110-01-598-4108, Gray, 23" W x 22" D x 32" H (Overall), EA, \$214.23

7110-01-630-5168, Red, 23" W x 22" D x 32" H (Overall), EA, \$214.23

Task Stool

Mid Back rotary stool with upholstered seat and back features pneumatic height adjustments, adjustable lumbar support, seat slider, an adjustable footring and urethane padded fixed arms. Seating comes standard with dual hard wheels for use on carpeted floors.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-598-1896, Black, 26.25" W x 20-22" D x 47-56" H (Overall), EA, \$313.70

7110-01-598-1899, Blue, 26.25" W x 20-22" D x 47-56" H (Overall), EA, \$313.70

7110-01-598-1893, Red, 26.25" W x 20-22" D x 47-56" H (Overall), EA, \$313.70

Height Adjustable Workstations

This line of metal modular workstations features powder coated metal storage, high-pressure laminate tops and include retractable keyboard with mouse pad. Storage, tops and fabric modesty panels are available in a variety color and finishes. Assembly required. Each workstation is delivered with detailed assembly instructions and can be assembled by the end-user. For information regarding outside installer rates to assemble your workstation(s), please email furniture@gsa.gov at the time of order. Include your delivery location and quantity ordered in your email.

L-Shape Workstation

L-Shaped workstation comes with two surface-mounted privacy screens, 72"W x 29"H. Worksurfaces are 72"W x 24"D and 48"W x 24"D and include half modesty panels. Workstation includes two freestanding pedestal cabinets with locking capabilities: one Box/Box/File configuration and one File/File configuration.

Metal Storage: Black. Laminate Top: Walnut with Black Edge Detail. Privacy Screen Fabric: Light Gray.

Low VOC

7110-01-608-8293, 6' x 6', EA, \$2,115.33

L-Shape Workstation with Hutch

L-Shaped workstation comes with one surface-mounted privacy screen, 72"W x 29"H and a 72" W overhead storage hutch that includes task light. Both worksurfaces are 72"W x 24"D and include half modesty panels. Workstation includes one freestanding pedestal cabinet (Box/Box/File configuration), and a 36" two-drawer lateral file. All storage is locking.

Metal Storage: Black. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.

Low VOC

7110-01-541-6611, 6' x 8', EA, \$3,030.09

Metal Storage: Light Gray. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.

Low VOC

7110-01-541-6612, 6' x 8', EA, \$3,030.09

Metal Storage: Black. Laminate Top: Speckled White with Black Edge Detail. Privacy Screen Fabric: Light Gray.

Low VOC

7110-01-541-6616, 6' x 8', EA, \$3,030.09

Metal Storage: Black. Laminate Top: Walnut with Black Edge Detail. Privacy Screen Fabric: Light Gray.

Low VOC

7110-01-608-8279, 6' x 8', EA, \$3,030.09

U-Shape Workstation

U-Shaped workstation comes with one surface-mounted privacy screen, 66"W x 29"H. Two worksurfaces are 72"W x 24"D and one is 42" W x 24" D. Worksurfaces include half modesty panels. Workstation includes two freestanding pedestal cabinets with locking capabilities: one Box/Box/File configuration and one File/File configuration. Includes a 72" W overhead storage hutch with task light and locking capabilities.

Metal Storage: Black. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.

Low VOC

7110-01-541-6604, 6' x 7.5', EA, \$3,226.06

Metal Storage: Black. Laminate Top: Speckled White with Black Edge Detail. Privacy Screen Fabric: Light Gray.

Low VOC

7110-01-541-6606, 6' x 7.5', EA, \$3,226.06

Metal Storage: Light Gray. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.

Low VOC

7110-01-541-6613, 6' x 7.5', EA, \$3,226.06

Metal Storage: Black. Laminate Top: Walnut with Black Edge Detail. Privacy Screen Fabric: Light Gray.

Low VOC

7110-01-608-8286, 6' x 7.5', EA, \$3,226.06

Electric Powered Desktop Sit-Stand Workstation

Electric powered sit-to-stand desk riser is intended for federal agencies to be able to retrofit their existing fixed height work surfaces into adjustable standing height work surfaces. User can go from sitting to standing with just a push of a button. The work surface platform is large enough to accommodate keyboard, mousepad, and paper/notebook, which allows you to bring necessities with you when you stand. Lift ranges from 0 - 20 inches high. and lifts up to 80 lbs. come with standard 2" grommet holes. Each unit comes with 3 grommet holes to provide options for placement of your monitor, while also providing room to manage cables for phone/mouse/keyboard; not meant to hold multiple monitors with each grommet hole. Multiple monitor setups are possible by adding an optional monitor mounting post and VESA bracket, sold separately but not included with this NSN. Made in USA.

Low VOC

7110-01-653-5900, Versa Power Desktop, Black, 36"W x 24" D, EA, \$487.14

7110-01-653-5899, Versa Power Desktop, White, 36" W X 24"D, EA, \$487.14

Cubicle Corner Desktop.

Low VOC

7110-01-659-7050, Versa Power Desktop, Black, 36" W x 33.25" D, EA, \$632.04

7110-01-659-7049, Versa Power Desktop, White, 36" W x 33.25" D, EA, \$632.04

Sit-To-Stand Work Surface or Desktop

Made in USA. Adjustable work surface is intended for federal agencies to be able to retrofit their existing fixed height work surfaces into adjustable standing height work surfaces. The work surface platform is large enough to accommodate keyboard, mousepad, and paper/notebook, which allows you to bring necessities with you when you stand. Accommodates monitors up to 24" diagonal. Includes VESA compliant display mounting and includes cable management features to keep monitor cables organized and out of the way. While worksurfaces are designed to be freestanding, clamp mount or thru mount accessories are available, at no additional charge, upon request. Fully assembled.

Single Monitor, 20 lb. Load Capacity.

Low VOC

7110-01-653-5903, WINSTON, Black, EA, \$562.96

7110-01-653-6726, WINSTON, White, EA, \$568.07

Dual Monitor, 26 lb. Load Capacity.

Low VOC

7110-01-653-7595, WINSTON, Black, EA, \$583.25

7110-01-653-5901, WINSTON, White, EA, \$597.97

Skillcraft Desktop Sit-Stand Workstation

Help employees avoid the detrimental health effects associated with sitting for extended periods of time with this two-tiered, adjustable-height standing desk designed to accommodate dual-monitors or meet larger workspace requirements. Workstation can be placed atop any desk or table and raised to a standing position or lowered to a sitting position. Desktop workstation constructed of wood and steel has a 35-pound capacity. TAA and Berry Compliant; assembled in the U.S.A.

Comprehensive Procurement Guideline Compliant

7110-01-681-0786, AbilityOne, Black, 36" wide, 35-pound capacity, EA, \$398.27

Corner Unit

7110-01-692-5299, AbilityOne, Black, 42" x 36" x 20", EA, \$457.12

Stand Bias Workstation, Adjustable Height Unit

Made in the USA. Sit-Stand Workstations and Stand-Biased Workstations are designed to reduce sitting and ship as complete units from Neutral Posture.

All units include 60 inch x 30 inch table, task seating, dual monitor arms and adjustable keyboard tray. Included seating features medium seat, minimal contour, 5 - way 360° arms, independent lumbar and at least 11 active adjustments. Adjustable height unit features electric 25 inch - 50 inch height adjustable table with 4 position memory controller, only available with type A (NEMA 1-15) plug; 120 volt 15 amp, supports up to 264 lbs, anti-collision technology, and adjusts at 1.6 in/sec.

Maple Laminate Top Table with Silver Legs. Mesh Back and Upholstered Fabric Seat Chair. Clear Plexiglass Screen with Platinum Frame on back and sides.

7110-01-690-4870, EA, \$2,821.20

Maple Laminate Top Table with Silver Legs. Upholstered Back and Upholstered Fabric Seat Chair. Clear Plexiglass Screen with Platinum Frame on back and sides.

7110-01-690-4868, EA, \$2,897.48

Cherry Laminate Top Table with Black Legs. Upholstered Back and Upholstered Fabric Seat Chair. Clear Plexiglass Screen with Black Frame on back and sides.

7110-01-690-4869, EA, \$2,966.93

Cherry Laminate Top Table with Black Legs. Mesh Back and Upholstered Fabric Seat Chair. Clear Plexiglass Screen with Black Frame on back and sides.

7110-01-690-4867, EA, \$2,890.65

Cherry Laminate Top Table with Black Legs and NPS8500 Fabric Upholstered Seat and Back Chair.

Comprehensive Procurement Guideline Compliant

7110-01-668-1142, NPS8500, Black Fabric Seat, EA, \$2,282.31

7110-01-668-1126, NPS8500, Blue Fabric Seat, EA, \$2,282.31

7110-01-668-1127, NPS8500, Gray Fabric Seat, EA, \$2,282.31

Maple Laminate Top Table with Silver Legs and NPS8500 Fabric Upholstered Seat and Back Chair.

Comprehensive Procurement Guideline Compliant

7110-01-668-1128, NPS8500, Black Fabric Seating, EA, \$2,180.99

7110-01-668-1130, NPS8500, Blue Fabric Seating, EA, \$2,180.99

7110-01-668-1131, NPS8500, Gray Fabric Seat, EA, \$2,180.99

Cherry Laminate Top Table with Black Legs and NPS1500 Mesh Back and Upholstered Fabric Seat Chair.

Comprehensive Procurement Guideline Compliant

7110-01-668-1132, NPS1500, Black Fabric Seat, EA, \$2,206.03

7110-01-668-1134, NPS1500, Blue Fabric Seat, EA, \$2,206.03

7110-01-668-1136, NPS1500, Gray Fabric Seat, EA, \$2,206.03

Maple Laminate Top Table with Silver Legs and NPS1500 Mesh Back and Upholstered Fabric Seat Chair.

Comprehensive Procurement Guideline Compliant

7110-01-668-1138, NPS1500, Black Fabric Seat, EA, \$2,104.71

7110-01-668-1139, NPS1500, Blue Fabric Seat, EA, \$2,104.71

7110-01-668-1141, NPS1500, Gray Fabric Seat, EA, \$2,104.71

Stand Bias Workstation, Bar Height Unit

Made in the USA. Sit-Stand Workstations and Stand-Biased Workstations are designed to reduce sitting and ship as complete units from Neutral Posture.

All units include 60 inch x 30 inch table, task seating, dual monitor arms and adjustable keyboard tray. Included seating features medium seat, minimal contour, 5 - way 360° arms, independent lumbar and at least 11 active adjustments. These fixed bar height units include fixed bar height table and stool with connected foot platform and second, free standing foot platform. These units are estimated to reduce sitting by approximately 2 hours per day.

Cherry Laminate Top Table with Black Legs and NPS8500 Stool with Fabric Upholstered Seat and Back.

Comprehensive Procurement Guideline Compliant

7110-01-668-1120, NPS8500 Stool, Black Fabric Seat, EA, \$2,553.43

7110-01-668-1121, NPS8500 Stool, Blue Fabric Seat, EA, \$2,553.43

7110-01-668-1119, NPS8500 Stool, Gray Fabric Seat, EA, \$2,553.43

Maple Laminate Top Table with Silver Legs and NPS8500 Stool with Fabric Upholstered Seat and Back.

Comprehensive Procurement Guideline Compliant

7110-01-668-1118, NPS8500 Stool, Black Fabric Seat, EA, \$2,581.08

7110-01-668-1123, NPS8500 Stool, Blue Fabric Seat, EA, \$2,581.08

7110-01-668-1124, NPS8500 Stool, Gray Fabric Seat, EA, \$2,581.08

Cherry Laminate Top Table with Black Legs and NPS1500 Stool with Mesh Back and Fabric Upholstered Seat.

Comprehensive Procurement Guideline Compliant

7110-01-668-1125, NPS1500 Stool, Black Fabric Seat, EA, \$2,467.90

7110-01-668-1129, NPS1500 Stool, Blue Fabric Seat, EA, \$2,467.90

7110-01-668-1133, NPS1500 Stool, Gray Fabric Seat, EA, \$2,467.90

Maple Laminate Top Table with Silver Legs and NPS1500 Stool with Mesh Back and Fabric Upholstered Seat.

Comprehensive Procurement Guideline Compliant

7110-01-668-1135, NPS1500 Stool, Black Fabric Seat, EA, \$2,495.56

7110-01-668-1137, NPS1500 Stool, Blue Fabric Seat, EA, \$2,495.56

7110-01-668-1140, NPS1500 Stool, Gray Fabric Seat, EA, \$2,495.56

Metal Desks and Workstations

This line of metal desking features powder coated steel and high-pressure laminate tops available in a variety color and finishes, as well as metal rear and side modesty panels to conceal knee space. Welded construction makes this desk perfect for heavy duty office use.

Single Pedestal Desk

Single Pedestal Desk features one (1) metal box/file pedestal on the side of the knee space one (1) metal center drawer. File drawer accepts legal (side to side) or letter (front to back) hanging folders without the use of hang rails. Center drawer features a central locking system that can lock the drawer and pedestal.

Left Single Pedestal Desk.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant
7110-00-149-1629, Beige with Walnut Grain Top, 45"W x 30"D x 30"H, EA, \$719.21

Single-pedestal desk includes two drawers. Roomy storage drawer measures 11-1/2 x 22 x 4-1/2" and pulls out smoothly on nylon glides. File drawer measures 11-1/2 x 24 x 10" and features a spring-activated follower block and full progressive suspension.

Left Single Pedestal Desk.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant
7110-00-149-1625, Black with Walnut Grain Top, 45"W x 30"D x 30"H, EA, \$719.21

7110-01-135-1990, Gray with White Top, 45"W x 30"D x 30"H, EA, \$719.21

7110-01-021-3609, Beige with Walnut Grain Top, 60"W x 30"D x 30"H, EA, \$719.21

7110-01-016-5642, Black with Walnut Grain Top, 60"W x 30"D x 30"H, EA, \$719.21

7110-01-136-1564, Gray with White Top, 60"W x 30"D x 30"H, EA, \$719.21

Conference Style Left Single Pedestal Desk with 6" Rear Overhang.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant
7110-01-642-9856, Beige with Walnut Grain Top, 60"W x 30"D x 30"H, EA, \$683.48

7110-01-643-0782, Black with Walnut Grain Top, 60"W x 30"D x 30"H, EA, \$683.48

7110-01-642-9853, Gray with White Top, 60"W x 30"D x 30"H, EA, \$683.48

Right Single Pedestal Desk.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant
7110-00-149-1628, Beige with Walnut Grain Top, 45"W x 30"D x 30"H, EA, \$719.21

7110-00-149-1624, Black with Walnut Grain Top, 45"W x 30"D x 30"H, EA, \$719.21

7110-01-135-1996, Gray with White Top, 45"W x 30"D x 30"H, EA, \$719.21

7110-01-015-1361, Beige with Walnut Grain Top, 60"W x 30"D x 30"H, EA, \$634.42

7110-01-015-1362, Black with Walnut Grain Top, 60"W x 30"D x 30"H, EA, \$634.42

7110-01-135-1991, Gray with White Top, 60"W x 30"D x 30"H, EA, \$634.42

Conference Style Right Single Pedestal Desk with 6" Rear Overhang.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant
7110-00-601-9851, Beige with Walnut Grain Top, 60"W x 36"D x 30"H, EA, \$592.79

7110-00-601-9850, Black with Walnut Grain Top, 60"W x 36"D x 30"H, EA, \$592.79

7110-01-642-9854, Gray with White Top, 60"W x 36"D x 30"H, EA, \$592.79

Double Pedestal Desk

Double Pedestal Desk has one (1) metal Box/File pedestal on the right side of the knee, one (1) metal Box/Box/Box pedestal on the left side of the knee space and a center drawer with a central locking system that can lock the drawer and pedestals. File Drawer accepts legal (side to side) or letter (front to back) hanging folders without the use of hang rails. This desk also features four (4) full height steel legs.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant
7110-00-149-1630, Beige with Walnut Grain Top, 60"W x 30"D x 30"H, EA, \$962.27

7110-00-149-1626, Black with Walnut Grain Top, 60"W x 30"D x 30"H, EA, \$962.27

7110-01-135-1992, Gray with White Top, 60"W x 30"D x 30"H, EA, \$962.27

Conference-Style Double Pedestal Desk with 6" Rear and Side Overhang.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant
7110-00-149-1631, Beige with Walnut Grain Top, 72"W x 36"D x 30"H, EA, \$579.14

7110-00-149-1627, Black with Walnut Grain Top, 72"W x 36"D x 30"H, EA, \$579.14

7110-01-135-1995, Gray with White Top, 72"W x 36"D x 30"H, EA, \$579.14

Pedestal Desk with Pedestal Return

Pedestal desk with pedestal return has metal box/file pedestals on the side of the knee space and a center drawer with a central locking system that can lock the drawer and pedestals. File drawers accept legal (side to side) or letter (front to back) hanging folders without the use of hang rails. This desk also features four (4) full height steel legs. Desk measures 60"W x 30"D x 29"H. Return measures 42"W x 18"D x 29"H.

Left Pedestal Desk with Right Pedestal Return.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant
7110-01-493-6760, Beige with Walnut Grain Top, 60"W x 72"D x 30"H, EA, \$633.42

7110-01-493-6759, Black with Walnut Grain Top, 60"W x 72"D x 30"H, EA, \$633.42

7110-01-642-9857, Gray with White Top, 60"W x 72"D x 30"H, EA, \$633.42

Right Pedestal Desk with Left Pedestal Return.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant
7110-01-493-6758, Beige with Walnut Grain Top, 60"W x 72"D x 30"H, EA, \$633.42

7110-01-493-6753, Black with Walnut Grain Top, 60"W x 72"D x 30"H, EA, \$633.42

7110-01-642-9858, Gray with White Top, 60"W x 72"D x 30"H, EA, \$633.42

Credenza

This line of metal desking features powder coated steel and high-pressure laminate tops available in a variety color and finishes, as well as metal rear and side modesty panels to conceal knee space. Welded construction makes this desk perfect for heavy duty office use.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-128-0067, Beige with Walnut Grain Top, 60"W x 18"D x 30"H, EA, \$393.65

7110-00-128-0065, Black with Walnut Grain Top, 60"W x 18"D x 30"H, EA, \$393.65

7110-01-642-9859, Gray with White Top, 60"W x 18"D x 30"H, EA, \$393.65

Writing Desk/Table

This line of metal desking features powder coated steel and high-pressure laminate tops available in a variety color and finishes, as well as metal rear and side modesty panels to conceal knee space. Welded construction makes this desk perfect for heavy duty office use.

Writing desk with high-pressure laminate top and four (4) full height steel legs has one (1) lockable metal center drawer.

EPA Recommended, Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-597-8027, Beige with Walnut Grain Top, 72"W x 36"D x 30"H, EA, \$358.11

7110-00-597-8023, Black with Walnut Grain Top, 72"W x 36"D x 30"H, EA, \$358.11

7110-01-642-9855, Gray with White Top, 72"W x 36"D x 30"H, EA, \$358.11

L-Shape Workstation

This line of metal modular workstations features powder coated metal storage, high-pressure laminate tops and include retractable keyboard with mouse pad. Storage, tops and fabric modesty panels are available in a variety color and finishes. Assembly required. Each workstation is delivered with detailed assembly instructions and can be assembled by the end-user. For information regarding outside installer rates to assemble your workstation(s), please email furniture@gsa.gov at the time of order. Include your delivery location and quantity ordered in your email.

L-Shaped workstation comes with two surface-mounted privacy screens, 72"W x 29"H. Worksurfaces are 72"W x 24"D and 48"W x 24"D and include half modesty panels. Workstation includes two freestanding pedestal cabinets with locking capabilities: one Box/Box/File configuration and one File/File configuration.

Metal Storage: Black. Laminate Top: Speckled White with Black Edge Detail. Privacy Screen Fabric: Light Gray.

Low VOC

7110-01-541-5626, 6' x 6', EA, \$2,115.33

Metal Storage: Black. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.

Low VOC

7110-01-541-6609, 6' x 6', EA, \$2,115.33

Metal Storage: Light Gray. Laminate Top: Speckled Gray with Light Gray Edge Detail. Privacy Screen Fabric: Blue.

Low VOC

7110-01-541-6610, 6' x 6', EA, \$2,115.33

Filing and Storage

Lateral File Cabinet

Metal lateral file cabinets are made of powder coated steel and feature lock that comes with two (2) keys. Drawers are adjustable to accept legal (side to side) or letter (front to back) hanging folders. Includes one set with two keys. For complete details of this item including detailed product dimensions, see https://www.gsa.gov/cdnstatic/General_Supplies__Services/MetalStorageProductsBrochure.pdf

2-Drawer High Lateral File.

Low VOC

7110-01-380-6438, Black, 30"W x 19"D, EA, \$458.78
 7110-01-646-7762, Gray, 30"W x 19"D, EA, \$458.78
 7110-01-646-7770, Sand, 30"W x 19"D, EA, \$458.78
 7110-00-149-1641, Black, 36"W x 19"D, EA, \$486.57
 7110-01-646-7764, Gray, 36"W x 19"D, EA, \$486.57
 7110-00-149-1642, Sand, 36"W x 19"D, EA, \$486.57
 7110-00-149-1643, Black, 42"W x 19"D, EA, \$528.94
 7110-01-646-7769, Gray, 42"W x 19"D, EA, \$528.94
 7110-00-149-1644, Sand, 42"W x 19"D, EA, \$528.94

3-Drawer High Lateral File.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3142, Black, 30"W x 19"D, EA, \$599.44
 7110-01-666-3146, Gray, 30"W x 19"D, EA, \$599.44
 7110-01-666-3147, Sand, 30"W x 19"D, EA, \$599.44
 7110-01-666-3154, Black, 36"W x 19"D, EA, \$634.51
 7110-01-666-3150, Gray, 36"W x 19"D, EA, \$634.51
 7110-01-666-3149, Sand, 36"W x 19"D, EA, \$634.51
 7110-01-666-3157, Black, 42"W x 19"D, EA, \$693.21
 7110-01-666-3155, Sand, 42w x 18d x 40h, EA, \$693.21
 7110-01-666-3856, Gray, 42"W X 19"D, EA, \$693.21

4-Drawer High Lateral File.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-646-7765, Black, 30w x 18d x 52h, EA, \$713.01
 7110-01-646-7766, Gray, 30"W x 19"D, EA, \$713.01
 7110-01-380-1438, Sand, 30"W x 19"D, EA, \$713.01
 7110-00-149-2021, Black, 36"W x 19"D, EA, \$755.03
 7110-01-646-7768, Gray, 36"W x 19"D, EA, \$755.03
 7110-00-149-2022, Sand, 36"W x 19"D, EA, \$755.03
 7110-00-149-2023, Black, 42"W x 19"D, EA, \$826.57
 7110-01-646-7771, Gray, 42"W x 19"D, EA, \$826.57
 7110-00-149-2024, Sand, 42"W x 19"D, EA, \$826.57

5-Drawer High Lateral File with (1) Top Roll-out Shelf and (4) Bottom Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-380-1428, Black, 30"W x 19"D, EA, \$881.10
 7110-01-666-3866, Gray, 30"W x 19"D, EA, \$881.10
 7110-01-666-3859, Sand, 30w x 18d x 64h, EA, \$881.10
 7110-00-149-1660, Black, 36"W x 19"D, EA, \$933.55
 7110-01-646-7758, Gray, 36"W x 19"D, EA, \$933.55
 7110-00-149-1661, Sand, 36"W x 19"D, EA, \$933.55
 7110-01-666-3873, Black, 42"W x 19"D, EA, \$1,021.75
 7110-01-666-3846, Gray, 42"W x 19"D, EA, \$1,021.75
 7110-01-666-3869, Sand, 42"W x 19"D, EA, \$1,021.75

Lateral File with Laminate Top

Metal lateral file cabinets are made of powder coated steel and feature lock that comes with two (2) keys. Drawers are adjustable to accept legal (side to side) or letter (front to back) hanging folders. Includes one set with two keys. For complete details of this item including detailed product dimensions, see https://www.gsa.gov/cdnstatic/General_Supplies__Services/MetalStorageProductsBrochure.pdf

2-Drawer High Lateral File with High Pressure Laminated Top.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3148, Black, 30"W x 19"D, EA, \$599.78

7110-01-666-3141, Gray, 30"W x 19"D, EA, \$599.78

7110-01-666-3145, Sand, 30"W x 19"D, EA, \$599.78

7110-01-666-3152, Gray, 36"W x 19"D, EA, \$644.93

7110-00-149-1645, Black, 36"W x 19"D, EA, \$644.93

7110-01-666-3144, Sand, 36"W x 19"D, EA, \$644.93

7110-01-666-3151, Black, 42"W x 19"D, EA, \$704.33

7110-01-666-3153, Gray, 42"W x 19"D, EA, \$704.33

7110-01-666-3156, Sand, 42"W x 19"D, EA, \$704.33

3-Drawer High Lateral File with High Pressure Laminated Top.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3159, Black, 30w x 18d x 40h, EA, \$740.44

7110-01-666-3160, Gray, 30"W x 19"D, EA, \$740.44

7110-01-666-3158, Sand, 30"W x 19"D, EA, \$740.44

7110-01-666-3162, Black, 36"W x 19"D, EA, \$792.89

7110-01-666-3163, Gray, 36"W x 19"D, EA, \$792.89

7110-01-666-3161, Sand, 36"W x 19"D, EA, \$792.89

7110-01-666-3164, Black, 42"W x 19"D, EA, \$868.59

7110-01-666-3143, Gray, 42"W x 19"D, EA, \$868.59

7110-01-666-3165, Sand, 42"W x 19"D, EA, \$868.59

Lateral Filing and Storage Cabinet

Storage cabinet is made of powder coated steel and features integrated 2-door storage cabinet above 3 file drawers with lock that comes with two (2) keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3850, Black, 30"W x 19"D, EA, \$943.26

7110-01-666-3853, Gray, 30"W x 19"D, EA, \$943.26

7110-01-666-3847, Sand, 30"W x 19"D, EA, \$943.26

7110-01-666-3862, Black, 36"W x 19"D, EA, \$1,047.80

7110-01-666-3867, Gray, 36"W x 19"D, EA, \$1,047.80

7110-01-666-3860, Sand, 36"W x 19"D, EA, \$1,047.80

7110-01-666-3874, Black, 42"W x 19"D, EA, \$1,167.62

7110-01-666-3876, Gray, 42"W x 19"D, EA, \$1,167.62

7110-01-666-3871, Sand, 42"W x 19"D, EA, \$1,167.62

Office Storage Cabinet

Metal storage cabinet is made of powder coated steel and features 2 integrated doors with lock that comes with two (2) keys.

2-High storage cabinet includes 1 adjustable shelf.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-3839, Black, 30" W x 18" D, EA, \$443.15
 7125-01-666-3840, Gray, 30" W x 18" D, EA, \$443.15
 7125-01-666-3838, Sand, 30" W x 18" D, EA, \$443.15
 7125-01-666-3842, Black, 36" W x 18" D, EA, \$482.40
 7125-01-666-3845, Gray, 36" W x 18" D, EA, \$482.40
 7125-01-666-3843, Sand, 36" W x 18" D, EA, \$482.40

3-High storage cabinet includes 2 adjustable shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-3865, Black, 30" W x 18" D, EA, \$540.05
 7125-01-666-3868, Gray, 30" W x 18" D, EA, \$540.05
 7125-01-666-3863, Sand, 30" W x 18" D, EA, \$540.05
 7125-01-666-3872, Black, 36" W x 18" D, EA, \$547.69
 7125-01-666-3878, Gray, 36" W x 18" D, EA, \$547.69
 7125-01-666-3870, Sand, 36" W x 18" D, EA, \$547.69

4-High storage cabinet includes 2 adjustable shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-3883, Black, 30" W x 18" D, EA, \$602.91
 7125-01-666-3887, Gray, 30" W x 18" D, EA, \$602.91
 7125-01-666-3881, Sand, 30" W x 18" D, EA, \$602.91
 7125-01-666-3889, Black, 36" W x 18" D, EA, \$656.05
 7125-00-764-5482, Gray, 36" W x 18" D, EA, \$656.05
 7125-00-764-5744, Sand, 36" W x 18" D, EA, \$656.05

5-High storage cabinet includes 2 adjustable shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-3894, Black, 30" W x 18" D, EA, \$726.55
 7125-01-666-3895, Gray, 30" W x 18" D, EA, \$726.55
 7125-01-666-3891, Sand, 30" W x 18" D, EA, \$726.55
 7125-01-666-3877, Black, 36" W x 18" D, EA, \$764.41
 7125-01-666-3875, Gray, 36" W x 18" D, EA, \$764.41
 7125-01-666-3898, Sand, 36" W x 18" D, EA, \$764.41

Vertical File Cabinet

Vertical filing cabinet is made of powder coated steel and features lock that comes with two (2) keys.

2-drawers high.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-00-004-6695, Black, 15" W x 28" D, EA, \$261.87
 7110-00-551-5489, Gray, 15"W x 28"D, EA, \$261.87
 7110-00-985-5687, Sand, 15"W x 28"D, EA, \$261.87
 7110-00-497-1420, Black, 18"W x 28"D, EA, \$480.90
 7110-00-551-5493, Gray, 18"W x 28"D, EA, \$480.90
 7110-00-764-5061, Sand, 18"W x 28"D, EA, \$480.90

3-drawers high.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3851, Black, 15"W x 28"D, EA, \$508.94
 7110-01-666-3854, Gray, 15"W x 28"D, EA, \$508.94
 7110-01-666-3848, Sand, 15"W x 28"D, EA, \$508.94
 7110-01-666-3826, Black, 18"W x 28"D, EA, \$632.57
 7110-01-666-3823, Gray, 18"W x 28"D, EA, \$632.57
 7110-01-666-3858, Sand, 18"W x 28"D, EA, \$632.57

4-drawers high.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3828, Black, 15"W x 28"D, EA, \$605.33

7110-01-666-3832, Gray, 15"W x 28"D, EA, \$605.33

7110-01-666-3829, Sand, 15"W x 28"D, EA, \$605.33

7110-01-666-3833, Black, 18"W x 28"D, EA, \$744.31

7110-01-666-3835, Gray, 18"W x 28"D, EA, \$744.31

7110-01-666-3834, Sand, 18"W x 28"D, EA, \$744.31

5-drawers high.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3837, Black, 15"W x 28"D, EA, \$738.43

7110-00-286-3796, Gray, 15"W x 28"D, EA, \$738.43

7110-01-666-3836, Sand, 15"W x 28"D, EA, \$738.43

7110-00-286-3798, Black, 18"W x 28"D, EA, \$852.96

7110-00-497-2346, Gray, 18"W x 28"D, EA, \$852.96

7110-00-497-1829, Sand, 18"W x 28"D, EA, \$852.96

Steel Bookcase

Baked enamel finish on heavy-gauge steel. Welded for extra strength. Laminated walnut top. Chrome finished legs with adjustable leveling guides. Shelves adjust at 1/2" intervals.

7110-00-601-9821, AbilityOne, Black, 30" x 13" x 48", 3-Shelf, EA, \$248.07

7110-00-601-9822, AbilityOne, Parchment, 30" x 13" x 48", 3-Shelf, EA, \$248.07

7110-00-149-1621, AbilityOne, Parchment, 30" x 13" x 29-1/2", 2-Shelf, EA, \$210.44

7110-00-601-9823, AbilityOne, Black, 30" x 13" x 29-1/2", 3-Shelf, EA, \$210.44

Bookcase

Metal office bookcases feature adjustable shelves and are made of powder coated, minimum 22 gauge steel.

2-high, 1 shelf.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3882, Black, 30"W x 15" D, EA, \$348.69

7110-01-666-3885, Gray, 30"W x 15" D, EA, \$348.69

7110-01-666-4701, Sand, 30"W x 15" D, EA, \$348.69

7110-01-666-3888, Black, 36"W x 15" D, EA, \$363.62

7110-01-666-3890, Gray, 36"W x 15" D, EA, \$363.62

7110-01-666-3886, Sand, 36"W x 15" D, EA, \$363.62

7110-01-666-3893, Black, 42"W x 15" D, EA, \$379.60

7110-01-666-3896, Gray, 42"W x 15" D, EA, \$379.60

7110-01-666-3892, Sand, 42"W x 15" D, EA, \$379.60

3-high, 2 shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3899, Black, 30"W x 15" D, EA, \$391.76

7110-01-666-3880, Gray, 30"W x 15" D, EA, \$391.76

7110-01-666-3897, Sand, 30"W x 15" D, EA, \$391.76

7110-01-666-3824, Black, 36"W x 15" D, EA, \$399.74

7110-01-666-3827, Gray, 36"W x 15" D, EA, \$399.74

7110-01-666-3884, Sand, 36"W x 15" D, EA, \$399.74

7110-01-666-3830, Black, 42"W x 15" D, EA, \$414.33

7110-01-666-3831, Gray, 42"W x 15" D, EA, \$414.33

7110-01-666-3825, Sand, 42"W x 15" D, EA, \$414.33

5-high, 4 shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-4276, Black, 30"W x 15" D, EA, \$509.84
 7110-01-666-4261, Gray, 30"W x 15" D, EA, \$509.84
 7110-01-666-4271, Sand, 30"W x 15" D, EA, \$509.84
 7110-01-666-4263, Black, 36"W x 15" D, EA, \$527.90
 7110-01-666-4265, Gray, 36"W x 15" D, EA, \$527.90
 7110-01-666-4260, Sand, 36"W x 15" D, EA, \$527.90
 7110-01-666-4264, Black, 42"W x 15" D, EA, \$542.83
 7110-01-666-4266, Sand, 42"W x 15" D, EA, \$542.83
 7110-01-666-4262, Gray, 42"W x 15" D, EA, \$542.83

4-high, 3 shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-4274, Black, 30"W x 15" D, EA, \$447.33
 7110-01-666-4275, Gray, 30"W x 15" D, EA, \$447.33
 7110-01-666-4273, Sand, 30"W x 15" D, EA, \$447.33
 7110-01-666-4278, Black, 36"W x 15" D, EA, \$462.25
 7110-01-666-4279, Gray, 36"W x 15" D, EA, \$462.25
 7110-01-666-4277, Sand, 36"W x 15" D, EA, \$462.25
 7110-01-666-4282, Black, 42"W x 15" D, EA, \$477.88
 7110-01-666-4281, Gray, 42"W x 15" D, EA, \$477.88
 7110-01-666-4280, Sand, 42"W x 15" D, EA, \$477.88

Mobile Pedestal Filing Cabinet

Mobile pedestal filing cabinet is made of powder coated, minimum 22 gauge steel and features castors for mobility.

2 file drawers, cushion top.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3169, Black, 15"W x 22"D, EA, \$363.27
 7110-01-666-3170, Gray, 15"W x 22"D, EA, \$363.27
 7110-01-666-3168, Sand, 15"W x 22"D, EA, \$363.27

1 box drawer, 1 file drawer.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3174, Black, 15"W x 22"D, EA, \$238.95
 7110-01-666-3177, Gray, 15"W x 22"D, EA, \$238.95
 7110-01-666-3171, Sand, 15"W x 22"D, EA, \$238.95

2 file drawers.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3181, Black, 15"W x 22"D, EA, \$247.63
 7110-01-666-3182, Gray, 15"W x 22"D, EA, \$247.63
 7110-01-666-3179, Sand, 15"W x 22"D, EA, \$247.63

Pedestal Filing Cabinet

Pedestal filing cabinet is made of powder coated, minimum 22 gauge steel. Cabinet is lockable and includes 2 keys.

2 box drawers, 1 file drawer.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3176, Black, 15"W x 22"D, EA, \$266.03
 7110-01-666-3178, Gray, 15"W x 22"D, EA, \$266.03
 7110-01-666-3175, Sand, 15"W x 22"D, EA, \$266.03

2 file drawers.

Low VOC, Comprehensive Procurement Guideline Compliant

7110-01-666-3166, Black, 15"W x 22"D, EA, \$233.04
 7110-01-666-3167, Gray, 15"W x 22"D, EA, \$233.04
 7110-01-666-3180, Sand, 15"W x 22"D, EA, \$233.04

Wardrobe

1-Door wardrobe is made of powder coated, minimum 22 gauge steel and features coat rod and adjustable shelf. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-665-0858, Black, 18"W x 18"D x 50"H, EA, \$476.85

7105-01-665-0855, Gray, 18"W x 18"D x 50"H, EA, \$476.85

7105-01-665-0852, Sand, 18"W x 18"D x 50"H, EA, \$476.85

7105-01-665-0843, Black, 18"W x 18"D x 64"H, EA, \$556.73

7105-01-665-0860, Gray, 18"W x 18"D x 64"H, EA, \$556.73

7105-01-665-0859, Sand, 18"W x 18"D x 64"H, EA, \$556.73

7105-01-665-0845, Black, 18"W x 18"D x 78"H, EA, \$636.25

7105-01-665-0842, Gray, 18"W x 18"D x 78"H, EA, \$636.25

7105-00-149-0505, Sand, 18"W x 18"D x 78"H, EA, \$636.25

Two-door wardrobe is made of powder coated, minimum 22 gauge steel and features top fixed shelf, coat rod. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-665-0876, Black, 30"W x 18"D x 50"H, EA, \$611.59

7105-01-665-0841, Gray, 30"W x 18"D x 50"H, EA, \$611.59

7105-01-665-0877, Sand, 30"W x 18"D x 50"H, EA, \$611.59

7105-00-782-9576, Black, 30"W x 18"D x 64"H, EA, \$726.55

7105-01-665-0846, Sand, 30"W x 18"D x 64"H, EA, \$726.55

7105-00-275-6224, Gray, 30"W x 18"D x 64"H, EA, \$726.55

2-Door wardrobe is made of powder coated, minimum 22 gauge steel and features top fixed shelf, 1/2 coat rod and 1/2 (4) adjustable shelves. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-665-0847, Black, 36"W x 18"D x 65"H, EA, \$1,354.13

7105-01-665-0848, Gray, 36"W x 18"D x 65"H, EA, \$1,354.13

7105-01-665-0844, Sand, 36"W x 18"D x 65"H, EA, \$1,354.13

7105-01-665-0850, Black, 36"W x 18"D x 78"H, EA, \$1,460.05

7105-01-665-0851, Gray, 36"W x 18"D x 78"H, EA, \$1,460.05

7105-01-665-0849, Sand, 36"W x 18"D x 78"H, EA, \$1,460.05

Wardrobe Tower

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase with 1 adjustable shelf, full length door with coat rod, Box/Box/File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-664-7834, Black, 24"W x 24"D x 54"H, EA, \$1,028.01

7105-01-664-7837, Gray, 24"W x 24"D x 54"H, EA, \$1,028.01

7105-01-664-7830, Sand, 24"W x 24"D x 54"H, EA, \$1,028.01

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase with 1 adjustable shelf, full length door with coat rod, File/File Drawers. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-664-7832, Black, 24"W x 24"D x 54"H, EA, \$993.62

7105-01-664-7828, Gray, 24"W x 24"D x 54"H, EA, \$993.62

7105-01-664-7831, Sand, 24"W x 24"D x 54"H, EA, \$993.62

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase with 2 adjustable shelves, full length door with coat rod, File/File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant

7105-01-664-7833, Black, 24"W x 24"D x 64"H, EA, \$1,079.76

7105-01-664-7843, Gray, 24"W x 24"D x 64"H, EA, \$1,079.76

7105-01-664-7841, Sand, 24"W x 24"D x 64"H, EA, \$1,079.76

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase, 1 adjustable shelf, Box/Box/File Drawers. Includes one set of 2 keys.

Low VOC, Comprehensive Procurement Guideline Compliant
 7105-01-664-7840, Black, 15"W x 24" D x 51"H, EA, \$558.11
 7105-01-664-7835, Gray, 15"W x 24" D x 51"H, EA, \$558.11
 7105-01-664-7829, Sand, 15"W x 24" D x 51"H, EA, \$558.11
 7105-01-664-7836, Black, 15"W x 24"D x 64"H, EA, \$576.52
 7105-01-664-7845, Gray, 15"W x 24"D x 64"H, EA, \$576.52
 7105-01-664-7838, Sand, 15"W x 24"D x 64"H, EA, \$576.52

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase, 1 adjustable shelf, File/File Drawers. Includes one set of two keys.

Low VOC, Comprehensive Procurement Guideline Compliant
 7105-01-664-7846, Black, 15"W x 24" D x 51"H, EA, \$541.10
 7105-01-664-7844, Gray, 15"W x 24" D x 51"H, EA, \$541.10
 7105-01-664-7839, Sand, 15"W x 24" D x 51"H, EA, \$541.10
 7105-01-664-7848, Black, 15"W x 24"D x 64"H, EA, \$552.55
 7105-01-664-7849, Gray, 15"W x 24"D x 64"H, EA, \$552.55
 7105-01-664-7847, Sand, 15"W x 24"D x 64"H, EA, \$552.55

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features inward bookcase with 2 adjustable shelves, full length door with coat rod, Box/Box/File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant
 7105-01-665-0869, Black, 24"W x 24"D x 64"H, EA, \$1,113.79
 7105-01-665-0866, Gray, 24"W x 24"D x 64"H, EA, \$1,113.79
 7105-01-664-7842, Sand, 24"W x 24"D x 64"H, EA, \$1,113.79

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features full length door with coat rod, hinged door insert, Box/Box/File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant
 7105-01-665-0872, Black, 24"W x 24"D x 64"H, EA, \$1,067.95
 7105-01-665-0871, Gray, 24"W x 24"D x 64"H, EA, \$1,067.95
 7105-01-665-0870, Sand, 24"W x 24"D x 64"H, EA, \$1,067.95

Wardrobe tower is made of powder coated, minimum 22 gauge steel and features full length door with coat rod, hinged door insert, 3 File Drawers.

Low VOC, Comprehensive Procurement Guideline Compliant
 7105-01-665-0875, Black, 24"W x 24"D x 64"H, EA, \$1,033.91
 7105-01-665-0874, Gray, 24"W x 24"D x 64"H, EA, \$1,033.91
 7105-01-665-0873, Sand, 24"W x 24"D x 64"H, EA, \$1,033.91

Clothing Locker

Clothing Locker features 4 coat hooks, a coat rod, and a hat shelf. Locker is made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant
 7125-01-666-5408, Gray, 12"W x 12"D x 66"H, EA, \$1,147.36
 7125-01-666-5410, Ivory, 12"W x 12"D x 66"H, EA, \$1,147.36
 7125-01-666-5394, Gray, 12"W x 12"D x 78"H, EA, \$1,178.36
 7125-01-666-5393, Ivory, 12"W x 12"D x 78"H, EA, \$1,178.36
 7125-01-666-5412, Gray, 12"W x 15"D x 66"H, EA, \$1,209.66
 7125-01-666-5395, Ivory, 12"W x 15"D x 66"H, EA, \$1,209.66
 7125-01-666-5397, Gray, 12"W x 15"D x 78"H, EA, \$1,300.94
 7125-01-666-5399, Ivory, 12"W x 15"D x 78"H, EA, \$1,300.94
 7125-01-666-5396, Gray, 12"W x 18"D x 66"H, EA, \$1,302.11
 7125-01-666-5398, Ivory, 12"W x 18"D x 66"H, EA, \$1,302.11
 7125-01-666-5400, Gray, 12"W x 18"D x 78"H, EA, \$902.05
 7125-01-666-5402, Ivory, 12"W x 18"D x 78"H, EA, \$902.05

2 Tier Locker with Legs

2 tier metal locker with legs features two individual lockers measuring 12 inches wide x 18 inches deep x 30" high each. Locker is made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-5401, Gray, Overall: 12"W x 18"D x 66"H, EA, \$1,237.00

7125-01-666-5403, Ivory, Overall: 12"W x 18"D x 66"H, EA, \$1,237.00

2 tier metal locker with legs features two individual lockers measuring 12 inches wide x 18 inches deep x 36" high each. Locker is made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-5404, Gray, Overall: 12"W x 18"D x 78"H, EA, \$1,277.41

7125-01-666-5406, Ivory, Overall: 12"W x 18"D x 78"H, EA, \$1,277.41

Locker Unit with 4 Individual Lockers

Metal lockers include 4 individual lockers, each measuring 15 inches wide x 18 inches deep x 18 inches high. Lockers are made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-5409, Gray, Overall: 15"W x 18"D x 78"H, EA, \$884.42

7125-01-666-5411, Ivory, Overall: 15"W x 18"D x 78"H, EA, \$884.42

Locker Unit with 6 Individual Lockers

Metal lockers include 6 individual lockers, 3 lockers per horizontal row. Individual lockers are 15 inches wide x 18 inches deep x 36 inches high. Lockers are made of powder coated, minimum 18 gauge steel. Handles to be used for a customer's own pad lock.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-5407, Ivory, Overall: 45"W x 18"D x 78"H, EA, \$884.42

7125-00-298-1926, Gray, Overall: 45"W x 18"D x 78"H, EA, \$884.42

Cell Phone Locker

Cell phone locker features label holder and lock for each individual locker. Locker is made of minimum 18 gauge powder coated steel.

15 Door Locker.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-7246, Black, 24"W x 9.25"D x 31"H, EA, \$1,073.09

7125-01-666-6855, Gray, 24"W x 9.25"D x 31"H, EA, \$1,073.09

7125-01-666-7245, Ivory, 24"W x 9.25"D x 31"H, EA, \$1,073.09

25 Door Locker.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-668-9093, Black, 37"W x 9.25"D x 31"H, EA, \$1,175.97

7125-01-668-9091, Gray, 37"W x 9.25"D x 31"H, EA, \$1,175.97

7125-01-668-9092, Ivory, 37"W x 9.25"D x 31"H, EA, \$1,175.97

36 Door Locker.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-7226, Black, 27"W x 9"D x 78"H, EA, \$1,260.27

7125-01-666-7247, Gray, 27"W x 9"D x 78"H, EA, \$1,260.27

7125-01-666-7227, Ivory, 27"W x 9"D x 78"H, EA, \$1,260.27

Dormitory and Quarters Furniture

This GSA Global Supply line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish that is and timeless and easy to maintain. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captains beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. Inside delivery and installation is offered for an additional fee that can easily be added to your order total. Email furnitue@gsa.gov for an inside delivery and installation quote. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

Bunk Bed

Single beds and bunk beds are capable of stacking with each other and are height adjustable requiring no tools for assembly. Beds include a steel spring deck, headboard and footboard. Each bed measures 84.5" L x 40.5" W x 36" H overall and accomodates XL Twin mattress (38" x 80").

Bunk Beds.

Comprehensive Procurement Guideline Compliant
7105-01-663-0786, Natural Oak, XL Twin, EA, \$614.99

Bunk Beds with (2) XL Twin Mattresses.

Comprehensive Procurement Guideline Compliant
7105-01-663-0787, Natural Oak, XL Twin, EA, \$896.85

Bunk Beds with (2) XL Twin Mattresses and (2) Bed-in-a-Bag. 6 Piece USDA biopreferred bed-in-a-bag includes felt mattress pad with anchor bands, flat sheet, fitted sheet, pillow case, standard 20 oz fill pillow, and 66"x90" natural blanket.

Comprehensive Procurement Guideline Compliant
7105-01-663-0788, Natural Oak, XL Twin, EA, \$1,068.29

Bunkable Single Bed

Single beds and bunk beds are capable of stacking with each other and are height adjustable requiring no tools for assembly. Beds include a steel spring deck, headboard and footboard. Each bed measures 84.5" L x 40.5" W x 36" H overall and accomodates XL Twin mattress (38" x 80").

Single Bed.

Comprehensive Procurement Guideline Compliant
7105-01-462-1062, Natural Oak, XL Twin, EA, \$307.50

Single Bed with XL Twin Mattress.

Comprehensive Procurement Guideline Compliant
7105-01-663-0784, Natural Oak, XL Twin, EA, \$448.43

Single Bed with XL Twin Mattress and Bed-in-a-Bag. 6 Piece USDA biopreferred bed-in-a-bag includes felt mattress pad with anchor bands, flat sheet, fitted sheet, pillow case, standard 20 oz fill pillow, and 66"x90" natural blanket.

Comprehensive Procurement Guideline Compliant
7105-01-663-0785, Natural Oak, XL Twin, EA, \$534.15

This GSA Global Supply line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish that is and timeless and easy to maintain. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captains beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. Inside delivery and installation is offered for an additional fee that can easily be added to your order total. Email furniture@gsa.gov for an inside delivery and installation quote. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

Captain's Bed

Captain's Beds include (2) drawers, pop up bed frame for added storage, headboard storage, and bookcase. The bed deck locks in unison with the drawers below and include a lock hasp system. Bed measures 42" W X 96" L, features under bed ventilation, accommodates an XL twin mattress (38" x 80") and may be reversed for different room configurations.

Captain's Bed.

Comprehensive Procurement Guideline Compliant
7105-01-663-0789, Natural Oak, XL Twin, EA, \$1,565.56

Captain's Bed with XL Twin Mattress.

Comprehensive Procurement Guideline Compliant
7105-01-663-0790, Natural Oak, XL Twin, EA, \$1,706.50

Captain's Bed with XL Twin Mattress and Bed-in-a-Bag. 6 Piece USDA biopreferred bed-in-a-bag includes felt mattress pad with anchor bands, flat sheet, fitted sheet, pillow case, standard 20 oz fill pillow, and 66" x 90" natural blanket.

Comprehensive Procurement Guideline Compliant
7105-01-663-0791, Natural Oak, XL Twin, EA, \$1,792.22

Underbed Drawer

Under bed drawer units fit under single bunkable beds and bunk beds and include a lock hasp system.

One (1) Drawer.

Comprehensive Procurement Guideline Compliant
7105-01-462-1064, Natural Oak, 30" W X 22" D X 12.75" H, EA, \$178.11

Two (2) Drawer.

Comprehensive Procurement Guideline Compliant
7105-01-462-1065, Natural Oak, 30" W X 22" D X 17" H, EA, \$216.83

Chest of Drawers

All chests and nightstands have lock hasp systems on top drawer and include integrated handle, pull handle or knob.

Three Drawer Chest.

Comprehensive Procurement Guideline Compliant
7105-01-462-1052, Natural Oak, 32" W X 20" D X 30" H, EA, \$310.05

Chests and nightstands are constructed of solid oak wood species and are part of a coordinating line of housing and dormitory furniture for use by military and civilian agencies. All chests and nightstands have lock hasp systems on top drawer and include integrated handle, pull handle or knob.

All chests and nightstands have lock hasp systems on top drawer and include integrated handle, pull handle or knob.

Four Drawer Chest.

Comprehensive Procurement Guideline Compliant
7105-01-663-2829, Natural Oak, 32" W X 20" D X 38" H, EA, \$333.40

Five Drawer Chest.

Comprehensive Procurement Guideline Compliant
7105-01-462-0845, Natural Oak, 32" W X 20" D X 48" H, EA, \$377.56

This GSA Global Supply line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish that is and timeless and easy to maintain. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captains beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. Inside delivery and installation is offered for an additional fee that can easily be added to your order total. Email furniture@gsa.gov for an inside delivery and installation quote. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

Wardrobe

Wardrobe features two (2) doors, hat shelf, clothes rod, two (2) drawers, and lock hasp system.

Comprehensive Procurement Guideline Compliant

7105-01-663-0796, Natural Oak, 36" W X 25" D X 72" H, EA, \$687.27

Two door wardrobe features hat shelf, clothes rod, towel bar, mirror and lock hasp system.

Comprehensive Procurement Guideline Compliant

7105-01-462-1054, Natural Oak, 36" W x 25" D x 72" H, EA, \$639.43

Chest Insert for Wardrobe

Three drawer chest insert is for wardrobe NSN 7105-01-462-1054.

Comprehensive Procurement Guideline Compliant

7105-01-462-1051, Natural Oak, 22" W X 22" D X 26" H, EA, \$239.88

Bookcase

3 shelf bookcase with adjustable shelves.

Comprehensive Procurement Guideline Compliant

7105-01-462-1057, Natural Oak, 30" W X 12" D X 36" H, EA, \$192.58

5 shelf bookcase with adjustable shelves.

Comprehensive Procurement Guideline Compliant

7105-01-462-0852, Natural Oak, 30" W X 14" D X 72" H, EA, \$250.71

Nightstand

All chests and nightstands have lock hasp systems on top drawer and include integrated handle, pull handle or knob.

One Drawer Nightstand.

Comprehensive Procurement Guideline Compliant

7105-01-462-1049, Natural Oak, 23" W X 16" D X 23" H, EA, \$161.87

Two Drawer Nightstand.

Comprehensive Procurement Guideline Compliant

7105-01-462-1050, Natural Oak, 23" W X 16" D X 23" H, EA, \$188.02

Mirror

Rectangular Wall Mounted Wood Framed Mirror. Mounting hardware is included.

Comprehensive Procurement Guideline Compliant

7105-01-462-1048, Natural Oak, 28" W X 42" H, EA, \$100.97

This GSA Global Supply line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish that is and timeless and easy to maintain. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captains beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. Inside delivery and installation is offered for an additional fee that can easily be added to your order total. Email furnitue@gsa.gov for an inside delivery and installation quote. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

Entertainment Unit/TV Stand

Entertainment Unit/TV Stand.

Comprehensive Procurement Guideline Compliant

7105-01-663-0794, Natural Oak, 30" W X 24" D X 30" H, EA, \$298.62

Single Pedestal Desk

Single pedestal desk has one (1) pencil drawer, one (1) box/box/file pedestal. Includes grommet in rear of desk for wires.

Comprehensive Procurement Guideline Compliant

7105-01-462-1053, Natural Oak, 42" W X 24" D X 30" H, EA, \$367.82

End Table

End Table

Comprehensive Procurement Guideline Compliant

7105-01-663-0782, Natural Oak, 22" W X 26" D X 20" H, EA, \$159.37

Study Table

Square Study Table.

Comprehensive Procurement Guideline Compliant

7105-01-663-0780, Natural Oak, 36" W X 36" D X 30" H, EA, \$223.02

Coffee Table

Coffee Table

Comprehensive Procurement Guideline Compliant

7105-01-663-0781, Natural Oak, 48" W X 22" D X 18" H, EA, \$186.10

Desk Chair

Two position, armless, mid-back design chair features upholstered seat and back with wood frame construction.

Comprehensive Procurement Guideline Compliant

7105-01-462-0966, Natural Oak, Black Fabric, 18" W X 22.5" D X 32.5" H, EA, \$161.02

7105-01-462-0982, Natural Oak, Black Vinyl, 18" W X 22.5" D X 32.5" H, EA, \$161.02

7105-01-462-0962, Natural Oak, Dark Blue, 18" W X 22.5" D X 32.5" H, EA, \$161.02

Fabric, 7105-01-462-0978, Natural Oak, Dark Blue Vinyl, 18" W X 22.5" D X 32.5" H, EA, \$161.02

Sled base, armless, mid-back design desk chair features upholstered seat and back with wood frame construction.

Comprehensive Procurement Guideline Compliant

7105-01-462-0902, Natural Oak, Black Fabric, 18" W X 20" D X 31.5" H, EA, \$147.44

7105-01-462-0918, Natural Oak, Black Vinyl, 18" W X 20" D X 31.5" H, EA, \$147.44

7105-01-462-0898, Natural Oak, Dark Blue Fabric, 18" W X 20" D X 31.5" H, EA, \$147.44

7105-01-462-0914, Natural Oak, Dark Blue Vinyl, 18" W X 20" D X 31.5" H, EA, \$147.44

This GSA Global Supply line of military dorm and quarters furniture is manufactured in the USA from solid oak hardwood in a natural oak finish that is and timeless and easy to maintain. Coordinating dormitory and quarters NSNs are available for single beds, bunk beds, captains beds, night stands, under bed drawers, chests, wardrobes, desks, bookcases, lounge furniture and a variety of seating. For your convenience, beds may now also be ordered complete with mattress and coordinating bed-in-bag. Inside delivery and installation is offered for an additional fee that can easily be added to your order total. Email furniture@gsa.gov for an inside delivery and installation quote. These products ship FOB Origin. Shipping cost is 10% of your dorm and quarters furniture product NSN order. If your order exceeds \$35,000, the shipping charge drops to 5%.

Lounge Chair

Lounge Chair

Comprehensive Procurement Guideline Compliant

7105-01-470-4603, Natural Oak, Black Fabric, 28" W X 32" D X 30" H, EA, \$544.44

7105-01-470-4586, Natural Oak, Black Vinyl, 28" W X 32" D X 30" H, EA, \$544.44

7105-01-470-4596, Natural Oak, Dark Blue Fabric, 28" W X 32" D X 30" H, EA, \$544.44

7105-01-470-4612, Natural Oak, Dark Blue Vinyl, 28" W X 32" D X 30" H, EA, \$544.44

Two-Seat Sofa

Two seat sofa.

Comprehensive Procurement Guideline Compliant

7105-01-470-5038, Natural Oak, Black Fabric, 52" W X 32" D X 30" H, EA, \$796.64

7105-01-470-5022, Natural Oak, Black Vinyl, 52" W X 32" D X 30" H, EA, \$796.64

7105-01-470-5036, Natural Oak, Dark Blue Fabric, 52" W X 32" D X 30" H, EA, \$796.64

7105-01-470-5018, Natural Oak, Dark Blue Vinyl, 52" W X 32" D X 30" H, EA, \$796.64

Three-Seat Sofa

Three Seat Sofa

Comprehensive Procurement Guideline Compliant

7105-01-470-5358, Natural Oak, Black Fabric, 75" W X 32" D X 30" H, EA, \$1,038.20

7105-01-470-5374, Natural Oak, Black Vinyl, 75" W X 32" D X 30" H, EA, \$1,038.20

7105-01-470-5338, Natural Oak, Dark Blue Fabric, 75" W X 32" D X 30" H, EA, \$1,038.20

7105-01-470-5373, Natural Oak, Dark Blue Vinyl, 75" W X 32" D X 30" H, EA, \$1,038.20

Healthcare Furniture

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Bedside Cabinet

Tops and fronts of patient room bedside cabinets are made of Thermoformed Vinyl, the body material is Laminate, and are locking. They feature four dual wheel casters with at least two lockable casters, removable and field replaceable drawers and doors, full extension glides with bumpers to soften the sound of closing, and venting. All drawers also include liners. Coordinating dressers and wardrobe towers are also available. 19.75" W x 19.75" D x 30" H

Three Drawer Bedside Cabinet with Gallery Rail.

7105-01-682-9725, Light Maple Wood Finish, EA, \$758.63

7105-01-682-9728, Platinum Gray Finish, 19.75"W x19.75"D x 30"H, EA, \$758.63

7105-01-682-9727, See expanded color options, EA, \$758.63

Three Drawer Bedside Cabinet with Spill Groove.

7105-01-652-8445, Light Maple Wood Finish, EA, \$695.09

7105-01-682-9729, Platinum Gray Finish, EA, \$695.09

7105-01-682-9726, See expanded color options, EA, \$695.09

Single Drawer Bedside Cabinet with Left Door and Gallery Rail.

7105-01-682-9730, Light Maple Wood Finish, 19.75"W x19.75"D x 30"H, EA, \$596.47

7105-01-682-9731, Platinum Gray Finish, 19.75"W x19.75"D x 30"H, EA, \$596.47

7105-01-682-9732, See expanded color options, 19.75"W x19.75"D x 30"H, EA, \$596.47

Single Drawer Bedside Cabinet with Left Door and Spill Groove.

7105-01-683-0163, Light Maple Wood Finish, EA, \$532.94

7105-01-683-0154, Platinum Gray Finish, EA, \$532.94

7105-01-683-0155, See expanded color options, EA, \$532.94

Single Drawer Bedside Cabinet with Right Door and Gallery Rail.

7105-01-683-0156, Light Maple Wood Finish, EA, \$596.47

7105-01-683-0157, Platinum Gray Finish, EA, \$596.47

7105-01-683-0158, See expanded color options, EA, \$596.47

Single Drawer Bedside Cabinet with Right Door and Spill Groove.

7105-01-683-0159, Light Maple Wood Finish, EA, \$532.94

7105-01-683-0160, Platinum Gray Finish, EA, \$532.94

7105-01-683-0161, See expanded color options, EA, \$532.94

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Three Drawer Dresser

Tops and fronts of patient room dressers are made of Thermoformed Vinyl, the body material is Laminate, and are locking. They feature metal legs with leveling glides, removable and field replaceable drawers, full extension glides with bumpers to soften the sound of closing, and venting. All drawers also include liners. Coordinating bedside cabinets and wardrobe towers are also available.

7105-01-683-0855, Light Maple Wood Finish, 31.75"W x 19.75"D x 30"H, EA, \$898.51

7105-01-683-0856, Platinum Gray, 31.75"W x 19.75"D x 30"H, EA, \$898.51

7105-01-683-2154, See expanded color options, 31.75"W x 19.75"D x 30"H, EA, \$898.51

Wardrobe Tower

Fronts of Patient Room wardrobe towers are made of Thermoformed Vinyl. The top and body material is Laminate, they are available in one and two door options, and are locking. They feature metal legs with leveling glides, one fixed top shelf with closet rod, removable and field replaceable doors, bumpers on doors to soften the sound of closing, and venting. Coordinating bedside cabinets and dressers are also available.

Right Door Wardrobe.

7105-01-683-0860, Light Maple Wood Finish, 23.25"W x 19.75"D x 70"H, EA, \$959.19

7105-01-683-1403, Platinum Gray, 23.25"W x 19.75"D x 70"H, EA, \$959.19

7105-01-683-1404, See expanded color options, 23.25"W x 19.75"D x 70"H, EA, \$959.19

Left Door Wardrobe.

7105-01-683-1405, Light Maple Wood Finish, 23.25"W x 19.75"D x 70"H, EA, \$959.19

7105-01-683-0863, Platinum Gray, 23.25"W x 19.75"D x 70"H, EA, \$959.19

7105-01-683-0866, See expanded color options, 23.25"W x 19.75"D x 70"H, EA, \$959.19

Double Door Wardrobe.

7105-01-683-0868, Light Maple Wood Finish, 35.25"W x 23.25"D x 70"H, EA, \$1,180.62

7105-01-683-1406, Platinum Gray, 35.25"W x 23.25"D x 70"H, EA, \$1,180.62

7105-01-683-1407, See expanded color options, 35.25"W x 23.25"D x 70"H, EA, \$1,180.62

Overbed Table

Overbed tables contain a solid surface top constructed of thermoformed vinyl with raised edge to contain spills. Tables feature offset metal column base with casters and pneumatic height adjustment range of at least 11" high to 30" - 41". The maximum weight capacity is 100 lbs.

Overbed Table with Rectangular Shaped Top.

7105-01-652-8444, Light Maple Wood Finish, 30"W x 16"D x 27-43"H, EA, \$568.03

7105-01-683-0149, Platinum Gray, 30"W x 16"D x 27-43"H, EA, \$568.03

7105-01-683-0150, See expanded color options, 30"W x 16"D x 27-43"H, EA, \$568.03

Overbed Table with Kidney Shaped Top.

7105-01-683-0151, Light Maple Wood Finish, 30"W x 16"D x 27-43"H, EA, \$568.03

7105-01-683-0152, Platinum Gray, 30"W x 16"D x 27-43"H, EA, \$568.03

7105-01-683-0153, See expanded color options, 30"W x 16"D x 27-43"H, EA, \$568.03

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Patient Recliner

Patient recliners are available as stationary or mobile with right flip down arm or left flip down arm options. Stationary recliners have glides. Mobile recliners have a central locking caster system and push bar. All recliners feature black urethane arm caps, footrest/leg support, recliner control, removable upholstery covers, removable and field replaceable cushions, moisture barrier within the seat cushion, and a cleanout space between the back and the seat cushion. All recliners also come with an IV pole and holder and drainage bag/utility holder especially for healthcare environments. Maximum weight capacity is 300 lbs.

Mobile Patient Recliner with Left Flip Down Arm.

7105-01-683-2385, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,848.64

7105-01-683-2384, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,848.64

7105-01-683-2389, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,621.52

7105-01-683-2390, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,621.52

7105-01-683-2391, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,954.84

Mobile Patient Recliner with Right Flip Down Arm.

7105-01-683-2402, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,848.64

7105-01-683-2403, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,848.64

7105-01-683-2388, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,621.52

7105-01-683-2387, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,621.52

7105-01-683-2386, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,954.84

Stationary Patient Recliner with Left Flip Down Arm.

7105-01-683-2397, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,391.56

7105-01-683-2398, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,391.56

7105-01-683-2399, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,164.44

7105-01-683-2401, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,164.44

7105-01-683-2400, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,497.77

Stationary Patient Recliner with Right Flip Down Arm.

7105-01-683-2393, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,164.44

7105-01-683-2395, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,164.44

7105-01-683-2155, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,391.56

7105-01-683-2392, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,391.56

7105-01-683-2396, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,497.77

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Trendelenburg Recliner

Trendelenburg recliners allow individuals to recline to a position where the body is flat and feet are elevated above the head. These trendelenburg recliners are available as stationary or mobile with right flip down arm or left flip down arm options. Stationary recliners have glides. Mobile recliners have a central locking caster system and pushbar. All recliners feature black urethane arm caps, footrest/leg support, recliner control, removable upholstery covers, removable and field replaceable cushions, moisture barrier within the seat cushion, and a cleanout space between the back and the seat cushion. All recliners also come with an IV pole and holder and drainage bag/utility holder especially for healthcare environments. Maximum weight capacity is 300 lbs.

Mobile Trendelenburg Recliner with Left Flip Down Arm. (Central Locking Casters System)

7105-01-683-0142, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,912.17

7105-01-683-0143, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,912.17

7105-01-683-3770, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,685.53

7105-01-683-3023, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,685.53

7105-01-683-3771, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$4,018.38

Mobile Trendelenburg Recliner with Right Flip Down Arm. (Central Locking Casters System)

7105-01-683-0137, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,912.17

7105-01-683-0138, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,912.17

7105-01-683-0139, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,685.53

7105-01-683-0140, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,685.53

7105-01-683-0141, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$4,018.38

Stationary Trendelenburg Recliner with Left Flip Down Arm. (Glides, No Casters)

7105-01-683-3017, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,454.62

7105-01-683-3021, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,454.62

7105-01-683-0162, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,227.98

7105-01-683-0136, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,227.98

7105-01-683-2156, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,561.31

Stationary Trendelenburg Recliner with Right Flip Down Arm. (Glides, No Casters)

7105-01-683-3018, Blue Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,454.62

7105-01-683-3019, Mocha Fabric, 29.5"W x 35"D x 45.5"H, EA, \$3,454.62

7105-01-683-3022, Blue Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,227.98

7105-01-683-3025, Mocha Vinyl, 29.5"W x 35"D x 45.5"H, EA, \$3,227.98

7105-01-683-3020, See expanded color options, 29.5"W x 35"D x 45.5"H, EA, \$3,561.31

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Glider

Patient gliders with closed arm design and black urethane arm caps, have a concealed gliding mechanism and a cleanout space between the back and the seat cushion. Removable and field replaceable cushions also have a moisture barrier within the seat cushion and removable fabric covers. The maximum weight capacity is 350 lbs.

7105-01-682-9889, Blue Fabric, 28"W x 28"D x 43.5"H, EA, \$1,376.96
 7105-01-683-0145, Mocha Fabric, 28"W x 28"D x 43.5"H, EA, \$1,376.96
 7105-01-683-0146, Blue Vinyl, 28"W x 28"D x 43.5"H, EA, \$1,244.68
 7105-01-683-0147, Mocha Vinyl, 28"W x 28"D x 43.5"H, EA, \$1,244.68
 7105-01-683-0148, See expanded color options, 28"W x 28"D x 43.5"H, EA, \$1,451.40

Single Seat Sleeper

Single seat sleeper is fully upholstered with arms and black urethane arm caps. Sleeper features a cleanout space between the back and the seat cushion and has a moisture barrier within the seat and inside back cushion. Stationary sleepers have glides. Mobile recliners have locking casters. Sleeper in a closed position is 35"W x 38"D x 39"H. Extended, the sleeping surface depth is 87" and width is 35".

Mobile single sleeper with locking casters.

7105-01-683-0853, Blue Fabric, 35"W x 38"D x 39"H, EA, \$2,757.15
 7105-01-683-0857, Mocha Fabric, 35"W x 38"D x 39"H, EA, \$2,757.15
 7105-01-683-0858, Blue Vinyl, 35"W x 38"D x 39"H, EA, \$2,440.90
 7105-01-683-0859, Mocha Vinyl, 35"W x 38"D x 39"H, EA, \$2,440.90
 7105-01-683-1402, See expanded color options, 35"W x 38"D x 39"H, EA, \$2,904.61

Stationary single sleeper with glides.

7105-01-683-0871, Blue Fabric, 35"W x 38"D x 39"H, EA, \$2,744.82
 7105-01-683-0875, Mocha Fabric, 35"W x 38"D x 39"H, EA, \$2,744.82
 7105-01-683-0854, Blue Vinyl, 35"W x 38"D x 39"H, EA, \$2,428.57
 7105-01-683-0852, Mocha Vinyl, 35"W x 38"D x 39"H, EA, \$2,428.57
 7105-01-683-0850, See expanded color options, 35"W x 38"D x 39"H, EA, \$2,893.23

Two Seat Sleeper

Two seat sleeper is fully upholstered with arms and black urethane arm caps. Sleeper features a cleanout space between the back and the seat cushion and has a moisture barrier within the seat and inside back cushion. Stationary sleepers have glides. Mobile recliners have locking casters. Sleeper in a closed position is 54"W x 38"D x 39"H. Extended, the sleeping surface depth is 87" and width is 54".

Mobile two seat sleeper with locking casters.

7105-01-683-0469, Blue Fabric, 54"W x 38"D x 39"H, EA, \$3,394.41
 7105-01-683-0861, Mocha Fabric, 54"W x 38"D x 39"H, EA, \$3,394.41
 7105-01-683-0864, Blue Vinyl, 54"W x 38"D x 39"H, EA, \$3,004.18
 7105-01-683-0867, Mocha Vinyl, 54"W x 38"D x 39"H, EA, \$3,004.18
 7105-01-683-0869, See expanded color options, 54"W x 38"D x 39"H, EA, \$3,576.95

Stationary two seat sleeper with glides.

7105-01-683-0460, Blue Fabric, 54"W x 38"D x 39"H, EA, \$3,383.02
 7105-01-683-0462, Mocha Fabric, 54"W x 38"D x 39"H, EA, \$3,383.02
 7105-01-683-0465, Blue Vinyl, 54"W x 38"D x 39"H, EA, \$2,992.33
 7105-01-683-0466, Mocha Vinyl, 54"W x 38"D x 39"H, EA, \$2,992.33
 7105-01-683-0467, See expanded color options, 54"W x 38"D x 39"H, EA, \$3,564.15

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Three Seat Sleeper

Three seat sleeper is fully upholstered with arms and black urethane arm caps. Sleeper features a cleanout space between the back and the seat cushion and has a moisture barrier within the seat and inside back cushion. Stationary sleepers have glides. Mobile recliners have locking casters. Sleeper in a closed position is 78"W x 34.5"D x 34.5"H. Extended, the sleeping surface depth is 28.75" and width is 72".

Mobile three seat sleeper with locking casters.

- 7105-01-683-0870, Blue Fabric, 78"W x 34.5"D x 34.5"H, EA, \$3,488.95
- 7105-01-683-0872, Mocha Fabric, 78"W x 34.5"D x 34.5"H, EA, \$3,488.95
- 7105-01-683-0873, Blue Vinyl, 78"W x 34.5"D x 34.5"H, EA, \$2,962.17
- 7105-01-683-0874, Mocha Vinyl, 78"W x 34.5"D x 34.5"H, EA, \$2,962.17
- 7105-01-683-0876, See expanded color options, 78"W x 34.5"D x 34.5"H, EA, \$3,753.05

Stationary three seat sleeper with glides.

- 7105-01-683-0879, Blue Fabric, 78"W x 34.5"D x 34.5"H, EA, \$3,488.95
- 7105-01-683-0878, Mocha Fabric, 78"W x 34.5"D x 34.5"H, EA, \$3,488.95
- 7105-01-683-0877, Blue Vinyl, 78"W x 34.5"D x 34.5"H, EA, \$2,962.17
- 7105-01-683-0862, Mocha Vinyl, 78"W x 34.5"D x 34.5"H, EA, \$2,962.17
- 7105-01-683-0865, See expanded color options, 78"W x 34.5"D x 34.5"H, EA, \$3,753.05

Exam Stool

Backless round revolving exam stool features a round vinyl upholstered cushion seat, moisture barrier within the seat cushion, pneumatic height adjustment, five star base and soft casters. Seat can be adjusted from 15.1' - 20.3" from floor.

- 7110-01-683-0851, Black, 22.3w x 22.3d x 15.1-20.3h.; Seat Width: 16.8", EA, \$341.03

High Back Patient Chair

High back patient chairs with wall saver design have open arms with black urethane arm caps. Chairs feature a cleanout space between the back and seat cushion, removable upholstery covers, removable and field replaceable cushions and a moisture barrier. Chair frames have an anti-microbial finish and glides. The chairs coordinate with other patient room seating within this line including recliners, gliders and sleepers.

Beech Wood Chair Frame.

- 7105-01-683-1762, Blue Fabric, EA, \$1,118.89
- 7105-01-683-1764, Mocha Fabric, EA, \$1,118.89
- 7105-01-683-1765, Blue Vinyl, EA, \$920.69
- 7105-01-683-1768, Mocha Vinyl, 25"W x 27"D x 43.5"H, EA, \$920.69
- 7105-01-683-1162, See expanded color options, EA, \$1,216.56

Silver Metallic Finish Chair Frame.

- 7105-01-683-1769, Blue Fabric, EA, \$833.03
- 7105-01-683-1771, Mocha Fabric, EA, \$833.03
- 7105-01-683-1773, Blue Vinyl, EA, \$712.11
- 7105-01-683-1789, Mocha Vinyl, EA, \$712.11
- 7105-01-683-1161, See expanded color options, EA, \$894.19

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Single Seat Arm Chair

Single seat waiting room arm chairs are designed to coordinate and have the ability to be ganged with waiting room two seat chair, three seat chair, and bariatric arm chair. Ganging accessory and any hardware necessary to be connected by the end user without the use of tools is included. The chair frame features open arms with black urethane arm caps, glides, wall saver design, and an anti-microbial finish. Chair also has a removable seat cushion, cleanout space between the back and the seat cushion, and a moisture barrier within the seat cushion. Maximum weight capacity is 350 lbs.

Beech Wood Chair Frame.

7105-01-683-1792, Blue Fabric, 25"W x 27"D x 34.25"H, EA, \$774.80

7105-01-683-1793, Mocha Fabric, 25"W x 27"D x 34.25"H, EA, \$774.80

7105-01-683-1795, Mocha Vinyl, 25"W x 27"D x 34.25"H, EA, \$662.91

7105-01-683-1794, Blue Vinyl, 25"W x 27"D x 34.25"H, EA, \$662.91

7105-01-683-1159, See expanded color options, 25"W x 27"D x 34.25"H, EA, \$833.12

Silver Metallic Finish Chair Frames.

7105-01-683-1796, Blue Fabric, 25"W x 28"D x 34.5"H, EA, \$649.15

7105-01-683-1797, Mocha Fabric, 25"W x 28"D x 34.5"H, EA, \$649.15

7105-01-683-1798, Blue Vinyl, 25"W x 28"D x 34.5"H, EA, \$556.69

7105-01-683-1800, Mocha Vinyl, 25"W x 28"D x 34.5"H, EA, \$556.69

7105-01-683-1156, See expanded color options, 25"W x 28"D x 34.5"H, EA, \$695.14

Two Seat Chair

Two seat waiting room arm chairs are designed to coordinate and have the ability to be ganged with waiting room single seat chair, three seat chair, and bariatric arm chair. Ganging accessory and any hardware necessary to be connected by the end user without the use of tools is included. The chair frame features open arms with black urethane arm caps, glides, wall saver design, and an anti-microbial finish. Chair also has removable seat cushions, cleanout space between the back and the seat cushion, and a moisture barrier within the seat cushion. Maximum weight capacity is 350 lbs. per seat.

Beech Wood Chair Frame.

7105-01-683-1783, Blue Fabric, 46.5"W x 27"D x 34.25"H, EA, \$1,306.37

7105-01-683-1784, Mocha Fabric, 46.5"W x 27"D x 34.25"H, EA, \$1,306.37

7105-01-683-1785, Blue Vinyl, 46.5"W x 27"D x 34.25"H, EA, \$1,108.65

7105-01-683-1786, Mocha Vinyl, 46.5"W x 27"D x 34.25"H, EA, \$1,108.65

7105-01-683-1157, See expanded color options, 46.5"W x 27"D x 34.25"H, EA, \$1,412.57

Silver Metallic Finish Chair Frame.

7105-01-683-1787, Blue Fabric, 46.5"W x 28"D x 34.5"H, EA, \$1,185.70

7105-01-683-1788, Mocha Fabric, 46.5"W x 28"D x 34.5"H, EA, \$1,185.70

7105-01-683-1790, Blue Vinyl, 46.5"W x 28"D x 34.5"H, EA, \$1,002.20

7105-01-683-1791, Mocha Vinyl, 46.5"W x 28"D x 34.5"H, EA, \$1,002.20

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Three Seat Chair

Three seat waiting room arm chairs are designed to coordinate and have the ability to be ganged with waiting room single seat chair, two seat chair, and bariatric arm chair. Ganging accessory and any hardware necessary to be connected by the end user without the use of tools is included. The chair frame features open arms with black urethane arm caps, glides, wall saver design, and an anti-microbial finish. Chair also has removable seat cushions, cleanout space between the back and the seat cushion, and a moisture barrier within the seat cushion. Maximum weight capacity is 350 lbs. per seat.

Beech Wood Chair Frame.

- 7105-01-683-1763, Blue Fabric, 68"W x 27"D x 34.25"H, EA, \$1,897.20
- 7105-01-683-1767, Blue Vinyl, 68"W x 27"D x 34.25"H, EA, \$1,595.64
- 7105-01-683-1766, Mocha Fabric, 68"W x 27"D x 34.25"H, EA, \$1,897.20
- 7105-01-683-1770, Mocha Vinyl, 68"W x 27"D x 34.25"H, EA, \$1,595.64
- 7105-01-683-1151, See expanded color options, 68"W x 27"D x 34.25"H, EA, \$2,048.45

Silver Metallic Finish Chair Frame.

- 7105-01-683-1772, Blue Fabric, 68"W x 28"D x 34.5"H, EA, \$1,699.76
- 7105-01-683-1774, Mocha Fabric, 68"W x 28"D x 34.5"H, EA, \$1,699.76
- 7105-01-683-2394, Blue Vinyl, 68"W x 28"D x 34.5"H, EA, \$1,425.23
- 7105-01-683-1775, Mocha Vinyl, 68"W x 28"D x 34.5"H, EA, \$1,425.23
- 7105-01-683-1153, See expanded color options, 68"W x 28"D x 34.5"H, EA, \$1,838.22

Bariatric Arm Chair

Bariatric waiting room arm chairs are designed to coordinate and have the ability to be ganged with waiting room single seat chair, two seat chair, and three seat chair. Ganging accessory and any hardware necessary to be connected by the end user without the use of tools is included. The chair frame features open arms with black urethane arm caps, glides, wall saver design, and an anti-microbial finish. Chair also has removable seat cushions, cleanout space between the back and the seat cushion, and a moisture barrier within the seat cushion. Maximum weight capacity is 500 lbs.

Beech Wood Chair Frame.

- 7105-01-683-1754, Blue Fabric, 34"W x 27"D x34.25"D, EA, \$1,079.68
- 7105-01-683-1755, Mocha Fabric, 34"W x 27"D x34.25"D, EA, \$1,079.68
- 7105-01-683-1753, Blue Vinyl, 34"W x 27"D x34.25"D, EA, \$881.49
- 7105-01-683-1756, Mocha Vinyl, 34"W x 27"D x34.25"D, EA, \$881.49
- 7105-01-683-1158, See expanded color options, 34"W x 27"D x34.25"D, EA, \$1,179.24

Silver Metallic Finish Chair Frame.

- 7105-01-683-1757, Blue Fabric, 34"W x 28"D x34.5"D, EA, \$823.16
- 7105-01-683-1758, Mocha Fabric, 34"W x 28"D x34.5"D, EA, \$823.16
- 7105-01-683-1759, Blue Vinyl, 34"W x 28"D x34.5"D, EA, \$679.50
- 7105-01-683-1760, Mocha Vinyl, 34"W x 28"D x34.5"D, EA, \$679.50
- 7105-01-683-1160, See expanded color options, 34"W x 28"D x34.5"D, EA, \$895.23

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Hip Chair

The hip chair is 23"-26" H and is from the same line as all other waiting room seating chairs. The hip chair frame has open arms with black urethane arm caps and features wall saver design, a non skid footrest, removable and field replaceable cushions, moisture barrier within seat cushion, cleanout space between back and seat cushion, and glides. Maximum weight capacity is 300 lbs.

Beech Wood Chair Frame.

7105-01-683-1799, Blue Fabric, 25"W x 28.25"D x 40"H, EA, \$969.67

7105-01-683-1776, Mocha Fabric, 25"W x 28.25"D x 40"H, EA, \$969.67

7105-01-683-1777, Blue Vinyl, 25"W x 28.25"D x 40"H, EA, \$881.49

7105-01-683-1778, Mocha Vinyl, 25"W x 28.25"D x 40"H, EA, \$881.49

7105-01-683-1155, See expanded color options, 25"W x 28.25"D x 40"H, EA, \$1,013.77

Silver Metallic Finish Chair Frame.

7105-01-683-1779, Blue Fabric, 25"W x 30.75"D x 40.5"H, EA, \$856.83

7105-01-683-1780, Mocha Fabric, 25"W x 30.75"D x 40.5"H, EA, \$856.83

7105-01-683-1781, Blue Vinyl, 25"W x 30.75"D x 40.5"H, EA, \$761.53

7105-01-683-1782, Mocha Vinyl, 25"W x 30.75"D x 40.5"H, EA, \$761.53

7105-01-683-1152, See expanded color options, 25"W x 30.75"D x 40.5"H, EA, \$904.72,

Freestanding End Table

Freestanding end tables feature square laminate tops and glides on the table legs.

Silver Metallic Finish Table Base.

7105-01-683-0473, Light Maple Wood Finish, 22"W x 22"D x 16"H, EA, \$237.54

7105-01-683-0449, Platinum Gray, 22"W x 22"D x 16"H, EA, \$237.54

Wood Table Base.

7105-01-683-0468, Light Maple Wood Finish, 22"W x 22"D x 16"H, EA, \$403.50

7105-01-683-0472, Platinum Gray, 22"W x 22"D x 16"H, EA, \$443.84

Manufacturer is Krug, Inc. This healthcare furniture line is intended for use in hospitals and other medical facilities. Healthcare furniture is available in a variety of wood or metal finish options and the seating is available in a variety of healthcare grade upholstery. All hardware components, finishes and upholstery are designed to coordinate with other NSN items in this line. In addition to the National Stock Numbers(NSNs) for standard GSA colors, you can now order our "open finish" NSNs which allow you to select from a wide variety of additional expanded finish and upholstery colors and patterns. Please see the catalog to select coordinating products or choose from the expanded finish and upholstery options at www.gsa.gov/healthcarefurniture. All products in this line are also Greenguard and ANSI-Bifma Level Certified to help agencies meet sustainability standards set forth in Executive Order 13693, Planning for Federal Sustainability in the Next Decade and meets the Department of Veterans Affairs (VA) Minimum Technical Requirements for durability and sustainability. Limited lifetime warranty. Delivery is dock to dock. Please confirm that your facility has a dock. If you do not have a dock to accommodate a 53 ft truck, additional services will be required and can be provided for a fee. These services can include inside delivery and installation Please email furniture@gsa.gov to add needed services or expanded finish and upholstery color options to your order.

Attached End Table

Attached end tables are non-handed and attach to waiting room single seat, two seat, three seat and nariatric chairs. Attachment hardware is included. Tables feature laminate tops and glides on table legs.

Silver Metallic Finish Table Base.

7105-01-683-0450, Light Maple Wood Finish, 22"W x 22"D x 16"H, EA, \$273.10

7105-01-683-0452, Platinum Gray, 22"W x 22"D x 16"H, EA, \$273.10

Wood Table Base.

7105-01-683-0451, Light Maple Wood Finish, 22"W x 22"D x 16"H, EA, \$321.94

7105-01-683-2157, Platinum Gray, 22"W x 22"D x 16"H, EA, \$354.14

Attached Connecting Table

Attached connecting laminate top table is non-handed. This table does not have legs as it is intended to attach between waiting room single, two seat, three seat or bariatric chairs. Attachment hardware is include.

7105-01-683-0454, Light Maple Wood Finish, 22"W x 22"D, EA, \$231.85

7105-01-683-0456, Platinum Gray, 22"W x 22"D, EA, \$231.85

Coffee Table

Rectangular coffee table features laminate top and glides on table legs.

Silver Metallic Finish Table Base.

7105-01-683-0463, Light Maple Wood Finish, 42"W x 22"D x 16"H, EA, \$326.68

7105-01-683-0464, Platinum Gray, 42"W x 22"D x 16"H, EA, \$326.68

Wood Table Base.

7105-01-683-0458, Light Maple Wood Finish, 42"W x 22"D x 16"H, EA, \$522.03

7105-01-683-0459, Platinum Gray, 42"W x 22"D x 16"H, EA, \$574.24

Mobile Military Field Desks

Field Desk

Portable field desk with single attachable work surface and six drawers is for field use by the Armed Forces for typing, writing and storing records. The desk is made of durable, waterproof, lightweight blowmolded plastic and folds into one shipping container. Six drawers: Two shallow (padlock for extra security), two deep, two file sizes. Includes a folding chair load rated to 300 lbs., which can be folded and stored in the lid in seconds.

Comprehensive Procurement Guideline Compliant

7110-00-656-1110, Olive Drab, Collapsed Dimensions: 30" L X 21" W X 28.5" D, Extended Dimensions: 61.40" L X 28.5" H X 28"D., EA, \$1,210.42

Dual table field desk and is designed for field use by the Armed Forces. The desk is made of durable, waterproof, lightweight blowmolded plastic and folds into one durable shipping container to become mobile. Six drawers: Two shallow (padlock for extra security), two deep, two file sizes. Includes two folding chair load rated to 300 lbs., which can be folded and stored in the lid in seconds.

Comprehensive Procurement Guideline Compliant

7110-01-559-9642, Olive Drab, Collapsed Dimensions: 34" L X 24.9" W X 28.50" D, Extended Dimensions: 102" L X 28.50" H X 28.50" D, EA, \$1,388.72

Folding Chairs and Tables

SKILCRAFT® Folding Chair

Folding chair functions as temporary seating both indoors and outdoors. Tubular steel frame without arms is enamel-painted and has sturdy, durable construction. Form-fitting steel seat and back have four legs capped with non-slip rubber feet. Smoothly and quietly folds from front to back into compact unit and readily stacks in a freestanding pile. When folded, chair is 34" to 40" long. When open, seat sets 16" to 19" from the floor. 1150 lb. weight capacity.

7105-00-269-8463, AbilityOne, Gray, Unpadded Seat and Back, EA, \$82.83

7105-00-663-8475, AbilityOne, Gray, Padded Seat and Back, EA, \$108.55

Commercial grade folding chair for indoor and outdoor use. Ergonomically contoured and light weight. This chair is produced with blow molded, high density, polyethylene seat and back with powder coated heavy gauge steel frame and leg assemblies to provide a lightweight, durable, and portable design. Chair has an extra wide seat for comfort and nests for easy storage. Resists dents, scratches, and scuffs. Plastic feet will not mar floors. Sold in a case of 4 chairs. Limited 5 year warranty. 19 inches W x 16 inches D x 33 1/2 inches H/open dimensions, 350 lb weight capacity.

7105-01-576-6180, AbilityOne, Platinum, BX(contains 4 EA), \$299.70

7105-01-663-7984, AbilityOne, Espresso Brown, BX(contains 4 EA), \$299.70

7105-01-663-7983, AbilityOne, Charcoal, BX(contains 4 EA), \$299.70

Durable SKILCRAFT® Blow-Molded Folding Tables are commercial grade and made of high density polyethylene plastic with contemporary beveled, radius edged tops. Powder coated heavy gauge steel tubing legs with non mar plastic capped feet to protect floors. Lightweight and highly portable; Legs fold into underside cavity for safe storage and easy transport. For use indoors or outdoors. Tables clean easily and resist dents, scratches, rust, stains, and warping. Stated weight capacities refer to even weight distribution. Tops are made with approximately 35 percent pre consumer recycled content and all parts are recyclable at end of life. 15 year limited warranty. Tables meets ANSI/BIFMA standards. Made in the U.S.A. TAA and Berry Amendment compliant.

Adjustable Height Folding Table

7195-01-618-3864, SKILCRAFT , AbilityOne, Charcoal Gray, 30" L x 20" D x 25 - 28" H (25 lb. Weight Capacity), EA, \$71.46

7110-01-671-6416, SKILCRAFT , AbilityOne, Platinum, 72" L x 30" D x 25" - 35" H (600 lb. Weight Capacity), EA, \$361.76

Utility Table with Folding Legs

7195-01-618-3865, SKILCRAFT , AbilityOne, Charcoal Gray, 72" L x 18" D x 29" H (250 lb. Weight Capacity), EA, \$190.64

7195-01-618-3867, SKILCRAFT , AbilityOne, Charcoal Gray, 60" L x 18" D x 29" H (250 lb. Weight Capacity), EA, \$177.99

Rectangular Folding Table

7105-01-576-6177, SKILCRAFT , AbilityOne, Platinum, 48" L x 24" W x 29" H (600 lb. Weight Capacity), EA, \$126.50

7110-01-671-6417, SKILCRAFT , AbilityOne, Platinum, 60" L x 30" D x 29" H (1200 lb. Weight Capacity), EA, \$190.08

7195-01-618-3866, SKILCRAFT , AbilityOne, Charcoal Gray, 72" L x 30" D x 29" H (1200 lb. Weight Capacity), EA, \$293.96

7105-01-576-6178, SKILCRAFT , AbilityOne, Platinum, 72"L x 30" D x 29"H (1200 lb. Weight Capacity), EA, \$294.54

7110-01-671-6418, SKILCRAFT , AbilityOne, Charcoal Gray, 96" L 30" D x 29" H (1200 lb. Weight Capacity), EA, \$431.48

7105-01-576-6179, AbilityOne, Platinum, 96"L x 30" W x 29"H (1200 lb. Weight Capacity), EA, \$431.48

Round Folding Table

7195-01-618-3861, SKILCRAFT , AbilityOne, Charcoal Gray, 60" W x 29"H (600 lb. Weight Capacity), EA, \$439.01

Bi-Fold Folding Table

Bi-fold table folds in half for more compact storage.

7110-01-671-6415, SKILCRAFT , AbilityOne, Platinum, 72" L x 30" D x 29" H (250 lb. Weight Capacity), EA, \$197.27

7195-01-618-3862, SKILCRAFT , AbilityOne, Charcoal Gray, 60" L x 30" D x 29" H (250 lb. Weight Capacity), EA, \$209.08

Picnic Table

Lightweight, easy-to-move table is made of blow-molded plastic resin and sturdy steel frame with durable powder-coated finish. Table is resistant to water, stains, scratches and impact. For indoor or outdoor use. Commercial picnic table can support 600 lbs. evenly distributed. PLEASE NOTE: This picnic table does not have folding legs.

7195-01-618-3863, AbilityOne, Charcoal Gray, 72" L x 30" D x 29" H, EA, \$546.08

Industrial and Other Storage

Storage Cabinet

Storage cabinet is constructed of dent and scratch resistant blow molded high density polyethylene plastic. Cabinet features reinforced adjustable shelves and locking doors. Assembles easily with a screwdriver.

7125-01-667-1401, AbilityOne, Black, 33" W x 18" D x 66" H, EA, \$254.70

7125-01-667-1400, AbilityOne, Platinum, 33" W x 18" D x 66" H, EA, \$376.36

7125-01-667-1402, AbilityOne, Black, 36" W x 22" D x 46" H, EA, \$348.97

7125-01-667-1403, AbilityOne, Platinum, 36" W x 22" D x 46" H, EA, \$348.97

7125-01-667-1404, AbilityOne, Black, 36" W x 22" D x 72" H, EA, \$408.81

7125-01-667-1407, AbilityOne, Platinum, 36" W x 22" D x 72" H, EA, \$408.81

Open Storage Shelf

Open shelf storage unit is constructed of steel reinforced, washable and scratch and dent resistant blow molded high density polyethylene plastic. Includes heavy duty polypropylene uprights for increased stability, trim caps and wall anchor. Features 180 lb. capacity per shelf and easy snap together assembly.

7125-01-667-2785, AbilityOne, Black, 32" W x 13" D x 54" H, EA, \$97.95

7125-01-667-2783, AbilityOne, Charcoal, 32" W x 13" D x 54" H, EA, \$97.95

7125-01-667-2784, AbilityOne, Platinum, 32" W x 13" D x 54" H, EA, \$97.95

7125-01-667-2788, AbilityOne, Black, 36" W x 18" D x 74" H, EA, \$216.23

7125-01-667-2787, AbilityOne, Charcoal, 36" W x 18" D x 74" H, EA, \$216.23

7125-01-667-2786, AbilityOne, Platinum, 36" W x 18" D x 74" H, EA, \$216.23

Open Shelving Storage

Industrial open shelving storage unit features adjustable shelves and is made of powder coated, minimum 18 gauge steel. Minimum Capacity 725 Lbs.

6 shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-00-558-0011, Gray, 48"W x 24"D x 75"H, EA, \$459.59

8 shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-00-559-6378, Gray, 36"W x 24"D x 87"H, EA, \$448.90

Closed Back Shelving Storage

Industrial closed storage unit with doors features 6 adjustable shelves and integral lock. Storage unit is made of powder coated, minimum 18 gauge steel. Minimum Capacity 725 Lbs.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-01-666-5405, Black, 36"W x 18"D x 78"H, EA, \$1,001.81

7125-00-269-8534, Gray, 36"W x 18"D x 78"H, EA, \$1,001.81

7125-01-666-6184, Sand, 36"W x 18"D x 78"H, EA, \$1,001.81

Industrial closed back shelving storage unit features 8 adjustable shelves and is made of powder coated, minimum 18 gauge steel. Minimum Capacity 725 Lbs.

8 shelves.

Low VOC, Comprehensive Procurement Guideline Compliant

7125-00-270-7720, Gray, 36"W x 24"D x 87"H, EA, \$973.58

Key Cabinets

Key Cabinet

Key cabinet is made of steel and designed to be wall mounted. The cabinet includes a hinged locking door, a non-removable hinge pin, label holders, numbered labels and key tags, and a key identification system. Cabinet can be locked, ensuring the security of important keys. Includes two keys.

Cabinet holds up to 95 keys.

Low VOC, Comprehensive Procurement Guideline Compliant
7125-00-285-3049, UNICOR , AbilityOne, Gray, EA, \$132.10

Cabinet holds up to 70 keys.

Low VOC, Comprehensive Procurement Guideline Compliant
7125-00-132-8973, UNICOR , AbilityOne, GRAY, EA, \$139.48

Hold up to 30 keys.

Low VOC, Comprehensive Procurement Guideline Compliant
7125-01-151-5435, UNICOR , AbilityOne, Gray, EA, \$56.87

Office Accessories

Dual Monitor Arm, Ergonomic, One-Touch Adjustable

Monitor arm adjusts with one-touch technology. Arm mounts via c-clamp or grommet. Arm is for use with flat or curved monitors up to 34" and up to 19.8lbs in weight. Arm ergonomically adjusts for height and screen distance and attaches via Vesa plates. Arm rotates and swivels 360 degrees with tilt adjustment. Arm has a cord management system.

7110-01-691-5485, AbilityOne, Silver Grey, EA, \$169.71

Single Monitor Arm, Ergonomic, One-Touch Adjustable

Monitor arm adjusts with one-touch technology. Arm mounts via c-clamp or grommet. Arm is for use with flat or curved monitors up to 34" and up to 19.8lbs in weight. Arm ergonomically adjusts for height and screen distance and attaches via Vesa plates. Arm rotates and swivels 360 degrees with tilt adjustment. Arm has a cord management system.

7110-01-691-5486, AbilityOne, Silver Grey, EA, \$100.88

Kensington®/SKILCRAFT® Ergonomic Back Rest

The Kensington®/SKILCRAFT® SoleSaver Ergonomic Backrest with adjustable back and the unique SmartFit system technology works on nearly any chair and gives you the power to easily customize the height of the back rest for maximum firm support to support your spine and lumbar region. Four independent springs conform to fit your body shape and articulate with your posture and position. Ventilated supports allow for air circulation to keep you back cool and dry. Whether you're typing long documents, managing complex spreadsheets, or creating engaging presentations, make the extend hours of working in your home or office more comfortable. Adjustable straps allow back rest to fit most chairs. Nylon fabric cover can easily be removed, and machine washed as needed. 2-year warranty. TAA compliant.

7110-01-669-5638, AbilityOne, Black, 17-1/4" W x 5-1/2" D x 16" H, EA, \$67.62

Kensington®/SKILCRAFT® Ergonomic Footrest

Avoid leg, back, and foot strain and fatigue with the Kensington®/SKILCRAFT® Ergonomic Footrest featuring the SmartFit system technology that adjusts footrest heights from 3.5" to 5" using a color-coded personal comfort system. Eliminate pressure points and tired feet with the luxurious, non-skid, shock-absorbing memory foam surface. Adjust and lock the footrest tilt and angle with a simple push of the convenient, foot-operated front pedal. For all-day comfort without leaving your chair. Angle adjusts up to 30 degrees and the tilt adjusts up to 15 degrees in one-degree increments.

7195-01-666-7982, AbilityOne, Black/Light Gray, 21-1/2" x 14" x 3-1/2", EA, \$74.81

Kensington®/SKILCRAFT® SoleSaver Ergonomic Footrest

The Kensington®/SKILCRAFT® SoleSaver Ergonomic Footrest easily adjust for optimum relief of foot and back fatigue. Scratch-resistant, plastic, textured platform with a large 18" x 14" massaging, non-slip platform for enhanced stability. Non-slip rubber feet. Reduces leg pressure and helps improve circulation and posture. 30-degree tilt massage surface. 3 angle tilt settings (10°, 20°, and 30°) and 3 height settings from a minimum of 2.5" high to a maximum of 4.5" high.

7195-01-590-9070, AbilityOne, Gray, 18" W x 14" D x 2.5" to 4.5" H, EA, \$31.23

Kensington®/SKILCRAFT® SoleMassage Ergonomic Footrest

The Kensington®/SKILCRAFT® SoleMassage Ergonomic Footrest features 5 height-adjustable setting up to 6.5" high and provides a tilt of up to 30 degrees. 17" x 13" scratch resistant, textured platform stimulates the nerve endings in the feet and is designed to invigorate and exercise ankles and improve circulation in the legs through a gentle rocking mechanism.

7195-01-590-9071, AbilityOne, Black, 17" W x 13" D x 6.5" H, EA, \$47.38

Mobile Privacy Screen

Made in the USA. Mobile privacy screens are intended for use in offices and other work environments where divided space and privacy are essential. Modify your space quickly and easily with screens that can serve multiple purposes. All screens include locking casters. Frames are constructed with aluminum.

7195-01-690-9143, Clear Plexiglass, 36"W x 64"H, EA, \$1,019.13

7195-01-690-9141, Frosted Plexiglass, 36"W x 64"H, EA, \$1,019.13

7195-01-691-0000, Clear Plexiglass, 36"W x 81"H, EA, \$1,341.13

7195-01-690-9364, Frosted Plexiglass, 36"W x 81"H, EA, \$1,341.13

7195-01-690-9142, Clear Plexiglass, 42"W x 64"H, EA, \$1,139.88

7195-01-690-9363, Frosted Plexiglass, 42"W x 64"H, EA, \$1,139.88

7195-01-690-9365, Clear Plexiglass, 42"W x 81"H, EA, \$1,502.13

7195-01-690-9366, Frosted Plexiglass, 42"W x 81"H, EA, \$1,502.13

ADVERTISEMENT

PRODUCTS WITH A PURPOSE

When you choose SKILCRAFT® products and other products provided through the AbilityOne® Program, you get more than quality. You help create jobs for thousands of skilled and dedicated people who are blind or have significant disabilities right here in America. Making the smart choice has never been easier.

Created with pride by Americans who are blind or have significant disabilities

HOUSEWARES AND CLEANING

IN THIS SECTION

Paper Products	248
Soaps and Laundry	255
Cleaning Supplies	266
Trash Cans and Liners	302
Personal Care	311
Kitchen and Breakroom Supplies	313
Bed and Bath	327
Appliances	335

Paper Towels

Paper Towels

Hard Roll Paper Towel has single ply and non-perforated, Made of 100 % recycled content with minimum 40% post consumer content and a 2 inch core fits most dispensers. Remove 60 month maximum shelf life (not extendable) in the catalog.

60-month maximum shelf life (not extendable).

8540-01-667-1042, SKILCRAFT, AbilityOne, White, 7-7/8" H x 8" W x 1000' L, BX(contains 6 EA), \$47.60

8540-01-667-1043, SKILCRAFT, AbilityOne, Natural, 7-7/8" H x 8" W x 1000' L, BX(contains 6 EA), \$38.97

Heavyweight paper towels are designed for use in bathroom dispensers.

Single-fold towels are 99 square inches overall. Fold depth: 5-1/2".

For use with paper towel dispenser NSN 4510-00-224-8549. Basis weight is 22 lbs to 30 lbs (24" x 36" per 500 sheets)

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-262-7178, SKILCRAFT, AbilityOne, Natural, 9-1/4"W, BX(contains 4000 EA), \$33.06

Wide, multi-fold towels are 85 square inches overall. Fold depth: 3-1/8".

For use with paper towel dispenser NSN 4510-00-224-8549. Basis weight is 22 lbs to 30 lbs (24" x 36" per 500 sheets)

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-291-0389, AbilityOne, Natural, 9-1/4"W, BX(contains 4000 EA), \$29.14

Single-fold, unbleached kraft paper towel has a 5-1/2 inch deep fold and is 9-1/4 inches wide.

For use with paper towel dispenser NSN 4510-00-224-8549. Basis weight is 25 lbs to 30 lbs (24" x 36" per 500 sheets)

Contains 100% Recovered Material, Which Includes 90% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-359-0798, AbilityOne, SKILCRAFT, 9-1/4" W x 5-1/2" L, BX(contains 4000 EA), \$43.92

Single-fold, unbleached kraft paper towel has a 5-3/8 inch deep fold and is 9-1/4 inches wide.

For use with paper towel dispenser NSN 4510-00-224-8549. Basis weight is 25 lbs to 30 lbs (24" x 36" per 500 sheets)

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-494-0911, AbilityOne, SKILCRAFT, 9-1/4" W x 5-3/8" L, BX(contains 4000 EA), \$35.40

Navy Pack. For use with paper towel dispenser NSN 4510-00-224-8549. Basis weight is 25 lbs to 30 lbs (24" x 36" per 500 sheets)

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8540-01-055-6134, SKILCRAFT, AbilityOne, 9-1/4"W, BX(contains 4000 EA), \$50.75

C-fold kraft paper towel has a 4 inch deep fold and is 10-1/4" W.

For use with paper towel dispenser 4510-00-585-6305.

Basis weight is 22 lbs to 30 lbs (24" x 36" per 500 sheets)

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-291-0392, SKILCRAFT, Natural, 10-1/4"W, BX(contains 2400 EA), \$39.13

AbilityOne, Basis weight is 25 lbs to 30 lbs (24" x 36" per 500 sheets)

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-494-1900, SKILCRAFT, AbilityOne, Natural, 10-1/4"W, BX(contains 1400 EA), \$24.44

Chlorine-free. Basis weight is 25 lbs to 30 lbs (24" x 36" per 500 sheets)

100% Postconsumer Material Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant

8540-01-494-0909, SKILCRAFT, AbilityOne, White, 10-1/4" W, BX(contains 2400 EA), \$42.12

Non-perforated paper towels on a roll.

40% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-462-5333, Natural, 7-7/8" W x 400' L, BX(contains 12 EA), \$38.31

8540-01-378-1315, White, 8" W x 800' L, BX(contains 12 EA), \$194.89

Center-pull 2-ply perforated paper towel has one-handed, touch-free dispensing which provides a hygienic alternative to classic paper towel dispensers. Wound on a 2.25" core.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-590-9069, SKILCRAFT, AbilityOne, White, 8-1/4" W x 600' L, BX(contains 6 EA), \$46.69

Heavy duty maintenance wiper resists tearing, stands up to solvents and is low-linting. Textured for softness. Cellulose/polyester blend.

125 towels per pop-up container, 6 containers per box, 750 towels total.

Federal Strategic Sourcing Initiative, 7920-01-436-8325, N-A115IDB or equal, 16.75"L x 9.75"W, BX(contains 750 EA), \$92.83

All purpose single-ply paper roll towel is ideal for restroom use. Processed chlorine free.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-592-3323, SKILCRAFT, AbilityOne, White, 600' L X 7-7/8" W and has a 2.00" Width Core, BX(contains 12 EA), \$54.23

All purpose single-ply paper roll towel is ideal for restroom use. Made using 100% recycled content with a minimum 40% post-consumer fibers. Processed chlorine free., 100% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-592-3021, SKILCRAFT, AbilityOne, White, 350' L X 7 7/8" W, BX(contains 12 EA), \$33.70

8540-01-592-3324, SKILCRAFT, AbilityOne, White, 800' L X 7 7/8" W, BX(contains 6 EA), \$37.33

This all purpose single-ply non-perforated paper towel is perfect choice for busy restrooms. With a 22 lb basis weight wound on a 2" core and is made from an Elemental Chlorine Free Bleaching (ECF) process.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

8540-01-591-5823, SKILCRAFT, AbilityOne, Natural, Width: 7 7/8" X 800', BX(contains 6 EA), \$31.17

8540-01-591-5146, SKILCRAFT, AbilityOne, Natural, Width: 7 7/8" X 600', BX(contains 12 EA), \$46.64

Wiping Towels, Light Duty (Single-Ply)

Disposable wiping towel for cleaning, polishing, and wiping surfaces that are wet, dry or oily.

With a 11-lb. basis weight, this towel absorbs up to 275 percent of its weight in water and up to 150 percent of its weight in oil.

Box contains 60 dispenser packages containing 280 towels per dispenser for a total of 16,800 towels.

Contains 55% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7920-00-721-8884, AbilityOne, White or Natural, 4-1/2 x 8" (35 sq. in.), BX(contains 16800 EA), \$133.43

Box contains 18 packages of 280 towels for a total of 5,040.

Contains 55% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7920-00-682-6710, AbilityOne, White or Natural, 8-1/4" x 120 sq. in., BX(contains 5040 EA), \$85.61

Box contains 18 packages of 140 towels for a total of 2,520.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7920-00-543-6492, AbilityOne, White or Natural, 15 x 16-3/4" (245 sq. in.), BX(contains 2520 EA), \$85.38

Wiping Towels, Medium Duty (Three-Ply)

Disposable wiping towel for cleaning, polishing, and wiping surfaces that are wet, dry or oily.

This towel absorbs up to 450 percent of its weight in water and up to 275 percent of its weight in oil. Embossed or creped to facilitate wiping utility.

Box contains 18 packages of 50 towels for a total of 900.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7920-00-823-6931, AbilityOne, White or Natural, 13 x 13" (172 sq. in.), BX(contains 900 EA), \$60.61

Wiping Towels, Medium Duty (Four-Ply)

Disposable wiping towel for cleaning, polishing, and wiping surfaces that are wet, dry or oily.

Multi-ply towel is reinforced with nylon fibers, making it suitable for cleaning up oil and water.

93 percent biodegradable.

Contains 55% Recovered Material, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7920-00-823-9773, AbilityOne, White or Natural, 12-5/8" x 12-5/8" (185 sq. in.), MX, \$99.08

40%, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant 7920-00-823-9772, AbilityOne, White or Natural, 12-5/8" x 16-12-5/8" (235 sq. in.), MX, \$76.28

MultiFold Paper Towel

This C-fold paper towel, features three-panel multi-fold and are made of 100 percent recycled fibers and free of processed chlorine. TAA-compliant towels measure 9.25 x 3 inches folded and open to 9.25 x 9.5 inches. Fits most multifold dispensers.

250 towels per pack, 16 packs per box.

9 1/4" x 3" folded and open to 9 1/4" x 9 1/2"

Comprehensive Procurement Guideline Compliant

8540-01-677-0076, SKILCRAFT, AbilityOne, 9.25 x 3", BX(contains 4000 EA), \$33.46

Paper Towel Dispenser

Dispenses individual hand towels easily from bottom slot. The dispenser has a lock and key with a front opening hinged door panel that automatically locks when the door is closed, or is provided with an optional deadbolt key lock. Includes holes on back for wall mounting and a fill indicator to show quantity of towels remaining.

Holds 350 single-fold towels measuring 9-1/4 x 5-1/2" folded.

For use with paper towels, (single-fold) 8540-00-262-7178, 8540-01-359-0798, 8540-01-055-6134 and (wide fold) 8540-00-291-0389.

Federal Strategic Sourcing Initiative, 4510-00-224-8549, B-263 or Equal, White, EA, \$23.13

Toilet Paper and Toilet Seat Covers

Toilet Paper

Perforated embossed 4" wide toilet tissue rolls are individually wrapped and packaged 96 per box. Environmentally friendly and sustainable, this product is Processed Chlorine Free (PCF) and septic-safe. There are no added inks, dyes or fragrances.

Single-ply with 500 sheets per roll.

Basis Weight 10 lbs +/- 10 %

30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-630-8728, SKILCRAFT, AbilityOne, Length: 3750", BX(contains 96 EA), \$70.55

Individually wrapped single roll toilet paper consists of 4" W X 3 3/4" L perforated embossed sheets per roll, wrapped around a 1 1/2" core fits most dispensers.

Two-ply with 500 sheets per roll.

Basis Weight 10 lbs +/- 10 %

30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-630-8729, SKILCRAFT, AbilityOne, White, Length: 1875", BX(contains 96 EA), \$64.79

I.A.W. A-A 697, Type III, 1 Ply, Unbleached Toilet Tissue

Single-Ply.

Basis Weight: 10 Lbs

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-359-0764, Unbleached, Length: 4,500" per roll, BX(contains 96 EA), \$142.65

Toilet tissue consists of 4" x 4" perforated sheets wound around a core. Uncompressed rolls are individually wrapped.

Single-ply.

Basis weight: 10-lbs. (NFES #0142)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-530-3770, SKILCRAFT, AbilityOne, White, Length: 4,800", BX(contains 80 EA), \$71.07

Two-ply.

Basis weight: 17 lbs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-380-0690, SKILCRAFT, AbilityOne, White, Length: 2,200", BX(contains 80 EA), \$61.92

Toilet tissue consists of 4" x 4" perforated sheets wound around a core. Roll length 2,200" Uncompressed rolls are individually wrapped.

Two-ply with 500 sheets per roll and 40 rolls per box.

Basis weight: 18 lbs

30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-554-7678, SKILCRAFT, AbilityOne, White, BX(contains 40 EA), \$33.35

I.A.W. A-A 697, Type I

Single-ply with 500 sheets per roll.

Basis Weight 11 lbs +/- 10 %

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8540-01-055-6094, SKILCRAFT, AbilityOne, White, Length: 4,500", BX(contains 48 EA), \$76.28

Jumbo single-ply toilet tissue consists of 3.5" wide unperforated single sheets wound around a core.

Single-Ply with 500 sheets per roll.

3 1/2" W

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-378-6218, AbilityOne, White, Length: 4,000', BX(contains 6 EA), \$39.67

Jumbo roll toilet paper is the perfect choice for high-traffic restroom areas. Consists of unperforated sheets wound around a 3.3" core.

Single-ply.

3/10" core, Diameter 9" x 3 7/10" W

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-590-9072, SKILCRAFT, AbilityOne, White, Outside Diameter 9.00" x Width 3.70", BX(contains 12 EA), \$42.53

Two-ply.

Diameter 9" x 3 7/10"

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-590-9073, SKILCRAFT, AbilityOne, White, Outside Diameter 9.00" x Width 3.70", BX(contains 12 EA), \$37.20

Diameter 12" x 3 7/10"

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-590-9068, SKILCRAFT, AbilityOne, White, Outside Diameter 12.00" x Width 3.70", BX(contains 6 EA), \$37.20

Toilet Seat Cover

Disposable tissue paper cover has a tear-out center. Quarter-folded to 7" wide and 10" long for use in toilet seat cover dispenser NSN 4510-01-327-9405.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-965-5790, White, 14-3/4 x 17-1/4", PG(contains 200 EA), \$74.80

Toilet Seat Cover Dispenser

For dispensing quarter-fold paper toilet seat covers. Plastic cabinet mounts on a vertical surface. For use with Toilet Seat Cover NSN 8540-00-965-5790.

4510-01-327-9405, 25131500 or Equal, White, 12.5" L x 9" W x 2.65" D, EA, \$16.27

Toilet Paper Holder

Cabinet houses 3 rolls of commercial toilet paper. Concealed supply roll drops into place when first roll is exhausted. Closure panel locks automatically or comes with tumbler lock and key.

Vertical surface mount; fasteners holes or slots. Comes with hardware for installing.

Stainless steel and plastic cabinet has a satin finish.

Federal Strategic Sourcing Initiative, 4510-00-752-9065, 303 or equal, 5-1/4" D x 5-5/8" W x 15-3/8" H, EA, \$130.85

Single-roll dispenser for use in public restrooms includes fasteners for surface mounting.

Two metal support brackets hold spring-action metal or plastic roller. Brackets conceal mounting hardware.

4510-00-203-2721, 01-9408 or equal, EA, \$6.90

Napkins

Table Napkins

Standard paper napkin is ideal for general table or hospital use.

Single-ply napkin for use with junior dispenser 7350-00-205-0928.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-965-4691, SKILCRAFT, AbilityOne, White, Unfolded: 94-1/2 sq. in., BX(contains 10000 EA), \$78.66

Single-ply napkin is used with table napkin dispenser NSN 7350-00-205-0928.

Basis Weight 12.50 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-285-7001, SKILCRAFT, AbilityOne, White, Diameter 9 7/8" L X 9 7/8" W, BX(contains 10000 EA), \$103.30

Single-ply

Basis Weight 12.50 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8540-01-056-2897, SKILCRAFT, AbilityOne, White, Diameter 9 7/8" L X 9 7/8" W, BX(contains 10000 EA), \$126.50

Two-ply dinner napkin is folded eight times.

Basis Weight 20 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-279-7777, SKILCRAFT, AbilityOne, White, Diameter 14 1/2" L X 14 1/2" W, BX(contains 3000 EA), \$105.63

Three-ply embossed dinner-size napkin is folded eight times.

Basis Weight 10.5 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-276-7570, SKILCRAFT, AbilityOne, White, Unfolded: 272 sq. in., BX(contains 2000 EA), \$118.82

Biodegradable Table Napkins

Standard paper napkin is ideal for general table or hospital use.

Three-ply napkin is used with table napkin dispenser NSN 7350-00-205-0928.

Basis Weight 13 lbs (24" x 36" per 500 sheets)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-276-7569, SKILCRAFT, AbilityOne, White, Unfolded: 16" W x 16" L, BX(contains 6000 EA), \$107.59

Table Napkin Dispenser

Corrosion-resisting stainless steel dispenser is for table use and holds 125-150 paper napkins folded 3-1/2 x 7" (minimum). Napkins can be stored and withdrawn from front or rear opening. Spring-loaded plates keep napkins neat. Has non-marking rubber feet.

7350-00-205-0928, SLNH001 or equal, EA, \$9.07

Facial Tissues

Facial Tissue

Soft, absorbent tissue comes in folded, two-ply sheets.

Each box contains 200 tissues.

Basis Weight is 19 lbs +/- 10 % (24" x 36" per 500 sheets)

Contains 10% Recovered Material, Which Includes 10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-01-632-1023, SKILCRAFT, AbilityOne, White, 66 sq. in., BX(contains 200 EA), \$2.54

8540-00-281-8360, SKILCRAFT, AbilityOne, White, 66 sq. in., PG(contains 6 EA), \$14.78

Each box contains 100 tissues.

Basis Weight is 19 lbs +/- 10 % (24" x 36" per 500 sheets)

Contains 10% Recovered Material, Which Includes 10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-793-5425, SKILCRAFT, AbilityOne, White, 66 sq. in., PG(contains 12 EA), \$15.11

Each box contains 44 tissues.

Basis Weight is 19 lbs +/- 10 % (24" x 36" per 500 sheets)

Contains 10% Recovered Material, Which Includes 10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8540-00-900-4891, White, 40 sq. in., BX(contains 200 EA), \$60.37

Bags

Grocery Bag

Heavyweight, paper bag is perfect for most items. Basis weight 75-lbs. IAW UU-B-36, Type I, Grade B

3" WX 1 3/4" DX 5 7/8" H

Contains 5% Recovered Material, Which Includes 5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-022-1319, Natural, 12 x 7 x 17", BE(contains 400 EA), \$73.26

Popular-weight, paper bag for normal use by commissaries and shops. Dimensions are approximate.

No. 1/2 bag has a capacity of 29 cu. in.

3" WX 1 3/4" DX 5 7/8" H

5% Recovered Material, Which Includes 5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-281-1156, Natural, 3 x 1-3/4 x 5-7/8", BE(contains 10000 EA), \$495.36

No. 2 bag has a capacity of 81 cu. in.

4 1/4" WX 2 3/8" DX 8 1/8" H

Contains 5% Recovered Material, Which Includes 5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-281-1158, Natural, 4-1/4 x 2-3/8 x 8-1/8", BE(contains 6000 EA), \$298.43

No. 5 bag has a capacity of 187 cu. in.

5 1/2" WX 3 3/8" DX 10 3/4" H

5% Recovered Material, Which Includes 5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-281-1163, Natural, 5-1/2 x 3-3/8 x 10-3/4", BE(contains 3000 EA), \$109.71

No. 8 bag has a capacity of 298 cu. in.

6 1/4" WX 3 3/4" DX 12 3/4" H

Contains 5% Recovered Material, Which Includes 5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-281-1425, Natural, 6-1/4 x 3-3/4 x 12-3/4", BE(contains 2000 EA), \$80.55

No. 12 bag has a capacity of 424 cu. in.

7" WX 4 1/2" DX 13 7/8" H

Contains 5% Recovered Material, Which Includes 5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-271-1485, Natural, 7 x 4-1/2 x 13-7/8", BE(contains 1000 EA), \$52.56

No. 20 bag has a capacity of 686 cu. in.

8 1/8" WX 6" DX 14 3/8" H

Contains 5% Recovered Material, Which Includes 5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-286-7308, Natural, 8-1/8 x 6 x 14-3/8", BE(contains 1000 EA), \$56.35

1/4 barrel bag has a capacity of 1746 cu. in.

Basis Weight 60-pounds. 11" WX 7" DX 23 1/4" H.

Contains 5% Recovered Material, Which Includes 5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-543-7169, Natural, 11 x 7 x 23-1/4", BE(contains 250 EA), \$63.80

Shopping Bag

Heavy-duty shopping bag accommodates multiple packages and features two twisted-paper handles (3.500 inches from top of bag) for easy carrying. Made of 65-lb. kraft paper, this bag is designed for repeated use.

13" WX 7" DX 17" H

Contains 5% Recovered Material, Which Includes 5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-857-2250, Natural, 17" x 13" x 7", BD(contains 250 EA), \$85.73

Bar Soaps

Antibacterial Deodorant Bar Soap

Antibacterial deodorant hand and body soap. Rinses clean with a fresh scent and rich lather.

Bars are furnished unwrapped.

Federal Strategic Sourcing Initiative, 8520-01-490-7324, 2245599 or equal, Size: 2-1/2 oz., BX(contains 200 EA), \$81.67

Anti-Microbial Soap

Quick-acting anti-microbial foam soap reduces bacteria on skin. Formula is dye free with a light fragrance.

Dispenser is required and will be furnished upon request. Contact Travis Association for the Blind, 1-888-217-7232.

24-month maximum shelf life (extendable).

Biopreferred

8520-01-684-3252, AbilityOne, 1200 mL, BX(contains 2 EA), \$74.37

Hand Soap

Mild formula removes 99% of dirt and germs. Naturally fragranced with essential oils. Rinses fast and clean.

Dispenser is required and will be furnished upon request. Contact Travis Association for the Blind, 1-888-217-7232.

24-month maximum shelf life (extendable).

Biopreferred

8520-01-684-3253, AbilityOne, 1200 mL, BX(contains 2 EA), \$76.01

Hand Cleaners and Sanitizers

Antibacterial Hand Soap

Micrell antibacterial soap in a pouch. With a quick acting anti-microbial agent to kill germs in seconds. Pleasant fragrance is non-irritating and leaves hands feeling soft and refreshed.

Box contains 12, (800-mL) pouches. For use with Gojo P/N 9721-12 wall dispenser.

36-month maximum shelf life (not extendable).

8520-01-522-0829, 1799-12, AbilityOne, BX(contains 12 EA), \$145.61

Box contains eight, (1000-mL) pouches. For use with Gojo P/N 2125-06 wall dispenser.

36-month maximum shelf life (not extendable).

Biopreferred

8520-01-522-0834, 1805-08 or Equal, AbilityOne, BX(contains 8 EA), \$91.83

Bar Soap

Antibacterial deodorant hand and body soap. Rinses clean with a fresh scent and rich lather.

Milled and mildly perfumed or unscented.

Bars come individually wrapped.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 8520-00-129-0803, 82757 or equal, Size: 3-3/4 oz., BX(contains 72 EA), \$67.93

Mildly scented soap is formulated for use in soft water. Excellent for bathing, shaving, and hand washing.

Bars come individually wrapped.

48-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 8520-00-551-0375, 00095-2 or equal, Size: 1/2 to 1 oz., MX, \$131.93

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 8520-00-531-6484, 06907 or equal, Size: 5 oz., HD, \$97.08

High-quality, mildly scented soap is non-medicated and provides extra softness with skin conditioners.

Regular sized bars.

Bars come individually wrapped.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 8520-01-411-0628, PGC12346 or equal, Size: 3 to 3-1/2 oz., BX(contains 72 EA), \$49.01

Box contains four, (2000-mL) pouches. For use with Gojo P/N 2225-08 wall dispenser.

36-month maximum shelf life (not extendable).

Biopreferred

8520-01-522-0831, 1812-04 or Equal, AbilityOne, BX(contains 4 EA), \$93.15

Antibacterial lotion soap. Contains an anti-microbial agent and effective degreaser.

Lightly scented, non-irritating formula.

36-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 8520-01-490-7370, 9759-12 or equal, 12 oz. Pump Bottle, BX(contains 12 EA), \$47.08

Anti-Microbial Soap

Anti-microbial pearlescent liquid soap has a gentle germ-fighting formula.

Box contains 12, (800 mL). For use with Maintex MTX Handi-Fresh dispenser.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 8520-01-415-2925, 2327031 or equal , White Pearlescent, BX(contains 12 EA), \$65.48

Hand Soap

Mild lotion soap is PH balanced for skin care and formulated for frequent and general use. Gently removes light soil, leaving hands clean and refreshed.

36-month maximum shelf life (extendable).

BiopREFERRED, Material Safety Data Sheet

8520-01-660-2068, 40-H-S-12 or Equal, AbilityOne, 8 oz pump bottle , Clear/Colorless, BX(contains 12 EA), \$38.27

8520-01-660-2067, 40-H-S-4 or Equal, AbilityOne, 1 liter refill , Clear/Colorless, BX(contains 4 EA), \$38.27

Mild cleansing lotion soap. Gently removes light soil leaving hands clean and refreshed. PH-balanced for skin care and formulated for frequent and general use. Pink, synthetic detergent formula.

Box contains 12, (12-oz) pump bottles.

36-month maximum shelf life (extendable).

8520-01-522-0839, 1751-12 or Equal, AbilityOne, Pink, BX(contains 12 EA), \$69.36

Box contains 12, (800-mL) pouches per box. For use with wall dispenser NSNs 4510-01-521-9867 and 4510-01-521-9868.

8520-01-378-3090, 1720-12 or Equal, AbilityOne, BX(contains 12 EA), \$99.88

Box contains eight, (1000-mL) pouches. For use with wall dispenser NSNs 4510-01-521-9869 or 4510-01-521-9872.

8520-01-522-0838, 1737-08 or Equal, AbilityOne, BX(contains 8 EA), \$83.97

Box contains four, (2000-mL) pouches. For use with wall dispenser NSNs 4510-01-521-9871 and 4510-01-521-9873.

8520-01-522-0837, 1744-04 or Equal, AbilityOne, BX(contains 4 EA), \$78.86

Mild liquid hand soap with a honey-almond fragrance removes soil on hands. Box contains 6, (750 mL) containers.

For use with Ecolab Digiclean Dispenser.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 8520-01-521-4206, 6123671 or equal, BX(contains 6 EA), \$84.63

Liquid Hand Soap

Cream hand soap with lanolin is for use in standard 800-mL soap dispensers.

Box contains 12, (800-mL) bags.

Federal Strategic Sourcing Initiative, 8520-01-381-1914, 997345 or equal, BX(contains 12 EA), \$69.22

Liquid hand soap is biobased and formulated to quickly emulsify. PH balanced with mild detergents and moisturizers for general cleaning of hands. Can be used in all liquid soap dispenser and central dispensing systems with no dilution.

24-month maximum shelf life (extendable).

BiopREFERRED, Material Safety Data Sheet

8520-01-432-2618, 1064098 or Equal, AbilityOne, 1 GL, BX(contains 4 EA), \$60.00

Gentle and efficient liquid soap contains 15 percent coconut oil. Soap is specially formulated to be dispensed from liquid soap dispensers undiluted without clogging or dripping. Mildly scented. Biobased content of 64 percent.

For use with Soap Dispenser NSN 4510-00-203-2707.

24-month maximum shelf life (extendable).

BiopREFERRED, Material Safety Data Sheet

8520-00-228-0598, SKILCRAFT 1064013, AbilityOne, 1 gal., BX(contains 6 EA), \$85.18

Hand Cleaner

Lotion formula biobased hand cleaner has a lime scent and contains pumice scrubbing particles for cleaning industrial soils, dirt and grease.

One gallon bottle with pump dispenser.

Biopreferred, Material Safety Data Sheet 8520-01-647-1708
SKILCRAFT 3143-0192 or equal, AbilityOne, BX(contains 4 EA), \$124.46

1/2 gallon bottle with a pump dispenser.

36-month maximum shelf life (extendable).

Biopreferred, Material Safety Data Sheet
8520-01-647-1707, 3143-0191 or equal, AbilityOne, BX(contains 6 EA), \$98.64

A mild foam soap and lotion formula for general hand cleaning.

For use with foam dispenser NSNs 4510-01-551-2864 or 4510-01-551-2865.

Box contains three, (1250-mL) containers.

24-month maximum shelf life (extendable).

8520-01-556-2577, SKILCRAFT 1056-03 or equal, AbilityOne, BX(contains 3 EA), \$78.69

Box contains two, (1200-mL) bottles.

36-month maximum shelf life (extendable).

Biopreferred, Material Safety Data Sheet
8520-01-649-2724, 3143-0180 or equal, AbilityOne, Plum fragrance, BX(contains 2 EA), \$63.64
8520-01-649-2723, SKILCRAFT 3143-0181 or equal, AbilityOne, Pomeberry fragrances, BX(contains 2 EA), \$60.86

Smooth, orange foaming handwash with germ-killing power in an orange blossom fragrance.

For use with foam dispenser NSNs 4510-01-551-2864 or 4510-01-551-2865.

Box contains three, (1250-mL) containers.

24-month maximum shelf life (extendable).

8520-01-556-2576, SKILCRAFT 1070-03 or equal, AbilityOne, BX(contains 3 EA), \$93.53

Heavy-duty hand cleaner is 64% biobased with natural scrubbing ingredients for removing grease and grime. For industrial and institutional use.

For use with dispenser 4510-01-441-2117.

24-month maximum shelf life (extendable).

Biopreferred, Low VOC
Federal Strategic Sourcing Initiative, 8520-01-425-5328, 318524 or equal, 1 GL, BX(contains 4 EA), \$114.11

Hand cleaner is a quick-acting lotion formula containing pumice scrubbing particles for cleaning industrial soils, medium dirt and grease. Contains baby oil and an orange citrus formula with lanolin, aloe, and JoJoba to help protect hands.

One-gallon bottle with pump dispenser.

36-month maximum shelf life (extendable).

8520-01-458-0767, 1935-04 or equal, AbilityOne, 1-gl, BX(contains 4 EA), \$120.15

One-half gallon bottle with pump dispenser.

36-month maximum shelf life (extendable).

8520-01-522-0840, 1942-06 or equal, AbilityOne, 1/2-gallon container, BX(contains 6 EA), \$99.53

Heavy-duty hand cleaner removes ink, grease, adhesive, varnish, hydraulic fluids, carbon, and other tough industrial soils. Fortified with emollients to prevent drying and cracking.

Federal Strategic Sourcing Initiative, 8520-01-371-0047, 14106 or equal, Coconut scented, 4.0-lb tub, BX(contains 6 EA), \$147.77

Heavy duty hand cleaner containing surfactants, lanolin, and scrubbers. Works with or without water to remove grease, oil, and dirt from hands. Non-toxic and non-flammable.

Low VOC

Federal Strategic Sourcing Initiative, 8520-01-370-4284, R/1212C14.55PD or Equal, Tube Size: 8 oz., BX(contains 8 EA), \$34.54

Heavy duty hand cleaner in a one-gallon pump bottle. Contains no harsh chemicals, petroleum solvents or ammonia. Fortified with lanolin, glycerin and other skin conditioners. Contains fine pumice for a deep clean. Works with or without water to remove grease, oil and dirt from hands. Non-toxic and non-flammable.

Low VOC

Federal Strategic Sourcing Initiative, 8520-01-370-2162, 25219 or Equal, 1 gal., BX(contains 4 GL), \$79.24

Waterless hand cleaner with aloe vera can be used with or without water. Cleaner with biobase, removes grime, grease, carbon, asphalt, graphite, tar, flux, oil, cements, most inks and adhesives.

Box contains four, one-gallon containers with four pump dispensers.

Approved for shipboard use, IAW A-A-59978.

24-month maximum shelf life (extendable).

Biopreferred

8520-01-555-2902, AbilityOne, 1 gal., BX(contains 4 GL), \$114.51

Contains pumice. Approved for shipboard use, IAW A-A-59978.

24-month maximum shelf life (extendable).

Biopreferred

8520-01-555-2891, AbilityOne, 1 gal., BX(contains 4 GL), \$117.74

Foaming antibacterial hand soap has a plum fragrance and is enriched with moisturizers, natural extracts and skin conditioners. USDA Biobased certified.

For use with ADX-0046 wall dispenser.

Box contains 3 (1250 ml) pouches refills.

24-month maximum shelf life (not extendable).

Biopreferred, Material Safety Data Sheet

8520-01-640-7213, 3143-0171 or Equal, AbilityOne, BX(contains 3 EA), \$69.07

Foaming hand soap and shower wash; offers a luxurious foam lather and a pleasant citrus ginger fragrance. Enriched with moisturizers, natural extracts and skin conditioners. USDA Biobased certified.

For use with ADX-0046 wall dispenser.

Box contains 3 (1250 ml) pouches refills.

24-month maximum shelf life (not extendable).

Biopreferred, Material Safety Data Sheet

8520-01-640-6481, 3143-0172 or Equal, AbilityOne, BX(contains 3 EA), \$66.93

Foaming soap contains aloe and vitamin E and has a tropical fragrance.

Box contains six, 1000 mL bags.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 8520-01-574-6494, 997337 or equal, BX(contains 6 EA), \$49.84

Hand Cleaner (Waterless)

Waterless cream hand cleaner designed to remove grease and industrial soils from hands. Cream is odorless or mildly scented, and exhibits no odors characteristic of ammonia or kerosene. Will not irritate skin.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 8520-00-082-2146, 1109-12 or equal., 14 oz., BX(contains 12 EA), \$38.85

Cream formula.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 8520-00-782-3509, 1115-06 or equal, 5 lb container, BX(contains 6 EA), \$89.98

Industrial Hand Soap

Pumice soap in cake form removing oil, grease and other heavy occupational soils from hands. Individual cakes of soap may be provided wrapped or unwrapped.

24-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 8520-00-550-6417, Lava Bar Soap or equal, 6 oz., HD, \$83.36

Industrial Hand Soap (Pumice)

This special compound of soap and mineral abrasives removes oil, grease and ground-in dirt, making it perfect for hand-cleaning in industrial settings. Non-medicated grit paste.

24-month maximum shelf life (extendable).

Low VOC

8520-00-634-1594, 13100 or equal, CO(contains 3 LB), \$14.89

Soap Dispenser

Wall mounted lotion soap and shampoo dispenser accepts 800-mL Gojo lotion soap and shampoo refills. One hand push operation and portion control. For use with 8520-01-378-3090 and 8520-01-522-0836.

For multi-pack of 12 each, order NSN 4510-01-521-9867.

4510-01-521-9868, 1959-01- or Equal, AbilityOne, EA, \$26.37

Wall mounted lotion soap and shampoo dispenser accepts 1000-mL Gojo lotion soap and shampoo refills. One hand push operation and portion control. For use with 8520-01-522-0833 and 8520-01-522-0838.

For multi-pack of six each, order NSN 4510-01-521-9869.

4510-01-521-9872, AbilityOne, EA, \$24.08

Wall mounted lotion soap and shampoo dispenser accepts 2000-mL Gojo lotion soap and shampoo refills. One hand push operation and portion control. For use with 8520-01-522-0832 and 8520-01-522-0837.

For multi-pack of eight each, order NSN 4510-01-521-9873.

4510-01-521-9873, AbilityOne, BX(contains 8 EA), \$157.27

4510-01-521-9871, AbilityOne, EA, \$26.37

Hand-operated dispenser delivers measured amounts of soap. Screws and brackets are included for mounting dispenser on the wall. For use with liquid soaps, dispensed using a pump action design.

Federal Strategic Sourcing Initiative, 4510-00-203-2707, 1DYD1 or equal, Capacity: 10 fl. oz. min., EA, \$31.58

Wall mounted hand sanitizer dispenser accepts 1000-mL Gojo Purell/SKILCRAFT hand sanitizer refills. One hand push operations and portion control. For use with NSNs 8520-01-522-0828, 8520-01-5622-0840 and 8520-01-522-3888.

4510-01-521-9866, SKILCRAFT 1973-01 or equal, AbilityOne, EA, \$25.10

4510-01-521-9870, SKILCRAFT 1973-06 or equal, AbilityOne, BX(contains 6 EA), \$113.59

Foam Soap Dispenser

Wall dispenser accepts 1250-mL Gojo foam soap refill pouches. One hand push operation and portion control. For use with refill pouch NSNs 8520-01-556-2576 and 8520-01-556-2577.

4510-01-551-2865, AbilityOne, EA, \$24.85

4510-01-551-2864, AbilityOne, BX(contains 6 EA), \$108.79

Hand Foam Dispenser

Wall mounted hand sanitizer dispenser accepts 1200-mL Gojo foaming hand sanitizer refills. One hand push operation and portion control. For use with NSN 8520-01-556-2834.

4510-01-551-2867, AbilityOne, EA, \$24.16

4510-01-551-2866, AbilityOne, BX(contains 6 EA), \$112.59

Hand Sanitizer

Purell instant hand sanitizer contains moisturizers and Vitamin E. Kills 99.99 percent of most common germs that may cause illness, in as little as 15 seconds. Use anytime, anyplace, without water or towels. Leaves hands feeling refreshed without stickiness or residue.

36-month maximum shelf life (not extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 8520-01-490-7365, 3659-12 or equal, 12 oz Pump, BX(contains 12 EA), \$49.05

Federal Strategic Sourcing Initiative, 8520-01-490-7358, 9651-24 or equal, 4.25 oz, BX(contains 24 EA), \$34.44

Purell instant hand sanitizer foam kills 99.99 percent of most germs. Meets the USDA BioPreferred Program Biobased Content Standards.

For use with ADX-0045 wall dispenser.

Box Contains 3 (1200-ml) pouches refills.

24-month maximum shelf life (not extendable).

BiopREFERRED Material Safety Data Sheet

8520-01-640-6482, 3143-0169 or equal, AbilityOne, BX(contains 3 EA), \$105.19

Purell instant hand sanitizer Gel has a pleasant fragrance, and is non-toxic, dye-free, and hypoallergenic. Contains moisturizers. Kills 99.99 percent of most common germs that may cause illness, in as little as 15 seconds. Use anytime, anyplace, without water or towels. Leaves hands feeling refreshed without stickiness or residue.

Has a minimum biobased content of 73%.

36-month maximum shelf life (not extendable).

BiopREFERRED, Material Safety Data Sheet 8520-01-522-0835

SKILCRAFT 1867-24 or equal, AbilityOne, 2 oz, BX(contains 24 EA), \$78.44

Instant hand sanitizer has a pleasant fragrance, and is non-toxic, dye-free, and hypoallergenic. Contains moisturizers. Use when soap or water is not available. Leaves hands feeling refreshed without stickiness or residue.

For use with Gojo P/N 9621-12 wall dispenser.

36-month maximum shelf life (not extendable).

Material Safety Data Sheet

8520-01-522-0830, SKILCRAFT 1843-12 or equal, AbilityOne, 800 mL, BX(contains 12 EA), \$181.69

For use with the following wall dispensers NSN's 4510-01-521-9870 or 4510-01-521-9866.

36-month maximum shelf life (not extendable).

Material Safety Data Sheet

8520-01-522-0828, 1850-08 or equal, AbilityOne, 1000 mL, BX(contains 8 EA), \$144.83

Hand sanitizer gel is fragrance free. Kills more than 99.99% of most common germs.

36-month maximum shelf life (not extendable).

BiopREFERRED, Material Safety Data Sheet

8520-01-691-2733, AbilityOne, 64 oz., BX(contains 4 EA), \$124.84

Foaming hand sanitizer is fragrance and dye free. Kills 99% of common germs.

For use with Purell ES8 touch-free dispenser.

24-month maximum shelf life (extendable).

8520-01-684-2496, 7753-02 or equal, 1200 mL, BX(contains 2 EA), \$88.41

Foaming hand sanitizer has a quaternary and alcohol formula with a mild odor. For use with Ecolab DigiSan Dispenser p/n 92632007.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 8520-01-566-2392, 23674or Equal, 750 mL, BX(contains 6 EA), \$96.57

Purell gel instant hand sanitizer, active ingredient 62 percent ethyl alcohol and 73 percent biobased. May be used without water or towels. FDA approved.

36-month maximum shelf life (not extendable).

Biopreferred, Material Safety Data Sheet

8520-01-579-3825, AbilityOne, 2 liter, BX(contains 4 EA), \$132.77

Purell instant hand sanitizer foam kills 99.99 percent of most germs. Thick, rich foam clings to your hands, contains moisturizers.

For use with dispenser NSNs 4510-01-551-2866 or 4510-01-551-2867.

36-month maximum shelf life (not extendable).

Material Safety Data Sheet

8520-01-556-2834, 1063-03 or equal, AbilityOne, 1200 ml, BX(contains 3 EA), \$113.54

Purell instant hand sanitizer with Aloe has a pleasant fragrance, and is non-toxic, dye-free, and hypoallergenic. Contains a unique blend of ethyl alcohol, and specially formulated moisturizers. Sanitizes hands when soap and water are not available, leaving hands feeling soft and refreshed without a sticky or tacky residue.

Box contains 24, (4-oz.) squeeze bottles.

36-month maximum shelf life (not extendable).

Material Safety Data Sheet

8520-01-522-3886, 1911-24 or equal, AbilityOne, BX(contains 24 EA), \$91.85

Box contains 12, (12-oz) pump bottles.

36-month maximum shelf life (not extendable).

Material Safety Data Sheet

8520-01-522-3887, 3143-0074 or equal, AbilityOne, BX(contains 12 EA), \$111.22

Box contains 8 each 1000ML pouches. Can be used with wall dispensers, NSNs 4510-01-521-9866 and 4510-01-521-9870.

36-month maximum shelf life (not extendable).

Material Safety Data Sheet

8520-01-522-3888, 1904-8 or Equal, AbilityOne, BX(contains 8 EA), \$143.80

Antibacterial Towelettes

Waterless antibacterial hand cleaning towels leave hands clean and refreshed with no residue. Contains 60 perforated pre-moistened sheets in a plastic container.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-423-1120, 346806, or equal, 10-1/4 x 11-3/4", BX(contains 6 EA), \$77.15

Cleaning Towelette

High-strength, pre-moistened disposable hand cleaning towels are specially formulated to remove grease, grime, oil and ink without irritating skin.

Contains 130 pre-moistened towels in a pop-up plastic container.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-504-8866, 6298-04 or equal, Citrus fragrance, 9-1/4 x 10", BX(contains 4 EA), \$81.99

White Board Towelette

Soft absorbent pre-moistened towelettes, treated for cleaning white marking boards. Eliminates ghosting, shadowing, residues, stains and stubborn marks.

BX of (12) each pop-up dispensers with fifty towelettes per pop-up dispenser.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-454-1159, AbilityOne, 6.3" x 6.25", BX(contains 12 EA), \$83.02

Marker Board Towelettes

Towelettes are designed to clean and restore white marker boards by removing ghosting, stubborn stains, shadowing and grease stains. Container has 50 pre-moistened 6 x 9" sheets in a re-sealable pop-up container.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-419-5178, 81850 or equal, White, BX(contains 6 EA), \$20.39

Towelettes

Hand cleaning towels provide fast, easy, and effective one-step hand cleaning. Dissolves adhesives, caulk, epoxy, ink and dye, paint, and sealant, tar, urethane, wax, and polyurethane. Pre-moistened perforated towel is treated with grease-cutting, soil lifting formulation and skin conditioners. Requires no rinsing or drying. Self-dispensing container with handle allows one-at-a-time dispensing.

Box contains 6 containers with 72 towels per container.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 8520-01-422-2216, 42272 or equal, Citrus fragrance, 10" x 12", BX(contains 6 EA), \$96.74

Paper towelettes are pre-moistened, non-alcohol formula with a cleansing solution, allowing for quick cleansing of ordinary soils from hands, face and body without soap or water. Free of any objectionable odor. Comes pre-folded in individual, sealed packets.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 8520-01-615-6021, D11055 or equal, 5 x 7-3/4", BX(contains 1000 EA), \$34.28

Hand-Cleaning Towelettes

Heavy-duty pre-moistened wipes with Glycerin and Aloe. Box contains 12, pop-up dispensers with 50 towelettes per dispenser.

8520-01-454-1144, AbilityOne, 6.3 x 6.25", BX(contains 12 EA), \$65.73

Dishwashing Detergents

Cleaner and Degreaser

Ready-to-use general purpose cleaner that is suitable for use on grease, dirt, soap scum, food stains and fingerprints. Liquid detergent contains no phosphates, abrasives, or dyes and is non-flammable.

Comes in a spray-pump dispenser.

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

7930-01-687-9646, AbilityOne, 16 oz., BX(contains 12 EA), \$32.03

Dishwashing Detergent

Detergent is concentrated, nonabrasive, stable, single-phase liquid compound. It is mildly perfumed, free of any objectionable odor, sediments and suspended particles. This product has 26 percent synthetic detergents. Dissolves in hard water.

Detergent contains low alkalinity and a mild perfume.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-00-880-4454, 1064011 or equal, AbilityOne, 1 gal., BX(contains 6 EA), \$87.67

7930-00-899-9534, 1064012 or equal, AbilityOne, CN(contains 5 GL), \$112.28

Solid Power XL is a concentrated detergent, for use in a wide range of soil and water conditions. For use with Ecolab Wash Max Dispenser.

Approved for shipboard use.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-152-7072, Ecolab 6100185, 9 LB capsules, BX(contains 4 EA), \$92.16

Concentrated solid detergent dissolves greasy, heavy soils. Safe for cleaning all types of dishes, glassware, pots, pans and silverware. For use with the Ecolab Solitaire Dispenser.

Box contains four, 5-lb. capsules.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-177-5119, Solitaire 17301 or equal, BX(contains 4 EA), \$143.48

Dishwashing Compound

Detergent designed for manual washing of pots and pans with advanced grease cutting power. Contains a combination of nonionic and anionic surfactants specially formulated to provide more aggressive grease-cutting ability under heavy soil conditions.

Box contains 3 ea, (2-lb) containers.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-494-0067, 6101907 or equal, BX(contains 3 EA), \$69.10

Liquid Dishwashing Soap

Concentrated antibacterial liquid dishwashing detergent is designed for hand washing dishes, pots, pans, and other kitchenware.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-490-7282, Joyfull-8/38 oz or equal, 38 fl. oz., BX(contains 8 EA), \$58.89

Squeegee

3M Scotch-Brite Squeegee Number. 410, designed for use with 3M Scotch-Brite Quick Clean Griddle System. Heat resistant 7.8-inch wide rubber blade attached to 17.7-inch long handle for safe removal of liquid residue from griddle surface.

7920-01-487-5024, AbilityOne, EA, \$32.17

Griddle Cleaning System

Quick Clean Griddle System Kit. Scotch-Brite starter kit No. 710; Kit contains 3.2-ounce packets of Quick Clean Liquid, NSN 7930-01-487-6098 (10 each), multi-purpose pad holder, NSN 7920-01-487-5023 (one each), griddle polishing pads, NSN 7920-00-891-7537 (10 each), squeegee, NSN 7920-01-487-5024, 7" blade (one each).

Kit includes an instructions to demonstrate the proper use of the Scotch Brite Quick Clean System. Replacement Quick Clean Liquid available in one quart containers, NSN 7930-01-488-5450.

Low VOC, Material Safety Data Sheet

7930-01-487-6099, AbilityOne, KT, \$101.76

Liquid Griddle Cleaner

Scotch-Brite Quick Clean Griddle Liquid is safe for use on food contact surfaces. Loosens and lifts carbonized grease and food soils.. Contains no caustic soda, strong chemical odors, or irritating fumes.

Low VOC, Material Safety Data Sheet

7930-01-487-5022, AbilityOne, 3.2 oz. packet, BX(contains 40 EA), \$65.78

7930-01-487-6098, AbilityOne, 3.2 oz. packet, BX(contains 60 EA), \$101.74

7930-01-488-5450, AbilityOne, 1 qt., BX(contains 4 EA), \$72.06

Laundry Cleaning

Laundry Destainer

Solid oxygen-based de-stainer provides gentle, color-safe stain removal. Ideal for shirt laundries and whites. Destains without chlorine. Effective in high-alkaline environments. For use with Ecolab's Solid System III dispensing equipment.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-418-1439, 6101753 or equal, 3 lb capsule, BX(contains 2 EA), \$83.96

Industrial use laundry souring and neutralizer agent that controls the final rinse PH. Unique formula has iron controlling agents. This item has a very aggressive acid product which should be used with care to prevent linen from burning. For use in Solid System III dispenser.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-436-7911, 6101757 or equal, 6 lb capsule, BX(contains 2 EA), \$169.32

Laundry Detergent, Liquid

Concentrated biobased liquid laundry detergent packaged with a dispensing pump for accurate dispensing. Formulated to be safe for all fabrics and work in all water temperatures. Suitable for use in laundry, vehicle washing, floor mopping and as a spray and wipe cleaner. Capable of cleaning 128 wash loads per gallon. Does not contain optical brighteners.

24-month maximum shelf life (extendable).

Biopreferred, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-412-0535

530039 or equal, 1 gl, BX(contains 4 EA), \$69.75

Liquid Dishwashing Detergent

Pot and pan cleaner is a highly concentrated liquid for hand washing of pots, pans, cooking utensils, dishes and glassware.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-151-1124, Joyfull-01 or Equal, 1 gl, BX(contains 4 EA), \$63.10

Laundry Detergent

Controlled-sudsing detergent is used to laundering military battle uniforms. Comes in granular or tablet form and does not contain optical brighteners or dyes.

Heavy-duty, low-phosphate detergent is ideal for washing cottons, cotton/polyester blends, and synthetic fabrics.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-00-929-1220, Det-Laund-TY1 or Equal, CO(contains 50 LB), \$134.38

Brite White laundry detergent is an enzyme-powered laundry detergent that offers excellent stain removal while reducing the need for pre-soaking, pre-spotting and even bleaching. Pre-measured, water-soluble packets are easy to use and eliminates tough malodors, leaving clothes smelling fresh and clean.

Box contains 250, 1.2-oz packets per container.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-494-2986, 61502222 or equal, AbilityOne, BX(contains 250 EA), \$169.64

Laundry detergent does not contain optical brighteners and is packaged in water soluble packets that are premeasured to do one load of laundry. Removes stains and has effective odor counteractant agents.

Box contains 50 each, 3/4 ounce pre-measured water soluble packets.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-597-6009, 176-56 or Equal, AbilityOne, BX(contains 50 EA), \$42.61

Synthetic detergent/bleach is suitable for shipboard laundering of cotton, synthetic and bleached fabrics in fresh or seawater. IAW Navy NCTRF/PD 11-85C.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-236-7280, Kln-N-Brite or equal, CO(contains 40 LB), \$51.75

Mild, low-sudsing liquid detergent launders cotton, wool and synthetics in soft, hard or seawater. Non-phosphate formula contains non-ionic surfactants and may be used in liquid detergent dispensing systems.

IAW A-A-50153

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-045-3517, Liq-Laun-55 or equal, DR(contains 55 GL), \$503.54

Laundry Detergent, Powdered, with Bleach

Powdered laundry detergent contains color safe bleach and removes tough stains, whitens whites and keeps colors bright. Does not contain phosphates and is harmless to septic tanks. Each box provides 95 standard uses.

12-month maximum shelf life (not extendable).

Biopreferred, Material Safety Data Sheet

7930-01-490-7301, XLD or equal, AbilityOne, 214 oz, PG(contains 2 EA), \$84.26

Laundry Detergent, High Efficiency (HE)

High efficiency (HE) laundry detergent. Specifically formulated to work in high efficiency (HE) clothes washers. Packaged in water soluble packets that are premeasured to do one load of laundry. Low sudsing, removes stains, and has effective odor counteracting agents.

Box contains 100 each, 3/4 ounce pre-measured water soluble packets.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-597-6010, XLD 417 HE or equal, AbilityOne, BX(contains 100 EA), \$65.11

Laundry Detergent, Non-Chlorine Bleach

Laundry detergent is concentrated containing bleach and enzymes for brighter whites and colors. Lemon fragrance.

Box contains 50, (2 oz) packets.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-367-0988, XLD 131 or equal, AbilityOne, BX(contains 50 EA), \$40.82

Laundry Detergent, Small Loads

Laundry detergent for small loads that is gentle on fine fabrics. Works effectively in hot or cold water to lift out tough dirt and stains. Lemon scented and phosphate free.

Box contains 100, (1 oz) packets.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-367-2907, XLD 117-30 or equal, AbilityOne, BX(contains 100 EA), \$64.01

Laundry Detergent, Standard Loads

Laundry detergent for standard loads that is gentle on fine fabrics. Works effectively in hot or cold water to lift out tough dirt and stains. Lemon scented, bleach and phosphate free.

Box contains 50, (2 oz) packets.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-367-2908, 117-56 or Equal, AbilityOne, BX(contains 50 EA), \$38.48

Bleach

Organic chlorine dry bleach is intended for direct addition to the laundry wheel in field and industrial laundry operations. Not intended as a disinfectant for water, fruit or vegetables.

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6850-00-063-2843, CHL-DRY-BLCH-050 or Equal, DR(contains 50 LB), \$142.42

Laundry Room Accessories

Laundry Bag

Laundry nets are intended for use in laundries when washing items of clothing.

Laundry net is made of nylon or polyester and features two brass grommets at the top that can be joined together by Laundry Pin NSN 3510-00-222-1457 (sold separately).

3510-00-273-9738, AbilityOne, White, 12" W x 22" L, DZ, \$38.53

3510-00-273-9739, AbilityOne, White, 24" W x 36" L, DZ, \$83.39

Iron

Electric iron is specifically designed for the Navy. Operates on 125v, 15 amp and 50-60 Hz. Features a 16 AWG, three-conductor cord with an integral ground terminal installed in the male plug. This product is authorized and complies with the requirements established by the NAVSEA Safety Office. Designed primarily for shipboard usage. UL Standards 1005, 498 and 817.

Has three settings: Spray, steam and dry.

7290-01-369-7966, BBMC GSI-1 or equal, EA, \$72.99

Electric iron has a fingertip dial for fabric and temperature control and a heel rest. Operates on 120v, 60-cycle power. UL Standard 1005.

Provides steam, spray or dry heat. Features multiple steam vents, water tank, water gauge, push-button spray, button nook and auto shutoff.

7290-00-148-7068, F67E or equal, EA, \$28.43

Ironing Board

Standard household ironing board has a vented, finished-metal top. Height is adjustable, and the board folds flat for out-of-the-way storage. Comes with a foam-backed fiber pad cover. Legs are capped to protect floors and prevent slipping.

Federal Strategic Sourcing Initiative, 7290-00-663-7300, 6544-1910 or equal, Length: 54", EA, \$39.71

Clothes Hanger

Standard-design hanger includes shoulder support and trouser bar. Fits a 1-1/2" diameter hanging bar.

Light-duty, one-piece steel wire hanger is coated with enamel.

Federal Strategic Sourcing Initiative, 7290-00-125-9069, N621J83 or equal, Width: 15-3/4" minimum, BX(contains 500 EA), \$81.46

Washroom Supplies

Air Freshener

This odor-neutralizing air freshener counteracts offensive odors in hospitals, sick rooms, lavatories, kennels, aircrafts, or any public building. Ideal for institutional and industrial use. Has a mild, pleasant odor. Contains no formaldehyde.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

6840-00-721-6055, 75400 or equal, AbilityOne, 14 oz., BX(contains 12 EA), \$39.31

Air Freshener Refill

Meter Mist refill is an aerosol metered odor counteractant. Each refill is capable of controlling odors in rooms 20 x 30 feet. Compatible with the Meter Mist 3000 Plus (4510-01-426-4187) and Meter Mist 3000 Select dispensers or equal.

Low VOC, Material Safety Data Sheet

6840-01-368-4789, 0744-001 or equal, AbilityOne, Springtime, 7 oz., DZ, \$76.77

Garden scent, 6840-01-429-5864, 0744-004 or equal, AbilityOne, Vanilla Bean scent, 7 oz., DZ, \$76.77

6840-01-368-4787, 0744-003 or equal, AbilityOne, Green Apple scent, 7 oz, DZ, \$76.77

6840-01-368-4785, 0744-002 or equal, AbilityOne, Peach scent, 7 oz., DZ, \$76.77

6840-01-425-8232, 0744-005 or equal, AbilityOne, Smoke Screen (Mtn. Air) scent, 7 oz., DZ, \$76.77

6840-01-459-8263, 0744-008 or equal, AbilityOne, Mandarin Orange, 7 oz., DZ, \$76.77

Deodorant Dispenser

Aerosol dispenser automatically controls odors and freshens air with three operation settings; day, night, and 24-hour, with a variable spray pattern. 5 to 43 minutes per cycle provides coverage without excessive overspray. Indicator light informs when unit is operating and aerosol needs to be replaced.

For use with air freshener refills NSNs: 6840-01-368-4785, 6840-01-368-4787, 6840-01-368-4789, 6840-01-425-8232, 6840-01-429-5864 and 6840-01-459-8263.

4510-01-426-4187, AbilityOne, EA, \$49.31

Electronic Air Freshener

Air filtration and odor-eliminating unit provides the power of HEPA air filtration combined with the exclusive odor-eliminating membrane in a sleek, compact size. Also contains a computer monitor that signals when the filter and air freshener cartridge needs to be replaced. LED indicator light with status alarm function; 2-speed blower; 72" power cord; wall hanging holes for mounting.

Refill cartridges for the Optimum 3000 Air Freshener, are 4460-01-443-4896 (Lemon Fragrance) and 4460-01-443-4897 (Potpourri Fragrance) or equal.

4460-01-443-4895, Optimum 3000 or equal, 13" L x 5-1/4" W x 4-5/8" H, EA, \$371.88

Air Freshener Cartridge

Air freshener refill cartridge for Optimum 3000, or equal air freshener. Includes a filter.

4460-01-443-4896, 80-2310 or equal, Lemon fragrance, SE, \$57.87

4460-01-443-4897, 80-2320 or equal, Potpourri fragrance, SE, \$57.87

Porcelain Cleaner

Mild abrasive, multipurpose cleaner used for cleaning bathrooms and kitchens. Safe for use on aluminum, fiberglass, plastics and appliance enamel.

Contains bleach.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-356-9206, 01602 or equal, 24 oz. bottle, BX(contains 9 EA), \$38.29

Toilet Bowl Cleaner

Toilet cleaner is effervescent and formulated with detergents and other cleaning agents to attack urinary salts. Releases a blue foaming action and pleasant fragrance.

Box contains 100, (14 gram) water soluble packets.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-367-0987, XLD 130 or equal, AbilityOne, BX(contains 100 EA), \$35.55

Toilet Bowl and Bathroom Cleaner

All-purpose bathroom cleaner contains blend of mineral acids, emulsifiers, detergents, and corrosion inhibitors to remove rust, scum, hard water deposits and stains. For use on porcelain, ceramic, chrome, aluminum and stainless steel fixture surfaces.

36-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-423-1145, 184611 or equal, 32 oz. bottle, BX(contains 12 EA), \$130.17

Toilet Brush

This sturdy toilet brush cleans wash basins, toilets and finished bed pans. The handle features a hole for convenient hanging.

Straight brush head has tampico or polypropylene bristles. Light-duty brush is 5-1/4" long and 3-1/2" wide; hardwood or plastic handle is 14" long.

Federal Strategic Sourcing Initiative, 7920-00-234-9317, 9317 or equal, EA, \$4.88

The curved brush head reaches inside surfaces easily. Bristles are secured by twisted wire. Horse collar-shaped. With a 14" hardwood or plastic handle. Brush is 5-1/2" long and 4-1/2" wide.

7920-00-772-5800, AbilityOne, EA, \$4.47

White polypropylene filament bristles.

7920-00-141-5450, AbilityOne, EA, \$3.89

Toilet Swab

Flexible plastic sleeve slides over swab head to prevent splashing and to shield hands from direct contact with cleaning solution. Chemical-resistant swab has a head made of polyester fiber yarn and a 10" molded plastic handle.

7920-00-492-5971, 280105 or equal, White, EA, \$2.10

Urinal Screen Deodorizer

Round urinal screen is environmentally friendly. Anti-splash texture provides greater surface for coverage. Screen is flexible for a proper fit to nearly any urinal contour and is safe for use in waterless urinals.

Lasts for 30-45 days.

Low VOC, Material Safety Data Sheet

6840-01-666-0471, AbilityOne, Melon Mist fragrance, Diameter: 7-1/4"; 1/16" thick, BX(contains 10 EA), \$28.17

6840-01-666-0472, AbilityOne, Mango Bay fragrance, Diameter: 7-1/4"; 1/16" thick, BX(contains 10 EA), \$28.17

Deodorant Toilet Cake

Environmentally friendly, non-para, 1.5 ounce deodorant cake that eliminates unpleasant odors. Non-para cake is contained in a plastic holder that clips under the rim of a toilet bowl. Lasts for 1,500 flushes or 30 days. Product is compliant with all state and federal regulations.

Low VOC, Material Safety Data Sheet

6840-00-664-6610, AbilityOne, CO(contains 12 EA), \$29.92

Urinal Deodorant Cake

Environmentally friendly non-para, deodorant cake that eliminates unpleasant odors. Compressed, cake-style toilet deodorant counteracts odors. Each cake emits a mild, pleasant odor. Lasts for 1,000 flushes or 30 days. Product is compliant with all state and federal regulations.

For use in urinals; does not have a holder.

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6840-00-246-6438, 4-UB-DZ or equal, Cake Size: 3 oz., CO(contains 12 EA), \$18.47

Urinal Deodorant Kit

Environmentally friendly urinal screen kit contains one 2.5 ounce, non-para cake; one plastic urinal screen; and one latex glove. The screen conforms to the shape of the urinal protecting the drain from debris and eliminates unpleasant odors. Lasts for 1,500 flushes or 30 days. Non-para product is compliant with all state and federal regulations.

Low VOC, Material Safety Data Sheet

6840-01-451-9189, AbilityOne, DZ, \$37.85

Drain Odor Control

Bio-enzymatic drain maintainer and waste digester used for keeping drain lines and grease traps clean and free of organic waste and odors. Bio-based, low VOC actually "eats" urine and grease. Formula 66, enzyme digester with instant and residual odor control. USDA approved bio-based product.

12-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-399-2720, 160023 or equal, 1 qt., BX(contains 12 EA), \$50.44

Cleaning Liquids, Powders and Sprays

Glass Cleaner

Biobased glass cleaner capable of cleaning away soil, smudges, grease and finger prints without streaking. Capable of being used on glass and plastic surfaces. Compatible with the JAWS (Just Add Water) Dispensing System.

Kit includes six 32 ounce, empty reusable bottles, with trigger sprayers and 12 concentrated, pre-measured (two ounce), drop in refill cartridges.

Glass and Hard Surface Cleaner starter kit or equal.

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet
7930-01-600-5747, AbilityOne, KT, \$53.90

Box contains 12 concentrated, pre-measured (two ounce), drop-in, refill cartridges.

Glass and hard Surface Cleaner refill cartridges or equal.

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet
7930-01-600-5748, AbilityOne, BX(contains 12 EA), \$28.30

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Non-streaking cleaner for windows, glass and mirrors as well as stainless steel, chrome, aluminum, ceramic and plastic. Low flow for use in filling spray bottles. Each two liter bottle yields 30 ready-to-use gallons.

Approved for aboard ship use.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet
7930-01-381-5826, 23357 or equal, 2 liter bottle, BX(contains 6 EA), \$290.69

AbilityOne, BioRenewable glass cleaner contains 75 percent biobased material. Ready-to-use formula cleans windows, mirrors, glass and Plexiglass. Contains no ammonia.

Box contains 12, (32-oz.) containers and 12 trigger sprayers.

Approved for shipboard use, IAW A-A-60010, Type I.

24-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet
7930-01-555-2898, 3239 or equal, AbilityOne, 1 qt., BX(contains 12 EA), \$62.63

BioRenewable glass cleaner contains 81 percent biobased material. Concentrated formula cleans and polishes any hard surface not harmed by water such as window glass, panes and sills, mirrors, countertops, chrome, and glass. Removes tough stains such as grease, smoke, oils, tape residue, food stains, dust and dirt. Contains no ammonia. For general cleaning use 2 ounces per gallon of water.

Approved for shipboard use, IAW A-A-60010

Type II - Concentrated

24-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet
7930-01-555-3384, 3835 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$84.39

Ready to use liquid glass cleaner is biobased and non-flammable. May be used for cleaning and polishing of glass surfaces, plastics, ceramics, chrome, painted surfaces and stainless steel.

Type I - RTU

Approved for shipboard use, IAW A-A-60010

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet
7930-01-326-8110, AbilityOne, 16 oz. bottle, DZ, \$40.67

Glass cleaner is concentrated with an ammoniated formula that provides one step cleaning even in hard water. Effective on grease, smoke film and hardened hair spray. Product is ready to use and anti-fogging.

Type II - Concentrated

Approved for shipboard use, IAW A-A-60010

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet
7930-01-379-5378, Ecolab 6111227 or equal, BX(contains 2.5 GL), \$47.29

Ready to use anti-fogging liquid glass cleaner is biobased and non-flammable. May be used for cleaning and polishing of glass surfaces, plastics, ceramics, chrome, painted surfaces and stainless steel.

Type I - RTU

Approved for shipboard use, IAW A-A-60010

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet
7930-00-901-2088, AbilityOne, 1 gal., BX(contains 6 EA), \$65.17

Glass Pro foaming aerosol cleans glass and stainless steel and other hard surfaces.

Low VOC, Material Safety Data Sheet
7930-01-513-6864, 164000 or equal, AbilityOne, 19 oz. aerosol, BX(contains 12 EA), \$57.04

Porcelain Cleaner

Biobased cleaner capable of cleaning away soil, body oils, and mineral deposits from fiberglass, tile, chrome, and plastics. Effectively cleans grout and ceramic floors. Compatible with the JAWS (Just Add Water) Dispensing System.

Kit includes six 32 ounce, empty reusable bottles, with trigger sprayers and 12 concentrated, pre-measured (two ounce), drop in refill cartridges.

Tile Grout and Bathroom Cleaner Starter Kit or equal.

36-month maximum shelf life (extendable).

Biopreferred, Material Safety Data Sheet
7930-01-600-5750, AbilityOne, KT, \$53.90

Box contains 12 concentrated, pre-measured (two ounce), drop-in, refill cartridges.

Tile Grout and Bathroom Cleaner Refill Cartridges or equal.

36-month maximum shelf life (extendable).

Biopreferred, Material Safety Data Sheet
7930-01-600-5751, AbilityOne, BX(contains 12 EA), \$28.30

Concentrated, deodorizing, one-step cleaner perfect for cleaning soap scum in shower stalls, bath tubs, toilet bowls, wash basins and other similar surfaces.

24-month maximum shelf life (extendable).

Material Safety Data Sheet
Federal Strategic Sourcing Initiative, 7930-01-359-9229, CJ06 or equal, 1 gal., BX(contains 4 EA), \$56.73

Multi-Purpose Cleaner

Biobased hard surface multipurpose cleaner. Capable of cleaning ink, grease, and grime. Cleans appliance interiors and exteriors, floors, laminates, range hoods, and solid surface countertops. Compatible with the JAWS (Just Add Water) Dispensing System.

Kit includes six 32 ounce, empty reusable bottles, with trigger sprayers and 12 concentrated, pre-measured (two ounce), drop in refill cartridges.

Multipurpose Cleaner Starter Kit or equal.

36-month maximum shelf life (extendable).

Biopreferred, Material Safety Data Sheet
7930-01-600-5754, AbilityOne, KT, \$54.67

Box contains 12 concentrated, pre-measured (two ounce), drop-in, refill cartridges.

Multipurpose Cleaner Refill Cartridges or equal.

36-month maximum shelf life (extendable).

Biopreferred, Material Safety Data Sheet
7930-01-600-5753, AbilityOne, BX(contains 12 EA), \$28.81

BioRenewable TriBase multi-purpose cleaner contains 70 percent biobased material. Concentrated formula cleans glass, mirrors, floors, walls, restroom and kitchen surfaces and tile.

Approved for shipboard use, IAW A-A-60008

24-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet
7930-01-555-2901, 3830 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$99.14

Deodorizer

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Deodorizer is intended to be diluted. Long-lasting rug and room freshener/deodorizer leaves a fresh, clean scent. Low flow for use in filling spray bottles. Each two liter bottle yields 30 ready-to-use gallons.

3M Twist 'n Fill Deodorizer #13L. Fresh Scent.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-412-1033, TNF13L or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$755.32

Long-lasting rug and room freshener/deodorizer leaves a clean scent. Low flow for use in filling spray bottles. Each two liter bottle yields 36 ready-to-use gallons.

3M Twist 'n Fill Deodorizer #14L. Mountain Spice fragrance.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-412-1034, TNF14L or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$827.88

Food Service Degreaser

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Cleaning compound removes food and oily soils from hard surfaces such as walls, floors, tables, and vinyl. Safe for stainless steel, ceramic tile, painted surfaces, chrome, plastic, and quarry tile. High flow for use in filling buckets. Each two liter bottle yields 123 ready-to-use gallons. Intended to be diluted.

3M Twist 'n Fill Food Service Degreaser #7H.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-381-5936, TNF7H or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$468.68

Sanitizer and Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Multi-surface sanitizer and cleaner for use on walls, floors and other hard, nonporous surfaces. Safe for sanitizing food contact surfaces. Low flow for use in filling spray bottles. Each two liter bottle yields 107 ready-to-use gallons.

3M Twist 'n Fill Sanitizer and Cleaner #16L.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-412-1036, TNF16L or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$129.49

General-Purpose Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

High-performance, all purpose cleaner can be used to clean floors, walls and other non-porous surfaces. High flow for use in filling buckets. Each two liter bottle yields 35 ready-to-use gallons.

3M Twist 'n Fill General-Purpose Cleaner #8H.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-381-5834, 19212 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$219.60

Multi-Surface Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Formulated to remove grease, marks, soils and stains from both hard and soft surfaces; may be used on carpets and upholstery. Low flow for use in filling spray bottles. Each two liter bottle yields seven ready-to-use gallons.

3M Twist 'n Fill Multi-Surface Cleaner #2L.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-381-5997, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$288.81

Disinfectant Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Rinse-free, EPA-registered, hospital germicide for disinfecting and cleaning non-critical items. Kills Hepatitis B virus (HBV), HIV, MRSA, VRE, Herpes Simplex I and II and other pathogens. Complies with OSHA's blood borne pathogen standard for disinfecting surfaces soiled with blood or other potentially infectious body fluids. High flow for use in filling buckets. Each two liter bottle yields 180 ready-to-use gallons.

3M Twist 'n Fill Disinfectant Cleaner #25H.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-549-8191, 23550 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$329.56

Floor Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

No-rinse cleaner can be used in automatic scrubber or with mop to clean washable hard floors. Will not dull or damage floor finishes. High flow for use in filling buckets. Each two liter bottle yields 207 ready-to-use gallons.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-381-5897, 20200 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$286.64

Versatile, low-foaming cleaner for use in automatic scrubbers or in mop-on applications. Formulated for scrubbing before recoating as well as cleaning before burnishing and daily cleaning. High flow for use in filling buckets. Each two liter bottle yields 137 ready-to-use gallons.

3M Twist 'n Fill Floor Cleaner #24H.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-549-8189, 23553 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$360.34

Floor Stripper

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Low-odor, low-foaming, 5-minute stripper for floor sealers, floor finish buildup and finishes hardened by frequent burnishing. Each two liter bottle yields 11 ready-to-use gallons.

3M Twist 'n Fill Floor Stripper #22H.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-549-8190, 23555 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$382.54

Bathroom Cleaner

Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

One-step disinfectant, cleaner, fungicide, mildew stat, virucide and deodorizer. The mild acid cleaner removes soap scum and scale from bathroom surfaces including plastic, porcelain, ceramic, fiberglass, floors and fixtures. Low flow for use in filling spray bottles. Each two liter bottle yields 27 ready-to-use gallons.

3M Twist 'n Fill Bathroom Cleaner #4L.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-381-5820, 19204 or Equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$877.52

Disinfectant bathroom cleaner for bowls, urinals, and other hard surfaces including ceramic tile, plastic, stainless steel, fiberglass, and marble. Low flow for use in filling spray bottles. Each two liter bottle of concentrate yields 61 ready-to-use gallons.

3M Twist 'n Fill Bathroom Cleaner #15L.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-436-8083, 20787 or equal, AbilityOne, 2 liter bottle, BX(contains 6 EA), \$810.69

BioRenewable ready-to-use athroom cleaner is used in toilet bowls, shower rooms (floors and walls), urinals, porcelain, ceramic, fiberglass and similar hard, non-porous surfaces. Heavy duty ready to use formula, for general and light duty. One foam sprayer per box.

24-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

7930-01-555-2900, 353003 or equal, AbilityOne, 1 qt., BX(contains 12 EA), \$98.46

Graffiti Remover SAC

BioRenewable ready-to-use graffiti remover is a soy and corn biobased product. Removes typical graffiti markings, paint, marker, ink, crayon and pencil. Takes away scuff marks, wax residue and adhesives. Generally applied with solvent resistant sprayer, sponge, brush or cloth. Contains 50 percent bio-based material.

24-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

7930-01-555-2899, 307104 or equal, AbilityOne, 1 gal., BX(contains 4 GL), \$179.80

Box contains 12, (32-oz.) containers and three solvent resistant sprayers.

24-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

7930-01-555-3382, 3171 or equal, AbilityOne, 32 oz. bottle, BX(contains 12 EA), \$165.84

Multi-Purpose Germicidal Cleaner

Perfect for removing carbon, dirt, ink, petroleum residues, cooking fats, and fresh paint. This multi-purpose cleaner is non-toxic, non-flammable, and non-combustible. Can be used on most surfaces like plastics, metal, fiberglass, rubber, and porcelain. Not recommended for wood or wool surfaces. Kills viruses within 30 seconds, kills bacteria within 45 seconds, and kills fungi within three minutes of contact.

Comes in a trigger spray bottle.

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-393-6747, 26825 or equal, 22 oz. bottle, BX(contains 12 EA), \$65.27

Federal Strategic Sourcing Initiative, 7930-01-346-5280, 26832 or equal, 32 oz., bottle, BX(contains 12 EA), \$85.52

Industrial Multi-Purpose Cleaner (Earth Soap)

Concentrated cleaner is environmentally friendly and formulated to dissolve dirt, grease, grime and other hard-to-remove soils from most hard, washable surfaces. Makes up to 5 gallons.

48-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-471-2724, 27955 or equal, DR(contains 55 GL), \$816.47

Multi-Purpose Detergent

General-purpose detergent/odor counteractant in pre-measured, water-soluble packets. For use where regular maintenance procedures requires the removal of heavy soil. No residues, extra steps or rinsing.

Box contains two pails, that consist of 90, (1/2 oz.) packets in each pail for a total of 180.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-494-0905, 61181087 or equal, AbilityOne, BX(contains 180 EA), \$54.06

Non-Streaking Cleaner

Heavy duty aerosol cleaner capable of removing grease, oil, finger marks, tobacco smoke and a variety of other oil and water soluble soils on contact. Premium-grade cleaner for use on all surfaces not harmed by water. Capable of cleaning windows, windshields, mirrors, tinted windows and Plexiglass.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-294-5523, 009801 or equal, 20 oz. aerosol can, DZ, \$51.66

Industrial Cleaner

Perfect for removing carbon, dirt, ink, petroleum residues, cooking fats, and fresh paint. This multi-purpose cleaner is non-toxic, non-flammable, and non-combustible. Can be used on most surfaces like plastics, metal, fiberglass, rubber, and porcelain. Not recommended for wood or wool surfaces. Kills viruses within 30 seconds, kills bacteria within 45 seconds, and kills fungi within three minutes of contact.

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-600-1717, 26801 or equal, 1 gl, BX(contains 4 EA), \$68.02

Oven Cleaner

Heavy-duty, alkaline aerosol cleaner is excellent for removing baked-on grease and carbonized soil deposits from grills, ovens, fryers, stainless steel, and other kitchen equipment. Can be used on vertical and horizontal surfaces.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-459-2247, Grill-OV-DZ or equal, 16 to 20 oz., BX(contains 12 EA), \$66.12

Tile Cleaner

Mildly-acidic cleaner, ready-to-use. Cleans porcelain, ceramic tile and related surfaces.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-664-7483, Husky 302 or equal, QT, \$14.53

Toilet Bowl Cleaner

Concentrated aircraft lavatory system cleaner and deodorizer. Capable of cleaning and deodorizing the complete lavatory system. Deodorizes up to 15 hours. Cleans and removes sludge and scale from tanks, pump filters and pumps.

12-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-436-7958, MBQC07 or equal, CN(contains 7 GL), \$1,128.91

Federal Strategic Sourcing Initiative, 7930-01-420-3593, MBQL01 or equal, DR(contains 55 GL), \$1,531.19

Toilet Cleaner/Deodorizer

Combination toilet bowl cleaner and bathroom deodorizer contains a non-para, environmentally friendly cake. Toilet deodorizer clips under toilet bowl rim. Lasts for 1000 flushes. Compliant with all state and federal regulations.

Individually packaged and sealed in a cellophane bag.

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-382-9138, 174501 or equal, BX(contains 24 EA), \$67.65

Disinfectant

Disinfectant is used in hospitals, offices, pet care areas, motels, institutions and industrial areas. Effective against staphylococcus, psendomonas, mycobacterium, tuberculosis and specific viruses.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-380-8495, 4334104 or equal, 14 oz. aerosol, BX(contains 12 EA), \$54.29

Cleans, disinfects and deodorizes in one easy step. For use in hospitals, nursing homes, schools, homes and food processing establishments. Product can be used to treat hard non-porous surfaces such as walls, floors, sink tops, toilet bowls, chairs, tables, telephones, restroom and shower stalls.

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-513-9967, 4334103 or equal, 19 oz. aerosol, BX(contains 12 EA), \$75.52

Aerosol disinfectant-deodorant; inactivates HIV-1 (AIDS virus) and Herpes Simplex Types 1 and 2 viruses on pre-cleaned environmental surfaces or objects previously soiled with blood or body fluids. Kills TB, salmonella, paratyphoid B, streptococcus, canine-related and other viruses. Controls mold and mildew.

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6840-01-410-8860, 351500 or equal, 20 oz. aerosol, BX(contains 12 EA), \$91.16

Scale Remover

Mildly acidic blend of nontoxic, biodegradable, organic compounds which safely removes calcium carbonate scales and encrustations. Effectively removes and inhibits scales in sanitary lines, without attacking materials of construction, equipment, enzymatic or microbiotic treatments. Approved in accordance with MIL-PRF-32217.

Material Safety Data Sheet

6850-01-574-8506, 8 lb container, BX(contains 6 EA), \$410.01

Disinfectant-Cleaner

This concentrated formula cleans, disinfects and deodorizes. Also kills odor-causing bacteria on hard, non-porous surfaces such as basins, tubs and showers. Dissolves wax buildup, grease and grime from floors. Contains 19.9 percent pine oil (for heavy-duty cleaning) and has a fresh clean scent.

IAW-A-A-2793

36-month maximum shelf life (extendable).

Material Safety Data Sheet

6840-01-342-4143, AbilityOne, 1 liter, BX(contains 24 EA), \$236.33

Disinfectant detergent is a phosphate-free concentrate formulation designed to provide effective cleaning, disinfection and deodorizing for hospitals. Can be used on floors, walls, tables, chairs, sink tops and bed frames. Excellent for controlling the hazard of cross-contamination. One pouch makes one gallon of cleaner.

Box contains 100, (1/2 oz.) pouches.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

6840-01-367-2914, XLD 120, AbilityOne, BX(contains 180 EA), \$70.38

Disinfectant Pre-Moistened Towelettes

One step germ-killing disinfectant and deodorizing wipe. Janitorial grade disinfectant for use on non-porous surfaces and effective against Salmonella Choleraesuis, Staphylococcus aureus, Herpes simplex virus 1 and 2, HIV-1 and a number of other virus and bacteria. Textured wipe loosens and absorbs contaminants to ensure a clean and disinfected surface. Not intended for use as a general purpose cleaner and deodorizer. For office equipment and shared work surfaces, use 7930-01-454-1139.

Contains 6 pop-up containers per box, 50 wipes per container.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 6840-01-411-9963, Express Wipe-41 or equal, 6" x 8", BX(contains 6 EA), \$55.86

Disinfectant (Calcium Hypochlorite)

Technical grade calcium hypochlorite contains 65 percent available chlorine. Use as a disinfectant and algaecide. Effective for chlorinating pool water, keeps pool in sanitary condition and protects pool against growth of bacteria and algae. Also used as a germicide in the food industry. EPA registered/labeled in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). Manufactured in accordance with ASTM E1229.

Box contains one dozen, (3-3/4-lb.) containers for a total of 45 lbs.

24-month maximum shelf life (not extendable).

Material Safety Data Sheet

6840-00-242-4770, CAL-HYPO-CS or equal, BX(contains 45 LB), \$239.00

6840-00-255-0472, Rite-Kem or Equal, DR(contains 100 LB), \$297.48

Disinfectant-Detergent

General-use janitorial disinfectant is ideal for cleaning and deodorizing urinals, bathrooms, shower stalls, and animal quarters. Effective against intestinal bacteria. Concentrated cleaner contains at least 60 percent pine oil and 10 percent soap. Rinses easily and leaves a clean-smelling scent. Must be diluted before use. (Not intended for use in medical facilities.)

36-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

6840-00-687-7904, AbilityOne, 1 qt, BX(contains 24 EA), \$270.27

6840-00-584-3129, AbilityOne, 1 gal., BX(contains 6 EA), \$233.53

6840-00-551-8346, AbilityOne, DR(contains 55 GL), \$1,518.00

Liquid Detergent

Water-soluble, non-ionic detergent is for heavy-duty general-purpose cleaning. Effective in removing grease, oil and dirt from a variety of surfaces. Dilute with either fresh or sea water. MIL- D-16791G, Type I.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-00-282-9699, AbilityOne, 1 gallon, BX(contains 6 EA), \$254.65

7930-00-985-6911, 1064007 or equal, AbilityOne, CN(contains 5 GL), \$163.52

General Purpose Detergent

Corrosion inhibited, concentrated anionic detergent for use in manual and ultrasonic cleaning. Free rinsing and suitable for use on glassware, metals, plastics, ceramic, porcelain, rubber and fiberglass. Granular and free flowing without caking.

Box contains 9 ea, 4 lb containers.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-198-6050, 1104 or equal, BX(contains 9 EA), \$449.40

Ready to use no rinse formula removes food soils, soap scum, lubricants, grease, grime, smoke and vapor deposits. Use on hrd, non-porous surfaces.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-056-8144, 00889 or equal, 32 oz. bottle, BX(contains 12 EA), \$48.23

Concentrated detergent for manual washing of pots and pans. Pre-measured, water-soluble packets delivers superior grease-cutting and long-lasting suds.

Box contains 2 dispenser boxes, that consist of 90, (1/2-oz) packets in each box for a total of 180.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-494-2987, 12227 or equal, AbilityOne, 1/2-oz packet, BX(contains 180 EA), \$113.09

Biodegradable Cleaner and Degreaser

Ready-to-use general purpose cleaner that is suitable for use on grease, dirt, soap scum, food stains and fingerprints. Liquid detergent contains no phosphates, abrasives, or dyes and is non-flammable.

Comes in a spray-pump dispenser.

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

7930-00-357-7386, AbilityOne, 22 oz. bottle, BX(contains 12 EA), \$32.62

Degreaser

Removes grease and grime from engines, machinery, asphalt, and garage floors. Water-based and ready-to-use degreaser. Non-flammable

Pump-Spray Bottles

48-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-383-7926, 22732 or equal, 32 oz., BX(contains 12 EA), \$75.66

Cleaner and Degreaser

Ready-to-use general purpose cleaner that is suitable for use on grease, dirt, soap scum, food stains and fingerprints. Liquid detergent contains no phosphates, abrasives, or dyes and is non-flammable.

Comes in a spray-pump dispenser.

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

7930-00-926-5280, AbilityOne, 16 oz. bottle, BX(contains 48 EA), \$146.93

Useful for refilling dispensers.

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

7930-00-068-1669, AbilityOne, 1/2 gal., BX(contains 6 EA), \$37.87

7930-00-177-5243, AbilityOne, 1 gal., BX(contains 6 EA), \$61.62

Concentrated, d'limonene based, aqueous emulsion cleaner. Contains surfactants to clean soils, heavy grease, oils, carbonized deposits, tar, lubes, waste fats, and rubber marks. Contains no petroleum hydrocarbons or chlorinated materials.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-350-7035, 185015 or equal, DR(contains 55 GL), \$766.98

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-314-6133, 185915 or equal, DR(contains 55 GL), \$701.33

Concentrated all purpose degreaser and cleaner is suitable for use in critical cleaning applications.

36-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-418-1151, 19024 or equal, 24 oz spray bottles, BX(contains 12 EA), \$85.89

Concentrated heavy-duty liquid cleaner is completely water soluble. Safe for use on copper, mild steels, admiralty brass, 304 and 316 stainless steels, plexiglas, HD polyethylene, HD polypropylene, PVC, fiberglass, Buna N, teflon and viton. Use in a steam cleaner, hot water washer, or apply manually.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-412-2377, CL 9805 or equal, CN(contains 5 GL), \$61.59

Goo Gone

A citrus and petroleum based material for multiple cleaning applications. Removes tar, tape residue, blood, lipstick, mascara, crayon, bumper stickers, gum, oil, grease, labels and stickers, and shoe polish. Works on most surfaces including carpet, upholstery, clothing, wood and cement.

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-490-7283, 2112 or equal, QT, \$21.88

Stainless Steel Polish

Stainless steel cleaner and polish is a concentrated liquid that is effective in cleaning stainless steel, chrome, Formica, aluminum, Plexiglas, tile, vinyl and enameled surfaces. Concentrated (12-parts water/1-part polish). Contains no silicone, acid or wax. Non-flammable.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-360-8050, CJ01 or equal, 1 gal., BX(contains 4 EA), \$109.22

All-Purpose Cleaner

Concentrated and biobased, this general purpose cleaner/degreaser removes grease, oil, and dirt from bare and painted surfaces. Can be diluted to suit specific cleaning jobs.

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

7930-01-373-8849, 1064089 or equal, AbilityOne, 22 oz trigger spray bottle, BX(contains 12 EA), \$73.66

7930-01-373-8848, 1064092 or equal, AbilityOne, 1 gal., BX(contains 6 EA), \$80.84

7930-01-373-8844, 1064091 or equal, AbilityOne, DR(contains 55 GL), \$743.29

7930-01-373-8845, 1064090 or equal, AbilityOne, CN(contains 5 GL), \$72.77

General purpose detergent is a concentrated cleaning compound that may be used on floors, walls, and most surfaces. Free rinsing and deodorizing with a fresh lemon scent. One pouch makes 3 gallons.

Box contains 100, (1/2 oz.) packets.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-367-2965, 301 or equal, AbilityOne, BX(contains 100 EA), \$41.73

All-purpose cleaner, can clean alkaline-sensitive, high gloss floors. Finishes with no dulling. Is a neutral, no-rinse, all-purpose cleaner.

Box contains 100, (1/2 oz.) packets.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-367-2909, 110 or equal, AbilityOne, BX(contains 100 EA), \$40.11

Desk and Office Cleaner

Aerosol foam cleaner with a fruity scent is suitable to clean desk tops, cabinets, business machines, painted surfaces, office furniture and luggage. Removes dust, ink smudges and fingerprints without leaving oily or sticky residues and without streaking. Spray-on and wipe-off to leave a clean shine.

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-411-8931, 1001583 or equal, 15 oz., BX(contains 12 EA), \$71.22

Office Cleaner

Aerosol cleaner with foaming action that removes dust, dirt, and other liquid stains from office furniture, desk tops, cabinets, bookcases, shelves, painted and plastic surfaces. Leaves behind no residue, non-oily and non-sticky.

36-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-512-8969, 184000 or equal, AbilityOne, 18 oz. aerosol, BX(contains 12 EA), \$56.33

Furniture Polish

Furniture polish effectively protects wood furniture and other surfaces. Picks up dust, shines, and polishes all in one step. Leaves no polish or waxy buildup and adds a like-new sheen to cabinets, paneling, baseboards, vinyl, leather, and fine wood furniture.

36-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-381-3491, 301168 or equal, 14.2 oz. aerosol, BX(contains 6 EA), \$38.65

Cleaning Compound

Fast evaporating, nonflammable and nonconductive cleaner that penetrates and cleans without leaving a residue. Removes dirt, moisture, dust, flux, and oxides from electronic or precision equipment.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-436-7971, 04016 or equal, 15 oz. aerosol can, BX(contains 12 EA), \$168.10

Cleaning Compound/Solvent Detergent

Concentrated, multi-purpose colloid cleaner. Compatible with the Gaylord wash down systems. Safe for use on metal, wood, glass, fabric, plastic, porcelain, rubber, tile and vinyl.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-436-7897, G-510EF or equal, 1 GL, BX(contains 4 EA), \$142.61

Scouring Powder

Scouring powder is suitable for cleaning porcelain surfaces and general kitchen use. Not intended for use on glass, stainless steel, plastic or other materials that may be scratched.

Does not contain any bleaching agent.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-294-1115, Scour-1115 or equal, 14 oz., DZ, \$42.97

Contains chlorine bleach to aid in removing stains.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-721-8592, CPC14278CT or equal, 21 oz. can, BX(contains 24 EA), \$60.07

Formulated for cleaning highly polished glass, tile and other vitreous surfaces. Will not scratch or streak. (Not intended for use on plastic surfaces.)

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-294-1116, Scour-1116 or equal, 14 oz. can, DZ, \$40.61

Floor Care

Floor Wax

This water emulsion-based formula floor wax brings a highly polished look to heavy traffic areas. Durable, slip and soil resistant and non-water spotting. For use on non-wood floors and sealed wood floors.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-141-5888, Super-SH-18-05 or equal, CO(contains 5 GL), \$71.48

Federal Strategic Sourcing Initiative, 7930-00-205-2870, SH-18-1GL or equal, GL, \$29.66

Floor Stripper

Concentrated heavy duty stripper. Removes tough build-ups and burnished finishes. Non-ammoniated, phosphate-free and pleasantly scented. Not for use on unsealed wood, cork, linoleum or painted surfaces.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-380-8381, 04576 or equal, AbilityOne, CO(contains 5 GL), \$78.44

Floor Wax Stripper

This non-ammoniated liquid concentrate removes water-emulsion floor finish and floor wax from linoleum, vinyl-asbestos, asphalt tile, and other impermeable floor surfaces.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-045-6912, HIL00150 or equal, CO(contains 5 GL), \$54.52

Concentrated heavy duty stripper. Removes tough build-ups and burnished finishes. Non-ammoniated, phosphate-free and pleasantly scented. Not for use on unsealed wood, cork, linoleum or painted surfaces.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-380-8469, 95115940 or equal, AbilityOne, 1gal., BX(contains 4 EA), \$68.11

Floor Cleaner

Ammoniated floor cleaner is ideal for daily cleaning and degreasing of quarry tile, concrete, and other hard surfaces. Compatible with Ecolab Oasis cleaning chemical dispensing system.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-379-5696, Oasis 115XP or equal, 2-1/2 gal., BX(contains 2.5 GL), \$44.25

Can be used for daily cleaning of all resilient floor surfaces. Unique odor counteractant formulation and neutral pH provides a fresh, clean fragrance with a sparkling clean appearance. Use with hot or cold, hard or soft water. The cleaning and emulsifying power enables it to easily maintain resilient floor surfaces. Does not leave a film or haze and does not require rinsing. Pre-measured packets come in two recyclable containers,

Box contains two pails, that consist of 90, (1/2-oz) packets in each pail for a total of 180.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-418-1104, 205-15-1000 or equal, AbilityOne, BX(contains 180 EA), \$69.70

Concentrated high performance general-purpose cleaner removes various soils from water-safe hard surfaces including floors, walls, counter tops, sinks and other ceramics surfaces. Cleaner has a fresh citrus scent and leaves a shine.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-436-7991, 04518 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$76.29

7930-01-436-8039, 04516 or equal, AbilityOne, CN(contains 5 GL), \$79.37

Floor Finish

Durable floor finish intended for use in heavy foot traffic areas on vinyl, vinyl composition, vinyl asbestos, asphalt tile, rubber, and linoleum. It resists scuffing, black heel marks, scarring, dirt penetration and rubber marks. Not for use on wood or cork floors.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-380-8387, 04651 or equal, AbilityOne, CO(contains 5 GL), \$106.15

7930-01-380-8447, 04649 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$91.13

Floor wax has a durable finish. Good mark resistance.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-380-8406, 5120888 or equal, AbilityOne, CN(contains 5 GL), \$131.01

Material Safety Data Sheet

7930-01-380-8450, 04059 or equal, AbilityOne, 1 gl, BX(contains 4 EA), \$109.89

Carefree Ultra Finish is an easy-to-apply floor finish/sealer that is formulated to work with any maintenance method and equipment on all types of floors. Responds beautifully to conventional high-speed or UHS maintenance procedures. Recommended for use on all resilient and non-resilient floors, including vinyl, vinyl composition, vinyl asbestos, asphalt tile, rubber, terrazzo, slate brick, unglazed ceramic or quarry tile, honed marble and honed granite.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

7930-01-486-5067, 5432 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$107.38

7930-01-410-8562, 5431 or equal, AbilityOne, CN(contains 5 GL), \$122.66

Highly durable and detergent-resistant finish is formulated for use on non-wood and sealed wood floors.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-183-8585, HIL0052207 or equal, CO(contains 5 GL), \$73.91

Floor Gloss Restorer

Spray Buff maintainer produces a brilliant shine while removing scuffs, scratches, ground-in dirt and black heel marks. Leaves a glossy, durable, slip resistant finish.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7930-01-380-8365, 04116 or equal, AbilityOne, 1 gal., BX(contains 4 EA), \$76.33

Floor Sealer

Water-based finish that is formulated especially for the maintenance of asphalt plank floor. This unique combination of acrylic polymers, plasticizers and black pigment penetrates, beautifies and protects the porous asphalt plank surface. One gallon will provide an adequate coat for 500 to 800 square feet of asphalt flooring.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-412-2402, 184335 or equal, CN(contains 5 GL), \$197.35

Cleaning Compound

Concentrated and biobased, this general purpose cleaner/degreaser removes grease, oil and dirt from bare and painted surfaces. Can be diluted to suit specific cleaning jobs.

36-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

7930-01-631-1931, Power Green or equal, AbilityOne, BT(contains 22 OZ), \$5.53

7930-01-631-3702, Power Green or equal, AbilityOne, 1 GL, GL, \$12.45

Sweeping Compound

This sawdust mixture improves sweeping performance of brooms and brushes. It also helps reduce airborne dust during sweeping. User simply spreads mixture on the floor and sweeps along to collect dust and dirt from cracks and hard-to-reach places.

Sawdust-sand-mineral oil compound is designed for use on wood, steel and other flooring that is not varnished, sealed, painted or waxed.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-132-5265, Sweep-TYI-100 or equal, CO(contains 100 LB), \$70.58

Sawdust-wax base compound is designed for use on composition and resilient floors where sand and oil are unsuitable.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-291-0410, Sweep TYIII-100 or equal, CO(contains 100 LB), \$94.94

Sawdust-sand-water-wax emulsion compound is designed for use on floor areas in machine shops, garages or warehouses. Helps remove oil stains or slicks and will not spot or stain.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-633-9849, Sweep-TYII-100 or equal, CO(contains 100 LB), \$86.30

Absorbent Material

Heavy weight mat roll absorbs 41 gallons and is perforated every 10 inches. Absorbs water, oil and solvents. Ideal for large volumes of liquid spills or when you plan to leave mat in place for an extended period.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-455-9536, UQ150-FF or equal, 30" W, RO(contains 150 FT), \$150.43

Absorbent mat pad absorbs water, oils, acids/bases, coolants and solvents. Ideal for large volumes of liquid or when you plan to leave mat in place for an extended period. Flame resistant; 100 pads absorb up to 24 gallons.

Comprehensive Procurement Guideline Compliant, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-363-8631, MAT 203 or equal, 15"W x 20"L, BG(contains 100 EA), \$82.90

Low dusting granular clay/silicate calcite type material will soak up oil, grease and water. Simply scatter the porous, absorbent compound around grease racks and other exceptionally dirty areas, then sweep up. Eliminates slipping dangers.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-00-269-1272, NGT-269-1272 or equal, CO(contains 44 LB), \$34.92

Low dusting clay granular absorbent comprised of 10-20 percent amorphous silicates and 80-90 percent fullers earth. Soaks up to 90-percent of it's own weight.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-380-4783, I01050G40 or equal, BG(contains 50 LB), \$12.85

Spill proof pans keep messy drips off your floors. Each ploypropylene pan holds 3/4 gallon of oil, water, coolants and solvents. Low profile, 3" clearance. Wide base prevents tipping. Absorbents inside pan holds liquid.

25% Recycled Plastic

Comprehensive Procurement Guideline Compliant, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-316-6008, 2410PP or equal, 10.5" L x 10.5" W x 3" D, BX(contains 24 EA), \$215.72

Absorbent sock composed of amorphous mineral silicates, absorbs water and oil based spills. Non-hazardous, inert and non-toxic.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-353-6415, 600 or equal, 4" x 48", BX(contains 15 EA), \$97.72

Push Broom

Floor sweeping brush consists of a hardwood or plastic block set with 3"-long bristles. The block has Acme-threaded holes on both sides for inserting a handle.

Soft bristles made of 100 percent horsehair or fine polyester filament make the brush suitable for sweeping smooth interior wood, concrete or tile floors without scratching. Light duty push broom.

Handle not included.

Plastics Removal in Marine Environments

7920-00-243-3407, AbilityOne, Length: 18", EA, \$19.25

Bristles made of polypropylene make the brush suitable for medium and rough floor sweeping.

7920-00-965-4886, 515-18" or Equal, Length: 18", EA, \$12.48

Bristles made of 50 percent horsehair and 50 percent tampico or polypropylene fiber make the brush suitable for sweeping rough concrete and other floor surfaces.

Handle not included.

7920-00-292-2365, 164-14 or equal, Length: 14", EA, \$13.21

7920-00-292-2367, AbilityOne, Length: 18", EA, \$18.78

7920-00-264-4638, AbilityOne, Length: 30", EA, \$34.66

7920-00-292-2360, 86266107 or Equal, Length: 24", EA, \$12.63

Soft bristles made of 100 percent horsehair or fine polyester filament make the brush suitable for sweeping smooth interior wood, concrete or tile floors without scratching. Light duty push broom.

Handle not included.

Federal Strategic Sourcing Initiative, 7920-00-292-2363, 305-30 or equal, Length: 30", EA, \$23.67

Push-style broom designed for sweeping rough surfaces such as warehouse floors and sidewalks. Brush has 6" long bristles made of Palmyra stalks.

Two 3/4" tapered holes accommodate a tapered handle (not included). (Use with Handle NSNs 7920-00-177-5106 or 7920-00-141-5452).

7920-00-267-2967, AbilityOne, Length: 16", EA, \$16.80

Push broom for use on rough surfaces with 24 inch solid hardwood block and 60 inch black metal handle. Comes with a flexible elastomer connector. Brush filaments consist of 3.75 inch stiff polypropylene fibers. Sweeps light gravel, nails, dirt and leaves.

7920-01-630-1595, AbilityOne, EA, \$43.83

Push broom for use on medium surfaces with 24 inch solid hardwood block and 60 inch black metal handle. Comes with a flexible elastomer connector. Brush filaments consist of 3.25 inch minimum solvent resistant polypropylene fibers. Sweeps medium to rough surfaces.

7920-01-630-3062, AbilityOne, EA, \$43.84

Push broom for use on smooth surfaces with 24 inch solid hardwood block and 60 inch black metal handle. Comes with a flexible elastomer connector. Brush filaments consist of 3.25 inch minimum soft polypropylene fibers with "Split-tips" for fine sweeping.

7920-01-630-3063, AbilityOne, EA, \$43.83

Push-style broom designed for street sweeping has 6"-long bristles made of brown polypropylene.

Two 3/4" tapered holes accommodate a tapered handle (not included). (Use with Handle NSNs 7920-00-177-5106 or 7920-00-141-5452).

7920-01-554-7100, AbilityOne, Brown, Length: 16", EA, \$18.24

Extension Handle

Aluminum, telescoping extension handle with Acme threaded adapter adjusts from 6 to 12 feet. For use with various tools such as squeegees, push brooms, and paint rollers or for cleaning, painting, or washing high surfaces. Tension locknut secures tubes in extended position at any point. Plastic cap or handgrip covers handle end.

7920-00-926-5146, 612 or equal, Diameter: 15/16", EA, \$22.86

Steel Utility Handle

This extruded steel utility handle, for use with various tools such as squeegees, push brooms and paint rollers, etc., is vinyl-coated and has a round, nylon threaded end piece. The handle is capped with a molded plastic swivel-type hanger.

May be used with 7920-00-490-6046 (Aircraft Cleaning Kit).

7920-01-460-8614, AbilityOne, Length 60"; Diameter: 15/16", EA, \$4.76

Wooden Utility Handle

Wood handle is for use with various tools such as squeegees, push brooms, and paint rollers.

Tapered end.

7920-00-177-5106, AbilityOne, Length: 54"; Diameter: 15/16", EA, \$6.23

7920-00-141-5452, AbilityOne, Length: 54"; Diameter: 1-1/8", EA, \$7.24

Acme threaded end with metal ferrule.

May be used with 7920-00-490-6046 (Aircraft Cleaning Kit).

7920-00-263-0328, AbilityOne, Length: 60"; Diameter: 15/16", EA, \$7.06

Wood Handle

Wood handle is 15/16-inch in diameter. Handle is designed to be used with squeegees, push brooms and paint rollers.

Tapered end.

7920-01-512-4961, AbilityOne, 54" handle, BX(contains 3 EA), \$19.91

With metal ferrule.

7920-01-512-4967, AbilityOne, 60" handle, BX(contains 3 EA), \$23.70

Lobby Broom

Lobby-style broom has a 28" wooden handle and flagged polypropylene fiber head. Ergonomically designed for use with the lobby dustpan 7290-01-460-6663.

7920-01-572-7349, AbilityOne, EA, \$5.76

Upright Tilt-Angle Broom

Tilt angle upright broom has yellow plastic angle cut and flagged (feathered) bristles set into a lacquered hardwood or plastic block head. The painted tubular steel handle screws into the broom head. The handle is capped with a molded plastic hanger. Overall broom length is 52".

7920-01-458-8208, AbilityOne, EA, \$15.02

Upright Broom

Upright, warehouse-type broom is made of corn fiber.

Suitable for light-duty sweeping in households, schools, barracks and offices.

Broom body is 12 inch W x 16 inch L.

Federal Strategic Sourcing Initiative, 7920-00-292-4375, 44547 or equal, 42" handle, EA, \$10.64

Heavy-duty sweeping of rough, uneven floors.

Broom body is 14 inch W x 18 inch L.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-291-8305, 70308 or equal, 41" handle, EA, \$10.61

Heavy-duty upright broom has a black polypropylene fiber head with a black plastic cover. The handle is black vinyl coated metal. The broom head is 13-1/2" high by 10" wide. Overall broom length is 56".

7920-01-460-6658, AbilityOne, EA, \$16.62

Work Surface Brush

This counter and workbench dusting brush features bristles that are composed of 50 percent horsehair and 50 percent polystyrene or tampico bristles. Handle is 5" long.

Bristled end is 8" long and 1-3/4" wide.

7920-00-178-8315, AbilityOne, EA, \$11.24

Bristled end is 8" long and 3-1/4" wide.

7920-00-240-6358, EA, \$9.12

Brush is designed for removing coarse dirt and chips from work areas. Has 2"-long tampico fiber bristles and an 9"-long brush body. Round, tapered handle is made of lacquered wood.

Federal Strategic Sourcing Initiative, 7920-00-165-7277, 7277 or equal, Length: 12", EA, \$7.41

Scrub Brush

This strong, versatile brush is excellent for scrubbing benches and decks. Bristles are 2" long and are made of palmyra fiber or polypropylene filament. Both sides of the hardwood block are drilled for insertion of a 1-1/8"-diameter tapered handle.

7920-00-240-7171, 7171 or equal, 9-3/4"L x 2-1/2"W x 3-1/4" Thick, EA, \$18.04

Scrub brush is designed for the manual scrubbing of floors. Consists of a hardwood or commercially acceptable plastic block set with 1-3/16"-long polypropylene fiber bristles. (This brush is not designed to accommodate a handle).

7920-00-240-7174, AbilityOne, 2-1/2" x 7-11/16", EA, \$6.15

Perfect for general household scrubbing, tampico fiber bristles have a smooth-finished wood or molded-plastic block. Shaped to fit comfortably in the hand. Bristles are 1-1/8" long.

7920-00-282-2470, AbilityOne, 2-3/4 x 10-3/4 x 3/4", EA, \$8.61

Tube Wire Brush

Equipped with stainless steel bristles, this brush attacks tough jobs. One end of its twisted-wire handle has a 1"-diameter ring for hanging.

Handle is 4-1/2 inches long, bristle brush part is 1-1/2 inches long, for a total of 6 inches. Brush diameter is 1/4 inch.

Federal Strategic Sourcing Initiative, 7920-00-900-3586, 84-S250 or equal, PG(contains 12 EA), \$5.30

Wire Brush

For use in removing paint, rust and acid stains, this brush has a curved block, wooden handle, straight rectangular face and stainless steel filler. Bristled part is 1-1/2" long and handle is approximately 6-1/2" long.

Federal Strategic Sourcing Initiative, 7920-01-195-5355, 44167 or equal, EA, \$3.02

Scratch Wire Brush

This versatile brush is perfect for descaling stainless and aluminum welds and for removing rust, oxidation and corrosion. Brush features a curved, wooden handle and stainless steel bristles.

Fill trim is 0.438" arranged in 3 rows wide by 7 rows long. Brush part is 1.25" long and 0.406" wide.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-01-604-3307, 30SS or equal, 7.75" Overall Length, DZ, \$10.96

Scratch Brush

Wire scratch brush has a curved handle with a straight rectangular face and 5/8" trimmed brass fill. Brush part is 2-1/8" long and 1/2" wide. Block is wood or plastic.

Federal Strategic Sourcing Initiative, 7920-01-011-9429, 18B or equal, Overall length: 8-1/2", DZ, \$18.06

Plater's Hand Brush

Platers' fine brass wire brush with wooden shoe type handle. Brush part 4.75" long and 1.062" wide. Fill trim 1".

Federal Strategic Sourcing Initiative, 7920-00-044-4857, 44119 or equal, 10" Overall Length, EA, \$9.14

Whisk Broom

Great for quick clean-up jobs! This whisk broom is constructed of securely stitched corn fibers and features a wire-wrapped handle that is capped with a ring for easy hanging.

7920-00-240-6350, AbilityOne, Length: 10", EA, \$6.75

Dustpan

Household-style open dustpan has a dirt-retaining ridge parallel to the front edge. Dustpan can be hung on the wall for convenient storage.

Sheet steel and a corrosion-resistant finish with a 4" handle. Measures 11-13" across the front and 7" deep.

7290-00-224-8308, H-1348 or equal, AbilityOne, EA, \$9.14

Plastic with a 3-1/2" handle. Measures 11-1/2" across the front and 7" deep.

7290-00-616-0109, AbilityOne, EA, \$6.44

This durable, lightweight dustpan is ideal for sweeping without having to bend over. The injection-molded, 12 x 11" plastic hopper swings freely or snap locks into upright position. Attached to 32" extruded aluminum handle. Use with lobby broom 7920-01-572-7349.

7290-01-460-6663, AbilityOne, EA, \$23.83

Flat Mop Handle

Flat mop tool with a universal swivel, includes a 43" aluminum handle which expands up to 75".

Use with microfiber flat mop NSN 7920-01-565-4597 and 7920-01-565-4598.

7920-01-565-4595, AbilityOne, 16" frame, EA, \$26.16

Use with microfiber flat mop NSN 7920-01-565-4596 and 7920-01-565-4599.

7920-01-565-4600, AbilityOne, 24" frame, EA, \$28.78

Microfiber Wet Mop Pad

Microfiber mop pad is designed to attract and grab dust particles. Pad is reusable and washable. Designed for wet mopping. Microfiber base cloth is 80 percent polyester, 20 percent nylon.

Each pad weighs 4.7 oz. each. Use with mop handle NSN 7920-01-565-4600.

7920-01-565-4596, AbilityOne, Blue, 5 x 24 x 1/2", BX(contains 12 EA), \$109.41

Microfiber Flat Dry Mop Pad

Microfiber mop pad is designed to attract and grab dust particles. This reusable and washable pad is used prior to wet mopping. Microfiber base cloth is 80 percent polyester, 20 percent nylon.

Each pad weighs 3.3 oz each. Use with mop handle NSN 7920-01-565-4595.

7920-01-565-4598, AbilityOne, Yellow, 5 x 18 x 3/4", BX(contains 12 EA), \$88.16

Each pad weighs 4.8 oz each. Use with mop handle NSN 7920-01-565-4600.

7920-01-565-4599, AbilityOne, Yellow, 5 x 24 x 3/4", BX(contains 12 EA), \$112.22

Flat Mop Tool

3M/Skilcraft Easy Scrub tool holds 15 oz of cleaning solution in the handle. Corrosion resistant aluminum handle is 54" in length with a push button dispensing system at the top of the handle. Includes a rigid 16" x 4" pad holder attached to the handle by means of a universal swivel.

7920-01-574-8715, AbilityOne, Green/Black, EA, \$158.03

Easy Scrub tool has a top mounted, detachable squeeze bottle with a 11-1/2 oz capacity. Cleaning solution is dispensed through the handle. Brushed aluminum handle (two piece) has a positive locking means preventing warp or wobble, and is adjustable from 38" to 59-1/2". Includes a rigid 16" x 4-1/4" pad holder attached to the handle by means of a universal swivel.

7920-01-574-8718, AbilityOne, Black/Green, EA, \$86.62

Flat Mop Starter Kit

Easy Scrub Starter Kit includes: One Easy Scrub tool with 16" pad holder NSN 7920-01-574-8715; 10 white border microfiber pads, 18" NSN 7920-01-574-9447; and one bottle with quick fill pouring spout, 64 oz.

7920-01-574-8716, AbilityOne, KT, \$275.65

Easy Scrub Express Starter Kit includes: One Easy Scrub Express tool with 16" pad holder NSN 7920-01-574-8718; two white border microfiber pads with scrubbing stripes, 18"; 12 bottles, 11-1/2 oz; caddy; pour jug, 1/2 gallon; training DVD; three sheets blank labels; and labeling cd template.

7920-01-574-9146, AbilityOne, KT, \$229.10

Microfiber Flat Mop Pad

Micro Fiber flat mop pad is white with green scrubbing stripes on the bottom for tough build-up on floors. Machine washable and bleach safe. Intended to be used to wet mop smooth floors.

Green border.

Use with flat mop tools 7920-01-574-8715 or 7920-01-574-8718.

7920-01-574-9445, AbilityOne, 18", BX(contains 10 EA), \$140.54

Red border.

Use with flat mop tools 7920-01-574-8715 or 7920-01-574-8718.

7920-01-574-9446, AbilityOne, 18", BX(contains 10 EA), \$140.54

White border.

Use with flat mop tools 7920-01-574-8715 or 7920-01-574-8718.

7920-01-574-9447, AbilityOne, 18", BX(contains 10 EA), \$140.54

Blue border.

Use with flat mop tools 7920-01-574-8715 or 7920-01-574-8718.

7920-01-574-9448, AbilityOne, 18", BX(contains 10 EA), \$140.54

Microfiber Dust Mop

Dust mop has a 13" x 10" washable microfiber head with a 48" handle.

7920-01-682-8879, AbilityOne, blue & white, BX(contains 6 EA), \$69.67

Dust Mop

Washable dust mop head with looped-end cotton yarns is designed for use with a five inch wide frame with rounded ends.

Includes both mop handle, frame and mop head.

Has a four foot wooden handle and a four foot extension for cleaning hard-to-reach places. Wire frame has rounded ends and measures 22-1/2"L x 3-1/2"W with mop head. For use with replacement Dust Mop head 7920-00-205-0488.

7920-00-616-2493, AbilityOne, EA, \$38.65

Mop head measures 30 x 9-1/2" with yarn extended. Has a 53" wooden handle and an oval wire frame with tapered ends that measures 22-1/4 x 3-3/8". For use with replacement Dust Mop head 7920-00-205-0488.

7920-00-205-0484, AbilityOne, EA, \$22.59

Dusting Mop

Dusting mop compatible with microfiber disposable cloths that capture dirt, dust and hair. Suitable to clean wood, vinyl, ceramic, electronic, and other hard surfaces. Head rotates to clean hard-to-reach places like ceiling fans, under furniture and in corners.

50 inches long mop handle with a 10 x 4.5" head. Compatible with the Swiffer refill cloths NSN 7920-01-490-7274.

Federal Strategic Sourcing Initiative, 7920-01-490-7273, 09060 or equal, EA, \$18.70

Dust Mop Head

Designed for sweeping smooth, bare, dry floors. Mop head is fully washable and has 100 percent looped-end cotton yarn sewn onto durable white polyester backing. Keyhole opening makes changing heads easy. Multiple ties secure head to frame. Washable looped-end cotton yarn mop head is designed for use on the oval wire frames with tapered ends.

Designed for use on 5 x 18" oval wire frames. Overall sweep size is 13" wide, 26" long. For use with Dust Mop Handle 7920-00-998-2485.

7920-00-998-2482, AbilityOne, Natural, EA, \$10.96

Designed for use on 5 x 24" oval wire frames with rounded ends. Overall sweep size is 13" wide, 32" long. For use with Dust Mop Handle 7920-00-998-2486.

7920-00-998-2483, AbilityOne, Natural, EA, \$14.64

Designed for use on 5 x 36" oval wire frames with rounded ends. Overall sweep size is 13" wide, 44" long. For use with Dust Mop Handle 7920-00-851-0140.

7920-00-998-2484, AbilityOne, Natural, EA, \$19.43

Designed for use on 5 x 48" oval wire frame with rounded ends. Overall sweep size is 13" wide, 56" long. For use with Dust Mop Handle 7920-00-851-0142.

7920-00-851-0141, AbilityOne, Natural, EA, \$24.47

Overall sweep size is 30" wide, 9-1/2" long. Fits frame size 3 x 22". For use with Dust Mop handle 7920-00-205-0484.

7920-00-205-0488, AbilityOne, Natural, EA, \$12.02

Dust Mop Handle and Frame

Enamel-coated, tubular steel dust mop handle (dust mop head not included) with hand grip, is 60" long and 7/8" in diameter. Assembly also includes a universal swivel-action frame on which the dust mop head is mounted.

For use with replacement Dust Mop Head 7920-00-851-0141.

7920-00-851-0142, AbilityOne, Size: 48 x 5" frame, BX(contains 6 EA), \$146.57

Electrostatic Sweeper Refill Cloths

Refill cloths for Swiffer Sweeper NSN 7920-01-490-7273. Unscented dry refill sheets cleans wood, vinyl, ceramic and other hard surfaces.

Federal Strategic Sourcing Initiative, 7920-01-490-7274, 33407 or equal, BX(contains 32 EA), \$10.59

Sponge Mop

Wet sponge mop features an integral double-roller wringer and a foam-covered handle. Head is 12" wide with a 52" long padded metal handle.

12" steel roller mop with replaceable/refillable snap-on cellulose mop head. Features an ergonomic, high-handle mounted lever that operates the head rollers and enables mess-free wringing. For replacement refill sponge mop head see NSN 7920-01-383-7927.

7920-01-383-7799, AbilityOne, EA, \$33.58

Cellulose sponge mop can be used for washing floors and other surfaces. Handle includes an integral squeeze mechanism that is used to remove excess water from the sponge. Mop head size; 8-1/4 x 2 x 1-1/4"

Sponge Mop refill NSN 7920-00-471-2876.

7920-00-432-7117, AbilityOne, 36" handle, BX(contains 6 EA), \$69.13

7920-00-728-1167, AbilityOne, 46" handle, BX(contains 6 EA), \$66.17

Sponge Mop Refill

Replacement mop head slips in and out without tools.

Sponge head refill is a 12" yellow cellulose sponge mop head with black metal bracket designed for the industrial steel mop. Used with NSN 7920-01-383-7799.

7920-01-383-7927, AbilityOne, EA, \$13.39

Twist-Wring Mop

String yarn twist-wring wet mop. Cotton yarn head has center band. The twist mop has plastic hardware and a 54" white painted metal handle. The mophead is twist wrung by a plastic slide collar. For replacement mop head see NSN 7920-01-448-0220.

7920-01-448-0218, AbilityOne, EA, \$15.51

Microfiber Tube Mop

Looped end tubed microfiber material with a 6-inch head. Use to wet mop smooth floors. Reusable and washable.

7920-01-660-1489, AbilityOne, Blue, 9.5" x 21" mop surface, EA, \$14.05

7920-01-660-1490, AbilityOne, Green, 9.5" x 21" mop surface, EA, \$16.01

Wet Mop Head, Deck

This cotton yarn mop is a classic for swabbing floors and decks. Twine is used to firmly and permanently attach four-ply yarns to the 60"-long, fixed wooden handle. (Wringer and Bucket Set sold separately as NSN 7920-00-263-8528.)

Plastics Removal in Marine Environments

7920-00-224-8726, AbilityOne, Length: 17", EA, \$23.45

Wet Mop Head

Mop head is composed of cotton and synthetic yarns. Mop head is intended for heavy-duty use that requires frequent washing.

7920-01-437-8636, AbilityOne, Natural, Weight: 16 oz., EA, \$16.27

7920-01-437-9810, AbilityOne, Natural, Weight: 24 oz., EA, \$20.49

Mop head for wet mopping has narrow, 1-1/4"-wide cotton twill headband.

Full-length yarns of four- or five-ply cotton-rayon are folded in half and sewn onto headband.

Mop head has 200 strands of yarn.

7920-00-926-5493, AbilityOne, Weight: 16 oz., EA, \$12.13

Mop head has 225 strands of yarn.

7920-00-926-5494, AbilityOne, Weight: 20 oz., EA, \$14.13

Mop head has 250 strands of yarn.

7920-00-926-5495, AbilityOne, Weight: 24 oz., EA, \$15.78

Mop head has 275 strands of yarn.

7920-00-926-5496, AbilityOne, Weight: 27 oz., EA, \$16.99

Yarn is four-ply, high grade cotton/synthetic blend with untaped ends.

Mop head has 240 strands of yarn.

7920-00-205-0425, AbilityOne, Weight: 20 oz., EA, \$5.78

Mop head has 335 strands of yarn.

7920-00-205-0426, AbilityOne, Weight: 32 oz., EA, \$8.53

Yarn is eight-ply, high-grade cotton/synthetic blend with untaped ends.

Mop head has 90 strands of yarn.

7920-00-141-5549, AbilityOne, Weight: 12 oz., EA, \$4.24

Mop head has 100 strands of yarn.

7920-00-171-1148, AbilityOne, Weight 16 oz., EA, \$5.16

Mop head has 165 strands of yarn.

7920-00-141-5544, AbilityOne, Weight: 32 oz., EA, \$9.10

Mop head has 120 strands minimum of yarn.

7920-00-141-5550, AbilityOne, Weight: 20 oz., EA, \$6.12

Mop head has 130 strands of yarn.

7920-00-141-5547, AbilityOne, Weight: 24 oz., EA, \$6.90

Mop head has 140 strands minimum of yarn.

7920-00-141-5548, AbilityOne, Weight: 27 oz., EA, \$7.83

Snowite mop head with cut-ends designed to spread waxes and other floor finishes. Finishing mop is a four-ply made of 60 percent rayon and 40 percent polyester/acrylic yarn with a 5-1/2" nylon mesh headband.

Medium duty.

7920-01-512-4969, AbilityOne, White, BX(contains 12 EA), \$87.66

Heavy duty.

7920-01-512-4970, AbilityOne, White, BX(contains 12 EA), \$105.95

Finishing mop, four-ply synthetic looped end blue/white yarn, for all floors. Use with any type of mop handle.

7920-01-513-3290, AbilityOne, Size: Medium, BX(contains 12 EA), \$109.77

7920-01-513-3300, AbilityOne, Size: Large, BX(contains 12 EA), \$135.95

Economical four-ply cotton blend mop head has a 1-inch headband. Ideal for general cleaning. For use with any type of mop handle. Mop head is not washable.

7920-01-513-3310, AbilityOne, Natural, Size: #12, BX(contains 12 EA), \$38.25

7920-01-513-3316, AbilityOne, Natural, Size: #16, BX(contains 12 EA), \$45.31

7920-01-513-3297, AbilityOne, Natural, Size: #20, BX(contains 12 EA), \$55.03

7920-01-513-3317, AbilityOne, Natural, Size: #24, BX(contains 12 EA), \$62.85

7920-01-513-3298, AbilityOne, Natural, Size: #32, BX(contains 12 EA), \$79.04

Waxing and Finishing Wet Mop Head

Open-head style finishing wet mop head with looped end yarns is made of four-ply 60 percent rayon, 40 percent poly/acrylic yarns. The headband is made of mesh fabric. Tailbands are 1/2" woven tape.

7920-01-460-7906, AbilityOne, Length: 20", EA, \$10.96

Wet Mop Handle

Mop handle is designed for use with a wet-cleaning mop head. It includes a tightening device that firmly holds the steel plate of the mop head against a steel wire bail. (Tightening device is a combination screw and wing nut type).

Features a wooden handle.

7920-00-205-1168, AbilityOne, Length: 54"; Diameter: 1-1/8", EA, \$10.07, 7920-00-267-1218, AbilityOne, Length: 60"; Diameter: 1-1/8", EA, \$14.74

Wooden mop handle is designed for use with a wet-cleaning mop head. It is sturdily built with a rust-resistant steel spring-lever fixture that holds the mop head.

7920-00-205-1170, AbilityOne, Length: 60"; Diameter: 1-1/8", EA, \$13.83

Clip-type handle holds a wet-cleaning mop head with steel-head fixture with a spring-action clip. The removable spring-yoke bale is made of spring-steel wire. The yoke holds mop head in a groove on the metal head and locks into tabs on side of head. Handle is made of steel covered with a plastic sleeve; handle end is covered with a rubber or vinyl cap.

Federal Strategic Sourcing Initiative, 7920-00-781-5247, 4060 or equal, Length: 60"; Diameter: 7/8", EA, \$21.08

Mop Handle

Made of molded lightweight fiberglass material. Will not rust, foster bacterial growth or scratch furniture or baseboards like metal heads. Polylock jaw-type clamp with a rotating plastic collar. Rotate the plastic collar and the jaw opens, allowing easy insertion and release of mop head without direct hand contact.

7920-01-452-2030, AbilityOne, 54" handle, BX(contains 12 EA), \$191.59

7920-01-452-2029, AbilityOne, 60" handle, BX(contains 12 EA), \$194.53

Quick drop mop handle is easy to load. Heavy-duty molded plastic head with a lever for releasing mop head eliminates the handling of a dirty mop.

Made of wood.

7920-01-513-3309, AbilityOne, Length: 57", BX(contains 12 EA), \$129.01

Made of vinyl coated metal.

7920-01-564-7770, AbilityOne, Length: 57", BX(contains 12 EA), \$114.62

Handle made of fiberglass.

7920-01-513-3311, AbilityOne, Length: 57", BX(contains 12 EA), \$140.96

Bucket and Caddy Cleaning Kit

Five piece bucket and caddy cleaning kit includes a 4-gallon plastic bucket with handle; a plastic storage caddy with handle; an all-purpose scrubber brush; a 20" x 23" highly absorbent shammy cleaning cloth; and a utility scrub brush.

7240-01-647-1014, AbilityOne, KT, \$31.58

Wet Mop Bucket

Galvanized steel bucket is oval-shaped with tapered sides. Mounted on a spider-type chassis with four ball-bearing swivel casters with 1-7/8" wheels. Can be used in conjunction with a mop wringer.

Federal Strategic Sourcing Initiative, 7920-00-926-5244, 2103 or equal, Capacity: 26 qt., EA, \$115.34

Wet Mop Wringer

Wringer fits over rim of mop bucket so that water squeezed from mop returns to bucket. Steel-coated wringer resists corrosion that might occur as a result of normal use.

Gear-and-rack-type mechanism utilizes downward pressure on mop head to squeeze out excess water. Wringer is designed for mop head capacities of 8-16 ounces.

Federal Strategic Sourcing Initiative, 7920-00-682-6861, 1021 or equal, EA, \$117.51

Wet Mop Wringer and Bucket Set

This 26- to 35-quart plastic mopping bucket features four swivel casters and a metal bail. A plastic sideward press wringer accommodates 12- to 32-ounce mop heads and has a metal handle. Wringer is removable from the bucket.

7920-01-343-3776, AbilityOne, Yellow, OT, \$115.69

Gear-and-rack-type set is intended for heavy-duty cleaning chores. Set consists of an oval, zinc-coated, steel bucket and a downward-pressure squeeze wringer. Bucket is mounted on spider chassis with four swivel casters. Rubber bumper protects walls and baseboards. Operate by hand. (Wet mop sold separately as NSN 7920-00-224-8726.)

Wringer dimensions: 8-7/8 x 5-1/2 x 6-1/8".

Federal Strategic Sourcing Initiative, 7920-00-263-8528, 2000/260 or equal, Capacity: 26 qt., OT, \$121.91

Wet Floor Sign

Plastic sign features two-sided bilingual (English/Spanish) "Caution Wet Floor" warning printed in black on high visibility yellow. Ideal for narrow spaces, folds flat for easy transport or to fit on a janitorial cart.

9905-01-588-2362, AbilityOne, 12" W x 26" H, EA, \$16.47

Electric Floor Polisher

Floor polisher uses 17-inch brushes. Includes three polishing brushes and two scrubbing brushes. Metal chassis. Handle has a height of 48 inches and can be positioned at an angle of 45 or 60 degrees. Two 3.5" non-marking wheels and non-marking bumpers. 50-foot power cord. Operates at 120 Volts AC, 60 Hz. Conforms to UL 561.

7910-00-985-6797, L19E or equal, EA, \$1,203.58

Electric floor polisher operates at 1100 rpm and will accommodate a 20" diameter pad. Designed for continuous duty, polisher has a non-marking bumper, dual safety switch levers, wear indicator light to eliminate motor burnout and a 50' three-conductor power cord with integral ground fault circuit interrupter. Operates on 115V AC, 60-Hz single-phase power.

Approved for use aboard U.S. Navy ships.

Federal Strategic Sourcing Initiative, 7910-01-386-3666, Protector 9000 or equal, EA, \$1,120.49

Electric Vacuum Cleaner

HEPA vacuum cleaner is suitable for use in vacuuming dry non-flammable hazardous materials, including dry asbestos dust and fibers. A 3-stage filter system includes a Dacron filter bag, polyester pre-filter, and a HEPA filter. Wheel mounted with a 5 GL capacity and a 10' crush-proof hose with vacuum attachments and 25' power cord. Minimum 1 HP motor. Operates at 120V AC, 60-Hz.

Suitable for use with 7910-01-337-5689 (Pullman Ermator paper bag filter).

Federal Strategic Sourcing Initiative, 7910-01-084-8854, B160419 or equal, EA, \$1,072.59

Vacuum Cleaner

Upright vacuum cleaner with wheels is for dry pickup. Conforms to UL standards.

Includes a 30' 3-conductor power cord, 8-foot stretch hose, 11-inch crevice tool, 12-inch wand, and an upholstery/dusting tool. Operates on 120 volt AC, 60-Hz, single-phase power.

Federal Strategic Sourcing Initiative, 7910-00-720-5536, CH53005 or equal., EA, \$240.83

Vertical-tank vacuum cleaner is for light commercial use. Continuous-duty model is furnished with a minimum of a floor tool; crevice tool; wand assembly; squeegee tool; crushproof hose assembly, 120" minimum in length; automatic shutoff assembly; and any necessary attachments for conversion from dry to wet pickup. Cord storage brackets are provided. Conforms to UL standards.

For wet or dry pickup. Wheel mounted. Includes a 24' 3-conductor power cord.

5-gallon capacity. Operates on 120v AC, 60-Hz power.

Federal Strategic Sourcing Initiative, 7910-00-550-9120, B160420 or equal, EA, \$396.45

Explosion proof and dust ignition proof, electric vacuum cleaner designed for use in Class I, Group D, and Class II, Groups E, F and G conditions, as defined in NFPA 70. For wet or dry pickup. Wheel mounted, with static dissipative conductive wheels. Stainless steel tank, with dry recovery capacity of 10 gallons, and wet recovery capacity of 12.5 gallons. 9 amps, vacuum of 69 inches H₂O, airflow of 132 CFM, HEPA filtration, suction inlet of 1.5", static dissipative tools and accessories consisting of floor tool, crevice tool, round brush, conical nozzle, extension wand and 10-foot hose. 50' three-conductor cord without plug (check local code for acceptable plug), single phase.

Operates on 120VAC, 60-Hz power.

Federal Strategic Sourcing Initiative, 7910-00-526-1959, 110251A or equal, EA, \$7,874.25

Vacuum cleaner has a 10 GL capacity and is for dry pickup. Suitable for continuous use and furnished with a brush tool, crevice tool, wand and a crushproof hose. Operates on 120v 60 Hz power.

Federal Strategic Sourcing Initiative, 7910-00-720-5541, B160414 or equal, EA, \$722.51

Upright vacuum cleaner with wheels is for dry pickup. Conforms to UL standards.

Canister-type model with wheels has a 1-1/2" diameter telescopic wand assembly, and one 7 foot crushproof hose assembly. Includes one deluxe floor brush, one upholstery nozzle, one dusting brush, and one crevice tool.

Operates on 115VAC, 60 Hz power, single phase..

Federal Strategic Sourcing Initiative, 7910-00-550-9123, SC3683D or equal, EA, \$153.04

Upright vacuum cleaner with a 7.0 amp motor. Features a 4-position carpet height adjuster, disposable paper bag, 4' crush resistant hose and a 20' power cord. Attachments included. Operates on 120 VAC, 60Hz power, single phase.

Federal Strategic Sourcing Initiative, 7910-01-420-0590, SC5713D or equal, EA, \$193.94

Vacuum cleaner has a 10 GL capacity and is for wet or dry pickup. Suitable for continuous use and furnished with an 11-inch floor tool, 9-inch crevice tool, 12-inch floor squeegee tool, 48-inch wand assembly, and a 10' crushproof hose assembly with 1-1/2-inch diameter. Operates on 120v 60 Hz power. Conforms to UL standards.

For wet or dry pickup. Wheel mounted. Includes a 24' 3-conductor power cord.

Federal Strategic Sourcing Initiative, 7910-00-550-9111, 110776A or equal, EA, \$754.07

Vacuum Bag

Multi-layered vacuum bags, incorporating patented air channels, 4 mil thick, inter-connecting air channels, minimum of 13 channels per inch, can be as many as 30 inch, material specifications: heat sealable internal layer of LLDPE (linear low density polyethylene) and outer oxygen barrier layer of nylon; 3 mil polyethylene and 1 mil nylon

8105-01-381-6365, 8"W x 20"H, PG(contains 2 EA), \$45.26

Pneumatic Vacuum Cleaner

Mobile Fuel Sump Recovery Unit can be towed at road speeds up to 35 MPH. Unit weighs 2,000 lbs and has a tow bar with steering linkage and brake assembly, and four 15" pneumatic tires. Vacuum power head with a single venturi source, and noise limited to 80 dbA. Anti-sparking inlet, liquid cut-off with copper float ball, integral flame arrestor, and a 3/4" x 25' high pressure static conductive hose. Internal filter, 275 GL carbon steel collection tank, 2" drain valve, static grounding reel with 50-ft ground wire. Maximum air flow 100 SCFM, requires compressed air at minimum 35 SCFM @ 60 PSI, maximum 70 SCFM @ 60 PSI. Compressed air connection 1/2" ID NPT female.

Federal Strategic Sourcing Initiative, 7910-01-198-3913, 747-04 or equal, Yellow, EA, \$39,390.10

Portable vacuum cleaner is designed for use with Clayton Dustmaster Dustless Sanding Systems. The ULPA filtering system, filters 99.999% of airborne particles at 0.12 microns. Internal manifold permits connection to as many as three simultaneous users. Includes 5" locking casters that are designed for uneven surfaces and can withstand outdoor conditions, including flight line operations. Safe-filter-change feature prevents re-introduction of dust and pollutants into the atmosphere during filter changes. Operates on 75 CFM input air @ 90 PSI.

Federal Strategic Sourcing Initiative, 7910-01-520-6436, DM-104 or equal, EA, \$7,067.29

Pneumatic wet/dry vacuum cleaner has a 15 GL tank with a 10 GL collection capacity. Includes a foam impact filter, HEPA filter cartridge, 10' hose, double-curved aluminum wand, 14" squeegee tool, 11" crevice tool, and a 3" brush tool. Wheel mounted. Operates on 45 CFM input air @ 80 PSI.

Federal Strategic Sourcing Initiative, 7910-01-400-0928, 110869 or equal, EA, \$2,733.07

Pneumatic wet/dry vacuum cleaner has a 15 GL tank with a 10 GL collection capacity. Includes impact filter, microfilter, and detachable trolley assembly. Three-stage filter system allows for liquid or dry pick-up with no filter change or adjustment.

Federal Strategic Sourcing Initiative, 7910-01-483-5302, 01799600 or equal, 24" L x 21-1/2" W x 37-1/2" H, EA, \$4,992.41

Electric Floor Burnisher

Low normal running current of 10 amps. Pad rotates at 1,000 rpms minimum. Provided with a 50' power cord. Operates on 120VAC, 60-Hz power.

Federal Strategic Sourcing Initiative, 7910-01-364-2170, DC-21-1170 or equal, Diameter: 20", EA, \$1,269.29

Spill-Containment

Absorbent Pillow

Pillow is capable of absorbing both water and oil based spills. Absorbent material is composed of amorphous mineral silicates. All ingredients are non-toxic, non-hazardous, inert and non-biodegradable. Each pillow is 10 x 18 x 2 inches.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-353-6414, 640 or equal, BX(contains 20 EA), \$162.63

Floor Machine Pad

Floor maintenance pads are used for buffing, scrubbing, cleaning, stripping, burnishing and polishing floors. Suitable for mounting on power driven, rotary disk type floor machines. Operates up to 350 RPM. CID A-A-3004

Measures 11/16" thick, with a scored, removable, 3-3/8"-diameter center hole.

Designed for buffing.

7910-00-820-9898, AbilityOne, Tan, Diameter: 20", BX(contains 5 EA), \$36.57

Floor maintenance pads used for buffing, scrubbing, cleaning, stripping, burnishing and polishing floors. Suitable for mounting on power driven, rotary disk type floor machines. Spray operation from 150 to 750 RPM. Polyester or blended with nylon. Pad has a scored or removable center hole 3-3/8" in diameter and is 7/8" thick. CID A-A-3004.

Designed for polishing.

7910-01-092-8503, AbilityOne, White, Diameter: 20", BX(contains 5 EA), \$25.78

Floor maintenance pads used for buffing, scrubbing, cleaning, stripping, burnishing, and polishing floors. Suitable for mounting on power driven, rotary disk type floor machines that are rated up to 350 RPM. The floor pads shall be in accordance with Commercial Item Description A-A-3004.

Measures 11/16" thick, with a scored, removable, 3-3/8"-diameter center hole.

Designed for stripping.

7910-00-820-9912, AbilityOne, Black, Diameter: 20", BX(contains 5 EA), \$40.47

Combo burnishing pad used for rotary disk floor machine operating at 2,500 RPM and above. Made of polyester and natural hair blend. For use on resilient tile, terrazzo, marble and ceramic tile floors. Pad is 1" thick with a 3-3/8" center hole.

7910-01-363-6975, AbilityOne, Ivory, Diameter: 20", BX(contains 5 EA), \$35.39

Cleaning and Wiping Cloths

Machinery Towel

Disposable shop towels are absorbent and durable.

Made of Hydro Etangled Fibers (HEF).

7920-01-491-0664, AbilityOne, White, 13.4" x 12.5", RO(contains 475 SH), \$71.66

7920-01-491-0668, AbilityOne, Red, 13.4" x 12.5", RO(contains 475 SH), \$71.66

7920-01-657-7796, AbilityOne, Blue, 13.4" x 12.5", RO(contains 475 SH), \$71.66

Made from Durable Recrepe Tissue (DRC).

Box contains 8 pop-up boxes, 200 sheets per box, for a total of 1600 sheets.

7920-01-684-9744, AbilityOne, Blue, 12" x 10", BX(contains 8 EA), \$123.28

Machinery Wiping Towels

Disposable shop towels are absorbent and durable.

Made from Durable Recrepe Tissue (DRC).

Box contains 30 rolls, 55 sheets per roll, for a total of 1650 sheets.

7920-01-684-8963, AbilityOne, Blue, 11" x 10.4", BX(contains 30 EA), \$100.29

Box contains 12 rolls, 55 sheets per roll, for a total of 660 sheets.

7920-01-685-0956, AbilityOne, Blue, 11" x 10.4", BX(contains 12 EA), \$44.59

Cleaning Cloth

Disposable, non-woven cleaning cloth.

This non-abrasive, reusable cloth is ideal for cleaning, polishing and wiping. Made of knitted nylon or polyester, cloth is rectangular with a minimum width of 10". (Not intended for use on large plastic surfaces.) CID A-A-59323A

Low lint cleaning cloth for general-purpose cleaning (not clean room standards), is highly absorbent.

7920-00-044-9281, 3479 or equal, White, 200 to 310 sq. in., BX(contains 10 LB), \$36.83

Low-lint cleaning cloth for clean room use, is moderately absorbent.

7920-00-165-7195, 3480 or equal, White, 200 to 310 sq. in., BX(contains 10 LB), \$51.14

Light-duty cloth is untreated; use for dusting or wiping and washing.

7920-00-401-8034, 150 sq. in., HD, \$15.86

Heavy-duty high-strength cloth is untreated; quickly absorbs large amounts of oil or water; 10" minimum width.

Federal Strategic Sourcing Initiative, Material Safety Data Sheet 7920-00-292-9204, 150 sq. in., MX, \$149.80

Made of 100 percent virgin cotton cloth that is scoured not bleached. IAW SAE-AMS 3819. For cleaning operations where low residual surface contamination levels are required.

7920-01-004-7847, AbilityOne, 21 x 10", RO(contains 100 SH), \$18.53

Three-ply soft paper towel is highly absorbent and non-abrasive. Designed for cleaning and polishing soft plastic surfaces using non-abrasive liquid cleaning solutions or water without scratching the surface.

Box contains three pop-up dispenser packages containing 90 towels for a total of 270 towels.

40%, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7920-01-448-7052, AbilityOne, 15-1/4 x 16-1/2", BX(contains 270 EA), \$27.03

Box contains fifteen pop-up dispenser packages containing 90 towels for a total of 1,350 towels.

40%, Which Includes 40% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

7920-00-965-1709, AbilityOne, White, 15-1/4 x 16-1/2", BX(contains 1350 EA), \$110.71

Wiping rags in various sizes are made from all-purpose white cotton (T-shirt knit) material. Comes in a convenient dispenser box.

7920-01-454-1147, AbilityOne, White, BX(contains 5 LB), \$27.89

Non-woven cloths can be used with solvents in clean-up of ink, grease and oil. Excellent for aircraft and mechanical applications. Disposable cloths come in a dispenser box. Type 1 - untreated; Class 7 - Aircraft solvent wiper.

Unit of issue is a box containing 18 dispenser boxes, each box contains 150 cloths for a total of 2,700 cloths.

7920-01-180-0556, 8938 or equal., White, 8-3/4 x 8-3/4", BX(contains 2700 EA), \$297.85

High performance industrial weight cloth; provides excellent dust, oil and water pick-up; unique pattern design of bi-component micro fibers and knit construction. Lint free and streak-free. Non-scratching for use on delicate surfaces.

Use for dusting, fingerprints and grease, wash and reuse.

7920-01-482-6040, 2011 or equal, Blue, 12 x 14", BX(contains 50 EA), \$91.86

Use for dusting, fingerprints or grease, wash and reuse.

7920-01-482-6043, AbilityOne, Blue, 12 x 12-1/2", PG(contains 5 EA), \$23.51

For lens cleaning. Wash and reuse.

7920-01-648-6104, AbilityOne, Blue, 6 X 7", PG(contains 3 EA), \$3.19

Wiping Towels, (Four-Ply)

These heavy-duty, non-woven wiping cloths feature soft, absorbent cellulose layers sandwiched between layers of non-interlaced rayon fibers. Both the base material and the reinforcement fibers decompose in landfills and salt water, making them environment-friendly and decomposable. Also, because the fibers are not interlaced, they will not pose a hazard to wildlife before decomposing. Base cloth is made from recycled material.

40%, Which Includes 40% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7920-01-370-1364, AbilityOne, 160 Sq In, BX(contains 400 EA), \$41.84

7920-01-370-1365, AbilityOne, 215 Sq In, BX(contains 400 EA), \$53.50

Wiping Towels, Medium Duty (Four-Ply)

Use this paper wiper for cleaning plastic surfaces, countertops, appliances, and mirrors. Folded and boxed for "pop-up" one-at-a-time removal.

Industrial wiping.*40%, Which Includes 40% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

7920-01-448-7053, AbilityOne, 10 x 16-1/2", BX(contains 150 EA), \$15.50

Disposable, non-woven cleaning cloth.

Pop-up, two-ply double reaped cellulose wipers are excellent for use in hospitals, kitchens, maintenance shops, and other areas requiring highly absorbent wipers.

Postconsumer Material

7920-01-454-5879, AbilityOne, 16 x 20", BX(contains 150 EA), \$58.71

Shop Towels

Absorbent, reusable and disposable red shop towels for industrial cleaning. Suitable for cleaning shop equipment, tools, machinery and for automotive use. Made of 100 percent cotton. Box contains 24 bundles of 12 for a total of 288 towels.

7920-01-454-1148, AbilityOne, Red, 15 x 15", BX(contains 288 EA), \$151.28

Wiping Towel

Multipurpose 100 percent cotton terry towels are highly absorbent. Each box contains 24 bundles with 12 towels per bundle for a total of 288 towels.

7920-01-454-1150, AbilityOne, White, 16 x 19", BX(contains 288 EA), \$295.70

Machinery Wiping Towel

Disposable, non-woven cleaning cloth is highly absorbent and can be used for food services, general maintenance, and other general cleaning purposes. Made with two-ply Durable Recrepe (DRC) construction with a mesh reinforcement.

7920-01-570-3636, AbilityOne, 9-3/4" x 16-3/4", BX(contains 150 EA), \$36.47

Cloth

100 percent cotton terry cloth. Bleached white, woven with single loop pile, excellent for a wiping cloth. 8.7-oz., per square yard.

Each bolt contains 50 yards plus or minus five yards. Bolt may contain no more than two pieces with no piece less than 10 yards.

Federal Strategic Sourcing Initiative, 8305-00-205-3065, UNICOR, White, Width: 36", Length: 50 yds., BO(contains 50 YD), \$205.71

Cotton Muslin

Plain weave cotton muslin.

Bleached white muslin weighs 2.7 oz. per square yard. Each bolt contains 40 yards plus or minus 5 yards. Bolt may contain no more than two pieces with no piece less than 15 yards.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 8305-00-170-9472, 9562406161 or equal, Width: 36", BO(contains 40 YD), \$244.80

Flannel Cloth

Cotton flannel, napped on both sides. Plain weave lightweight cotton flannel cloth; 4-oz., per square yard. Can be used as polishing or cleaning cloth for aircraft windscreens and canopies.

Federal Strategic Sourcing Initiative, 8305-00-913-5817, FL400or equal, Baby Blue, 45" wide, BO(contains 50 YD), \$284.63

Textile Tape

Non-elastic woven tape for general purpose use.

Plain weave, flat, polyester textile tape.

8315-01-463-5853, 4635853 or equal, White, Width: 2", RO(contains 167 YD), \$33.92

Solvent Cleaning Cloth

Heavy-duty spun-lace, low-lint reusable wiper can be used with solvents in clean-up of inks, grease and oil. Cloth is interfolded and is excellent for use in aerospace, metal fabrication, printing presses, and painting. Type 1 - Untreated; Class 7 - Aircraft solvent wiper.

Unit of issue box is a case containing eight dispensers, 100 wipes per dispenser for a total of 800 cloths.

7920-01-180-0557, AbilityOne, White, 16-3/4 x 19-1/4", BX(contains 800 EA), \$266.72

Durable, reusable, absorbent non-woven wipers that stay strong for better cleaning and long lasting performance. The wipers will clean oil, grime, and solvents and are ideal for all manufacturing, maintenance & repair. Made with Kimberly-Clark high-tech HYDROKNIT® WYPALL X70 Fast Absorbing Material. The wipers are packaged a minimum of 174 per box for dispensing.

7920-01-512-2412, AbilityOne, White, 11 x 16-1/2", BX(contains 174 EA), \$40.41

Polishing Cloth

Soft scratch-free cloth polishes and dusts surfaces such as glass, acrylic, metal, chrome, wood, paint, auto interior and exterior, office equipment, furniture and more. 100 percent white cotton flannel cloth is washable and reusable, cloth features bound edges and a soft finish. Both sides are lightly napped.

7920-00-205-1656, AbilityOne, 17 x 21", PG(contains 12 EA), \$16.99

Polishing Pad

Versatile polishing material contains non-toxic chemicals for shining tarnished aluminum surfaces to a high luster. Excellent for removing corrosion, tar, grease and stains caused by exhausts and petroleum products. Primarily for use on aluminum aircraft surfaces, this pad also polishes copper, brass, steel and chromium plating. Leaves a protective coating; contains ash. Packaged in a sealed can.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7920-00-823-9818, 30837 or equal, CN(contains 2 LB), \$18.67

Cleaning Pad

White cleaning pad eraser made of melamine sponge foam. The pad is capable of removing stains, scuff marks, and dirt from walls, floors, doors and other surfaces.

7920-01-667-2781, AbilityOne, White, 4.6" x 2.4" x 1", PG(contains 4 EA), \$4.31

Wiping Cloth

Highly absorbent disposable towel non-abrasive and non-woven. Made of durable 100 percent treated polypropylene, these towels are great for any rough cleaning job.

7920-01-177-3633, AbilityOne, Blue, 11-1/2" x 16", BX(contains 150 EA), \$34.05

Box contains 6 dispenser boxes of 50 towels each for a total of 300 towels.

7920-01-233-0483, AbilityOne, Blue, 11-1/2 x 16-1/2", BX(contains 300 EA), \$78.13

For general shop use medium-duty, non-woven cellulose absorbent towel. Applications range from spill clean up to general cleaning and dusting. Comes in a convenient dispenser box.

Minimum surface area of 165 square inches and a minimum side dimension of 9.5 inches; 1.75 oz. per yard, weight 500 percent water absorption and 500 percent oil absorption.

7920-00-532-8543, AbilityOne, BX(contains 400 EA), \$58.39

Minimum surface area of 338 square inches and a minimum side dimension of 13.0 inches; 1.75 oz. per yard, weight 500 percent water absorption and 500 percent oil absorption.

7920-00-519-1912, AbilityOne, BX(contains 200 EA), \$59.41

Clean machinery and mechanical components with this plain-weave cotton cloth, with finished edges. Reusable after laundering, towel is bleached or unbleached as available. Weighs 4.5 oz per square yard.

7920-00-260-1279, AbilityOne, 16-1/2 x 18", BX(contains 50 EA), \$84.44

For tough industrial jobs. Twill-weave, cotton jean cloth, bleached and lint free. Cloth weighs 4.8 oz per square yard.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-634-2408, CJ99300 or equal, 9 x 9", PG(contains 300 EA), \$78.66

Economical, environmentally friendly alternative to Terry Cloth Machinery Wiping Towels. The cloth is a low-lint, highly absorbent, soft, marine degradable 100 percent hydro entangled white rayon. It comes 250 linear yards on a 3" inside diameter core roll wrapped in Kraft paper and packed in a fiberboard box.

7920-01-463-4653, AbilityOne, Width: 18", RO(contains 250 YD), \$250.94

Soft and absorbent, this sanitized rag wipes machinery and equipment surfaces clean of water, grease and oil. Cloth contains cotton fiber mixed with synthetic fabrics. Measures at least 9" wide with a minimum area of 200 square inches. (The 50 pound bale is compressed to less than 3-1/2 cubic feet).

For general-purpose wiping, lightweight rag is made from mixed color remnants, mill ends and reclaimed fabrics. (2 to 7 oz. per square yard)

Plastics Removal in Marine Environments

7920-00-148-9666, Assorted Colors, BE(contains 50 LB), \$34.37

For use where a higher-quality wiping rag is required, this lightweight rag is made from sheets, shirts, pillowcases and similar materials. (2 to 7 oz. per square yard).

Plastics Removal in Marine Environments

7920-00-205-3570, White, BE(contains 50 LB), \$45.82

For heavy-duty wiping, rag is made from mixed color remnants, mill ends, and reclaimed fabrics (3 to 10 oz. per square yard).

Plastics Removal in Marine Environments

7920-00-205-1711, 1711 or equal, Assorted Colors, BE(contains 50 LB), \$64.29

Cheesecloth

Plain-weave, bleached cotton cheesecloth remnants are great for general-purpose wiping and polishing.

Commercial Grade No. 10 (light weight).

Plastics Removal in Marine Environments

8305-01-125-0725, AbilityOne, White, 35" wide, PG(contains 5 YD), \$2.20

Commercial Grade No. 50 (medium weight).

Plastics Removal in Marine Environments

8305-00-205-3496, AbilityOne, White, Width: 35", PG(contains 10 YD), \$7.08

8305-00-205-3495, AbilityOne, White, Width: 35", BO(contains 100 YD), \$62.05

Commercial Grade No. 90 (heavy weight).

Plastics Removal in Marine Environments

8305-00-262-3321, AbilityOne, White, Width: 35", BO(contains 50 YD), \$54.02

Brushes, Sponges and Cleaning Tools

Sponge

This durable and absorbent sponge is intended for general cleaning with commercial detergents, soaps and cleaning agents. Soft and pliable when wet, sponge is made of regenerated cellulose. Not for use with solvents, acid or alkaline solutions.

Sponge is compressed by 80 percent for increased storage efficiency.

Plastics Removal in Marine Environments

7920-00-240-2555, AbilityOne, Natural, 3-5/8 x 5-3/4 x 1-3/4", PG(contains 12 EA), \$34.48

Uncompressed form.

7920-00-633-9906, AbilityOne, Natural, 4-1/4 x 6-1/2 x 2-1/8", BX(contains 60 EA), \$232.23

7920-00-559-8463, AbilityOne, Green, 3-5/8 x 5-3/4 x 1-3/4", , BX(contains 60 EA), \$151.85

7920-00-559-8464, AbilityOne, Yellow, 3-5/8 x 5-3/4 x 1-3/4", BX(contains 60 EA), \$151.85

7920-00-633-9928, AbilityOne, Natural, 2-3/4 x 4-3/8 x 1-3/8", BX(contains 60 EA), \$69.62

7920-00-884-1115, AbilityOne, Natural, 4-1/4 x 6-1/4 x 2-1/8", EA, \$4.36

Plastics Removal in Marine Environments

7920-00-884-1116, AbilityOne, Natural, 3-5/8 x 5-3/4 x 1-3/4", BX(contains 60 EA), \$171.34

Grill Cleaning Kit

Complete kit includes griddle pad holder, 20 griddle screens and a scouring pad. Screen is 5-1/4 x 4" abrasive-coated fiberglass and pad is 5-1/4 x 4 x 1/2" abrasive-coated nylon mat.

For use with replacement screens (7920-01-162-6064) and replacement pads (7920-00-891-7537).

7920-01-222-7798, AbilityOne, 5-1/2 x 4 x 1/2", KT, \$17.04

Griddle Scouring Pad

Abrasive-coated nylon mat pad is ideal for cleaning griddles and other hard-to-clean cooking surfaces.

Can be used with Pad Holder 7920-01-222-7798.

7920-00-891-7537, AbilityOne, 5-1/4 x 4 x 1/2", BX(contains 60 EA), \$40.96

Griddle Screen Scouring Pad

Abrasive-coated griddle screen scouring pad is made of fiberglass.

Can be used with Pad Holder 7920-01-222-7798.

7920-01-162-6064, AbilityOne, 5-1/2 x 4", BX(contains 200 EA), \$54.33

Scrubber Sponge

Cellulose sponge with nylon scrubber material is for heavy-duty cleaning, scouring, scrubbing and shining. The sponge side is suitable for damp wiping and cleaning.

7920-01-663-4340, AbilityOne, Yellow/Green, 4.25" L x 2.75" W x 0.70" T, PG(contains 3 EA), \$2.70

7920-01-566-4130, AbilityOne, Yellow/Green, 6.25" L x 3.25" W x 0.75" T, PG(contains 3 EA), \$4.75

Polyurethane sponge with nylon scrubber material is for gentle household cleaning and shining. The scrubber side is suitable for cleaning bathroom surfaces such as sinks, tubs, toilet bowls, shower doors and tile. The sponge side is suitable for damp wiping countertops and for kitchen use in dishwashing, glassware, flatware and other items that do not need scrubbing to clean.

7920-01-463-2977, AbilityOne, Green, 4-3/4" L x 3" W x 3/4" T, BX(contains 12 EA), \$12.97

Scouring Brick

Pumice stone brick is for scouring burned food and carbon from grills and griddles without marring the surface. For use with holder 7920-00-058-2242.

7920-00-291-1237, AbilityOne, Gray, 3x3x6, EA, \$9.79

Scouring Pad

This synthetic foam sponge features an aluminum oxide abrasive on one side, making it great for heavy-duty scrubbing. (Does not contain soap).

7920-00-655-5290, AbilityOne, 4-1/2 x 3 x 1/2", DZ, \$11.61

Non-woven nylon pad is coated with very fine-grade aluminum oxide abrasive.

7920-00-045-2940, AbilityOne, Maroon, 6 x 9 x 3/8", BX(contains 20 EA), \$18.60

Designed for light-duty cleaning jobs, this non-toxic pad contains a fine abrasive coating that safely cleans cooking utensils and food storage containers. Resistant to hot water, solvents, and detergents.

Customers that require PRIME packaging - order NSN 7920-01-499-1617 (PRIME packaged, scouring pad).

7920-00-753-5242, AbilityOne, 6 x 9-1/2 x 1/4", PG(contains 10 EA), \$3.48

Heavy-duty pad made of stainless steel is ideal for scrubbing pots, pans, cooking utensils, sinks and tables.

Plastics Removal in Marine Environments

7920-00-926-5176, AbilityOne, Diameter: 4"; Thickness: 1-3/4", DZ, \$17.86

Scrub Brush

Curved, wood or plastic block brush is ideal for scrubbing kitchen pots and pans. With hole molded in block for hanging and 1-3/8"-long synthetic bristles.

7920-00-061-0037, 365015 or equal, White, 6 x 2-1/2 x 3/4", EA, \$5.61

Kitchen utensils and equipment are easily scrubbed with this handy brush. Consists of a molded plastic or wood block with 5" fingertip handle, 1-1/4"-long polyamide filament bristles, and a round hole in handle for convenient hanging.

7920-00-061-0038, AbilityOne, Natural, 8-1/2" L x 3" W, EA, \$8.46

Scrub brush is designed for the manual scrubbing of floors. Consists of a hardwood or commercially acceptable plastic block set with 1-3/16"-long polypropylene fiber bristles. (This brush is not designed to accommodate a handle).

7920-00-240-7174, AbilityOne, 2-1/2" x 7-11/16", EA, \$6.15

This strong, versatile brush is excellent for scrubbing benches and decks. Bristles are 2" long and are made of palmyra fiber or polypropylene filament. Both sides of the hardwood block are drilled for insertion of a 1-1/8"-diameter tapered handle.

7920-00-240-7171, 7171 or equal, 9-3/4"L x 2-1/2"W x 3-1/4" Thick, EA, \$18.04

Perfect for general household scrubbing, tampico fiber bristles have a smooth-finished wood or molded-plastic block. Shaped to fit comfortably in the hand. Bristles are 1-1/8" long.

7920-00-282-2470, AbilityOne, 2-3/4 x 10-3/4 x 3/4", EA, \$8.61

Scrub steam kettles and other kitchen equipment with ease. Brush consists of a 36"-long plastic handle attached to a plastic, cylindrical block. Has 1-1/4"-long plastic bristles.

Federal Strategic Sourcing Initiative, 7920-00-959-3842, 7920-00-959-3842 or equal, EA, \$19.28

Wire Brush

For use in general light scrubbing and paint removal.

Brush face is 1-3/8" long and 0.25" wide, with brass bristles arranged in 3 rows wide by 7 rows long. Fill trim is 0.5".

Federal Strategic Sourcing Initiative, 7920-01-604-3309, 44189 or equal, 7.75" Overall Length, DZ, \$13.75

This steel-wire brush scrubs away acid stains, paint, and rust.

Bristles made of corrosion resistant steel wire are arranged in 4 x 16 rows and are 1" long. Offset shoe handle of wood or molded plastic. For brushing monel, aluminum or stainless steel.

7920-00-269-1259, AbilityOne, 10-1/2 x 1 x 5/8", EA, \$5.99

Bristles made of carbon steel wire are arranged in 4 x 16 rows and are 1-1/8" long. Offset shoe handle made of wood. This brush may also be used for cleaning pipe threads and welds.

7920-00-282-9246, AbilityOne, 10" overall length, EA, \$5.38

Bristles made of carbon steel wire are arranged in 4 x 18 rows and are 1-1/8" long. Wooden or molded plastic rocker block has an integral curved handle.

Plastics Removal in Marine Environments

7920-00-291-5815, AbilityOne, 13-3/4 x 1-1/4 x 3/8", EA, \$6.15

Wire brush features bristles made of copper beryllium alloy for use in descaling metal, masonry and wood. Also effective for roughing rubber, leather and other materials; spark proof.

Wooden rocker block with curved handle holds 1-1/4"-long bristles arranged in 3 x 19 rows. Brush measures 13-1/2" long overall.

7920-00-255-5135, AbilityOne, BX(contains 12 EA), \$385.08

Radiator Brush

Brush is specially designed for dusting and cleaning household radiators. Features a one-piece wood or plastic block and handle with horsehair fill. Brush body is 7-7/8" long with fill trimmed to 2" minimum

Federal Strategic Sourcing Initiative, 7920-00-233-3737, 3737 or equal, 24" L x 0.87" W, EA, \$6.93

Tool Cleaning Brush

Clean machinery, hand tools, weapons and parts with this round brush. Unbleached tampico fiber bristles are firmly set in epoxy resin to resist deterioration or loosening by solvents. Brush body is 2-7/8" long and is cone-shaped to provide a pointed tip when cleaning small areas. It has a 1"-diameter corrosion-resistant metal ferrule and 6.5"-long varnished hardwood or plastic tapered handle.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-205-2401, 40036 or equal, Length: 10.5", EA, \$6.48

Squeegee

Squeegee wipes floors when wet. Consists of a hardwood or composite block with a rubber blade. Has a 1-1/8" tapered hole for mounting handle (not included). Replaceable rubber blade is held securely in groove by flat-head screws. (For use with tapered Wooden Utility Handle 7920-00-141-5452).

Heavy-duty type.

7920-00-224-8339, Length: 12", EA, \$18.60

Light-duty type.

Federal Strategic Sourcing Initiative, 7920-00-530-5740, 5740 or equal, Length: 24", EA, \$17.04

Window Squeegee

Window-wiping squeegee has a tapered socket in the handle to accept a tapered end wooden utility handle (not included).

Features a double blade set in a brass frame.

Use with circular handle NSN 7920-00-177-5106.

7920-00-577-4744, AbilityOne, Width: 10", EA, \$29.27

7920-00-577-4745, AbilityOne, Width: 12", EA, \$30.34

7920-00-577-4746, AbilityOne, Width: 16", EA, \$32.35

Disposable Gloves

Disposable polyethylene gloves are powder-free, latex and sulphur-free. An ideal glove for food preparation, small parts handling, and for healthcare use. Non-sterile gloves are designed to fit either hand with a circumference of 8.5 to 9.0" (Contains no latex). Complies with FDA regulation.

8415-01-392-8448, AbilityOne, Size: Medium, BX(contains 200 EA), \$3.08

Disposable Nitrile Gloves

Disposable nitrile ambidextrous gloves are powder-free and latex-free. Gloves fit tightly for a comfortable grip that reduces fatigue. Industrial-grade suitable for general-purpose use. 4 mil thick, 9-1/2" in length.

8415-01-492-0176, AbilityOne, Size: Small, BX(contains 100 EA), \$20.71

8415-01-492-0179, AbilityOne, Size: Medium, BX(contains 100 EA), \$20.71

8415-01-492-0178, AbilityOne, Size: Large, BX(contains 100 EA), \$20.71

8415-01-492-0180, AbilityOne, Size: Extra-Large, BX(contains 100 EA), \$20.71

Spray Bottle

Plastic spray bottle features a trigger-type atomizer cap with a flexible plastic tube. Spray is adjustable by turning the nozzle on the attached cap. Bottle is marked in cubic centimeters and ounces (up to 354.84cc or 12 oz.).

100% Recycled Plastic, Which Includes 50% Postconsumer Material

8125-00-488-7952, SKILCRAFT, AbilityOne, Capacity: 16 fl. oz., EA, \$2.37

Used for a range of liquids, this plastic applicator bottle features trigger spray nozzle that is adjustable (spray/off/stream). Made of translucent high density polyethylene with no metal balls or springs. Bottle is marked in one or two ounce gradations.

100% Recycled Plastic, Which Includes 50% Postconsumer Material

8125-01-577-0210, SKILCRAFT, AbilityOne, Capacity: 24 fl. oz., PG(contains 3 EA), \$7.43

8125-01-577-0212, SKILCRAFT, AbilityOne, Capacity: 32 fl. oz., EA, \$2.97

Plastic bottle is oblong shaped and has a spray opening and a removable cap.

8125-00-782-4000, 8-oz capacity, PG(contains 36 EA), \$150.65

Pipe Cleaner

Wire-core, cotton-tuft cleaner has hundreds of common uses.

9920-00-292-9946, AbilityOne, Overall length: 6", BX(contains 1344 EA), \$29.51

Microfiber Duster

Mini duster has a blue recyclable polypropylene handle with a closed loop, polypropylene microfiber head made from fine fiber yarn. Leaves no residue of lint or dust. Machine washable. Microfiber head: 5" x 7".

7920-01-586-8009, AbilityOne, Overall: 12", EA, \$7.69

Flexible wand duster has a plastic handle with an extended steel core sandwiched by polypropylene foam. Closed loop, recyclable polypropylene microfiber sleeve is made from fine fiber yarn and leaves no residue of lint or dust. Machine washable.

7920-01-586-8010, AbilityOne, 23" x 3-1/2" x 2", EA, \$11.39

Microfiber Dust Sleeve

Micro fiber replacement sleeve for microfiber flexible duster NSN 7920-01-586-8010. Closed loop, recyclable polypropylene micro fiber sleeve is made from fine fiber yarn and leaves no residue of lint or dust. Machine washable.

Postconsumer Material

7920-01-586-8011, AbilityOne, White, 18" x 3-1/2" x 2", EA, \$6.16

Easy Trap Duster

Non-woven disposable sheets have a double side usage and are perforated at six inches for easy use.

Eight inches wide by 125 feet long, on a perforated roll, for a total of 250 sheets.

7920-01-598-9089, AbilityOne, Green and White, BX(contains 250 SH), \$90.96

Five inches wide by 125 feet long, on two perforated rolls, for a total of 500 sheets.

7920-01-598-9090, AbilityOne, Green and White, BX(contains 2 EA), \$125.13

Five inches wide by 30 feet long, on a perforated roll, for a total of 60 sheets in a dispenser box.

7920-01-598-9091, AbilityOne, Green and White, EA, \$20.11

Eight inches wide by 30 feet long, on a perforated roll, for a total of 60 sheets in a dispenser box.

7920-01-598-9092, AbilityOne, Green and White, EA, \$28.61

Automotive Care

Air Freshener

Pine-scented, tree shaped freshener provides immediate and long lasting effectiveness against odors. Hangs freely from any knob or handle.

Material Safety Data Sheet

6840-01-397-3065, U1P-10101 or equal, BX(contains 24 EA), \$23.14

Chassis Brush

Brush features 2-3/8"-long polypropylene bristles and a hardwood or plastic material handle. Use for heavy duty scrubbing on vehicle parts with grease solvents.

7920-00-255-7536, AbilityOne, Length: 19-1/2", EA, \$9.07

Snow/Ice Scraper

Light-duty plastic ice scraper features a plastic handle and stiff plastic bristles.

7920-01-383-8023, AbilityOne, EA, \$8.61

Carbon-Removing Compound

This liquid compound can be added to a soak tank to soften and facilitate removal of carbon, gum and other surface contaminants from automotive pistons, carburetors, fuel pumps. Also great for engine assemblies that have been pre-cleaned with degreasing solvent. This ready-to-use cleaning agent contains monoethenolamine and ethers. Does not remove rust or corrosion. Caution: Avoid contact with skin. P-C-111D Type II.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

6850-00-281-3042, 0374-001 or equal, AbilityOne, DR(contains 55 GL), \$1,117.90

Deicing Fluid

Loosens and melts thin layers of ice from windshields and windows and prevents further icing. Safe for vehicle finishes, this convenient spray also de-ices locks. (Contents are flammable.)

24-month maximum shelf life (extendable).

Material Safety Data Sheet

6850-00-835-0484, 0344-000 or equal, AbilityOne, 14 oz., aerosol can, BX(contains 12 EA), \$63.57

Hand Cleaner

Heavy duty hand cleaner containing surfactants, lanolin, and scrubbers. Works with or without water to remove grease, oil, and dirt from hands. Non-toxic and non-flammable.

Low VOC,

Federal Strategic Sourcing Initiative, 8520-01-370-4284, R/1212C14.55PD or Equal, Tube Size: 8 oz., BX(contains 8 EA), \$26.48

Heavy duty hand cleaner in a one-gallon pump bottle. Contains no harsh chemicals, petroleum solvents or ammonia. Fortified with lanolin, glycerin and other skin conditioners. Contains fine pumice for a deep clean. Works with or without water to remove grease, oil and dirt from hands. Non-toxic and non-flammable.

Low VOC,

Federal Strategic Sourcing Initiative, 8520-01-370-2162, 25219 or Equal, 1 gal., BX(contains 4 GL), \$69.91

Road/Sidewalk Salt

Ice-melter consists of pelleted calcium chloride. Great for sidewalks, driveways, or parking areas. Leaves no unsightly residue. Starts working instantly, even in sub-zero temperatures. Sprinkle lightly 2-4 ounces per square yard and remove melted slush immediately.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-398-0997, 997370 or equal, CO(contains 40 LB), \$28.11

Aircraft Specialty

Aircraft Brush

Designed specifically for cleaning aircraft exteriors, this brush can also be used to apply metal cleaners and brightening agents to metal surfaces. The brush consists of a 1-3/4" high, 5-3/8" diameter round block with bristles firmly secured to it. The block includes two 3/4"-diameter Acme thread holes. The fill trim is 2-1/2" and 5-1/2" in diameter.

Bristles are made of 50 percent nylon and 50 percent tampico fibers.

7920-00-051-4384, AbilityOne, White, EA, \$30.50

Aircraft Cleaning Kit

This kit is designed for scrubbing aluminum aircraft exteriors. The kit consists of a concave, swivel-type applicator head; four cleaning and polishing pads (2 ea, 3/8" thick, type 1 and two 1" thick, type 2, A-A-3100).

May be used with the following Acme threaded handles, 7920-00-926-5146 (Extension Handle), 7920-01-460-8614 (Steel Utility Handle) or 7920-00-263-0328 (Wooden Utility Handle).

Replacement pads 7920-00-151-6120 and 7920-00-171-1534.

7920-00-490-6046, AbilityOne, KT, \$32.27

Road/Sidewalk Deicer

Ice melting pellets quickly melt ice and snow on steps, sidewalks, driveways, parking lots and loading docks. Pellets contain concentrated ingredients that release 37 percent more heat than ordinary calcium chloride compounds.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-412-0984, 149446 or equal, DR(contains 35 LB), \$74.77

Fast-acting ice melt has deicing capabilities that result in a longer-lasting residual coating action that goes beyond the current snow storm. Effective to -20 deg F. Non-toxic and non-corrosive to metal and concrete. Safe for use on leather or carpet.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-412-2434, SU050P or equal, BX(contains 50 LB), \$57.91

Aircraft Cleaning and Polishing Replacement Pad

White, non-woven, non-metallic, and non-abrasive, polyester material is ideal for washing and scrubbing painted or unpainted aircraft exteriors.

Polishing pad.

Plastics Removal in Marine Environments

7920-00-171-1534, AbilityOne, White, 6 x 12 x 1", PG(contains 10 EA), \$9.49

Cleaning pad.

Plastics Removal in Marine Environments

7920-00-151-6120, AbilityOne, White, 6 x 12 x 3/8", PG(contains 10 EA), \$9.37

Aircraft Cleaning Pad Holder

Conformable curved pad holder for use with 3M, 6 x 12", Scotch-Brite cleaning sheets NSN 7920-01-519-4736. Flexible, concave shaped hook & loop holder designed to be used with chemical cleaners. Holder has a swivel attachment which accepts a threaded broom handle.

Federal Strategic Sourcing Initiative, 7920-01-519-4735, 048011-05717 or equal, EA, \$48.82

Pails and Buckets

Utility Pail

Round utility pail is made of polyethylene plastic and has a tapered bottom for easy stacking.

Includes a snap-on lid and a removable, corrosion-resistant metal bail handle with a plastic sleeve.

PN 3826 (pail) and PN 2287 (lid) or equal.

Federal Strategic Sourcing Initiative, 7240-01-094-4305, White or Gray, Capacity: 5 gal., EA, \$10.68

Includes a snap-on airtight lid and a galvanized steel metal bail handle with a plastic handgrip.

Federal Strategic Sourcing Initiative, 7240-01-411-0581, White, Capacity: 7 gal., EA, \$22.46

All-purpose galvanized utility pail is leakproof and tapered for easy stacking. Top edge of pail is reinforced.

Heavyweight with a galvanized steel bail handle. No pouring lip.

Federal Strategic Sourcing Initiative, 7240-00-160-0455, 1214GS or equal, Capacity: 14 qt., EA, \$18.66

Round utility pail is made of molded polyethylene plastic and features one-quart graduations conveniently marked on the inside. Tapered sides for easy stacking. Rim curls outward to improve rigidity.

Includes a galvanized steel bail handle. No pouring lip.

7240-00-061-1163, AbilityOne, Capacity: 5 qt., EA, \$6.90

Includes a galvanized steel bail handle and has a pouring lip.

7240-00-060-6006, AbilityOne, Capacity: 10 qt., EA, \$9.52

7240-00-246-1097, AbilityOne, Capacity: 12 qt, EA, \$10.52

Rigid neoprene or nitrile rubber pail has vertical reinforcing ribs on the outside for additional strength and rigidity. Features 1/2-GL graduations conveniently marked on the inside. Top inside diameter is 11-1/2". Suitable for jet fuel and other similar fuels and lubricants. Highly resistant to oil, heat, light and oxidation. Rim curls outward to improve rigidity with a 1.5" vertical skirt.

Includes a non-sparking brass or rubber coated stainless steel bail and a pouring lip.

7240-01-150-0716, NPL77-12AG or Equal, Capacity: 3 gal., EA, \$40.24

All-purpose galvanized utility pail is leakproof and tapered for easy stacking. Top edge of pail is reinforced.

Pail is lightweight. No pouring lip.

Federal Strategic Sourcing Initiative, 7240-00-274-3875, 1212GS or equal, 12 qt capacity, DZ, \$70.59

Waste Receptacles

Wastebasket

Rectangular, molded plastic waste receptacle, with tapered sides. It is ideal for use in offices, military housing or other personal living quarters.

Capacity 3.5 gallons.

20% Postconsumer Material

Federal Strategic Sourcing Initiative, 7520-01-005-9136, Beige, 11" L X 8" W X 12.5 H, EA, \$9.26

Classic round steel wastebasket features an enamel finish.

Capacity 5.0 gallons

7520-00-285-5416, Brown, Top Diameter: 13"; Bottom Diameter: 10.50"; Height: 14.50", EA, \$46.32

7520-00-281-5911, Gray, Top Diameter: 13"; Bottom Diameter: 10.50"; Height: 14.50", EA, \$22.90

Extra capacity for lobby use.

7520-00-205-1857, Gray, Top Diameter: 16", Bottom Diameter: 14"; Height: 29", EA, \$94.07

Trash Can

Leakproof can is made of rigid, molded polyethylene plastic. A foot pedal activates the hinged lid of the container. (Not for use with flammable waste.)

Federal Strategic Sourcing Initiative, 7240-00-499-8031, 1883554 or equal, Natural, Capacity: 4 gal., EA, \$121.25

or White, Steel receptacle is intended for collection of laundry or trash. Tapered top has two independently operating, self-closing, spring-hinged doors, each labeled "PUSH." Top is attached to the body by two heavy-duty hinges. Can is designed with four hooks, one at each inside corner, for hanging a removable cotton liner bag (included). The cotton liner bag supports a plastic liner for trash or may be used alone for towels and linens.

Federal Strategic Sourcing Initiative, 7240-00-634-0133, UNICOR, White, 18 x 18 x 34-1/2", EA, \$268.50

One-piece, watertight trash can made of polyethylene plastic has smooth surfaces for easy cleaning. Trash can has two diametrically positioned handles, a lid with a handle for easy removal, and a means for locking the lid securely to the receptacle.

Diameter: 15-1/2"; Height: 17-1/2".

Federal Strategic Sourcing Initiative, 7240-00-965-4427, Gray, Capacity: 10 gal., EA, \$20.53

Diameter: 22"; Height: 28".

Federal Strategic Sourcing Initiative, 7240-00-819-7735, 8632-92GRA or equal, Gray, Capacity: 32 gal., EA, \$37.84

Diameter: 24"; Height: 32". Item consists of the container (PN FG264360GRAY) and the lid (PN FG264560GRAY).

Federal Strategic Sourcing Initiative, 7240-00-139-7521, Gray, Capacity: 44 gal., EA, \$77.85

Detachable undercarriage has 4, 3" swivel casters that fasten securely to trash can.

Diameter: 22"; Height: 28". Item consists of the can (PN FG263200GRAY), the lid (PN FG263100GRAY), and the undercarriage (PN 264000).

Federal Strategic Sourcing Initiative, 7240-00-151-6629, Gray, Capacity: 32 gal., EA, \$100.27

Diameter: 24"; Height: 32". Item consists of the container (PN FG264360GRAY), the cover/lid (PN FG264560GRAY), and the undercarriage/dolly (PN 2640).

Federal Strategic Sourcing Initiative, 7240-00-151-6630, Gray, Capacity: 44 gal., EA, \$113.77

Square, enameled can has a hinged cover with foot pedal operation. Made of corrosion-resistant steel with a rigid plastic liner. Unit is 14.25" H x 10.5" W. IAW UL 32.

7240-00-634-0001, FGST7EPLWH or equal, White, Capacity: 3-4 gallon, EA, \$206.86

Trash and garbage can, with handles and corrugated sides, is made of rust-resistant galvanized steel. Top and bottom rims are reinforced with steel-bands. Comes without a cover.

Outside diameter at top rim is 20-7/8".

For use with trash/garbage can cover NSN 7240-00-161-1143.

Federal Strategic Sourcing Initiative, 7240-00-160-0440, 90146HDC or equal, Capacity: 32 gal., EA, \$35.12

Capacity: 24 gallons. Height: 23.50". Diameter: 19.50".

For use with trash/garbage can cover NSN 7240-00-161-1147.

Federal Strategic Sourcing Initiative, 7240-00-160-0441, WHD24C or equal, EA, \$54.78

Trash and Garbage Can

Trash and garbage can with bail and corrugated sides is made of rust-resistant galvanized steel. Top and bottom rims are reinforced with steel bands. Comes without a cover.

Outside diameter at top rim is 14-13/16".

For use with trash/garbage can cover NSN 7240-00-161-1150.

Federal Strategic Sourcing Initiative, 7240-00-160-0438, DP6110-2 or equal, Capacity: 10 gal., BD(contains 6 EA), \$95.79

Bags and Liners

Trash Bag

This heavy-duty, premium-quality plastic bag features strong puncture- and tear-resistant.

The 25 to 30 gallon size has a 75-lb. load capacity. Overall perimeter: “60.00”

30" W X 36" H

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-183-9767, Clear, 30" W X 36" H, BX(contains 250 EA), \$27.11

The 32-gallon size has a 75-lb. load capacity. Fully opened bag perimeter: “66.00” minimum

33" W X 39" H

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-183-9769, SKILCRAFT, AbilityOne, Dark Brown or Green, 33 x 39", 1.22 mil, BX(contains 125 EA), \$46.03

The 34-gallon size has a 75-lb. load capacity. Fully opened bag perimeter: “64.00” minimum

32" W X 44" H

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-150-6256, SKILCRAFT, AbilityOne, Clear, 32 x 44", 1.25 mil, BX(contains 125 EA), \$43.27

The 57-gallon size has a 75-lb. load capacity. Fully opened bag perimeter: “72.00” minimum

36" W X 58" H

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-183-9764, Dark Brown or Green, 36 x 58", BX(contains 100 EA), \$19.90

The 71-gallon size has a 75-lb. load capacity. Fully opened bag perimeter: “76.00” minimum. In accordance with AA-3174, Plastic, Polyolefin, Type 2, Class 1, Grade A, Finish 1 Single Wall

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-759-0794, Clear, 38 x 65", BX(contains 50 EA), \$21.83

The 125-gallon size has a 75-lb. load capacity. Minimum open bag perimeter: “138.00”

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-145-0163, Clear, 69 x 57", BX(contains 100 EA), \$64.11

Plastic premium-quality trash bag is intended for most office and average outdoor trash. Moderately resistant to punctures and tears and does not include closure ties.

Medium-duty bag. Fully opened bag perimeter: “40.00” minimum.

The 6-gallon size has a 15-lb. load capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-184-7159, Clear, 20 W x 21" L, BX(contains 500 EA), \$19.61

Medium-duty bag. Fully opened bag perimeter: “48.00” minimum

The 10-gallon size has a 15-lb. load capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-195-8730, SKILCRAFT, AbilityOne, Clear, 24 W x 23 L", BX(contains 250 EA), \$19.33

Medium-duty bag. The 32-gallon size has a 50-lb. load capacity. Fully opened bag perimeter: “66.00” minimum.

Ties not included.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-183-9768, AbilityOne, Clear, 33 W x 39 L", BX(contains 125 EA), \$29.31

Medium-duty bag. Fully opened bag perimeter: “80.00” minimum

The 58-gallon size has a 51-lb. load capacity.

Postconsumer Material, Which Includes 10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-726-5607, Clear, 40 W x 48 L", BX(contains 125 EA), \$23.26

Heavy-duty. Fully opened bag perimeter: “48.00” minimum

The 10-gallon size has a 25-lb. load capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-200-0195, Clear, 24 W x 24 L", BX(contains 100 EA), \$17.48

Heavy-duty. Fully opened bag perimeter: “40.00” minimum.

The 12-gallon size has a 50-lb. load capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-299-8532, Clear, 20 W x 40 L", BX(contains 100 EA), \$7.46

Less expensive than a premium-quality bag, this general use bag should be used for items other than sharp edged refuse; wear tearing may occur.

Heavy-duty bag does not include closure ties.

The 33-gallon size has a 45-lb. load capacity.

25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-174-0941, Natural, 33 W x 39 L", BX(contains 250 EA), \$27.91

Heavy-duty.***The 33-gallon size has a 45-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-175-5532, Natural, 33 W x 40 L", BX(contains 250 EA), \$22.02

Heavy-duty. Fully opened bag perimeter: "66.00" minimum.***The 36-gallon size has a 75-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3236, Natural, 33 W x 44 L", BX(contains 250 EA), \$30.71

Heavy-duty. Fully opened bag perimeter: "74.00" minimum.***The 47-gallon size has a 75-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3238, Natural, 37 W x 45 L", BX(contains 200 EA), \$38.49

Heavy-duty. Fully opened bag perimeter: "80.00" minimum.***The 58-gallon size has a 75-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3237, Natural, 40 W x 48 L", BX(contains 250 EA), \$40.19

Heavy-duty. Fully opened bag perimeter: "72.00" minimum.***The 59-gallon size has a 75-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3239, Natural, 36 W x 60 L", BX(contains 200 EA), \$37.11

Medium-duty bag does not include closure ties. Fully opened bag perimeter: "48.00" minimum.***The 7 to 10 gallon size has a 45-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-174-0944, Natural, 24 W x 25 L", BX(contains 500 EA), \$13.86

Medium-duty bag.***The 33-gallon size has a 45-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-174-0942, Natural, 33 W x 39 L", BX(contains 500 EA), \$57.38

Light-duty bag is suitable for office trash. Includes closure ties. Fully opened bag perimeter: "40.00" minimum.***The 7-gallon size has a 15-lb. load capacity.****10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-330-7264, Clear, 20 W x 22 L", BX(contains 500 EA), \$12.59

Light-duty bag is suitable for office trash. Does not include closure ties.***15-gal size has a 25-lb load capacity.***

8105-00-702-7175, Clear, 24 W X 35 L", BX(contains 100 EA), \$542.85

Light-duty bag is suitable for office trash. Fully opened bag perimeter: "40.00" minimum.***The 7-gallon size has a 15-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3233, Natural, 20 W x 24 L", BX(contains 2000 EA), \$38.07

Light-duty bag is suitable for office trash. Fully opened bag perimeter: "48.00" minimum.***The 7 to 10-gallon size has a 15-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-175-5533, Natural, 24 W x 24 L", BX(contains 1000 EA), \$22.07

Heavy-duty bag is suitable for office trash. Fully opened bag perimeter: "48.00" minimum.***The 7 to 10-gallon size has a 25-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-174-0945, Natural, 24 W x 25 L", BX(contains 500 EA), \$12.08

Light-duty bag is suitable for office and food service trash. Fully opened bag perimeter: "48.00" minimum.***The 14-gallon size has a 15-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-221-3234, Natural, 24 W x 34 L", BX(contains 1000 EA), \$37.95

Medium-duty bag. Fully opened bag perimeter: "72.00" minimum.***The 33-gallon size has a 45-lb. load capacity.****10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-174-0943, Natural, 33 W x 39 L", BX(contains 500 EA), \$38.19

Light-duty bag is suitable for office trash. Does not include closure ties.***The 37-gallon size has a 25-lb. load capacity.****25% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-00-579-8451, SKILCRAFT, AbilityOne, Clear, 36 x 38", 0.5 mil, BX(contains 100 EA), \$22.08

Environmentally friendly trash bags are made from 70 percent low-density recycled plastic. Medium-duty.

10 - 15 gallon waste capacity*70% Postconsumer Recycled Plastic*

8105-01-662-6361, SKILCRAFT, AbilityOne, Clear, 23" W x 31" L 0.3 mil, BX(contains 1000 EA), \$59.10

Medium-duty.

23 gallon waste capacity*70% Postconsumer Recycled Plastic*

8105-01-662-6362, SKILCRAFT, AbilityOne, Clear, 28" W x 45" L 0.5 mil, BX(contains 250 EA), \$35.46

Environmentally friendly trash bags are made from 70 percent low-density recycled plastic.

32 gallon waste capacity

70% Postconsumer Recycled Plastic

8105-01-662-7122, SKILCRAFT, AbilityOne, Clear, 33" W x 39" L, BX(contains 250 EA), \$35.88

Medium-duty.

44 gallon waste capacity

70% Postconsumer Recycled Plastic

8105-01-662-7124, SKILCRAFT, AbilityOne, Clear, 33" W x 47" L, BX(contains 250 EA), \$45.12

Heavy-duty.

40 - 45 gallon waste capacity

70% Postconsumer Recycled Plastic

8105-01-662-7928, SKILCRAFT, AbilityOne, Clear, 40" W x 46" L, BX(contains 100 EA), \$23.28

Plastic premium-quality trash bag is intended for most office and average outdoor trash. Moderately resistant to punctures and tears and does not include closure ties.

20-gal size has a 50-lb load capacity.

8105-00-070-9496, Natural, 30 x 30", BX(contains 100 EA), \$61.23

Polyethylene plastic garbage bag

40-45 gallon capacity.

8105-01-589-5233, Black, 40 x 48", BX(contains 50 EA), \$84.48

55-gallon capacity.

8105-01-589-5232, Black, 36 X 60", BX(contains 75 EA), \$75.82

Paper bag is used for lining waste receptacles. Water-resistant.

12-lb. load capacity.

5% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8105-01-284-2923, SKILCRAFT, 19" L x 12" W x 9 H", BE(contains 200 EA), \$150.09

AbilityOne, 50-lb. load capacity.

5% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8105-01-284-2924, SKILCRAFT, AbilityOne, 18" L x 12 W" x 36 H", BE(contains 50 EA), \$92.40

Plastic Bag

Light-duty plastic bag is designed to hold up to 25-lbs. Looped twisted wire closures included.

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-989-2376, Black, 30 W x 40 L", BX(contains 50 EA), \$12.80

Clear plastic top opening bag. 1000 per box.

8105-01-532-6918, Clear, 10" W x 15" L, BX(contains 1000 EA), \$43.01

Single wall plastic bag.

8105-01-521-2119, Black, 30 W x 40 L", PG(contains 25 EA), \$16.47

Plastic polyethylene single wall with interlocking seal.

8105-01-088-5803, Clear, 13 W x 18" L, MX, \$139.15

Use this flat, polyethylene bag without gussets for general-purposes such as packaging and lining waste receptacles. Do not use for food items.

Light-duty bag has a heat-seal closure.

8105-00-702-7177, Natural, 5 W x 12 L", HD, \$7.37

MIL-B-117, Type I, Class H, Style 2 and Barrier material: MIL-B-81705, TYPE 3.

Description to read: Medium-duty bag has a heat-seal closure.

8105-00-680-0503, Clear, 4 W x 6 L", HD, \$14.85

Anti-static single wall bag, with slide fastener at the top.

8105-01-185-9680, Pink, 10 W x 16" H, BX(contains 100 EA), \$290.81

Plastic Bag with Velcro Flap

Single wall plastic bag with 2 in. Velcro closure.

8105-01-569-2113, Black, 11" W x 6.5" L, EA, \$48.24

Plastic Barrier Bag

Meets: MIL-B-117 TY1CLAST2 and Barrier material: MIL-B-81705, TYPE 2.

8105-01-119-8109, Clear, 18 W x 18" L, HD, \$81.59

This top-opening plastic bag is waterproof and anti-static. Barrier material per MIL-B-81705, Type 3.

8105-01-120-3372, Clear, 12 W x 16 L", HD, \$208.83

Meets: MIL-DTL-117 TY ICLHST2. - BARRIER MATERIAL, MIL-B-81705, TYPE III, FLEXIBLE, TRANSPARENT, WATERPROOF, ELECTROSTATIC PROTECTIVE AND SHIELDING.

8105-01-120-3376, 8 W x 10 L", HD, \$491.86

Recycled Plastic Bag

Environmentally friendly trash bags are made from 100 percent low-density recycled plastic. Made with tubular construction and a star seal bottom.

Heavy-duty bag has a 7 to 10 gallon capacity

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-386-2289, SKILCRAFT, AbilityOne, Black/brown, 24 x 24", 1.0 mil, BX(contains 250 EA), \$26.13

Extra heavy duty bag has a 33-gallon capacity.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

8105-01-386-2312, SKILCRAFT, AbilityOne, Black/Brown, 33 x 40", 1.3 mil, BX(contains 100 EA), \$30.33

Extra extra heavy duty bag has a 33-gallon capacity. Over all perimeter: "40.00". 33-gallon capacity.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-386-2323, SKILCRAFT, AbilityOne, Black/Brown, 33 x 40", 1.5 mil, BX(contains 100 EA), \$24.39

Extra extra heavy duty bag has a 60-gallon capacity.

60-gallon capacity.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-386-2410, SKILCRAFT, AbilityOne, Black/Brown, 36 x 58", 1.5 mil, BX(contains 100 EA), \$52.70

8105-01-386-2399, SKILCRAFT, AbilityOne, Black/Brown, 38 x 60", 1.5 mil, BX(contains 100 EA), \$57.32

Extra extra heavy duty bag has a 40 to 45-gallon capacity.

40 to 45-gallon capacity.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-386-2329, SKILCRAFT, AbilityOne, Black/Brown, 40 x 48", 1.5 mil, BX(contains 100 EA), \$44.71

Extra extra heavy duty bag has a 56-gallon capacity.

56-gallon capacity.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-386-2362, SKILCRAFT, AbilityOne, Black/Brown, 43 x 49", 1.5 mil, BX(contains 100 EA), \$43.75

Extra extra heavy duty bag has a 65-gallon capacity.

65-gallon capacity.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-386-2428, SKILCRAFT, AbilityOne, Black/Brown, 50 x 51", 1.5 mil, BX(contains 100 EA), \$70.29

Heavy-duty bag.

Contains 100% Recovered Material, Which Includes 30% Postconsumer Material

8105-01-386-2290, SKILCRAFT, AbilityOne, Black/Brown, 30 W x 39" L, BX(contains 100 EA), \$22.16

Linear Low Density Polyethylene (LLDPE) Bag

High puncture and tear resistant bag. Works well for waste with sharp or jagged edges.

16 gallon capacity.

10% Postconsumer Material

8105-01-658-9832, SKILCRAFT, AbilityOne, Clear, 24 W x 32" L, BX(contains 500 EA), \$26.90

Light-duty bag.

7-10 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1351, SKILCRAFT, AbilityOne, Clear, 24 x 24", 0.35 mil, BX(contains 250 EA), \$25.86

Linear Low Density Bag

High puncture and tear resistant bag. Works well for waste with sharp or jagged edges.

Fully opened bag perimeter: 80.00 minimum.

20-30 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1352, SKILCRAFT, AbilityOne, Clear, 30 W x 36" L, BX(contains 250 EA), \$27.86

Heavy-duty. Over all perimeter: "40.00"**33-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1353, SKILCRAFT, AbilityOne, Clear, 33 W x 39" L, BX(contains 250 EA), \$39.64

40-45 gallon capacity.*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1362, SKILCRAFT, AbilityOne, Clear, 40 W x 46" L, BX(contains 125 EA), \$23.29

55-60 gallon capacity.*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1371, SKILCRAFT, AbilityOne, Clear, 38 W x 60" L, BX(contains 100 EA), \$35.87

20-30 gallon capacity.*10%*

8105-01-517-1346, SKILCRAFT, AbilityOne, Clear, 30 W x 38" W, BX(contains 250 EA), \$31.85

Extra heavy-duty bag.**33 gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1355, SKILCRAFT, AbilityOne, Clear, 33 W x 40" L, BX(contains 100 EA), \$31.91

55-60 gallon capacity.*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1373, SKILCRAFT, AbilityOne, Clear, 38 W x 60" L, BX(contains 100 EA), \$43.76

33 gallon capacity.*10%*

8105-01-517-1357, SKILCRAFT, AbilityOne, Blue, 33 W x 40" L, BX(contains 100 EA), \$31.22

Medium-duty bag. 33-gallon capacity.**33-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1350, SKILCRAFT, AbilityOne, Clear, 33 W x 39" L, BX(contains 250 EA), \$33.27

Medium-duty bag. 55-60 gallon capacity.**40-45 gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1354, SKILCRAFT, AbilityOne, Clear, 40 W x 48" L, BX(contains 250 EA), \$47.25

Medium-duty bag. Fully opened bag perimeter: "80.00" minimum**55-60 gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1367, SKILCRAFT, AbilityOne, Clear, 38" W x 60" L, BX(contains 100 EA), \$28.17

High Density Liner

General purpose liner made of high density polyethylene plastic.

Fully opened bag perimeter: 80.00 minimum.**20-30 gallon capacity.***10% Postconsumer Material*

8105-01-517-1368, SKILCRAFT, AbilityOne, Natural, 30 W x 37" L, BX(contains 500 EA), \$43.36

Medium-duty bag. 40-45 gallon capacity**40-45 gallon capacity.***10% Postconsumer Material*

8105-01-517-1345, SKILCRAFT, AbilityOne, Natural, 40 W x 48" L, BX(contains 250 EA), \$32.35

Medium-duty bag. 33-gallon capacity.**33-gallon capacity.***10% Postconsumer Material*

8105-01-517-1343, SKILCRAFT, AbilityOne, Natural, 33 W x 40" L, BX(contains 250 EA), \$23.64

Heavy-duty.**20-30 gallon capacity.***10% Postconsumer Material*

8105-01-517-1366, SKILCRAFT, AbilityOne, Natural, 30 W x 37" L, BX(contains 500 EA), \$49.57

Light-duty bag.**4 gallon capacity.***10% Postconsumer Material*

8105-01-517-0803, SKILCRAFT, AbilityOne, Natural, 17 x 18", 9 microns, BX(contains 2000 EA), \$42.49

7-10 gallon capacity.*10% Postconsumer Material*

8105-01-517-1363, SKILCRAFT, AbilityOne, Natural, 24 x 24", 9 microns, BX(contains 1000 EA), \$40.08

12-16 gallon capacity.*10% Postconsumer Material*

8105-01-517-1365, SKILCRAFT, AbilityOne, Natural, 24 x 33", 8 microns, BX(contains 1000 EA), \$47.61

Heavy-duty. Over all perimeter: "40.00"**40-45 gallon capacity.***10% Postconsumer Material*

8105-01-517-1344, SKILCRAFT, AbilityOne, Natural, 40 x 48", 12 microns, BX(contains 250 EA), \$37.87

55-60 gallon capacity.*10% Postconsumer Material*

8105-01-517-1347, SKILCRAFT, AbilityOne, Natural, 38 x 60", 12 microns, BX(contains 200 EA), \$44.09

33-gallon capacity.*10% Postconsumer Material*

8105-01-517-1349, SKILCRAFT, AbilityOne, Natural, 33 x 40", 12 microns, BX(contains 250 EA), \$32.60

Degradable Plastic Bag

Degradable plastic bag is puncture and tear resistant. Totally degradable when disposed of as litter in landfills or when buried in soil.

33-gallon capacity, heavy-duty.*12-month maximum shelf life (extendable); 10% Postconsumer Material*

8105-01-567-9526, Natural, 33 x 39", BX(contains 100 EA), \$25.06

55-gallon capacity, heavy-duty.*12-month maximum shelf life (extendable); 10% Postconsumer Material*

8105-01-567-9524, Natural, 36 x 58", BX(contains 100 EA), \$41.39

Trash Bag, Retail Pack

High quality heavy duty liner is made of 100 percent recycled resins. Box features a convenient carrying handle.

Heavy-duty. Over all perimeter: "40.00"**33-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-3667, SKILCRAFT, AbilityOne, Black or Brown, 33 x 39", BX(contains 25 EA), \$8.31

Extra heavy-duty.**40-45 gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-3669, SKILCRAFT, AbilityOne, Black or Brown, 40 x 46", BX(contains 15 EA), \$8.56

60-gallon capacity.*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-3668, SKILCRAFT, AbilityOne, Black or Brown, 38 x 58", BX(contains 20 EA), \$9.83

Degradable Can Liner

Degradable liner is a linear low-density bag that is puncture and tear resistant. Totally degradable when disposed of as litter in landfills or when buried in soil.

13-gallon capacity, medium-duty.*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-560-4934, SKILCRAFT, AbilityOne, White, 24 x 30", 0.7 mil, BX(contains 120 EA), \$12.70

25 lb load capacity.*10% Postconsumer Material*

8105-01-362-0029, 23 x 24", BX(contains 250 EA), \$237.94

30-gallon capacity, heavy-duty.*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-560-4930, SKILCRAFT, AbilityOne, Brown, 30 x 36", 0.8 mil, BX(contains 60 EA), \$12.44

33-gallon capacity, extra-heavy.*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-560-4932, SKILCRAFT, AbilityOne, Green, 33 x 40", 1.1 mil, BX(contains 40 EA), \$11.93

39-gallon capacity, extra-heavy.*10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-560-4933, SKILCRAFT, AbilityOne, Brown, 33 x 44", 1.1 mil, BX(contains 40 EA), \$12.01

Trash Liner, Coreless Roll

High-density, perforated can liners combine high quality with the convenience of an easy-to-dispense individual roll. Coreless roll saves storage space.

Medium-duty.**20 to 30-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-557-4972, SKILCRAFT, AbilityOne, Natural, 30 x 37", 0.7 mil, BX(contains 500 EA), \$44.07

Low-density, coreless roll liner combines high quality with easy to use individual roll. Perforated for easy dispensing.

Heavy-duty.

33-gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1377, SKILCRAFT, AbilityOne, Gray, 33 x 39", 0.7 mil, BX(contains 250 EA), \$38.24

44-gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1376, SKILCRAFT, AbilityOne, Gray, 36 x 50", 0.7 mil, BX(contains 250 EA), \$24.46

55-gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1359, SKILCRAFT, AbilityOne, Gray, 41 x 58", 0.7 mil, BX(contains 100 EA), \$29.70

60-gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1360, SKILCRAFT, AbilityOne, Gray, 36 x 58", 0.7 mil, BX(contains 100 EA), \$26.15

Heavy-duty. Over all perimeter: "40.00"

55-gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1358, SKILCRAFT, AbilityOne, Gray, 36 x 58", 1.1 mil, BX(contains 100 EA), \$36.97

Extra Heavy-duty.

60-gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1364, SKILCRAFT, AbilityOne, Gray, 38 x 58", 1.1 mil, BX(contains 100 EA), \$38.59

Extra heavy-duty.

40-45 gallon capacity.

10% Postconsumer Material

8105-01-517-1379, AbilityOne, SKILCRAFT, Clear, 40" W x 46" L, 1.1 mil, BX(contains 100 EA), \$35.73

Heavy-duty. Over all perimeter: "40.00"

40-45 gallon capacity.

8105-01-517-1378, SKILCRAFT, AbilityOne, Clear, 40" W x 46" L, 0.7 mil, BX(contains 250 EA), \$29.14

55-gallon capacity.

10% Postconsumer Material

8105-01-517-1356, SKILCRAFT, AbilityOne, Clear, 36 x 58", 0.7 mil, BX(contains 100 EA), \$25.32

56-gallon capacity.

10% Postconsumer Material

8105-01-517-1361, SKILCRAFT, AbilityOne, Gray, 42 1/2 x 48", 0.7 mil, BX(contains 100 EA), \$30.91

High-density, coreless roll can liner combines high quality with easy to use individual roll. Perforated for easy dispensing.

Light-duty bag.

7-10 gallon capacity.

10% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-01-517-1369, SKILCRAFT, AbilityOne, Natural, 20 x 22", 6 microns, BX(contains 2000 EA), \$53.15

4-7 gallon capacity.*10% Postconsumer Material*

8105-01-517-1374, SKILCRAFT, AbilityOne, Natural, 17" W x 18" L, 0.7 mil, BX(contains 2000 EA), \$46.23

10-15 gallon capacity.*10% Postconsumer Material*

8105-01-517-1372, SKILCRAFT, AbilityOne, Natural, 24 x 33", 6 microns, BX(contains 1000 EA), \$42.43

Medium-duty.**10-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-517-1370, SKILCRAFT, AbilityOne, Natural, 24 x 24", 8 microns, BX(contains 1000 EA), \$44.04

Heavy-duty.**45-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-557-4984, SKILCRAFT, AbilityOne, Natural, 40" W x 48" L, 12 microns, BX(contains 250 EA), \$41.70

33-gallon capacity.*10% Postconsumer Material*

8105-01-557-4983, SKILCRAFT, AbilityOne, Natural, 33" W x 40" L, 12 microns, BX(contains 250 EA), \$31.36

Extra heavy-duty.**20 to 30-gallon capacity.***10% Postconsumer Material*

Comprehensive Procurement Guideline Compliant

8105-01-557-4973, SKILCRAFT, AbilityOne, Natural, 30" W x 37" L, 16 microns, BX(contains 250 EA), \$51.98

Compostable Trash Bag

Compostable bags for the collection of green bin organic waste disposal and commercial composting. Heat and moisture accelerates the degradation process. These compostable products meet the stringent requirements of ASTM D6400 and carry the USCC and BPI certifications. Commercial degradation is 10 to 45 days and commercial biodegradation is less than six months.

13-gallon capacity, heavy-duty.*12-month maximum shelf life (not extendable); Which Includes 10% Postconsumer Material*

8105-01-568-1545, SKILCRAFT, AbilityOne, Green, 24 x 30", 0.85 mil, BX(contains 45 EA), \$19.87

Trash Compactor Bag

Heavy resin square bags for use in MP-60 Trash Compactors.

Which Includes 10% Postconsumer Material

8105-01-369-7953, 25 x 56", RO(contains 80 EA), \$85.68

Repellent Trash Bag

Insect repellent/antimicrobial garbage bags. Pest guard bags repel insects and discourages rodents.

Non-Toxic and safe for food handling. Recycled content (EPA Item meets EO 13101)**55 Gallon, Medium-duty***12-month maximum shelf life (not extendable); Which Includes 10% Postconsumer Material*

8105-01-534-6826, SKILCRAFT IBF-5520K, AbilityOne, Black, 37 X 52", 2.00 mil, BX(contains 65 EA), \$34.55

30 Gallon capacity, Heavy-duty*12-month maximum shelf life (not extendable); Which Includes 10% Postconsumer Material*

8105-01-534-6830, SKILCRAFT IBF-3020K, AbilityOne, Black, 33 X 40". 2.00 mil, BX(contains 90 EA), \$32.04

Which Includes 30% Postconsumer Material

8105-01-534-6828, SKILCRAFT IBF-3020C, AbilityOne, Clear, 33 X 40", 2.00 mil, BX(contains 90 EA), \$37.88

35 Gallon capacity, Heavy-duty*12-month maximum shelf life (not extendable); Which Includes 10% Postconsumer Material*

8105-01-534-6822, SKILCRAFT IBF-3520K, AbilityOne, Black, 33 X 45", 2.00 mil, BX(contains 80 EA), \$32.04

45 Gallon capacity, Regular-duty*12-month maximum shelf life (not extendable); Which Includes 10% Postconsumer Material*

8105-01-534-6819, SKILCRAFT IBF-4520K, AbilityOne, Black, 40 X 45", 2.00 mil, BX(contains 80 EA), \$34.55

Odor Barrier Bag

Bags provide an odor barrier for the containment of food-contaminated plastic waste in shipboard applications where at-sea disposal of plastics is prohibited. Pressure sensitive adhesive closure.

Filled bags are intended to remain aboard ship for prolonged periods of time in consonance with naval deployments.

7240-01-411-0584, AbilityOne, 24" W x 27" L, BX(contains 100 EA), \$513.35

7240-01-411-0585, AbilityOne, 36"W x 50" L, BX(contains 50 EA), \$539.50

This single wall 0.005" thick flexible odor barrier bag is intended to be used for the containment of food-contaminated plastic waste in shipboard applications where at-sea disposal of plastics is prohibited. Contains the food-contaminated brick end product generated by the compress/melt unit of the Navy developed plastic processor. In accordance with MIL-PRF-29597, Type II, Class 2, Size B.

8105-01-392-6510, Clear, 24 x 27", RO(contains 100 EA), \$65.73

Submarine Wetbag

Natural canvas duct bag used in accordance with MIL-DTL-32240 meets the requirements for the submarine wetbag for use with trash disposal units installed aboard U.S. Navy submarines. Used with pre-packed hard cannister 5342-00-371-8594.

8.5 oz capacity.

8105-01-532-6920, SKILCRAFT, AbilityOne, Natural, 25-1/2"H x 14-1/2"W, BD(contains 25 EA), \$191.21

Waste Receptacle Bag

The 3-Mil plastic waste bags are specially designed to fit the SEM Fan Evacuation Systems listed below. For use with: F13, F034, F112 and J708 Jet Vac. Also used for Central Shredding Systems including: Model 420 & Model 428 w/rear discharge.

8105-01-399-4814, Clear, 36 W x 60" H, BX(contains 50 EA), \$68.18

Static Shield Cushioned Bag

This top-opening plastic zipper lock bag is waterproof and anti-static. Barrier material per MIL-B-81705, Type3. Inner layer meets requirements for EIA 541.

8105-01-386-3868, 12 x 16", EA, \$69.62

Static Shield Bag

Multi-Layer cushioned anti-static shielding zip-lock bag to meet Mil-PRF-81705 TY3.

8135-01-615-1230, Gray, 24" W x 24"L, EA, \$117.00

Static Shielding Bags

Static Shielding Bags provide a static safe environment for sensitive electronic devices. Bag incorporates Faraday Cage Static Shielding protection. The bag has a A4 flat design, and heat sealable.

Open top.

8105-01-218-5326, 12 x 16", BX(contains 100 EA), \$775.50

8105-01-217-7595, 4 x 6", BX(contains 100 EA), \$58.73

Burn Bag

Entire surface of self-opening bag is printed with 1/4" red and white stripes, separated by blank spaces.

Bag No. 1/4 (1746 cu. in. capacity).

40% Postconsumer Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant

8105-00-262-7363, 21 1/2" L x 12" W x 7" tuck width, BE(contains 250 EA), \$80.84

Personal Care

Comb

Style hair easily with this plastic comb. Features half coarse and half fine teeth.

8530-01-293-1384, MDS137007 or equal, AbilityOne, Black, Length: 6-3/4 to 7-1/2", BX(contains 144 EA), \$52.99

8530-01-293-1385, MDS137005 or equal, AbilityOne, Black, Length: 4-1/2 to 5", BX(contains 144 EA), \$46.17

Foam Soap Dispenser

Wall mounted foam soap dispenser made of ABS plastic with a sight window to indicate when dispenser is empty. Reservoir can be removed for easy cleaning. Mounts on wall with adhesive backing or screws (not included). Unique foam pump prevents leaks and drips. For use with BioRenewables Lite'n Foamy Liquid Hand Cleaner NSNs 8520-01-555-2903.

4510-01-551-1194, 4510015511194, AbilityOne, 9-3/4" H x 4" D x 4-1/2" W, EA, \$24.49

Nail and Hand Brush

Brush consists of 9/16" stiff synthetic bristles in a square-end wood or plastic block.

Federal Strategic Sourcing Initiative, 7920-00-619-9162, White, 4" L x 1-3/4" W, BX(contains 12 EA), \$5.85

Barber's Kit

A grooming essential for military personnel in the field. Barber's kit includes electric clipper (with speeds of 1700 to 2900 strokes per minute). Set includes various detachable blades and a size 0 manual clipper plus blade set; barber cloths (2 ea), combs (2 ea), shears (2 ea), disposable razors (80 ea), shaving cream (4-1/2 oz.), soap (2 ea), germicide (2 ea), disinfectant tray (1 ea), soapbox (1 ea), and a plastic case with a nesting tray. Electric clipper operates on 115v AC/DC power.

3590-00-058-1837, 99005 or equal, 16" L x 9-1/2" W x 8" H, KT, \$528.23

Hair Clippers

Electric clipper cuts and trims hair. Set contains a detachable cutter head, size 000 blade, and a container of oil. Operates on 120v, 60 hz.

3590-00-892-4525, 63700 or equal, EA, \$108.10

Hand Cleaner

Lite'n Foamy Sunflower Fresh is a BioRenewable foaming hand, hair and body wash, formulated with 85 percent biobased ingredients. It has a pH designed to be gentle on the skin and is boosted with aloe vera to increase the moisture on the skin.

For use with foam soap dispenser NSN 4510-01-551-1194.

24-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

8520-01-555-2903, AbilityOne, Sunflower Fragrance, 1 gal., BX(contains 4 EA), \$106.88

Dispenser NSN 4510-01-551-1194 included.

24-month maximum shelf life (extendable).

Biopreferred, Low VOC, Material Safety Data Sheet

8520-01-555-3732, 330504 or Equal, AbilityOne, Sunflower Fragrance, GL, \$46.84

Moisturizing Lotion

Moisturizing lotion formulated for healthcare patients and staff. Lotion is formulated with Shea Butter to leave skin and hands feeling soft and smooth. Product is hypo-allergic.

36-month maximum shelf life (not extendable).

Biopreferred, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 8510-01-490-7318, 4235-12 or equal, 16 oz. Pump Bottle, BX(contains 12 EA), \$93.38

Insect Repellent

Controlled-release lotion provides protection from insects for up to 20 hours. Contains 20 percent DEET encapsulated in a sub-micron protein for slow release.

48-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6840-01-463-5455, SP-524N or equal, BT(contains 4 OZ), \$6.93

This lotion-like repellent is effective against mosquitoes, gnats, fleas, biting flies and chiggers. Contains a minimum of 25 percent active ingredients (minimum 17 percent DEET).

48-month maximum shelf life (extendable).

Material Safety Data Sheet

6840-01-003-9589, SP533 or equal, CO(contains 3 OZ), \$6.36

Easy to apply while keeping your hands repellent free. Provides protection from biting insects. Contains 20-30 percent DEET.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6840-01-490-6693, SRA-12M or equal, 6 oz. aerosol, BX(contains 12 EA), \$87.61

Disposable Razor

Lightweight, disposable, plastic safety razor has a stainless steel blade with plastic protective cap.

Twin blade.

Federal Strategic Sourcing Initiative, 8530-01-615-6022, 4250 or equal, BX(contains 500 EA), \$55.91

Shaving Cream

Brushless type shaving cream. Smooth white cream works well on all skin types.

36-month maximum shelf life (extendable).

8520-01-303-4038, Clinique 2oz or equal, Tube Size: 2 oz., DZ, \$82.66

8520-01-303-4039, Barbasol 5oz or equal, Tube Size: 5 oz., DZ, \$110.40

Toiletries Kit

Ideal for a short term trip or stay. Consists of personal sizes of basic items. Kit contains shampoo/body wash (2 oz.), conditioner (2 oz.), hand/body lotion (2 oz.), fluoride toothpaste (0.85 oz.), wrapped toothbrush (1), shaving cream (0.85 oz.), twin-edge plastic razor (1), and a plastic comb. Packed in a plastic bag. (Unit of issue is box that contains 12 individual kits.)

8530-01-490-7372, AbilityOne, BX(contains 12 EA), \$57.83

Toothbrush

Plastic-handled toothbrush with soft nylon bristles. Designed for everyday use. Each toothbrush is individually wrapped.

Straight handle.

Child-size brush measures 5-3/8" in length.

8530-01-293-1388, BX(contains 144 EA), \$67.21

Adult-size tooth brush measures 6" in length.

8530-01-293-1387, DZ, \$14.61

Toothpaste

When used in a normal manner, the toothpaste will not cause injury or irritation to teeth or gums.

Contains fluoride.

24-month maximum shelf life (extendable).

8520-01-303-4037, AbilityOne, Tube Size: 3 oz., DZ, \$60.36

Fluoride-free.

24-month maximum shelf life (extendable).

8520-01-303-6438, AbilityOne, Tube Size: 1-1/2 oz., DZ, \$51.47

Bowls, Pots and Pans

Saucepan

Stainless steel round saucepan has a welded pan handle with a hole for hanging and comes with a cover with a strap handle.

Capacity: 7-1/2 quart.; Diameter 9-1/2".

7330-00-240-2137, SSP-7 or equal, Depth: 5-3/4", EA, \$46.46

Baking Pan

Aluminum alloy baking pan has two drop-chest handles. Pan is reinforced with two stainless steel or tinned steel straps that extend lengthwise along the outside bottom and up the end walls. Pan has an open bead for added strength.

Pan without clips can be used as a top with Pan NSN 7330-00-634-4494 to form a double roaster, or it can be used separately.

7330-00-286-8069, 60345, 24 x 18 x 4-1/2", 29 QT, EA, \$103.21

Extra-heavy-duty aluminum pan can be used with a gasoline range in a field kitchen for baking and roasting. It has four drop-chest, riveted, stainless steel wire handles.

For use with Baking Pan Cover NSN 7330-00-263-8516

CID A-A-52201B

7330-00-485-7376, 68391 or equal, 20-7/8 x 17-3/8 x 7", EA, \$351.54

Consists of a pan with a cover that can be used as a griddle.

7330-00-263-8504, 68390 or equal, 20-7/8 x 17-3/8 x 7", 42 QT, EA, \$660.10

Baking Pan Cover

Extra-heavy-duty aluminum baking pan cover can be used on a gasoline range in field kitchens. Also can be used as a griddle. (For use with Baking Pan 7330-00-485-7376).

CID A-A-52201B

7330-00-263-8516, 68392 or equal, 21-5/8 x 18-1/8 x 2", EA, \$317.86

Cake Pan

One-piece, round aluminum cake pan has tapered sides for nesting. Rolled beaded edge facilitates handling.

7330-00-205-3150, CPT9x1.5 or equal, Diameter: 9"; Depth: 1-1/2", BX(contains 12 EA), \$53.91

Cookie Sheet

Made of seamless aluminum alloy, this cookie sheet is ideal for a variety of uses. Features rolled edges.

7330-00-633-8905, 9001 or equal, 25-3/4 x 17-3/4 x 1", EA, \$16.78

Cutlery

Cook's Knife

Knife features a stamped, stainless steel 10" blade, and a plastic or aluminum handle. Conforms to NSF standards.

CID A-A-2733

7340-00-488-7950, AbilityOne, Overall Length: 14-1/2", EA, \$14.05

Knife has a stainless steel 12" blade with plastic handle.

CID A-A-2733

7340-00-223-7771, AbilityOne, Black handle, Overall Length: 17", BX(contains 6 EA), \$101.94

Paring Knife

Short-bladed, 3-1/4"-long, stainless steel knife affords control and maneuverability in peeling and trimming operations. Comes with a plastic handle. Conforms to NSF standards.

Plastics Removal in Marine Environments

7340-00-488-7939, AbilityOne, Overall Length: 7", EA, \$5.21

Slicing Knife

This scalloped blade knife features a stainless steel 12" blade, and a plastic handle. Conforms to NSF standards.

CID A-A-2733

7340-00-680-0863, AbilityOne, EA, \$16.32

Slicing knife features a stainless steel 6" blade, and a plastic handle.

CID A-A-2733

7340-00-680-2758, AbilityOne, BX(contains 6 EA), \$63.42

Boning Knife

Stainless steel blade efficiently de-bones meat and fish. Blade measures 6" long and is connected to a durable, plastic handle. Conforms to NSF standards.

CID A-A-2733

Plastics Removal in Marine Environments

7340-00-197-1271, AbilityOne, Overall Length: 10", EA, \$9.74

Food Handling and Storage

Waxed Paper

Use this general-purpose, bleached wet-waxed paper in galleys, bakeries and commissaries. Also use for overwrapping wax-dipped packages.

8135-00-264-3826, Width: 24", RO(contains 3000 FT), \$162.81

8135-00-281-9086, Width: 18", RO(contains 1228 FT), \$97.41

Aluminum Foil

I.A.W. Q-Q-A-1876, Type I, Grade A. This non-toxic aluminum foil is suitable for cooking and food storage. Comes in a self-dispensing box with a convenient cutting edge.

8135-00-822-9433, Width: 12" Thickness: 0.0007", RO(contains 1800 FT), \$125.55

This non-toxic aluminum foil is suitable for cooking and food storage. Comes in a self-dispensing box with a convenient cutting edge.

8135-00-724-0552, Width: 15" Thickness: 0.0010", RO(contains 1000 FT), \$78.08

8135-00-724-0551, Width: 18" Thickness: 0.0010", RO(contains 500 FT), \$46.41

8135-00-721-9725, Width: 18" Thickness: 0.0010", RO(contains 1000 FT), \$89.18

8135-00-952-7188, Width: 24" Thickness: 0.0010", RO(contains 1000 FT), \$123.33

Plastic Wrap

This clear plastic film, in a cutter carton, is designed for household and related uses. It is soft and self-clinging, making it ideal for packaging food and other products.

Non-perforated.

8135-00-754-2692, 12" W x 1,000' L, RO(contains 1000 FT), \$10.32

Perforated.

8135-00-021-5865, Sheet Size: 24 x 28", RO(contains 400 SH), \$18.96

Clear plastic film is suitable for use in automated machines or for hand wrapping meats and produce. Comes rolled around a 3" core.

Non-perforated.

8135-00-838-0122, Width: 15"; Thickness: 0.0006", RO(contains 5000 FT), \$68.43

8135-00-476-5268, Width: 18"; Thickness: 0.0005", RO(contains 6800 FT), \$124.45

Plastic Bag

General-purpose, flat, polyethylene bag includes a reusable interlocking seal closure.

25% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-837-7753, SKILCRAFT, AbilityOne, 4" W x 4" L, Thickness: 2mm, MX, \$31.10

8105-00-837-7754, SKILCRAFT, AbilityOne, 6" W x 6" L, Thickness: 2mm, MX, \$42.08

8105-00-837-7755, SKILCRAFT, AbilityOne, 8" W x 8" L, Thickness: 2mm, MX, \$64.46

8105-00-837-7756, SKILCRAFT, AbilityOne, 10" W x 10" L, Thickness: 2mm, BX(contains 500 EA), \$50.23

8105-00-837-7757, SKILCRAFT, AbilityOne, 12" W x 12" L, Thickness: 2mm, BX(contains 500 EA), \$58.47

Sandwich Bag

Flat-style plastic bag comes in a dispenser box. Meets FDA requirements.

8105-00-773-7581, Clear, 6-1/2"W x 5-1/2"L, BX(contains 1000 EA), \$3.14

Odor Barrier Bag

Bags provide an odor barrier for the containment of food-contaminated plastic waste in shipboard applications where at-sea disposal of plastics is prohibited. Pressure sensitive adhesive closure.

Filled bags are intended to remain aboard ship for prolonged periods of time in consonance with naval deployments.

7240-01-411-0584, AbilityOne, 24" W x 27" L, BX(contains 100 EA), \$513.35

7240-01-411-0585, AbilityOne, 36"W x 50" L, BX(contains 50 EA), \$539.50

Grocery Bag

Popular-weight, paper bag for normal use by commissaries and shops. Dimensions are approximate.

No. 25 bag has a capacity of 763 cu. in.

5% Postconsumer Material

Comprehensive Procurement Guideline Compliant

8105-00-281-1429, Natural, 8-1/4" W x 5-1/4"L x 17-7/8"H, BE(contains 1000 EA), \$73.46

Place Mats

Paper tray cover has an embossed pattern and is for use in hospitals and institutions.

With scalloped edges.

8540-00-266-9898, White, 14 x 19", MX, \$49.67

Lunch Carton

I.A.W. PPP-B-566E. Paperboard lunch carton is strong enough to hold up to 20 pounds of food. This manila-lined box features a one-piece fold-tuck top which is glued on the bottom and sides. Box is not water-resistant.

Contains 100% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-527-2302, 6" W x 10" L x 4" D, BX(contains 150 EA), \$103.96

Grocery Cart

Chrome- or zinc-plated steel cart has a center tray that lifts to convert from a produce cart to a stock truck. Features a front bumper, two rubber semi-pneumatic tires and two skids. Minimum dimensions are shown.

19" W x 28-1/2" D x 40" H overall.

Federal Strategic Sourcing Initiative, 7290-00-104-4725, KNM04010 or equal, EA, \$326.37

Cooking and Serving Utensils and Accessories

Can Opener

Manual can opener opens any size can up to and including No. 10 round.

Portable hand held model is designed for household use and is wing operated with a feed wheel. IAW A-A-52206 Type 1 Class 2 Grade A.

7330-00-272-2591, DCSNO581 or equal, Length: 5-1/2", EA, \$9.76

Manual can opener opens any size can up to and including No. 12 round.

Table-mounted model is hand crank operated and has a table clamp and bracket for tables up to 3" thick. Heavy duty with a cutting knife. IAW A-A-52206 Type 3.

7330-00-205-3151, 12200 or equal, EA, \$128.80

Table-mounted hand crank-operated can opener with stainless steel construction and a reversible cutting blade.

Clamp on base.

7330-01-411-9789, 15020 or equal, EA, \$555.53

Bolt-on base.

IAW A-A-52206C

7330-01-411-9788, S-11 or equal, EA, \$573.85

Measuring Cup

Baker's-type measuring cup is made of aluminum alloy with an anodized finish. Seamless cup has a flanged pouring lip and a strap handle. Graduated in four equal divisions.

IAW A-A-1751B

7330-00-264-5368, 68352 or equal, Size: 2, Capacity: 4 qt., EA, \$30.25

Rigid, pitcher-type measuring cup for general domestic and institutional use. Cup is leakproof, with loop handle on side opposite pouring lip.

One-piece plastic cup has lightly embossed 2-oz graduations on the side.

Federal Strategic Sourcing Initiative, 7240-00-138-7984, 3036 or equal, Natural, Capacity: 1 pt., BX(contains 12 EA), \$38.73

Colander

For use in messes, field kitchens and galleys. Bottom and sides are perforated to allow liquids to drain. Bowl-shaped utensil has a rounded top edge, an attached base and two loop handles. Corrosion resisting steel.

Made of stainless steel.

7330-00-266-7453, 47974 or Equal, Capacity: 14 to 17 qt., EA, \$47.39

Food Scoop

Non-mechanical scoop is used for transferring bulk foods. The scoop is 8" long and 5" diameter. Conforms to NSF standards.

Made of stainless steel, with a handle welded to the body of the scoop.

7330-00-153-9760, 92110 or equal, Overall Length: 12", EA, \$103.02

Whisk

French style stainless steel whisk has seven to eight bow wires firmly attached to the inside of the handle. Conforms to NSF International.

IAW A-A-394A

7330-00-815-1458, AE1458 or equal, Length: 16"; Diameter: 2-3/4", EA, \$17.66

Food Scraper

Scrapes food from plates or dishes before washing. It has a tapered, rubber blade with rounded corners. Blade is 4-5/8" ($\pm 1/4$ ") X 3" ($\pm 1/4$ "), handle is 8-7/8" ($\pm 1/2$ "). NSF Certified.

7330-00-680-2636, 2636 or equal, Natural, Overall Length: 13-5/8", DZ, \$72.13

Food Turner

From flipping burgers to serving lasagna, the food turner proves to be a valuable utensil. For use in dining halls or galleys. Features a hole in the handle for hanging. Conforms to NSF standards.

Solid, stainless steel turner has a smooth finish and a blade measuring 4-1/2" x 3-3/4".

IAW A-A-52204

7330-00-256-2158, ROY 4804 or equal, Length: 21", EA, \$7.91

Ladle

Stainless steel scoop serves and transfers food in small or large portions. Long, offset handle has a hanging hook. Solid bowl does not have a pouring lip.

7330-00-254-4793, 58620 or equal, Length: 12"; Capacity: 2 oz., EA, \$17.24

7330-00-680-0865, 58440 or equal, Length: 14"; Capacity: 4 oz., EA, \$12.43

7330-00-248-1153, 58480 or equal, Length: 16"; Capacity: 8 oz., EA, \$14.36

Cake Knife

Stainless steel knife cuts and serves pies and cakes. Features an offset blade and a plastic handle with a thumb grip.

5-6" blade.

IWA-A-2733

7340-00-272-9586, 48083 or equal, Length: 9-11", EA, \$13.86

Ice Cream Scoop

Mechanical scoop dishes up ice cream and other foods. Features a thumb-activated, gear-operated blade in its bowl that ejects food. Bowl is corrosion-resistant and handle is made of colored plastic. Conforms to NSF standards.

6 scoops make a quart.

7330-00-197-1280, 47139 or equal, White, EA, \$9.03

Food Service Apron

Clear vinyl apron with bib and neckband can be cleaned easily. Grommets on each side of the waistline secure 30" tie tapes.

8415-00-899-3026, AbilityOne, Frosty Clear, Length: 42"; Width: 34", EA, \$11.02

Washable, reusable, white cotton drill cloth food service apron. White cotton tie tapes secure apron at the waist. All apron edges are either selvage or hem finish.

Bib-style apron. Has white cotton tape neck band.

Plastics Removal in Marine Environments

8415-01-045-0587, AbilityOne, White, Length: 35"; Width: 26", PG(contains 12 EA), \$103.40

8415-00-634-0205, AbilityOne, White, Length: 42"; Width: 32", PG(contains 10 EA), \$97.73

Waist-style apron.

Plastics Removal in Marine Environments

8415-00-051-1173, AbilityOne, White, Length: 30"; Width: 32", PG(contains 10 EA), \$72.66

Plastic Apron

Disposable apron is made of polyethylene or spun-bonded olefin. Suitable for use in medical or food service applications. Supplied in a dispenser box with 100 aprons on a tear-off roll.

Bib-style item includes waist ties and a neckband.

8415-00-222-8074, AP-PE-BX-MED or equal, Opaque White, 28 x 44", HD, \$8.05

Laboratory Apron

Rubber coated laboratory apron. Use to protect clothing from chemical splashes. Bib-style apron has neck and waist tie tapes secured to grommets. Made of cotton cloth and coated on both sides with synthetic rubber.

8415-00-634-5023, AbilityOne, Black, 35 x 45", EA, \$41.15

Chef's Cap

This skull (round crown) or overseas (peaked front and back) style cap is made of paper and features an adjustable head size from 6-7/8 to 7-1/2". For use by food servers in cafeterias, restaurants, and soda fountains.

8415-00-634-2410, Classy Cap #100 or Equal, White, BX(contains 1000 EA), \$56.56

Oven Mitt

Insulated oven mitt protects hands and wrists from heat. Made of resin-treated, terry knit cotton with an insulated liner. Pre-shrunk and washable.

Plastics Removal in Marine Environments

7330-00-379-4439, AbilityOne, 8-1/2 x 11-1/2", EA, \$6.04

Dishcloth/Towel

Bleached white, plain weave cotton towel intended for drying glassware. Red or blue woven checks or stripes. Hemmed or selvage edges.

7210-00-205-3483, 10165-DSCLTH or Equal, White, 30 x 15", DZ, \$26.65

Clean up kitchen areas with the help of this cotton dishcloth or towel. In white, crash-weave, cotton fabric with hemmed or selvage edges.

White towel with narrow red stripes within an inch of the edges of the cloth.

Plastics Removal in Marine Environments

7210-00-171-1144, KT-Towel-RS or equal, 36" L x 16-1/2" W, DZ, \$20.70

Beverage Stirrers

Smooth, wooden stirrers are odorless and tasteless. Handy for stirring beverages, such as coffee and tea. Meets FDA requirements.

Plastics Removal in Marine Environments

7340-00-753-5565, R810 or equal, Natural, 5-1/4 x 1/4", BX(contains 1000 EA), \$4.01

Salt and Pepper Shakers

Shaker features a heavy glass body and a stainless steel or aluminum threaded cap.

Plastics Removal in Marine Environments

7350-00-680-2630, G106 or equal, Clear, Capacity: 2 oz., EA, \$1.71

Toothpicks

Hardwood toothpicks, a necessity in the kitchen and after dining, are odorless and tasteless. Meets FDA requirements.

Round or square round-style toothpicks.

16 Individual boxes of 800 each.

7350-00-838-3919, R820SQ or equal, Length: 2-3/4", PG(contains 16 EA), \$22.99

Serving Tray

Leakproof cafeteria tray has a smooth finish and radius corners. Not intended for direct contact with food.

Laminated fiberglass tray is chip and dent resistant.

Has a rectangular shape.

7350-00-926-6180, 1814DFG030 or equal, Natural, 18 x 14", DZ, \$224.66

Funnel

General purpose galvanized steel funnel has a flexible 14" spout and 70 mesh removable brass strainer.

Federal Strategic Sourcing Initiative, 7240-00-559-7364, 495 or equal, Capacity: 1 qt., BX(contains 12 EA), \$51.07

Drum Funnel

Round vented steel funnel intended for use with 55-gallon drums storing hazardous waste. Funnel can be mounted on drum with a 2" NPT bung opening using the 2" NPT threaded neck. Drum can be sealed with the funnel in place. Furnished with lockable latches. Locks not included.

11.25" diameter, 13" high, 18-gauge steel; weighs 14-lbs.

Federal Strategic Sourcing Initiative, 7240-01-426-1569, DRM1125-BK-NPT or equal, Powdercoat Black, EA, \$472.28

Pitchers and Jugs

Insulated Pitcher

Plastic, tapered pitcher has a handle and a detachable hinged lid and holds hot or cold beverages. Features insulated filling between the plastic liner and the outer shell. (Note: this item is not dishwasher-safe).

7350-00-680-2770, F3022/40 or equal, Capacity: 1 qt., EA, \$21.56

Vacuum Bottle

Narrow-mouth thermos features a threaded plastic stopper, screw-on cap, stainless steel inner shell and carrying handle. Meets FDA requirements.

Stainless steel or painted carbon steel exterior.

7330-00-634-6555, 10-1959-008 or equal, Capacity: 1 qt., EA, \$24.01

7330-00-285-4299, 10-07934-01 or equal, Capacity: 2 qt., EA, \$26.31

Water Cooler

Heavy-duty, five-gallon beverage cooler features two no-pinch carrying handles; dispenser valve; and a wide-mouth screw-on lid. Meets OSHA requirements. Fits standard cooler racks.

7330-01-449-2319, 42316 or Equal, Hi-Viz, EA, \$92.36

Heavy-duty, five-gallon beverage cooler features two large grip side handles, cup dispenser bracket, drip-proof recessed spigot, with a wide-mouth pressure-fit double wall lid. Cord is attached to the lid with foamed-in-place insulation. Meets OSHA requirements. Fits standard cooler racks.

7330-01-449-2318, 451 or equal, Hi-Viz, EA, \$65.56

Disposable Flatware

Dining Packet

For use with in-flight lunchboxes. Each packet contains: white plastic knife, fork and spoon; 6" plastic drinking straw; two-ply, 17" paper napkin; wash-and-dry paper towel; salt and pepper packets; two round, wooden toothpicks. This practical assortment is sealed in a sanitary cellophane envelope.

7360-01-167-2610, AbilityOne, BX(contains 200 EA), \$121.28

Individual Flatware Set

High-impact set is excellent for use during picnics or with military rations. Smooth-finished flatware is made of high-impact, modified polystyrene and can be discarded after use. Set contains a 5" knife, fork and spoon in an easy-to-open cellophane bag. Heat-tolerant utensils are free of objectionable taste and odor.

IAW A-A-3109B

7360-00-634-4800, AbilityOne, Tan/Sand, BX(contains 10 EA), \$4.94

Biobased Flatware Set

Lightweight biobased disposable flatware. Made of 50 percent wheat based resin (biobased) and 50 percent polypropylene, this flatware is heat tolerant and environmentally friendly. Meets FDA requirements.

Individual flatware set contains a 6-1/2" picnic knife, 6" picnic fork and 5-5/8" picnic tea spoon in an easy-to-open bag.

IAW A-A-3109B

Biopreferred

7360-01-564-3560, AbilityOne, Wheat, BX(contains 400 EA), \$112.01

Biobased Flatware

Lightweight biobased disposable flatware. Made of 50 percent wheat based resin (biobased) and 50 percent polypropylene, this flatware is heat tolerant and environmentally friendly. Meets FDA requirements.

Individually wrapped.

Picnic fork. IAW A-A-3109B

Biopreferred

7340-01-564-1884, AbilityOne, Wheat, Length: 6", MX, \$94.04

Picnic fork.

IAW A-A-3109B

Biopreferred

7340-01-564-1888, AbilityOne, Wheat, Length: 6", HD, \$10.93

Picnic knife.

IAW A-A-3109B

Biopreferred

7340-01-564-1885, AbilityOne, Wheat, Length: 6-1/2", HD, \$9.68

Picnic tea spoon.

IAW A-A-3109B

Biopreferred

7340-01-564-1887, AbilityOne, Wheat, Length: 5-5/8", HD, \$10.93

Individually wrapped.

Picnic knife. IAW A-A-3109B

Biopreferred

7340-01-564-1886, AbilityOne, Wheat, Length: 6-1/2", MX, \$87.96

Picnic tea spoon. IAW A-A-3109B

Biopreferred

7340-01-564-1889, AbilityOne, Wheat, Length: 5-5/8", MX, \$88.10

Plastic Flatware

Medium weight polystyrene disposable flatware.

Picnic fork.

7340-01-438-7392, AbilityOne, White, Length: 6-1/8", MX, \$38.04

Picnic knife.

7340-01-438-9241, AbilityOne, White, Length: 6-5/8", MX, \$37.04

Picnic spoon.

7340-01-438-7391, AbilityOne, White, Length: 5-3/4", MX, \$38.04

For use with field rations, flatware is heat tolerant and meets FDA requirements.

Individually wrapped. Heavy-duty flatware stands up to rough use.

Fork. IAWA-A-3109B

7340-01-379-5524, AbilityOne, White, Length: 6", MX, \$74.09

Knife. IAWA-A-3109B

7340-01-379-8840, AbilityOne, White, Length: 6-3/4", MX, \$71.32

Teaspoon. IAWA-A-3109B

7340-01-382-0538, AbilityOne, White, Length: 5-3/4", MX, \$68.72

Heavy-duty flatware stands up to rough use.

Fork. IAWA-A-3109B

7340-00-022-1315, AbilityOne, White, Length: 6-1/8", HD, \$8.26

Knife. IAWA-A-3109B

7340-00-022-1316, AbilityOne, White, Length: 6-1/2", HD, \$8.26

Spoon. IAWA-A-3109B

7340-00-022-1317, AbilityOne, White, Length: 5-3/4", HD, \$8.81

High-impact flatware is durable.

Fork. IAWA-A-3109B

7340-00-205-3342, AbilityOne, Tan/Sand, Length: 5", HD, \$10.64

Knife. IAWA-A-3109B

7340-00-205-3187, AbilityOne, Tan/Sand, Length: 5", HD, \$9.28

High-impact flatware is durable.

Spoon. IAWA-A-3109B

7340-00-170-8374, AbilityOne, Tan/Sand, Length: 5-3/4", HD, \$10.15

Silverware

Stainless Steel Flatware

Plain flatware with a bright, mirrored finish is made of stainless steel.

Standard-weight flatware is for use in general food service installations; graded construction. "Windsor pattern".

Table fork has four tines.

Plastics Removal in Marine Environments

7340-00-241-8169, 2332SFRSA or equal, Length: 7", BX(contains 24 EA), \$62.04

Table knife has a serrated edge, a tapered blade and a round point.

Plastics Removal in Marine Environments

7340-00-060-6057, 2332KPTA or equal, Length: 8-3/4", BX(contains 24 EA), \$128.92

Soup spoon.

Plastics Removal in Marine Environments

7340-00-688-1055, 2332SSBLA or equal, Length: 5-11/16", BX(contains 24 EA), \$84.69

Tablespoon has a flat handle and is commonly used as a serving spoon.

Plastics Removal in Marine Environments

7340-00-205-3341, 2332SSTBA or equal, Length: 8-3/8", BX(contains 24 EA), \$114.97

Teaspoon has a flat handle.

Plastics Removal in Marine Environments

7340-00-205-3340, 2332SSTSA or equal, Length: 6", BX(contains 24 EA), \$67.82

Dessert spoon.

Plastics Removal in Marine Environments

7340-00-241-8171, 2332SSDEA or equal, Length: 7-1/4", BX(contains 24 EA), \$85.49

Silver-Plated Flatware

Silver-plated flatware has a brilliant finish; the ornamental Kings pattern appears clearly and distinctly on each piece. For use in officers' mess and executive dining rooms. Flatware matches the high quality of that used in hotels and restaurants.

Forks come in a variety of styles.

Salad fork is also available in Stainless Steel under 7340-01-698-8610.

7340-00-235-5042, 1013SFSLF or equal, Length: 6-7/8 x 1-1/16", DZ, \$259.73

Table fork is also available in Stainless Steel under 7340-01-698-8611.

7340-00-229-9477, 1013SFDNF or equal, Length: 8 x 1-1/8", DZ, \$308.15

Dessert fork is also available in Stainless Steel under 7340-01-698-8608.

7340-00-229-9475, 1013SFDEF or equal, Length: 7 x 1-1/16", DZ, \$220.10

Knives have stainless steel blades.

Table knife is also available in Stainless Steel under 7340-01-698-9530.

7340-00-235-5013, 1013SKPSF or equal, Length: 9-3/16", DZ, \$363.19

Dessert knife is also available in Stainless Steel under 7340-01-698-9529.

7340-00-229-9479, 1013SKDEF or equal, Length: 8-3/8", DZ, \$363.19

Spoons come in a variety of styles.

Iced tea spoon is also available in Stainless Steel under 7340-01-698-8613.

7340-00-235-5021, 1013SSITF or equal, Length: 7-1/2 x 1-3/16", DZ, \$220.10

Soup spoon is also available in Stainless Steel under 7340-01-698-9533.

7340-00-235-5023, 1013SSRBF or equal, Length: 7 x 1-7/8", DZ, \$253.12

Tablespoon is commonly used as a serving spoon and is also available in Stainless Steel under 7340-01-698-9534.

7340-00-235-5027, 1013SSTBF or equal, Length: 8-7/16 x 1-7/8", DZ, \$286.14

Teaspoon is also available in Stainless Steel under 7340-01-698-9536.

7340-00-235-5029, 1013SSTSFS or equal, Length: 5-7/8 x 1-1/4", DZ, \$209.09

Disposable Dinnerware

Breakroom Convenience Pack

Office Pack contains: Nine inch paper plates (50 each), seven inch plates (50 each), 8-oz hot/cold cups (100 each), 8-fold 2-ply napkins (150 each), heavy duty forks (48 each), heavy duty spoons (48 each), heavy duty knives (24 each) and three 10-gallon trash bags. All packed in a sturdy, sanitary, corrugated reusable box. Box measures 17-5/8" x 24" x 4-9/16".

7350-01-483-8988, AbilityOne, EA, \$56.17

Field Convenience Pack

Field Pack contains: round uncomparted, paper plates, 7" white (50 each); rectangular 5-compartment trays, tan 12.5" x 8.5" (50 ea); hot paper cups with biobased lining, 16 oz white (100 ea); cup lids, 16 oz (100 ea); disposable paper food cups with biobased lining, 12 oz white (50 ea); dining packets containing biobased knife, fork, spoon, salt, pepper, napkin, and sugar (50 ea); napkins in a sealed closure bag, 2-ply white (150 ea); and heavy duty, high density trash bags, 60-gallon clear (5 ea). All packed in a sturdy, sanitary, corrugated reusable box.

7350-01-646-1759, AbilityOne, EA, \$104.55

Foam Cup

Disposable, molded polystyrene foam cup is round and smooth, with a rounded edge and tapered sides for stacking. Holds hot contents up to 178° F.

Tall-style cup without handle or lid is for hot or cold liquids.

IAWA-A--2595A

7350-00-721-9003, 6J6 or equal, Capacity: 6 oz., BX(contains 1000 EA), \$98.92

7350-00-082-5741, 8J8 or equal, Capacity: 8 oz., BX(contains 1000 EA), \$118.61

7350-00-926-1661, 10J10 or equal, Capacity: 10 oz., BX(contains 1000 EA), \$134.79

Tall-style cup without handle is for hot or cold liquids. Has a tight-fitting, plastic lid.

IAWA-A--2595A

7350-00-914-5089, 8J8 & 8SL or Equal, Capacity: 8 oz., BX(contains 1000 EA), \$74.18

7350-00-914-5088, Capacity: 10 oz., BX(contains 1000 EA), \$178.08

Paper Tableware

Round disposable biobased paper cup is odorless and leakproof along with compostable. IAW-A-A-2577B

Wax coated or plastic coated, both sides.

Tall-style cup without handle or lid is for cold liquids.

7350-01-645-7876, AbilityOne, White, Capacity: 32 oz., BX(contains 500 EA), \$80.98

7350-01-645-7875, AbilityOne, White, Capacity: 21 oz., BX(contains 1000 EA), \$95.54

7350-00-641-4587, AbilityOne, White, Capacity: 5 oz., BX(contains 2500 EA), \$124.82

7350-00-281-3211, AbilityOne, White, Capacity: 6 oz., BX(contains 2500 EA), \$111.88

7350-00-641-4589, AbilityOne, White, Capacity: 7 oz., BX(contains 2500 EA), \$144.85

7350-00-641-4590, AbilityOne, White, Capacity: 8 oz., BX(contains 2500 EA), \$146.39

7350-00-641-4593, AbilityOne, White, Capacity: 9 oz., BX(contains 2500 EA), \$144.85

7350-00-641-4591, AbilityOne, White, Capacity: 10 oz., BX(contains 2400 EA), \$183.38

7350-00-641-4592, AbilityOne, White, Capacity: 12 oz., BX(contains 2500 EA), \$188.00

Squat-style cup without handle or lid is for cold liquids.

7350-00-641-4523, AbilityOne, White, Capacity: 16 oz., BX(contains 1000 EA), \$83.21

Cup is moisture-resistant stock or plastic coated.

Squat-style cup without handle or lid is for hot foods.

7350-00-641-4518, AbilityOne, White, Capacity: 12 oz., BX(contains 1200 EA), \$114.23

Features a plastic coating on the inner surface.

Tall-style cup with handle is for hot liquids. Does not have a lid.

7350-00-205-1182, AbilityOne, White, Capacity: 6 oz., BX(contains 1000 EA), \$77.05

7350-00-988-6498, AbilityOne, White, Capacity: 8 oz., BX(contains 1000 EA), \$84.76

Tall-style, plastic-lined cup without handle or lid is for use with hot liquids.

7350-00-290-0588, AbilityOne, White, Capacity: 6 oz., BX(contains 2000 EA), \$107.41

7350-00-162-3006, AbilityOne, White, Capacity: 8 oz., BX(contains 2000 EA), \$120.20

7350-01-411-5265, AbilityOne, Tan or Sand, Capacity: 9 oz., BX(contains 1800 EA), \$94.00

7350-00-641-4519, AbilityOne, White, Capacity: 10 oz., BX(contains 1000 EA), \$81.67

7350-00-641-4517, AbilityOne, White, Capacity: 12 oz., BX(contains 1000 EA), \$81.67

7350-00-641-4576, AbilityOne, White, Capacity: 16 oz., BX(contains 1000 EA), \$89.38

Biobased Disposable Cup

Round disposable biobased paper cup is odorless and leakproof along with compostable. IAW-A-A-2577B

Lined on the inside with Polymer Polylactide (PLA), a corn starch derivative.

Tall-style cup without handle or lid is for cold liquids.

Biopreferred

7350-01-645-7874, AbilityOne, White, Capacity: 21 oz., BX(contains 1000 EA), \$155.64

Paper Tableware

Disposable plate is water and grease-resistant. Flat-bottom, nesting design. Meets FDA requirements.

Round, uncomparted plate is made of molded pulp paper.

7350-00-290-0593, AbilityOne, White, Diameter: 6-1/2"; Depth: 1/2", BX(contains 1000 EA), \$73.02

7350-00-290-0594, AbilityOne, White, Diameter: 9"; Depth: 3/4", BX(contains 500 EA), \$63.18

Round, uncomparted plate is made of pressed board paper. Plate has standard rigidity.

7350-00-899-3054, AbilityOne, White, Diameter: 6"; Depth: 1/2", BX(contains 1000 EA), \$54.86

7350-00-899-3055, AbilityOne, White, Diameter: 7"; Depth: 1/2", BX(contains 1000 EA), \$75.97

7350-00-899-3056, AbilityOne, White, Diameter: 9"; Depth: 3/4", BX(contains 1000 EA), \$100.97

Three-compartment plate has one main compartment that covers 50 percent of plate and two smaller compartments, each covering 25 percent of plate. Compartment dividers are one-half as high as plate rim.

Rectangular plate, made of pressed board paper or molded pulp fiber provides extra resistance to water and grease.

7350-00-926-9233, AbilityOne, White, 8 x 10"; Depth: 7/8", BX(contains 500 EA), \$100.17

Round plate of molded pulp paper provides extra resistance to water and grease.

7350-01-263-6700, AbilityOne, White, Diameter: 10-1/4"; Depth: 7/8", BX(contains 500 EA), \$126.18

Round plate, made of molded pulp paper, provides extra resistance to water and grease. Packaged in a unitized waterproof container for U.S. Navy use.

Plastics Removal in Marine Environments

7350-01-263-6701, AbilityOne, White, Diameter: 10-1/4"; Depth: 7/8", BX(contains 500 EA), \$151.35

Disposable bowl is made of molded pulp paper.

Biopreferred

7350-01-332-2111, AbilityOne, Beige or White, Capacity: 12 oz., BX(contains 1000 EA), \$106.33

Round disposable biobased paper cup is odorless and leakproof along with compostable. IAW-A-A-2577B

Cup is moisture-resistant stock or plastic coated.

Squat-style cup without handle or lid is for hot foods.

7350-00-641-4520, VS508-2050 or equal, White, Capacity: 8 oz., BX(contains 1000 EA), \$101.06

7350-00-290-0586, AbilityOne, White, Capacity: 16 oz., BX(contains 500 EA), \$60.10

Mess Tray

Disposable mess tray (clam shell) is made of wood pulp paper. Hinged lid with a slot for closing. Biobased.

Three-compartment.

BiopREFERRED

7350-01-664-6905, AbilityOne, White, 8" x 8"; 3" deep, BX(contains 200 EA), \$92.64

7350-01-664-6909, AbilityOne, White, 9" x 9"; 3" deep, BX(contains 200 EA), \$107.87

Single compartment.

BiopREFERRED

7350-01-664-6906, AbilityOne, White, 6" x 6"; 3" deep, BX(contains 400 EA), \$98.62

7350-01-664-6907, AbilityOne, White, 9" x 9"; 3" deep, BX(contains 200 EA), \$97.08

7350-01-664-6908, AbilityOne, White, 8" x 8"; 3" deep, BX(contains 200 EA), \$84.76

Three-compartment, disposable tray (clam shell) is made of polystyrene plastic foam. Rectangular shape with a hinged lid and slot closing.

7350-01-080-8842, SN203 or equal, White, 10 x 9-1/2 x 3", BX(contains 200 EA), \$48.73

Biobased disposable mess tray is water and grease-resistant, nesting design. Meets FDA requirements. IAW A-A-52217C

Five compartment, rectangular mess tray is made of wood pulp paper.

Twenty-five trays per bag, twenty bags per box.

BiopREFERRED

7350-01-411-5266, AbilityOne, Tan or, Sand, 12-1/2 x 8-1/2", BX(contains 500 EA), \$131.38

7350-01-012-8787, AbilityOne, White or Natural, 12-1/2 x 8-1/2", BX(contains 500 EA), \$127.90

Towelettes

Paper towelettes are pre-moistened, non-alcohol formula with a cleansing solution, allowing for quick cleansing of ordinary soils from hands, face and body without soap or water. Free of any objectionable odor. Comes pre-folded in individual, sealed packets.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 8520-01-615-6021, D11055 or equal, 5 x 7-3/4", BX(contains 1000 EA), \$34.28

Table Napkin Dispenser

Corrosion-resisting stainless steel dispenser is for table use and holds 125-150 paper napkins folded 3-1/2 x 7" (minimum). Napkins can be stored and withdrawn from front or rear opening. Spring-loaded plates keep napkins neat. Has non-marking rubber feet.

7350-00-205-0928, SLNH001 or equal, EA, \$9.07

Drinking Straws

For hot or cold liquids, this jumbo-sized plastic straw is non-toxic, latex-free and individually wrapped. Meets FDA requirements.

Flexible section 2" from the top of the straw allows it to bend without breaking.

48-month maximum shelf life (extendable).

7350-00-444-1323, DXEJW74 or equal, White or Clear, Length: 7-3/4"; Diameter: 1/4", PG(contains 500 EA), \$8.34

China and Dinnerware

Plastic Tableware

Ideal for dining halls, hospitals and institutions because items stack easily, create little dish clatter, and resist chipping, heat and fading. Rugged yet lightweight tableware is made of melamine plastic with fabric filler. May be sterilized at temperatures up to 180° F. Meets FDA requirements and conforms to NSF standards.

Bowl may be used for soup, cereal or salad.

Plastics Removal in Marine Environments

7350-01-036-5427, 16XB-S or equal, Sahara Sand, Capacity: 16 oz., DZ, \$45.86

General-purpose eating bowl with sloping sides holds up to 17 oz. of food.

Plastics Removal in Marine Environments

7350-00-251-8746, 17XB-T or equal, Mottled Tan, Diameter: 5-3/4"; Height: 2-9/16", DZ, \$30.43

Drinking cup with handle and straight, tapered sides holds 10 oz.

Plastics Removal in Marine Environments

7350-00-223-7760, 10XC-T or equal, Mottled Tan, Diameter: 3-7/16"; Height: 3-3/8", DZ, \$30.91

7350-01-036-3769, 10XC-S or equal, Sahara Sand, Diameter: 3-7/16"; Height: 3-3/8", DZ, \$30.91

Drinking tumbler with straight, tapered sides holds 10 oz.

7350-00-223-7836, 10XT-T or equal, Mottled Tan, Diameter: 3"; Height: 4-3/8", DZ, \$25.40

Plastics Removal in Marine Environments

7350-01-036-3770, 10XT-S or equal, Sahara Sand, Diameter: 3"; Height: 4-3/8", DZ, \$25.40

Dinner plate.

7350-01-036-5429, 9XP-S or equal, Sahara Sand, Diameter: 9", DZ, \$52.51

Made of tough, virtually unbreakable, chip-proof plastic, lightweight tableware is easy to handle. Fade proof quality keeps items looking new. Components stack compactly and may be washed and sterilized at high temperatures.

Dinner plate.

7350-00-205-3219, 10XP-S or equal, Sahara Sand, Diameter: 10", DZ, \$34.27

Bowl may be used for soup, cereal or salad.

7350-00-205-3220, 16XB1-S or equal, Sahara Sand, Capacity: 16 oz., DZ, \$26.45

Mess Tray

Ideal for dining halls, hospitals and institutions because items stack easily, create little dish clatter, and resist chipping, heat and fading. Rugged yet lightweight tableware is made of melamine plastic with fabric filler. May be sterilized at temperatures up to 180° F. Meets FDA requirements and conforms to NSF standards.

Five-compartment mess tray has a hardened surface to resist knife scratches.

1AWA-A-52199

Plastics Removal in Marine Environments

7350-00-144-4989, 5XTT or equal, Tan, 13-7/8 x 10-3/4 x 1", DZ, \$73.77

China Tableware

This reliable, restaurant-grade tableware is made of vitrified china.

Trimmed with gold and blue lines and the Navy seal, this medium-weight tableware has the official look appropriate for the Flag Officers' mess. (Not for microwave use).

Bread and butter plate.

Plastics Removal in Marine Environments

7350-00-271-1701, 201QM or equal, White, Diameter: 6-1/4", BX(contains 36 EA), \$763.29

Dinner plate.

Plastics Removal in Marine Environments

7350-00-271-1704, 408QM or equal, White, Diameter: 10", BX(contains 24 EA), \$506.82

Soup or cereal bowl.

Plastics Removal in Marine Environments

7350-00-271-1705, 251QM or equal, White, Diameter: 7", BX(contains 36 EA), \$772.11

Cup serves coffee or tea.

Plastics Removal in Marine Environments

7350-00-272-9359, 111QM or equal, White, Capacity: 7-1/2 oz., BX(contains 36 EA), \$664.71

Saucer.

Plastics Removal in Marine Environments

7350-00-272-9529, 282QM or equal, White, Diameter: 6", BX(contains 36 EA), \$775.45

With anchor design and narrow blue band with line, this hotel-weight tableware is for use in Navy officers' mess.

Bread and butter plate.

Plastics Removal in Marine Environments

7350-00-192-1932, 201QM1, or equal, White, Diameter: 6-1/4", BX(contains 36 EA), \$414.71

Dinner plate.

Plastics Removal in Marine Environments

7350-00-192-1933, 408QM1 or equal, White, Diameter: 10", BX(contains 24 EA), \$412.86

Soup or cereal bowl.

Plastics Removal in Marine Environments

7350-00-222-3288, 251QM1 or equal, White, Diameter: 7", BX(contains 36 EA), \$647.15

This heavy-duty, undecorated tableware features a glazed finish and is chip-resistant. Withstands thermal shock.

Salad plate or bread and butter plate.

7350-01-256-1086, 21200 or equal, White, Diameter: 6-1/2", BX(contains 36 EA), \$132.63

Dinner plate.

7350-01-256-1087, 22400 or equal, White, Diameter: 9", BX(contains 24 EA), \$155.72

Soup or cereal bowl is 2" deep.

7350-01-256-1091, 19500 or equal, White, Diameter: 5-1/2", BX(contains 36 EA), \$213.21

Drinking mug holds 10-1/2 oz.

7350-01-256-1093, 98200 or equal, White, Height: 3-1/2", BX(contains 36 EA), \$195.36

Oval serving platter with curved sides.

7350-01-256-1085, 26300 or equal, White, 9 x 11-1/2 x 1", DZ, \$134.70

Drinking Glass

Durable, heat-treated tumbler resists chipping and breaking. Particularly suitable for hospitals or for other regular use, this glass is single-bulge style and has smoothed edges. Made of lime, borosilicate, or lead-flint glass

7350-00-689-5383, 1906HT or equal, Capacity: 12 oz.; Height: 5-1/8", BX(contains 72 EA), \$176.96

Bedding

Box Spring

Item	NSN	Size	Color/ Type	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Box Spring	7210-01-228-5735	75 x 38 x 7-3/4"	Twin	Mattress 7210-01-228-5726, Pad 7210-01-306-3247	FOB	EA	\$178.24
Box Spring	7210-01-228-5736	75 x 54 x 7-3/4"	Full	Mattress 7210-01-228-5727, Pad 7210-01-417-5531	FOB	EA	\$271.26
Box Spring	7210-01-291-9511	80 x 38 x 7-3/4"	Twin Extra Long	Mattress 7210-01-292-2551	FOB	EA	\$184.14
Box Spring	7210-01-228-5738	80 x 38 x 7-3/4"	Twin	Mattress 7210-01-228-5729, Pad 7210-01-306-3251	FOB	PR	\$366.22
Box Spring	7210-01-291-9512	80 x 53 x 7-3/4"	Full	Mattress 7210-01-292-2552	FOB	EA	\$227.45
Box Spring	7210-01-228-5737	80 x 60 x 7-3/4"	Queen	Mattress 7210-01-228-5728, Pad 7210-01-417-5532	FOB	EA	\$259.68
Box Spring "Dormitory/Barracks Style"	7210-01-163-3444	75 x 36 x 6-1/2"	Twin	Mattresses 7210-00-139-6424 & 7210-01-076-1086	FOB	EA	\$113.33
Box Spring "Dormitory/Barracks Style"	7210-00-582-7540	75 x 38 x 6-1/2"	Twin or bunk	Mattresses 7210-00-139-6411, 7210-01-076-1088, & 7210-01-076-1089	FOB	EA	\$113.33
Box Spring "Dormitory/Barracks Style"	7210-00-110-8104	80 x 38 x 6-1/2"	Twin Extra Long	Mattresses 7210-00-110-8102, 7210-01-075-8359, & 7210-01-076-9029	FOB	EA	\$113.33
Box Spring "Hospitality Style A"	7210-01-324-3848	75 x 36 x 6-1/2"	Twin	Mattress 7210-01-324-3851, Pad 7210-01-306-3244	FOB	EA	\$124.40
Box Spring "Hospitality Style A"	7210-01-324-8803	75 x 38 x 6-1/2"	Twin or Bunk Box Spring	Mattresses 7210-01-324-7988 & 7210-01-325-2313, Pad 7210-01-306-3247	FOB	EA	\$123.02
Box Spring "Hospitality Style A"	7210-01-324-8805	75 x 53 x 6-1/2"	Full	Mattress 7210-01-324-7989, Pad 7210-01-417-5531	FOB	EA	\$135.46
Box Spring "Hospitality Style A"	7210-01-324-8804	80 x 38 x 6-1/2"	Twin Extra Long	Mattresses 7210-01-324-6948 & 7210-01-324-8812, Pad 7210-01-306-3251, Blanket 7210-01-054-7911	FOB	EA	\$129.93
Box Spring "Hospitality Style A"	7210-01-324-7977	80 x 36 x 6-1/2"	Twin Extra Long	Mattresses 7210-01-324-6946 & 7210-01-324-6947, Pad 7210-01-306-3250	FOB	EA	\$129.93
Box Spring "Hospitality Style A"	7210-01-324-7978	80 x 53 x 6-1/2"	Full Extra Long	Mattresses 7210-01-324-6949 & 7210-01-324-8813, Pad 7210-01-417-5530	FOB	EA	\$154.79
Box Spring "Hospitality Style A"	7210-01-324-8806	80 x 60 x 6-1/2"	Queen	Mattress 7210-01-324-7990 & 7210-01-325-2315, Pad 7210-01-417-5532	FOB	EA	\$158.94
Box Spring "Hospitality Style B"	7210-01-324-8807	75 x 36 x 6-1/2"	Twin	Mattresses 7210-01-324-6950 & 7210-01-325-2295	FOB	EA	\$123.02
Box Spring "Hospitality Style B"	7210-01-324-8808	80 x 36 x 6-1/2"	Twin Extra Long	Mattresses 7210-01-324-6951 & 7210-01-325-2296, Pad 7210-01-306-3250	FOB	EA	\$123.02
Box Spring "Hospitality Style B"	7210-01-325-0611	75 x 38 x 6-1/2"	Twin	Mattresses 7210-01-324-6952 & 7210-01-325-3696, Pad 7210-01-306-3247	FOB	EA	\$123.02
Box Spring "Hospitality Style B"	7210-01-325-0613	80 x 53 x 6-1/2"	Full Extra Long	Mattresses 7210-01-324-7984 & 7210-01-325-2299, Pad 7210-01-417-5530	FOB	EA	\$135.46
Box Spring "Hospitality Style B"	7210-01-325-3698	80 x 38 x 6-1/2"	Twin Extra Long	Mattress 7210-01-324-7982 & 7210-01-325-2297, Pad 7210-01-306-3251	FOB	EA	\$123.02

Felt Bed Mattress

Item	NSN	Size	Color/Type	Icon	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Felt Bed Mattress "Institutional Bunk Style"	7210-00-139-6517	72-1/2 x 26 x 4"	Bunk	Plastics Removal in Marine Environments	Pad 7210-00-230-1041	FOB	EA	\$92.60
Felt Bed Mattress "Institutional Bunk Style"	7210-00-139-6538	77 x 28 x 4"	Bunk	Plastics Removal in Marine Environments	Pad 7210-00-230-1041	FOB	EA	\$95.37
Felt Bed Mattress "Institutional Bunk Style"	7210-00-139-6555	78 x 31 x 4"	Bunk	Plastics Removal in Marine Environments		FOB	EA	\$95.37
Felt Bed Mattress "Institutional Bunk Style"	7210-01-417-9691	79 x 26 x 4"	Bunk	Plastics Removal in Marine Environments		FOB	EA	\$95.37
Felt Bed Mattress "Institutional Bunk Style"	7210-01-417-9694	76 x 25 x 4"	Bunk	Plastics Removal in Marine Environments		FOB	EA	\$88.46
Felt Bed Mattress "Infirmary Bunk Style"	7210-01-417-9701	79 x 26 x 4"	Bunk			FOB	EA	\$82.93
Felt Bed Mattress "Infirmary Bunk Style"	7210-01-417-9696	74 x 28 x 4"	Bunk			FOB	EA	\$88.46
Felt Bed Mattress "Infirmary Bunk Style"	7210-01-417-9705	75 x 36 x 4"	Bunk			FOB	EA	\$103.66

Innerspring Mattress

Item	NSN	Size	Color/ Type	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Innerspring Mattress	7210-01-228-5726	75 x 38 x 8-1/2"	Twin	Box Spring 7210-01-228-5735, Pad 7210-01-306-3247	FOB	EA	\$224.33
Innerspring Mattress	7210-01-228-5727	75 x 53 x 8-1/2"	Full	Box Spring 7210-01-228-5736, Pads 7210-01-417-5532 & 7210-00-753-3042	FOB	EA	\$242.14
Innerspring Mattress	7210-01-292-2551	80 x 38 x 8-1/2"	Twin Extra Long	Box Spring 7210-01-291-9511, Pad 7210-01-306-3251	FOB	EA	\$227.71
Innerspring Mattress	7210-01-292-2552	80 x 53 x 8-1/2"	Full Extra Long	Box Spring 7210-01-291-9512, Pad 7210-01-417-5530	FOB	EA	\$305.75
Innerspring Mattress	7210-01-228-5728	80 x 60 x 8-1/2"	Queen	Box Spring 7210-01-228-5737, Pad 7210-01-417-5532, Fitted Sheet 7210-01-417-9698, Flat Sheet 7210-01-458-7212	FOB	EA	\$274.00
Innerspring Mattress	7210-01-228-5729	80 x 76 x 8-1/2"	King	Box Spring 7210-01-228-5738 (PR)	FOB	EA	\$351.87
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-077-9358	78 x 36 x 6-1/2"	Twin Extra Long		FOB	EA	\$123.02
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-8730	76 x 29 x 6-1/2"	Bunk	Pad 7210-01-306-3243	FOB	EA	\$117.48
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-139-6424	75 x 36 x 6-1/2"	Twin Narrow	Box Spring 7210-01-163-3444, Pad 7210-01-306-3244	FOB	EA	\$116.05
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-1086	75 x 36 x 6-1/2"	Twin Narrow	Box Spring 7210-01-163-3444, Pad 7210-01-306-3244	FOB	EA	\$123.02
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-139-6411	75 x 38 x 6-1/2"	Twin or Bunk	Box Spring 7210-00-582-7540, Pad 7210-01-306-3247	FOB	EA	\$120.24
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-1089	75 x 38 x 6-1/2"	Twin or Bunk	Box Spring 7210-00-582-7540, Pad 7210-01-306-3247	FOB	EA	\$124.40
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-1088	75 x 38 x 6-1/2"	Twin	Box Spring 7210-00-582-7540, Pad 7210-01-306-3247	FOB	EA	\$124.40

Innerspring Mattress, continued

Item	NSN	Size	Color/ Type	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-139-6434	75 x 53 x 6-1/2"	Full	Box Spring 7210-00-582-7541, Pads 7210-00-753-3042 & 7210-01-417-5531	FOB	EA	\$179.20
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-177-3627	76 x 29 x 6-1/2"	Twin	Pad 7210-01-306-3243	FOB	EA	\$124.40
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-205-3585	76 x 29 x 6-1/2"	Bunk	Pad 7210-01-306-3243	FOB	EA	\$116.08
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-177-1491	78 x 36 x 6-1/2"	Twin Narrow Extra Long	Pad 7210-01-306-3250	FOB	EA	\$140.25
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-716-0706	78 x 36 x 6-1/2"	Twin	Pad 7210-01-306-3250	FOB	EA	\$143.06
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-205-3534	78 x 39 x 6-1/2"	Twin Extra Long	Pad 7210-01-883-8492	FOB	EA	\$131.31
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-1084	78 x 39 x 6-1/2"	Twin		FOB	EA	\$123.34
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-177-1496	79 x 39 x 6-1/2"	Twin Extra Long		FOB	EA	\$127.16
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-075-8358	80 x 36 x 6-1/2"	Twin Extra Long	Pads 7210-01-761-1470 & 7210-01-306-3250	FOB	EA	\$140.25
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-139-6428	80 x 36 x 6-1/2"	Twin Narrow Extra Long	Pads 7210-00-761-1470 & 7210-01-306-3250	FOB	EA	\$128.54
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-076-9029	80 x 38 x 6-1/2"	Twin Narrow Extra Long	Box Spring 7210-00-110-8104, Pad 7210-01-306-3251, Flat Sheet 7210-01-116-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$124.40
Innerspring Mattress "Dormitory/ Barracks Style"	7210-01-075-8359	80 x 38 x 6-1/2"	Twin Extra Long	Box Spring 7210-00-110-8104, Pad 7210-01-306-3251, Flat Sheet 7210-01-116-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$124.40
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-110-8102	80 x 38 x 6-1/2"	Twin Extra Long	Box Spring 7210-00-110-8104, Pad 7210-01-306-3251, Flat Sheet 7210-01-116-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$124.40
Innerspring Mattress "Dormitory/ Barracks Style"	7210-00-110-8103	80 x 53 x 6-1/2"	Full Extra Long	Pad 7210-01-417-5530	FOB	EA	\$174.14
Innerspring Mattress "Hospital Style"	7210-01-138-8177	75 x 36 x 6-1/2"	Twin Narrow		FOB	EA	\$127.16
Innerspring Mattress "Hospital Style"	7210-00-529-3709	80 x 36 x 6-1/2"	Twin Extra Long	Pads 7210-00-761-1470 & 7210-01-306-3250	FOB	EA	\$135.46
Innerspring Mattress "Hospitality Style A"	7210-01-324-3851	75 x 36 x 9"	Twin	Box Spring 7210-01-324-3848, Pad 7210-01-306-3244	FOB	EA	\$145.12
Innerspring Mattress "Hospitality Style A"	7210-01-324-7988	75 x 38 x 9"	Twin or Bunk	Box Spring 7210-01-324-8803, Pad 7210-01-306-3247	FOB	EA	\$145.12
Innerspring Mattress "Hospitality Style A"	7210-01-325-2313	75 x 38 x 9"	Twin or Bunk	Box Spring 7210-01-324-8803, Pad 7210-01-306-3247	FOB	EA	\$145.12
Innerspring Mattress "Hospitality Style A"	7210-01-324-7989	75 x 53 x 9"	Full	Box Spring 7210-01-324-8805, Pad 7210-00-753-3042 or 7210-01-417-5531, Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$170.00
Innerspring Mattress "Hospitality Style A"	7210-01-324-6946	80 x 36 x 9"	Twin Extra Long	Box Spring 7210-01-324-7977, Pad 7210-01-306-3250	FOB	EA	\$145.12
Innerspring Mattress "Hospitality Style A"	7210-01-324-6947	80 x 36 x 9"	Twin Extra Long	Box Spring 7210-01-324-7977, Pad 7210-01-306-3250	FOB	EA	\$145.12

Innerspring Mattress, continued

Item	NSN	Size	Color/ Type	Suitable with:	FOB: Origin Transportation cost not included	U/I	Price
Innerspring Mattress "Hospitality Style A"	7210-01-324-8812	80 x 38 x 9"	Twin Extra Long	Box Spring 7210-01-324-8804, Pad 7210-01-306-3251, Flat Sheet 7210-01-119-6416, Fitted Sheet 7210-01-417-9688, Blanket 7210-00-054-7911	FOB	EA	\$145.12
Innerspring Mattress "Hospitality Style A"	7210-01-324-6948	80 x 38 x 9"	Twin Extra Long	Box Spring 7210-01-324-8804, Pad 7210-01-306-3251, Flat Sheet 7210-01-119-6416, Fitted Sheet 7210-01-417-9688, Blanket 7210-00-054-7911	FOB	EA	\$145.12
Innerspring Mattress "Hospitality Style A"	7210-01-324-6949	80 x 53 x 9"	Full Extra Long	Box Spring 7210-01-324-7978, Pad 7210-01-417-5530, Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$196.27
Innerspring Mattress "Hospitality Style A"	7210-01-324-8813	80 x 53 x 9"	Full Extra Long	Box Spring 7210-01-324-7978, Pad 7210-01-417-5530, Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$196.27
Innerspring Mattress "Hospitality Style A"	7210-01-324-7990	80 x 60 x 9"	Queen	Box Spring 7210-01-324-8806, Pad 7210-01-417-5532, Flat Sheet 7210-01-458-7212, Fitted Sheet 7210-01-417-9698	FOB	EA	\$207.31
Innerspring Mattress "Hospitality Style A"	7210-01-325-2315	80 x 60 x 9"	Queen	Box Spring 7210-01-324-8806, Pad 7210-01-417-5532, Flat Sheet 7210-01-458-7212, Fitted Sheet 7210-01-417-9698	FOB	EA	\$207.31
Innerspring Mattress "Hospitality Style B"	7210-01-324-6950	75 x 36 x 8"	Twin	Box Spring 7210-01-324-8807, Pad 7210-01-306-3244	FOB	EA	\$127.16
Innerspring Mattress "Hospitality Style B"	7210-01-325-2295	75 x 36 x 8"	Twin	Box Spring 7210-01-324-8807, Pad 7210-01-306-3244	FOB	EA	\$127.16
Innerspring Mattress "Hospitality Style B"	7210-01-324-6952	75 x 38 x 8"	Twin	Box Spring 7210-01-325-0611, Pad 7210-01-306-3247	FOB	EA	\$129.93
Innerspring Mattress "Hospitality Style B"	7210-01-325-3696	75 x 38 x 8"	Twin	Box Spring 7210-01-325-0611, Pad 7210-01-306-3247	FOB	EA	\$129.93
Innerspring Mattress "Hospitality Style B"	7210-01-324-6951	80 x 36 x 8"	Twin Extra Long	Box Spring 7210-01-324-8808, Pad 7210-01-306-3250	FOB	EA	\$129.93
Innerspring Mattress "Hospitality Style B"	7210-01-325-2296	80 x 36 x 8"	Twin Extra Long	Box Spring 7210-01-324-8808, Pad 7210-01-306-3250	FOB	EA	\$129.93
Innerspring Mattress "Hospitality Style B"	7210-01-325-2297	80 x 38 x 8"	Twin Extra Long	Box Spring 7210-01-325-3698, Pad 7210-01-306-3251, Flat Sheet 7210-01-119-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$132.68
Innerspring Mattress "Hospitality Style B"	7210-01-324-7982	80 x 38 x 8"	Twin Extra Long	Box Spring 7210-01-325-3698, Pad 7210-01-306-3251, Flat Sheet 7210-01-119-6416, Fitted Sheet 7210-01-417-9688	FOB	EA	\$132.68
Innerspring Mattress "Hospitality Style B"	7210-01-325-2299	80 x 53 x 8"	Full Extra Long	Box Spring 7210-01-325-0613, Pad 7210-01-417-5530, Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$170.00
Innerspring Mattress "Hospitality Style B"	7210-01-324-7984	80 x 53 x 8"	Full Extra Long	Box Spring 7210-01-325-0613, Pad 7210-01-417-5530, Flat Sheet 7210-01-119-6417, Fitted Sheet 7210-01-417-9704	FOB	EA	\$170.00

Mattress Cover/Pad/Protector

Item	NSN	Dimensions	Color	Icon	U/I	Price
Mattress Pad	7210-01-306-3249	75 x 63"	White	Plastics Removal in Marine Environments	BX (6 EA)	\$188.01
Mattress Pad	7210-01-417-5531	75 x 53"	White		BX (6 EA)	\$179.55
Mattress Cover	7210-00-883-8492	82-1/2 x 43-1/2"	White			\$16.28
Mattress Pad	7210-01-306-3244	75 x 36"	White		BX (6 EA)	\$177.89
Mattress Pad	7210-00-227-1526	75 x 36"	White		BX (18 EA)	\$428.13
Mattress Pad	7210-01-306-3247	75 x 38"	White		BX (6 EA)	\$172.44
Mattress Pad	7210-00-753-3042	75 x 52"	White		DZ	\$366.52
Mattress Pad	7210-01-306-3250	80 x 36"	White		BX (6 EA)	\$174.37
Mattress Pad	7210-01-306-3251	80 x 38"	White		BX (6 EA)	\$182.88
Mattress Pad	7210-01-417-5532	80 x 60"	White		BX (6 EA)	\$229.77
Mattress Pad	7210-01-306-3246	84 x 36"	White		BX (6 EA)	\$160.83
Mattress Protector	7210-00-761-1470	81 x 36 x 6-1/2"	White or Clear		BX (6 EA)	\$56.52

Bed Linen/Sheets

Item	NSN	Dimensions	Color	Icon	U/I	Price
Bed Sheet	7210-01-119-6415	96 x 66" (Twin)	White	Plastics Removal in Marine Environments	DZ	\$72.25
Bed Sheet	7210-01-119-6416	102 x 66" (Twin XLong)	White	Plastics Removal in Marine Environments	DZ	\$74.75
Bed Sheet	7210-01-119-6417	102 x 81" (Full)	White	Plastics Removal in Marine Environments	DZ	\$89.70
Bed Sheet	7210-01-168-4473	106 x 72" (Twin XLong)	White	Plastics Removal in Marine Environments	DZ	\$98.21
Bed Sheet	7210-00-844-9113	114 x 72" (Twin)	Gray-Green	Plastics Removal in Marine Environments	DZ	\$77.87

Pillow/Pillowcase/Protector

Item	NSN	Dimensions	Color	Icon	Suitable with:	U/I	Price
Pillow	7210-00-682-6601	15 x 11"	White, (Travel Size)		Pillowcase 7210-00-833-8494	BX (10 EA)	\$41.26
Pillow	7210-01-395-7921	26 x 20" (Std)	White			EA	\$9.25
Pillow	7210-00-894-1144	26 x 20" (Std)	White			EA	\$12.33
Pillow	7210-01-417-5533	26 x 20" (Std)	White			EA	\$22.01
Pillow	7210-01-448-9432	26 x 20" (Std)	White			EA	\$15.99
Pillow	7210-01-515-1069	26 x 20" (Std)	Blue			PG (12 EA)	\$170.31
Pillow	7210-00-205-3205	28 x 21" (Std)	Blue/White				\$19.90
Pillowcase	7210-00-259-9004	27-1/2 x 20-1/2" (Std)	White			DZ	\$43.92
Pillowcase	7210-00-259-8897	32-1/2 x 20-1/2" (On)	White	Plastics Removal in Marine Environments		DZ	\$47.23
Pillowcase	7210-00-259-9005	32-1/2 x 22-1/4 x" (On)	White	Plastics Removal in Marine Environments		DZ	\$48.00
Pillowcase, Disposable	7210-00-883-8494	17 x 12"	White, (Travel Size)	Plastics Removal in Marine Environments	Pillow 7210-00-682-6601	PG (100 EA)	\$48.62
Pillow Protector	7210-00-958-9118	27 x 20" (Std)	White or Clear				\$35.83

Bedspreads/Blankets

Item	NSN	Dimensions	Color	Icon	U/I	Price
Bedsread	7210-01-488-9183	88 x 56" (Twin)	Fed Std 595 No. 30475 (Tan)	Plastics Removal in Marine Environments	EA	\$48.25
Bedsread	7210-01-488-9185	103 x 63" (Twin)	Fed Std 595 No. 30475 (Tan)	Plastics Removal in Marine Environments	EA	\$56.23
Bedsread	7210-01-488-9184	103 x 63" (Twin)	Fed Std 595 No. 35183 (Blue)	Plastics Removal in Marine Environments	EA	\$56.23
Bedsread	7210-01-488-9186	103 x 63" (Twin)	Fed Std 595 No. 25240 (Lt. Blue)	Plastics Removal in Marine Environments	EA	\$51.97
Bedsread	7210-01-488-9180	103 x 76" (Twin)	Fed Std 595 No. 30475 (Tan)	Plastics Removal in Marine Environments	EA	\$61.67
Bedsread	7210-01-488-9181	103 x 76" (Twin)	Fed Std 595 No. 35183 (Blue)	Plastics Removal in Marine Environments	EA	\$59.83
Blanket	7210-00-054-7911	90 x 66" (Twin)	White		DZ	\$91.29
Blanket	7210-00-177-4986	96 x 72"	Multi-colored		DZ	\$221.20

Bath Linens and Furnishings

Hand Towel

Huck-weave cotton hand towel.

Solid without a stripe. Hemmed or selvage edges.

Plastics Removal in Marine Environments

7210-00-243-1019, 30-250ST-N-W or Equal, White, 35 x 16-1/2", DZ, \$20.70

Bleached white cotton terry-cloth hand towel with hemmed or selvage edges.

Minimum-weight: 3 lbs. per dozen.

Plastics Removal in Marine Environments

7210-01-051-5839, 16x27NEWTEERR or Equal, White, 27 x 16", DZ, \$20.70

Bath Towel

Single-loop cotton terry-cloth bath towel with hemmed or selvage edges.

Minimum-weight: 5.5 lbs. per dozen. "US" marked in 1-inch black letters on one end.

Plastics Removal in Marine Environments

7210-01-051-5837, White, 40 x 20", DZ, \$32.20

Washcloth

Single-loop cotton terry-cloth washcloth with hemmed or selvage edges.

Minimum-weight: 11 oz. per dozen.

IAW A-A-55303

Plastics Removal in Marine Environments

7210-01-129-0120, White, 12 x 12", DZ, \$9.20

Minimum-weight: 16 oz. per dozen.

IAW A-A-55303

Plastics Removal in Marine Environments

7210-00-718-8325, White, 12 x 12", DZ, \$10.06

Shower Mat

Rubber or plastic mat is flexible and has a patterned, non-slip surface. Perforated to encourage drainage.

Postconsumer Material Recovered Material

Plastics Removal in Marine Environments, Comprehensive Procurement Guideline Compliant,

7220-00-634-1601, 67471601 or equal, Light Gray, 20" x 20", EA, \$18.09

Shower Curtain

One panel vinyl shower curtain is mildew and fungus resistant. Includes a reinforced hem and rust-proof metal or plastic grommets or embossed heat sealed grommets.

7230-00-247-1280, AbilityOne, Opaque White, 78 x 36", EA, \$12.81

7230-00-849-9839, AbilityOne, Opaque White, 72 x 36", EA, \$11.79

7230-00-849-9838, AbilityOne, Opaque White, 72 x 72", EA, \$16.99

7230-00-205-1762, AbilityOne, Transparent/Colorless, 72 x 50", EA, \$13.67

Shower Curtain Hook

Spring-clip-style hooks attach easily to shower rods up to 1" in diameter. Made of chrome-plated steel.

Plastics Removal in Marine Environments

7230-00-252-3394, 30571 or equal, Length: 2-5/8 to 3", BX(contains 100 EA), \$6.56

Urinal Floor Mat

Disposable slip resistant mat is for use around urinals to neutralize odors and control stains. Synthetic rubber or plastic mat is impregnated with a fresh scent for odor control.

Material Safety Data Sheet

7220-01-586-3333, AbilityOne, Charcoal Gray, 17.5" L x 20.5" W x 1/4" T, BX(contains 6 EA), \$67.80

Toilet Floor Mat

Disposable slip resistant mat is for use around toilets to neutralize odors and control stains. Synthetic rubber or plastic mat is impregnated with a fresh scent for odor control.

Material Safety Data Sheet

7220-01-586-3334, AbilityOne, Charcoal Gray, 22" L x 22" W x 1/4" T, BX(contains 6 EA), \$70.76

Toilet Seat

Solid plastic seat has a smooth, glossy surface with plastic bumpers on the underside. Mounting and hinge hardware included.

Open-front, elongated-rim seat fits standard commercial toilet bowls. Self-sustaining metal or stainless steel hinges hold seat firmly in upright position. Seat does not have a cover.

4510-00-247-1370, 1955CT-047 or equal, Black, 18-1/2" L x 14.5" W, EA, \$36.82

Heating, Venting and Cooling

Circulating Fan

Beat the heat with this high-velocity, two-speed fan. Use on the floor, desk or wall as an air circulator. It may also be used in the window for exhaust or intake purposes. The plastic blades circulate a minimum of 2600 CFM of air in any direction at a 180-degree tilt. The tubular frame has a safety guard. This fan is free from radio interference. Operates on 110 to 120 volts AC 60-cycle power and has a 10-foot-long, three-conductor cord and plug. Conforms to UL standards.

Minimum 2600 cfm air flow.

Federal Strategic Sourcing Initiative, 4140-00-961-5480, Blade: 14" Dia., EA, \$66.91

Stay cool with this column-mounted, two-speed (minimum) pedestal fan that adjusts to heights up to 96". Head of fan tilts 5° below and 15° above horizontal. A safety guard completely covers the metal or rigid plastic blade assembly. Fan operates on 115V AC, 60-Hz power and has a three-conductor 10-foot power cord. Conforms to UL standards.

Oscillates a minimum of 80° and can be locked at any point on that oscillation range.

Fan provides 8050 cfm air flow.

Federal Strategic Sourcing Initiative, 4140-01-278-1527, Blade: 30" Dia., EA, \$419.87

Keep cool with this three-speed oscillating fan. Features on-off switch and low, medium, and high speeds. Wall or desk mount; oscillates 80°; converts from wall to desk with no tools. Made with three impact-resistant plastic blades and a three-wire eight-foot electrical supply cord with an integral ground. Operates on 115V AC, 60-Hz, single-phase power. Conforms to UL standards.

Minimum 2000 cfm air flow.

Federal Strategic Sourcing Initiative, 4140-00-256-9912, Blade: 12" Dia., EA, \$39.69

Minimum 4000 cfm air flow.

Federal Strategic Sourcing Initiative, 4140-00-851-9319, Blade: 16" Dia., EA, \$45.51

Space Heater

Portable electric unit heats small rooms or areas. Features a convenient carrying handle and a protective grill. Automatic thermostat control with a "positive off" feature.

Baseboard-style, low silhouette heater is natural convection type. Includes rod-type elements with heat-radiating metal fins. Automatic thermostat control ranges from 45 to 120° F.

Fan operates on 120V AC, 1000w power. In the event that the unit is tipped over, an automatic switch immediately turns the unit off. Includes a three-prong plug, 15-amp rated plug and cord. (Product dimensions may vary by manufacturer.) NEMA configuration 5-15P. Heater conforms to UL Standard 1042.

Federal Strategic Sourcing Initiative, 4520-00-865-5939, 47-1/2" W, 7" H, 4-1/4" D, EA, \$56.38

Upright-style heater comes in handy for small rooms or small areas. Features a fan-forced for heat circulation. Heater includes a positive on-off manual switch and “off” position marked on thermostat.

Fan operates on 120V AC power. In the event that the unit is tipped over, an automatic switch immediately turns the unit off. Includes a three-prong plug, 15-amp rated plug and cord. (Product dimensions may vary by manufacturer.) NEMA configuration 5-15P. Heater conforms to UL Standard 1278.

4520-00-555-8696, 31TR33 or equal, EA, \$103.50

Fan operates on 240V AC power. Adjustable automatic thermostat control ranges from 60 to 90° F. Includes a three-prong plug, 20-amp rated plug and cord. Heater does not include a tip-over switch. (Product dimensions may vary by manufacturer.) NEMA configuration 6-20P. Heater conforms to UL Standard 1278.

4520-00-540-2038, H474TMC or equal, EA, \$318.55

Water Coolers and Fountains

Office Water Cooler

Fresh water at your fingertips. Bubbler-style drinking water dispenser gives a stream of water that arches from the outlet to the drain pan. Attaches to normal, pressurized water supply pipe. Electrically cooled unit has a self-closing faucet and is encased in a steel cabinet. With corrosion-resistant fittings and a three-wire cord. Operates on 110 to 120 volts AC, 60-Hz power. Meets UL and industry standards. Certified lead free by the manufacturer.

EPA WaterSense

Federal Strategic Sourcing Initiative, 4110-00-255-8760, 25-1/2" D x 38 to 44" H, 9-1/2 gph Draw min., EA, \$491.11

Sodium Chloride (Salt)

Water conditioning salt is in crystal form and comes in large granules (rock, solar or evaporated). Has a minimum purity level of 97.5 percent.

IAW A-A-694

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6810-00-227-0437, NGT-227-0437 or equal, BG(contains 80 LB), \$97.38

SAFETY PRODUCTS

IN THIS SECTION

Personal Protection and Supplies	338
Medical and First Aid	339
Protective Gear	342
Signs, Reflectors and Identifiers	346
Mats and Matting	349
Security Cabinets	355
Damage Control Bags	364

Personal Protection and Supplies

Fire Extinguisher

Designed for extinguishing small fires. Ratings are based on UL 711 testing, which uses the following classes: Class A: Wood and paper fires; Class B: Flammable liquid fires; Class C: Can be used in the presence of charged electrical circuits. Weights noted are the approximate amount of extinguishing agent with which charged extinguishers are supplied. Please note that multi-purpose phosphate and bicarbonate leaves a powdery residue that can damage delicate instruments.

Dry chemical for class A:B:C: Type fires (multi-purpose phosphate).

Rating is 1A:10B:C with a 2-1/2 lb. charge. Has stored pressure and is refillable. DOT/USCG approved vehicle/marine mounting bracket is included.

Material Safety Data Sheet

4210-01-245-9850, 13315 or equal, EA, \$40.23

Rating is 4A:60B:C with a 10-lb. charge. Has stored pressure and is refillable. Wall mounting bracket is included.

Material Safety Data Sheet

4210-00-889-2491, 11340 or equal, EA, \$145.73

Rating is 10A:120B: C: with a 20-lb. charge. Has stored pressure and is refillable. Wall-mounting bracket included.

Material Safety Data Sheet

4210-00-889-2492, 12120 or equal, EA, \$139.66

Dry chemical for class B:C type fires (potassium bicarbonate).

Rating is 10B:C with 2-1/2-lb. charge. Has stored pressure and is refillable. Vehicle mounting bracket is included.

Material Safety Data Sheet

4210-00-965-1105, 13515 or equal, EA, \$48.31

Rating is 20B:C with a 5-lb. charge. Has stored pressure and is refillable. Vehicle mounting bracket is included.

Material Safety Data Sheet

4210-00-775-0127, 21006159 with bracket UB-10 or equal, EA, \$83.27

Rating is 80B:C with a 10-lb. charge. Has stored pressure and is refillable. Wall mounting bracket is included.

Material Safety Data Sheet

4210-00-965-1107, 468002 or equal, EA, \$132.96

Carbon dioxide (CO2) fire extinguisher. UL 154. USCG approved for marine use.

Rating is 5B:C with a 5-lb. charge. USCG approved mounting bracket is included.

Material Safety Data Sheet

4210-00-595-1777, 45100 or equal, EA, \$241.90

Smoke Detector

Battery-powered smoke detector for residential application features solid state circuitry with test capability for smoke sensing and alarm with automatic reset. Includes hardware for ceiling or wall mounting and 9 volt battery.

36-month maximum shelf life (not extendable).

6350-01-094-4171, P9050 or equal, EA, \$15.08

Blanket

This heavyweight, twill blanket is woven from blended yarns consisting of a minimum of 80 percent wool, a minimum of 10 percent nylon, and a maximum of 10 percent rayon, cotton and other fibers. Edges are finished with over-edge stitching with thread matching the fabric color.

Plastics Removal in Marine Environments

7210-00-205-2804, WBHG84 or equal, Heather, 84 x 66", EA, \$17.96

Sand Bag

I.A.W. A-A-52141, Class A, Mildew-resistant single wall, sand bag is intended for use in the construction of field fortifications and flood-control structures. Opens at one end with tie string closure.

Made of jute or kenaf burlap.

Textile Weight 6.8 oz. per sq. yd, Load capacity 50 lbs

8105-00-285-4744, Brown or Green, 14"W x 26"H, HD, \$117.25

I.A.W. A-A-52141, Class B, Mildew-resistant single wall, sand bag is intended for use in the construction of field fortifications and flood-control structures. Opens at one end with tie string closure.

Mildew Resistant; Made of osnaburg cotton (one piece)

Textile Weight 6.8 oz. per sq. yd, load capacity 44 lbs

8105-00-965-2509, SKILCRAFT, AbilityOne, Natural, 14"W x 26"H, HD, \$484.53

I.A.W. A-A-52142, Type II, Color 1, Army Combat Uniform Digital Camouflage (ACU). No seams, double stitching on the bottom of bag with UV1600 coating and 38" long strings attached. Made of polypropylene in army combat uniform pattern. One hundred bags per package.

Textile Weight 80.00 GSM (0.262 OZ / Per Square Foot)

8105-01-568-1328, SKILCRAFT, AbilityOne, Digital Camouflage, 17"W x 27"H, HD, \$63.13

First Aid

First Aid Kit

For use in vehicles or small crews. Comes in a metal hanging case.

First aid kit is suitably equipped for all users. Kit contains: antiseptic kit; two body fluids barrier kits; 25 bandages (woven adhesive); 12 knuckles bandages; 16 butterfly closure bandages; two elastic bandage rolls; triangular bandage; two pairs of non-latex, powder free gloves; three rolls of adhesive tape; four 4x4 moleskin bagged; chemical cold pack; eye wash solution; one 1/2 ounce bar of soap; one bottle of calamine lotion; 15 (2-pack) aspirin tablets; 15 (2-pack) acetaminophen tablets; two patient information tags; forceps; paramedic shears; two antiseptic towelettes; lead pencil. Includes instructions for mouth-to-mouth barrier use, first aid manual, and contents list. Type II: Small Crew

8 to 10 Person first aid kit.

24-month maximum shelf life (not extendable).

6545-00-656-1093, AbilityOne, KT, \$76.31

Emergency water resistant kit is geared toward users with minimal first aid skills and background. Includes products for treating burns, cuts, scrapes, sprains, and other first aid needs. Includes a quick-reference first aid handbook.

Kit includes: rescue blanket; five butterfly bandages (large or medium); five 4" x 4" sterile gauze pads; five 3" x 3" sterile gauze pads; five knuckle bandages; five fingertip bandages; triple antibiotic (0.5 gram); burn dressing (8" x 8"); five cotton-tipped applicators; thermometer with case; five thermometer sheathes; wire splint; two finger splints; two bulky bandages (4" x 4 yds.); oval eye pad; two combine pads (5" x 9"); five adhesive bandages (1" x 3"); large cold pack; adhesive tape (1" x 10 yds.); 4" splinter forceps; 7-1/2" shears (Para-Med); two tongue blade bulk; first aid manual; penlight; six zip-lock bags (6" x 9"); five antiseptic wipes; zippered nylon or vinyl carrying bag. (Note: a quantity of four 4" x 4" or larger burn dressings may be provided in lieu of the 8" x 8" size.)

8 Person first aid kit.

6545-01-465-1846, 900-106 or Equal, AbilityOne, KT, \$74.28

Kit includes: three 54" x 80" emergency blankets; six rescue blankets; 100 butterfly bandages (large or medium); 200 4" x 4" sterile gauze pads; 200 4" x 4" non-sterile gauze pads; two 2" stretch-gauze bandage; three 3" stretch-gauze bandages; three 4" stretch-gauze bandages; four 4" x 4 yards bulky bandages; six oval-shaped eye pads; two 16-oz. eye wash refills; four multi-trauma dressings; six 5" x 9" combine pads; six 18" cardboard arm splints; six 18" cardboard wrist splints; six 24" cardboard leg splints; four triangular bandages; three 3" x 5 yards elastic bandages; three 4" x 5 yards elastic bandages; 100 1" x 3" adhesive bandages; eight large cold packs; six 1" x 10 yards adhesive tape; two 2" x 10 yards adhesive tape; six 50-count packages of facial tissues; two 4" splinter forceps; two 7-1/2" para-med shears; six bulk tongue blades; one first-aid manual; two penlights; 12 6" x 9" resealable bags; 100 antiseptic wipes; one 3" x 5" pad of paper; one writing pen; 50 2.1" x 1.5" info pads; two alkaline D-cell batteries; one flashlight (requires two D-cell batteries); zippered nylon or vinyl carrying bag. (Please note that additional 2" or 3" stretch gauze bandages may be supplied in place of the 4" size. In this case, you will receive an amount equal in measurement to the 4" bandage.)

50 Person first aid kit.

6545-01-465-1823, AbilityOne, KT, \$336.93

Kit includes: four rescue blankets; 25 butterfly bandages (large or medium); 100 4" x 4" sterile gauze pads; 200 4" x 4" non-sterile gauze pads; two 2" stretch-gauze bandages; two 3" stretch-gauze bandages; two 4" stretch-gauze bandages; three 4" x 4 yards bulky bandages; four oval-shaped eye pads; four 5" x 9" combine pads; two triangular bandages; two 3" x 5 yards elastic bandages; two 4" x 5 yards elastic bandages; 64 1" x 3" adhesive bandages; two large cold-packs; three rolls of 1" x 10 yards adhesive tape; two rolls of 2" x 10 yards adhesive tape; two 50-count packages of facial tissues; 4" splinter forceps; one 7-1/2" para-med shears; four bulk tongue blades; one first-aid manual; one penlight; six 6" x 9" resealable bags; 100 antiseptic wipes; zippered nylon or vinyl carrying bag. (Please note that additional 2" or 3" stretch gauze bandages may be provided in lieu of the 4" size. In this case, you will receive an amount equal in measurement to the 4" bandage.)

15 Person first aid kit.

6545-01-465-1800, AbilityOne, KT, \$143.64

First Aid Kit (Automobile)

Commercial kit is designed to be kept in an automobile. Kit includes: two 1" x 10 yards of gauze bandages; 1" x 2-1/2 yards roll of adhesive tape; six 3" x 3" sterile gauze pads; 12 1" x 3" adhesive bandages; bulk tourniquet; 1-oz. bottle of PVP solution; two paper cups; two packages of ammonia inhalants; two 1/4-oz. burn ointment; scissors; package of 40" triangular bandages; first-aid guide (single sheet). Comes with a metal carrying case.

6545-00-664-5313, 900-5313 or Equal, AbilityOne, KT, \$28.75

First Aid Kit (Small Office)

Small offices will find all the components necessary to handle minor medical emergencies in this kit. Consists of: 32 adhesive 1" x 3" bandages; 1" x 2-1/2 yds. adhesive tape on core; 12 gauze pads 2" x 2"; two 1" x 10-yds. gauze bandage; 2" x 10 yds. gauze bandage; 3" x 10 yds. gauze bandage; six eye pads; 40" triangular bandage in a poly bag; foil packet burn cream; 1/2-oz. bottle of antiseptic; 1/2-oz. cotton; three ammonia inhalant pads; ten loose latex, powder-free gloves; scissors. Includes first aid guide (single sheet) and label that reads "This Kit Contains Latex." Comes in a metal case.

25 Person first aid kit.

6545-00-663-9032, 129032 or Equal, AbilityOne, KT, \$38.97

Medical Supplies

Rite in the Rain EMS Notebook

Ensure that your patient's vital stat data is protected with top spiral bound on the 3 inch side, cover material: Polydura.

7530-01-536-2656, 112, Yellow, 5 1/4" L X 3" W, EA, \$3.62

Disposable Nitrile Gloves

Disposable nitrile ambidextrous gloves are powder-free and latex-free. Gloves fit tightly for a comfortable grip that reduces fatigue. Industrial-grade suitable for general-purpose use. 4 mil thick, 9-1/2" in length.

8415-01-492-0176, AbilityOne, Size: Small, BX(contains 100 EA), \$20.71

8415-01-492-0179, AbilityOne, Size: Medium, BX(contains 100 EA), \$20.71

8415-01-492-0178, AbilityOne, Size: Large, BX(contains 100 EA), \$20.71

8415-01-492-0180, AbilityOne, Size: Extra-Large, BX(contains 100 EA), \$20.71

Disposable Gloves

Disposable polyethylene gloves are powder-free, latex and sulphur-free. An ideal glove for food preparation, small parts handling, and for healthcare use. Non-sterile gloves are designed to fit either hand with a circumference of 8.5 to 9.0" (Contains no latex). Complies with FDA regulation.

8415-01-392-8448, AbilityOne, Size: Medium, BX(contains 200 EA), \$3.08

Adhesive Bandage

Plastic adhesive bandages intended for minor injuries. 1" x 3" strips are suitable for use in first aid kits. Flesh colored.

6510-01-464-0369, G106 or equal, PG(contains 100 EA), \$2.75

Applicator (Cotton Swab)

Cotton-tipped wooden applicator is disposable and packaged in an autoclavable bag. Non-sterile applicator has a diameter of 3/16".

6515-01-464-0432, 806WC or Equal, 6" Wooden Shaft, PG(contains 100 EA), \$1.32

Motion Sickness Bag

One-piece bag made of leakproof plastic comes with a plastic-coated wire tie. Comes folded in an envelope that reads: "MOTION SICKNESS BAG". Cubic Capacity 220.5 cubic inches.

8105-00-835-7212, SKILCRAFT , AbilityOne, Opaque, 12" L x 6-1/8" W x 3" H, MX, \$433.95

Pilot Relief Bag

Disposable, unisex mil-spec vinyl relief bags are compact, lightweight and easily stored. Leak-proof with airtight sealing system that traps waste and odor. This individually poly bagged relief unit has a capacity of 500cc and comes with a moist towelette.

Features absorbent hydrophilic granulated powder.

8105-00-922-9469, SKILCRAFT , AbilityOne, 12" L x 7" W x 1/2" H, EA, \$10.50

Infectious Waste Collection Isolation Bag

Bags are color coded and printed with "Infectious Waste" identifier in English and Spanish. Linear low density bags have a multi-layered star seal.

Extra heavy-duty bag.

Rack bag capacity.

8105-01-517-3662, SKILCRAFT , AbilityOne, Red, 30-1/2 W X 43" L, BX(contains 50 EA), \$33.06

50-55 gallon capacity.

8105-01-517-3664, SKILCRAFT , AbilityOne, Red, 37 W x 50" L, BX(contains 25 EA), \$28.06

Heavy-duty. Over all perimeter: "40.00"

33-gallon capacity.

8105-01-517-3660, SKILCRAFT , AbilityOne, Red, 33 W x 40" L, BX(contains 100 EA), \$30.10

40-45 gallon capacity.

8105-01-517-5540, SKILCRAFT , AbilityOne, Red, 40 W x 47" L, BX(contains 100 EA), \$42.60

Non-Contagious Linen Collection Isolation Bag

Non-contagious linen collection bags are not imprinted. Linear low-density bags have a multi-layered star seal.

Heavy-duty. Flat pack. Over all perimeter: "40.00"

Rack bag capacity 30-lbs, 70-lbs for maximum load.

8105-01-517-3665, SKILCRAFT , AbilityOne, Blue, 30-1/2 W x 43" L, BX(contains 100 EA), \$31.17

Sample/Specimen Shipping Container Assembly

These packages are designed for hazardous materials in packing groups I, II and III for transport by cargo air, highway, rail and sea (passenger air for packing group III materials). One quart cans with epoxy phenolic lining and welded side seams are tested to an internal pressure of 95 kPa. Each shipper includes an Armlock ring, expanded polystyrene end caps for cushioning and a pre-assembled fiberboard box. Shipper includes an Armlock ring to secure the paint can lid, expanded polystyrene end caps for cushioning, and pre-assembled fiberboard box.

8115-01-192-0935, 5.25" W x 6.5" H x 5.25" D, EA, \$67.99

Dog Tag Machine

Heavy-duty embosser or debosser for military dog tags and medical alert tags

NEW, 7490-01-664-3607, CIM ZM09209, 19"W x 19.5"L x 10.5"H, EA, \$11,148.41

Portable manual embosser or debosser for military dog tags and medical alert tags. No power required for operation. Easy to carry handle and lightweight 28 lbs design.

7490-00-688-9866, CIM M10-HE, 11"W x 17.5"L x 14.5"H, EA, \$4,459.13

Semi-Automatic embosser or debosser for military dog tags and medical alert tags. Operated via included keyboard or PC. Includes status indicator lights and emergency stop button for safe operation.

7490-01-632-8035, CIM ME1000, 25"W X 29"L X 15"H, EA, \$12,572.50

Head and Hearing Protection

Safety Goggles

Safety-type goggles provide eye protection against small flying particles of dust, chips and machine cuttings. Molded plastic flexible frame has clear plastic lenses and an adjustable elastic webbing headband. Goggles are ventilated to reduce fogging and can be worn over eyeglasses. Complies with ANSI Z87.1.

Plastics Removal in Marine Environments

4240-00-052-3776, UNICOR, Clear, PR, \$3.46

Wrap around style goggles for use as primary eye protection while performing any job that can possibly produce eye-damaging debris. Indirect ventilated goggles permit the passage of air and may prevent the direct passage of liquids from chemical splash hazards. Goggles consist of a polycarbonate plastic lens with a soft outer molded plastic frame and may be worn over most prescription glasses. Replaceable lens and adjustable elastic headband. Minimum 99 percent UV protection. Meets ANSI Z87.1

Plastics Removal in Marine Environments

4240-01-292-2818, UNICOR, Clear, PR, \$6.59

Safety Helmet

Helmet complies with ISEA/ANSI Z89.1 - American National Standard for Industrial Head Protection. Type I - Helmet is intended to reduce the force of impact resulting from a blow only to the top of the head. Class E - Electrical helmet is intended to reduce danger of contact exposure to high-voltage conductors. Samples are proof-tested at 20,000 volts (phase to ground). Helmet is equipped with suspension system, headband, adjustable nape and chin straps. Fits hat sizes 6-1/2 to 8".

Helmet style: Cap, front peak without headlamp clips.

Plastics Removal in Marine Environments

8415-00-935-3132, AbilityOne, Blue, EA, \$10.82

8415-00-935-3140, AbilityOne, Yellow, EA, \$10.82

8415-00-935-3139, AbilityOne, White, EA, \$10.82

Welder's Helmet

Full-coverage welder's face shield protects the head and neck from welding splatter and radiant energy. Features a 4.25" x 2" flip-up shade plate holder. Helmet includes headgear that can rotate up out of the way. No.10 shade plate and clear cover plate included. ANSI Z87.1

4240-00-540-0623, F706 or Equal, EA, \$50.31

Face Shield

Adjustable headgear includes ar crown protector with a flip-up faceshield. Clear plastic 9" x 17" window tilts up to provide clear view when protection is not required. Made of corrosion-resistant metal parts and slow-burning plastic parts.

ANSI Z87.1.

Plastics Removal in Marine Environments

4240-00-542-2048, UNICOR, EA, \$9.79

Disposable Particulate Respirator

Lightweight, low-profile design provides worker comfort and minimizes interference with eye protection. NIOSH N95 protection provides protection against non-oil particulates and is 95 percent efficient. Designed to function as a one-size-fits-all respirator to include adjustable straps and a pre-shaped metal noseband for customized nasal contour adjustment.

Includes an exhalation valve.

4240-01-492-0177, BX(contains 10 EA), \$33.35

Does not have an exhalation valve.

4240-01-463-5449, BX(contains 20 EA), \$71.30

Head Lamp

LED headlamp operates on three AAA alkaline batteries (included). Rotary bezel switch, adjustable cloth strap for use directly on the head, heavy-duty rubber strap for use with a helmet. Beam direction adjusts vertically from straight ahead to 30 degrees downward. Minimum light output 54 lumens, minimum runtime 10 hours, waterproof. Approved for use in hazardous locations in accordance with National Fire Protection Association Code 70 (National Electrical Code) Class I, II, and III, Division 1, Groups A, B, C, D, E, F and G, Temperature Class T4 conditions. For replacement batteries see NSNs 6135-01-446-8308 (PG/4) or 6135-00-826-4798 (PG/12).

6230-01-615-6035, 2690 or equal, EA, \$27.60

Clothing and Accessories

Lumbar Support

Ergonomically designed lumbar support belt that helps to provide greater comfort and lessen the chance of back strain. The support belt is designed for moderate lifting and features non-conductive flexible stays and tapers slightly from back to front. The elastic fabric ensures a comfortable fit and has a velcro closure over the abdominal area. Includes safety suspenders that are adjustable and detachable. Machine washable.

Fits 25" to 30" waist.

6515-01-463-5340, 1650-S or equal, Black, EA, \$15.52

Fits 29" to 38" waist.

6515-01-418-5404, OK-1000S Medium or equal, Black, EA, \$41.40

Fits 35" to 44" waist.

6515-01-413-9293, OK-1000S Large or equal, Black, EA, \$41.40

Fits 42" to 46" waist.

6515-01-411-0627, 1650-2XL or equal, Black, EA, \$15.52

Fits 46" to 52" waist.

6515-01-411-0626, 1650-3XL or equal, Black, EA, \$16.04

Rubber Gloves

Multi-purpose rubber gloves are designed for general purpose use. The gloves are made of 0.018 inch thick natural rubber latex with cotton flock lining. Features an embossed grip on palm and fingers.

8415-01-463-5927, GRFY-MD-1 76358351161 or equal, Yellow, Size: 8, Medium; Length: 13", DZ, \$12.75

8415-01-463-5934, GRFY-LG-1 76358351162 or equal, Yellow, Size: 9, Large; Length: 13", DZ, \$12.75

8415-01-463-5928, GRFY-XL-1 76358351163 or equal, Yellow, Size: 10, X-Large; Length: 13", DZ, \$12.75

High Visibility Vest

Safety vest is made of mesh base material. The open mesh design of body fabric is designed for high visibility in all light conditions while being light weight and allowing air circulation. The vest is designed as an outer garment to be worn over shirts, coats, or jackets and is not intended to provide weather protection.

Safety vest slips over-the-head with side closures.

The vest is composed of fluorescent orange polyester mesh base material with 1.5" white reflective striping on the front, back and edges. Hook and loop is matching fluorescent orange. ANSI 107-2015, Class 2 compliant.

8415-01-598-4865, AbilityOne, Fluorescent Orange, One Size Fits All, EA, \$38.42

The vest is fluorescent lime green polyester mesh base material with 1.5" white reflective striping on the front and back. Neck and edge binding is in matching fluorescent lime green. ANSI 107-2015, Class 2 compliant.

8415-01-598-4872, AbilityOne, Fluorescent Lime Green, One Size Fits All, EA, \$34.52

Safety vest with hook and loop front closure designed with six pockets and four pencil pockets in the front along the hem line. Pockets are matching lime green.

The vest is fluorescent lime green polyester mesh base material with 1.5" white reflective striping on the front, back and edges. ANSI 107-2015, Class 2 compliant.

8415-01-598-4867, AbilityOne, Fluorescent Lime Green, Medium, EA, \$35.18

8415-01-598-4868, AbilityOne, Fluorescent Lime Green, Large, EA, \$35.18

8415-01-598-4870, AbilityOne, Fluorescent Lime Green, Extra-Large, EA, \$35.18

Safety vest has front hook and loop closure.

The vest has fluorescent orange polyester mesh base material with 2" yellow-green reflective striping on the front, back and edges. ANSI/ISEA 107-2015, Class 2 compliant.

8415-01-598-4873, AbilityOne, Fluorescent Orange, One Size Fits All, EA, \$29.05

The vest is fluorescent lime polyester mesh base material with 2" white reflective striping on the front, back and edges. ANSI/ISEA 107-2015, Class 2 compliant.

8415-01-598-4875, AbilityOne, Fluorescent Lime Yellow, One Size Fits All, EA, \$29.05

Front hook and loop closure.

The vest is fluorescent lime yellow mesh base material with 2" white reflective striping on the front, back and edges. ANSI 107-2015, Class 3 compliant.

8415-01-598-4877, AbilityOne, Fluorescent Lime Yellow, Medium, EA, \$35.25

8415-01-598-4880, AbilityOne, Fluorescent Lime Yellow, Large, EA, \$35.25

8415-01-598-4881, AbilityOne, Fluorescent Lime Yellow, Extra-Large, EA, \$35.25

Safety vest is made of mesh base material and is flame resistant. The open mesh design of body fabric is designed for high visibility in all light conditions while being light weight and allowing air circulation. The vest is designed as an outer garment to be worn over shirts, coats, or jackets and is not intended to provide weather protection.

Safety vest has front hook and loop closure.

Flame resistant vest is fluorescent lime green polyester mesh base material with 1.5" white reflective striping on the front and back. Neck and edge binding is in matching fluorescent lime green. ANSI 107-2015, Class 2 compliant.

8415-01-664-0164, AbilityOne, Fluorescent Lime Green, Large, EA, \$91.56

The vest is fluorescent lime green polyester mesh base material with 1.5" white reflective striping on the front and back. Neck and edge binding is in matching fluorescent lime green. ANSI 107-2015, Class 2 compliant.

8415-01-664-0167, AbilityOne, Fluorescent Lime Green, Extra-Large, EA, \$91.56

High-Visibility Safety Clothing

High-visibility clothing for daytime and nighttime safety.

Safety vest.

Fluorescent nylon mesh safety vest provides high visibility for daytime and nighttime safety. Features 7 neon yellow and silver reflective stripes (two over the shoulders, one across the front, one across back, three across back panel). Possesses a long back panel for extra safety. Hook/loop side fastener adjusts girth. IAW A-A-59511

8415-01-464-6612, AbilityOne, Fluorescent Orange, EA, \$32.59

Vinyl-coated fluorescent mesh safety vest specifically designed for military personnel wearing field packs. The over-the-head vest features two 1-1/2"-wide silver-white reflective horizontal stripes on both the front and back. Vest includes an attached reflective waist belt that closes in front with hook and loop fasteners. All edges are enclosed with binding. IAW A-A-59511

8415-00-177-4974, AbilityOne, Fluorescent Orange, EA, \$35.99

Soft, vinyl coated, flame resistant mesh safety vest has two 1-1/2"-wide yellow-green reflective horizontal stripes on the front and on the back. Vest sides close with black elastic straps. Vest front closes with two hook-and-loop fasteners.

8415-01-394-0216, AbilityOne, Fluorescent Orange, EA, \$24.69

Mesh safety vest has an extended triangular-shaped retro-reflective yellow vinyl rear tail and two yellow vinyl retro-reflective strips running from the front bottom hem, over each shoulder, into the back tail trim. Vest sides close with adjustable elastic straps with release buckles. Vest front closes with hook and loop fasteners.

8415-01-444-1495, GFLR012684 or equal, Fluorescent Orange, EA, \$14.84

High-visibility clothing for daytime and nighttime safety.

Sash and belt.

Adjustable over-the-shoulder sash conjoins to the two-inch wide elastic belt that adjusts from 28" to 54" and fastens with a plastic quick-release buckle. Sash and belt have a silver retro-reflective band between two neon orange fluorescent bands.

8465-01-444-2530, GFLR033498 or equal, Neon Orange, EA, \$8.69

Adjustable over-shoulder sash. Two-inch wide elastic belt adjusts from 28" to 54" and fastens with a plastic quick release buckle. Sash and belt have a silver retro-reflective bands consisting of 3M Scotchlite between two neon yellow fluorescent bands.

8465-01-444-9043, GFLR055452 or equal, Neon Yellow, EA, \$8.69

Belt.

The two-inch wide elastic belt adjusts from 28" to 54" and fastens with a plastic quick release buckle. Belt features a silver retro-reflective band between two neon orange fluorescent bands.

8465-01-444-2531, GFLR026971 or equal, Neon Orange, EA, \$6.73

The two-inch wide elastic belt adjusts from 28" to 54" and fastens with a plastic quick release buckle. Belt features a silver retro-reflective bands consisting of 3M Scotchlite reflective material between two neon yellow fluorescent bands.

8465-01-444-1493, GFLR027978 or equal, Neon Yellow, EA, \$6.73

Helmet band. Features a silver and white reflective strip. Fits to helmet with elastic strips.

8415-00-177-4978, AbilityOne, Width: 1", EA, \$5.15

Legband has a fabric base. Features silver and white reflective strips with adjustable Velcro fasteners.

8465-00-177-4975, AbilityOne, Length: 16"; Width: 2-1/4", PR, \$14.47

Lightstick (Chemlight)

Chemical lights, commonly known as Chemlights, are a source of light. These lightsticks are good for emergency, safety and signaling uses. They provide safe, effective light without heat, sparks or flame. To activate, a user bends the plastic lightstick, breaking the inner glass vial. Chemicals from the broken glass vial mix with chemicals from the plastic tube to deliver a light-creating chemical reaction. Self-contained, compact and waterproof.

Super high intensity; Average life rating: 5 minutes.

IAW A-A-55135

24-month maximum shelf life (not extendable).

6260-01-247-0363, AbilityOne, Orange, Length: 6", BX(contains 10 EA), \$26.23

High intensity. Average life rating: 30 minutes.

IAW A-A-55132

48-month maximum shelf life (not extendable).

6260-01-230-8601, AbilityOne, Red, Length: 6", BX(contains 10 EA), \$26.23

Federal Strategic Sourcing Initiative, 6260-01-074-4230, AbilityOne, Yellow, Length: 6", BX(contains 10 EA), \$18.37

IAW A-A-55133

48-month maximum shelf life (not extendable).

6260-01-247-0368, AbilityOne, White, Length: 6", BX(contains 10 EA), \$22.11

Average life rating: 3 hours.

36-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-01-195-9752, 9-97520PF or equal, Infrared, Length: 6", BX(contains 10 EA), \$36.00

Average life rating: 6 hours.

IAW A-A-55434

48-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-00-106-7478, AbilityOne, Green, Length: 4", BX(contains 100 EA), \$147.09

Federal Strategic Sourcing Initiative, 6260-01-282-7630, AbilityOne, Orange, Length: 4", BX(contains 100 EA), \$159.06

Average life rating: 8 hours.

IAW A-A-55131

48-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-01-178-5560, AbilityOne, Blue, Length: 6", BX(contains 10 EA), \$18.19

Federal Strategic Sourcing Initiative, 6260-01-218-5146, AbilityOne, White, Length: 6", BX(contains 10 EA), \$17.80

IAW A-A-55433

48-month maximum shelf life (not extendable).

6260-01-265-0614, AbilityOne, Blue, Length: 15", BX(contains 5 EA), \$70.70

6260-01-247-0367, AbilityOne, White, Length: 15", BX(contains 5 EA), \$73.41

36-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-01-396-1704, 9-17040PF or equal, Infrared, Length: 6", BX(contains 10 EA), \$34.04

Average life rating: 12 hours.

IAW A-A-55432

48-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-01-247-0362, AbilityOne, Green, Length: 15", BX(contains 5 EA), \$60.75

6260-01-265-0612, AbilityOne, Red, Length: 15", BX(contains 5 EA), \$73.66

6260-01-265-0613, AbilityOne, Yellow, Length: 15", BX(contains 5 EA), \$71.13

IAW A-A-55134

48-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-01-195-9753, AbilityOne, Orange, Length: 6", BX(contains 10 EA), \$21.75

Signs, Reflectors and Identifiers

Information and Safety Data Sheet Center (SDS)

Information and Safety Data Sheet (SDS) Center is designed to provide basic Globally Harmonized System (GHS) information and easy access to Safety Data Sheets. The GHS information center includes an 24" W x 18" H wall mountable board made of durable hard plastic that prominently displays GHS label elements, hazard communication information and SDS information. Also included is a highly visible yellow 2" organizer binder with a front insert that reads "Safety Data Sheets" in bold red print and A-Z dividers that help organize information for easy access. Inside pockets on front and back of binder add extra storage space. A 36" plastic chain is attached to each binder to retain binder in to wall rack. Includes sturdy, wall mount, wire rack conveniently stores organizing binder. Organizer binder holds 375 safety data sheets, 2 inches wide. Mounting hardware is included.

Printed 24" W x 18" H, with Binder and Rack.

Federal Strategic Sourcing Initiative, 7510-01-623-6238, SKILCRAFT, AbilityOne, EA, \$193.36

SDS Information Organizer Kit

Organize and store your safety data sheets (SDS) in the Globally Harmonized System (GHS) Information Organizer Kit. Kit includes a 2" highly visible yellow organizing binder with a front insert that reads "Safety Data Sheets" in bold red print, inside pockets on front and back of binder add extra storage space and A-Z dividers that help organize information for easy access. A 36" plastic chain is attached to binder to retain binder to wall rack. A sturdy, wall mount, wire rack conveniently stores organizing binder. Organizer binder holds 375 safety data sheets. Mounting hardware is included.

Accommodates 8-1/2" W x 11" H sheets.

Basis Weight: 3.6 pounds

Federal Strategic Sourcing Initiative, 7510-01-623-6239, SKILCRAFT, AbilityOne, Yellow, EA, \$62.17

Safety Data Sheet Organizer

Safety Data Sheet Organizer helps you organize and store critical safety data sheets (SDS) information. Holds up to 375 sheets. Kit includes a 2" highly visible yellow organizing binder with a front insert that reads "Safety Data Sheets" in bold red print, inside pockets on front and back of binder for added storage space, and A-Z dividers that help organize information for easy access. A durable 36" plastic chain is attached to each binder to retain binder to rack. Organizer binder holds 375 safety data sheets.

Accommodates 8-1/2" W x 11" H sheets.

Basis Weight: 2.35 pounds

Federal Strategic Sourcing Initiative, 7510-01-623-6240, SKILCRAFT, AbilityOne, Yellow, EA, \$32.10

System Safety Data Sheet Center

Globally Harmonized System Data Sheet Center. (GHS) includes everything you need to organize your safety data sheet information including; 14"W x 20" L sign bold printed with "Safety Data Sheet Center" easily identifies SDS information location, 2" highly visible yellow organizing binder with a front insert that reads "Safety Data Sheets" in bold red print, inside pockets on front and back of binder add extra storage space, and A-Z dividers that help organize information for easy access. A durable 36" plastic chain is attached to binder to retain binder to wall rack in place. Sturdy, wall mount, wire rack conveniently stores organizing binders. Organizer binder holds 375 safety data sheets, 2 inches wide. Mounting hardware is included. Binder color yellow.

Accommodates 8-1/2" W x 11" H sheets.

Federal Strategic Sourcing Initiative, 7510-01-623-6845, SKILCRAFT, AbilityOne, EA, \$94.95

Reflector Assembly

Plastic reflector has a metal flanged housing and is used on vehicles, structures or road hazards to alert approaching drivers.

IAW A-A-52428A

9905-00-205-2795, 40162 or equal, Red, PG(contains 10 EA), \$52.31

9905-00-202-3639, 40163 or equal, Amber, PG(contains 10 EA), \$52.43

Traffic Cone

Plastic or rubber cone is ideal for marking roadwork, helping to prevent accidents. Square-base cones can be used for marking line painting or serving as an emergency blockade.

IAW A-A-60002A

Contains 50% Recovered Material

Comprehensive Procurement Guideline Compliant,

9905-00-424-9829, 274-9 or equal, Red-Orange, Height: 18", BX(contains 10 EA), \$119.74

9905-00-527-4997, 274-10 or equal, Red-Orange, Height: 28", BX(contains 5 EA), \$117.91

Regulatory Sign

Regulatory signs help keep roads safe. Made of aluminum, all signs comply with U.S. Department of Transportation specifications for standard highway signs. Features standard, engineer-grade reflectivity.

Inscription- "STOP" in white on a red background.

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

Comprehensive Procurement Guideline Compliant,

9905-00-721-8734, CPC/S3030R11HA or Equal, Diameter: 30" (octagon), EA, \$59.03

Sign

Non-reflectORIZED plastic sign includes a red, white and blue shield on a cream background. Inscription- "U.S. PROPERTY - NO TRESPASSING".

IAW A-A-59752

Contains 80% Recovered Material, Which Includes 80% Postconsumer Material

Comprehensive Procurement Guideline Compliant,

9905-00-559-2971, 101572 or equal, 11-7/16 x 13-1/2", EA, \$60.92

Sign symbol 3M diamond grade sheeting 8" x 4" ; Inscription - CO2.

24-month maximum shelf life (not extendable).

9905-01-462-6971, Red, PG(contains 10 EA), \$141.54

Sign symbol 3M diamond grade sheeting 8" x 4" ; Inscription; AFFF.

IAW A-A-59752

24-month maximum shelf life (not extendable).

9905-01-462-6965, Red, PG(contains 10 EA), \$141.54

Sign symbol 3M diamond grade sheeting 8" x 8" ; Inscription- Red Cross Sign (+ plus).

IAW A-A-59752

24-month maximum shelf life (not extendable).

9905-01-462-6770, Red, PG(contains 10 EA), \$217.78

Sign symbol, 3M diamond grade sheeting 12" x 4" Right Arrow; EXIT.

IAW A-A-59752

24-month maximum shelf life (not extendable).

9905-01-462-6247, 3MN119PL or Equal, Red, PG(contains 10 EA), \$190.55

Sign symbol 3M Diamond grade sheeting 12" x 4" Left Arrow; EXIT.

IAW A-A-59752

24-month maximum shelf life (not extendable).

9905-01-462-6249, 3MN118PL or Equal, Red, PG(contains 10 EA), \$190.55

Inspection Card Holder

Vinyl card holder has a clear front with a thumb notch for easy access. Also includes a 1/4" reinforced hole, centered near the top, for hanging.

7510-00-155-5174, AbilityOne, Clear, 3-3/8" L x 2-5/16" W, PG(contains 12 EA), \$10.68

Key Tag

Blank tag is designed for key indexing systems. Consists of a fiber working tag with a snap hook and a steel-wire key holder. In accordance with ASTM D710 commercial grade.

9905-00-245-7826, AbilityOne, Red, 1-1/4" L; 1-1/4" W, BX(contains 100 EA), \$16.50

Marker Tag

General-use round tag features a 3/16" hole at the top for mounting. U.S. Army Signal Corps drawing number SC-B-26496.

9905-00-537-7730, 4Z7293 or equal, Diameter: 1-5/8", PG(contains 50 EA), \$45.37

Intended for tactical use for line identification on field wires and cables. Plastic tag has 12" steel wire fastening.

Thickness: 1/64".

9905-00-537-8956, AbilityOne, Green, 1-5/8 x 3-1/4", BD(contains 50 EA), \$22.34

9905-00-537-8954, AbilityOne, Red, 1-5/8 x 3-1/4", BD(contains 50 EA), \$22.34

9905-00-537-8957, AbilityOne, White, 1-5/8 x 3-1/4", BD(contains 50 EA), \$22.34

9905-00-537-8955, AbilityOne, Yellow, 1-5/8 x 3-1/4", BD(contains 50 EA), \$22.34

Surveyor's Flagging Ribbon

Vinyl flagging ribbon is colorfast and will withstand extreme climate changes.

9905-01-458-2057, Artic Blue, 300' L x 1-3/16" W, BX(contains 12 EA), \$48.42

9905-01-458-1192, Artic Red, 300' L x 1-3/16" W, BX(contains 12 EA), \$21.72

9905-01-458-2058, Artic Yellow, 300' L x 1-3/16" W, BX(contains 12 EA), \$20.57

Marking Flag

Plastic marking flag has a steel staff and is used to mark underground utilities, communications, or boundaries.

Flag is 4" long, 5" wide, and 0.0035" thick.

21" steel staff:

9905-01-661-2150, AbilityOne, Fluorescent Orange, BX(contains 100 EA), \$18.49

9905-01-661-2151, AbilityOne, Fluorescent Pink, BX(contains 100 EA), \$11.56

9905-01-661-2152, AbilityOne, Orange, BX(contains 100 EA), \$18.49

9905-01-661-2139, AbilityOne, Red, BX(contains 100 EA), \$18.49

9905-01-661-2140, AbilityOne, Yellow, BX(contains 100 EA), \$18.49

Flag is 2.5" long, 3.5" wide, and 0.0035" thick.

21" steel staff:

9905-01-661-2143, AbilityOne, Fluorescent Orange, BX(contains 100 EA), \$17.34

9905-01-661-2144, AbilityOne, Fluorescent Pink, BX(contains 100 EA), \$17.34

9905-01-661-2145, AbilityOne, Orange, BX(contains 100 EA), \$17.34

9905-01-661-2146, AbilityOne, Red, BX(contains 100 EA), \$17.34

9905-01-661-2153, AbilityOne, Yellow, BX(contains 100 EA), \$17.34

15" steel staff:

9905-01-661-2149, AbilityOne, Orange, BX(contains 100 EA), \$16.18

9905-01-661-2148, AbilityOne, Red, BX(contains 100 EA), \$16.18

9905-01-661-2147, AbilityOne, Yellow, BX(contains 100 EA), \$16.18

Barricade Tape

Mark of restricted areas with this easy to read barricade tape. Lightweight tape is non-adhesive and made of a premium grade polyethylene material. The tape can be tied, stapled or nailed. Comes in a dispenser box to prevent the tape from unraveling during use or storage.

CRIME SCENE DO NOT CROSS in black letters.

9905-01-665-3314, AbilityOne, Yellow, 3 mil thick; 3" wide, RO(contains 1000 FT), \$19.26

CAUTION DO NOT ENTER in black letters.

9905-01-665-3315, AbilityOne, Yellow, 3 mil thick; 3" wide, RO(contains 1000 FT), \$21.57

POLICE LINE DO NOT CROSS in black letters.

9905-01-665-3316, AbilityOne, Yellow, 3 mil thick; 3" wide, RO(contains 1000 FT), \$22.34

Floor Safety Tape

Floor safety marking tape made of heavy-duty poly vinyl with rubber adhesive sticks tight and removes cleanly. Resists abrasion, moisture, common solvents and weather. Ideal for indoor or outdoor marking of traffic areas, physical hazards, emergency zones, work sites, plus can be used for color coding. Flexible backing allows application to curved walls, ducts, low-hanging objects as well as floors. Conforms to ASTM-D 3330, 3759, 3652 standards.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-617-4251, SKILCRAFT, AbilityOne, Black/Yellow Stripe, 2" W, RO(contains 36 YD), \$7.98

Federal Strategic Sourcing Initiative, 7510-01-617-4257, SKILCRAFT, AbilityOne, Yellow, 2" W, RO(contains 36 YD), \$7.03

Warning Tape

Weather resistant yellow and black striped caution tape. Printable.

12-month maximum shelf life (extendable).

7510-01-412-0533, Yellow/Black, 2.0" W, RO(contains 36 YD), \$12.65

18-month maximum shelf life (extendable).

7510-01-138-3403, Yellow/Black, 2.0" W, RO(contains 36 YD), \$9.79

24-month maximum shelf life (extendable).

7510-00-629-0273, Yellow/Black, 3.0" W, RO(contains 54 FT), \$12.65

Mats and Matting

Chair Mat

Transparent mat is made from Polyvinylchloride (PVC) material and plant-based plasticizers and is USDA certified biobased. Mat protects floors and carpets from wheel damage while allowing swivel chairs to move with ease.

Features molded cleats on underside to prevent shifting and a centered lip on the width dimension. Lip measures 20" wide x 12" deep. Overall dimensions include lip.

For use on high pile carpet.

7220-01-656-8315, AbilityOne, Clear, 60" L x 46" W x 0.150" T, EA, \$91.20

Features molded cleats on underside to prevent shifting. Without lip.

For use on high pile carpet.

7220-01-656-8318, AbilityOne, Clear, 60" L x 46" W x 0.220" T, EA, \$149.15

For use on low and medium pile carpet.

7220-01-656-8330, AbilityOne, Clear, 60" L x 60" W x 0.150" T, EA, \$113.67

Features molded cleats on underside to prevent shifting and a centered lip on the width dimension. Lip measures 20" wide x 12" deep. Overall dimensions include lip.

For use on high pile carpet.

7220-01-656-8994, AbilityOne, Clear, 53" L x 45" W x 0.220" T, EA, \$115.98

For use on low and medium pile carpet.

7220-01-656-8327, AbilityOne, Clear, 53" L x 45" W x 0.150" T, EA, \$79.03

7220-01-656-8326, AbilityOne, Clear, 36" L x 48" W x 0.150" T, EA, \$61.63

Features a centered lip on the width dimension. Lip measures 20" wide x 12" deep. Overall dimensions include lip.

For use on hard surface floors.

7220-01-656-8320, AbilityOne, Clear, 53" L x 45" W x 0.110" T, EA, \$70.15

Features a centered lip on the width dimension. Lip measures 25" wide x 12" deep. Overall dimensions include lip.

For use on hard surface floors.

7220-01-656-8321, AbilityOne, Clear, 53" L x 45" W x 0.110" T, EA, \$68.19

7220-01-656-8324, AbilityOne, Clear, 60" L x 46" W x 0.110" T, EA, \$77.61

Features molded cleats on underside to prevent shifting and a centered lip on the width dimension. Lip measures 25" wide x 12" deep. Overall dimensions include lip.

For use on high pile carpet.

7220-01-656-8317, AbilityOne, Clear, 60" L x 46" W x 0.220" T, EA, \$150.60

For use on low and medium pile carpet.

7220-01-656-8329, AbilityOne, Clear, 60" L x 46" W x 0.150" T, EA, \$91.08

7220-01-656-8328, AbilityOne, Clear, 53" L x 45" W x 0.150" T, EA, \$78.94

Without lip.

For use on hard surface floors.

7220-01-656-8322, AbilityOne, Clear, 60" L x 46" W x 0.110" T, EA, \$77.69

7220-01-656-8325, AbilityOne, Clear, 60" L x 60" W x 0.110" T, EA, \$90.90

Transparent polyvinylchloride (PVC) plastic mat protects floors and carpets from wheel damage while allowing swivel chairs to move with ease. Features rounded corners and molded cleats on underside to prevent shifting.

Features a centered lip on the width dimension. Lip measures 20" wide x 12" deep. Overall dimensions include lip.

For use over low- to medium-pile carpet.

7220-00-457-6046, AbilityOne, Clear, 48" L x 36" W x 0.145" T, EA, \$55.04

7220-00-457-6054, AbilityOne, Clear, 53" L x 45" W x 0.145" T, EA, \$72.35

For use on high pile carpet.

7220-01-305-3062, AbilityOne, Clear, 53" D x 45" W x 0.22" T, EA, \$106.04

Transparent Polyvinylchloride (PVC) plastic mat protects office floors and carpets from wheel damage while allowing swivel chairs to move with ease. Features a single lip measuring 25" wide x 12" deep, and is pressure embossed on one side and smooth on the other side.

For use on carpet or hard surfaces.

7220-01-471-0913, AbilityOne, Clear, 53" L x 45" W x 0.110" T, EA, \$92.77

Transparent polyvinylchloride (PVC) plastic mat protects floors and carpets from wheel damage while allowing swivel chairs to move with ease. Features rounded corners and molded cleats on underside to prevent shifting.

Does not have a lip. For use over low- to medium-pile carpet.

7220-00-151-6518, AbilityOne, Clear, 60" L x 60" W x 0.145" T, EA, \$107.95

Floor Mat

Industrial deck-plate, anti-fatigue mat with slip resistant diamond pattern texture. Polyvinyl Chloride (PVC) foam backing fused to deck plate surface.

7220-01-582-6231, AbilityOne, Black, 36" L x 24" W x 0.562" T, EA, \$56.23

7220-01-582-6223, AbilityOne, Black, 60" L x 36" W x 0.562" T, EA, \$121.84

7220-01-582-6226, AbilityOne, Black with Yellow Border, 36" L x 24" W x 0.562" T, EA, \$46.53

7220-01-582-6229, AbilityOne, Black with Yellow Border, 60" L x 36" W x 0.562" T, EA, \$125.74

Hard-top deck plate.

7220-01-667-3562, AbilityOne, Black with 2 Yellow stripes, 2' x 3' x 0.563" T, EA, \$64.76

7220-01-667-3561, AbilityOne, Black with 4 Yellow stripes, 2' x 3' x 0.563" T, EA, \$74.08

7220-01-667-3560, AbilityOne, Black with 2 Yellow stripes, 3' x 5' x 0.563" T, EA, \$149.95

7220-01-667-3564, AbilityOne, Black with 4 Yellow stripes, 3' x 5' x 0.563" T, EA, \$167.23

7220-01-667-3565, AbilityOne, Black with 2 Yellow stripes, 3' x 8' x 0.563" T, EA, \$250.73

7220-01-667-3568, AbilityOne, Black with 4 Yellow stripes, 3' x 8' x 0.563" T, EA, \$295.46

7220-01-667-3566, AbilityOne, Black with 2 Yellow stripes, 3' x 12' x 0.563" T, EA, \$354.58

7220-01-667-3567, AbilityOne, Black with 4 Yellow stripes, 3' x 12' x 0.563" T, EA, \$400.34

7220-01-667-3569, AbilityOne, Black, 2' x 3' x 0.563" T, EA, \$63.36

7220-01-667-3570, AbilityOne, Black, 3' x 5' x 0.563" T, EA, \$144.64

7220-01-667-3571, AbilityOne, Black, 3' x 8' x 0.563" T, EA, \$235.12

7220-01-667-3563, AbilityOne, Black, 3' x 12' x 0.563" T, EA, \$337.34

3M Nomad Scraper Matting 6050 features foam backing and is made of vinyl loops that trap and hold dirt, hiding it from view. Matting surface stays clean to help prevent tracking of dirt.

7220-01-411-2979, AbilityOne, Chestnut Brown, 3 x 5 ft, EA, \$104.68

7220-01-411-1515, AbilityOne, Slate, 3 x 5 ft, EA, \$136.75

7220-01-411-2980, AbilityOne, Chestnut Brown, 4 x 6 ft, EA, \$205.31

Indoor wiper floor mat medium duty. Top fibers are 100 percent recycled Polyethylene Terephthalate (P.E.T.).

7220-01-582-6220, AbilityOne, Gray, 60" L x 36" W x 0.312" T, EA, \$67.56

7220-01-582-6225, AbilityOne, Gray, 72" L x 48" W x 0.312" T, EA, \$126.51

Wiper scraper floor mat, medium duty. Backing is nitrile/rubber blend and top fibers are 100% recycled Polyethylene Terephthalate (P.E.T.).

7220-01-582-6224, AbilityOne, Gray, 60" L x 36" W x 0.375" T, EA, \$112.91

7220-01-582-6222, AbilityOne, Gray, 72" L x 48" W x 0.375" T, EA, \$160.08

Ribbed vinyl anti-fatigue mat light duty. Closed-cell Polyvinyl Chloride (PVC) sponge matting.

7220-01-582-6228, AbilityOne, Gray, 36" L x 24" W x 0.375" T, EA, \$35.11

7220-01-582-6230, AbilityOne, Gray, 60" L x 36" W x 0.375" T, EA, \$55.98

Vinyl loop, Scraper/Wiper floor mat for light to medium traffic.

7220-01-582-6241, AbilityOne, Black, 60" L x 36" W x 0.625" T, EA, \$124.44

7220-01-582-6240, AbilityOne, Black, 72" L x 48" W x 0.625" T, EA, \$302.82

7220-01-582-6242, AbilityOne, Gray, 72" L x 48" W x 0.625" T, EA, \$189.00

Medium duty scraper mat with rubber molded finger-tip design.

7220-01-582-6243, AbilityOne, Black, 72" L x 36" W x 0.625" T, EA, \$120.34

7220-01-582-6244, AbilityOne, Black, 32" L x 24" W x 0.625" T, EA, \$44.52

Loop-twist outdoor or indoor scraper mat for medium or heavy traffic.

7220-01-582-6246, AbilityOne, Gray, 60" L x 36" W x 0.312" T, EA, \$70.52

7220-01-582-6245, AbilityOne, Gray, 72" L x 48" W x 0.312" T, EA, \$112.09

Heavy duty finger-tip design floor mat.

7220-01-582-6247, AbilityOne, Black, 32" L x 24" W x 0.625" T, EA, \$59.52

7220-01-582-6248, AbilityOne, Black, 72" L x 36" W x 0.625" T, EA, \$166.83

Floor Matting

Floor matting is fire retarding with a diamond plate texture, urethane finish.

7220-01-470-9466, P400 or equal, Air Force Blue, 60" L x 72" W, RO(contains 60 FT), \$2,025.39

Ribbed Floor Matting

Slip-resistant runner or vinyl matting is intended for use on stairs or as a floor covering.

Has a pyramid pattern surface.

CID 7XEDM5

Federal Strategic Sourcing Initiative, 7220-00-034-7225, CID 7XEDM5, Black, 48" W x 1/8" T, RO(contains 25 YD), \$248.41

Has a ribbed surface.

CID 7XEDM5

Federal Strategic Sourcing Initiative, 7220-00-753-2981, 67462981 or equal, Black, 24" W x 1/8" T, RO(contains 10 YD), \$79.83

7220-00-753-2982, 67462982 or equal, Black, 36" W x 1/8" T, RO(contains 10 YD), \$126.80

Federal Strategic Sourcing Initiative, 7220-00-254-4240, 67464240 or equal, Black, 36" W x 1/8" T, RO(contains 25 YD), \$329.39

7220-00-965-4769, 67464769 or equal, Black, 24" W x 3/16" T, RO(contains 25 YD), \$297.59

Federal Strategic Sourcing Initiative, 7220-00-965-4699, 67464699 or equal, Black, 36" W x 3/16" T, RO(contains 25 YD), \$538.54

Insulating Floor Matting (Dielectric)

Synthetic rubber or vinyl matting is excellent as a safety measure. The fire-resistant mat covers floors around electrical equipment and circuits. MIL-DTL-15562.

Runner-type matting

7220-00-267-4630, 67454630 or equal, Blue, 36" W x 1/8" T, RO(contains 25 YD), \$690.55

7220-00-255-0765, DIMEX 255-0765 or equal, Black, 24" W x 1/8" T, RO(contains 25 YD), \$528.05

Runner type matting has a raised diamond pattern surface.

7220-01-057-1897, 67451897 or equal, Gray, 36" W x 3/16" T, RO(contains 25 YD), \$722.68

7220-01-056-1944, 67451944 or equal, Green, 36" W x 3/16" T, RO(contains 25 YD), \$722.68

Wall-to-wall matting has a smooth surface and a marbled or mottled pattern.

7220-01-024-9039, 67459039 or equal, Beige, Marbled, 36" W x 1/8" T, RO(contains 25 YD), \$782.99

7220-01-024-9040, 67459040 or equal, Blue, Marbled, 36" W x 1/8" T, RO(contains 25 YD), \$782.99

7220-01-025-1695, 67452695 or equal, Green, Marbled, 36" W x 1/8" T, RO(contains 25 YD), \$782.99

Standing Floor Mat (Anti-Fatigue)

Anti-fatigue mat is for people who are on their feet for long periods of time. Mat relieves fatigue associated with vibrations and standing. Smooth uni-cellular foam base is bonded to a solid rubber or plastic covering. MIL-M-910

75% Postconsumer Recycled Plastic Contains 100% Recovered Material

Comprehensive Procurement Guideline Compliant,

7220-00-292-2096, RH-3036 or Equal, Black, 36" L x 30" W x 1/2" T, EA, \$54.04

Doormat

Heavy duty mat is suitable for commercial, institutional and industrial entryways. Natural coir (coconut husk) fiber mat has a nonskid vinyl backing. The brush-like pile surface cleans dirt and moisture from shoes.

7220-01-386-6722, 40303 or Equal, AbilityOne, Tan, 18" L x 30" W x 5/8" T, EA, \$16.82

Useful in entryways to remove dirt from shoes. Made from recycled tires, this quality mat will not damage or mar floors. This reversible mat features corrosion-resistant cross-wires, which make it flexible and easy to roll for storage.

80% Postconsumer Material Contains 85% Recovered Material

Comprehensive Procurement Guideline Compliant,

7220-00-238-8852, AbilityOne, Natural, 30" L x 18" W x 5/8" T, EA, \$38.53

7220-00-224-6486, AbilityOne, Natural, 50" L x 24" W x 5/8" T, EA, \$78.59

Deck Covering

Deck Covering, Lightweight, Fine-Textured, Slip-Resistant, Tape.

7220-01-667-1399, AbilityOne, Clear, 1" x 60', RO(contains 60 FT), \$36.29

7220-01-667-1409, AbilityOne, Clear, 12" x 60', RO(contains 60 FT), \$334.95

7220-01-667-1398, AbilityOne, Clear, 2" x 60', RO(contains 60 FT), \$63.93

7220-01-667-1406, AbilityOne, Clear, 4" x 60', RO(contains 60 FT), \$118.37

7220-01-667-1408, AbilityOne, Clear, 6" x 60', RO(contains 60 FT), \$172.65

Deck Covering, Lightweight, Fine-Textured, Slip-Resistant, Tread.

7220-01-667-1410, AbilityOne, Clear, 3/4" x 17", BX(contains 50 EA), \$41.40

7220-01-667-1405, AbilityOne, Clear, 6" x 24", BX(contains 10 EA), \$68.37

Non-skid Tread

Non-metallic, non-skid tread, safety-walk (TM), 710 Black coarse, 1 inch radius, rounded corners

7220-01-579-6880, AbilityOne, Black, 24" W x 24" L nominal, BX(contains 10 EA), \$665.25

7220-01-579-6875, AbilityOne, Black, 24" W x 24" L nominal, BX(contains 31 EA), \$665.25

7220-01-579-6877, AbilityOne, Black, 36" W x 24" L nominal, BX(contains 21 EA), \$665.25

7220-01-579-6876, AbilityOne, Black, 36" W x 36" L nominal, BX(contains 14 EA), \$665.25

7220-01-579-6870, AbilityOne, Black, 48" W x 60" L nominal, BX(contains 6 EA), \$665.25

Non-skid Tread Nonmetallic

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common.

7220-01-658-8040, AbilityOne, Gray, 12 in x 30 ft, RO(contains 30 FT), \$158.33

7220-01-658-8041, AbilityOne, Gray, 18 in x 30 ft, RO(contains 30 FT), \$236.06

Peel-and-Stick General Purpose Tapes and Treads

Mineral-coated, slip-resistant material adhered by a durable resin to a pressure-sensitive adhesive backed plastic film. Peel-and-stick nonskid general purpose tapes and treads are slip-resistant, intended for light to heavy shoe-traffic areas, highly durable to withstand the rigors of equipment traffic and low profile to help reduce trip hazard. Product applications include: flat surfaces, steps, stairways, entrances, ramps, ladders, lawn equipment, snowmobiles, scooters, construction machinery and vehicles.

7220-01-648-0995, Safety-Walk 610, AbilityOne, Black, 3/4 IN. X 24 IN., BX(contains 50 EA), \$35.66

7220-01-648-0999, Safety-Walk 610, AbilityOne, Black, 3/4 IN. X 60 FT., BX(contains 4 EA), \$56.74

7220-01-648-0990, Safety-Walk 630, AbilityOne, Yellow, 1 IN. X 60 FT., BX(contains 4 EA), \$82.39

7220-01-648-1004, Safety-Walk 610, AbilityOne, Black, 1 IN. X 60 FT., BX(contains 4 EA), \$91.62

7220-01-648-0988, Safety-Walk 630, AbilityOne, Yellow, 2 IN. X 60 FT., BX(contains 2 EA), \$102.14

7220-01-648-0997, Safety-Walk 610, AbilityOne, Black, 2 IN. X 60 FT., BX(contains 2 EA), \$91.31

7220-01-648-0993, Safety-Walk 630, AbilityOne, Yellow, 4 IN. X 60 FT., RO(contains 60 FT), \$101.04

7220-01-648-1000, Safety-Walk 610, AbilityOne, Black, 4 IN. X 60 FT., RO(contains 60 FT), \$91.45

7220-01-648-0998, Safety-Walk 610, AbilityOne, Black, 5-1/2" X 5-1/2", BX(contains 50 EA), \$50.89

7220-01-650-5922, Safety-Walk 610, AbilityOne, Black, 6 IN. X 24 IN., BX(contains 50 EA), \$124.65

7220-01-648-0987, Safety-Walk 630, AbilityOne, Yellow, 6 IN. X 24 IN., BX(contains 50 EA), \$219.36

7220-01-648-1007, Safety-Walk 610, AbilityOne, Black, 6 IN. X 60 FT., RO(contains 60 FT), \$134.81

7220-01-648-1008, Safety-Walk 610, AbilityOne, Black, 12 IN. X 60 FT., RO(contains 60 FT), \$265.79

7220-01-648-1009, Safety-Walk 610, AbilityOne, Black, 18 IN. X 60 FT., RO(contains 60 FT), \$396.85

7220-01-648-1011, Safety-Walk 610, AbilityOne, Black, 24 IN. X 60 FT., RO(contains 60 FT), \$529.76

7220-01-648-1013, Safety-Walk 610, AbilityOne, Black, 36 IN. X 60 FT., RO(contains 60 FT), \$791.90

7220-01-648-1015, Safety-Walk 610, AbilityOne, Black, 48 IN. X 60 FT., RO(contains 60 FT), \$1,055.69

Peel-and-Stick Conformable Tapes and Treads

High-friction, mineral-coated, slip-resistant material that has a special pressure-sensitive adhesive backed aluminum film that conforms around corners and adheres to irregular surfaces. Peel-and-stick nonskid tapes and treads are conformable, slip-resistant, and intended for irregular or contoured surfaces in light to heavy shoe-traffic areas. This conformable nonskid material is available in a safety Yellow color for high visibility and easy identification of hazard areas. Product applications include: stairs, ladders, loading ramps, platforms, irregular surfaces like diamond plating or flat surfaces with rivets or screw heads.

7220-01-648-1019, Safety-Walk 530, AbilityOne, Yellow, 1 IN. X 60 FT., BX(contains 4 EA), \$136.30
 7220-01-648-1018, Safety-Walk 510, AbilityOne, Black, 2 IN. X 60 FT., BX(contains 2 EA), \$153.19
 7220-01-648-1023, Safety-Walk 530, AbilityOne, Yellow, 2 IN. X 60 FT., BX(contains 2 EA), \$135.91
 7220-01-648-1020, Safety-Walk 510, AbilityOne, Black, 4 IN. X 60 FT., RO(contains 60 FT), \$153.18
 7220-01-648-1010, Safety-Walk 530, AbilityOne, Yellow, 4 IN. X 60 FT., RO(contains 60 FT), \$111.04
 7220-01-648-1014, Safety-Walk 510, AbilityOne, Black, 5-1/2" X 5-1/2", BX(contains 50 EA), \$68.74
 7220-01-648-1779, Safety-Walk 530, AbilityOne, Yellow, 6 IN. X 24 IN., BX(contains 50 EA), \$285.11
 7220-01-648-1016, Safety-Walk 510, AbilityOne, Black, 6 IN. X 24 IN., BX(contains 50 EA), \$411.39
 7220-01-648-1021, Safety-Walk 510, AbilityOne, Black, 6 IN. X 60 FT., RO(contains 60 FT), \$227.77
 7220-01-648-1012, Safety-Walk 530, AbilityOne, Yellow, 6 IN. X 60 FT., RO(contains 60 FT), \$167.44
 7220-01-648-1022, Safety-Walk 510, AbilityOne, Black, 12 in. x 60 ft., RO(contains 60 FT), \$451.13
 7220-01-648-1005, Safety-Walk 510, AbilityOne, Black, 18 IN. X 60 FT., RO(contains 60 FT), \$617.83
 7220-01-648-1006, Safety-Walk 510, AbilityOne, Black, 24 IN. X 60 FT., RO(contains 60 FT), \$665.80

These conformable slip resistant tapes and treads are comprised of minerals adhered by a durable resin to a pressure sensitive adhesive backed aluminum film. Designed to conform around irregular surfaces, such as grated metal. Easy to install, and perfect on ships, stairs, ladders, loading ramps, platforms, warehouse floors, vehicles, irregular surfaces, and other areas where slipping is common.

7220-01-658-7598, AbilityOne, Black, 48 in x 60 ft, RO(contains 60 FT), \$1,344.73
 7220-01-658-7597, AbilityOne, Black, 36 in x 60 ft, RO(contains 60 FT), \$1,013.10

These conformable slip resistant tapes and treads are comprised of minerals adhered by a durable resin to a pressure sensitive adhesive backed aluminum film. Designed to conform around irregular surfaces, such as grated metal. Easy to install, and perfect on ships, stairs, ladders, loading ramps, platforms, warehouse floors, vehicles, irregular surfaces, and other areas where slipping is common. 4 per box.

7220-01-658-7596, AbilityOne, Black, 1 in x 60 ft Roll, BX(contains 4 EA), \$125.48

Peel-and-Stick Medium Duty Tapes and Treads

Soft textured, non-mineral, medium resilient surface bonded to a pressure-sensitive adhesive backed plastic film. Peel-and-stick nonskid tapes and treads are medium duty resilient, slip-resistant and intended for barefoot or show-traffic areas. Product applications include: locker rooms, around hot tubs and pools, boats, personal watercraft, water skies, exercise equipment, and conveyers.

7220-01-648-1781, Safety-Walk 310, AbilityOne, Black, 1" X 60', BX(contains 4 EA), \$121.85
 7220-01-648-1002, Safety-Walk 370, AbilityOne, Gray, 1 in. X 60 ft., BX(contains 4 EA), \$121.85
 7220-01-648-1782, Safety-Walk 310, AbilityOne, Black, 2" x 60", BX(contains 2 EA), \$121.85
 7220-01-646-1673, Safety-Walk 370, AbilityOne, Gray, 2" X 60', RO(contains 60 LF), \$121.85
 7220-01-648-1003, Safety-Walk 370, AbilityOne, Gray, 4 IN. X 60 FT., RO(contains 60 FT), \$121.85
 7220-01-648-1773, Safety-Walk 310, AbilityOne, Black, 4 in X 60 ft, RO(contains 60 FT), \$149.78
 7220-01-648-1001, Safety-Walk 370, AbilityOne, Gray, 6 IN. X 24 IN., BX(contains 50 EA), \$290.35
 7220-01-648-1778, Safety-Walk 310, AbilityOne, Black, 6" x 24", BX(contains 50 EA), \$357.45
 7220-01-648-1769, Safety-Walk 370, AbilityOne, Gray, 6 IN. X 60 FT., RO(contains 60 FT), \$159.16
 7220-01-648-1774, Safety-Walk 310, AbilityOne, Black, 6 in. x 60 ft., RO(contains 60 FT), \$195.67
 7220-01-648-1775, Safety-Walk 310, AbilityOne, Black, 12 IN. X 60 FT, RO(contains 60 FT), \$386.78
 7220-01-648-1771, Safety-Walk 370, AbilityOne, Gray, 12 IN. X 60 FT., RO(contains 60 FT), \$314.71
 7220-01-648-1776, Safety-Walk 370, AbilityOne, Gray, 18 IN. X 60 FT., RO(contains 60 FT), \$470.60
 7220-01-648-1780, Safety-Walk 310, AbilityOne, Black, 18 IN. X 60 FT, RO(contains 60 FT), \$577.45
 7220-01-648-1770, Safety-Walk 370, AbilityOne, Gray, 24 IN. X 60 FT., RO(contains 60 FT), \$627.09
 7220-01-648-1765, Safety-Walk 310, AbilityOne, Black, 24 IN. X 60 FT., RO(contains 60 FT), \$770.60
 7220-01-648-1767, Safety-Walk 310, AbilityOne, Black, 36 IN. X 60 FT., RO(contains 60 FT), \$1,156.64
 7220-01-648-1772, Safety-Walk 370, AbilityOne, Gray, 36 IN. X 60 FT., RO(contains 60 FT), \$939.92
 7220-01-648-1766, Safety-Walk 310, AbilityOne, Black, 48 IN. X 60 FT., RO(contains 60 FT), \$1,540.09
 7220-01-648-1777, Safety-Walk 370, AbilityOne, Gray, 48 IN. X 60 FT., RO(contains 60 FT), \$1,252.73

Peel-and-Stick Coarse Tapes and Treads

Extra-large mineral particle and durable construction material that provides additional slip resistance in extreme conditions. Peel-and-stick nonskid tapes and treads are coarse, slip-resilient and intended for extreme, heavy traffic areas. The extra-large abrasive mineral particles help provide a stable slip-resistant surface even in the presence of water or oil. The high performance adhesive creates an excellent bond to most surfaces while the open abrasive pattern resists clogging and reduces clean up time. Product applications include: construction vehicles, ship and plane decks, trains, semi-trailers, oily wet areas, platforms and ramps, machine shops, agriculture and forestry equipment, recreational vehicles.

7220-01-648-0983, Safety-Walk 710, AbilityOne, Black, 4 IN. X 30 FT., RO(contains 30 FT), \$60.94

7220-01-648-0984, Safety-Walk 710, AbilityOne, Black, 6" x 24", BX(contains 25 EA), \$175.52

7220-01-648-0982, Safety-Walk 710, AbilityOne, Black, 6 IN. X 30 FT., RO(contains 30 FT), \$101.71

7220-01-648-0986, Safety-Walk 710, AbilityOne, Black, 12 IN. X 30 FT., RO(contains 30 FT), \$199.66

7220-01-648-0989, Safety-Walk 710, AbilityOne, Black, 18 IN. X 30 FT., RO(contains 30 FT), \$300.83

7220-01-648-0994, Safety-Walk 710, AbilityOne, Black, 24 IN. X 30 FT., RO(contains 30 FT), \$397.84

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common.

7220-01-658-8037, AbilityOne, Gray, 6 in x 30 ft, RO(contains 30 FT), \$81.09

7220-01-658-8039, AbilityOne, Gray, 6 in x 24 in Roll, BX(contains 25 EA), \$139.47

7220-01-658-8042, AbilityOne, Gray, 24 in x 30 ft, RO(contains 30 FT), \$314.19

7220-01-658-8043, AbilityOne, Gray, 36 in x 30 ft, RO(contains 30 FT), \$475.25

7220-01-658-7600, AbilityOne, Black, 36 in x 30 ft, RO(contains 30 FT), \$475.25

7220-01-658-8036, AbilityOne, Gray, 36 in x 30 ft, RO(contains 30 FT), \$639.84

7220-01-658-7602, AbilityOne, Black, 48 in x 30 ft, RO(contains 30 FT), \$639.84

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 2 per box.

7220-01-658-7599, AbilityOne, Black, 2 in x 30 ft Roll, BX(contains 2 EA), \$55.53

7220-01-658-7589, AbilityOne, Gray, 2 in x 30 ft Roll, BX(contains 2 EA), \$55.53

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 4 per box.

7220-01-658-7601, AbilityOne, Black, 1 in x 30 ft Roll, BX(contains 4 EA), \$55.53

7220-01-658-7590, AbilityOne, Gray, 1 in x 30 ft Roll, BX(contains 4 EA), \$55.53

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 6 per box.

7220-01-658-7595, AbilityOne, Gray, 4 ft x 5 ft Roll, BX(contains 6 EA), \$654.30

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 10 per box.

7220-01-658-7594, AbilityOne, Gray, 3 ft x 4 ft Roll, BX(contains 10 EA), \$654.30

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 14 per box.

7220-01-658-7593, AbilityOne, Gray, 3 ft x 3 ft Roll, BX(contains 14 EA), \$654.30

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 21 per box.

7220-01-658-7592, AbilityOne, Gray, 3 ft x 2 ft Roll, BX(contains 21 EA), \$654.30

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 25 per box.

7220-01-658-8038, AbilityOne, Gray, 4 in x 30 ft, RO(contains 30 FT), \$55.53

These coarse slip resistant tapes and treads are comprised of extra large mineral particles backed by a high performance pressure sensitive adhesive. The best peel and stick nonskid choice for high foot traffic areas and areas that are exposed to extreme conditions. Easy to install, and perfect on stairs, ship and plane decks, construction vehicles, oily wet areas, semi trailers, platforms and ramps, machine shop and warehouse floors, recreational vehicles, and other areas where slipping is common. 31 per box.

7220-01-658-7591, AbilityOne, Gray, 2 ft x 2 ft Roll, BX(contains 31 EA), \$654.30

Gymnastic Mat

Three-panel folding tumbling mat (accordion type); vinyl covered polyurethane foam filled tumbling mat with Velcro on both 4 foot ends.

7830-00-242-4340, Resilite SRFM2001 or equal, 6' L x 4' W x 2" T, EA, \$137.86

Tumbling mat has a vinyl covered polyurethane foam filling with Velcro on 5 ft. end. 18 oz/sq yard vinyl covering on both sides. Has a thickness of 1-1/4 inches to 2 inches.

7830-00-242-4341, 23150 or equal, 10 ft. L x 5 ft. W, EA, \$369.15

Recreational Kit

Recreational kit consisting of the following sports gear; 2 Soccer Balls, size 5 FIFA approved, 36 Baseballs, NCAA approved, 4 Baseball Bats, wood, assorted weights, 8 Softball Bats, wood, assorted weights, 8 Fielder's baseball gloves, all leather, 2 First Baseman's baseball gloves, all leather, 1 Catcher's mitt, all leather, 4 Catcher's masks, with throat protectors, 2 Catcher's body protectors, 1 Pair - Catcher's leg guards, 2 Footballs, NCAA approved, 1 Set Horseshoes, four horseshoes, 2 lb 8 oz each, in 2 colors, 2 Horseshoe stakes, solid steel, 24 in. minimum length, pointed on one end, 4 Pair - 14 ounce boxing gloves, 2 Boxer's head guard, military style, 8 Boxer's mouthpiece, 2 Volleyball nets, 1 Ball pump with 2 needles.

7810-00-271-1762, REC #1 or Equal, KT, \$1,466.25

Non-Weapon and Non-Shipboard Storage Cabinets

Class 5 - Legal Size

Uninsulated filing cabinets are GSA-approved for the storage of secret and confidential information, along with class 1 & 2 controlled substances, monetary funds and precious metals. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry and 10 man-minutes against forced entry. (Federal Specification AA-F-358)

Style 1 lock - Kaba Mas X-10

Style 2 lock - S&G 2740B

Style 1 & 2 locks are IAW Federal Specification FF-L-2740

SINGLE LOCK DESIGN

One lock controls all drawers (SL)

Two (2) Drawer - Legal Size (Size I)			
Maximum Outside Dimension: 30-5/8"H x 20-7/8"W x 33-1/2"D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1195 lbs. Shipping Cube: 43.33 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-082-6111	Gray	SL1	\$9,378.22
7110-01-015-2850	Black	SL1	\$9,378.22
7110-01-012-8739	Parchment	SL1	\$9,378.22
7110-01-614-5420	Gray	SL2	\$9,012.39
7110-01-614-5422	Black	SL2	\$9,012.39
7110-01-614-5441	Parchment	SL2	\$9,012.39

MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

Two (2) Drawer - Legal Size (Size I)			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 720 lbs. Shipping Cube: 24.38 cu. Ft.			
NSN	Color	Lock Style	Price
7110-01-563-1694	Gray	ML1	\$12,236.13
7110-01-563-1696	Black	ML1	\$12,236.13
7110-01-563-1687	Parchment	ML1	\$12,236.13
7110-01-614-5427	Gray	ML2	\$11,504.47
7110-01-614-5429	Black	ML2	\$11,504.47
7110-01-614-5426	Parchment	ML2	\$11,504.47

Four (4) Drawer - Legal Size (Size III)			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1195 lbs. Shipping Cube: 43.33 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-082-6112	Gray	SL1	\$14,609.15
7110-01-012-8740	Black	SL1	\$14,609.15
7110-01-012-8741	Parchment	SL1	\$14,609.15
7110-01-614-5430	Gray	SL2	\$14,243.33
7110-01-614-5434	Black	SL2	\$14,243.33
7110-01-614-5440	Parchment	SL2	\$14,243.33

Four (4) Drawer - Legal Size (Size III)			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1280 lbs. Shipping Cube: 43.33 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-563-1689	Gray	ML1	\$22,996.42
7110-01-563-1699	Black	ML1	\$22,996.42
7110-01-563-1700	Parchment	ML1	\$22,996.42
7110-01-614-5423	Gray	ML2	\$21,533.12
7110-01-614-5424	Black	ML2	\$21,533.12
7110-01-614-5425	Parchment	ML2	\$21,533.12

Class 6 - Letter Size

Filing cabinets are GSA-approved for the storage of secret, top-secret and confidential information. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry. No forced entry requirements. (Federal Specification AA-F-358)

Style 1 lock - Kaba Mas X-10

Style 2 lock - S&G 2740B

Style 1 & 2 locks are IAW Federal Specification FF-L-2740

SINGLE LOCK DESIGN

One lock controls all drawers (SL)

Two (2) Drawer - Letter Size (Size X)			
Maximum Outside Dimension: 30-5/8" H x 17-7/8" W x 24" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 275 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-309-1970	Gray	SL1	\$5,635.25
7110-01-309-1971	Black	SL1	\$5,635.25
7110-01-309-1972	Parchment	SL1	\$5,635.25
7110-01-614-5390	Gray	SL2	\$5,173.52
7110-01-614-5396	Black	SL2	\$5,173.52
7110-01-614-5398	Parchment	SL2	\$5,173.52

Four (4) Drawer - Letter Size (Size II)			
Maximum Outside Dimension: 58-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 465 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-309-1957	Gray	SL1	\$7,093.90
7110-01-309-1958	Black	SL1	\$7,093.90
7110-01-309-1959	Parchment	SL1	\$7,093.90
7110-01-614-5431	Gray	SL2	\$11,938.23
7110-01-614-5370	Black	SL2	\$11,938.23
7110-01-614-5375	Parchment	SL2	\$11,938.23

Five (5) Drawer - Letter Size (Size IV)			
Maximum Outside Dimension: 58-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 520 lbs. Shipping Cube: 26.9 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-309-1962	Gray	SL1	\$7,921.25
7110-01-309-1963	Black	SL1	\$7,921.25
7110-01-309-1964	Parchment	SL1	\$7,921.25
7110-01-614-5388	Gray	SL2	\$7,930.49
7110-01-614-5393	Black	SL2	\$7,930.49
7110-01-614-5402	Parchment	SL2	\$7,930.49

MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

Two (2) Drawer - Letter Size (Size X)			
Maximum Outside Dimension: 30-5/8" H x 17-5/8" W x 24" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 295 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-563-1685	Gray	ML1	\$7,426.29
7110-01-563-1693	Black	ML1	\$7,426.29
7110-01-563-1691	Parchment	ML1	\$7,426.29
7110-01-614-5404	Gray	ML2	\$7,444.77
7110-01-614-5410	Black	ML2	\$7,444.77
7110-01-614-5407	Parchment	ML2	\$7,444.77

Four (4) Drawer - Letter Size (Size II)			
Maximum Outside Dimension: 58-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 530 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-563-1697	Gray	ML1	\$14,248.34
7110-01-563-1688	Black	ML1	\$14,248.34
7110-01-563-1692	Parchment	ML1	\$14,248.34
7110-01-614-5366	Gray	ML2	\$14,285.31
7110-01-614-5378	Black	ML2	\$14,285.31
7110-01-614-5386	Parchment	ML2	\$14,285.31

Five (5) Drawer - Letter Size (Size IV)			
Maximum Outside Dimension: 58-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 585 lbs. Shipping Cube: 26.9 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-309-1994	Gray	ML1	\$17,514.97
7110-01-309-1995	Black	ML1	\$17,514.97
7110-01-309-1996	Parchment	ML1	\$17,514.97
7110-01-614-5406	Gray	ML2	\$17,561.18
7110-01-614-5411	Black	ML2	\$17,561.18
7110-01-614-5413	Parchment	ML2	\$17,561.18

Class 6 - Legal Size

Filing cabinets are GSA-approved for the storage of secret, top-secret and confidential information. Protection for 30 man-minutes against covert entry and 20 man-hours against surreptitious entry. No forced entry requirements. (Federal Specification AA-F-358)

Style 1 lock - Kaba Mas X-10

Style 2 lock - S&G 2740B

Style 1 & 2 locks are IAW Federal Specification FF-L-2740

SINGLE LOCK DESIGN

One lock controls all drawers (SL)

Two (2) Drawer - Legal Size (Size I)			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 295 lbs. Shipping Cube: 20.66 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-920-9342	Gray	SL1	\$4,636.80
7110-01-015-4638	Black	SL1	\$4,636.67
7110-01-015-4639	Parchment	SL1	\$4,636.80
7110-01-614-5428	Gray	SL2	\$4,636.80
7110-01-614-5432	Black	SL2	\$4,636.80
7110-01-614-5433	Parchment	SL2	\$4,636.80

MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

Two (2) Drawer - Legal Size (Size I)			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 335 lbs. Shipping Cube: 20.66 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-029-5767	Gray	ML1	\$7,155.67
7110-01-029-8055	Black	ML1	\$7,155.67
7110-01-030-9009	Parchment	ML1	\$7,155.67
7110-01-614-5435	Gray	ML2	\$6,868.64
7110-01-614-5437	Black	ML2	\$6,868.64
7110-01-614-5438	Parchment	ML2	\$6,868.64

Four (4) Drawer - Legal Size (Size III)			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 475 lbs. Shipping Cube: 35.85 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-920-9343	Gray	SL1	\$5,998.55
7110-01-015-4266	Black	SL1	\$5,998.55
7110-01-050-6060	Parchment	SL1	\$5,998.55
7110-01-614-5369	Gray	SL2	\$5,855.04
7110-01-614-5377	Black	SL2	\$5,855.04
7110-01-614-5387	Parchment	SL2	\$5,855.04

Four (4) Drawer - Legal Size (Size III)			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1195 lbs. Shipping Cube: 43.33 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-563-1698	Gray	ML1	\$13,755.31
7110-01-563-1690	Black	ML1	\$13,755.31
7110-01-563-1683	Parchment	ML1	\$13,755.32
7110-01-614-5383	Gray	ML2	\$13,181.24
7110-01-614-5379	Black	ML2	\$13,181.24
7110-01-614-5394	Parchment	ML2	\$13,181.24

Five (5) Drawer - Legal Size (Size V)			
Maximum Outside Dimension: 58-1/2" H x 20-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 530 lbs. Shipping Cube: 39.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-919-9193	Gray	SL1	\$6,718.52
7110-01-015-6099	Black	SL1	\$6,686.26
7110-01-015-6100	Parchment	SL1	\$6,686.26
7110-01-614-5389	Gray	SL2	\$6,639.51
7110-01-614-5395	Black	SL2	\$6,639.51
7110-01-614-5400	Parchment	SL2	\$6,639.51

Five (5) Drawer - Legal Size (Size V)			
Maximum Outside Dimension: 58-1/2" H x 20-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 610 lbs. Shipping Cube: 39.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-029-0389	Gray	ML1	\$17,074.38
7110-01-029-8059	Black	ML1	\$17,074.38
7110-01-029-8058	Parchment	ML1	\$17,074.38
7110-01-614-5417	Gray	ML2	\$16,356.81
7110-01-614-5352	Black	ML2	\$16,356.81
7110-01-614-5358	Parchment	ML2	\$16,356.81

Class 6 - Special Size

Filing cabinets are GSA-approved for the storage of secret, top-secret and confidential information. Protection for 30 man-minutes against covert entry and 20 man-hours against surreptitious entry. No forced entry requirements. (Federal Specification AA-F-358)

Style 1 lock - Kaba Mas X-10

Style 2 lock - S&G 2740B

Style 1 & 2 locks are IAW Federal Specification FF-L-2740

SINGLE LOCK DESIGN

One lock controls all drawers (SL)

One (1) Drawer – Special Size (Size VII)			
Designed for use in mobile or transportable tactical communication assemblages where through installation they will become an integral part of the assemblage. Not recommended as items of office furniture.			
Outside Dimension: 12-3/8" H x 15-1/2" W x 17-1/8" D Drawer Dimensions: 10-1/8" H x 12-1/4" W x 13" D Approximate Shipping Weight: 105 lbs. Shipping Cube: 5.69 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-919-9214	Gray	SL1	\$3,747.45
7110-01-015-3196	Black	SL1	\$3,747.45
7110-01-018-4301	Parchment	SL1	\$3,747.45
7110-01-614-5371	Gray	SL2	\$3,333.16
7110-01-614-5439	Black	SL2	\$3,333.16
7110-01-614-5392	Parchment	SL2	\$3,333.16
7110-01-614-5374	Gray	SL 2937*	\$2,524.50
7110-01-614-5385	Black	SL 2937*	\$2,524.50
7110-01-614-5380	Parchment	SL 2937*	\$2,524.50

Field Safes - One (1) Drawer – Special Size (Size VIII)			
Specially designed and constructed for use by Military Units in the field. Comes with protective shield for the lock and carrying handles on the front and rear.			
Outside Dimension: 12-3/8" H x 15-1/2" W x 17-1/8" D Drawer Dimensions: 10-1/8" H x 12-1/4" W x 24" D Approximate Shipping Weight: 125 lbs. Shipping Cube: 5.69 cu. ft.			
NSN	Color	Lock Style	Price
SINGLE LOCK			
7110-00-919-9306	Gray	SL 2937*	\$2,864.59
7110-01-015-2851	Black	SL 2937*	\$2,864.59
7110-01-015-2852	Parchment	SL 2937*	\$2,864.59
DUAL LOCK - Two separate combination locks - must dial the correct combination on both locks to open the drawer.			
7110-01-264-8483	Gray	ML 2937*	\$4,038.59
7110-01-309-2011	Black	ML 2937*	\$4,038.59
7110-01-309-2012	Parchment	ML 2937*	\$4,038.59

Two (2) Drawer – Special Size (Size VI)			
Outside Dimension: 27" H x 20-7/8" W x 20" D Approximate Shipping Weight: 260 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-00-919-9213	Gray	SL1	\$4,714.66
7110-01-016-5802	Black	SL1	\$4,714.66
7110-01-015-6101	Parchment	SL1	\$4,714.66
7110-01-614-5359	Gray	SL2	\$4,423.67
7110-01-614-5381	Black	SL2	\$4,423.67
7110-01-614-5361	Parchment	SL2	\$4,423.67
7110-01-614-5355	Gray	SL 2937*	\$3,726.78
7110-01-614-5382	Black	SL 2937*	\$3,726.78
7110-01-614-5367	Parchment	SL 2937*	\$3,726.78

MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

Two (2) Drawer – Special Size (Size VI)			
Drawer Dimensions: 10-1/4" H x 12-1/4" W x 16-1/2" D Approximate Shipping Weight: 300 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-563-1695	Gray	ML1	\$6,914.46
7110-01-563-1686	Black	ML1	\$6,914.46
7110-01-563-1684	Parchment	ML1	\$6,914.46
7110-01-614-5384	Gray	ML2	\$6,612.03
7110-01-614-5376	Black	ML2	\$6,612.03
7110-01-614-5368	Parchment	ML2	\$6,612.03
7110-01-614-5365	Gray	ML 2937*	\$5,165.65
7110-01-614-5401	Black	ML 2937*	\$5,165.65
7110-01-614-5372	Parchment	ML 2937*	\$5,165.65

**Lock in accordance with Federal Specification FF-L-2937.*

Shipboard Filing Cabinets

Class 6S - Shipboard Filing Cabinets

Filing cabinets are GSA-approved for the storage of secret, top-secret and confidential information. Protection for 30 man-minutes against covert entry and 20 man-hours against surreptitious entry. No forced entry requirements. (Federal Specification AA-F-358)

Style 1 lock - Kaba Mas X-10

Style 2 lock - S&G 2740B

Style 1 & 2 locks are IAW Federal Specification FF-L-2740

These containers are intended primarily for use on DoD ships where, through installation, they will become an integral part of the assemblage. These containers are designed specifically for Naval application where mounting to the floor or deck are required for life safety and security. They are not recommended as items of office furniture.

SINGLE LOCK DESIGN

One lock controls all drawers (SL)

Two (2) Drawer - Letter Size (Size X)			
Maximum Outside Dimension: 34-5/8" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 263 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5837	Gray	SL1	\$5,767.76
7110-01-614-5363	Gray	SL2	\$5,085.61

MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

Two (2) Drawer - Letter Size (Size X)			
Maximum Outside Dimension: 34-5/8" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 283 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5373	Gray	ML1	\$8,301.97
7110-01-614-5364	Gray	ML2	\$7,801.31

Two (2) Drawer - Legal Size (Size I)			
Maximum Outside Dimension: 34-5/8" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 288 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5822	Gray	SL1	\$5,343.18
7110-01-614-5405	Gray	SL2	\$5,105.15

Two (2) Drawer - Legal Size (Size I)			
Maximum Outside Dimension: 34-5/8" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 208 lbs. Shipping Cube: 14.3 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5408	Gray	ML1	\$8,345.86
7110-01-614-5409	Gray	ML2	\$7,845.16

Four (4) Drawer - Letter Size (Size II)			
Maximum Outside Dimension: 62-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 427 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5824	Gray	SL1	\$6,965.42
7110-01-614-5412	Gray	SL2	\$6,797.34

Four (4) Drawer - Letter Size (Size II)			
Maximum Outside Dimension: 62-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 467 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5414	Gray	ML1	\$15,469.56
7110-01-614-5415	Gray	ML2	\$14,468.20

SINGLE LOCK DESIGN

One lock controls all drawers (SL)

Four (4) Drawer – Legal Size (Size III)			
Maximum Outside Dimension: 62-1/2" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 452 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5836	Gray	SL1	\$6,629.81
7110-01-614-5419	Gray	SL2	\$6,386.16

MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

Four (4) Drawer – Legal Size (Size III)			
Maximum Outside Dimension: 62-1/2" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 512 lbs. Shipping Cube: 23.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5436	Gray	ML1	\$15,559.09
7110-01-614-5418	Gray	ML2	\$14,557.75

Five (5) Drawer – Letter Size (Size IV)			
Maximum Outside Dimension: 62-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 452 lbs. Shipping Cube: 28.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5834	Gray	SL1	\$7,282.86
7110-01-614-5354	Gray	SL2	\$7,478.93

Five (5) Drawer – Letter Size (Size IV)			
Maximum Outside Dimension: 62-1/2" H x 17-5/8" W x 28" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 512 lbs. Shipping Cube: 28.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5357	Gray	ML1	\$18,469.36
7110-01-614-5353	Gray	ML2	\$17,251.06

Five (5) Drawer – Legal Size (Size V)			
Maximum Outside Dimension: 62-1/2" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 540 lbs. Shipping Cube: 28.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5833	Gray	SL1	\$7,044.05
7110-01-614-5356	Gray	SL2	\$6,855.94

Five (5) Drawer – Legal Size (Size V)			
Maximum Outside Dimension: 62-1/2" H x 20-7/8" W x 28" D Drawer Dimensions: 10-1/4" H x 12-1/4" W x 24" D Approximate Shipping Weight: 620 lbs. Shipping Cube: 28.5 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5360	Gray	ML1	\$18,585.67
7110-01-614-5362	Gray	ML2	\$17,367.35

Weapons Containers

Class 5W - Weapons Containers

Cabinets are GSA-approved for use in storing weapons. Protection for 10 man-minutes against forced entry. These containers are not intended to store classified materials.

These containers are designed for the secure storage of handguns, pistols of most calibers and ammunition. All containers come standard with the S&G 2937 lock.

SINGLE LOCK DESIGN

One lock controls all drawers (SL)

Two (2) Drawer – Legal Size (Size I)			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 590 lbs. Shipping Cube: 14.0 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5831	Gray	SL 2937*	\$6,915.20
7110-01-606-5835	Black	SL 2937*	\$6,917.11
7110-01-606-5832	Parchment	SL 2937*	\$6,915.20

MULTIPLE LOCK DESIGN

One lock on each drawer (ML)

Two (2) Drawer – Legal Size (Size I)			
Maximum Outside Dimension: 30-5/8" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 610 lbs. Shipping Cube: 14.0 cu. Ft.			
NSN	Color	Lock Style	Price
7110-01-614-5416	Gray	ML 2937*	\$8,617.23
7110-01-614-5397	Black	ML 2937*	\$8,617.23
7110-01-614-5391	Parchment	ML 2937*	\$8,617.23

Four (4) Drawer – Legal Size (Size III)			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 980 lbs. Shipping Cube: 24.9 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-606-5829	Gray	SL 2937*	\$12,661.47
7110-01-606-5826	Black	SL 2937*	\$12,661.47
7110-01-606-5830	Parchment	SL 2937*	\$12,661.47

Four (4) Drawer – Legal Size (Size III)			
Maximum Outside Dimension: 58-1/2" H x 20-7/8" W x 33-1/2" D Drawer Dimensions: 10-1/4" H x 15-1/4" W x 24" D Approximate Shipping Weight: 1040 lbs. Shipping Cube: 24.9 cu. ft.			
NSN	Color	Lock Style	Price
7110-01-614-5421	Gray	ML 2937*	\$15,887.12
7110-01-614-5399	Black	ML 2937*	\$15,887.12
7110-01-614-5403	Parchment	ML 2937*	\$15,887.12

Filing cabinets are GSA-approved for the storage of small amounts of Risk Category II, III and IV Arms, Ammunitions and Explosives AA & E). Protection for 10 man-minutes against forced entry.

These containers are not intended to store classified materials.

These containers are designed for the secure storage of rifles, pistols of most calibers, riot shotguns and shoulder fired automatic weapons and ammunitions. All containers come standard with the S&G 2937 lock.

Optional accessories available.

Empty Cabinet			
Outside Dimension: 51-3/4" H x 22" W x 39" D Inside Dimensions: 48-1/2" H x 18-1/4" W x 35-1/2" D Approximate Shipping Weight: 1080 lbs. Shipping Cube: 36.1 cu. ft. Style B - Without channel base assembly			
NSN	Color	Lock Style	Price
7110-01-476-2954	Gray	SL 2937*	\$8,356.21

**Lock in accordance with Federal Specification FF-L-2937.*

General Purpose Containers

Class 5 - General Purpose Containers

Filing cabinets are GSA-approved for the storage of secret and confidential information, along with class 1 & 2 controlled substances, monetary funds and precious metals. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry and 10 man-minutes against forced entry. (Federal Specification AA-F-363)

Style 1 lock - Kaba Mas X-10

Style 2 lock - S&G 2740B

Style 1 & 2 locks are IAW Federal Specification FF-L-2740

Empty cabinets are equipped with vertical channels for the installation of optional equipment.

Will accommodate postal unit interiors, computer data interiors and shelves for general storage along with postal records.

Optional accessories available.

Empty Cabinet Type II - Without hangers and suspension Type B - Without channel base assembly Size IV - 28-1/2" H x 23-1/4" W x 24"D Approximate Shipping Weight: 520 lbs Shipping Cube: 14.7 cu.ft.			
NSN	Color	Lock Style	Price
7110-01-309-2032	Gray	SL1	\$6,650.51
7110-01-309-2033	Black	SL1	\$6,650.51
7110-01-309-2034	Parchment	SL1	\$6,650.51
7110-01-614-5809	Gray	SL2	\$6,469.59
7110-01-614-5812	Black	SL2	\$6,469.59
7110-01-614-5829	Parchment	SL2	\$6,469.59

Empty Cabinet Type II - Without hangers and suspension Type B - Without channel base assembly Size II - 43-1/2" H x 35-3/4" W x 26-3/4"D Approximate Shipping Weight: 520 lbs Shipping Cube: 14.7 cu.ft.			
NSN	Color	Lock Style	Price
7110-00-928-8689	Gray	SL1	\$11,480.74
7110-01-614-5814	Black	SL1	\$11,480.74
7110-01-614-5816	Parchment	SL1	\$11,480.74
7110-01-614-5808	Gray	SL2	\$11,299.09
7110-01-614-5813	Black	SL2	\$11,299.09
7110-01-614-5832	Parchment	SL2	\$11,299.09

Class 6 - General Purpose Containers

Filing cabinets are GSA-approved for the storage of secret and confidential information. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry. (Federal Specification AA-F-363)

Optional accessories available.

SINGLE LOCK DESIGN

One lock controls all drawers (SL)

Empty Cabinet Type I - With hangers and suspension Type B - Without channel base assembly Size I - 51-1/4" H x 22" W x 39" D Approximate Shipping Weight: 1040 lbs Shipping Cube: 36.1 cu.ft.			
NSN	Color	Lock Style	Price
7110-01-614-5817	Gray	SL1	\$5,036.08
7110-01-614-5824	Black	SL1	\$5,036.08
7110-01-614-5834	Parchment	SL1	\$5,036.08
7110-01-614-5818	Gray	SL2	\$5,036.08
7110-01-614-5826	Black	SL2	\$5,036.08
7110-01-614-5836	Parchment	SL2	\$5,036.08

Empty Cabinet Type II - Without hangers and suspension Type B - Without channel base assembly Size III - 57-1/2" H x 22-1/2" W x 38-5/8" D Approximate Shipping Weight: 1230 lbs Shipping Cube: 50.26 cu.ft.			
NSN	Color	Lock Style	Price
7110-01-614-5822	Gray	SL1	\$4,663.85
7110-01-614-5827	Black	SL1	\$4,663.85
7110-01-614-5835	Parchment	SL1	\$4,663.85
7110-01-614-5823	Gray	SL2	\$4,663.85
7110-01-614-5831	Black	SL2	\$4,663.85
7110-01-614-5837	Parchment	SL2	\$4,663.85

Empty Cabinet Type II - Without hangers and suspension Type B - Without channel base assembly Size I - 43-1/2" H x 35-3/4" W x 26-3/4" D Approximate Shipping Weight: 1040 lbs Shipping Cube: 36.1 cu.ft.			
NSN	Color	Lock Style	Price
7110-00-931-0771	Gray	SL1	\$4,598.16
7110-01-019-0408	Black	SL1	\$4,598.16
7110-01-024-5958	Parchment	SL1	\$4,598.16
7110-01-614-5819	Gray	SL2	\$4,598.16
7110-01-614-5820	Black	SL2	\$4,598.16
7110-01-614-5821	Parchment	SL2	\$4,598.16

Map and Plan Containers

Class 5 - Map and Plan Containers

Filing cabinets are GSA-approved for the storage of secret and confidential information, along with class 1 & 2 controlled substances, monetary funds and precious metals. Protection for 30 man-minutes against covert entry, 20 man-hours against surreptitious entry and 10 man-minutes against forced entry. (Federal Specification AA-F-363)

Style 1 lock - Kaba Mas X-10

Style 2 lock - S&G 2740B

Style 1 & 2 locks are IAW Federal Specification FF-L-2740

Optional accessories available.

Type I - With hangers and suspension (comes with plan hold rack assembly) Type B - Without channel base assembly Size I -51-1/4" H x 22" W x 39" D Approximate Shipping Weight: 1230 lbs Shipping Cube: 50.26 cu.ft.			
NSN	Color	Lock Style	Price
7110-01-614-5801	Gray	SL1	\$10,759.70
7110-01-614-5802	Black	SL1	\$10,759.70
7110-01-614-5804	Parchment	SL1	\$10,759.70
7110-01-614-5803	Gray	SL2	\$10,578.78
7110-01-614-5805	Black	SL2	\$10,578.78
7110-01-614-5815	Parchment	SL2	\$10,578.78

Type II - Without hangers and suspension (comes with plan hold rack assembly) Type B - Without channel base assembly Size I -51-1/4" H x 22" W x 39" D Approximate Shipping Weight: 1230 lbs Shipping Cube: 50.26 cu.ft.			
NSN	Color	Lock Style	Price
7110-00-931-0770	Gray	SL1	\$9,510.57
7110-01-017-3546	Black	SL1	\$9,510.57
7110-01-017-3547	Parchment	SL1	\$9,510.57
7110-01-614-5810	Gray	SL2	\$9,321.06
7110-01-614-5828	Black	SL2	\$9,321.06
7110-01-614-5830	Parchment	SL2	\$9,321.06

Damage Control Bags

Damage Control Bags

The bag is manufactured from Dupont Cordura II 1000 denier fabric. Included with the bag is a heavy duty 2" Wide shoulder strap rated at 400lbs with all heavy-duty steel fittings. The shoulder strap is designed to be detached when required to affix DC equipment such as trunks and cables to the overhead in emergency situations. The bag contains a double slider number 10 self-repairing corrosion resistant zipper closure, three heavy duty handles, and three pockets. The D rings on each end of the bag are 1-3/4" heavy duty steel affixed by doubling over 8" heavy duty nylon webbing and box and cross stitching the material in place. The end handles are designed to support the content of the entire DC kit during single handed carry through scuttles and confined spaces. They are constructed of heavy-duty nylon and double stitched into the bag seams. The bottom of the bag is reinforced with a shatterproof flexible poly-carbon composite insert sandwiched between the bottom of the base of the bag and a second layer of the abrasive resistant 1200 denier 3M ballistic fabric. The front, bottom, and back of the bag is one continuous piece of material. The front of the bag includes the nomenclature of the NAVSEA designated AEL the kit is intended for in 2" high lettering. Manufactured from 3M™ Scotchlite™ Reflective fluorescent yellow 8787 Material designed for enhancing visibility in low light and nighttime conditions. The lettering is guaranteed to stay affixed and functional for the lifetime of the kit bag. The clear end pocket is manufactured from low off gassing, high melt point double polished 20 Gauge clear vinyl. 3M hook loop is used to secure all pockets closed. The top carrying handles are manufactured from 2inch wide heavy-duty nylon. The handle material extends to the bottom of the bag on both sides. The handles are joined together at the top with a heavy polished leather closure with snaps. The inside seams are sewn, then covered with finishing taped and sewn a second time creating a double stitched finished bottom and side seams.

This bag should read "PIPE PATCHING KIT".

8105-01-613-1755, DCKB 14, Royal Blue, 20" L x 18" H x 11" D, EA, \$127.36

This bag should read "SHORING C-CLAMPS".

Used for C-Clamps.

8105-01-613-1756, DCKB 17C, Brown, 17" L x 11" H x 7" D, EA, \$127.36

This bag should read "SHORING KIT"

Used for Nails

8105-01-613-1757, DCKB 17A, Brown, 10" L x 6" H x 6" D, EA, \$111.32

This bag should read "SHORING TOOL KIT".

8105-01-613-1759, DCKB 17, Brown, 20" L x 18" H x 11" D, EA, \$201.77

This bag should read "PLUGGING KIT".

8105-01-613-1760, DCKB 15, Navy Blue, 20" L x 18" H x 11" D, EA, \$127.36

This bag should read "PORTABLE PUMP KIT".

8105-01-613-1761, DCKB 16, Royal Blue, 20" L x 15-1/2" H x 9" D, EA, \$127.36

This bag should read "WELDING KIT".

8105-01-613-1762, DCKB 18, Black, 20" L x 18" H x 11" D, EA, \$127.36

This bag should read "ADAPTER KIT".

8105-01-613-1763, DCKB 01, Royal Blue, 20" L x 15-1/2" H x 9" D, EA, \$127.36

This bag should read "BANDING TOOL KIT".

8105-01-613-1764, DCKB 02, Royal Blue, 20" L x 15-1/2" H x 9" D, EA, \$127.36

This bag should read "CPS REPAIR KIT".

8105-01-613-1765, DCKB 03, Hunter Green, 20" L x 15-1/2" H x 9" D, EA, \$127.36

This bag should read “DESMOKING KIT BAG -1”.

Special Feature: NSN 8105016131766 and NSN 8105016131767 are used as a pair.

8105-01-613-1766, DCKB 04, Dark Grey, 20" L x 18" H x 11" D, EA, \$127.36

This bag should read “DESMOKING KIT BAG -2”.

Special Feature: NSN 8105016131766 and NSN 8105016131767 are used as a pair.

8105-01-613-1767, DCKB 04A, Gray, 20" L x 18" H x 11" D, EA, \$127.36

This bag should read “DEWATERING KIT”.

8105-01-613-1768, DCKB 05, Navy Blue, 20" L x 18" H x 11" D, EA, \$127.36

This bag should read “EWARP KIT”.

8105-01-613-1769, DCKB 06, Royal Blue, 17" W x 11" H x 7" D, EA, \$127.36

This bag should read “ELECTRICAL REPAIR KIT”.

8105-01-613-1770, DCKB 07, Fluorescent Orange, 20" L x 15-1/2" H x 9" D, EA, \$127.36

This bag should read “ENGINEERING SPACE KIT”.

8105-01-613-1771, DCKB 11, Brown / Blue, 20" L x 18" H x 11" D, EA, \$127.36

This bag should read “EMERGENCY COMMS KIT”.

8105-01-613-1772, DCKB 08, Fluorescent Orange, 17" L x 11" H x 7" D, EA, \$127.36

This bag should read “EMERGENCY LIGHTING KIT”.

8105-01-613-1773, DCKB 09, Fluorescent Yellow, 20" L x 18" H x 11" D, EA, \$127.36

This bag should read “GAS FREE ENGINEERING KIT”.

8105-01-613-1774, DCKB 12, Hunter Green, 20" L x 15-1/2" H x 9" D, EA, \$127.36

This bag should read “INVESTIGATOR KIT”.

8105-01-613-1775, DCKB 13, Tan, 20" L x 15-1/2" H x 9" D, EA, \$117.93

The bag should read “FUSE”.

8105-01-613-1776, DCKB 07A, Orange, 10" L x 6" H x 6" D, EA, \$104.36

This bag should read “MONITORING KIT”.

8105-01-613-1777, DCKB 19, Hunter Green, 20" L x 15-1/2" H x 9" D, EA, \$117.93

This bag should read “FIREFIGHTING ACCESS”.

8105-01-614-0296, DCKB 22, Red, 20" L x 15-1/2" H x 9" W, EA, \$194.81

This bag should read “JUBILEE PATCH”.

8105-01-674-0029, DCKB 24, Royal Blue, 21.50" W X 15.50" H, EA, \$90.61

ADVERTISEMENT

PRODUCTS WITH A PURPOSE

When you choose SKILCRAFT® products and other products provided through the AbilityOne® Program, you get more than quality. You help create jobs for thousands of skilled and dedicated people who are blind or have significant disabilities right here in America. Making the smart choice has never been easier.

Created with pride by Americans who are blind or have significant disabilities

TOOLS AND HARDWARE

IN THIS SECTION

Automotive	368	Power Tools and Accessories.....	447
Chisels, Punches and Scrapers	376	Saws	460
Clamps and Vises.....	379	Scissors, Shears, Snips and Cutters ..	462
Construction and Building Supplies ...	381	Screwdrivers	467
Electrical and Electronic Tools	383	Shovels, Picks, Bars and Rakes.....	479
Files	388	Sockets and Attachments.....	485
Hammers.....	390	Taps, Dies, Reamers and Extractors...	499
Hardware	395	Tool Kits	504
Knives	422	Tool Storage Units	507
Marking Tools	431	Twist Drills and Boring Tools.....	510
Measuring Tools.....	433	Wrenches.....	517
Pliers.....	441	Outdoor Equipment	534

Jacks and Accessories

Hand Jack (Hydraulic)

This self contained, hand operated, hydraulic jack performs a wide variety of lifting, straightening, shoring, bracing and bending applications. Use it for general industrial and automotive maintenance, construction, fabrication and material handling in shops and factories. Jack is an integral unit consisting of a pump, ram and reservoir. Furnished with a jack handle.

5120-00-595-8396, 8 Tons, Collapsed 9-1/2" H, Extended 17-7/8" H., EA, \$202.47

IAW U. S. Army Tank Automotive Command Drawing 1240061.

Federal Strategic Sourcing Initiative, 5120-01-374-0532, 12420061-001, 8 Tons, Collapsed 11-1/2" H, Extended 23" H. -50° F to 120° F., EA, \$248.95

Federal Strategic Sourcing Initiative, 5120-01-146-8096, 96AB018 or equal., 12 Tons, Collapsed 8-1/2" H, Extended 17-1/8" H., EA, \$222.27

5120-00-224-7330, 12 Tons, Collapsed 9-1/8" H, Extended 16-1/2" H., EA, \$127.35

5120-01-351-2074, 20 Tons, Collapsed 10-13/16" H, Extended 20-3/16" H, EA, \$273.83

5120-00-188-1788, 20 Tons, Collapsed 11-1/4" H, Extended 16-7/16" H., EA, \$319.54

5120-00-188-1790, 30 Tons, Collapsed 11-1/4" H, Extended 16" H., EA, \$580.58

Hydraulic Pump and Ram Set

This set ensures that the pump and ram you select are properly sized and matched to provide maximum efficiency and service life. All sets come with 6 feet of hydraulic hose equipped with a quick disconnect coupling, a single acting push type ram, hand operated pump with a flat mounted base and a jack handle.

5120-00-293-0077, 20 Tons, Collapsed 11-1/2" H, Extended 16-1/4" H., EA, \$668.94

Tool Bag (Jack)

These tool bags are for use when you can't bring the full mobile tool cabinet to the job. Perfect for a few tools and parts. Described by: (Pockets, Dimensions, Material).

This tool satchel is made of Polyamide or Polyester material. Used to house a vehicle jack.

Federal Strategic Sourcing Initiative, 5140-01-429-6945, Black, 1, 22-3/4" L x 26" W, Nylon., EA, \$27.15

Jack Extension Handle

Extension jack handle for utility truck. Made of steel. IAW U.S. Army Tank Automotive Command Drawing 12447040 Rev B.

Federal Strategic Sourcing Initiative, 5120-01-429-6065, 15" L., EA, \$23.27

Mechanical Jack Handle

IAW US Army Tank Automotive Drawing 12447041.

Federal Strategic Sourcing Initiative, 5120-01-429-8137, Universal Tool and Stamping 001493 or equal, EA, \$10.11

Leveling Support Jack

IAW US Army, Natick Research and Development Center drawing 5-4-2866, Rev E, and Parts List, Rev B.

Federal Strategic Sourcing Initiative, 5120-01-368-8316, EA, \$2,691.36

Hydraulic jack for leveling support.

Federal Strategic Sourcing Initiative, 5120-01-609-8721, 20,000 lbs, 17-1/2" to 42-1/2"., EA, \$1,100.23

Automotive Lug Nut Wrench

To be used for lug nut removal on M969 series tanker trailers. Wrenching Sizes: 24mm and 33mm. Steel.

Federal Strategic Sourcing Initiative, 5120-01-514-3465, 50939001 or equal., 16" L., EA, \$36.43

Tire Lug Nut Wrench

Shank is bent at 75 to 80° to form a 17" handle with a flat-tip screwdriver type end. Wrench opening is 7/8" hexagon. Test load: 1620 in.-lbs. minimum when used as a lug wrench; 1800 in.-lbs. when used as a jack handle.

Federal Strategic Sourcing Initiative, 5120-01-156-7296, EA, \$8.81

Tire Tread Gage

Use to measure the depth of remaining tire tread in 1/32" graduations. Made of brass, tool measures 4" L. Base is 3" L x 7/16" W. Flat brass probe slides within steel casing.

Federal Strategic Sourcing Initiative, 5210-00-019-3050, EA, \$18.28

Tire Valve Repair Tool

For use on tire valve stems & cores, this tool rethreads internal & external threads & installs & removes valve cores.

Federal Strategic Sourcing Initiative, 5120-00-308-3809, GA143A or equal., EA, \$2.08

Lug Nut Wrench

These heavy duty tire wrenches are for removing wheel lug nuts and are made of a heat treated and hardened drop forged steel alloy. GGG-W-644.

Type 1: This one piece, quad ended lug nut wrench is a cross design and the angle between any two adjacent arms will be 90°.

Federal Strategic Sourcing Initiative, 5120-00-541-3186, 20" L, 3/4" x 13/16" x 7/8" x 15/16", 6 Point, Size #3., EA, \$53.85

Has 1-1/16, 1-1/4 and 1-1/2" hexagonal sockets and a 13/16" square socket.

Federal Strategic Sourcing Initiative, 5120-00-203-4766, 27" L, Size #10., EA, \$76.85

Type 2: This one piece, double ended lug nut wrench is a straight design with single hole at each end by the hexagonal socket openings. This is for a removable slip in handle. (Handle not included.)

Exception to spec. Has a 1-1/2" hexagonal socket and a 13/16" square socket. Handle Supplied.

Federal Strategic Sourcing Initiative, 5120-00-316-9217, 17" L min, Size #9., EA, \$50.75

Has a 1-3/4" hexagonal socket and a 31/32" square socket.

Federal Strategic Sourcing Initiative, 5120-01-070-8386, 29" L, Size #10., EA, \$76.28

Mechanical

Stud Remover & Setter Set

Stud Remover. This compact stud remover will fit into hard to reach areas & loosen hard to turn studs. Made of high grade, heat treated alloy steel.

Medium range. Stud capacities are 1/4 - 20, 1/4 - 28, 5/16 - 18, 5/16 - 24, 3/8 - 16, 3/8 - 24, 7/16 - 14, 7/16 - 20, 1/2 - 13, 1/2 - 20, 9/16 - 12, 9/16 - 18, 5/8 - 11 and 5/8 - 18.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-390-8586, CG515B or equal., SE, \$221.53

Deflator Valve Tool

For deflating high-pressure equipment, tires, shock struts, accumulators and air bottles; also for venting or removing valve cores safely to pressures up to 3500 psi. Steel tool consists of a body, stem and cap. Overall length is 2.

Federal Strategic Sourcing Initiative, 5120-00-223-8653, EA, \$50.35

Tire Valve Core Inserter/Remover

Screwdriver style steel inserter installs & removes standard bore tire valve cores. Has a hexagonal handle measuring 2-3/4" L x 5/16" W flats. Working end is 0.173" in diameter & 1/2" L, with a slot that is 1/16" W x 1/16" D.

Federal Strategic Sourcing Initiative, 5120-00-541-4687, 3-1/4" L., EA, \$1.41

Retrieving Tool (Magnetic)

These tools are used in the retrieval of items in inaccessible areas.

Federal Strategic Sourcing Initiative, 5120-01-335-1374, Telescoping: 5-7/8" - 25-9/16" L, Rigid, Chrome., EA, \$4.08

Federal Strategic Sourcing Initiative, 5120-01-335-1376, Telescoping: 16-3/4" - 26-3/4" L, Flexible Head., EA, \$14.42

5120-01-399-9286, Telescoping: 16-3/4" - 26-3/4" L, Flexible Head., EA, \$13.33

5120-01-336-5536, Telescoping: 16-3/4 to 26-3/4" L., EA, \$9.73

5120-01-335-1377, 21" L, Flexible., EA, \$11.06

5120-00-850-6313, 33" L, Flexible., EA, \$15.74

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-545-4268, Telescoping: 13-1/2" - 27" L, Rigid., EA, \$11.50

Magnetic Retrieving Tool Kit

This inspection and retrieving tool kit includes the flexible Snake Light, an inspection mirror that telescopes from 10" - 14", a magnetic retrieving tool that telescopes from 6" to 25-1/2" and a flexible retrieving spring claw. Components are provided in a heavy duty waterproof tool pouch with tool holders and belt loops.

Federal Strategic Sourcing Initiative, 5180-01-412-8437, KT, \$54.78

Oil Filter Wrench

These oil filter wrenches have either a steel band, strap or form fitting type.

End-gripping-style steel wrench removes disposable oil filters from automotive engine blocks. Clamp is self-adjusting and self-locking. Has a 1/2 or 3/8 square female drive. Distance across the flats of the hexagonal nut is 1 or 7/8. Wrench is operated by a socket or box wrench (not included).

Federal Strategic Sourcing Initiative, 5120-00-865-0933, 1/2" Square Drive., EA, \$13.57

Battery Terminal Clamp Puller

For lifting and pulling cable clamp from battery terminal without damaging battery posts. Has two steel, spring-loaded jaws. T-type sliding handle turns forcing screw, which drives jaw mechanism.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-944-4268, 54150 or equal., EA, \$17.26

Mechanical Puller

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

Reversible two jaw type with external & internal gripping. Furnished with a suitable spring locking arrangement & forcing screw point protector or removal point.

Federal Strategic Sourcing Initiative, 5120-01-486-2111, 2" & 4" L, 1-1/4" - 6" L., EA, \$29.90

Two jaw type has external gripping & a double ended grip.

Federal Strategic Sourcing Initiative, 5120-00-595-9304, 3-1/4" L, 0" - 6" L., EA, \$54.05

Three jaw type has external gripping, automatic jaws & a combination yoke. Each jaw has a double ended grip.

Federal Strategic Sourcing Initiative, 5120-00-490-4283, 1026 or equal., 3-1/4" L, 0" - 6" L. 5/8" Square Screw Head., EA, \$96.97

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-595-9305, 5-1/2" L, 0" - 8" L., EA, \$102.10

For use on clutch pilot bearing and in close quarters. Consists of U-shaped steel body, head, yoke, yoke screw, forcing nut and two pairs of jaws. Yoke screw has either a hexagonal head or a T-handle. Comes with head guide.

Federal Strategic Sourcing Initiative, 5120-00-449-3769, 1-1/8" L, 25/64" - 1-1/4" L., EA, \$29.58

Two jaw type has external gripping and a single ended grip.

Federal Strategic Sourcing Initiative, 5120-00-288-7710, 5-1/8" L, 0" - 7" L. 5/8" Square Screw Head., EA, \$39.71

Three jaw type has external gripping & a single ended grip.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-516-3120, 5-1/2" L, 0" - 6" L. 5/8" Square Screw Head., EA, \$59.02

Mechanical Puller (Jaw)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

Federal Strategic Sourcing Initiative, 5120-01-486-2143, 4229JB, 4-15/64" L, 10 Ton., EA, \$19.01

Federal Strategic Sourcing Initiative, 5120-01-209-6515, 4230RJ or equal., Reach: 2-3/4", 10 Ton., EA, \$16.08

Mechanical Puller (Kit)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

Federal Strategic Sourcing Initiative, 5180-01-486-2208, J4235A or equal., KT, \$1,551.92

Mechanical Puller (Crossarm)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

Federal Strategic Sourcing Initiative, 5120-01-486-2133, J4205B., EA, \$25.65

Federal Strategic Sourcing Initiative, 5120-01-486-2135, J4206SC or equal., EA, \$64.72

Mechanical Puller (Leg)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

Set of (3) jaws for inside and outside pulls. Use for slide hammer-type puller. Made of hardened steel with a chrome-plated finish.

Federal Strategic Sourcing Initiative, 5120-00-340-2010, 3-5/16" L, 0 to 5-1/8" Outside x 1-1/4" to 2-7/8" Inside., SE, \$11.33

Long narrow type: 10" L x 7/8" W, 7-3/16" reach.

Federal Strategic Sourcing Initiative, 5120-01-486-2082, EA, \$49.78

7-1/8" & 4-11/16" Dual-Reach Jaw Puller Replacement Part. 10" overall length.

Federal Strategic Sourcing Initiative, 5120-01-486-2081, J4016A., EA, \$27.63

Mechanical Puller (Step Plate Set)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

Set contains (11) pieces in sizes: 3/4 X 1, 7/8 X 1-1/8, 1 X 1-1/4, 1-1/8 X 1-3/8, 1-1/4 X 1-5/8, 1-3/8 X 1-3/4, 1-1/2 X 1-7/8, 1-5/8 X 2, 1-3/4 X 2-1/8, 1-7/8 X 2-3/8 & 2 X 2-1/2" Diameters.

Federal Strategic Sourcing Initiative, 5120-01-486-2087, SE, \$90.56

Mechanical Puller (Yoke)

Jaw and force screw type is for pulling bearings and gears. Consists of yoke, forcing screw, straps, cap screws and jaws. Yoke has a central, threaded hole for forcing screw. Alloy steel screw has a standard wrench head. Made of heat treated steel to resist breakage or deformation. Described by (Reach Length, Spread Range).

The yoke is 11/32 inch L x 2 inches H. It has an Internal Thread Size: 5/8 inch-12 Acme and an External Thread Size: 7/8 inch-14 UNF.

Federal Strategic Sourcing Initiative, 5120-01-486-2209, EA, \$39.01

Universal Puller Kit

Kit includes one slide rod, one 2-3/4 lb slide hammer, one adjusting cone, one three-jaw yoke, one two-jaw yoke, three yoke pins with retainer balls or three bolts and three nuts, one steel crossarm of rectangular cross section with a centrally located threaded hole for the slide rod, one single jaw, six outside jaws, six inside jaws and six reversible jaws. Comes with a carrying case.

Federal Strategic Sourcing Initiative, 5180-00-313-9496, KT, \$148.71

Mechanical Finger

For retrieving screws, washers, nuts, bolts & pins from difficult places. Consists of housing, plunger, coil spring & retracting jaws. The plunger activates tempered spring steel jaws with a 13/16" jaw opening. The external coil spring returns the plunger to a closed position. Steel or brass tubing housing.

Flexible midsection is spiral-wound armored cable.

Federal Strategic Sourcing Initiative, 5120-01-380-8971, 26-3/4" L, Reach: 23-1/2", EA, \$8.92

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-629-6258, 17-1/2" L, Reach: 14-7/8", EA, \$12.03

Rigid midsection is made of steel or brass tubing.

Federal Strategic Sourcing Initiative, 5120-00-288-8716, 10-1/2" L, Reach: 8", EA, \$17.08

Bearing Puller Attachment

For use with two jaw, external gripping & two leg bearing pullers. Consists of top & bottom blocks, cap screws & nuts. Jaw has external gripping. In accordance with GSA Purchase Description 5120-00-595-8424 dated 05/26/99.

Jaw has a 3/8 to 4-1/4 spread range and 8-long screws; 4-1/4 wide inside.

Federal Strategic Sourcing Initiative, 5120-00-595-8424, EA, \$59.13

Body Repair (Surfacing Body Spoon)

These hardened, specialty body repair spoons are designed for dispersing the force of a body hammer blow over a wider area, wedging & prying between panels & striking panels in confined spaces, or for use as a dolly in a confined, hard to reach spaces. The body spoons come in 6 styles, light dinging, surfacing, medium crown, combination, spoon dolly & double end driving spoon. The body has a corrosion-preventive coating and a square or round integral handle. B107.400 Cat 56.

This low crown spoon is for spring hammering, slapping & finishing. It can be placed on high ridges of metal for pounding & used between two pieces of metal to pry back into shape.

Federal Strategic Sourcing Initiative, 5120-00-595-9558, 2-1/4 lbs, 10-3/8" L, EA, \$32.03

Cylinder Bore Honing Unit

Portable unit has a spring-loaded abrasive hone. Glaze-breaking type is for reconditioning straight and stepped cylinder walls of internal combustion engines. For use with power drills. Drive shank fits drills with 1/4 or 1/2 chucks. Consists of rotating assembly of two or more spring-loaded arms with self-adjusting shoes. MIL-C-82069.

Has a 2- to 7-diameter capacity. Includes spread limiter to facilitate insertion and removal.

Federal Strategic Sourcing Initiative, 5130-00-991-0699, EA, \$34.15

Nose Assembly

Crimp Nose Assembly, Seven inch, 0.032 inch Diameter Safety Cable: Seven inch length Crimp nose assembly, when used with Daniels # SCT320 installation tool. Crimps 0.032 inch diameter safety cable ferrules and cuts excess safety cable flush with the applied ferrule.

The crimp nose attaches to the Tool Frame by use of two(2) 8-32 socket cap screws. The Crimp nose shall be rotatable and can be latched into one of four positions at 90 degree intervals.

Federal Strategic Sourcing Initiative, 5120-01-413-8724, DMC SCTN32-7 or equal., EA, \$258.17

Fastener Removal Nose Assembly

For thread size 10 high profile Deutsch Turn-Loc fasteners.

Federal Strategic Sourcing Initiative, 5120-01-159-4362, 1-3/4" L, 10-32., EA, \$914.32

Captive Screw Nose Assembly

Used for High Profile Floating Installation Applications. Captive screw nose assembly for Turn-LOC Fasteners. Installing tool is made of steel.

Federal Strategic Sourcing Initiative, 5120-01-158-6616, 1-3/4" L x 15/16" Dia., 10-32 THD., EA, \$750.81

Inspection Mirror

Chromium or nickel plated steel mirror comes with handle and angle adjustment mechanism. Reflecting surface is free from distortion and blind spots. Enables clear visual examination of locations otherwise difficult or impossible to view directly. Mirror has silvered glass.

Has a rectangular glass mirror. Spring loaded mirror for one handed operation has plunger actuated angle adjustment and may be locked into any angle from 90° to 180°.

Federal Strategic Sourcing Initiative, 5120-01-399-9301, Telescoping: 11-1/4" - 15-1/2" L, Mirror: 3-1/2" x 2-1/8", EA, \$7.94

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-278-9926, 11" L, Mirror: 1-1/2" x 1-1/4", EA, \$17.30

Federal Strategic Sourcing Initiative, 5120-00-618-6902, 16" L, Mirror: 2-5/8" x 1-3/4", EA, \$49.54

Circular mirror has silvered glass and a metal back. Ball swivel joint mirror has a secure knurled handgrip. Ball joint adjustment holds mirror in preset position or angle.

Federal Strategic Sourcing Initiative, 5120-01-335-1572, GA295 or equal., Telescoping: 10" - 14" L, Mirror: 2-1/4" D., EA, \$6.97

Circular mirror comes with a knurled telescoping handle and ball swivel joint angle adjustment mechanism. Mirror has a secure handgrip. Ball joint adjustment holds mirror in preset position or angle.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-618-6901, Telescoping: 12" - 34" L, Mirror: 3-3/4", EA, \$19.07

Circular mirror has silvered glass and a metal back. Ball swivel joint mirror has a secure knurled handgrip. Ball joint adjustment holds mirror in preset position or angle.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-278-8257, Telescoping: 9" to 15" L, Mirror: 2-1/4", EA, \$6.88

Federal Strategic Sourcing Initiative, 5120-01-313-4096, 7" L, Mirror: 1-1/4", EA, \$5.89

Has a rectangular glass mirror. Spring loaded mirror for one handed operation has plunger actuated angle adjustment & may be locked into any 360° angle.

Federal Strategic Sourcing Initiative, 5120-01-335-2518, Telescoping: 11-1/4" - 15-1/4" L, Mirror: 3-1/2" x 2-1/8", EA, \$6.60

Federal Strategic Sourcing Initiative, 5120-01-474-5087, 11" L, Mirror: 1-1/2" x 1-3/16", EA, \$24.25

Federal Strategic Sourcing Initiative, 5120-01-428-8005, Telescoping: 11-1/4" - 15-1/4" L, Mirror: 3-1/2" L x 2-1/8" W", EA, \$7.66

Federal Strategic Sourcing Initiative, 5120-01-335-1571, PTM157 or equal., Telescoping: 4-1/2" - 17" L, Mirror: 2" x 1", EA, \$7.72

Oval mirror has silvered glass & a metal back. Has a ball swivel joint mirror that holds mirror in preset position or angle & a handgrip.

Federal Strategic Sourcing Initiative, 5120-01-399-9302, 8-3/4" L, Mirror: 1" x 2" Diameter., EA, \$6.29

IAW GSA Purchase Description 5120-01-313-4097.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-313-4097, 8" L, Mirror: 1", EA, \$6.20

Vehicle Track Connection Tool

IAW U.S. Army Tank Automotive Command Drawing 12252120 Rev C.

Federal Strategic Sourcing Initiative, 5120-01-016-2149, EA, \$662.28

A fixture used to pull together two track ends of a full tracked vehicle, for the purpose of connection.

IAW U.S. Department of the Army, Army Ordnance Corp drawing number 8741739, Rev B.

Supplied with a handle.

Federal Strategic Sourcing Initiative, 5120-00-605-3926, EA, \$560.12

In accordance with U.S. Army Tank Automotive Command Drawing 12284900.

Federal Strategic Sourcing Initiative, 5120-01-086-8472, EA, \$556.08

Terminal Clamp Spreader

For use on storage batteries, steel tool consists of a post cleaner on the inner surface of one handle and a reamer. A 90 deg. offset is at tool's head.

Federal Strategic Sourcing Initiative, 5120-00-611-7525, 10-1/2oz. 7-1/2" L., EA, \$12.46

General Automotive Supplies

Drum Liner

These flat-seal 38 x 65-in Low-Density Polyethylene 55 gal. drum liner.

8105-01-264-4571, 55 gal., BX(contains 50 EA), \$155.10

Antifreeze

All-purpose coolant is perfect for year-round light-duty use in cars and trucks. Liquid cooling systems (including aluminum block engines) protects against freezing, boiling and corrosion. Conforms to ASTM Standard No. D3306.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

6850-00-664-1409, A-18830255 or equal, DR(contains 55 GL), \$954.50

6850-00-664-1403, A-18830200N or equal, GL, \$27.60

Penetrating Fluid

Penetrating fluid penetrates deeply to loosen corroded or rusted parts, nuts, screws and hinges without causing damage. This non-toxic fluid is in an aerosol form. Use on cold or hot surfaces.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6850-00-973-9091, Klimax-DZ or equal, 10-oz, aerosol can, BX(contains 12 EA), \$102.25

Carbon-Removing Compound

This liquid compound can be added to a soak tank to soften and facilitate removal of carbon, gum and other surface contaminants from automotive pistons, carburetors, fuel pumps. Also great for engine assemblies that have been pre-cleaned with degreasing solvent. This ready-to-use cleaning agent contains monoethanolamine and ethers. Does not remove rust or corrosion. Caution: Avoid contact with skin. P-C-111D Type II.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

6850-00-965-2332, 0374-000 or Equal, AbilityOne, CN(contains 5 GL), \$139.20

Military Can Cradle

Tripod cradle is designed to support a 5-gallon fuel can, used in Army field operations. IAW US Army Drawing 5-4-5868.

7240-01-318-5222, AbilityOne, EA, \$163.52

Drip Pan, Aircraft

Drip pans are made of double fiber woven reinforced rubber. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

Containment pan has interlocking sides. Pans are intended for drip containment. Intended as an aircraft drip pan.

4940-01-535-7654, PB36-10 or Equal, 36" L x 36" W x 2" H, PG(contains 10 EA), \$784.55

Drip Pan

Drip pans are made of double fiber woven reinforced rubber. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

4940-01-490-2455, PB3-10 or Equal, Capacity: 3 gallon; 17-1/2" diameter, PG(contains 10 EA), \$153.26

4940-01-490-2463, PB6-10 or Equal, Capacity: 6-1/2 gallon; 14" diameter, PG(contains 10 EA), \$297.36

4940-01-490-2470, PB15-10 or equal, Capacity: 15 gallon; 26-1/4" diameter, PG(contains 10 EA), \$390.44

Drip Pan With Chain

Drip pans are made of double fiber woven reinforced rubber. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

Includes a 6 foot chain with eyelet for attaching pan to equipment.

4940-01-504-5270, PB3C-10 or equal, Capacity: 3 gallon; 17-1/2" diameter, PG(contains 10 EA), \$221.49

4940-01-504-5273, PB6C-10 or equal, Capacity: 6-1/2 gallon; 14" diameter, PG(contains 10 EA), \$391.79

4940-01-505-0680, PB15C-10 or equal, Capacity: 15 gallon; 26-1/4" diameter, PG(contains 10 EA), \$475.65

Drip Pan with Chock Block

Drip pans are made of double fiber woven reinforced rubber. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

Drip pan includes a six-foot chain attached to a wheel chock block.

4940-01-535-7651, PB3CB-10 or equal, Capacity: 3 gallon; 17-1/2" diameter, PG(contains 10 EA), \$543.54

4940-01-535-7653, PB6CB-10 or equal, Capacity: 6-1/2 gallon; 14" diameter, PG(contains 10 EA), \$607.15

4940-01-535-7652, PB15CB-10 or equal, Capacity: 15 gallon; 26-1/4" diameter, PG(contains 10 EA), \$744.53

Gasoline Can

Cylindrical-shaped, enamel-coated metal can is designed for temporary storage or handling of gasoline and other flammable liquids. Domed top complete with handle. Conforms to UL standards.

Features a 9" flexible metal spout and a separate valve opening for filling. Safety is enhanced by openings fitted with flame arresters.

Galvanized steel can.

Federal Strategic Sourcing Initiative, 7240-00-222-3084, 7210120 or equal, Red with yellow band, Capacity: 1 gal., EA, \$100.37

Terne metal can.

Federal Strategic Sourcing Initiative, 7240-00-240-6958, SC2050 or equal, Capacity: 5 gal., EA, \$123.28

First Aid Kit (Automobile)

Commercial kit is designed to be kept in an automobile. Kit includes: two 1" x 10 yards of gauze bandages; 1" x 2-1/2 yards roll of adhesive tape; six 3" x 3" sterile gauze pads; 12 1" x 3" adhesive bandages; bulk tourniquet; 1-oz. bottle of PVP solution; two paper cups; two packages of ammonia inhalants; two 1/4-oz. burn ointment; scissors; package of 40" triangular bandages; first-aid guide (single sheet). Comes with a metal carrying case.

6545-00-664-5313, 900-5313 or Equal, AbilityOne, KT, \$28.75

Traffic Cone

Plastic or rubber cone is ideal for marking roadwork, helping to prevent accidents. Square-base cones can be used for marking line painting or serving as an emergency blockade.

IAW A-A-60002A

Contains 50% Recovered Material

Comprehensive Procurement Guideline Compliant

9905-00-424-9829, 274-9 or equal, Red-Orange, Height: 18", BX(contains 10 EA), \$119.74

9905-00-527-4997, 274-10 or equal, Red-Orange, Height: 28", BX(contains 5 EA), \$117.91

Decal Applicator

Applicator is used when more flexibility is required. The softer material, allowing for molding around contours and corrugations. Constructed with tapered edges and rounded corners.

Federal Strategic Sourcing Initiative, 5120-00-628-5569, 3M PA1-B or equal, Blue, 4" L x 2-3/4" W Plastic., BX(contains 25 EA), \$22.20

Cleaning

Battery Brush

Combination tool has an external brush for removing corrosion and dirt from battery cable clamps and an internal brush for cleaning terminal posts. Comes in a metal or plastic case.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-926-5175, EA, \$5.49

Chassis Brush

Brush features 2-3/8"-long polypropylene bristles and a hardwood or plastic material handle. Use for heavy duty scrubbing on vehicle parts with grease solvents.

7920-00-255-7536, AbilityOne, Length: 19-1/2", EA, \$9.07

Snow/Ice Scraper

Light-duty plastic ice scraper features a plastic handle and stiff plastic bristles.

7920-01-383-8023, AbilityOne, EA, \$8.61

Hand Cleaner

Heavy duty hand cleaner containing surfactants, lanolin, and scrubbers. Works with or without water to remove grease, oil, and dirt from hands. Non-toxic and non-flammable.

Low VOC

Federal Strategic Sourcing Initiative, 8520-01-370-4284, R/1212C14.55PD or Equal, Tube Size: 8 oz., BX(contains 8 EA), \$26.48

Heavy duty hand cleaner in a one-gallon pump bottle. Contains no harsh chemicals, petroleum solvents or ammonia. Fortified with lanolin, glycerin and other skin conditioners. Contains fine pumice for a deep clean. Works with or without water to remove grease, oil and dirt from hands. Non-toxic and non-flammable.

Low VOC

Federal Strategic Sourcing Initiative, 8520-01-370-2162, 25219 or Equal, 1 gal., BX(contains 4 GL), \$69.91

Heavy-duty hand cleaner is 64% biobased with natural scrubbing ingredients for removing grease and grime. For industrial and institutional use.

For use with dispenser 4510-01-441-2117.

24-month maximum shelf life (extendable).

Biopreferred, Low VOC

Federal Strategic Sourcing Initiative, 8520-01-425-5328, 318524 or equal, 1 GL, BX(contains 4 EA), \$114.11

Hand cleaner is a quick-acting lotion formula containing pumice scrubbing particles for cleaning industrial soils, medium dirt and grease. Contains baby oil and an orange citrus formula with lanolin, aloe, and JoJoba to help protect hands.

One-half gallon bottle with pump dispenser.

36-month maximum shelf life (extendable).

8520-01-522-0840, 1942-06 or equal, 1/2-gallon container, BX(contains 6 EA), \$99.53

One-gallon bottle with pump dispenser.

36-month maximum shelf life (extendable).

8520-01-458-0767, 1935-04 or equal, AbilityOne, 1-gl, BX(contains 4 EA), \$120.15

Goo Gone

A citrus and petroleum based material for multiple cleaning applications. Removes tar, tape residue, blood, lipstick, mascara, crayon, bumper stickers, gum, oil, grease, labels and stickers, and shoe polish. Works on most surfaces including carpet, upholstery, clothing, wood and cement.

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-490-7283, 2112 or equal, QT, \$11.68

Degreaser

Removes grease and grime from engines, machinery, asphalt, and garage floors. Water-based and ready-to-use degreaser. Non-flammable

Pump-Spray Bottles

48-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7930-01-383-7926, 22732 or equal, 32 oz., BX(contains 12 EA), \$66.30

Soda Ash (Anhydrous Sodium Carbonate)

High grade sodium carbonate in powder compound is ideal in washing processes that require a moderately strong, alkaline material. Has an apparent density of 42 to 70 lb/cu ft.

ASTM D501

Federal Strategic Sourcing Initiative, *36-month maximum shelf life (extendable).*

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6810-00-233-1715, Soda-Ash-100 or equal, DR(contains 100 LB), \$159.22

Chisels, Punches and Scrapers

Punches (Pin)

These punches are used for marking metals, driving / removing pins & rivets & aligning holes. ASME B107.410 Cat 48.

Class 5: Pin (Drive). For driving and removing such things as pins and keys after initial movement by a starting punch.

- Federal Strategic Sourcing Initiative, 5120-01-430-8273, 1/16" Point, 4" L., EA, \$4.01
- Federal Strategic Sourcing Initiative, 5120-01-335-1435, 1/16" Point, 3-5/32" L., EA, \$3.72
- Federal Strategic Sourcing Initiative, 5120-01-430-8278, 5/32" Point, 5-1/4" L., EA, \$3.84
- Federal Strategic Sourcing Initiative, 5120-01-399-9948, 7/32" Point, 6-3/8" L., EA, \$3.84
- Federal Strategic Sourcing Initiative, 5120-01-430-8282, 1/8" Point, 5" L., EA, \$3.11
- Federal Strategic Sourcing Initiative, 5120-01-335-1409, 3/32" Point, 4-1/4" L., EA, \$4.09
- Federal Strategic Sourcing Initiative, 5120-01-335-1410, 1/8" Point, 4-3/4" L., EA, \$3.29
- Federal Strategic Sourcing Initiative, 5120-01-434-9199, 1/4" Point, 5-3/4" L, Oxide., EA, \$4.36
- Federal Strategic Sourcing Initiative, 5120-00-293-0793, 5/16" Point, 4" L, Knurled., EA, \$4.02
- Federal Strategic Sourcing Initiative, 5120-01-335-1416, 3/8" Point, 6" L, Copper Alloy., EA, \$10.23

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-752-9030, 1/16" Point, 6" L., EA, \$4.33
- Federal Strategic Sourcing Initiative, 5120-00-240-6082, 1/16" Point, 4" L, Knurled Grip., EA, \$3.57
- Federal Strategic Sourcing Initiative, 5120-00-242-3435, 3/32" Point, 4" L, Knurled., EA, \$3.76
- Federal Strategic Sourcing Initiative, 5120-00-242-5966, 1/8" Point, 4" L, Knurled., EA, \$3.74
- Federal Strategic Sourcing Initiative, 5120-00-240-6104, 5/32" Point, 4" L, Knurled., EA, \$3.85
- Federal Strategic Sourcing Initiative, 5120-00-293-0791, 3/16" Point, 4" L, Knurled., EA, \$3.96
- Federal Strategic Sourcing Initiative, 5120-00-293-0792, 7/32" Point, 4" L, Knurled., EA, \$3.54
- Federal Strategic Sourcing Initiative, 5120-00-240-6083, 1/4" Point, 4" L, Knurled., EA, \$4.46
- Federal Strategic Sourcing Initiative, 5120-00-273-0001, 3/8" Point, 4" L., EA, \$6.20

Drift Pin

These drift pins are used for aligning & sizing holes after the use of a drift punch. For hand use only. Described by (Diameter, Length, Material) B107.410 Cat 48.

Type 3 Drift Pin: Pin used for aligning & sizing holes in metal & other materials.

- Federal Strategic Sourcing Initiative, 5120-00-505-5918, 7/8", 7-3/4" L, Brass., EA, \$41.82
- Federal Strategic Sourcing Initiative, 5120-00-239-0035, 1/4", 4" L, Brass., EA, \$11.05

Drive Pin Punch

IAW Army Ordnance Corps, Rock Island Arsenal Drawing Number 8407289, Rev A.
Federal Strategic Sourcing Initiative, 5120-00-840-7289, 0.055", 4-5/8" L x 5/8" dia., EA, \$16.30

Drive Pin Punch (Special)

IAW Army Ordnance Corps, Rock Island Drawing Number 8407288, Rev A. Body length: 1-1/8" (straight); Point size: 0.070".

Federal Strategic Sourcing Initiative, 5120-00-840-7288, 5-1/8" L., EA, \$20.23

Drive Pin Punch (Non-Sparking/Non-Magnetic)

In accordance with Department of Army Quartermaster Corps, Q.M. Research & Engineering Command Drawing Number 12-1-14-3/4, Rev A.

Federal Strategic Sourcing Initiative, 5120-00-239-0038, 10" L., EA, \$38.11

Punches (Drift, Lining-Up)

These punches are used for marking metals, driving/removing pins & rivets & aligning holes. ASME B107.410 Cat 48.

Class 4: Drift (Lining-Up). For aligning & sizing holes in metals & other materials.

- Federal Strategic Sourcing Initiative, 5120-01-399-9389, 3/32" Point, 10-5/8" L., EA, \$5.83
- Federal Strategic Sourcing Initiative, 5120-01-593-0558, 3/16" Point, 10" L., EA, \$8.84
- Federal Strategic Sourcing Initiative, 5120-01-434-9827, 3/16" Point, 10" L, Oxide., EA, \$9.25
- Federal Strategic Sourcing Initiative, 5120-00-240-8896, 7/32" Point, 8" L., EA, \$5.69
- Federal Strategic Sourcing Initiative, 5120-01-626-5254, 1/2" Point, 8" L, Brass., EA, \$12.88
- Federal Strategic Sourcing Initiative, 5120-01-601-5161, 1/2" Point, 7" L., EA, \$11.81
- Federal Strategic Sourcing Initiative, 5120-01-601-5162, 1/4" Point, 4" L, Brass., EA, \$8.00
- Federal Strategic Sourcing Initiative, 5120-01-430-9955, 3/4" Point, 8" L, Knurled, Copper Alloy, Non-sparking., EA, \$23.53

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-240-8898, 1/8" Point, 8" L., EA, \$5.11
- Federal Strategic Sourcing Initiative, 5120-00-293-0448, 3/16" Point, 8" L., EA, \$6.51
- Federal Strategic Sourcing Initiative, 5120-00-240-8894, 5/16" Point, 8" L., EA, \$13.87

Punches (Starting)

These punches are used for marking metals, driving/removing pins & rivets & aligning holes. ASME B107.410 Cat 48.

Class 8: Starting. For loosening such things as frozen pins & keys.

- Federal Strategic Sourcing Initiative, 5120-00-240-6092, 1/16" Point, 4" L., EA, \$3.77
- Federal Strategic Sourcing Initiative, 5120-01-434-9215, 1/8" Point, 5" L., EA, \$3.50
- Federal Strategic Sourcing Initiative, 5120-01-434-9828, 3/16" Point, 5" L., EA, \$3.04
- Federal Strategic Sourcing Initiative, 5120-00-242-3434, 20003 or equal., 1/4" Point, 5-1/2" L., EA, \$4.64
- Federal Strategic Sourcing Initiative, 5120-01-434-9165, 3/32" Point, 4-1/2" L., EA, \$2.90

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-242-3433, 1/8" Point, 4-1/2" L., EA, \$3.04
- Federal Strategic Sourcing Initiative, 5120-00-293-1408, 3/16" Point, 5" L., EA, \$3.95
- Federal Strategic Sourcing Initiative, 5120-00-223-0989, 3/8" Point, 6" L., EA, \$8.44

Punches (Center)

These punches are used for marking metals, driving/removing pins & rivets & aligning holes. ASME B107.410 Cat 48.

Class 3: Center. For marking by indentation to start drills in metals & other materials.

- Federal Strategic Sourcing Initiative, 5120-01-434-9600, 1/8" Point, 5" L., EA, \$3.48
- Federal Strategic Sourcing Initiative, 5120-01-041-1613, 3/32" Point, 4" L, Knurled Shank., EA, \$9.80
- Federal Strategic Sourcing Initiative, 5120-01-430-8483, 1/4" Point, 4-1/4" L., EA, \$3.74
- Federal Strategic Sourcing Initiative, 5120-01-399-9955, 5/32" Point, 5-5/8" L., EA, \$5.14
- Federal Strategic Sourcing Initiative, 5120-01-335-1463, 5/16" Point, 7" L., EA, \$5.54
- Federal Strategic Sourcing Initiative, 5120-01-399-9951, 3/8" Point, 4-7/8" L., EA, \$3.72
- Federal Strategic Sourcing Initiative, 5120-01-335-1462, 3/16" Point, 6" L., EA, \$3.64
- Plastics Removal in Marine Environments
 - Federal Strategic Sourcing Initiative, 5120-00-293-3512, 1/8" Point, 4" L., EA, \$4.09
 - Federal Strategic Sourcing Initiative, 5120-00-293-3510, 5/64" Point, 3-1/4" L., EA, \$4.18
 - Federal Strategic Sourcing Initiative, 5120-00-293-3509, 5/32" Point, 4" L., EA, \$3.74

Automatic, adjustable-type punch makes distinct impressions on steel, brass, aluminum and wood. Strikes a blow when hand pressure is applied to handle. Screw cap adjusts the force of the stroke. Consists of a high-grade tool steel point, a metal body and a spring-loaded mechanism. Knurled body is brass, steel or aluminum alloy with a corrosion-resistant finish. Replaceable point can be resharpened.

- Federal Strategic Sourcing Initiative, 5120-00-595-9471, 3-1/8" L, 3/8" Dia., EA, \$4.73
- Federal Strategic Sourcing Initiative, 5120-00-595-9470, 4-1/2" L, 1/2" Dia., EA, \$91.59
- Federal Strategic Sourcing Initiative, 5120-00-293-3466, 5" L, 1/2" Dia., Knurled, Replaceable Point., EA, \$46.66

Blacksmiths Tools (Punch)

These tools are normally used by blacksmiths for cutting, necking & breaking steel or metals of the same general nature, smoothing & finishing flat forgings, necking, grooving & drawing down forgings, setting down metal to form a square comer, cutting & trimming forgings, holding bolts while forming the bends, punching, clearing & enlarging holes in hot forgings & for shaping, sizing & smoothing round forgings. GGG-T-563.

Type 7: Punch, Handled. Class 1: Round.

- Federal Strategic Sourcing Initiative, 5120-00-197-9473, 16" L, Punch: 6-1/2" L, 1/4" End., EA, \$71.99

Punches (Backing-Out, Blacksmith's)

These punches are used for marking metals, driving / removing pins & rivets & aligning holes. ASME B107.410 Cat 48.

Class 1: Backing-Out (Blacksmith's). For backing out & driving such things as rivets & pins. Head is attached to a handle for use.

- Federal Strategic Sourcing Initiative, 5120-01-430-9839, 4" L, 1/4" Point, Knurled, Copper., EA, \$6.28

Punch & Die Set (Knockout)

This punch, die & drivescrew punch holes in sheet metal, plastic, hard rubber & leather. Operate punch by tightening the drivescrew. Die cuts with shearing action. Made of hardened-steel alloy & permanently marked with size. GGG-P-836.

Type 2: Heavy duty (conduit).

Set contains (4) pieces. 1/2", 3/4", 1 & 1-1/4". Ball bearing drive nut, 10 gage mild steel cutting capacity, can be operated with wrench, ratchet or hydraulic drivers.

- Federal Strategic Sourcing Initiative, 5110-00-555-8497, SE, \$317.46

Punch Set (Drive Pin)

These punch sets are used for marking metals, driving and removing pins, rivets and aligning holes. ASME B107.410 Cat 48.

Class 5: Pin (Drive). For driving and removing such things as pins and keys after initial movement by a starting punch.

Set contains (9) pieces in point sizes: 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8". Furnished in a box, wrap or roll.

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-883-3003, 4" L., SE, \$17.55

Metalworking Chisel and Punch Kit

Chisel and punch kit contains (20) components: (5) cold flat chisels (3/8, 1/2, 5/8, 3/4 & 7/8 inch), (6) pin punches (3/32, 1/8, 5/32, 3/16, 1/4 & 5/16 inch), (6) starter punches (3/32, 1/8, 5/32, 3/16, 1/4 & 5/16 inch), (2) solid center punches (1/8 & 7/32 inch) and (1) chisel gauge. Made of tempered, high quality steel and furnished in a roll.

- Federal Strategic Sourcing Initiative, 5180-00-055-7042, KT, \$80.91

Chisels (Blacksmith's Cold)

These chisels are used for cutting and shaping metals. They come in (6) classes: Cape, Cold, Concave Splitting, Diamond Point, Half Round and Blacksmith's Cold. Made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

Class 6: Blacksmith's Cold. For general purpose cutting and shaping. Head is attached to a handle for use.

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5110-00-221-1075, 22-1/2" L, 1-13/32" Cut, Wood Handle., EA, \$28.43

Chisels (Cold)

These chisels are used for cutting and shaping metals. They come in (6) classes: Cape, Cold, Concave Splitting, Diamond Point, Half Round and Blacksmith's Cold. Made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

Class 2: Cold. For general purpose cutting & shaping.

- Federal Strategic Sourcing Initiative, 5110-01-434-9884, 7" L, 3/4" Cut, 5/8" Hex Shank., EA, \$4.77

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5110-00-234-1927, 4" L, 1/4" Cut, 3/16" Hex Shank., EA, \$3.85
- Federal Strategic Sourcing Initiative, 5110-00-242-3457, 5" L, 3/8" Cut, 5/16" Hex Shank., EA, \$3.70
- Federal Strategic Sourcing Initiative, 5110-00-186-7107, 5-3/4" L, 1/2" Cut, 7/16" Hex Shank., EA, \$4.07
- Federal Strategic Sourcing Initiative, 5110-00-221-8132, 6" L, 5/8" Cut, 1/2" Hex Shank, Oxide., EA, \$6.33
- Federal Strategic Sourcing Initiative, 5110-00-236-3272, 6-1/2" L, 3/4" Cut, 5/8" Hex Shank., EA, \$4.77
- Federal Strategic Sourcing Initiative, 5110-00-234-1944, 8" L, 1" Cut, 7/8" Hex Shank, Oxide., EA, \$8.08

Chisels (Cape)

These chisels are used for cutting and shaping metals. They come in (6) classes: Cape, Cold, Concave Splitting, Diamond Point, Half Round and Blacksmith's Cold. Made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

Class 1: Cape. For cutting grooves & keyways.

- Federal Strategic Sourcing Initiative, 5110-00-240-6031, 36" L, 1" Cut, 1" Hex Shank., EA, \$29.81

Chisels (Half Round)

These chisels are used for cutting and shaping metals. They come in (6) classes: Cape, Cold, Concave Splitting, Diamond Point, Half Round and Blacksmith's Cold. Made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

Class 5: Half-Round. For cutting grooves.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-222-2117, 5-1/2" L, 1/4" Cut, 3/8" Hex Shank., EA, \$6.87

Chisel (Bricklayers)

These chisels are used for specifically scoring & cutting brick, stone, cinder or masonry blocks. Described by (Cut edge & Length) B107.410 Cat 50.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-233-9110, 4", 6-3/4" - 7-1/4" L, Steel., EA, \$10.77

Wood Chisel (Butt)

These woodworker's style chisels are excellent for patternmaker, cabinetmaker & interior trim carpenter use. Both side edges are beveled the full length of the blade & are perfect for making rough & finish cuts in all types of wood. B107.410 Cat 44.

Type 2: Wood.

Federal Strategic Sourcing Initiative, 5110-00-585-8430, Blade: 2-1/2" L x 1-1/4" W., EA, \$11.25

Federal Strategic Sourcing Initiative, 5110-00-585-8431, Blade: 2-1/2" L x 1-1/2" W., EA, \$14.57

Federal Strategic Sourcing Initiative, 5110-00-585-8427, Blade: 2-1/2" L x 1/2" W., EA, \$10.90

Federal Strategic Sourcing Initiative, 5110-00-585-8428, Blade: 2-1/2" L x 3/4" W., EA, \$9.84

Federal Strategic Sourcing Initiative, 5110-00-585-8433, Blade: 5" L x 1/4" W., EA, \$10.00

Federal Strategic Sourcing Initiative, 5110-00-585-8432, Blade: 5" L x 2" W., EA, \$16.89

Wood Chisel (Firmer)

These woodworker's style chisels are excellent for patternmaker, cabinetmaker & interior trim carpenter use. Both side edges are beveled the full length of the blade & are perfect for making rough & finish cuts in all types of wood. B107.410 Cat 44.

Type 2: Wood.

Federal Strategic Sourcing Initiative, 5110-00-640-5419, Blade: 3" L x 1" W., EA, \$10.74

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-640-5423, Blade: 3" L x 1-1/2" W., EA, \$12.91

Wood Chisel Set

These woodworker's style chisel sets are excellent for patternmaker, cabinetmaker and interior trim carpenter use. Both side edges are beveled the full length of the blade and are perfect for making rough and finish cuts in all types of wood. B107.410 Cat 44.

This set consists of (6) wood working chisels. (5) firmer type chisels in widths: 1/4", 1/2", 3/4", 1" and 1-1/2" and (1) butt type chisel: 1-1/4" W.

Federal Strategic Sourcing Initiative, 5110-00-449-6907, Blades: 2-1/2" - 3" L., SE, \$55.42

Chisel Set (Metalworking)

These chisel sets are used for cutting and shaping metals and are made of hardened alloy steel. For hand use only. ASME B107.410 Cat 48.

Set consists of (5) cold chisels in widths of: (1/2", 5/8", 3/4", 7/8" and 1"), The set is furnished in a fabric or plastic wrap or roll with ties or a snap fastener.

Federal Strategic Sourcing Initiative, 5110-00-357-5593, 5-3/4" - 8" L., SE, \$40.38

Razor Blade Glass Scraper

An indispensable tool for removing unwanted materials from glass and other smooth surfaces. Blade is completely retractable and corrosion resistant. Encasement houses one single edged razor blade at a time. Blade lock feature provides added safety. Supplied with five single edged replacement blades.

Federal Strategic Sourcing Initiative, 5110-00-997-4237, 1-5/8" W x 1/4" Thick., EA, \$1.80

Ship Scraper (Ship Bottom)

Use on ship bottoms. Scraping edge is ground to a double-beveled chisel edge. Handle socket with rivets mounts to flat, square blade. Tapered end of well-proportioned wooden handle fits tapered bore in socket.

Plastics Removal in Marine Environments

5110-00-240-3094, Scraping: 36" L x 2" W., EA, \$14.55

Rasp Holder & Blade

Like a conventional plane, this rasp has a metal alloy body (11-3/8" L x 1/4" W) with a plastic or hardwood handle. Tension screw holds blade in position. Comes with 10" double sided reversible blade.

Federal Strategic Sourcing Initiative, 5110-00-941-2707, EA, \$15.99

Putty Knife

Use for efficiency in scraping, glazing work and application of wood fillers and putty like materials. Described by (Blade Length x Width, Flexibility).

Federal Strategic Sourcing Initiative, 5120-01-601-5160, 8" L x 1-1/2" W, Stiff., EA, \$2.00

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-221-1536, 3-1/2" L x 1-1/4" W, Flexible., EA, \$3.90

Federal Strategic Sourcing Initiative, 5110-00-223-8827, 7-3/4" L x 3" W, Flexible., EA, \$7.17

Federal Strategic Sourcing Initiative, 5110-00-221-1538, 7-3/4" L x 3" W, Stiff., EA, \$5.56

Federal Strategic Sourcing Initiative, 5120-00-294-4605, 3-1/2" L x 1-1/4" W, Semi-Flexible., EA, \$3.90

Putty Knife (Screwdriver Type)

Use for efficiency in scraping, glazing work and application of wood fillers and putty like materials. Described by (Blade Length x Width, Flexibility).

Federal Strategic Sourcing Initiative, 5110-01-400-1164, 12" L x 1-1/2" W, Rigid., EA, \$15.50

Clamps

C Clamp

Clamp consists of a forged steel frame and a steel screw. Used for clamping and holding materials in a fixed position. Features a smooth, flat, round anvil. Steel swivel is securely attached to the adjusting screw. Non-removable handle is inserted through the outer end of the adjusting screw. Described by (Opening Range, Throat Depth, Load Rating).

Federal Strategic Sourcing Initiative, 5120-00-241-2973, 0" - 2", 1-9/16" D, 12500 Lbs., EA, \$71.51

Federal Strategic Sourcing Initiative, 5120-00-529-3744, 0" - 4-1/2", 2-7/16" D, 20000 Lbs., EA, \$138.04

Federal Strategic Sourcing Initiative, 5120-00-203-6437, 0" - 10", 3-1/2" D, 6000 Lbs., EA, \$99.12

Federal Strategic Sourcing Initiative, 5120-00-180-0848, 0" - 10", 5-3/8" D, 6200 Lbs., EA, \$83.62

Federal Strategic Sourcing Initiative, 5120-00-180-0849, 0" - 12", 5-5/8" D, 8000 Lbs., EA, \$123.87

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-180-0905, 402-C or equal., 0" - 2", 1-3/4" D, 2700 Lbs., EA, \$24.02

Federal Strategic Sourcing Initiative, 5120-00-180-0907, 0" - 3", 2-3/8" D, 3500 Lbs., EA, \$29.50

Federal Strategic Sourcing Initiative, 5120-00-180-0908, 0" - 4", 2-1/4" D, 3700 Lbs., EA, \$40.40

Federal Strategic Sourcing Initiative, 5120-00-180-0897, 0" - 6", 3-1/8" D, 27500 Lbs., EA, \$147.08

Federal Strategic Sourcing Initiative, 5120-00-180-0909, 0" - 6", 2-3/4" D, 4500 Lbs., EA, \$51.28

Federal Strategic Sourcing Initiative, 5120-00-840-3358, 0" - 8", 2-1/4" D, 12500 Lbs., EA, \$73.88

Federal Strategic Sourcing Initiative, 5120-00-249-7494, 0" - 8", 3" D, 31250 Lbs., EA, \$227.42

Federal Strategic Sourcing Initiative, 5120-00-203-6436, 0" - 8", 3-1/4" D, 5200 Lbs., EA, \$68.07

Spring Clamp

A spring operated, plain handle clamp. Made of heavy duty tempered steel, light weight jaws & is chrome plated.

Federal Strategic Sourcing Initiative, 5120-01-121-5023, 2" Opening, 6" L Jaw., EA, \$4.24

Spreader and Clamp Tool

Quick grip clamping tool/spreader. Bar clamp features one hand operation and converts into a spreader quickly and easily. The quick change multi-position jaw can be positioned anywhere on the bar making even the most challenging clamping or spreading task a snap. Features a 50" clamping capacity and spreading range from 7-1/2 to 58-5/8".

Federal Strategic Sourcing Initiative, 5120-01-490-6490, EA, \$95.76

Hose Strapping Tool

Use for applying metal strapping to pliable tubing when attaching it to rigid tubing. Also use when splicing electric welding cable, tying conduit or cable to pipelines or girders and making cable line taps.

Applies and cuts steel strapping from 3/8 to 3/4" wide and from 0.025 to 0.030" thick. Develops tension up to 2250 lbs. With 3-1/2" head travel.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-278-9925, EA, \$123.69

Vise Grip (C Clamp)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.500 Cat 24

Type: 2 (Clamp), Class: 1 ('C' clamp), Style: A (Fixed).

Federal Strategic Sourcing Initiative, 5120-00-731-2862, 4" Opening, 2-5/8" Throat., EA, \$21.93

Type: 2 (Clamp), Class: 1 ('C' clamp), Style: B (Fixed, with swivel pads).

Federal Strategic Sourcing Initiative, 5120-01-431-6283, 10" Opening, 15-1/2" Throat., EA, \$39.03

Vise Grip Pliers (Straight Jaw)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.500 Cat 24

Type 1: Locking pliers, Class 1: Straight jaws, Style A: Without cutters

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-287-2512, 3/8" W, 7" L, Oxide., EA, \$12.81

Quick Adjusting Screw Clamp (Heavy Duty)

These heavy duty bar clamps allow for quick & easy adjusting. Used in commercial metalworking, heavy fabricating & in industrial welding applications as well as in professional woodworking. They have forged steel or iron heads, jaws & a hardened steel adjusting screw. The smooth surface jaws are perpendicular to pipe or bar. With hand adjustable fixtures.

Federal Strategic Sourcing Initiative, 5120-00-180-2936, 4036 or equal., Capacity: 36", EA, \$32.22

Vises

Multi Position Vise

This multi position vise is for use in manufacturing and maintaining of mechanical and electronic parts and assemblies. This vise is intended for light bench work which requires multi positioning and quick locking means. Vise consists of a base and work holding head. The work holding head can swivel 360° in a horizontal plane, tilt downward 90° from a level position and be locked in any desired position. Base has holes for convenient mounting to a work bench. A-A-51123.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-991-1907, Jaw 2-1/2" to 3" W, 1-1/2" D, 2-1/2" Opening., EA, \$51.09

Bench Vise (Clamp Base)

Utility bench vise for small, light holding operations. Cast iron or forged body and jaws. Two steel guide rods allow for easy opening and closing. Yoke style screw clamp mounts vise to bench tops having a thickness of 1/2" to 1-7/8".

Federal Strategic Sourcing Initiative, 5120-00-243-1372, Opens 2-1/4", Jaw: 2-1/2" W x 1-1/4" D. Stationary., EA, \$35.90

Federal Strategic Sourcing Initiative, 5120-00-221-1122, Opens 2-1/4", Jaw: 2-1/2" W x 1" D. Swivel., EA, \$54.68

Combination Bench and Pipe Vise

Use combination vise as a machinist's vise or for holding pipes or rods. Replaceable V-shaped alloy steel pipe jaws are serrated and heat treated. Main jaw facings are hardened steel and serrated. Swivel base rotates to any position and has a positive locking mechanism. Swivel base plate has three mounting holes.

Federal Strategic Sourcing Initiative, 5120-00-188-1182, Jaw 3-1/2" W, Opening 3", Capacity: 1/4 to 2-1/2"., EA, \$452.80

Federal Strategic Sourcing Initiative, 5120-00-293-0110, Jaw 6" W, Opening 8", Capacity: 1/4" to 6"., EA, \$1,417.73

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-223-1951, Jaw 4-1/2" W, Opening 5", Capacity: 1/4 to 3-1/2"., EA, \$604.71

Federal Strategic Sourcing Initiative, 5120-00-243-9072, Jaw 5" W, Opening 6", Capacity: 1/4" to 4-1/2"., EA, \$1,024.67

Machinist's Vise

This cast or forged steel machinist's vise is for machine shop use. The jaws are milled parallel and have replaceable hardened steel serrated jaws. The swivel base has three mounting holes and rotates to any position and has a positive locking mechanism.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-1439, 204 or equal., Jaw 4" W, Opening 6"., EA, \$455.88

Federal Strategic Sourcing Initiative, 5120-00-221-1117, Jaw 5" W, Opening 8"., EA, \$605.60

Federal Strategic Sourcing Initiative, 5120-00-223-1945, Jaw 6" W, Opening 9"., EA, \$1,089.38

Federal Strategic Sourcing Initiative, 5120-00-180-0681, Jaw 3" W, Opening 4"., EA, \$294.61

Pin Vise

For hand or machine use, vise holds files, taps, small drills & other small, round items securely. One end has a knurled handle made of hollow metal, the other end has a chuck with three or four jaws & a knurled sleeve. Hollow extends full length. Made of chrome or nickel plated tool steel.

Federal Strategic Sourcing Initiative, 5120-01-367-7116, 50608 or equal., 0" to 1/8" chuck capacity, 3-7/8" L., EA, \$106.06

Pipe Vise (Chain)

Chain vises permit the holding of irregular shapes, pipe or tubing. Ideal for maintenance shops, electricians & plumbers. The vise has a forged or cast base, hardened steel jaws, forked drop handle, convenient pipe rest, steel chain & bender. Forked drop handle is placed above the bench top level. Has three mounting holes for easy bench mounting.

Federal Strategic Sourcing Initiative, 5120-00-180-0670, BC4A or equal, Size: 1/8" to 4"., EA, \$267.36

Portable Tripod Stand Vise

These sturdy tripod stand vises provide a portable workbench for on-the-job pipe cutting and threading. The unit consists of three legs, base, triangle tool tray and vise. Legs can be removed or folded for easy carrying and setup. Base has built-in pipe benders and pipe rest for supporting work.

Includes steel or iron legs and base for heavy duty shop use.

Federal Strategic Sourcing Initiative, 5120-00-293-1108, Pipe Capacity: 1/4" to 4"., EA, \$620.43

These sturdy tripod stand vises provide a portable workbench for on-the-job pipe cutting and threading. The unit consists of three legs, base, triangle tool tray and vise. Legs can be removed or folded for easy carrying and setup. Base has built-in pipe benders and pipe rest for supporting work. A-A-3050

Includes steel or iron legs and base for heavy duty shop use.

Pipe benders for 1/2" and 3/4" pipe or conduit are provided in base.

Federal Strategic Sourcing Initiative, 5120-00-892-4952, Pipe Capacity: 1/8" to 2-1/2"., EA, \$638.24

Printed Circuit Board Vise

Vise holds printed circuit boards. Crossbars accommodate circuit boards up to 6" x 6". Has spring loaded gripping jaw(s). Vise features tilt angle adjustment, height adjustment & quick board rotation for easy component insertion & soldering.

Federal Strategic Sourcing Initiative, 5120-00-330-7602, EA, \$110.77

Vise Jaw Caps

Used to protect the jaw faces of a vise & provide a secure hold.

Federal Strategic Sourcing Initiative, 5120-00-221-1506, 4" W, Aluminum, Copper Alloy or Plastic., PR, \$46.57

Construction and Building Supplies

Trowel (Cement)

Trowel is ideal for applying cement to joints of bricks. Blade is made of high-carbon tool steel that is smoothly ground. Has an aluminum, plastic or wooden handle.

Federal Strategic Sourcing Initiative, 5120-00-224-4748, Blade: 14" L x 4" W x 0.025" T., EA, \$31.44

Trowel (Margin)

Margin trowel is for applying plaster in confined areas. Wing tip, high carbon tool steel blade is smoothly ground & has a welded handle socket. Use to pick up soft cement, mastic paste or plaster & to spread or smooth it. Has an aluminum, plastic or wooden handle.

Federal Strategic Sourcing Initiative, 5120-00-009-3743, 8" L x 2" W, 4-1/2" Handle., EA, \$20.06

Wood Plane (Jack)

This hand operated bench plane smooths & finishes woodwork. The high carbon steel cutter blade can be adjusted latitudinally & longitudinally. The hand plane has a smooth bottom, cast iron body, hardwood handle & knob.

Federal Strategic Sourcing Initiative, 5110-00-224-7911, Adjustable Cutter, 2" W Cut, 14" L., EA, \$69.42

Clinch Locknut

For installation in aluminum or soft sheet steel assemblies. Thread size; .1120; installation hole diameter; .184 minimum - .186 maximum. Minimum C' bore diameter (for flush mount only) .501. Clinch nuts are permanently self-retained, self-locking fasteners.

Federal Strategic Sourcing Initiative, 5120-00-711-7456, EA, \$152.50

Divider (Spring)

Machinists & sheet metalworkers scribe lines & lay out work using this heat treated tool steel. Consists of circular band spring, two rectangular legs, threaded steel rod with knurled adjusting nut, thumb attachment on top of circular band & fulcrum joint stud. Legs taper to sharp points. Corrosion resistant coating.

Has a solid adjustment nut.

Federal Strategic Sourcing Initiative, 5210-00-263-0376, Size: 8", EA, \$21.36

Fastener Installation Tool

This tool is used to do the installation of the captive screws which attach the ball mats in the cargo loading areas. Consists of handle assembly & nosepiece for thread size 10 captive screws, full flare. IAW Deutsch Fastener Corp. drawing number S-1065.

Federal Strategic Sourcing Initiative, 5120-00-169-3003, H8603-10 or equal., AY, \$1,575.84

Fastener Removal Tool Adapter

Tool for Turn-Loc captive screws that are spring loaded for fixed or floating installations.

Federal Strategic Sourcing Initiative, 5120-00-005-1024, Kearfott or Huck C200039507 or RN7505-8 or equal, EA, \$749.05

Cap Installing Tool

Consists of handle assembly & nosepiece for thread size 8 captive screws & turn-loc fasteners.

Federal Strategic Sourcing Initiative, 5120-01-015-1422, EA, \$1,575.84

Tube Bender (Worm Gear)

These hand operated portable benders provide a smooth bend without marring or deforming tubing. Used for cold bending of round metal tubing used in aircraft hydraulic systems, instrument control lines, fuel & oil lines on engines, refrigeration, plumbing, heating & other installations. Not for use on heavy steel tubing.

Federal Strategic Sourcing Initiative, 5120-00-595-8190, 1/4" to 3/4" Tube Bender, Case., EA, \$1,800.66

Electrical Coating

Electrical coating is compatible with polyvinyl chloride electrical tape. Provides protection against moisture and corrosion. Comes in a can with brush mounted inside top lid.

24-month maximum shelf life (extendable).

Low VOC, Material Safety Data Sheet

5970-00-962-3335, CN(contains 15 OZ), \$38.74

Dropcloth

Polyethylene plastic dropcloth is for general protection during painting. Dropcloth is flammable. Average thickness measures 0.002".

8340-00-068-7908, AbilityOne, Clear, 9' x 12', EA, \$7.61

Dropcloth is for general protection of floors, carpets and furniture from paint, plaster and texturing drippings and from dust.

The butyl-coated dropcloth is made of heavyweight butyl-coated sheeting. It's made from full pieces or large piece panels double stitched together with flat seams. Edges are finished with double stitched hems.

8340-01-448-7002, 80321 or equal, 9' x 12', EA, \$24.14

The cloth dropcloth is made of bleached or unbleached absorbent cloth such as duck, twill, drill, sateen, uncut cord. It's made from full pieces or large piece panels double stitched together with flat seams. Edges are finished with double stitched hems.

8340-01-448-7004, 58903 or equal, 12' x 15', EA, \$37.81

Unbleached cotton duck dropcloth is intended for general protection during painting, including for use on floors. Ultra-absorbent drop cloth edges has a hem. Weight: 9-1/4 oz. per sq. yd.

Plastics Removal in Marine Environments

8340-00-205-1911, UNICOR, Natural, 10' x 12', EA, \$48.20

Deck Covering

Self-adhering tread has a coarse grit that provides a non-slip surface. The adhesive-coated back has a removable protective covering.

Approved for shipboard use IAW MIL-PRF-24667, Type XI Composition PS.

Plastics Removal in Marine Environments

7220-00-205-0389, AbilityOne, Black, 24" L x 6" W x .08" T, BX(contains 10 EA), \$27.19

Acoustic Paneling (Ceiling Tile)

Reduce room noise by absorbing and muffling sound waves. This mineral board is designed to be used as a ceiling panel to reduce noise. ASTM E1264 Type III Form 2.

5640-01-065-6769, BET-197 or equal, 48" L x 24" W x 5/8" T, PG(contains 8 EA), \$63.43

Portable Collapsible Wall

Collapsible sidewalls with outside aluminum-reinforced supports; folds so you can drive a pallet jack or forklift in the unit. Holds 748 gallons. For use under storage tanks, tote tanks, pillow tanks or pallets loaded with drums. Inside dimensions 10' x 10' x 1'; Overall outside dimensions: 12' x 12' x 1'; folded dimensions 2.5"W x 2.6"L x 10"H

Federal Strategic Sourcing Initiative, 7930-01-438-6461, PAK793 or equal, EA, \$2,101.50

Alignment and Crimping Tools

Wire Termination Crimping Tool

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

Type 2: Tools that produce a formed termination.

Federal Strategic Sourcing Initiative, 5120-00-596-9313, M22520/5-01 & 5-100, Tool & Die. 11" L., EA, \$689.68

Federal Strategic Sourcing Initiative, 5120-00-132-6913, M22520/5-01, EA, \$413.56

Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-165-3912, M22520/1-01, Consists of a frame only. 9-3/4" L., EA, \$417.97

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-165-3910, M22520/2-01, Consists of a frame only. 7-1/2" L., EA, \$377.25

Terminal Crimping Tool

These crimp tools feature a rugged construction & assures repeatability & durability. Crimp tools for each and every different application.

Federal Strategic Sourcing Initiative, 5120-01-372-5753, 10 - 22 AWG., EA, \$21.72

Federal Strategic Sourcing Initiative, 5120-01-101-6683, 1005 or equal., 10 - 22 AWG, 9-3/4" L., EA, \$29.82

Crimping Tool (Pliers Style)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-293-2319, MIL-DTL-22520/38, Pliers Style. 10 - 22 AWG., EA, \$62.69

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-120-8721, M22520/37-01, 12 - 26 AWG., EA, \$229.01

Crimping Tool (Turret Head Assembly)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-016-6382, M22520/1-02, 12 to 26 AWG., EA, \$147.45

Crimping Tool (Positioner)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-017-3827, M22520/2-07, 22 - 28 AWG., EA, \$76.62

Federal Strategic Sourcing Initiative, 5120-00-017-3927, M22520/2-09, 22 - 28 AWG., EA, \$76.62

Crimping Tool (Die)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

Type 2: Tools that produce a formed termination.

Federal Strategic Sourcing Initiative, 5120-00-126-0860, M22520/5-100, 10 - 12 AWG & 14 - 26 AWG., EA, \$247.68

Crimping Tool Kit

Consists of (12) insulated types of solderless terminals & wire connectors, & a crimping tool furnished in a plastic box. Box dimensions, 11" W x 6-5/8" D X 1-7/8" H with 13 labeled compartments. Designed to crimp a broad range of terminals & connectors.

Federal Strategic Sourcing Initiative, 5180-01-123-8949, 4X258, KT, \$49.46

Crimping Tool (Multi-Purpose)

Multi-purpose crimping tool manually crimps insulated solderless terminals and splices sizes #22 to #10 AWG, cuts and strips wire sizes #22 to #10 AWG and cuts bolts sizes #10 to #4.

The terminal crimping section of the tool has a nest of jaws capable of crimping #12 to #10 terminals in one jaw and #22 to #14 terminals in the other jaw(s). The bolt shearing section of the tool has five threaded holes for bolts sizes #10-24, #10-32, #8-32, #6-32 and #4-4. The wire cutting section of the tool has a 1/4" long, minimum, cutting jaw.

The wire stripping section of the tool has six cavities for wire sizes 10, 12, 14, 16, 18, and 20-22 AWG. The tool is made of heat treated tool steel and has insulated cushioned grip handles. Closed width: 2-1/2".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-278-2423, 1001 or equal., 8-1/2" L., EA, \$29.22

Electrical Contact Insertion and Removal Tools

Crimping Tool (Positioner)

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-165-3913, M22520/2-02, 20 - 26 AWG., EA, \$79.43

Crimping Tool Die

These HX4 dies are designed to crimp various sizes and types of ferrules, coaxial connectors, contacts, splices & terminal lugs to cables & wires. The interchangeable dies may be installed and locked in place with pins.

Federal Strategic Sourcing Initiative, 5120-01-361-9342, Y778 or equal, 0.344" x 0.5" Die Closure., EA, \$608.75

Wire Termination Crimping Tool

These crimping tools and dies are used for connecting removable contacts coaxial connectors, shielded connectors, ferrules, terminals, end caps and splices to wire conductors for use in electric connectors, terminal junction systems and other electric or electronic components. AS22520.

Type 1: Tools that produce an indent termination.

Federal Strategic Sourcing Initiative, 5120-00-133-1747, M22520/7-01, Green, Consists of a frame only., EA, \$447.46

Electrical Contact Inserter & Remover

These installing & removal tools are for installing & removing electrical contacts used in connectors & other electrical & electronic components.

Remove and install size 22 contacts, Deutsch P/Ns 2841-5-9000 (pin) and 2803-4-000 (socket) from Deutsch type RE, RSM and RTK connectors with this combination tool. Color coded with a yellow installing tip and a white removal tip.

Federal Strategic Sourcing Initiative, 5120-00-757-7653, M15570-22-1 or equal., Yellow/White, EA, \$31.76

Electrical Contact Remover

These installing & removal tools are for installing & removing electrical contacts used in connectors & other electrical & electronic components.

IAW Raychem Part Number D659-0001 design.

Federal Strategic Sourcing Initiative, 5120-01-117-4979, D659-0001, EA, \$7.94

Impact-type tool is for removing size 20 contacts (ITT Cannon P/Ns 038820-001 and 038819-0001) from Cannon-type DPGM connectors. Has a red aluminum alloy or plastic handle and housing and a stainless steel probe.

Federal Strategic Sourcing Initiative, 5120-00-987-0785, DRK36 or equal., EA, \$155.47

Federal Strategic Sourcing Initiative, 5120-01-599-6252, Contact Size: #16 & #18., EA, \$1.96

IAW ITT Cannon drawing 070064-0000, Rev. A.

Federal Strategic Sourcing Initiative, 5120-00-963-7661, DRK38 or equal., EA, \$119.22

Electrical Contact Tool (Installing and Removing)

These installing and removal tools are for installing and removing electrical contacts used in connectors and other electrical and electronic components. MIL-I-81969.

Type 3: Combination Installing & Removal Tool. Class 1: Front Release of Contacts. Composition B: Plastic.

Federal Strategic Sourcing Initiative, 5120-00-132-6328, M81969/16-01, Red / White, Contact Size: #20., EA, \$4.33

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-915-4587, M81969/14-11, Red / White, Contact Size: #20., EA, \$1.05

Type 3: Combination Installing & Removal Tool. Class 2: Rear Release of Contacts. Composition B: Plastic.

Federal Strategic Sourcing Initiative, 5120-00-157-3138, M81969/14-04, Yellow / White, Contact Size: #12., EA, \$0.58

Federal Strategic Sourcing Initiative, 5120-01-335-8733, MIL-I-81969/14-03, Blue / White, Contact Size: #16., EA, \$0.73

Federal Strategic Sourcing Initiative, 5120-00-132-0396, M81969/39-01, Green / White, Contact Size: #20., EA, \$0.74

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-915-4588, M81969/14-03, Blue / White, Contact Size: #16., EA, \$0.69

Federal Strategic Sourcing Initiative, 5120-01-330-3822, M81969/14-10, Red / Orange, Contact Size: #20., EA, \$0.67

Federal Strategic Sourcing Initiative, 5120-00-132-5808, M81969/16-04, Green / White, Contact Size: #22., EA, \$1.10

Federal Strategic Sourcing Initiative, 5120-00-018-0575, M81969/14-01, Green / White, Contact Size: #22D & 22M., EA, \$0.55

Type 3: Combination Installing & Removal Tool. Class 2: Rear Release of Contacts. Composition C: Combination Metal & Plastic.

Federal Strategic Sourcing Initiative, 5120-00-132-5739, M81969/01-02, Red / White, Contact Size: #20., EA, \$3.62

Federal Strategic Sourcing Initiative, 5120-01-111-1125, M81969/01-03., Blue / White, Contact Size: #16., EA, \$5.59

Federal Strategic Sourcing Initiative, 5120-00-132-5791, M81969/1-01, Green / White, Contact Size: #22., EA, \$4.28

Component of tool kit DMC286-01, DMC386MOD1, DMC476, DMC664A. Connector series AMP RME ITT Cannon CC, DD,DC, DRA, MIL-C-24308 Souriau 8360.

Federal Strategic Sourcing Initiative, 5120-01-361-9408, Contact Size: #20., EA, \$101.95

Electrical Contact Tool (Installing)

These installing and removal tools are for installing and removing electrical contacts used in connectors and other electrical and electronic components. MIL-I-81969.

Type 1: Installing Tool. Class 1: Front Release of Contacts. Composition A: Metal.

Federal Strategic Sourcing Initiative, 5120-01-230-1506, M81969/33-01., Red, Contact Size: #20., EA, \$108.19

Type 1: Installing Tool. Class 2: Rear Release of Contacts. Composition A: Metal.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-177-6967, M81969/08-05, Red, Contact Size: #20., EA, \$101.24

Federal Strategic Sourcing Initiative, 5120-00-251-9503, M81969/08-01, Green, Contact Size: #22D & 22M., EA, \$92.83

Federal Strategic Sourcing Initiative, 5120-00-137-9140, M81969/08-03, Brown, Contact Size: #22., EA, \$116.29

Type 1: Installing Tool. Class 1: Front Release of Contacts. Composition C: Combination Metal & Plastic.

Federal Strategic Sourcing Initiative, 5120-00-079-4599, M81969/17-04, Blue, Contact Size: #16., EA, \$57.25

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-079-4598, M81969/17-03., Red, Contact Size: #20., EA, \$40.44

Electrical Contact Tool (Removing)

These installing and removal tools are for installing and removing electrical contacts used in connectors and other electrical and electronic components. MIL-I-81969.

Type 2: Removal Tool. Class 1: Front Release of Contacts. Composition A: Metal.

Federal Strategic Sourcing Initiative, 5120-01-230-1507, M81969/34-01, Red, Contact Size: #20., EA, \$119.50

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-930-7503, M81969/20-01, Green, Contact Size: #16 & 20., EA, \$73.80

Type 2: Removal Tool. Class 1: Front Release of Contacts. Composition C: Combination Metal & Plastic.

Federal Strategic Sourcing Initiative, 5120-00-133-0144, M81969/14-06, Red, Contact Size: #8., EA, \$2.55

Federal Strategic Sourcing Initiative, 5120-00-079-4602, M81969/19-01, Blue, Contact Size: #16., EA, \$63.03

Federal Strategic Sourcing Initiative, 5120-00-079-4601, M81969/19-06, Red, Contact Size: #20., EA, \$53.42

Federal Strategic Sourcing Initiative, 5120-00-177-7029, M81969/03-01, Yellow, Contact Size: #23., EA, \$112.82

Type 2: Removal Tool. Class 2: Rear Release of Contacts. Composition A: Metal.

Federal Strategic Sourcing Initiative, 5120-00-103-9708, M81969/8-10, Yellow & White, Contact Size: #12., EA, \$89.37

Federal Strategic Sourcing Initiative, 5120-01-335-8716, M81969/8-206., Red, White & Black., Contact Size: #20., EA, \$108.07

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-409-5206, M81969/08-08, Blue & White, Contact Size: #16., EA, \$93.68

Federal Strategic Sourcing Initiative, 5120-00-177-6966, M81969/08-06, Red & White, Contact Size: #20., EA, \$99.35

Federal Strategic Sourcing Initiative, 5120-00-146-6558, M81969/08-02, Green & White, Contact Size: #22M., EA, \$104.91

Type 2: Removal Tool. Class 2: Rear Release of Contacts. Composition C: Combination Metal & Plastic.

Federal Strategic Sourcing Initiative, 5120-00-148-9845, M81969/30-07, Yellow, Contact Size: #12., EA, \$91.28

Terminal Junction Block Remover

This Terminal Junction System (TJS) components are used for interconnection of wiring and incorporation of passive components. These environment resistant components have in common the use of crimp type external pin contacts or crimp type external socket contacts. This family of TJS components is designed to operate continuously over a temperature range of -65°C to 200°C, using any combination of temperatures generated by the electrical load and ambient temperature so that the maximum internal hot spot, combined temperature, will not exceed the maximum specified for the class. AS81714

Tweezer type removal tool is made of stainless steel and has two pair of tines.

Federal Strategic Sourcing Initiative, 5120-01-232-0023, M81714/69-02., EA, \$39.32

Federal Strategic Sourcing Initiative, 5120-01-097-5219, M81714/69-01., EA, \$34.30

Removal Tool (Screwdriver Style)

Screwdriver-style tool removes electrical contacts from connectors. Corrosion-resistant steel plunger retracts into the shank. Has a plastic or aluminum handle, a corrosion-resistant steel probe, and 2 pounds of plunger force. Comes with a protective cap.

Contact size: Amp Type II, III and Submin Coax No. 8 thru 20.

Federal Strategic Sourcing Initiative, 5120-00-020-5926, 305183 or equal., EA, \$20.61

Removal Tool Kit

Specifically for removing electrical contacts. Consists of four interchangeable steel removers with threaded ends for attaching to separate aluminum handle. Removers store in handle when not in use. For contact size 16 pin, 12 and 16 socket, 20 pin and 20 socket. Includes handle and cap assembly. IAW GSA drawing 765-3688.

Federal Strategic Sourcing Initiative, 5120-00-765-3688, SE, \$168.64

Alignment Tool (Electronic Equipment)

Screwdriver type alignment tool that is used for adjustment of electronic circuits. The handles, or bodies, are made of nonconductive material so as to reduce to a minimum the change in radio frequency inductance or capacitance in the circuits under adjustment.

Has two projecting plastic flat screwdriver tips that are 1/32" thick on both ends. One end is 5/32" dia & the other end is 1/4" dia.

Federal Strategic Sourcing Initiative, 5120-00-778-6241, 7" L., EA, \$2.31

IAW Department of the Army Signal Corps Laboratory drawing number SC-B-98203 rev A.

Federal Strategic Sourcing Initiative, 5120-00-293-2081, 6-7/8" L., EA, \$0.14

Has two metallic, flat screwdriver tips: one recessed about 1/8" for No. 6 screw & the other projecting about 1/8". Tips are 1/8" W & 0.015" T. Body diameter is 7/32".

Federal Strategic Sourcing Initiative, 5120-00-288-7781, 6-1/8" L., EA, \$2.22

Lamp Extractor

Lamp extractor is used for holding and removing miniature lamps. Tool consists of a 1/2-diameter brass knurled tube with a rubber plug cemented in each end. Each plug has a 3/16-diameter hole. Tool is 1-3/4 long.

Federal Strategic Sourcing Initiative, 5120-00-505-5477, EA, \$20.27

Special-Purpose Tools

Electrical Connector Pliers

Designed for loosening and tightening threaded lock collar of electrical connectors. Plastic jaw inserts prevent marring of the gripping surface of the collar. Jaw opening is 3/4 to 2-1/2" with a minimum of four jaw positions. ASME B107.500 Cat 27

Federal Strategic Sourcing Initiative, 5120-01-380-9000, Opening: 3/4" To 2-1/2", 9-3/4" L., EA, \$18.65

Federal Strategic Sourcing Initiative, 5120-01-601-5166, Opening: 3/4" To 2-1/2", 10" L., EA, \$16.03

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-624-8065, Opening: 3/4" To 2-1/2", 9" L., EA, \$19.73

Electrical Conduit Bender

Portable bender is hand operated. One-piece metal head consists of curved bending fulcrum, extended gripping jaw and a stud or socket for attaching an ordinary piece of pipe as a handle. Does not include a handle.

Bends 1/2 metallic electrical tubing.

Federal Strategic Sourcing Initiative, 5120-00-618-6898, EA, \$41.15

Bends 3/4" metallic electrical tubing.

Federal Strategic Sourcing Initiative, 5120-00-618-6899, EA, \$65.95

Fuse Puller

Inserts and removes cartridge fuses in electrical circuits up to 600V. Firmly grips fuse body for smooth, one handed operation. W-P-796

Type 1: Laminated construction, Size 2: 1/2" through 1-1/4" fuse diameter range.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9456, 34-002 or equal., Size #2., EA, \$10.22

Type 1: Laminated construction, Size 3: 1" through 2-1/2" fuse diameter range.

Federal Strategic Sourcing Initiative, 5120-00-243-2776, Size #3., EA, \$25.79

Type 1: Laminated construction, Size 1: 1/4" through 1/2" fuse diameter range.

Federal Strategic Sourcing Initiative, 5120-00-224-9453, Size #1., EA, \$7.85

Safety Cable Tool

.032 Rotary Safe-T-Cable Tool w/ 7" Nose.

Federal Strategic Sourcing Initiative, 5120-01-463-7117, EA, \$685.20

The tool is used to tension the safety cable to a preset tension between the items to be secured, then crimp a retaining ferrule onto the cable and then cut the remaining leftover cable.

.032 Tool with 7" nose

Federal Strategic Sourcing Initiative, 5120-01-440-5129, SCT327 or equal., Red, EA, \$734.72

Cable Grip

For holding taut and pulling wires, cables and wire rope. The rust resistant steel grips are ruggedly constructed to withstand continuous service. Pulling shackle or clevis activates opening and closing of jaws and is designed to accommodate a hoist or sling hook for use with a block and tackle.

Parallel jaws have bronze lined, smooth surfaces. Tool has flat, round or "V" shaped gripping surfaces.

Federal Strategic Sourcing Initiative, 5120-00-238-4436, Capacity: 0.162" to 0.552", 8000 Lbs Safe Load., EA, \$769.35

Federal Strategic Sourcing Initiative, 5120-00-224-2661, Capacity: 1/2" to 3/4", 15000 Lbs Safe Load., EA, \$376.78

Eccentric jaws consist of one integral jaw with grip body & one movable jaw with eccentric or cam type action.

Federal Strategic Sourcing Initiative, 5120-00-262-1872, Capacity: 1/8" to 1/2", 5000 Lbs Safe Load., EA, \$147.40

Cable Cutter - Armored

Cuts lead sheathed armored cable. Has cushion grip handles, a 3/4" capacity & is 8" L.

Federal Strategic Sourcing Initiative, 5110-01-068-5253, EA, \$23.19

Cable Cutter (Groping Hook Guide)

Compound lever type cable cutter has rigid heads and center cut style. The jaws can be removed for sharpening or replacement. Adjustment compensates for wear. Rubber stops prevent pinching. Insulated handles protect operator from high voltages (up to 5,000v). Groping hook guide consists of a double hook extending 1-7/8" beyond the cutting head. A-A-52208.

Federal Strategic Sourcing Initiative, 5110-00-541-6730, 20-1/2" L, Capacity: 3/8", EA, \$151.77

Cable Preparation Tools (Stripper)

A reliable and effective way to prepare coaxial cable for cable TV, satellite, datacom, A/V and security feeds.

The stripper has a 3/8- to 1-3/4"-diameter cable capacity for use on armored and unarmored electrical cable sheath. Neatly removes insulation up to 1/8" thick without damaging conductors. Stripper is equipped with adjustable toggle handle, adjustable locking handle, cable rest and adjustable cutting mechanism. Cutter has replaceable blade and a positive locking depth adjustment. Body frame is made of forged or pressed steel.

The cutting blades shall have a sufficient number of adequately spaced grooves to accommodate the range of wire sizes specified.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-238-7696, EA, \$160.92

Plastic Strap Installing Tool

For installing plastic cable tie-down straps. Has a pistol grip, tension adjustment and a cutoff device. Includes instruction plate. AS81306

Use for installing MS 3367-3 and MS 3367-6 plastic tie-down straps. Nose is 0.710" wide. Slot is 0.083 to 0.088" wide. MS 90387-2.

Federal Strategic Sourcing Initiative, 5120-00-937-5438, MS90387-2, EA, \$597.17

Use for installing MS 3367-1, -2, -4 and -5 and MS 3368-1, -2, -3, -4 and -5 plastic tie-down straps. Nose is 0.63" wide. Slot is 0.055 to 0.063" wide.

Federal Strategic Sourcing Initiative, 5120-00-781-7891, MS90387-1, EA, \$333.27

Watchmakers Blower

Hand operated blower is for removing dirt from small instruments. Has a plastic, metal or rubber squeeze bulb and air pressure nozzle.

Federal Strategic Sourcing Initiative, 5120-00-254-4612, 4" L, 1" Dia., EA, \$42.26

Wire Strippers

Wire Strippers/Cutters

These wire cutters/strippers are used by rotating it around the insulation while applying pressure in order to make a cut around the insulation. The body has various grooves for different wire sizes. Used for manually removing insulation from general purpose solid & stranded wires. Comfort grip handles. Described by (AWG range, Wire type). B107.500 Cat 37

Type: II (Wire cutters/strippers, flat jaws & handles), Class: 1 (Small frame, strippers forward of pivot, nonadjustable, with spring & lock optional).

Federal Strategic Sourcing Initiative, 5110-01-019-1772, Yellow Handles, 26 - 28 AWG, Solid & Stranded., EA, \$10.56

Federal Strategic Sourcing Initiative, 5110-00-472-2343, 28 - 30 AWG, Solid & Stranded., EA, \$62.61

Federal Strategic Sourcing Initiative, 5110-01-563-4373, 10 - 18 AWG, Solid & Stranded., EA, \$17.60

Type II: Wire cutters/strippers, flat jaws & handles. Class 3: wire cutter/strippers large frame, rear of pivot.

Federal Strategic Sourcing Initiative, 5110-01-367-3831, 10 - 22 AWG, Solid & Stranded, Comfort Grip., EA, \$18.59

Federal Strategic Sourcing Initiative, 5110-01-437-2038, 10 - 18 AWG, Solid & Stranded, Comfort Grip., EA, \$30.67

Wire Stripper (Manually Operated)

Used for removing at least 3/4" L of insulation from general purpose solid and stranded wires. The tool provides a smooth, clean cut without nicking or marring wire. The high quality hardened steel blades are replaceable. The body is made of forged or pressed steel. Equipped with a spring loaded handle and serrated gripping jaws.

Federal Strategic Sourcing Initiative, 5110-00-246-0975, 10 - 18 AWG & AN, 6-1/4" L., EA, \$12.86

Federal Strategic Sourcing Initiative, 5110-00-063-3037, 10 - 25 AWG, 5" L, Comfort Grip., EA, \$14.25

Federal Strategic Sourcing Initiative, 5110-01-377-2180, 16 to 26 AWG, EE Teflon Insulation (1000V), EA, \$210.12

Federal Strategic Sourcing Initiative, 5110-00-126-0804, 16 to 26 AWG, 7-3/4" L., EA, \$200.92

Particularly suited for use on aircraft ignition and electrical cable, as well as on general purpose solid and stranded wires. Has pivot handles and automatic stop return.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-268-4224, 8 - 22 AWG & AN, 7-1/4" L., EA, \$16.72

Use on Polytetrafluoroethylene (PTFE) insulation (200°C, 600V). Equipped with blade size 2E. Has pivot handles. Short stop latch and wire stop assembly are provided unassembled with the main wire stripper body.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-177-7286, 16 - 26 AWG, 7-1/4" L., EA, \$212.40

Wire Stripper (Replacement Blades)

Replacement blades for wire strippers.

Federal Strategic Sourcing Initiative, 5110-01-380-9346, 16 to 26 AWG., SE, \$144.79

Files

File (American Pattern - Mill)

Mill File (Regular). This file is for sharpening mill or circular saws & for general use. The width is tapered for 1/3 of length to point & the thickness is uniform. A-A-2316

Class 2: Regular, Style: Smooth cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-243-7965, 6" L x 5/8" W x 1/8" Thick., EA, \$4.05

Federal Strategic Sourcing Initiative, 5110-00-241-9138, 10" L x 1" W x 3/16" Thick., EA, \$6.51

Class 2: Regular, Style: Bastard cut.

Federal Strategic Sourcing Initiative, 5110-01-430-1526, 6" L x 5/8" W x 1/8" Thick., EA, \$2.72

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-241-9132, 6" L x 5/8" W x 1/8" Thick., EA, \$2.72

Federal Strategic Sourcing Initiative, 5110-00-242-5387, 14" L x 1-11/32" W x 1/4" Thick., EA, \$8.61

File (American Pattern - Regular Round)

Regular Round File. This file is used to enlarge & round out circular openings or concave surfaces. The width is tapered for 1/3 of length to point. A-A-2318.

Type 1: Bastard Cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-234-6557, 12" L x 1/2" W., EA, \$7.14

Federal Strategic Sourcing Initiative, 5110-00-234-6554, 10" L x 3/8" W., EA, \$4.43

Type 3: Smooth Cut.

Federal Strategic Sourcing Initiative, 5110-01-599-5184, 8" L x 19/64" W., EA, \$4.38

File (American Pattern - Regular)

Hand File (Regular). File is for filing flat surfaces and for filing close to shoulders. File width and thickness are uniform. One edge is safe (uncut). A-A-2313

Type 2: Second Cut.

Federal Strategic Sourcing Initiative, 5110-00-156-0054, 8" L x 13/16" W., EA, \$5.51

Type 3: Smooth Cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-156-0059, 10" L x 1" W., EA, \$24.39

File (American Pattern - Half Round)

Half Round. This file is most often used by machinists, machinery builders & repair personnel when rapid material removal is required. The width is tapered for 1/3 of length to point. These files are characterized by hardened, uniform teeth and conventional tang for attaching a wooden handle. Forged from carbon alloy steel. A-A-2312

Type 1: Bastard cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-241-9147, 6" L x 5/8" W x 5/32" T., EA, \$5.59

Federal Strategic Sourcing Initiative, 5110-00-241-9150, 8" L x 3/4" W x 7/32" T., EA, \$7.37

Type 2: Second cut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-241-9148, 6" L x 5/8" W x 5/32" T., EA, \$5.27

Federal Strategic Sourcing Initiative, 5110-00-241-9151, 8" L x 3/4" W x 7/32" T., EA, \$7.34

File (American Pattern - Taper)

Taper File. File is for sharpening standard handsaws & other saws having 60° angled teeth. Triangular shaped & tapered on all sides at least 1/3 of length to point. File is single cut on all surfaces & edges or corners to maintain saw gullets. A-A-2321

Type 2: Slim.

Federal Strategic Sourcing Initiative, 5110-00-234-6528, 6" L x 3/8" W., EA, \$3.43

File (American Pattern - Flat)

The flat file is most often used by machinists, machinery builders & repair personnel when rapid material removal is required. Double cut on top and bottom. The files are uniform in width & thickness from approximately the midpoint to the heel of the file. These files are characterized by hardened, uniform teeth and conventional tang for attaching a wooden handle. Forged from carbon alloy steel. A-A-2311

Type 1: Bastard Cut.

Federal Strategic Sourcing Initiative, 5110-00-234-6539, 12" L x 1-3/16" W., EA, \$6.98

Type 2: Second Cut.

Federal Strategic Sourcing Initiative, 5110-00-234-6534, 8" L x 13/16" W., EA, \$4.54

Type 3: Smooth Cut.

Federal Strategic Sourcing Initiative, 5110-00-203-4935, 8" L x 13/16" W., EA, \$5.46

Federal Strategic Sourcing Initiative, 5110-00-249-2850, 10" L x 1" W., EA, \$7.29

File (American Pattern - 3 Square)

Three Square File. This file is for filing internal angles more acute than the right angle, clearing out corners, filing taps & cutters in an annealed state. It is triangular shaped & tapered on all sides at least one third of length to point. A-A-2322.

Type 2: Second cut.

Federal Strategic Sourcing Initiative, 5110-01-601-5159, 8" L x 5/8" W., EA, \$6.70

Type 3: Smooth cut.

Federal Strategic Sourcing Initiative, 5110-01-542-3028, 4" L x 1/2" W., EA, \$3.14

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-241-9160, 6" L x 1/2" W., EA, \$5.62

File (Swiss Pattern)

Precision craftsmen, jewelers, tool and die makers and instrument part finishers use Swiss pattern files for finishing delicate and intricate parts. These files are made in much finer cuts, which vary from No. 00 (the coarsest) to No. 6 (the finest).

Half-Round File. File is double cut on both flat and half-round surfaces. Width and thickness are tapered to a pointed end. Cut No. 2.

Federal Strategic Sourcing Initiative, 5110-01-657-4266, Needle #0 Cut, 6-1/4" L x 3/32" W., EA, \$5.10

Federal Strategic Sourcing Initiative, 5110-00-239-3269, Half Round #2 Cut, 6-1/4" L x 7/32" W., EA, \$5.42

Round File. File is double cut and tapers to a point. Cut No. 2.

Federal Strategic Sourcing Initiative, 5110-00-245-4177, Round #2 Cut, 6" L x 1/8" Dia., EA, \$4.96

Three Square File. File is triangular, double cut on all flat surfaces and tapered to a pointed end.

Federal Strategic Sourcing Initiative, 5110-00-239-7590, 3 Square #2 Cut, 6-1/4" L x 5/32" Dia., EA, \$4.71

Flat File. File is double cut on both flat surfaces & single cut on both square edges. Width is tapered to a pointed end & the thickness is uniform.

Federal Strategic Sourcing Initiative, 5110-00-156-0063, Flat #2 Cut, 6-1/4" L x 7/32" W., EA, \$4.96

Square File. File is double cut on three sides and double cut or safe (uncut) on the fourth side. Tapered to pointed end.

Federal Strategic Sourcing Initiative, 5110-00-239-7602, Square #2 Cut, 6-1/4" L x 7/64" W., EA, \$4.96

Knife File. File is double cut on flat surfaces & safe (uncut) on edge. Tapers to a pointed end. Has wedge shaped cross section.

Federal Strategic Sourcing Initiative, 5110-00-156-0065, Knife #2 Cut, 6-1/4" L x 7/32" W., EA, \$4.96

Marking File. File is double cut on half-round side and is safe (uncut) on flat side. Tapered to a point.

Federal Strategic Sourcing Initiative, 5110-00-245-4165, Marking #2 Cut, 6" L x 7/32" Dia., EA, \$5.91

Equaling File. File is double cut on flat surfaces & single cut on square edges. Width & thickness are uniform.

Federal Strategic Sourcing Initiative, 5110-00-156-0062, Equaling #2 Cut, 6-1/4" L x 7/32" W., EA, \$5.42

Joint File. File is flat with rounded edges & is safe (uncut) on both flat surfaces & double cut on both edges. Width & thickness are uniform.

Federal Strategic Sourcing Initiative, 5110-00-239-3281, Joint #2 Cut, 6-1/4" L x 7/32" W., EA, \$4.82

Barrette File. File is double cut on wide flat side, safe (uncut) on both narrow sides and tapered to a pointed end. Cut No. 2.

Federal Strategic Sourcing Initiative, 5110-00-242-0127, Barrette #2 Cut, 6" L x 7/32" Dia., EA, \$5.10

Slitting File. File is double cut on four flat surfaces and single cut on two edges. Width is uniform. Cut No. 2.

Federal Strategic Sourcing Initiative, 5110-00-239-7614, Slitting #2 Cut, 6" L x 1/4" Dia., EA, \$5.84

Crossing File. File is double cut on both curved surfaces. Width and thickness are tapered to a pointed end. Has a pointed, oval cross section. Cut No. 2.

Federal Strategic Sourcing Initiative, 5110-00-242-0146, Crossing #2 Cut, 6" L x 13/64" Dia., EA, \$5.74

File Set (Swiss Pattern)

Precision craftsmen, jewelers, tool and die makers and instrument part finishers use Swiss pattern files for finishing delicate and intricate parts. These files are made in much finer cuts, which vary from No. 00 (the coarsest) to No. 6 (the finest).

This set of needle files (12) (Swiss-pattern) contains one each of the following: cut #2 equaling, flat, knife, half round, round edge, three square, square, slitting, barrette, crossing, marking (half round) and round types of files. It is furnished in a durable fabric, leatherette, plastic pouch, wrap or roll with a compartment for each file and with durable ties or fasteners.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-204-2685, 6-1/4" L., SE, \$70.05

File Set

These file sets are used for shaping, cutting and smoothing surfaces.

This general use swiss file set is most often used by machinists, machinery builders & repair personnel when rapid material removal is required. Contains one (1) each of the following twelve (12) blade types: equaling, flat/warding, round, half round, three square, square, crossing, joint, barrette, knife, slitting and marking. All have knurled handles and are in a compartmented vinyl tool roll. All have knurled handles and are in a compartmented vinyl tool roll.

Federal Strategic Sourcing Initiative, 5110-01-617-7463, SE, \$67.42

File Brush

Combination file card and brush removes filings and other matter from file teeth. Fine steel wire card on one side loosens chips from file teeth. Stiff-bristled wire brush on the reverse side finishes cleaning of file. Body of brush is 4-1/2" long and 1-3/8" wide; bristles are 5/8" long. Card wire is 1/4" long. Measures 8-1/2" overall length. Brush has a wood block with a wooden handle. Hanging hole is provided.

Plastics Removal in Marine Environments

7920-00-224-7987, 63650 or equal, EA, \$13.28

Handle (File)

Wooden handle with metal ferrule is designed for use with files and similar tools that have tang-type shanks. Features tang-holding metal jaws or chuck. The adjusting mechanism consists of an adjusting cap and a threaded metal sleeve or screw.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-595-8325, 4-1/8" L, 1" D., EA, \$6.26

Rasp

This wood rasp has smooth cut type & is suitable for cabinetmaking & woodworking. Raised portion of metal from the surface forms hardened rounded teeth on both flat & rounded sides, & single-cut edges on the sides. The carbon alloy steel rasp has tapered width & thickness, & includes a conventional tang for wooden handle. A-A-2329

Wood Rasp (Half Round). Rasp has teeth on both flat and rounded sides and single-cut edges on the sides. Tapers toward the point.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-233-9722, 12" L x 1-5/16" W x 11/32" T., EA, \$12.04

Ball Peen Hammers

Ball Peen Hammer (Fiberglass Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-00-061-8540, 4oz, 10-1/2" L., EA, \$16.66

Federal Strategic Sourcing Initiative, 5120-01-355-2048, 8oz, 11" L., EA, \$12.79

Federal Strategic Sourcing Initiative, 5120-01-434-9537, 8oz, 12 1/2" L., EA, \$22.24

Federal Strategic Sourcing Initiative, 5120-01-355-2050, 16oz, 13" L., EA, \$30.43

Federal Strategic Sourcing Initiative, 5120-01-434-9559, 16oz, 13" L., EA, \$21.20

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-061-8541, 8oz, 12" L, Comfort Grip / Machinists., EA, \$13.80

Federal Strategic Sourcing Initiative, 5120-00-061-8543, 16oz, 13-1/2" L, Comfort Grip., EA, \$21.30

Federal Strategic Sourcing Initiative, 5120-00-061-8545, 24oz, 15" L., EA, \$23.13

Federal Strategic Sourcing Initiative, 5120-00-061-8546, 32oz, 15" L., EA, \$25.57

Made of copper alloy. Non-magnetic and Non-sparking.

Federal Strategic Sourcing Initiative, 5120-00-187-1034, 32oz, 14" L., EA, \$76.85

Federal Strategic Sourcing Initiative, 5120-01-355-2052, 32oz, 16" L., EA, \$25.88

Ball Peen Hammer (Graphite Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-01-428-5158, 16oz, 12-3/4" L., EA, \$25.21

Ball Peen Hammer (Steel Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-01-428-5168, 12oz, 11 3/4" L., EA, \$24.42

Federal Strategic Sourcing Initiative, 5120-01-070-4541, 54-532 or equal, 32oz, 13-3/4" L, Urethane Coated., EA, \$49.65

Ball Peen Hammer (Wood Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-01-335-1472, 8oz, 12-1/2" L., EA, \$13.48

Federal Strategic Sourcing Initiative, 5120-01-335-1474, 16oz, 14-1/2" L., EA, \$15.92

Federal Strategic Sourcing Initiative, 5120-01-428-5182, 32oz, 15" L., EA, \$25.38

Federal Strategic Sourcing Initiative, 5120-01-355-2036, 32oz, 16" L., EA, \$21.75

Made of copper alloy. Non-magnetic and Non-sparking.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-187-1033, 24oz, 14-1/2" L., EA, \$67.84

Ball Peen Hammer (Urethane Head & Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Federal Strategic Sourcing Initiative, 5120-01-335-1483, HBBD16 or equal, 16oz, 12-7/8" L., EA, \$52.52

Ball Peen Hammer (Dead Blow)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. B107.400 Cat 53.

Dead blow alloy steel faced ball peen hammer has a one-piece urethane coating that completely covers the steel handle and head. Fine metal shot is sealed within a unitized metal canister which virtually eliminates bounce-back.

Federal Strategic Sourcing Initiative, 5120-01-070-4542, 16oz, 12-3/4" L., EA, \$37.67

Federal Strategic Sourcing Initiative, 5120-01-070-4540, 24oz, 13-1/4" L, Urethane Coated., EA, \$35.73

Claw Hammers

Claw Hammer (Curved Claw)

These hammers are either smooth or textured faced. They will have a striking face on one end for driving nails and a curved-claw end for removing nails. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice of carpenter's. B107.400 Cat 41.

Federal Strategic Sourcing Initiative, 5120-00-900-6110, 13oz, 13" L, Fiberglass Handle., EA, \$33.97

Federal Strategic Sourcing Initiative, 5120-01-112-8350, 16oz, 13" L, Steel Handle, Comfort Grip., EA, \$25.21

Federal Strategic Sourcing Initiative, 5120-00-892-5485, 16oz, 13" L, Fiberglass Handle., EA, \$26.57

Federal Strategic Sourcing Initiative, 5120-01-112-8349, 20oz, 13-1/2" L, Steel Handle., EA, \$36.33

Federal Strategic Sourcing Initiative, 5120-01-112-8352, 20oz, 13-1/2" L, Wood Handle., EA, \$26.34

Claw Hammer (Straight Claw)

These hammers are either smooth or textured faced. They will have a striking face on one end for driving nails & a straight claw end for removing nails or ripping apart or tearing down wooden structures. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice of carpenter's. Described by: (Weight, Length, Face, Handle) B107.400 Cat 41.

Federal Strategic Sourcing Initiative, 5120-01-112-8345, 20oz, 13-1/2" L, Smooth Steel Handle, Comfort Grip., EA, \$9.60

Federal Strategic Sourcing Initiative, 5120-01-069-5686, 22oz, 16" L, Milled, Nylon Handle., EA, \$44.38

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-892-5744, 20oz, 14" L, Smooth, Fiberglass Handle., EA, \$28.84

Claw Hammer

Carpenters' hammer is used to drive or remove nails and brads. Hammer is made of beryllium-copper or aluminum-bronze alloy. Hickory handle has a clear lacquer coating and is firmly attached to the head with a wedge.

Federal Strategic Sourcing Initiative, 5120-00-243-2959, 16oz head, 13" L., EA, \$69.97

Sledge and Special Purpose Hammers

Blacksmith's/Engineer's Hammer (Hand Drilling)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

This Engineer's double faced hand drilling hammer features an octagonal face on each end of the head. This hammer is intended specifically for use in striking chisels, punches, star drills, spikes & large hardened nails.

5120-01-598-5655, AbilityOne, 4lbs, 10" L, Fiberglass Handle., EA, \$30.35

Federal Strategic Sourcing Initiative, 5120-01-487-5272, 5oz, 9-3/8" L, Urethane Coated., EA, \$16.32

Federal Strategic Sourcing Initiative, 5120-00-224-4141, 4lbs, 10-1/2" L, Wood Handle., EA, \$16.98

Federal Strategic Sourcing Initiative, 5120-01-395-7207, 4lbs, 14" L, Fiberglass Handle., EA, \$29.83

Blacksmith's/Engineer's Hammer (Sledge)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

Nonmagnetic & nonsparking, copper or bronze alloy.

Federal Strategic Sourcing Initiative, 5120-01-430-1481, 1-1/2 Lbs, 15" L, Copper Alloy, Fiberglass Handle., EA, \$73.49

This Engineer's double faced sledge hammer features an octagonal face on each end of the head.

Federal Strategic Sourcing Initiative, 5120-01-399-9252, 3Lbs, 14" L, Comfort Grip, Fiberglass Handle., EA, \$27.46

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-203-4656, 2-1/2lbs, 15" L, Wood Handle., EA, \$31.80

Nonmagnetic and Nonsparking.

Federal Strategic Sourcing Initiative, 5120-01-420-8619, 4lbs, 16" L, Wood Handle., EA, \$78.00

Federal Strategic Sourcing Initiative, 5120-00-251-4489, 8lbs, 32" L, Wood Handle., EA, \$36.70

Federal Strategic Sourcing Initiative, 5120-01-399-9262, 8Lbs, 32" L, Comfort Grip, Fiberglass Handle., EA, \$49.43

Federal Strategic Sourcing Initiative, 5120-00-900-6096, AbilityOne, 8lbs, 35" L, Fiberglass Handle., EA, \$48.86

Federal Strategic Sourcing Initiative, 5120-00-900-6097, AbilityOne, 10Lbs, 35" L, Comfort Grip Fiberglass Handle., EA, \$51.80

Federal Strategic Sourcing Initiative, 5120-00-900-6098, AbilityOne, 12lbs, 35-1/2" L, Fiberglass Handle., EA, \$62.33

Federal Strategic Sourcing Initiative, 5120-01-596-6433, 12lbs, 32" L, Fiberglass Handle, Comfort Grip., EA, \$59.74

Federal Strategic Sourcing Initiative, 5120-01-598-5650, AbilityOne, 16lbs, 36" L, Fiberglass Handle., EA, \$77.57

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-265-7462, 6lbs, 32" L, Wood Handle., EA, \$41.02

Federal Strategic Sourcing Initiative, 5120-00-243-2957, 10lbs, 35" L, Wood Handle., EA, \$44.86

Federal Strategic Sourcing Initiative, 5120-00-293-0887, 12lbs, 34" L, Wood Handle., EA, \$42.71

Blacksmith's/Engineer's Hammer (Stone Sledge)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

This blacksmith's stone sledge hammer features an octagonal face on one end of the head & a straight peen on the other end. The straight peen is intended specifically for making score lines in stone & masonry.

Federal Strategic Sourcing Initiative, 5120-00-224-4139, 12 Lbs, 36" L, Wood Handle., EA, \$40.18

Blacksmith's/Engineer's Hammer (Cross-Peen)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

This blacksmith's cross-peen hammer features an octagonal face on one end of the head and a cross peen on the other end. The cross peen is at a right angle to the handle axis.

Nonmagnetic & nonsparking, copper or bronze alloy.

Federal Strategic Sourcing Initiative, 5120-00-903-9303, 2-1/2lbs, 15"L, Fiberglass Handle., EA, \$113.82

Federal Strategic Sourcing Initiative, 5120-00-900-6103, AbilityOne, 3lbs, 16" L, Fiberglass Handle., EA, \$21.58

Federal Strategic Sourcing Initiative, 5120-00-242-3915, 3 lb, 16" L, Wood Handle., EA, \$15.46

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-4130, 12lbs, 36" L, Wood Handle., EA, \$41.84

Blacksmith's Hammer (Cross Peen)

This hardened, heavy striking tool has a striking face on one end & a special purpose cross peen striking end on the other. The head has a corrosion-preventive coating and a polished striking face. The handle is made of fiberglass.

Federal Strategic Sourcing Initiative, 5120-00-902-0094, 8 Lbs, 32" L., EA, \$72.76

Blacksmith's/Engineer's Hammer (Dead Blow)

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

This dead blow double faced sledge hammer features an octagonal face on each end of the head.

Federal Strategic Sourcing Initiative, 5120-01-473-9724, 10015 or equal., 16oz, 12" L, Fiberglass Handle., EA, \$32.65

Federal Strategic Sourcing Initiative, 5120-01-415-4223, 42oz, 14" L, Urethane Coated Wood Handle., EA, \$28.90

Federal Strategic Sourcing Initiative, 5120-01-065-2211, 4lbs, 16" L, Urethane Coated Head & Handle., EA, \$37.10

Federal Strategic Sourcing Initiative, 5120-01-355-2042, 8lbs, 30" L, Urethane Coated., EA, \$79.84

Federal Strategic Sourcing Initiative, 5120-01-355-2044, 11-1/2lbs, 36" L, Urethane Coated., EA, \$122.25

This Engineer's double faced sledge hammer features an octagonal face on each end of the head.

Federal Strategic Sourcing Initiative, 5120-01-032-7496, 57-542 or equal, 22oz, 12" L, Steel Handle, Urethane Coated., EA, \$18.53

Welder's Hammer

Hammer has a forged steel chipping head and hardened edges. Use for chipping welds & welding slag.

Has a straight 5/8 inch peen with double bevels on one end and a 60 degree punch point on the other end. Coiled steel handle consists of a round steel bar with a securely fastened spiral wire handgrip. Hammer has a 6 inch head.

Head weight: 1 1/4 oz.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-585-2383, 10" L., EA, \$11.79

Mallet (Rawhide)

Mallet features a solid rawhide, cylindrical head. Firmly glued joints provide added durability, and a moisture-resistant coating on the head prolongs the life of the tool. Hickory handle has a clear lacquer coating.

Federal Strategic Sourcing Initiative, 5120-00-293-3397, 11 oz, Face: 2", Hickory Handle., EA, \$35.89

Rubber Mallet

Solid Rubber Head Mallet used for replacing hub caps, body work, etc.

Federal Strategic Sourcing Initiative, 5120-01-589-8738, 16-3/4" L, Head 5" L, Face diameter: 2-5/8", 37 oz., EA, \$26.79

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-3399, 15" L, Head 3-3/8" L, Face diameter: 2", 24 oz., EA, \$16.68

Wood Mallet

Carpenter's-style mallet has a cylindrical head with parallel faces. Detachable, smooth hardwood handle fits firmly in mortised or tapered hole in head.

Federal Strategic Sourcing Initiative, 5120-00-224-1416, 14" L, Face: 3-1/2" Dia., EA, \$20.72

Laminated, cylindrical head has parallel faces and slightly rounded edges. The heads is constructed of a minimum of five plies and a maximum eight plies glued together under adequate pressure and curing time to produce a serviceable mallet. Described by: (Handle Length, Head Dimensions).

Federal Strategic Sourcing Initiative, 5120-00-926-7116, 36" L, Head: 8" L x 6" Dia., EA, \$75.57

Federal Strategic Sourcing Initiative, 5120-00-926-7117, 36" L, Head: 10" L x 8" Dia., EA, \$117.06

Ship Maul

These hardened, heavy striking tools will have a striking face on one end and a striking face or a special purpose striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 54.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-255-1476, 5lbs., EA, \$87.01

Stoneworker's Hammer

Hammer has a hardened, forged steel head with a polished face and rust-preventive coating.

Mason's-style hammer has a rectangular, 5-1/2-long, 3-lb head with a 2 x 1 flat face with sharp corners and one straight peen with a beveled sharp edge. Hickory handle has a clear lacquer coating. Hammer is 16 long.

Federal Strategic Sourcing Initiative, 5120-00-224-4085, EA, \$26.09

Hammer (Soft Face)

Has a solid, square or barrel shaped head with two smooth, flat faces. Prevents damage to work surfaces.

Copper head & faces.

Federal Strategic Sourcing Initiative, 5120-00-194-1648, Face: 1-1/4" Dia, 2 Lbs, 13" L, Wood Handle., EA, \$39.66

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-242-3908, 4 oz, 8" L., EA, \$21.90

Hammer (Soft Face)(Dead Blow)

Has a solid, square or barrel shaped head with two smooth, flat faces. Prevents damage to work surfaces.

Urethane coated handle, head & faces.

Federal Strategic Sourcing Initiative, 5120-01-065-9037, 57-533 or equal., Face: 2-1/4" Dia, 42oz, 14-1/4" L., EA, \$29.40

Federal Strategic Sourcing Initiative, 5120-01-071-5356, Face: 1-1/2" Dia, 10oz, 10-1/8" L., EA, \$20.57

Federal Strategic Sourcing Initiative, 5120-01-399-9266, Face: 1-5/8" Dia, 16oz, 12" L., EA, \$28.68

Federal Strategic Sourcing Initiative, 5120-01-437-1951, HBF48 or equal, Face: 2-1/4" Dia, 48oz, 15" L., EA, \$28.90

Federal Strategic Sourcing Initiative, 5120-01-097-4520, 57-531 or equal., Face: 1-3/4" Dia, 18oz, 11-1/4" L., EA, \$20.32

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-072-7987, Face: 1" Dia, 5 - 8oz, 10" L., EA, \$15.49

Hammer Handle

This straight grained handle is made from Grade AA or B hickory and coated with clear lacquer. Use this wooden replacement handle with these various hammers: Sledge, mauls, engineer's and similar heavy duty tools.

Sledge hammers, mauls, Engineer's hammers & similar heavy duty tools.

Federal Strategic Sourcing Initiative, 5120-00-288-6563, 32" L, Eye: 1-5/16" L x 15/16" W., EA, \$10.69

Federal Strategic Sourcing Initiative, 5120-00-288-6564, 36" L, Eye: 1-5/16" L x 15/16" W., EA, \$15.98

Hammer Insert (Soft Face)

Regular design soft face hammer inserts have a tapered screw molded into the rear or the face. To be used with a regular design insert type hammers. Color of the face designates the hardness. Described by (Face Diameter, Shape of Face, Material, Thread Size).

Federal Strategic Sourcing Initiative, 5120-00-293-3003, Red, 1", Flat, Plastic, 5/16"., EA, \$5.12

Federal Strategic Sourcing Initiative, 5120-00-555-2074, Black, 1", Flat, Plastic, 5/16"., EA, \$5.94

Federal Strategic Sourcing Initiative, 5120-00-293-3007, 15-102 or equal., Brown, 1", Flat, Plastic, 5/16"., EA, \$4.02

Federal Strategic Sourcing Initiative, 5120-00-293-2999, Green, 1", Flat, Plastic, 5/16"., EA, \$4.91

Federal Strategic Sourcing Initiative, 5120-01-435-0665, Brown, 1-1/2", Flat, Plastic., EA, \$7.48

Federal Strategic Sourcing Initiative, 5120-00-596-1071, Red, 1-1/2", Flat, Plastic, 5/16"., EA, \$5.52

Federal Strategic Sourcing Initiative, 5120-01-400-1165, JSF15T, 1-1/2", Flat, Plastic, 7/16"., EA, \$8.76

Federal Strategic Sourcing Initiative, 5120-01-435-0661, Black, 1-1/2", Flat, Plastic, 5/16"., EA, \$11.90

Federal Strategic Sourcing Initiative, 5120-00-555-2077, HSF-15XH or equal., Yellow, 1-1/2", Flat, Plastic, 5/16"., EA, \$11.41

Federal Strategic Sourcing Initiative, 5120-00-293-2997, Green, 2", Convex, Plastic, 3/8"., EA, \$9.63

Federal Strategic Sourcing Initiative, 5120-00-293-3005, 15-202 or equal., 2", Flat, Plastic, 3/8"., EA, \$10.68

Federal Strategic Sourcing Initiative, 5120-00-293-3002, Red, 2-1/2", Flat, Plastic, 7/16"., EA, \$18.20

Federal Strategic Sourcing Initiative, 5120-00-971-7053, 25T 15-254 or equal., Green, 2-1/2", Flat, Plastic, 7/16"., EA, \$18.20

Federal Strategic Sourcing Initiative, 5120-00-357-5868, Cream, 2-1/2", Flat, Plastic, 7/16"., EA, \$22.67

Federal Strategic Sourcing Initiative, 5120-00-555-2086, 15-308 or equal, Black, 3", Flat, Plastic, 1/2"., EA, \$42.13

Hammer Insert Holder (Soft Face)

Regular design insert holder consists of an aluminum or zinc alloy head permanently affixed to a wood or fiberglass handle. Head faces have drilled & tapped tapered recesses to receive screw in plastic inserts. Accepts all grades of plastic inserts (Not included).

Federal Strategic Sourcing Initiative, 5120-00-903-8545, Face: 1" Dia, 6 oz, 11" L, Fiberglass Handle., EA, \$12.81

Federal Strategic Sourcing Initiative, 5120-00-903-8546, Face: 1" Dia, 9 oz, 11" L, Fiberglass Handle., EA, \$16.57

Federal Strategic Sourcing Initiative, 5120-00-903-8547, Face: 1-1/2" Dia, 12 oz, 13" L, Fiberglass Handle., EA, \$20.02

Federal Strategic Sourcing Initiative, 5120-01-335-1469, Face: 1-5/8" Dia, 2 Lbs, 13" L, Included. Fiberglass Handle, 2 Tips, EA, \$20.52

Federal Strategic Sourcing Initiative, 5120-00-903-8553, Face: 2" Dia, 2 Lbs, 13" L, Fiberglass or Wood Handle., EA, \$20.27

Federal Strategic Sourcing Initiative, 5120-00-903-9310, Face: 2" Dia, 1-1/4 Lbs, 13" L, Fiberglass Handle., EA, \$19.17

Federal Strategic Sourcing Initiative, 5120-00-903-8552, Face: 3" Dia, 3-1/2 Lbs, 14" L, Fiberglass Handle., EA, \$43.18

Nonmagnetic and Nonsparking.

Federal Strategic Sourcing Initiative, 5120-00-903-8555, 09554 or equal., Face: 1-1/2" Dia, 1-1/4 Lbs, 13" L, Fiberglass Handle., EA, \$34.93

Hammer (Scaling)

These hardened, forged steel specialty hammers will have a striking face on one end & a special purpose cross peen striking end on the other. The head has a corrosion preventive coating and a polished striking face. The handle can be made of any material to fit the needs of the job. B107.400 Cat 58.

This scaling hammer is intended specifically for removing scale, paint, welding flux (slag), rust, or other flaking material from metal surfaces.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-4111, 16oz, 14" L, Wood Handle., EA, \$21.10

Batteries

Lithium Battery

Lithium thionyl chloride battery, 3.6V, AA size, 1.9 Ah capacity.

60-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6135-01-301-8776, LITHLS14500BA or Equal, EA, \$3.51

Alkaline Battery

Alkaline manganese dioxide battery. Non-rechargeable. ANSI C18.1.

Nominal voltage is 1.5V.

36-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6135-01-446-8308, AbilityOne, Size: AAA, PG(contains 4 EA), \$1.30

6135-01-447-0950, AbilityOne, Size: AA, PG(contains 4 EA), \$2.51

6135-01-446-8307, AbilityOne, Size: C, PG(contains 4 EA), \$4.89

Federal Strategic Sourcing Initiative, 6135-01-446-8310, MN1300R4Z or Equal, Size: D, PG(contains 4 EA), \$5.44

48-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6135-00-826-4798, 824-12CF or Equal, Size: AAA, PG(contains 12 EA), \$4.25

Federal Strategic Sourcing Initiative, 6135-00-835-7210, 813-12PPD or Equal, Size: D, PG(contains 12 EA), \$13.10

Rectangular shaped, with two snap terminals.

48-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6135-01-447-0949, A1604-2K or Equal, Size: 9V, PG(contains 2 EA), \$2.99

Federal Strategic Sourcing Initiative, 6135-00-900-2139, A1604-12PPJ or Equal, Size: 9V, PG(contains 12 EA), \$15.81

Rechargeable Battery

Rechargeable nickel-metal hydride (NiMH) battery has a nominal voltage of 1.2 volts and a minimum average capacity of 1800 mAh (to 1.0 volts).

60-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 6140-01-413-3926, NH15BP-4 or Equal, Size: AA, PG(contains 4 EA), \$16.64

Rechargeable nickel-metal hydride (NiMH) battery has a nominal voltage of 1.2 volts and a minimum average capacity of 2200 mAh (to 1.0 volts).

60-month maximum shelf life (extendable).

6140-01-413-3923, NM714-2 or equal, Size: C, PG(contains 2 EA), \$11.06

6140-01-413-3925, NM713-2 or equal, Size: D, PG(contains 2 EA), \$11.06

Battery Charger

Table top battery charger is portable and works with rechargeable nickel-metal hydride (NiMH) batteries. Includes a visual indicator displaying the charge status, and a bad battery detection. Charges up to eight AA or AAA, four C or D batteries or one 9 volt. Energy Star Compliant. Works on 120/240 volt; 60/50 Hz.

Energy Star

6130-01-413-3929, CHFC or equal, EA, \$37.81

Chains

Chain

Uncoated welded steel proof-coil chain. Working load limit of 4,500- lbs. Breaking force is 18,000-lbs, and the chain size is 1/2". Inside link dimensions: 1.79"L x 0.72"W. IAW RR-C-271G, Type 1, Class 4.

4010-00-149-5584, LG(contains 100 FT), \$430.65

Sash Chain

Weldless sash chain is made of strong, copper-plated carbon steel. Breaking strength 300 psi. Trade size 8.

4010-00-171-4512, RL(contains 500 FT), \$279.39

Single-Leg Chain Assembly

Welded steel chain assembly is intended for general service. Includes a grab hook at each end.

Rugged-service chain safe working load is 5,400-lbs. Inside link dimensions: 1.38"L x 0.55"W. Chain is forged from high-test carbon steel. Chain size is 3/8". IAW RR-C-271, Type 1, Class 2.

4010-00-171-4427, Length: 20 ft., EA, \$75.84

Light-service chain safe working load is 1,900-lbs. Inside link dimensions: 1.29"L x 0.44"W. Chain size is 5/16". Proof coil chain is uncoated. IAW RR-C-271G, Type 1, Class 4.

4010-00-171-4426, Length: 14 ft., EA, \$45.23

Flashlights and Lanterns

Lightstick (Chemlight)

Chemical lights, commonly known as Chemlights, are a source of light. These lightsticks are good for emergency, safety and signaling uses. They provide safe, effective light without heat, sparks or flame. To activate, a user bends the plastic lightstick, breaking the inner glass vial. Chemicals from the broken glass vial mix with chemicals from the plastic tube to deliver a light-creating chemical reaction. Self-contained, compact and waterproof.

Super high intensity; Average life rating: 5 minutes.

IAW A-A-55135

24-month maximum shelf life (not extendable).

6260-01-247-0363, AbilityOne, Orange, Length: 6", BX(contains 10 EA), \$26.23

High intensity. Average life rating: 30 minutes.

IAW A-A-55132

48-month maximum shelf life (not extendable).

6260-01-230-8601, AbilityOne, Red, Length: 6", BX(contains 10 EA), \$26.23

IAW A-A-55133

48-month maximum shelf life (not extendable).

6260-01-247-0368, AbilityOne, White, Length: 6", BX(contains 10 EA), \$22.11

IAW A-A-55132

48-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-01-074-4230, AbilityOne, Yellow, Length: 6", BX(contains 10 EA), \$18.37

Average life rating: 3 hours.

36-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-01-195-9752, 9-97520PF or equal, Infrared, Length: 6", BX(contains 10 EA), \$36.00

Average life rating: 6 hours.

IAW A-A-55434

48-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-00-106-7478, AbilityOne, Green, Length: 4", BX(contains 100 EA), \$147.09

Federal Strategic Sourcing Initiative, 6260-01-282-7630, AbilityOne, Orange, Length: 4", BX(contains 100 EA), \$159.06

Average life rating: 8 hours.

IAW A-A-55131

48-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-01-178-5560, AbilityOne, Blue, Length: 6", BX(contains 10 EA), \$18.19

Federal Strategic Sourcing Initiative, 6260-01-218-5146, AbilityOne, White, Length: 6", BX(contains 10 EA), \$17.80

IAWA-A-55433*48-month maximum shelf life (not extendable).*

6260-01-265-0614, AbilityOne, Blue, Length: 15", BX(contains 5 EA), \$70.70

6260-01-247-0367, AbilityOne, White, Length: 15", BX(contains 5 EA), \$73.42

36-month maximum shelf life (not extendable).

Federal Strategic Sourcing Initiative, 6260-01-396-1704, 9-17040PF or equal, Infrared, Length: 6", BX(contains 10 EA), \$34.04

Average life rating: 12 hours.**IAWA-A-55134***48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-195-9753, AbilityOne, Orange, Length: 6", BX(contains 10 EA), \$21.75

IAWA-A55432*48-month maximum shelf life (not extendable).*

Federal Strategic Sourcing Initiative, 6260-01-247-0362, AbilityOne, Green, Length: 15", BX(contains 5 EA), \$60.75

Federal Strategic Sourcing Initiative, 6260-01-265-0612, AbilityOne, Red, Length: 15", BX(contains 5 EA), \$73.66

Federal Strategic Sourcing Initiative, 6260-01-265-0613, AbilityOne, Yellow, Length: 15", BX(contains 5 EA), \$71.13

Extension Light

Trouble light reflector keeps glare out of eyes and directs light where it is needed. Extension cord permits use over wide range. Includes a metallic guard-reflector assembly, an overhead attachment hook and on-off button switch. For use with 100w bulbs, the light conforms to UL standards. Operates on 115v AC, 60-Hz power, with a three-wire grounding-type cord. Not intended for use in hazardous areas. (Not intended for shipboard use.)

For Light-duty use, power cord is 18 AWG.

6230-00-140-1165, UNICOR, Length: 25 ft., EA, \$66.13

6230-00-146-8898, UNICOR, Length: 50 ft., EA, \$76.81

6230-00-146-8899, UNICOR, Length: 100 ft., EA, \$108.69

Flashlight

Premium flashlight with durable aluminum body, featuring an adjustable beam between spot and flood utilizing a LED lamp. Slide on/off switch, shatter proof lens and corrosion-resistant body. Includes a belt holster and two AA alkaline batteries (3.0 v). For replacement battery see NSN 6135-01-447-0950 (PG/4).

Federal Strategic Sourcing Initiative, 6230-01-513-2663, AbilityOne, Black, Length: 6-1/4", EA, \$12.02

Federal Strategic Sourcing Initiative, 6230-01-513-4300, AbilityOne, Blue, Length: 6-1/4", EA, \$13.14

Federal Strategic Sourcing Initiative, 6230-01-513-3296, AbilityOne, Red, Length: 6-1/4", EA, \$12.58

Federal Strategic Sourcing Initiative, 6230-01-513-3305, AbilityOne, Silver, Length: 6-1/4", EA, \$12.58

Premium flashlight with durable aluminum body, corrosion-resistant, featuring an adjustable beam between spot and flood utilizing a LED lamp. Shatter proof lens. For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

Requires two D alkaline batteries (not included).

Federal Strategic Sourcing Initiative, 6230-01-513-3306, AbilityOne, Black, Length: 10-1/2", EA, \$18.48

Tube-shaped flashlight has a three-way switch for on, off and flasher functions. Features a roll-resistant design and a clear, pre-focused spot lens.

Heavy-duty model comes with one PR-2 or KPR-102 lamp installed, plus a spare lamp that is stored in the watertight plastic case, with hanger ring. Requires two D cell batteries (not included). (Flashlight is not intended for use in environments containing explosive gases or extreme temperatures.) For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 6230-00-163-1856, AbilityOne, EA, \$9.07

Standard-duty model is suitable for general use. Requires three D cell batteries (not included). Includes one PR-3 or KPR-103 lamp and a metal or plastic case. For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

Plastics Removal in Marine Environments

6230-00-643-3486, N95 or equal, EA, \$19.83

Standard-duty model is suitable for general use. Comes with one PR-2 or KPR-102 lamp. Metal or plastic case has a permanently attached magnet. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

6230-00-781-3671, AbilityOne, EA, \$12.56

Flashlight provides a high-intensity light beam. Change from a narrow beam to a flood with a twist of the wrist. Includes a gas filled PR lamp, plus a spare lamp installed in the compartment of the tail cap. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

6230-01-291-7531, S2D015 or equal, Black, Length: 10", EA, \$20.00

Explosion-proof and heat-resistant flashlight is specifically designed to resist water and fumes. It is especially suited for use in areas where danger is present from possible explosion of combustible gases or explosives. Also suitable for shipboard use. Features a three-way switch for on, off and flasher functions. Includes one PR-6 bulb installed plus one spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12). Meets MSHA for safe use in methane-air mixture in accordance with UL 783 Class I, Division I, Groups C and D.

Plastics Removal in Marine Environments

6230-00-299-3035, N35-2 or equal, Black and Yellow, EA, \$20.63

Standard flashlight features a three-way switch for on, off and flasher functions plus a diffused-light lens and multi-colored (red, blue and blackout) removable filters. Has a straight, molded plastic case and comes with one PR-6 bulb installed plus one spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 6230-00-270-5418, N42 or equal, EA, \$8.82

Specially designed for directing vehicular traffic and for other signaling purposes. Straight plastic body with cone-shaped traffic baton is watertight and includes a 30-1/2"-long nylon cord affixed to a mounting ring. Features a three-way switch for on, off and flasher functions. Multi-colored (red, amber, green, blue, and blackout) removable filters are provided. A clear, prefocused spot lens concentrates light in a specific area. Comes with one PR-6 bulb installed, plus one spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

Plastics Removal in Marine Environments

6230-00-926-4331, W15 or equal, Gray, EA, \$18.65

Right-angle shape, rough service waterproof flashlight features a three-position switch (on/off/blinker) with guard, an ABS body, a belt clip, and a hanging ring plus a diffused light lens and multi-colored (red, blue and blackout) removable filters. Includes a spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

Accessories available: 6135-00-835-7210 and 6135-01-446-8310.

Federal Strategic Sourcing Initiative, 6230-01-463-5816, N47-1B or equal, Olive Drab, EA, \$13.02

Lantern

Easily portable, this battery-operated spotlight has an on-off switch, one installed lamp.

75 lumens output. Requires one ANSI/NEDA 908 6V battery (not included).

6230-00-500-0523, BEKLN6V-BTA or equal, EA, \$11.73

Hardware

Friction Igniter

For igniting oxyacetylene gas welding & cutting torches. Hand operated tool with spring action. Hooded, round, steel file attached to fixed arm is 1" long. Durable wire frame holds a single flint. Has 6-40 NF series threads on flint holder.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-965-0326, EA, \$1.99

Friction Igniter Flint Tips

Use replacement flints and holder with friction igniter. Consists of flint and mounting device. Threaded metal sleeve type has size 6-40 NF series threads.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-965-0603, PG(contains 5 EA), \$1.06

Spudger

This tool has a wide flat-head screwdriver-like end that extends as a wedge, used to separate pressure-fit plastic components without causing damage during separation.

Federal Strategic Sourcing Initiative, 5120-01-514-7806, 5-1/2" L, 5/16" Dia., EA, \$8.39

Hexagon Head Cap Screw

For use in precision machine tools with tapped holes, this cap screw features a hexagonally shaped head and right-hand thread. May also be used with nut (not included).

Tempered, medium-carbon steel. Plated with a protective cadmium coating.

Coarse threads (UNC), 20 threads per inch.

5305-00-068-0502, 13003 or equal, 3/4" long x 1/4" diameter, HD, \$16.93

Hexagon Head Lag Screw

Zinc plated screw with hexagonal head fastens metal to wood or wood to masonry. Commercial low-carbon steel screw has a gimlet point and screw threads.

Federal Strategic Sourcing Initiative, 5305-00-145-1064, 230089 or equal, 3" long x 3/8" diameter, BX(contains 50 EA), \$21.71

Cowl Fastener Key

For locking and unlocking cowl fasteners on airplanes and other equipment. Radius working ends are provided for 3/8" radius by 0.056" thick and 1/2" radius by 0.072" thick. Body is made of steel with a corrosion-resistant coating. Includes a hardwood or plastic handle.

Federal Strategic Sourcing Initiative, 5120-00-604-5007, EA, \$30.03

Divider (Spring)

Machinists & sheet metalworkers scribe lines & lay out work using this heat treated tool steel. Consists of circular band spring, two rectangular legs, threaded steel rod with knurled adjusting nut, thumb attachment on top of circular band & fulcrum joint stud. Legs taper to sharp points. Corrosion resistant coating.

Has a solid adjustment nut.

Federal Strategic Sourcing Initiative, 5210-00-263-0378, Size: 6", EA, \$75.12

Lock Washer

Regular, helical, spring-lock washer. Carbon steel.

Surface is zinc-plated.

Federal Strategic Sourcing Initiative, 5310-00-637-9541, WL220600 or equal, Size: 3/8", HD, \$4.51

Caster

Rigid, non-swiveling caster assembly is specially designed for use on warehouse, library, post office and comparable carts/transport equipment. Includes flat steel mounting plate and hard-tread non-marking wheel. Features zinc-finished steel body. Ball bearings are plain, carbon steel and self-lubricating.

Light- to medium-duty caster assembly has a 250-lb. load capacity. Mounting plate is 5" long and 2-1/2" wide. Wheel is 3-1/2" in diameter and has 1-1/4"-wide tread. Four 5/16"-diameter bolt holes are spaced 1-3/16 x 4". Unit is 4-1/2" high.

5340-00-985-6734, CAS3R or equal, UNICOR, BX(contains 4 EA), \$48.97

Medium- to heavy-duty assembly is designed for special use and has a 400-lb load capacity. Metal, self-lubricating bushing secured into wheel hub so that caster cannot loosen under normal operating conditions. Mounting plate is 6-1/2" long and 3-1/2" wide. Wheel is 4" in diameter and has 1-1/2" wide tread. Four 3/8" diameter bolt holes are spaced 1-3/4 x 5". Overall height is 5".

5340-00-985-6735, CAS4R or equal, UNICOR, BX(contains 4 EA), \$50.89

Zinc-plated steel swivel caster assembly is designed for light- to medium-duty use on warehouse, library, post office and comparable carts/transport equipment. Load capacity is 250-lb. Includes a solid, hard-tread wheel with double-row, plain, self-lubricated ball bearings.

Flat, rectangular steel mounting plate is 3-3/4" wide and 4-1/2" long; mounting slot is 3/8" wide and 3/4" long. Wheel is 3-1/2" in diameter and has 15/16"-wide tread. Overall height is 5".

Federal Strategic Sourcing Initiative, 5340-00-985-6736, 2.03256.445 MTG27 or equal, BX(contains 4 EA), \$35.41

Door Closer

Mechanical door-closing device automatically closes and controls hinged or pivoted doors. Surface mounted for no-hassle. Fasteners and instructions are included.

Single-action closer with liquid control is cover free.

For mounting on hinge side of 38" interior or 30" exterior door.

5340-00-116-2375, K730/AL or equal, EA, \$58.65

For mounting on hinge side of 48" interior or 36" exterior door.

5340-00-116-2376, K740/AL or equal, EA, \$61.53

Door Hinge

Applicable for use on wood and hollow core metal doors. Full mortise hinge is made of primer-coated wrought steel. This hinge has a plain bearing. Includes removable, steel, primer-coated pins with oval heads and button tips.

Heavy-duty hinge features five knuckles and eight mounting holes.

5340-00-664-1326, 4"H x 2"W, PG(contains 2 EA), \$16.96

Lock Set

Once mounted, this deadbolt's locking mechanism is controlled by an outside key lock and an inside hand lock. Additionally, the entry lock automatically releases when knob is turned from the inside. Features bored mounting and a regular bevel, a tubular case and a pin tumbler locking mechanism. Core allows for unlimited key changes. Designed for 1-3/8" minimum door thickness; flat face measures 2-1/4 x 1". 2-3/4 Inch Backset. (Mounting screws furnished).

5340-00-685-1202, 477/3 or equal, SE, \$42.55

Lock Pick Set

Contains a generous assortment of the most popular picks, tension wrenches, key extractors and feelers. Includes a vast selection of full, half and three quarter rakes and diamond tips; half, single and double ball picks, light, medium and heavy weight tension wrenches; and hook and saw type key extractors.

It also includes letterbox pick/tension tools, as well as variable tension tools. Plus, the set includes dual pronged tension tools that provide even tension on double-sided wafer locks. Zippered jacket pocket size 4 x 6-1/2". Contains 40 picks, 14 tension tools, and 6 extractors.

Federal Strategic Sourcing Initiative, 5120-00-507-0649, NDPK60 or equal., SE, \$117.53

Mortise Lock Set

Easy to lock and unlock. Entrance or storeroom dead bolt locks and unlocks by turning the knob on the inside; unlocks with a key on the outside. Turn-button or other locking device on the inside must be operated to unlock outside knob. With bored mounting and a regular bevel, this bolt has a brass-plated, round, plain knob and a pin tumbler locking mechanism. Set includes rose, strike, spindle and thumb piece, two knobs, steel tubular case and mounting screws. Allows for 560 key changes. Flat face measures 2-1/4 x 1". Two brass or nickel-silver keys furnished.

Federal Strategic Sourcing Initiative, 5340-00-281-2194, F51 ELA 505 or equal, SE, \$61.96

Doorstop

Easy-to-use, hinged doorstop securely holds doors in desired position when in "down" position. Fashioned from solid brass or bronze, this manual door holder possesses a spring lever with a replaceable rubber tip. Lever can be locked in vertical position when not in use for uninterrupted door movement. Designed for doors with 3-1/2" or less bottom clearance.

5340-00-568-9915, S580-001 or equal, 3-1/2" to 4-1/2"L, BX(contains 10 EA), \$50.60

Molded rubber doorstop has a textured or smooth finish and a serrated bottom. Dimensions are 1 to 1-3/4" wide; 3-3/4 to 5-1/2" long; 1-1/4 to 2" high tapering to 1/8" at the point.

5340-00-907-8277, Black or Brown, EA, \$13.51

Padlock

Ideal for low level security applications. Keyless combination lock with a four-point combination that may be changed as many as 10,000 times for added security (preset combinations, instructions and tools included). Operates by four numbered disks located on the opposite side of the shackle (bottom of lock). Working parts are lubricated with graphite for ease of use. ASTM F883, Type PO 2, Grade 2. Hardened steel shackle with 2-1/4" clearance.

Plastics Removal in Marine Environments

5340-00-292-0896, 179LH or equal, EA, \$10.93

Comes with preset combinations. Keyless combination lock for low-security use. Single dial has a three-point combination mechanism. Working parts are lubricated with graphite for ease of use. Case is 2" wide, with a 1/4"-diameter hardened steel shackle with 7/8" clearance.

5340-00-514-2782, 1500 or Equal, EA, \$4.04

Steel body case, hardened steel shackle. Shackle clearance 1.125". Shackle diameter 0.312". Has a key retaining feature. Padlocks are keyed different and furnished with two keys per lock with a solid case.

5340-00-158-3805, A5200GLN or equal, EA, \$10.46

Changeable combination padlock is designed to be resistant to opening by manipulation and surreptitious attack IAW FF-P-110, Type DE Class II. This padlock conforms to the standards for security equipment as set forth in the National Security Council Directive Governing Classification, Downgrading, Declassification and Safeguarding of National Security Information. Supplied with tools and instructions for changing the 30,000 different possible combinations.

Case measures 2-3/4 inches wide; Overall length 4-1/8 inches, 3/4 inch horizontal shackle clearance with a 5/16 inch diameter shackle.

Federal Strategic Sourcing Initiative, 5340-00-285-6523, 8077 or equal, EA, \$284.33

Rectangular lock possesses a solid steel body that is corrosion resistant. Case is hardened steel, shackle's diameter measures 0.312", with a clearance 1-1/8". Includes a 9" chain and a key-retaining feature. Each lock is keyed differently. Furnished with two keys.

5340-00-158-3807, A5200GLWN or equal, EA, \$11.93

Intended for low-security use. Inside vertical clearance of the shackle is between 3/4" to 1-1/8" from the top center portion of the padlock to the innermost inside bend radius of the shackle. Shackle side clearance is 3/4" minimum. Key-operated padlock is keyed different and includes two keys. Case may be either brass or bronze. "US" marking may not be present. ASTM F883, Type P01, Grade 2, Option F.

Shackle clearance of 0.750" to 1.188" and shackle diameter 0.250". No chain. NOT KEY RETAINING.

(Lock shown is a representational picture only, actual item received may be of different design.)

Plastics Removal in Marine Environments

5340-01-346-7462, ASL40B or equal, EA, \$11.29

Intended for low-security use. Inside vertical clearance of the shackle is between 1" to 1-5/8" from the top center portion of the padlock to the innermost inside bend radius of the shackle. Shackle side clearance is 3/4" to 7/8"; shackle diameter 0.281" to 0.312". Key-operated padlock. "US" marking may not be present. ASTM F883, Type P01, Grade 2, Option E.

Shackle is made of hardened steel. (Case is made of steel).

Does not include a sash chain. NOT KEY RETAINING.

5340-01-346-4611, 1LF or equal, EA, \$12.90

Includes a 9" sash chain. (Lock shown is a representational picture only, actual item received may be of different design.) NOT KEY RETAINING.

5340-01-346-4612, 1LFW or equal, EA, \$10.05

Padlock Set

Set of five padlocks keyed alike and furnished with one key per lock and two additional keys per set. Has a rectangular style, solid or laminated brass body and brass or bronze shackle. Shackle clearance is 0.750" with a 0.250" shackle diameter. Includes a 9" chain and key retaining feature.

(Lock shown is a representational picture only, actual item received may be of different design.)

Federal Strategic Sourcing Initiative, 5340-00-682-1505, ASL40N KA B SBC USS 1KEY 2KS5 or equal, SE, \$173.15

Set of ten padlocks, keyed alike, with one key per lock and two additional keys per set. Has a steel body and case hardened shackle. Shackle clearance is 1.125 with a 0.312" diameter. Includes a key retaining feature. Without chain.

5340-01-463-5841, A5200GLNKAS10 or equal, SE, \$120.90

Set of six brass or bronze key-operated padlocks that are all keyed alike. Shackle diameter is 0.250" and shackle clearance of 0.750" to 1.188". Case is rectangular, solid laminated brass or bronze similar to padlock furnished under NSN 5340-01-346-7462. Does not contain chain. Furnished with two keys per lock. ASTM F883, Type, PO 1, Grade 2, Option F.

NOT KEY RETAINING.

5340-01-412-7004, ASL40KAS6BUSS6 or Equal, SE, \$71.33

Swivel Snap Hook

Brass swivel snap hook designed for the attachment of outdoor flags, with grommet headings, to the flagpole halyard.

Overall length: 3-1/2"; swivel eye 3/4"; snap opening 3/8".

5340-01-412-7006, 2380 or equal, PG(contains 4 EA), \$38.53

Surge Suppressor

Surge suppressor with a 6-foot cord and six-outlets. Features a plastic case, three conductors, 15 amps, 120 volts AC, 312 joules, EMI/RFI filtration, lighted master On/Off switch, and built-in T-slots for wall mounting. UL 1449.

5920-01-384-8597, 06-PT6683 or equal, EA, \$13.78

Surge suppressor provides protection to your electronic equipment. Features a 6-foot cord and eight-outlets total with a minimum of 3 outlets with transformer spacing, 480 joule rating, 120 volts AC, EMI/RFI filtration. UL 1449.

5920-01-422-8851, TLP88USBB or equal, EA, \$25.24

Surge suppressor has a 6-foot cord and six-outlets. Features a 15 amp circuit breaker, 360 joules, 27,000 peak amps, EMI/RFI filtration, 330 volts clamping. UL 1449.

5920-01-422-8867, 03984 or equal, EA, \$18.34

Plug strip features a 6-foot cord and eight-outlets total with 3 outlets with transformer spacing, 2000 joules, 120 volt AC, EMI/RFI filtration, 15 amps. UL 1449.

5920-01-422-8857, 03405 or equal, EA, \$25.24

Surge suppressor with a 6-foot cord and six-outlets. Features 672 joules, 15 amps, 120 volts AC, three mode protection. UL 1449.

5920-01-384-7958, APCPR07 or equal, EA, \$18.34

Surge suppressor features a 6-foot cord and six-outlets. 90 joules, maximum spike current of 4000 amps or better, 600 volts clamping, and a response time of one nanosecond or less. UL 1449.

5920-01-384-8501, S-25H-6S or equal, EA, \$10.89

Power strip has a 6-foot cord and eight-outlets. three-mode protection, 15 amps, 120 volts AC, 1380 joules. UL 1449.

5920-01-422-8844, EA, \$56.35

Surge protector with a 6-foot cord and 7 outlets. Includes RJ-11 modem/fax/DSL protection. 240-joule rating, EMI/RFI filtration, meets UL 1449.

5920-01-384-8699, BE107200-06 or equal, EA, \$44.85

Six-outlet strip surge protector with a 15-foot cord. Features a LED surge indicator, LED wiring fault indicator, three-line protection, thermal safety fuse, and on/off switch. 15 amps, 210 joules. UL 1449.

5920-01-490-6691, 3880 or equal, EA, \$25.24

Extension Cord

Extension cord provides the ultimate in electrical flexibility. This cord includes a three-way outlet female connector on one end and a three-prong connector plug on the other. Other features: two poles; thermoplastic insulation; two conductor cables; ground wire. (Plugs and outlets are integrally molded to cable jacket using same material.) Conforms to UL standards.

Cord is 125 volts, 15 amps (3/14 AWG) and has non-locking connectors.

6150-00-144-0091, UNICOR, Length: 12 ft., EA, \$37.21

6150-00-485-6149, UNICOR, Length: 25 ft., EA, \$51.20

Assembly includes two conductor cables and a ground wire that is sheathed for neat, semi-permanent installation on the floor. The double-outlet receptacle is molded on one end and has an extension cord and plug at the other end. 125v; 13-amp rating. The sheath is tapered to minimize interference with walking, furniture moving or sweeping. Designed for use in areas of light foot traffic and for portable equipment only; it is not intended to be permanently fastened to floor as extension to electric circuit. Sheath is 2-3/8" wide and 3/8" high. UL approved.

Sheath is 6 ft. long.

6150-00-990-7397, 0631F or equal, Black, Length: 8 ft., EA, \$55.88

Sheath is 10 ft. long.

6150-00-990-7396, 0651F or equal, Black, Length: 12 ft., EA, \$50.46

Electric Extension Cord

Indoor/Outdoor heavy-duty extension cord. Grounded three-prong plug, one 3 way outlet, 13 amps, 125 volts, 16 AWG. UL 817.

Federal Strategic Sourcing Initiative, 6150-01-503-2025, 99598 or Equal, Length: 50 ft., EA, \$36.06

Uninterruptible Power Supply

Voltage regulator has a 5-foot cord and a minimum power rating of 600 volt-amperes. Features seven NEMA 5-15 outlets, including five with a battery backup and two surge-only and USB connectivity to provide management of the UPS via the USB port. LED light for power status. Input/output 120 volts, 420 joules. UL 1778.

6110-01-450-4385, ECO750UPSTAA or equal, EA, \$127.65

Fluorescent Light Fixture

Suitable for lighting offices and similar areas where prolonged or critical visual tasks are performed. General-purpose fixture with an electronic ballast is individually mounted. Directs approximately 86% of the light downward, while side panels direct a small amount of light upward. Operates on 120V, 60-Hz.

Designed for ceiling mounting.

Fixture accommodates four-lamps, 32 watt. F32T8 lamps. (Lamps not included).

6210-00-727-6418, M232A12120GEB101S or equal, White, 12 x 48", EA, \$212.75

6210-00-727-6417, White, 24 x 48", EA, \$233.45

Fixture is fully assembled and can hang up to 18" from the ceiling. Stem-mounting knockouts are provided.

Fixture accommodates four-lamps, 32 watt. F32T8 lamps. (Lamps not included).

6210-00-892-5294, 48.5 x 12", EA, \$263.35

Designed to provide industrial-quality lighting in a shop or garage. Features a two-lamp fixture with a three-wire, rubber-covered cord that is six-foot long and capped with a three-prong molded plug. Fixture directs 85-92% of the light downward. Single electronic ballast. 10" central suspension material is provided. Operates on 110V to 125V, 60 Hz.

Accommodates two 32-watt, F32T8 lamps. (Mounting hardware and lamps not included).

Federal Strategic Sourcing Initiative, 6210-00-688-4929, ICF-232-UNVEB81 or Equal, White, 48-1/2 x 12", EA, \$45.32

Funnel

General-purpose galvanized-steel funnel has a rigid and tapered spout with a removable 70-mesh brass strainer. For filling gasoline tanks or other general use. Fine mesh screens grit from gasoline.

7240-00-527-9868, 491 or equal, Capacity: 1 qt., EA, \$3.23

Drum Faucet

Corrosion-resistant barrel faucet without flash screen is not for use with volatile flammable liquids. Has 3/4" - 14 NPT external threads for attachment; 3/4" flow outlet. Do not use faucet with acid, strong alkaline solutions or potable water.

Self-closing lock lever. Automatically closes when handle is released.

4510-00-595-1785, 272080 or equal, EA, \$11.27

Utility Pail

Round utility pail is made of polyethylene plastic and has a tapered bottom for easy stacking.

Includes a snap-on lid and a removable, corrosion-resistant metal bail handle with a plastic sleeve.

PN 3826 (pail) and PN 2287 (lid) or equal.

Federal Strategic Sourcing Initiative, 7240-01-094-4305, White or Gray, Capacity: 5 gal., EA, \$10.68

Includes a snap-on airtight lid and a galvanized steel metal bail handle with a plastic handgrip.

Federal Strategic Sourcing Initiative, 7240-01-411-0581, White, Capacity: 7 gal., EA, \$22.46

Round utility pail is made of molded polyethylene plastic and features one-quart graduations conveniently marked on the inside. Tapered sides for easy stacking. Rim curls outward to improve rigidity.

Includes a galvanized steel bail handle. No pouring lip.

7240-00-061-1163, AbilityOne, Capacity: 5 qt., EA, \$6.90

Includes a galvanized steel bail handle and has a pouring lip.

7240-00-060-6006, AbilityOne, Capacity: 10 qt., EA, \$9.52

7240-00-246-1097, AbilityOne, Capacity: 12 qt., EA, \$10.52

Rigid neoprene or nitrile rubber pail has vertical reinforcing ribs on the outside for additional strength and rigidity. Features 1/2-Gal graduations conveniently marked on the inside. Top inside diameter is 11-1/2". Suitable for jet fuel and other similar fuels and lubricants. Highly resistant to oil, heat, light and oxidation. Rim curls outward to improve rigidity with a 1.5" vertical skirt.

Includes a non-sparking brass or rubber coated stainless steel bail and a pouring lip.

7240-01-150-0716, NPL77-12AG or Equal, Capacity: 3 gal., EA, \$40.24

All-purpose galvanized utility pail is leakproof and tapered for easy stacking. Top edge of pail is reinforced.

Heavyweight with a galvanized steel bail handle. No pouring lip.

Federal Strategic Sourcing Initiative, 7240-00-160-0455, 1214GS or equal, Capacity: 14 qt., EA, \$18.66

Flammable Waste Can

Flammable waste can is designed to provide safe temporary storage of oily waste rags and other similar combustible waste materials. Conforms to UL 32.

Round with a foot pedal operated lid.

Federal Strategic Sourcing Initiative, 7240-00-282-8411, 09100 or equal, Red, Capacity: 6 gal., EA, \$86.93

Safety Can

Flammable waste can is designed to provide safe temporary storage of oily waste rags and other similar combustible waste materials. Conforms to UL 32.

Round with a foot pedal operated lid.

Federal Strategic Sourcing Initiative, 7240-00-256-7700, 09300 or equal, Red, Capacity: 10 gal., EA, \$97.45

Hand-operated lid.

Federal Strategic Sourcing Initiative, 7240-00-286-5342, 09710 or equal, Red, Capacity: 22 gal., EA, \$189.30

Solder Brush

Brush is to be used for swabbing solder, sealing seams and applying oil to metal marks.

Flat brush is composed of stiff hog bristle or horsehair with a 5-inch long, round metal handle.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 7920-00-514-2417, 44090 or equal, Overall Length: 5-3/4", GR, \$26.77

Work Gloves

Gunn cut gloves have a leather palm, full thumb, forefinger and fingertips. Back of gloves are made of unbleached cotton flannel.

Features leather reinforced knuckles and a 4-1/2" gauntlet cuff.

8415-00-721-6590, UNICOR, Cream or Light Gray, Mens - commercial XL, PR, \$9.23

8415-00-634-4657, UNICOR, Mens - One size fits all, PR, \$9.08

Features a 4-1/2" gauntlet cuff, without knuckle reinforcement.

8415-00-634-5021, UNICOR, Mens - One size fits all, PR, \$8.99

Features leather reinforced knuckles and a 2-1/2" gauntlet cuff.

8415-00-634-4660, UNICOR, Mens - One size fits all, PR, \$9.08

Features a 2-1/2" gauntlet cuff, without knuckle reinforcement.

8415-00-634-4658, UNICOR, Mens - One size fits all, PR, \$8.99

Gunn-cut gloves have a knitted wristlet with a leather palm and full thumb. Back of gloves are made of unbleached cotton flannel.

8415-00-634-4661, UNICOR, Cream or Light Gray, Mens - One size fits all, PR, \$8.50

Light duty work gloves are made of cotton flannel.

Clute-cut with a knit wristlet.

8415-00-634-5026, UNICOR, Natural, One size fits all, PG(contains 12 PR), \$28.51

Reversible palm with knit wristlet or elastic band cuff.

8415-00-559-5613, RV200KN or equal, Natural, Overall Length: 9-1/4", PG(contains, \$30.02

Clute-cut or Gunn-cut with 4-1/4" gauntlet cuff.

8415-00-634-5027, HM400G or equal, Natural, Overall Length: 11-1/4", PG(contains 12 PR), \$39.91

Gloves have anti-static properties with an elastic cuff, storage loop at the wrist and a hook and loop closure. Synthetic leather palm and finger material with a tacky index finger and thumb grip area. Reinforced thumb-crotch, fingertips, finger and knuckle areas. Snug fitting with 2-way stretch padded top with conductive anti-static fiber. Machine washable.

8415-01-610-7322, GVMP-PKF55-007 or equal, Black, X-Small, PG(contains 5 PR), \$112.11

8415-01-610-7325, GVMP-PKF55-008 or equal, Black, Small, PG(contains 5 PR), \$112.11

8415-01-610-7323, GVMP-PKF55-009 or equal, Black, Medium, PG(contains 5 PR), \$112.11

8415-01-610-7324, GVMP-PKF55-010 or equal, Black, Large, PG(contains 5 PR), \$112.11

8415-01-610-7326, GVMP-PKF55-011 or equal, Black, Extra-Large, PG(contains 5 PR), \$112.11

8415-01-610-7327, GVMP-PKF55-012 or equal, Black, Extra-Extra Large, PG(contains 5 PR), \$112.11

Plumbing Tools and Supplies

Double Faucet

Chrome-plated brass unit consists of a swing spout with an aerator outlet. Features an 8", center-to-center distance between hot and cold water connections. Replaceable valve seats. (Does not include a spray hose diverter valve or connection).

Can be mounted on wall or other vertical surface. Features two lever handles and 1/2" internal pipe threads for water connections.

Federal Energy Management Program

4510-00-253-0857, 10142LF or equal, EA, \$108.68

Plunger (Toilet)

Use this familiar item to unclog toilets, sinks and drains. Features a bell shaped, flexible rubber cup and a removable hardwood handle. The lower or bearing edge of the cup shall be provided with a bead or shall be suitably thickened to prevent collapse of the edge of the cup when pressure is applied.

Outside diameter of cup: 6" with a 2-3/4 to 4" opening. Length of handle: 23 to 31".

Federal Strategic Sourcing Initiative, 5120-00-849-1141, Ball Type BB2 GSA or equal., EA, \$5.55

Plunger (Sink)

Use this familiar item to unclog toilets, sinks and drains. Features a bell shaped, flexible rubber cup and a removable hardwood handle. The lower or bearing edge of the cup shall be provided with a bead or shall be suitably thickened to prevent collapse of the edge of the cup when pressure is applied.

Federal Strategic Sourcing Initiative, 5120-00-223-8862, Cup: 4" - 5", Handle: 6" - 9" L., EA, \$2.84

Riveting Tools

Blind Riveter (Electric)

Installs bolts and rivets. Has interchangeable screw on pulling heads. Designed for continuous operation. Furnished with a carrying case and manuals. Note: In order for the blind riveter to install the specified rivets, the appropriate pulling head(s) must be used. Unless otherwise stated below, pulling heads are not furnished with these tools and must be ordered separately (see Pulling Heads).

Comes with the following components: Components: Adapter Sleeve (Flats), Adapter Puller Shaft, Adapter Sleeve Olympic Lok, Adapter Shaft Olympic Lok, (3) Nosepieces (5/32-3/16 CherryMax, 1/4 CherryMax, 1/4 Monobolt), 5/32 Maxibolt Nose (Shift Cap), 3/16 Maxibolt Nose (Shift Cap), 5/32 MS 90353/54-S/U BB, 3/16 MS 90353/54-S/U BB, Jaw Set 3 pc 5/32 Blind Bolt, Jaw Set 3 pc 3/16 Blind Bolt, Jaw Holder Blind Bolts, Jaw Follower Blind Bolts/CM, Jaw Set 3 pc Cherry Max, Spare Parts Canister, Battery Charger (120 volt, 60 Hz or 220 volt, 50 Hz with 1 hour charge cycle, (2) 3.2 Ah, 12 vdc Nickel-Metal (NiMH) Hydride Battery.

Federal Strategic Sourcing Initiative, 5130-01-449-9225, PT-4000-MIL-1 or equal., SE, \$3,567.42

Installs 3/32 through 3/16 inch diameter (any rivet material), including CherryMax and CherryMax A; 1/4 inch diameter aluminum rivet capacity. 12V DC Cordless battery included.

Federal Strategic Sourcing Initiative, 5130-01-397-7379, PT-3000 or equal, EA, \$1,450.74

Blind Riveter (Manual)

Installs bolts and rivets. Has interchangeable screw on pulling heads. Designed for continuous operation. Furnished with a carrying case and manuals. Note: In order for the blind riveter to install the specified rivets, the appropriate pulling head(s) must be used. Unless otherwise stated below, pulling heads are not furnished with these tools and must be ordered separately (see Pulling Heads).

Straight head type; rivit size: 0.125" to 0.187". Universal nose piece for M7885 cherrymax style blind rivets; (1) adapter sleeve & (1) adapter puller shaft provided.

Federal Strategic Sourcing Initiative, 5120-01-283-0320, D-100-R or equal., EA, \$1,034.63

Blind Riveter (Manual, Heavy Duty)

Installs bolts and rivets. Has interchangeable screw on pulling heads. Designed for continuous operation. Furnished with a carrying case and manuals. Note: In order for the blind riveter to install the specified rivets, the appropriate pulling head(s) must be used. Unless otherwise stated below, pulling heads are not furnished with these tools and must be ordered separately (see Pulling Heads).

Heavy-duty riveter installs and sets smooth mandrel steel, aluminum, copper or brass domed and countersunk rivets. Furnished with four interchangeable nosepieces in sizes 3/32, 1/8, 5/32 and 3/16". Comes with an assortment of aluminum and steel rivets and a wrench for attaching the pulling heads. The riveter automatically regrips the mandrel for greater pull. The handles are spring-loaded and cushioned. The riveter comes in an impact-resistant metal case with operating instructions and a rivet selection chart is fastened inside the case. Furnished with assortment of 200 domed shaped head rivets.

NOTE: This riveter does not set Monel rivets.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-289-4310, EA, \$30.15

Blind Riveter (Lightweight)

Lightweight riveter, designed for continuous one handed operation, has a steel body and a compound lever assembly. Compressing lever installs the rivet and breaks off the rivet stem. Riveter has straight pulling heads for installing 1/8", 5/32" and 3/16" diameter countersunk, serrated stem blind rivets.

Federal Strategic Sourcing Initiative, 5120-00-357-6065, 9-1/2" L., EA, \$107.79

Yoke Riveter

This hand operated alloy steel riveter has a six-inch deep throat for dimpling aluminum sheets and setting aluminum countersunk and universal rivets with 3/32", 1/8" and 5/32" diameter shanks. Consists of a yoke in a double handle assembly and interchangeable dies: flush type die (1), universal head cup dies (3) and dimpling dies and punches (3). Has a corrosion preventive coating and polished die surfaces.

Federal Strategic Sourcing Initiative, 5120-00-391-0116, 18-1/2" L, 10lbs., EA, \$197.89

Blind Riveter (Threaded Stud)

Lightweight riveter, designed for continuous operations, comes with a threaded stud that attaches the rivnut. The riveter has a quick-turn mechanism that positions and releases rivnuts and a handle-operated riveter that sets or squeezes the rivnut.

Straight pulling head has a No. 8 - 32 threaded stud for installing No. 8 aluminum, brass and steel rivnuts. Rivet diameter measures 0.221.

Federal Strategic Sourcing Initiative, 5120-00-224-9297, C-6000-832 or equal, EA, \$193.92

Blind Riveter (Wrench Header)

Wrench-type header riveter consists of an anvil, ferrule, jack-screw nut, socket-head jack screw and threaded pull-up stud. The riveter has a black oxide coating and is furnished with a 3/8" hexagonal key wrench.

Installs 1/4"-diameter thread size 10 - 32 BF Goodrich rivnuts. Diameter: 1-1/16".

Federal Strategic Sourcing Initiative, 5120-00-177-9839, C845-1032 or L-845-1032 or equal., 4-7/8" L., EA, \$60.98

Blind Riveter Kit

Pulling heads are not included. This kit provides the ability to install all Cherry Max Rivets (1/8" to 1/4"), Pull-Thru Nutplate Rivets (3/32" to 1/8") and all pop type rivets from 3/32" to 1/4" in diameter. In addition pull up studs and driving anvils are provided for Rivnut sizes 6-32, 8-32, 10-32, 1/4-28, 10-24, 1/4-20, 5/16-18 and 3/8-16" (up to three rad). An adapter is included to permit the tool to be used with right angle, offset and extended straight pulling heads for Cherry Max and Huck Clinch blind rivets. The kit is supplied in a metal, weather tight carrying case.

Federal Strategic Sourcing Initiative, 5180-01-201-4978, KT, \$1,184.70

Ropes

Cord

Braided polyamide nylon cord is light- and heat-resistant. Has a 550-lb. breaking strength and 30 percent minimum elongation. PIA-C-5040, Type III.

Federal Strategic Sourcing Initiative, 4020-00-240-2146, AbilityOne, White, SL(contains 2100 FT), \$175.88

Rope

Twisted in a “ZSZ” pattern, this three-strand rope is made of cotton/cotton-blend and is suitable for various uses. IAW A-A-52088.

Has a 890-lb. breaking strength. Diameter: 3/8”.

4020-00-068-7906, 10494 or equal, Natural, Circumference: 1-1/8”, SL(contains 600 FT), \$117.19

Has a 1,450-lb. breaking strength. Diameter: 1/2”.

4020-00-068-7907, 10495 or equal, Natural, Circumference: 1-1/2”, SL(contains 600 FT), \$168.48

Made of nylon fiber, this rope has a right-hand or “Z” twist and 55 percent elongation. Heat and light resistant. IAW MIL-PRF-17343.

Has a 1,500-lb. breaking strength.

Rope diameter 1/4” each, three multi strands configuration.

4020-00-928-3438, 46241 or equal, Natural, Circumference: 3/4”, RL(contains 600 FT), \$63.36

Has a 3,300-lb. breaking strength.

Rope diameter 3/8” each, three multi strands configuration.

4020-00-968-1356, 46242 or equal, Natural, Circumference: 1-1/8”, RL(contains 600 FT), \$168.48

Has a 5,800-lb. breaking strength.

Rope diameter 1/2” each, three multi strands configuration.

4020-00-968-1357, 46243 or equal, Natural, Circumference: 1-1/2”, RL(contains 600 FT), \$254.73

Has a 9,800-lb. breaking strength.

Rope diameter 5/8” each, three multi strands configuration.

4020-00-968-1358, 46244 or equal, Natural, Circumference: 2”, RL(contains 600 FT), \$435.85

Has a 13,200-lb. breaking strength.

Rope diameter 3/4” each, three multi strands configuration.

4020-00-141-7152, 46245 or equal, Natural, Circumference: 2-1/4”, RL(contains 600 FT), \$733.70

Has a 23,200-lb. breaking strength.

Rope diameter 1” each, three multi strands configuration.

4020-00-919-3443, 46246 or equal, Natural, Circumference: 3”, RL(contains 600 FT), \$1,196.00

Made of manila fibers, this rope is impregnated with an oil preservative. T-R-605.

Has a 3,960-lb breaking strength.

Rope diameter 5/8” each, three multi strands configuration.

4020-00-289-8616, Circumference: 2”, CL(contains 600 FT), \$269.10

Polypropylene fiber rope has a right-hand or “Z” lay and 45 percent elongation. The rope is intended for use where light weight and floatability are required and should not be used with weight handling equipment (overhead lifting) or when exposed to sunlight for extended periods. CI 1201/1301.

Has a 1,125-lb breaking strength.

Rope diameter 1/4” each, three multi strands configuration.

4020-00-968-1350, 38999 or equal, Yellow, Circumference: 3/4”, RL(contains 600 FT), \$59.46

Has a 2,430-lb breaking strength.

Rope diameter 3/8” each, three multi strands configuration.

4020-00-968-1351, 39000 or equal, Yellow, Circumference: 1-1/8”, RL(contains 600 FT), \$98.04

Sash Cord

Cotton or cotton-blend yarn is braided over cotton fiber for use as sash cord. IAW A-A-55622.

Polished finish is lustrous and smooth.

Has a 370-lb breaking strength.

Federal Strategic Sourcing Initiative, 4020-00-551-3343, AbilityOne, Natural, Diameter: 1/4", RL(contains 1000 FT), \$141.16

Has a 720-lb breaking strength.

4020-00-240-2142, 45464 or equal, Natural, Diameter: 3/8", RL(contains 1200 FT), \$205.85

Natural Finish.

Has a 720-lb breaking strength.

Federal Strategic Sourcing Initiative, 4020-00-241-8439, Natural, Diameter: 3/8", HK(contains 100 FT), \$35.22

Twine

White cotton or cotton-polyester blend twine has a natural finish and an "S" twist. Red-colored 20' trailer indicates end of twine. A-A-1451.

Minimum two-ply twine has a breaking strength of 20-1/2 lb. Twine is rolled into a 5-lb cone.

4020-00-782-5574, 10015C or equal, Natural, CE(contains 5 LB), \$26.80

Sealant Guns and Accessories

Caulking Gun Nozzle

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-966-8270, 1/16", 1/4" NPT, 8" L., EA, \$7.10

Disposable & is externally reinforced with eight equally spaced triangular & taper shaped fins.

Federal Strategic Sourcing Initiative, 5120-00-055-4063, 4" L, 1/32" Orface, 1/4" NPT Thread., EA, \$3.88

Federal Strategic Sourcing Initiative, 5120-00-775-1670, 1/8 x 3/4 Slot, 1/4" NPT, 4-3/8" L., EA, \$2.84

Caulking Gun Nozzle (Rectangular)

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-966-5381, 1/4" L x 1/16" W, 1/4" NPT, 6" L., EA, \$10.66

Federal Strategic Sourcing Initiative, 5120-00-966-5379, 3/8" L x 3/64" W, 1/4" NPT, 5" L., EA, \$6.53

Caulking Gun Nozzle (Bent Round)

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-167-0153, 1/8", 1/2" NPT, 6"L, 30° Bend., EA, \$1.47

Caulking Gun Nozzle (Round)

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-673-1885, 1/8", 1/4" NPT, 2-1/2" L., EA, \$0.69

Federal Strategic Sourcing Initiative, 5120-00-967-8151, 3/32" W, 1/4" NPT, 4" L., EA, \$1.99

Federal Strategic Sourcing Initiative, 5120-00-801-0949, 1/32", 1/4" NPT, 4" L., EA, \$0.79

Federal Strategic Sourcing Initiative, 5120-00-822-7194, 220555 or equal., 1/8", 1/4" NPT, 6" L., EA, \$0.86

Federal Strategic Sourcing Initiative, 5120-00-966-5372, 1/8", 1/4" NPT, 8" L., EA, \$9.50

Caulking Gun Nozzle (Slotted)

These disposable, detachable, polyethylene nozzles are for use with hand operated caulking guns. Described by: (Oriface size, Thread Size and Length)

Federal Strategic Sourcing Initiative, 5120-00-966-5375, 1/8" Slot, 1/4" NPT, 5-1/8" L., EA, \$7.00

Caulking Iron

Use for ship caulking. Has a 1/2" dia shank & a 1" dia head. Working end blade measures 2" W. Made of hardened, forged tool steel with a black enamel coating.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-222-3241, 5-1/8" L, 2" W., EA, \$25.49

Sealant Gun

Hand-operated gun applies sealants, caulking materials, polysulfides, polyurethanes, silicones and epoxies from prepackaged, disposable plastic cartridges (Semkits) or filled-on-the-job cartridges. Includes ratchet plunger. Gun and retainer accept Semco 6-oz cartridge assembly.

Federal Strategic Sourcing Initiative, 5120-00-952-3507, EA, \$101.71

Caulking Gun

This hand operated steel caulking gun is portable & perfect for any caulking job. The half barrel cradle allows for easy replacement of the 8-1/2" L x 2" Dia cartridges. Just pull back the plunger, insert the cartridge & squeeze the trigger to set the plunger & start working.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-679-5655, 16oz Cartridge Capacity., EA, \$4.22

Sealing and Strapping

Load Binder

Lever-operated, all-steel, eccentric mechanism is used for tensioning tie-down devices to bind pipes, beams, lumber, hay and other loads on flatcars, ships and open trucks. Provides minimum take-up of four-inches. Positive-locking mechanism maintains position when take-up is complete.

Light-duty binder has a 12,000-lb load rating. Has two grab hooks and a slack take-up hook, without a compression spring. For 1/4" and 3/8" chains. Features a 21-1/2" operating lever.

3990-00-171-9774, EA, \$61.10

Heavy-duty binder has a 15,000-lb load rating. Has two grab hooks and a slack take-up hook with a compression spring. For 3/8" and 1/2" chains. Features a maximum 20" operating lever.

3990-00-171-9775, EA, \$148.35

Heavy-duty binder has a 15,000-lb tensile proof rating. Latching type binder has a low energy release feature and is without a compression spring. For 3/8" and 1/2" chains.

3990-00-596-7051, EA, \$80.17

Strapping and Sealing Kit

Hand-operated kit secures and reinforces bales, boxes, bundles, crates and material in freight cars and trucks. Includes stretcher, sealer, 90-lbs. of flat steel strapping and seals. Instructions and storage box also furnished.

Consists of 1/2" wide steel strapping (0.020" thick) and 2,000 seals. Replacement strapping (100-lb. coil) is available under 8135-00-283-0666 (Galvanized) or 8135-00-285-4747 (Painted) and replacement seals (box of 5,000) are available under 8135-00-239-5308.

3540-00-565-6241, 6241 or Equal, KT, \$853.30

Consists of 5/8" wide steel strapping (0.020" thick) and 1,600 seals. Replacement strapping (100-lb. coil) is available under 8135-00-283-0667 (Galvanized) or 8135-00-281-4071 (Painted) and replacement seals (box of 5,000) are available under 8135-00-290-1086.

3540-00-565-6242, 6242 or Equal, KT, \$853.30

Consists of 3/4" wide steel strapping (0.020" thick) and 1,500 seals. Replacement strapping (100-lb. coil) is available under 8135-00-283-0668 (Galvanized) or 8135-00-285-4748 (Painted) and replacement seals (box of 5,000) are available under 8135-00-239-5288.

3540-00-565-6243, 6243 or Equal, KT, \$853.30

Consists of 1-1/4" wide steel strapping (0.035" thick) and 100 seals. Heavy-duty steel strapping cutter is also included. Replacement strapping (100-lb. coil) is available under 8135-00-283-0671 (Galvanized) or 8135-00-531-7721 (Painted) and replacement seals (box of 1,000) are available under 8135-00-239-5294.

3540-00-565-6244, 6244 or Equal, KT, \$1,121.25

Steel Strapping Tensioner

Levered tensioner is perfect for applying flat steel strapping on bales, boxes, bundles, cartons, crates and pallets. Also an invaluable tool when freight bracing. Hand-operated and features a ratcheted handle.

Features limited drum take-up. For use on cut-to-length, heavy-duty flat steel strapping with any class of finish. Gripping dog grasps strapping. Rotating drum adjusts tension. Without shear device.

For use with 2" heavy-duty strapping in the 0.050" thickness range.

3540-00-223-8436, WT2 or equal, EA, \$267.98

Strapping Coil Hand Truck

Strapping coil hand truck conveniently rolls directly to jobs in the yard, carrier or loading area. Includes two rubber-tire wheels and a tool and accessory tray with dividers at top and bottom of opposite side of cart. Stands upright when not in use.

Use for dispensing ribbon-wound, flat steel strapping. Coils revolve on rollers mounted at bottom of frame; the integral rack holds ribbon-wound coils of 3/4, 1-1/4 and 2" strapping simultaneously.

3540-00-273-8821, H-396 or equal, EA, \$512.76

Heat Sealing Machine

Heat Sealing Machine, 110 V, 60 Hz, single phase, UL approved.

Throat 2", speed 200 inches per minute. With adjustable direction, either left to right, or right to left.

For the modified version of the sealing machine for submarine use see NSN 3540-01-533-4090.

3540-01-456-4286, Doboy-Model HS-BII, EA, \$4,698.76

Stenciling and Lettering

Stencil Ink

Fast-drying, flat-finish ink resists weathering.

For use on porous (e.g. fiberboard cartons, wooden crates and boxes, bales, sacks, burlap and other materials that do not have direct contact with food items) and non-porous surfaces (e.g. metals, glass and stone). Comes in a pressurized aerosol can with an environmentally safe propellant.

12-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-00-888-8526

Black, 32 OZ, QT, \$1,055.68

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7510-00-469-7910

SKILCRAFT, AbilityOne, Black, 16 OZ, PT, \$8.05

18-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7510-00-419-9564

SKILCRAFT, AbilityOne, White, 16 OZ, PT, \$8.62

Stencil Set

Gothic-style set of characters can be interlocked or joined to form a single strip. Each set includes a complete alphabet, numbers 0 through 9, an ampersand, a comma, an apostrophe, a period, two spacers and three end pieces. All pieces are made of brass and come packed together in a convenient storage box. There are 45 marking stencils total per set.

Federal Strategic Sourcing Initiative, 7520-00-205-1760, SKILCRAFT, AbilityOne, Letter Height: 1/2", SE, \$20.83

Federal Strategic Sourcing Initiative, 7520-00-298-7043, SKILCRAFT, AbilityOne, Letter Height: 1", SE, \$23.40

Federal Strategic Sourcing Initiative, 7520-00-272-9680, SKILCRAFT, AbilityOne, Letter Height: 1-1/2", SE, \$66.57

Federal Strategic Sourcing Initiative, 7520-00-298-7044, SKILCRAFT, AbilityOne, Letter Height: 2", SE, \$30.79

Federal Strategic Sourcing Initiative, 7520-00-272-9683, SKILCRAFT, AbilityOne, Letter Height: 3", SE, \$38.45

Federal Strategic Sourcing Initiative, 7520-00-269-9012, SKILCRAFT, AbilityOne, Letter Height: 4", SE, \$77.70

Federal Strategic Sourcing Initiative, 7520-00-272-9684, SKILCRAFT, AbilityOne, Letter Height: 5", SE, \$155.63

Stencil Brush

Used for making signs, this fountain-type brush uses stencil ink, and features a valve mechanism which feeds the ink to the brush tip. The parts are removable for easy cleaning. A leakproof reservoir in the metal handle holds 2 oz of ink. The 1-1/2" long and 1-3/8" diameter brush is protected by a metal cover when not in use.

7520-00-248-9285, Length: 7", EA, \$109.28

Stencil Board

Board is oiled for ink-resistance and can be used with ordinary stencil ink or paint. Apply paint or ink with a brush, spray gun or roller. Gives a clean cut on a stencil machine or stamp. Resists fuzzing when used repeatedly. Made of long-grain stock.

Heavyweight (70- to 92-lb basis weight), high-wear resistance paper with a thickness range of 0.013 to 0.018". In accordance with A-A-1733, Type II.

9310-00-160-7853, 8 x 24", HD, \$85.78

9310-00-160-7858, 24 x 36", HD, \$243.70

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

Comprehensive Procurement Guideline Compliant

9310-00-160-7857, 20 x 24", HD, \$435.97

Storage

Storage Bag

Storage bag is used for storing cables. Features include carrying strap and handles on both ends. Made of cloth, nylon and neoprene in accordance with MIL-PRF-20696, TY2, CL3.

8105-01-354-3949, Olive Green, 40"L x 14"W x 14"D, EA, \$77.05

This bag is made of plastic and designed to be waterproof and weather proof that can withstand temperatures as low as -40 degrees all the way up to 140 degrees fahrenheit. It uses a slide fastener to seal the opening. It is commonly used to carry cameras, keys, phones, wallets and other items. This bag is also 100% recyclable.

8105-01-617-6925, CLEAR/, LENGTH 6.000 INCHES;, EA, \$14.62

TRANSPARENT, WIDTH 6.500 INCHES, **Maintenance Records Holder**

Lightweight cotton duck cloth envelope is vinyl-coated on both sides. Holder is waterproof, as well as fire- and mildew-resistant. Includes a snap fastener. Reads: "U.S. RECORDS HOLDER, MUST STAY WITH ENGINE".

IAW MIL-C-10799, Type 2; Class 1 or 3.

8105-00-190-9824, SKILCRAFT, AbilityOne, Olive Drab, 10 x 12", EA, \$19.61

Plastic Storage Box

Made from polypropylene construction with soft-grip handles. Box is resistant to temperature extremes and common chemicals. This large capacity bin, with lid, is virtually rustproof with ribbed construction to handle heavy loads. Ideal for storing tools and valuables. Locks and keys are included. Capacity 9.0 cubic feet.

8115-01-562-4555, Black, 37" W x 21" D x 20" H, EA, \$110.25

Stock Tag

Round paper tag is made of heavy-duty chemical wood stock and features a smooth writing surface. A narrow metal band covers the edge for extra rigidity. Tag features a paper-reinforced 7/32" hole and a 12" cotton string.

9905-00-178-9200, White, Diameter: 2-1/4", BX(contains 500 EA), \$59.31

Weapons Parts Bag

Flame-, weather- and water-resistant bag holds ordnance weapons spare parts. Features 16 inside pockets and a snap-fastener closure. Reads: "Case, Small Arms, Accessories, 11686430".

8105-00-921-5821, UNICOR, Olive Drab, 8-1/4 x 23-3/4", EA, \$18.40

Textile Bag

This bag is made of a single wall of cotton which is then coated with a treatment resin to apply another synthetic single wall. This bag is mildew resistant and uses a string for fastening.

8105-00-290-4579, Natural, HEIGHT 32.000 INCHES; WIDTH 17.000 INCHES, EA, \$82.00

This bag is made of a single nylon wall and used by a soldier in the field to commonly carry a lens cleaning kit, command launch unit or battery kit.

8105-01-455-7808, Green, 13.75" W X 16" L, EA, \$55.60

This is a heavy duty bag made of vinyl and cloth handles, it has a heavy duty zipper and is used for equipment storage and transportation. Holds all of the mobile expandable container configuration (MECC) and shelter canvas support brackets.

8105-01-618-4748, Green, 252" W x 96" L, EA, \$736.10

This bag is constructed of a webbing fabric that uses a zipper for closure. It is built for the storage and transportation of shelter liner, repair kits and stake kits.

8105-01-532-0443, Black, 16 IN. L X 8 IN. W X 7 IN H, EA, \$156.08

This is a bag made of vinyl, nylon and cloth that uses a tie string closure. It has an attached rope for carrying and is single walled to provide medium duty support. The bag should read "U.S.N. AIRLINE MASK". I.A.W. A-A-55308, Type II, Form 1.

8105-01-084-8645, White, H:15.250 in. ; W:11.750 in. MIN to 12.250 in. MAX, EA, \$31.31

Textile bag is a general purpose bag built to store and transport miscellaneous items.

8105-01-163-5165, 18" x 18", EA, \$30.30

Electrostatic protective and electromagnetic shielding, heat sealable barrier material.

8105-01-439-6178, Tan, 35mm x 40mm, EA, \$48.90

Textile Bag (Burlap Sack)

This burlap, single-wall bag collects shredded metal and glass onboard ship for later disposal. Stitching assembly method. The bag has 100-lb capacity.

8105-01-452-0831, Brown, 34 x 40", BD(contains 250 EA), \$641.99

Duct Transport Bag

Duct transport bag is brown in color and made of Cordoba; 19 in. Dia. by 27 in. Lg; draw cord on top and includes a handle on the 27 in. on the side.

8105-01-575-2509, Brown, EA, \$59.51

Tackers/Staplers

Electric Stapler

This electric stapler staples automatically when work is inserted! Staple 2-20 sheets of 20-lb. paper, header cards and more. "Hi-Low" switch for selecting stapling power and is fully adjustable depth to 3". Uses Staplex Type DS 1/4" leg High Speed Staples. Weighs only 6¾-lbs., is only 4" wide, 7-½" deep and 7" high.

Federal Strategic Sourcing Initiative, 5130-01-397-9779, SJM-1N or equal, EA, \$516.70

Staple Gun (Compression Type)

This heavy duty, manually operated, compression type staple gun drives wire staples onto penetrable materials such as wood or composition board. Use for posters, labels, tags and building paper. The steel spring mechanism returns the handle to the starting position and feeds the next staple to driving position, making it easier to operate with one hand. Comfortable handgrip design.

Federal Strategic Sourcing Initiative, 5120-00-889-1796, CS5000 or equal, Staple Size: 1/2" W x 9/16" L Legs., EA, \$24.39

Staple Gun (Hammer Type)

This heavy duty, manually operated, compression type staple gun drives wire staples onto penetrable materials such as wood or composition board. Use for posters, labels, tags and building paper. The steel spring mechanism returns the handle to the starting position and feeds the next staple to driving position, making it easier to operate with one hand. Comfortable handgrip design.

Hammer type gun is manually operated and accommodates 140 flat top staples having 0.05" gauges, with 1/4, 5/16, 3/8 and 1/2" long legs. For use on display materials, furniture and mattress fabrication, roofing and carpet installation.

Federal Strategic Sourcing Initiative, 5120-01-388-6821, EA, \$39.44

Tacker

Hammer-type gun is manually operated and accommodates strips of 79 preformed flat crown staples that measure 23/24 wide, with 1/4- and 3/8-long legs.

Federal Strategic Sourcing Initiative, 5120-00-171-1643, EA, \$41.09

Tape

Aluminum Foil Tape

Protect parts and surfaces from chemicals, moisture, flame, heat and light. Resistant to chemicals to protect surfaces during de-paint process and other chemical masking operations. Handles temperatures from -65°F to 300°F. Aluminum foil backing with acrylic adhesive.

24-month maximum shelf life (extendable).

7510-01-043-5026, Silver, 2.0" W, RO(contains 60 YD), \$49.12

Used for sealing, shielding and conducting applications where weather resistance, reflectivity and moisture vapor transmission resistance are required. Tape is not for use on steam pipes, radiators or other heat sources. Roll has a 3" diameter core and is flame resistant.

Surface luster is Gloss.

24-month maximum shelf life (extendable).

7510-00-684-8803, Silver, Width: 2", RO(contains 60 YD), \$153.47

Surface luster is Gloss.

24-month maximum shelf life (extendable).

7510-00-816-8077, Silver, Width: 3", RO(contains 60 YD), \$160.91

Aluminum foil tape is laminated to a base fabric of glass yarn cloth. This lusterless, thermal radiation-resistant tape is used primarily for repair of thermal curtains conforming to MIL-C-27347. Roll has a 1- or 3"-diameter core.

36-month maximum shelf life (extendable).

7510-00-403-5544, Silver, BX(contains 24 EA), \$4,288.75

Useful for sealing applications where a high level of weather resistance, reflectivity, and moisture vapor transmission resistance are required. Tape is not intended for use on steam pipes, radiators, or other heat sources. Roll has a 3"-diameter core and may have a short shelf life.

Surface luster is Gloss.

24-month maximum shelf life (extendable).

7510-00-754-2522, Silver wide, 1-1/2", RO(contains 60 YD), \$19.78

Surface luster is Gloss.

Tensile Strength: 30 psi minimum. Temperature rating: - 65 Deg.F. to 300 Deg.F. Silver color aluminum.

24-month maximum shelf life (extendable).

7510-00-720-7516, 3M 425, or commercial equal, Silver, 1" W, RO(contains 60 YD), \$18.57

Aluminum foil backing with acrylic adhesive.

24-month maximum shelf life (extendable).

7510-01-153-7976, Silver, 2.0" W, RO(contains 60 YD), \$37.14

Aluminum Tape

12-month maximum shelf life (extendable).

7510-01-197-9856, Silver, 2.0" W, RO(contains 60 YD), \$23.99

Reflective, opaque, gloss wrap duct tape for high heat areas such as boiler rooms, engine supports and insulation blankets. Handles temperatures from -65° to 600°F. Aluminum foil backing with high temperature silicone adhesive.

18-month maximum shelf life (extendable).

7510-01-308-2325, Silver, 2" W, RO(contains 60 YD), \$614.55

Protect parts and surfaces from chemicals, moisture, flame, heat and light. Aluminum foil backing with acrylic adhesive, that can handle temperatures from -65°F to 300°F.

24-month maximum shelf life (extendable).

7510-00-982-3955, 4" W, RO(contains 60 YD), \$66.48

High Temperature Aluminum Foil/Glass Cloth Tape is a strong and flexible tape with high tensile strength, puncture and tear resistance. With a pressure sensitive silicone adhesive, it adheres well to surfaces and over irregular or uneven substrates. This tape is light and heat reflective, plus it resists flame, moisture, weather and UV degradation. It is a chemical resistant, thermally conductive tape that performs consistently at temperatures ranging -65°F to 600°F.

7510-00-996-6097, Silver, 1.5" W, RO(contains 1296 IN), \$66.41

Aluminum foil tape. Used as a mask in electroplating and paint stripping operations. Also used for general sealing, metal patching, moisture barrier and heat-reflecting. SAE-AMS-T-23397 TYPE II.

24-month maximum shelf life (extendable).

7510-00-071-6854, 4" W, RO(contains 60 YD), \$226.12

Aluminum Foil/Glass Cloth Tape

Lusterless tape primarily used in aerospace and critical applications. Extremely high temperature tape - 65 degrees fahrenheit min to 600 degrees fahrenheit max. Aluminum foil backing with glass cloth and silicone adhesive. Adheres to silicone surfaces. Puncture, tear and heat resistant. I.A.W. ASTM D-3652.

36-month maximum shelf life (extendable).

7510-00-007-4551, 363, Silver, 4" W x 36 YD L, RO(contains 36 YD), \$1,231.15

7510-00-106-9842, 363, Silver, 3 IN W x 36 YD L, RO(contains 36 YD), \$101.53

Lead Foil Tape

Lead foil tape stops off masking during electroplating operations where a moisture-proof seal is required. Roll has a 3" diameter core. Handles temperatures from -60°F to 225°F.

36-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-00-530-5512, 420, Silver, 3/4" W x 36 YD L, RO(contains 36 YD), \$144.34

18-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-00-664-0001, Silver, 2" W, RO(contains 36 YD), \$353.42

Double-Sided Tape

Miscellaneous-use tape has a high-strength, neoprene rubber foam backing with a silicone release paper liner. Used for mounting indoor signs and name plates to irregular surfaces. Double-coated and is high temperature resistant.

18-month maximum shelf life (extendable).

7510-00-132-5109, Black, 3/4" W, RO(contains 72 YD), \$94.00

Multi-purpose, double-coated, vinyl foam tape has a silicone-treated liner and and is weather and solvent resisant. Use in mounting trim, nameplates, utensil racks, dispensers, decorator items, small mirrors and memo boards to smooth surfaces.

12-month maximum shelf life (extendable).

7510-00-165-6560, Black, 1-1/4" W, RO(contains 36 YD), \$70.23

Colorless, double-sided tape with adhesive on both sides is excellent for attaching two sheets of paper, mounting photos, artwork and more with no mess. Tape won't show when applied and won't dry out or yellow. Comes in a durable, refillable plastic dispenser.

Permanent adhesive, photo safe, 3.0 mil. thick acrylic

24-month maximum shelf life (not extendable).

7510-01-565-9540, SKILCRAFT, AbilityOne, Clear, 1/2"W x450"L, RO(contains 450 IN), \$3.96

Duct Tape

Adheres readily to steel, galvanized sheet metal and other materials. Pressure-sensitive adhesive conforms to irregular surfaces.

Indoor/outdoor use. Plastic-coated cloth tape is vapor-proof.

12-month maximum shelf life (extendable).

5640-00-103-2254, AbilityOne, Aluminum or Silver-Gray, Width: 2", RO(contains 60 YD), \$10.41

This corrosion-resistant tape is used for sealing aircraft baggage compartments and for insulating glass piping against thermal shock. Opaque, glass-cloth-backed tape with thermosetting adhesive binds joints in low-pressure, hot-air ducts where temperature does not exceed 350° F. Roll has a 3" diameter core.

Thickness: 0.006 inches; Lusterless

18-month maximum shelf life (extendable).

7510-00-515-0319, White, 2" W, RO(contains 60 YD), \$119.52

Thickness is 0.008 inches; Lusterless

12-month maximum shelf life (extendable).

7510-00-660-0004, White, 3" W, RO(contains 60 YD), \$173.52

18-month maximum shelf life (extendable).

7510-00-530-6375, Natural, 1" W, RO(contains 60 YD), \$26.20

ACU Pattern Duct Tape

Digital camo tape with waterproof cloth backing is ideal for outdoor use. Lusterless colors help to reduce light glare increasing camouflage capabilities. This high performance pressure sensitive tape is an excellent choice for quick seals, patches, or temporary repairs. Meets ASTM D5486, Type IV.

Thickness: 0.015 inches

12-month maximum shelf life (extendable); Core Contains 100% Postconsumer Material

Comprehensive Procurement Guideline Compliant

7510-01-568-1272, SKILCRAFT, AbilityOne, ACU Pattern, 2" W, RO(contains 60 YD), \$24.73

Temperature range is -50 - 200 degrees Fahrenheit; Thickness is 12 mils.

12-month maximum shelf life (extendable); Core Contains 100% Postconsumer Material

7510-01-591-5822, SKILCRAFT, AbilityOne, ACU Pattern, 2-1/2" W, RO(contains 60 YD), \$20.60

Electrical Insulation Tape

This pressure-sensitive thermosetting tape has a glass-fabric backing and is used for general industrial applications and in high temperature locations. Roll has a 3" diameter core.

18-month maximum shelf life (extendable).

5970-01-613-4741, TS-4741-1/2 or equal, White, Width: 1/2"; Thickness: 0.0070", PG(contains 6 EA, EA has 60 YD), \$90.99

5970-01-613-4738, TS-4738-1 or equal, White, Width: 1"; Thickness: 0.0070", PG(contains 6 EA, EA has 60 YD), \$171.10

High voltage rubber electrical insulating tape is ozone resistant. Designed for use on wires and cables operating at up to 138kV phase to phase in either wet or dry locations with conductor temperature up to 194 degrees Fahrenheit (90 degree Celsius) for continuous operation.

12-month maximum shelf life (extendable).

5970-01-613-4737, TS-4737-3/4 or equal, Black, Width: 3/4"; Thickness: 0.020", PG(contains 6 EA, EA has 30 FT), \$96.28

Low voltage rubber electrical insulating tape is not ozone resistant. Designed for use on wires and cables operating at up to 2000V phase to phase in dry locations with conductor temperature up to 176 degrees Fahrenheit (80 degree Celsius) for continuous operation.

12-month maximum shelf life (extendable).

5970-01-613-4742, TS-4742-3/4 or equal, Black, Width: 3/4", PG(contains 6 EA, EA has 30 FT), \$47.55

Dielectric plastic tape for up to 6,000 volts.

12-month maximum shelf life (extendable).

5970-01-613-4740, TS-4740-3/4 or equal, Black, Width: 3/4", PG(contains 6 EA, EA has 108 FT), \$43.25

Woven cotton fabric friction tape is impregnated with an adhesive insulating compound.

12-month maximum shelf life (extendable).

5970-01-613-4739, TS-4739-3/4 or equal, Black, Width: 3/4", PG(contains 6 EA, EA has 82 FT), \$47.55

High Temperature Aluminum Foil/Glass Cloth Tape

Lusterless tape primarily used in aerospace and critical applications. Extremely high temperature tape - 65 degrees fahrenheit min to 600 degrees fahrenheit max. Aluminum foil backing with glass cloth and silicone adhesive. Adheres to silicone surfaces. Puncture, tear and heat resistant. I.A.W. ASTM D-3652.

Thickness: 0.007 inches

36-month maximum shelf life (extendable).

7510-00-502-9143, Silver, 2.0" W, RO(contains 36 YD), \$40.93

High Temperature Nylon Film Tape

This tape is designed for high-temperature applications. The 3.2 mil thick tape features a non-silicone rubber adhesive on a tough nylon backing that applies easily, removes cleanly and withstands short temperature bake cycles of 400°F/204°C without leaving residue. This makes for faster anchorage during subsequent painting and bonding vs. silicone-based adhesives.

18-month maximum shelf life (extendable).

7510-01-202-2195, White, 1" W, RO(contains 72 YD), \$87.38

Masking Tape

General-purpose tape protects contoured or rounded surfaces from being marred by paint, varnish, or other finishing materials. Crepe-paper backing adds strength, which is invaluable during tape removal. This tape is an excellent choice for light-duty bundling, packaging and holding. Resistant to moisture and solvents. Has a 3" core. Meets ASTM D6123, Type I.

12-month maximum shelf life (extendable).

7510-00-266-6711, Tan, Width: 3/4", RO(contains 60 YD), \$2.85

Federal Strategic Sourcing Initiative, 7510-00-266-6709, SKILCRAFT, AbilityOne, Tan, Width: 1-1/2", RO(contains 60 YD), \$5.62

Federal Strategic Sourcing Initiative, 7510-00-266-6710, SKILCRAFT, AbilityOne, Tan, Width: 2", RO(contains 60 YD), \$6.14

Federal Strategic Sourcing Initiative, 7510-00-266-6707, SKILCRAFT, AbilityOne, Tan, Width: 3", RO(contains 60 YD), \$12.66

Federal Strategic Sourcing Initiative, 7510-00-266-6708, SKILCRAFT, AbilityOne, Tan, Width: 4", RO(contains 60 YD), \$9.32

(NFES 0770).

12-month maximum shelf life (extendable).

7510-00-266-6712, Tan, Width: 1", RO(contains 60 YD), \$3.27

General-purpose, light duty tape with a flat paper backing temporarily masks surfaces when straight line separation is desired during painting. Resistant to moisture and solvents. Has a 3" core. Meets ASTM D6123, Type II.

18-month maximum shelf life (extendable).

7510-00-283-0612, Tan, Width: 1", RO(contains 60 YD), \$8.73

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-290-2026, SKILCRAFT, AbilityOne, Tan, Width: 2", RO(contains 60 YD), \$10.01

Federal Strategic Sourcing Initiative, 7510-00-266-6694, SKILCRAFT, AbilityOne, Tan, Width: 3", RO(contains 60 YD), \$14.32

Provides excellent results when used for color separation during aircraft painting operations, especially with MIL-C-83286 polyurethane coating system. Opaque tape is ideal for use on flat, contoured or riveted surfaces. Has a 3" core. Meets SAE-AMS-T-21595, Type I.

Crepe-backed tape will not stain and is ideal for use on large areas. (Color may vary.)

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-00-685-4963, SKILCRAFT, AbilityOne, Tan, Width: 1", RO(contains 60 YD), \$9.21

7510-00-684-8784, SKILCRAFT, AbilityOne, Tan, Width: 1-1/2", RO(contains 60 YD), \$8.90

Federal Strategic Sourcing Initiative, 7510-00-680-2395, SKILCRAFT, AbilityOne, Tan, Width: 2", RO(contains 60 YD), \$15.55

Federal Strategic Sourcing Initiative, 7510-00-680-2471, SKILCRAFT, AbilityOne, Beige, Width: 3", RO(contains 60 YD), \$19.41

Paper crepe long-mask masking tape has a tensile strength of 24-lbs per square inch.

12-month maximum shelf life (extendable).

7510-01-456-7877, SKILCRAFT, AbilityOne, Blue, Width: 1", RO(contains 60 YD), \$5.65

General-purpose painters tape with a flat paper backing temporarily masks surfaces when straight line separation is desired during painting. Resistant to moisture and solvents. For surfaces like painted walls, trim, woodwork, glass and metal. Has a 3" core.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-578-9302, SKILCRAFT, AbilityOne, Blue, Width: 1-1/2", RO(contains 60 YD), \$7.95

This painters tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium, crepe back, opaque adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.

This tape is not approved for use on aircraft.

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-531-4863, SKILCRAFT, AbilityOne, Blue, Width: 2", RO(contains 60 YD), \$11.12

233+ masking tape is green with a 3" core. Clean removal up to 250° F for up to 30 minutes on painted steel. Tape is 0.0067" thick. Material is smooth, opaque, crepe paper.

In accordance with NAVAIR 01-1A-509 Corrosion Control Technical Manual.

12-month maximum shelf life (extendable).

7510-01-504-5278, 3M 233+, 2" W x 60 yds, RO(contains 55 MR), \$33.17

7510-01-504-5277, 3M, 96 mm x 55 m, RO(contains 55 MR), \$86.82

7510-01-504-5276, 3M, 12 mm x 55 m, RO(contains 55 MR), \$18.35

7510-01-504-5272, 3M, 36mm x 55 m, RO(contains 55 MR), \$18.27

7510-01-504-5267, 3M, 18 mm x 55 m, RO(contains 55 MR), \$6.89

7510-01-504-5275, 3M, 6 mm x 55 m, RO(contains 55 MR), \$7.94

7510-01-504-5271, 3M, 24 mm x 55 m, RO(contains 55 MR), \$8.84

7510-01-504-5268, 3M 233+, 72 mm x 55 m, RO(contains 55 MR), \$11.80

Provides excellent results when used for color separation during aircraft painting operations, especially with MIL-C-83286 polyurethane coating system. Ideal for use on flat, contoured or riveted surfaces. Has a 3" core.

Plastic-backed tape is designed for general and fine-line color separation when color line separation is critical. Matte finish prevents flaking during removal.

12-month maximum shelf life (extendable).

7510-01-158-6607, Lt. Green, Width: 3", RO(contains 60 YD), \$71.95

7510-01-158-6605, Lt. Green, 1" wide, RO(contains 60 YD), \$112.44

7510-01-158-7778, Green, 3/4" wide, RO(contains 60 YD), \$21.75

7510-01-652-5427, 218, Green, 60YD L x 2" W, BX(contains 24 EA), \$1,029.84

Crepe-backed tape will not stain and is ideal for use on large areas. (Color may vary.)

12-month maximum shelf life (extendable).

7510-00-680-2450, SKILCRAFT, Tan, Width: 1/2", RO(contains 60 YD), \$3.04

AbilityOne, General-purpose tape protects contoured or rounded surfaces from being marred by paint, varnish, or other finishing materials. Crepe-paper backing adds strength, which is invaluable during tape removal. This tape is an excellent choice for light-duty bundling, packaging and holding. Resistant to moisture and solvents. Has a 3" core. Meets ASTM D6123, Type I.

12-month maximum shelf life (extendable).

7510-00-266-6714, Natural, Width: 1/2", RO(contains 60 YD), \$1.87

This painters tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium, crepe back, opaque adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.

This tape is approved for use on aircraft.

12-month maximum shelf life (extendable).

7510-01-610-1156, MMM2090-2, Blue, 2" X 60 Yards, RO(contains 60 YD), \$9.58

Masking tape is a premium high-performance crepe paper masking tape designed to meet aerospace needs in most painting applications, including the use of multiple bake cycles. Can handle 300°F for 30 minutes.

18-month maximum shelf life (extendable).

7510-01-371-3234, 0.75" W, RO(contains 60 YD), \$5.13

Floor Safety Tape

Floor safety marking tape made of heavy-duty poly vinyl with rubber adhesive sticks tight and removes cleanly. Resists abrasion, moisture, common solvents and weather. Ideal for indoor or outdoor marking of traffic areas, physical hazards, emergency zones, work sites, plus can be used for color coding. Flexible backing allows application to curved walls, ducts, low-hanging objects as well as floors. Conforms to ASTM-D 3330, 3759, 3652 standards.

Features a 3" core without dispenser.

18-month maximum shelf life (extendable).

7510-00-634-2943, 471, Blue, 1 IN W x 36 YD L, RO(contains 36 YD), \$13.89

36-month maximum shelf life (extendable).

7510-01-281-9769, 471, Yellow, 1-1/2 IN W x 36 YD L, RO(contains 36 YD), \$259.11

Polyester Masking Tape

A multi-functional polyester tape with a silicone adhesive. Can be used to hold bagging materials in position during the bagging process, masking off areas, or chemical milling protection. And a temperature resistance to 400F.

12-month maximum shelf life (extendable).

7510-01-394-2523, Blue, 2.0" W, RO(contains 72 YD), \$17.53

Polyester Tape

A multi-functional polyester tape with a silicone adhesive. They can be used to hold bagging materials in position during the bagging process, masking off areas, or chemical milling protection. Temperature resistance to 400F.

12-month maximum shelf life (extendable).

7510-01-531-9763, Green, 72YD L x 1.0" W, BX(contains 36 EA), \$412.50

Polyester Film Tape

Comprised of a strong polyester backing and coated with an aggressive acrylic adhesive, this is a solvent resistant tape that is ideal for applications where exposure to chemicals is a concern. This tape meets demanding applications in a variety of industries. Meets Federal Spec. L-T-100 Type 1.

18-month maximum shelf life (extendable).

7510-00-846-8674, Clear, 72YD L x 2" W, RO(contains 72 YD), \$21.51

7510-00-105-3090, Clear, 3.0" W, RO(contains 72 YD), \$20.11

This polyester film tape is ideal for protecting shipping container labels. Has a 3" core. Meets L-T-100, Type I.

18-month maximum shelf life (extendable).

7510-00-987-6661, Clear, Width: 3/4", RO(contains 72 YD), \$14.16

This polyester film tape is ideal for protecting shipping container labels. Has a 3" core. Meets LT100, Type I.

18-month maximum shelf life (extendable).

7510-00-801-0482, Clear, Width: 4", RO(contains 72 YD), \$29.39

Polyimide Film Tape

Protect circuit boards when soldering with this high temperature tape. Flame, chemical and radiation resistant. Won't soften at higher temperatures. Resists temperature extremes from -100°F to 500°F.

7510-01-200-1597, 5413, Red Orange, 1" W x 36 YD L, RO(contains 36 YD), \$49.50

Polyethylene Tape

Tape is designed to be used in a wide variety of general purpose applications including sealing, holding, coding, moisture proofing and protecting. This tape is coated with a rubber adhesive that bonds well and removes cleanly from most surfaces.

18-month maximum shelf life (extendable).

7510-01-362-7043, Black, 2.0" W, RO(contains 36 YD), \$10.24

Flashbreaker Tape

This high-temperature tape is also designed with a thin polyester backing that resists shrinking, curling, tearing and edge lifting, offering reliable masking and consistent results.

12-month maximum shelf life (extendable).

7510-01-480-4366, Light Blue, 2" W, RO(contains 72 YD), \$122.94

This 0.0020" thick, plastic polyester tape is opaque with adhesive on one side.

24-month maximum shelf life (extendable).

7510-01-108-0174, Blue, Width: 1", RO(contains 72 YD), \$8.75

Pressure-Sensitive Tape

One-sided, paper crepe tape is heat-resistant to 250° F. Well suited for paint masking on aircraft, trucks and boats. Tape is lusterless and opaque.

12-month maximum shelf life (extendable).

7510-01-371-3238, Natural, Width: 1", RO(contains 60 YD), \$17.17

7510-01-371-3235, Natural, Width: 3", RO(contains 60 YD), \$51.38

7510-01-127-0648, White, 1" W, RO(contains 36 YD), \$1,216.88

18-month maximum shelf life (extendable).

7510-01-371-3236, Natural, Width: 1-1/2", RO(contains 60 YD), \$37.71

7510-01-248-7514, White, 18YD L x 1" W, RO(contains 648 IN), \$144.49

24-month maximum shelf life (extendable).

7510-00-019-4750, Colorless, 2"W, RO(contains 36 YD), \$99.52

Vinyl tape used for lane and safety marking applications; Taping, wrapping or sealing curved, convex and irregular surfaces. Lusterless, opaque, abrasion and solvent resistant.

18-month maximum shelf life (extendable).

7510-01-259-1400, 471, Green, 1" W x 36 YD L, PG(contains 3 EA), \$12.08

7510-00-829-1239, White, 2" W, RO(contains 36 YD), \$22.44

Gloss, opaque.

18-month maximum shelf life (extendable).

7510-00-634-3329, Red, 36YD L x 2" W, RO(contains 36 YD), \$24.42

7510-00-634-3330, Yellow, 2" W, RO(contains 36 YD), \$34.39

Premium commercial-grade, clear polypropylene, box-sealing pressure-sensitive tape comes with its own disposable dispenser, a serrated metal blade and a paperboard flap suitable for hanging on a display rack. This item features impact resistant reinforcement. Has a 1-1/2" core.

12-month maximum shelf life (extendable).

7510-01-383-7967, Transparent, Width: 2"; Length: 22.2 yds., PG(contains 6 EA), \$32.13

High-performance adhesive designed to stick charges to wood, metal, glass and certain wall targets. Used adhere charges to targets during explosive entry & breaching. Double-sided adhesive. Cold resistant and water resistant.

12-month maximum shelf life (extendable).

7510-01-531-2399, Gray, 50' L x 2" W, RO(contains 50 FT), \$132.91

Multi-purpose tape for all your basic needs. Conforms to curved and irregular surfaces. Aggressive adhesive. Residue-free removal. Maintains color even with heavy abrasion. Meets A-A-1689, Type I, Class 2.

18-month maximum shelf life (extendable).

7510-00-355-7154, Brown, 2.0" W, RO(contains 36 YD), \$10.60

Paper tape on a tear-resistant liner is useful for splicing, holding, laminating, bonding, mounting and die-cutting. Has a 3" core. Double-sided adhesive.

12-month maximum shelf life (extendable).

7510-00-634-1566, Off-white, 2" x 36 YDS, RO(contains 36 YD), \$35.77

High Temperature Aluminum Foil/Glass Cloth Tape is a strong, flexible tape that can be used as a high temperature heat reflective, protective wrap for heat sensitive cables and other instruments. Aluminum foil backing combined with a glass cloth and pressure sensitive silicone adhesive. Conformable, opaque, lusterless. Resists flame, moisture, weather and UV degradation.

36-month maximum shelf life (extendable).

7510-01-137-8404, Silver, 1" W, RO(contains 36 YD), \$69.05

A green, translucent, polyester film tape that provides excellent water, abrasion and chemical resistance. Used for color coding, protecting, covering, labeling, and splicing. Works in demanding conditions and retains flexibility in autoclave conditions in temperatures ranging from -60°F (-50°C) to 350°F (177°C)

24-month maximum shelf life (extendable).

7510-00-157-8616, Green, 4" W, RO(contains 72 YD), \$244.86

A weather resistant plastic polyvinyl fluoride with acrylic adhesive tape. Used for outdoor seals of building panels and similar severe exposure applications.

18-month maximum shelf life (extendable).

7510-00-040-5895, White, 72YD L x 1.5" W, RO(contains 72 YD), \$235.00

7510-00-927-1514, White, 2" W, RO(contains 72 YD), \$457.79

Pressure Sensitive Preservation Tape

The conformability and stain resistant properties of this black polyethylene tape offers excellent performance as an industrial and military preservation tape. Moisture, oil, and heat resistant. Meets I.A.W SAE-AMS-T-22085 TYPE: 2.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

7510-00-117-5520, 481, Black, 36YD L x 2" W, RO(contains 36 YD), \$75.19

Pressure Sensitive Adhesive Tape (Double-sided)

Transparent, double sided transfer tape offers a thin profile combined with our high strength acrylic adhesive for a long-lasting bond. Liner provided. Temperature range is -40°F to 300°F.

24-month maximum shelf life (extendable).

7510-01-544-7041, 60YD L x 3" W, RO(contains 60 YD), \$153.02

Pressure Sensitive Adhesive Tape

Double sided open-cell, flexible urethane foam carrier fills gaps and helps bond to irregular surfaces. Durable foam is ideal for interior mounting applications. Cold and heat resistant.

24-month maximum shelf life (extendable).

7510-00-484-3273, Yellow, 36YD L x 1" W, RO(contains 36 YD), \$23.90

Pressure Sensitive Foam Tape

Thick closed-cell high-density foam helps seal out dust, light and moisture. Durable acrylic adhesive on one side of foam offers good aging and UV resistance.

24-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 7510-01-032-4082, Black, 36YD L x 1" W, RO(contains 36 YD), \$18.80

PTFE Film Tape

PTFE film backing with silicone adhesive. PTFE reduces friction, wear and energy efficiency of machinery. Handles temperatures from -65°F to 400°F.

24-month maximum shelf life (extendable).

7510-01-237-0526, Blue, 36YD L x 2" W, RO(contains 36 YD), \$70.30

Coated Fabric Tape

Aluminized Pressure Sensitive Adhesive Tape.

This item is "made to order". For industrial/occupational use only. Not for consumer sale or use.

12-month maximum shelf life (extendable).

7510-01-372-5777, FGA32600, Silver, 1" W x 36 YD L, RO(contains 36 YD), \$20.92

Foam Tape

This foam tape includes an acrylic adhesive with good quick-stick on contact. It offers good aging characteristics and will remain flexible when exposed to elevated temperatures and UV light.

18-month maximum shelf life (extendable).

7510-00-079-7604, Black, 0.625" W, RO(contains 36 YD), \$26.54

Polyurethane foam tape, used for mounting nameplates, gasketing, sealing, joining, die-cutting and thermal insulation.

12-month maximum shelf life (extendable).

7510-01-071-2828, White, 1.0" W, RO(contains 36 YD), \$14.62

Vinyl Foam Tape

Black high density vinyl foam with acrylic adhesive and paper liner. Weatherproof windows; seal appliances and computers. Handles temperatures to 150°F.

18-month maximum shelf life (extendable).

7510-01-158-2644, Black, 36YD L x 2" W, RO(contains 1296 IN), \$52.84

Filament Tape

Industrial-strength, filament-reinforced tape resists nicks, abrasion and moisture. Meets: ASTM D5330 Type III.

18-month maximum shelf life (extendable).

7510-00-812-2679, Clear, 2.0" W, RO(contains 60 YD), \$8.06

Vinyl Tape

Tape is clear, glossy, colorless and made of plastic vinyl. Can be used to seal cartons.

12-month maximum shelf life (extendable).

7510-01-357-8194, Clear, Width: 2", RO(contains 55 YD), \$3.67

Specially-formulated to adhere to uneven surfaces and perform for five-to-eight years, even in harsh exterior environments. Pressure-sensitive adhesive promotes ease of cutting, weeding, and application. It is available with two liners: 220 features 78 pound kraft paper, while 225 is lined with transparent synthetic.

12-month maximum shelf life (extendable).

7510-01-454-7010, Matte Black, 15" W x 50 YD L, RO(contains 50 YD), \$498.00

Colored Tape

Colored tape is made of cellophane or similar materials and is used for temporary identifying, charting and decorating. Opaque tape has a glossy finish. Has a 3" core.

12-month maximum shelf life (extendable).

7510-00-551-8474, Black, 72YD L x 0.5" W, RO(contains 72 YD), \$3.93

Weather Resistant Film Tape

Seals and protects building panels, doors and windows against severe weather. Handles temperatures from -100°F to 225°F. SAE-AMS-T-22085 TY4.

18-month maximum shelf life (extendable).

7510-01-161-2049, White, 1.0" W, RO(contains 72 YD), \$31.96

All-Weather Corrosion Protection Tape

All-weather performance. Protect metal piping systems and conduits above and below ground. Black PVC backing with high-tack rubber adhesive. Normal service temperature range: -55°F to 175°F.

60-month maximum shelf life (extendable).

7510-01-018-2849, Black, 4.0" W, RO(contains 100 FT), \$21.24

Waterproof Tape

This "original 100 MPH" high-strength waterproof tape can withstand temperatures between -65 to 160° F. Features a woven cloth backing for exterior sealing. 3" core diameter.

Meets ASTM D 5486/D 5486M-93 specifications

12-month maximum shelf life (extendable).

Federal Strategic Sourcing Initiative, 7510-01-536-5708, SKILCRAFT, AbilityOne, Tan, Width: 2", RO(contains 60 YD), \$24.97

7510-01-536-5710, SKILCRAFT, AbilityOne, Tan, Width: 4", RO(contains 60 YD), \$31.26

7510-00-074-4960, SKILCRAFT, AbilityOne, Black, Width: 1", RO(contains 60 YD), \$7.62

Federal Strategic Sourcing Initiative, 7510-00-074-5122, SKILCRAFT, AbilityOne, Dark Green, Width: 1", RO(contains 60 YD), \$9.36

Federal Strategic Sourcing Initiative, 7510-00-890-9872, SKILCRAFT, AbilityOne, Olive Drab, Width: 1", RO(contains 60 YD), \$10.27

Federal Strategic Sourcing Initiative, 7510-00-074-4961, SKILCRAFT, AbilityOne, Black, Width: 2", RO(contains 60 YD), \$19.93

Federal Strategic Sourcing Initiative, 7510-00-074-5124, SKILCRAFT, AbilityOne, Dark Green, Width: 2", RO(contains 60 YD), \$23.14

Federal Strategic Sourcing Initiative, 7510-00-266-5016, SKILCRAFT, AbilityOne, Olive Drab, Width: 2", RO(contains 60 YD), \$21.98

Federal Strategic Sourcing Initiative, 7510-00-074-4969, SKILCRAFT, AbilityOne, Red, Width: 2", RO(contains 60 YD), \$19.09

Federal Strategic Sourcing Initiative, 7510-00-074-4952, SKILCRAFT, AbilityOne, White, Width: 2", RO(contains 60 YD), \$20.60

Federal Strategic Sourcing Initiative, 7510-00-074-4962, SKILCRAFT, AbilityOne, Black, Width: 2-1/2", RO(contains 60 YD), \$23.90

Federal Strategic Sourcing Initiative, 7510-00-074-5157, SKILCRAFT, AbilityOne, Dark Green, Width: 2-1/2", RO(contains 60 YD), \$22.88

Federal Strategic Sourcing Initiative, 7510-00-074-5100, SKILCRAFT, AbilityOne, Olive Drab, Width: 2-1/2", RO(contains 60 YD), \$26.76

Federal Strategic Sourcing Initiative, 7510-00-074-4978, SKILCRAFT, AbilityOne, Red, Width: 2-1/2", RO(contains 60 YD), \$23.84

Federal Strategic Sourcing Initiative, 7510-00-074-4963, SKILCRAFT, AbilityOne, Black, Width: 3", RO(contains 60 YD), \$28.21

Federal Strategic Sourcing Initiative, 7510-00-074-5160, SKILCRAFT, AbilityOne, Dark Green, Width: 3", RO(contains 60 YD), \$31.17

Federal Strategic Sourcing Initiative, 7510-00-890-9874, SKILCRAFT, AbilityOne, Olive Drab, Width: 3", RO(contains 60 YD), \$32.31

Federal Strategic Sourcing Initiative, 7510-00-074-4996, SKILCRAFT, AbilityOne, Red, Width: 3", RO(contains 60 YD), \$25.47

Federal Strategic Sourcing Initiative, 7510-00-074-4954, SKILCRAFT, AbilityOne, White, Width: 3", RO(contains 60 YD), \$29.63

Federal Strategic Sourcing Initiative, 7510-00-074-4964, SKILCRAFT, AbilityOne, Black, Width: 4", RO(contains 60 YD), \$39.26

Federal Strategic Sourcing Initiative, 7510-00-074-5174, SKILCRAFT, AbilityOne, Dark Green, Width: 4", RO(contains 60 YD), \$43.12

Federal Strategic Sourcing Initiative, 7510-00-890-9875, SKILCRAFT, AbilityOne, Olive Drab, Width: 4", RO(contains 60 YD), \$41.24

Federal Strategic Sourcing Initiative, 7510-00-074-5178, SKILCRAFT, AbilityOne, Dark Green, Width: 6", RO(contains 60 YD), \$57.15

Federal Strategic Sourcing Initiative, 7510-01-536-5709, SKILCRAFT, AbilityOne, Tan, Width: 2-1/2", RO(contains 60 YD), \$30.47

Reflective Tape

Reflective non-adhesive fabric tape provides nighttime visibility. Requires sew-on application.

24-month maximum shelf life (extendable).

9390-00-481-3424, 8910 Silver Scotchlite or equal, Silver, Width: 2", RO(contains 100 YD), \$192.88

Glass Cloth Tape

This tape features a white glass-cloth backing designed to provide a clean finished appearance. This tape features a pressure sensitive, acrylic adhesive that adheres to a variety of substrates. Once bonded, this adhesive provides high, secure adhesion for extended periods in a wide range of climate and temperature conditions, including temperatures as high as 250°F/121°C.

24-month maximum shelf life (not extendable).

7510-01-540-6777, 398FR, White, 4" W x 36 YD L, RO(contains 36 YD), \$85.01

Glass cloth tape seals and insulates high temperature ducts and chambers permanently. High resistance to temperature, abrasion and solvents. Withstands temperatures from -65 degrees F to 450 degrees F. Glass cloth backing with silicone adhesive.

24-month maximum shelf life (extendable).

7510-01-026-4117, 361, White, 2" W x 60 YD L, RO(contains 60 YD), \$537.72

This tape features a white glass-cloth backing designed to provide a clean finished appearance. This tape features a pressure sensitive, acrylic adhesive that adheres to a variety of substrates. Once bonded, this adhesive provides high, secure adhesion for extended periods in a wide range of climate and temperature conditions, including temperatures as high as 450°F/232°C.

24-month maximum shelf life (extendable).

7510-01-394-9223, 361, White, 3" W x 60 YD L, RO(contains 60 YD), \$106.70

Carpet Tape

Double-coated vinyl tape is perfect for laying carpet and preparing seams. Has a 3" core. Role is 300" long.

12-month maximum shelf life (extendable).

7510-00-782-6220, Buff, Width: 2", PG(contains 4 EA), \$75.76

Chemical Resistant Tape

This chemical-resistant tape meets the ASTM F1001 test battery standards. Used for taping gloves, boots, respirators storm flaps, protective apparel and related shelter-in-place applications.

24-month maximum shelf life (extendable).

7510-01-507-7270, ChemTape 99402YW, Yellow, 2 IN W X 60 YD L, RO(contains 60 YD), \$69.47

Tin-Plated Copper Tape

This EMI shielding tape with an acrylic adhesive is a flame retardant tape designed for applications that require outstanding electrical conductivity from the application substrate through the adhesive to the backing. It comes on a removable liner for easy die cutting and handling.

60-month maximum shelf life (extendable).

7510-01-618-1839, 1345, Silver, 1/2" W x 18 YD L, PG(contains 18 EA), \$545.99

Graphic Tape

Make graphic designs or lettering with this plastic-backed tape. It's perfect for creating artwork, charts, graphs, signs, and diagrams. It is designed for general and fine-line color separation when color line separation is critical.

12-month maximum shelf life (extendable).

7510-00-971-8028, Glossy Black, 1/8 IN W x 27 FT L, RO(contains 9 YD), \$24.16

Polyurethane Protective Tape

Protection tape and primarily used on aircraft leading edges such as vertical stabilizers. It is constructed of a polyurethane backing coated with a long-aging, solvent-resistant, pressure sensitive adhesive that is protected with a transparent easy-release liner.

24-month maximum shelf life (extendable).

7510-01-326-1568, 4.0" W, RO(contains 36 YD), \$110.47

7510-01-326-1567, 2.0" W, RO(contains 36 YD), \$54.99

Tough, thermoplastic polyurethane elastomer has a high shear strength adhesive and resists minor scratches, tears, erosion and punctures. Commonly used for prevention of chafing of rivets on aircraft fuel cells and bladders

24-month maximum shelf life (extendable).

7510-01-288-8440, 8544, Black, 2" W, RO(contains 36 YD), \$62.22

Transparent polyurethane tape designed to provide premium leading edge erosion protection. It features scratch, tear, erosion and puncture resistance that comes from the polyurethane backing. Thin and conformable tape is easy to apply and conforms over curved surfaces and can be painted over, or applied to painted surfaces.

24-month maximum shelf life (extendable).

7510-00-180-6275, Clear, 6" W, RO(contains 36 YD), \$165.70

Used for industrial projects, remodeling and construction. Prevents scratches on industrial equipment and resists punctures, corrosion and abrasion.

24-month maximum shelf life (extendable).

7510-00-888-4756, Clear, 0.5" W, RO(contains 36 YD), \$19.31

Paintable, aerospace industry grade tape. Provides long-aging protection from UV light, solvents, corrosion, environmental damage, and minor impacts.

24-month maximum shelf life (extendable).

7510-01-609-3369, Clear, 2" W x 36 YD L, RO(contains 36 YD), \$139.44

Impact Stripping Tape

Provides excellent protection during sandblasting and engraving. Withstands temperatures from -20°F to 150°F. Thick, conformable rubber-backed tape. Acrylic adhesive and easy-release silicone paper liner.

12-month maximum shelf life (extendable).

7510-01-300-2127, Green, 4" W, RO(contains 10 YD), \$193.05

7510-01-300-2126, Green, 3" W, RO(contains 10 YD), \$218.22

7510-01-300-2124, Green, 1" W, RO(contains 10 YD), \$34.70

VHB tape that bonds to most higher surface energy substrates including metal, glass, and high surface plastics. This general purpose adhesive tape have firm acrylic foam core and 0.043 inch thickness. Solvent and impact resistant.

24-month maximum shelf life (extendable).

7510-01-151-5431, 4945, White, 0.75" W x 36 YD L, RO(contains 36 YD), \$159.07

VHB tape that bonds to most higher surface energy substrates including metal, glass, and high surface plastics. This general purpose adhesive tape have firm acrylic foam core and 0.034 inch thickness. Solvent and impact resistant.

12-month maximum shelf life (extendable).

7510-01-300-2125, Green, 2" W x 10YD L, RO(contains 10 YD), \$98.30

VHB Tape is a white, 0.080 in (2.0 mm), general purpose acrylic adhesive with a firm foam core. Fast and easy-to-use permanent bonding method provides high strength and long-term durability. It can replace rivets, welds and screws.

24-month maximum shelf life (extendable).

7510-01-591-1923, 4955, White, 1.0" W x 36 YD L, BX(contains 9 EA), \$1,161.04

Thread Repair Tools

Screw Thread Insert Repair Kit

These kits contain everything you will need to repair, replace or remove screw thread inserts. The box will consist of a body, lid, handle and all the hardware. AS59158.

The kit contains the following: (1) STI Inserter, (1) STI Extractor, (1) Tang Break Off Tool, (1) Thread Cutting Tap, (1) Tool Box (8-5/8' L x 7-3/8" W x 1-7/16" H), (24) STI's.

Federal Strategic Sourcing Initiative, 5180-00-054-7503, 7/16-14 UNC., KT, \$193.63

The kit contains the following: (1) STI Inserter, (1) STI Extractor, (1) Tang Break Off Tool, (2) Thread Cutting Tap, (1) Tool Box (8-5/8' L x 3-5/8" W x 15/16" H), (40) STI's.

Federal Strategic Sourcing Initiative, 5180-00-054-7507, 6-32 UNC., KT, \$132.10

The kit contains the following: (1) STI Inserter, (1) Tang Break Off Tool, (1) Extractor, (1) Thread Cutting Tap, (1) Tool Box (8-5/8' L x 3-5/8" W x 15/16" H), (40) STI's.

5180-00-935-0732, 1/4"-20 UNC., KT, \$155.25

The kit contains the following: (1) STI Inserter, (1) Tang Break Off Tool, (1) Extractor, (2) Thread Cutting Tap, (1) Tool Box (8-5/8' L x 3-5/8" W x 15/16" H), (40) STI's.

5180-00-935-0736, 1/4"-28 UNF., KT, \$320.77

5180-00-935-0735, 10-32 UNF., KT, \$283.03

Screw Thread Insert Inserting Tool

A tool for inserting screw thread inserts. The insert is loaded into tool to be driven into a predrilled hole that has been tapped & cleaned. AS59158

Type 3: Inserting Tool, Screw Thread Inserts. Class 1: Prewinder Tools. Style A: 1/2" & smaller UNC & UNF threads.

Federal Strategic Sourcing Initiative, 5120-00-797-2404, 10-32 UNF., EA, \$70.54

Federal Strategic Sourcing Initiative, 5120-00-797-2402, 3/8-16 UNC., EA, \$73.33

Federal Strategic Sourcing Initiative, 5120-00-816-5707, 1/4-20 UNC., EA, \$63.49

Sewing Palm

Saddlers & sailmakers force needles through heavy materials such as leather or canvas using this right handed leather sewing palm. Smoothed & rounded edges prevent chafing. A malleable iron thimble is located beside the circular or oval thumb hole. For use with russet thread.

Seaming type.

Federal Strategic Sourcing Initiative, 5120-00-223-6838, 223-6838 or equal., EA, \$14.26

Multi-Tools

Multi-Tool

These multi-tools come in a range of portable sizes and configurations that combine several individual functions in a single unit. These “Pocket Survival Tools”, are larger and more robust than a pocket knife and incorporate all the tools you’ll need to make your mission succeed.

This multi-tool includes: Needlenose Pliers, Hard-Wire Cutter, Serrated Drop Point Knife Blade, Fine Edge Drop Point Knife Blade, Bottle Opener, Can Opener, Wire Scraper and Cross Tip Screwdriver.

Federal Strategic Sourcing Initiative, 5110-01-604-2057, Black Oxide Finish, 5.04” L (Closed), Black Nylon Sheath., EA, \$99.64

This multitool contains: Needlenose Pliers, Cap Crimper, Fuse & Wire Cutters, Electrical Crimper, Combo Knife, Saw, Hammer, Replaceable Cutting Hook, Bolt Override Tool, C4 Punch, Bronze Carbon Scraper, Cleaning Rod/Brush Adapters, Carabiner/Bottle Opener, Bit Driver (Phillips #1-2 and 3/16” Screwdriver, Phillips #2 and 1/4” Screwdriver, Torx #15 and Hex 7/64”), 3/8” & 1/2” Wrenches.

Federal Strategic Sourcing Initiative, 5110-01-594-3747, Stainless Steel, 5” L (Closed). Molle Sheath., EA, \$127.68

This multi-tool has everything you need to get the job done. Needle Nose Pliers, Crimper, Wire Cutter, File, Knife Blade, Fine Edge and Serrated Edge, Wood Saw, Can Opener, Small, Medium, and Large Flat Tip Screwdrivers, Bottle Opener, One Phillips Tip Screwdriver and Scissors.

Federal Strategic Sourcing Initiative, 5110-01-540-0186, 22-01545, Black Oxide Finish, 4-7/8” L (Closed), Nylon Sheath., EA, \$75.01

One hand opening multi-tool contains Needle nose pliers, Cap crimper, Wire cutter, Wire crimper, Half-serrated drop point knife blade, Scissors, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, Cross tip screwdriver, Wood cutting saw, Metal/wood file, Ruler, Socket adapter, Bottle opener, Can opener, Punch/awl and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-507-0228, 4-3/5” L (Closed) Nylon Sheath., EA, \$77.07

The multi-tool includes: Needle nose pliers, Wire cutters, Hard-wire cutters, Wire crimper, Cap crimper, Clip-point knife blade, Sheepsfoot or Drop-point serrated knife blade, Wood/Bone saw, Small screwdriver (accommodates #0 flat tip screw size), Medium screwdriver (accommodates #4 flat tip screw size), Large screwdriver (accommodates #8 flat tip screw size), Ruler, Can opener, Bottle opener, Wire stripper and Awl/ punch.

Comes with a cap crimper.

Federal Strategic Sourcing Initiative, 5110-01-430-5056, Stainless Steel Finish, 4-1/2” L (Closed), Leather Sheath., EA, \$51.78

M249 squad automatic weapons features: gas block removal tool; barrel gas block scraper; shoulder gas block scraper; inner and outer groove gas block scraper; inner cup and outer groove piston scraper; inner groove gas tube scraper. M240 squad automatic weapons features: barrel gas block scraper; shoulder gas block scraper; outer groove gas block scraper; port punch gas block, piston scraper

Federal Strategic Sourcing Initiative, 5110-01-641-4777, 3-3/4” L (Closed). Black Nylon Sheath., EA, \$119.34

The multi-tool includes: Needlenose Pliers, Hard-Wire Cutter, Wire Cutter, Pen Knife Blade, Serrated Drop, Point Knife Blade, Cross Tip Screwdriver, Extra Small Flat Tip Screwdriver, Large Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Saw, Cutting Hook, Can Opener and Bottle Opener.

Federal Strategic Sourcing Initiative, 5110-01-611-9911, Black Oxide, 4-1/2” L (Closed), Brown Molle Sheath., EA, \$82.63

This multitool contains: Needle Nose Pliers, Regular Pliers, Crimper, Wire Cutter, Hard Wire Cutter, Wire Stripper, File, Knife Blade, Serrated Blade, Lanyard Ring, Wood Saw, Can Opener, Small, Medium, and Large Flat Tip Screwdrivers, Bottle Opener, Phillips Tip Screwdriver, Awl with Thread Loop and a Ruler.

Federal Strategic Sourcing Initiative, 5110-01-540-9530, Stainless Steel Finish, 4-1/2” L (Closed), Leather Sheath., EA, \$74.64

This multi-tool has everything you need to get the job done. Needle Nose Pliers, Wire Cutter, Wire Crimper, Fine Edge/Serrated Sheepsfoot Knife Blade, Cross Tip Screwdriver, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Bottle Opener, Can Opener, Metal/Wood File, Wood Cutting Saw and Scissors.

Federal Strategic Sourcing Initiative, 5110-01-540-0152, Stainless Steel, 4-7/8” L (Closed), Nylon Sheath., EA, \$66.27

This multi-use pocket tool features a component locking mechanism. The tool contains a Needle Nose Pliers, Cap Crimper, Wire Cutter, Wire Crimper, Fine Edge Drop Point Knife Blade, Serrated Sheepsfoot Knife Blade, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Cross Tip Screwdriver, Metal Cutting Saw, Saw Blade Coupler, Ruler, Bottle Opener, Can Opener and C-4 Explosive Punch.

Federal Strategic Sourcing Initiative, 5110-01-462-3400, Black Oxide Finish, 5-1/8" L (Closed), 6-3/4" L (Open), Black Nylon Sheath., EA, \$113.46

This multitool includes: Needle Nose Pliers, Wire Cutter, Hard-wire cutter, Wire Crimper, Fine Edge Clip Point Knife Blade, Serrated Sheepsfoot Knife Blade, Scissors, Wood Cutting Saw, Flat Tip Screwdriver, Large Bit Driver, Small Bit Driver, Punch/Awl, Ruler, Metal/Wood File, Bottle Opener, Can Opener and Wire Stripper. Bits Included: This multi-tool shall consist of one (1) each of the following two (2) double-ended bits: Phillips No. 1-2 x 3/16 inch and Phillips/Flat Tip Eyeglasses Bit.

Federal Strategic Sourcing Initiative, 5110-01-541-1454, Stainless Steel Finish, 4-1/2" L (Closed). Black Nylon Sheath., EA, \$114.80

This multitool includes: Needlenose Pliers, Regular Pliers, Premium Replaceable Wire Cutters, Premium Replaceable Hard-wire Cutters, Stranded-wire Cutters, Electrical Crimper, Wire Stripper, 420HC Knife 420HC Serrated Knife, Saw, Spring-action Scissors, Awl w/ Thread Loop, Ruler (8 inches), Can Opener, Bottle Opener, Wood/Metal File, Diamond-coated File, Blade Exchanger, Large Bit Driver, Large Screwdriver and Small Screwdriver. Bits Included: This multi-tool shall consist of one (1) each of the following one (1) double-ended bits: Phillips No. 1-2 x 3/16 inch.

Federal Strategic Sourcing Initiative, 5110-01-541-1455, Black Oxide Finish, 4-1/2" L (Closed). Black Sheath., EA, \$108.30

This multi-tool includes: Hard anodized aluminum handles, needlenose and regular pliers, wire cutters, hard wire cutters, crimper, saw (154 cm), clip point stainless steel knife blade, serrated knife, cutting hook, wood/metal file, diamond coated file, wire stripper, large bit drivers (2), small bit driver, double end bits (9) (sizes: screwdriver (1/4" and 3/16"), hex (5/32" and 9/64"), hex (1/8" and 7/64"), hex (3/32" and 5/64"), hex (1/16 and .05"), Robertson (#2 and #3), screwdriver (1/8" and Torx #15), Phillips (#1 and #2), Phillips and flat tip eyeglass screwdriver), 8" / 19cm ruler, bottle/can opener, fixed lanyard ring, quick release lanyard ring and a removable pocket clip.

Federal Strategic Sourcing Initiative, 5110-01-525-6664, 4" L (Closed). Nylon Sheath., EA, \$107.47

This multi-tool includes: 154cm Clip Point Knife, Sheepsfoot Serrated Knife, Cutting Hook, Needle Nose Pliers, Regular Pliers, Wire Cutters, Hard-Wire Cutters, Wire Stripper, Wire Crimper, Small Bit Driver, Wood/Metal File, Diamond-Coated File, Saw, Bottle Opener, Can Opener and 8 Inch Ruler. This multi-tool shall consist of two (2) each of the following one (1) tool: Large Bit Driver, Bits Included: This multi-tool shall consist of one (1) each of the following nine (9) double-ended bits: Eyeglasses Screwdriver: Phillips X Flat Tip, Hexagon: 5/32 X 9/64 inch, Hexagon: 1/8 X 7/64 inch, Hexagon: 3/32 X 5/64 inch, Hexagon: 1/16 X .05 inch, Robertson: #2 X #3, Screwdriver: 1/8 inch X Torx #15, Phillips: #1 X #2 and Screwdriver: 1/4 X 3/16 inch.

Federal Strategic Sourcing Initiative, 5110-01-525-6655, 4" L (Closed). Leather Sheath., EA, \$134.63

This multi-tool includes: Needlenose pliers, Wire cutters, Hard-wire cutters, Wire stripper, Fine edge clip point knife, Serrated sheepsfoot knife, Large flat tip screwdriver, Large bit driver, Small bit driver, Scissors, Metal/wood file, Saw, Bottle opener, Can opener, Ruler, Fixed lanyard ring, Quick-release lanyard ring. Bits Included: This multi-tool shall consist of one (1) each of the following eight (8) bits: Double-ended phillips and flat tip eyeglass, Double-ended 5/32 and 9/64 inch hex, Double-ended 1/8 and 7/64 inch hex, Double-ended 3/32 and 5/64 inch hex, Double-ended 1/16 and 0.050 inch hex, Double-ended robertson #2 and #3, Double-ended 1/8 inch flat tip and T-15 torx and Double-ended phillips #1-2 and 3/16 inch flat tip.

Federal Strategic Sourcing Initiative, 5110-01-525-6659, 4" L (Closed), Leather Sheath., EA, \$155.33

This tool features needlenose and regular pliers, wire cutters, hard wire cutters, contoured stainless steel handle (Zytel grips and features locking components such as a clip point blade), scissors, screwdrivers (2), Phillips screwdriver, inch and centimeter ruler, bottle/can opener with wire stripper and lanyard attachment.

Federal Strategic Sourcing Initiative, 5110-01-525-6660, 4" L (Closed). Nylon Sheath., EA, \$54.91

Federal Strategic Sourcing Initiative, 5110-01-525-6661, 4" L (Closed), Leather Sheath., EA, \$56.24

This multi-tool features stainless steel Zytel contoured handle grips, needlenose pliers, regular pliers, wire cutters, hard wire cutters, clip point knife, scissors, saw, wood/metal file, small bit driver, Phillips and flat tip eyeglasses screwdriver bit, (2) screwdrivers, Phillips screwdriver, ruler 8" / 19cm, bottle/can opener, wire stripper and lanyard attachment.

Federal Strategic Sourcing Initiative, 5110-01-525-6666, Stainless Steel Finish, 4" L (Closed). Leather Sheath., EA, \$56.38

The multi-tool includes: Needle nose pliers, Wire Cutter, Hard-wire cutter, Wire crimper, Wire stripper, Fine edge drop point knife blade, Serrated sheepsfoot knife blade, Wood cutting saw, Metal/wood file, Cross tip screwdriver, Large flat tip screwdriver, Medium flat tip screwdriver, Small flat tip screwdriver, Punch/awl, Ruler, Bottle Opener, Can Opener and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-425-7570, Stainless Steel Finish, 4-1/2" L (Closed). Black Nylon Sheath., EA, \$80.50

The multi-tool includes: Needle nose pliers, Wire Cutter, Hard-wire cutter, Wire crimper, Wire stripper, Fine edge drop point knife blade, Serrated sheepsfoot knife blade, Wood cutting saw, Metal/wood file, Cross tip screwdriver, Large flat tip screwdriver, Medium flat tip screwdriver, Small flat tip screwdriver, Punch/awl, Ruler, Bottle Opener, Can Opener and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-430-5046, Stainless Steel Finish, 4-1/2" L (Closed), Leather Sheath., EA, \$71.88

The multi-tool includes: Needle nose pliers, Wire Cutter, Hard-wire cutter, Wire crimper, Wire stripper, Fine edge drop point knife blade, Serrated sheepsfoot knife blade, Wood cutting saw, Metal/wood file, Cross tip screwdriver, Large flat tip screwdriver, Medium flat tip screwdriver, Small flat tip screwdriver, Punch/awl, Ruler, Bottle Opener, Can Opener and Lanyard eye/ring.

Comes with a cap crimper.

Federal Strategic Sourcing Initiative, 5110-01-430-5039, Black Oxide Finish, 4-1/2" L (Closed). Black Nylon Sheath., EA, \$72.63

This tool is the next generation multi-tool. Needle Nose Pliers, Wire Cutter, Hard-Wire Cutter, Fine Edge Clip Point Knife Blade, Serrated Sheepsfoot Knife Blade, Wood Cutting Saw, Scissors, Metal/Wood File, Diamond Coated File, Small Bit Driver, Large Bit Driver, Large Flat Tip Screwdriver (accommodates #8 flat tip screw size), Ruler (8"), Bottle Opener, Can Opener and Wire Stripper.

Federal Strategic Sourcing Initiative, 5110-01-456-0578, Stainless Steel Finish, 4" L (Closed), 6-1/4" L (Open). . Leather Sheath, EA, \$79.17

This multi tool is made from 100 percent stainless steel and is designed with one-hand opening characteristics. The multi-tool includes: Wire Cutter, Hard-Wire Cutter, Serrated Sheepsfoot Knife Blade, Metal/Wood File, Small Tip Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Cross Tip Screwdriver, Hexagonal Bit Driver, Ruler, Bottle Opener, Can Opener and Locking Pliers.

Federal Strategic Sourcing Initiative, 5110-01-474-0894, Stainless Steel Finish., 4" L (Closed). Black Nylon Sheath., EA, \$72.60

This multi-use pocket tool features a component locking mechanism. The tool contains a drop point knife blade, serrated sheepsfoot knife blade, file, Phillips tip screwdriver, (3) flat tip screwdrivers, can/bottle opener, needlenose pliers, wire cutters, scale, ruler, crimper and a lanyard ring. Plier head retracts and slides into the handle. Other components fold into the handle and when the locks are released on the outside of handles.

Federal Strategic Sourcing Initiative, 5110-01-394-6252, 07550G1 or equal., Black Oxide Finish, 5-1/8" L (Closed), Black Nylon Sheath., EA, \$70.19

This multi-use pocket tool features a component locking mechanism. The tool consists of Needle Nose Pliers, Wire Cutter, Wire Crimper, Fine Edge Drop Point Knife Blade, Serrated Sheepsfoot Knife Blade, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Cross Tip Screwdriver, Metal/Wood File, Ruler, Bottle Opener, Can Opener and Lanyard Eye/Ring.

Federal Strategic Sourcing Initiative, 5110-01-394-6249, Stainless Steel Finish, 4-23/25" L (Closed). Black Nylon Sheath., EA, \$73.57

Contains Needlenose Pliers, Regular Pliers, Wire Cutters, Hard-Wire Cutters, Stranded Wire Cutters, Combo Knife, Saw, Hammer, Replaceable Cutting Hook, Bolt Override Tool, Firearm Disassembly Punch, Bronze Carbon Scraper, Cleaning Rod/Brush Adapter, Bottle Opener, Bit Driver, Removable Pocket Clip, 1/2" & 3/8" Wrench Accessory, Philips No. 1-2 & 3/16" Screwdriver Bits, Phillips No. 2 & 1/4" Screwdriver Bits, Torx No. 15 & Hex 7/64" Bits.

Federal Strategic Sourcing Initiative, 5110-01-585-7935, Stainless Steel Finish, 5" L (Closed), Coyote Brown Berry Compliant Molle Sheath, EA, \$158.28

Needlenose Pliers, Regular Pliers, Wire Cutters, Hard-Wire Cutters, Stranded Wire Cutters, Combo Knife, Saw, Hammer, Cutting Hook, Bolt Override Tool, Firearm Disassembly Punch, Bronze Carbon Scraper, Cleaning Rod/Brush Adapter, Bottle Opener, Bit Driver, Pocket Clip, 1/2 In. And 3/8 In. Wrench Accessory, Philips #1 & 3/16" Screwdriver Bits, Phillips #2 & 1/4" Screwdriver Bits, Torx #15 & Hex 7/64" Bits.

Federal Strategic Sourcing Initiative, 5110-01-585-7934, Stainless Steel Finish, 5" L (Closed), Black Berry Compliant Molle Sheath, EA, \$160.55

This multitool contains: hard wire cutter, punch/awl, screwdriver bit, wire cutter, crimper & striper, flat tip & phillips screwdriver, serrated clip point knife blade, nylon sheath, blade lock, snap closure sheath & camouflage pattern.

Federal Strategic Sourcing Initiative, 5110-01-598-2254, 7-1/2" L. Coyote Brown., EA, \$401.00

Federal Strategic Sourcing Initiative, 5110-01-598-2253, 7-1/2" L. ACU Nylon Sheath ., EA, \$343.97

Federal Strategic Sourcing Initiative, 5110-01-598-2248, 7-1/2" L. Multicam., EA, \$356.11

This multitool contains: Needle Nose Pliers, Wire Cutter, Wire Crimper, Fine Edge Drop Point Knife Blade, Serrated Sheepsfoot Knife Blade, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Large Flat Tip Screwdriver, Cross Tip Screwdriver, Metal/Wood File, Ruler, Bottle Opener and Can Opener.

Federal Strategic Sourcing Initiative, 5110-01-592-2581, (OCP) Camouflage Patern, 5" L (Closed). OCP Nylon Sheath., EA, \$94.88

Contains Needlenose Pliers, Regular Pliers, 154cm Replaceable Wire Cutters, Hard Wire Cutters, Stranded Wire Cutters, Combo Knife, Saw, Hammer, Cutting Hook, Bolt Override Tool, Firearm Disassembly Punch, Bronze Carbon Scraper, Cleaning Rod/Brush Adapter, Bottle Opener, Bit Driver, Removable Pocket Clip, 1/2" & 3/8" Wrench Accessory, Philips No. 1-2 & 3/16" Screwdriver Bits, Phillips No. 2 & 1/4" Screwdriver Bits, Torx No. 15 & Hex 7/64" Bits.

Federal Strategic Sourcing Initiative, 5110-01-585-7936, Black Oxide Finish, 5" L (Closed), Coyote Brown Molle Sheath., EA, \$146.44

All the best in this one multi-tool! Needlenose pliers, cap crimper, replaceable fuse wire cutters, stranded wire cutters, combo knife, saw, hammer, replaceable cutting hook, bolt override tool, punch, bronze carbon scraper, cleaning rod/brush adapter, bottle opener, bit driver, removeable pocket clip, 1/2" & 3/8" wrench accessory, (3) Phillips (#1, #2 & #2), screwdriver bits, Torx #15 & Hex 7/64" bit.

Federal Strategic Sourcing Initiative, 5110-01-585-7937, Black Oxide Finish, 5" L (Closed), Blackberry Compliant Molle Sheath., EA, \$146.44

Multi-purpose tool contains the following: Needle Nose Pliers, Wire Cutter, Wire Crimper, Serrated Drop Point Knife Blade, Metal Cutting Saw, Scissors, Small Flat Tip Screwdriver, Medium Flat Tip Screwdriver, Cross Tip Screwdriver, Metal/Wood File, Ruler, Bottle Opener and Can Opener.

Federal Strategic Sourcing Initiative, 5110-01-451-4945, Stainless Steel Finish, 5" L (Closed). Black Nylon Sheath., EA, \$57.13

This multi tool is designed for the user who needs extreme wire cutting ability and quick access to the components. The tool contains: Needle nose pliers, Wire cutters, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, Cross tip phillips tip screwdriver, Half-serrated drop point knife blade, Replaceable carbide saw blade, File, Scissors, Universal jig saw coupler, Bottle opener and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-475-2144, 4-1/4" L (Closed), Nylon Sheath., EA, \$124.56

Ideal for the handyman. This multi-tool opens up to reveal a knife blade, pliers, wire cutters, ruler, can/bottle opener, flat tip and Phillips screwdrivers, metal and wood file/saw and awl/punch.

Federal Strategic Sourcing Initiative, 5110-01-321-8805, Black Oxide Finish, 4" L (Closed), Leather Sheath., EA, \$70.17

All-in-one multi-tool. Component locking mechanism. Blunt nose pliers, Wire cutters, Wire crimper, Fine edge drop point knife blade, Serrated sheepfoot knife blade, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, Cross tip screwdriver (Phillips #2), Metal/wood file, Ruler, Bottle opener, Can opener and Lanyard eye/ring.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-01-346-5339, 07500G or equal., Stainless Steel Finish, 4-7/8" L (Closed). Black Nylon Sheath., EA, \$64.08

Multi-use pocket tool contains: serrated knife blade, pliers, drop point knife, wire cutters, flat tip and Phillips screwdrivers, can/bottle opener, lanyard eye, ruler and crimper. Also features a component locking mechanism.

Federal Strategic Sourcing Initiative, 5110-01-346-5341, 07520G1 or equal., Black Oxide Finish, 4-7/8" L (Closed), Black Nylon Sheath., EA, \$61.80

The multi-tool includes: Needle Nose Pliers, Wire Cutter, Wire Crimper, Fine Edge Drop Point Blade, Serrated Sheepsfoot Knife Blade, Phillips Screwdriver, Small Flat Tip Screwdrivers, Medium Flat Tip Screwdrivers, Large Flat Tip Screwdrivers, Bottle Opener, Can Opener, File, Ruler and Lanyard Eye/Ring.

Federal Strategic Sourcing Initiative, 5110-01-474-4899, 5" L (Closed). Molle Sheath., EA, \$68.47

This multitool features: Needle nose pliers, Cap crimper, Wire crimper, Hard-wire cutter, Fine edge clip point knife blade, Serrated sheepsfoot knife blade, Wood cutting saw, Scissors, Metal/wood file, Small bit driver, Large bit driver, Large flat tip screwdriver, Ruler, Bottle opener, Can opener, Wire stripper and Lanyard eye/ring. Bits Included: This multi-tool shall consist of one (1) each of the following two (2) bits: Double-ended Phillips #1 and #2 and Double-ended 3/16 inch flat tip and Phillips/flat tip eyeglass.

Federal Strategic Sourcing Initiative, 5110-01-541-1201, Stainless Steel Finish, 4" L (Closed). Black Nylon Sheath., EA, \$87.73

The multitool features hard anodized aluminum handles, Needle nose pliers, Wire cutters, Hard-wire cutters, Wire crimper, Clip point knife blade, Wood cutting saw, Small bit driver, Large bit driver, Metal/wood file, diamond-coated, Bottle opener, Can opener, Wire stripper, Lanyard eye/ring (fixed), Lanyard eye, quick release. Bits Included: This multi-tool shall consist of one (1) each of the following nine (9) bits: Double-ended 1/4 and 3/16 inch flat tip, Double-ended no. 1 and 2 Phillips, Double-ended 3/32 and 5/64 inch hex, Double-ended 5/32 and 9/64 inch hex, Double-ended 1/16 and 0.050 inch hex, Double-ended 1/8 and 7/64 inch hex, Double-ended no. 2 and 3 Robertson, Double-ended 1/8 inch flat tip and T-15 Torx and Double-ended Phillips/flat tip eyeglasses.

Federal Strategic Sourcing Initiative, 5110-01-541-1202, Black Oxide Finish, 4" L (Closed). Black Sheath., EA, \$153.77

This multi-tool includes: Zytel contoured handled grips, needlenose and regular pliers, wire cutters, hard wire cutters, clip point knife, flat tip screwdrivers (2), Phillips screwdriver, ruler 8"/19cm, bottle/can opener, wire stripper and lanyard attachment.

Federal Strategic Sourcing Initiative, 5110-01-525-6665, 4" L (Closed). Nylon Sheath., EA, \$51.47

This multi-use pocket tool includes a component locking mechanism. The tool consists of a Bluntnose pliers, Wire crimper, Wire cutters, Drop point knife blade, Serrated sheepsfoot knife blade, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, #1 Phillips tip screwdriver, Can opener, Bottle opener, Metal/wood file, Ruler and Lanyard eye/ring.

Federal Strategic Sourcing Initiative, 5110-01-346-5340, 07505G or equal., Stainless Steel Finish, 4-7/8" L (Closed). Leather Sheath., EA, \$60.13

Multi-Tool Kit

These multi-tools come in a range of portable sizes and configurations that combine several individual functions in a single unit. These “Pocket Survival Tools”, are larger and more robust than a pocket knife and incorporate all the tools you’ll need to make your mission succeed.

This multi-tool kit contains: Bluntnose pliers, Wire cutter, Wire crimper, Drop point knife blade, Serrated sheepsfoot knife blade, Can opener, Bottle opener, Lanyard eye, Metal/wood file, Phillips #2 screwdriver, Small flat tip screwdriver, Medium flat tip screwdriver, Large flat tip screwdriver, Ruler, Bits Included: This multi-tool shall consist of one (1) each of the following 6 (six) bits: Flat tip #12-14, Flat tip #5-6, Flat tip #0-1, Phillips #1, Phillips #2 and Phillips #3.

Federal Strategic Sourcing Initiative, 5110-01-385-7354, Stainless Steel Finish, 4-7/8" L (Closed), Black. Nylon Sheath, KT, \$71.49

This multi-tool kit contains: a multi-pliers tool, a miniature flashlight and case. The multi-tool contains a retractable needlenose pliers, wire cutter, wire crimper, fine edge knife, file, Phillips screwdriver, (3) flat tip screwdrivers, can/bottle opener, ruler and a lanyard ring. The other components fold into the handle and when opened, lock in the open position and are released by a lock release mechanisms on outside of the handles.

Federal Strategic Sourcing Initiative, 5110-01-462-3402, Stainless Steel Finish, 5" L (Closed), Black Ballistic Nylon Sheath., KT, \$75.14

This multi-tool kit contains: a multi-pliers tool, sheath, eFECT tool, a miniature flashlight and strap cutter. Total Kit Weight: 24.04 oz. Sheath with Components dimensions: 4" x 2" x 6".

Federal Strategic Sourcing Initiative, 5180-01-598-2251, 30-000367 or equal, Tan, KT, \$363.40

Pocket Knives

Pocket Knife (Folding)

Pocket knives are versatile tools, and may be used for anything from opening an envelope, to cutting twine, to slicing an apple or even for self defense.

This folding pocket knife has a stainless steel fine edge blade. The knife features a blade lock & a lightweight, molded to form, non-slip textured plastic handle with black finish & a reversible pocket clip.

Federal Strategic Sourcing Initiative, 5110-01-583-9252, C91PBBK or equal., Black, 8-5/8" L (Open), 4-15/16" L (Closed)., EA, \$107.29

This folding pocket knife has a satin finish stainless steel modified sheepsfoot blade with an oval thumb hole. The blade has a partially serrated / straight edge. The black high strength plastic handle is lightweight and molded to form. The knife features a patented hinged lock and has a reversible stainless steel carry clip.

Federal Strategic Sourcing Initiative, 5110-01-451-0707, Satin Finish, 8-1/2" L (Open), 4-7/8" L (Closed)., EA, \$24.62

This electrician’s folding pocket knife has (3) steel blades: pen & sheepsfoot blade (3" L), wire scraper blade (3" L) & screwdriver tip with insulation cutter blade (3" L).

Federal Strategic Sourcing Initiative, 5110-01-399-9317, J18535 or equal., 7" L (Open), 3-3/4" L (Closed)., EA, \$35.81

Modified drop-point stainless steel blade with ambidextrous thumb-stud opener.

Federal Strategic Sourcing Initiative, 5110-01-598-7727, EA, \$35.83

This pocket knife offers fully automatic deployment & is configured in such a way as to achieve the speed & might that tactical pros require, while still protecting the user with features like a safety pin, which prevents accidental deployments. Furnished with a black sheath with belt loop.

Federal Strategic Sourcing Initiative, 5110-01-516-3243, Black, Length: 8-1/2" (open), 4-13/16" (closed)., EA, \$189.78

Federal Strategic Sourcing Initiative, 5110-01-516-3244, Black, Length: 8-7/8" (open), 5-17/32" (closed)., EA, \$185.53

This multi-purpose, lock back blade knife is designed to open easily with one hand. This tactical type stainless steel blade has a double beveled edge and one side is half serrated. Furnished with a reversible pocket clip and a black nylon sheath.

Federal Strategic Sourcing Initiative, 5110-01-451-4943, 8-1/2" L (Open), 4-3/4" L (Closed)., EA, \$101.91

Multi-purpose single blade lock-back knife. Designed to open easily with one hand. High carbon stainless steel 3.5 inch blade with non-glare satin finish; Furnished with a removable pocket clip.

Federal Strategic Sourcing Initiative, 5110-01-414-4916, 8" L (Open), 4-3/4" L (Closed)., EA, \$30.36

This folding pocket knife has a Tanto style steel blade with a black plastic handle. It has a safety blade lock, textured handle, belt clip and lanyard hole.

Federal Strategic Sourcing Initiative, 5110-01-432-6191, 8-1/4" L (Open), 4-5/8" L (Closed)., EA, \$56.85

This folding combat tacticle pocket knife has a black titanium nitride coated steel dual edge blade. The blade has a partially serrated edge & a straight edge. The black high strength plastic handle is lightweight & molded to form. The knife features a liner lock & has a stainless steel carry clip.

Federal Strategic Sourcing Initiative, 5110-01-516-3228, 8-5/8" L (Open), 4-7/8" L (Closed)., EA, \$108.84

Lock back folding knife. High carbon stainless steel non-serrated blade with non-glare satin finish. Has a removable epocket clip. Features one handed opening.

Federal Strategic Sourcing Initiative, 5110-01-414-4918, 8" L (Open), 4-1/2" L (Closed), EA, \$28.17

Federal Strategic Sourcing Initiative, 5110-01-414-4917, 5-1/2" L (Open), 3-1/2" L (Closed), EA, \$26.79

Lock back folding knife. High carbon stainless steel serrated blade with a non-glare satin finish. Has a removeable pocket clip. Features one handed opening.

Federal Strategic Sourcing Initiative, 5110-01-414-4920, 5-1/2" L (Open), 3-1/8" L (Closed), EA, \$17.88

This multi-purpose folding knife is made of high carbon stainless steel with a non-glare satin finish on the blade. The blade has a smooth sharpened edge from the point to approximately the middle of the blade and the balance of the blade has a serrated edge. The knife has a safety feature that pauses the blade halfway through rotation to prevent accidental opening or closing. The handle is rubberized with a non-slip grip that includes a separate contour for the index finger. This provides for a firm and comfortable grip. Provided in a heavy duty synthetic sheath with Velcro flap closure and a belt loop.

Federal Strategic Sourcing Initiative, 5110-01-369-9340, 8-5/8" L (Open), 5" L (Closed), Nylon Sheath, EA, \$41.84

This folding pocket knife has a black finish stainless steel modified sheepsfoot blade with an oval thumb hole. The blade has a partially serrated / straight edge. The black high strength plastic handle is lightweight and molded to form. The knife features a patented hinged lock and has a reversible stainless steel carry clip.

Federal Strategic Sourcing Initiative, 5110-01-452-2215, Black Finish, 8" L (Open), 4-5/8" L (Closed), EA, \$25.07

This multipurpose lock back folding knife comes with a simulated alligator hide rubber encapsulated handle. The blade is a non-glare, satin finished and made of high carbon steel. Furnished in black synthetic heavy duty sheath with Velcro closure and belt loop.

Federal Strategic Sourcing Initiative, 5110-01-395-0291, 8-3/4" L (Open), 5" L (Closed), EA, \$38.41

Pocket Knife (General Purpose)

General purpose, folding type knife. The knife has four high grade steel blades with nail grooves for easy opening. Included in the knife are a 3-1/4" cutting blade, can opener blade, leather punch blade, combination screwdriver and bottle cap lifter. The cutting blade edge extends to a point and a steel spring holds the blade in position. Riveted assembly makes this knife long lasting. Metal surfaces are ground and polished. A-A-59100.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-162-2205, 3-1/4" L, Clevis Included, EA, \$25.54

Hunting Knife

Hunting or pilot's survival knife features a tempered, heat-treated steel blade encased in a grooved leather handle. Blade measures 5" long. Nylon-laced leather sheath has a snap-close strap and a snap-close pocket for carrying sharpening stone (included). Has a reinforced metal sheath protector. SAE AS 8662.

7340-00-098-4327, 6150 or equal, Overall Length: 9-1/2", EA, \$67.59

Special-Purpose Knives

Utility Knife (Retractable)

Cutting tool used in various trades and crafts for a variety of purposes. Designed to be lightweight, easy to carry and use. Utility knives are commonly used in factories, warehouses and other situations where a tool is routinely needed to open boxes, packages, or cut through tape or cord.

5110-01-621-5259, AbilityOne, 6-1/2" L, Includes 1 Blade, 7 Snap-off Blades, Plastic., EA, \$7.03

5110-01-621-5256, AbilityOne, 6-1/2" L, Includes 1 Blade, 8 Snap-off Blades, Plastic., EA, \$3.58

Federal Strategic Sourcing Initiative, 5110-01-621-7915, AbilityOne, 6-1/2" L, Retracting, Plastic., EA, \$9.59

Federal Strategic Sourcing Initiative, 5110-01-428-5236, 10-499 or equal., 6" L., EA, \$6.15

Federal Strategic Sourcing Initiative, 5110-01-621-5253, AbilityOne, 5-1/2" L, Includes 1 Blade, 13 Snap-off Blades, Plastic., EA, \$2.54

Federal Strategic Sourcing Initiative, 5110-01-428-5547, 6" L, Includes 3 Blades, Aluminum., EA, \$4.12

Federal Strategic Sourcing Initiative, 5110-01-428-5231, Orange, 5-5/8" L, Includes 1 Blade, Zinc., EA, \$5.74

Federal Strategic Sourcing Initiative, 5110-01-412-8019, 42065 or equal., 5-1/2" L, Self Retracting, Zinc., EA, \$5.30

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-892-5071, Includes 5 Blades Steel, 5-1/2" L., EA, \$3.12

Utility Knife (Replacement Blades)

Replacement blades for utility knives.

5110-01-621-5257, AbilityOne, (2) 4-1/2" L, Double Blade., EA, \$1.64

Federal Strategic Sourcing Initiative, 5110-01-428-5268, 2" L, 2 Notched Blade Top., PG(contains 5 EA), \$1.08

Craftsman's Knife Blade (Razor Blade Type)

Replacement blades for utility knives.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-2865, 2-5/16" L x 3/4" W., PG(contains 5 EA), \$0.66

Craftsman's Knife

Hardened steel with a plated or treated surface for corrosion resistance. Attaches firmly to the drive handle.

This Heavy Duty snap off utility knife has a self-Locking auto blade lock and stores up to 5 blades in the handle.

Federal Strategic Sourcing Initiative, 5110-01-600-9339, Type E blade, 5-1/2" L., EA, \$2.08

Consists of a medium-duty holder and six removable blades in the following quantities and styles: one broad, one curved, two double-edged and two close-corner.

Federal Strategic Sourcing Initiative, 5110-00-595-8400, Stencil, 4-1/2" L., EA, \$4.51

Craftsman's Knife (Replacement Blade)

Hardened steel with a plated or treated surface for corrosion resistance. Attaches firmly to the drive handle.

Federal Strategic Sourcing Initiative, 5110-00-359-6478, PG(contains 5 EA), \$1.46

Consists of a light duty holder & (5) removable, razor sharp blades in the following quantities & styles: (1) curved, (2) beveled, (1) stencil cutting & (1) square.

Federal Strategic Sourcing Initiative, 5110-00-293-1585, Stencil, 4-1/2" L., SE, \$2.55

Leather Knife (Square Point)

Shoemaker's knife has a straight, tapered, ground carbon steel blade for cutting tough leather.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-7782, Blade: 3-1/2" L x 3/4" W., EA, \$6.20

Linoleum Knife (Rigid Blade)

This hawkbill style knife cuts linoleum & floor tile made of rubber, plastic, vinyl or asphalt. Carbon steel blade has a hooked point & a ground edge.

Rigid blade is securely pinned in the hardwood handle. Metal ferrule keeps handle from splitting.

Federal Strategic Sourcing Initiative, 5110-00-344-9900, Hawkbill, 1-1/2" L Blade., EA, \$8.65

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-240-7070, Hawkbill, 2-1/2" L Blade., EA, \$6.97

Glass Cutter

Standard cutter features a hardened cutting wheel and a steel or bronze axle for long life. A corrosion-resistant finish covers the handle.

Has a single, fixed wheel for cutting standard flat sheet glass. Features a ball-shaped handle end, three breaker notches for 1/8 to 3/16 thicknesses and a steel cutting wheel.

Federal Strategic Sourcing Initiative, 5110-00-222-4400, 5" L., EA, \$8.74

Razor Blade

The single-edged, carbon steel blade is untreated. Handy for a variety of general utility jobs, such as precision cutting and removing adhesives and labels from smooth surfaces.

Federal Strategic Sourcing Initiative, 5110-00-162-5629, BX(contains 100 EA), \$9.63

Safety Knife

Hanging up side down & held in with a seatbelt or some other tough nylon strapping? No worries. Cutting through the webbing will be like using a hot knife on soft butter.

Federal Strategic Sourcing Initiative, 5110-01-578-4890, Black, 4-3/8" L., EA, \$22.33

Sharpening Stone

Abrasive stone is suitable for sharpening edged tools and instruments. It is durable and chip resistant.

Aluminum oxide (artificial) stone is oil impregnated and is not mounted-in-box.

Round, with fine grit (280-320).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-00-584-4554, 61463686485 or Equal, 4 x 3/8", PG(contains 10 EA), \$7.54

Half round, with medium grit (240).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-00-242-2555, M20 or Equal, 4 x 5/16 x 5/32", PG(contains 10 EA), \$62.44

Half round, with fine grit (280-320).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-00-224-6595, 61463686380 or Equal, 4 x 3/8 x 3/16", PG(contains 20 EA), \$6.59

Novaculite (natural) stone is not oil impregnated and is not mounted.

Round edge slip, with hard (slow-cutting) grit; 1/8" thick at the thin edge.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-00-243-6086, 61463687045 or Equal, 4 x 1-3/4 x 3/8", PG(contains 10 EA), \$55.26

Sharpening stone is an un-mounted stone, not oil impregnated.

Silicon Carbide.

Rectangular, with extra fine grit (400-500).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-00-116-9230, Q6803XF or Equal, 6 x 1 x 3/4", EA, \$14.38

Sharpening Stone Assembly

Sharpen knives and cutlery with this three-grit selection assembly. It operates with stones that are mounted on a triangular spindle that turns in and lifts easily out of oil bath. Simply turn the knob for grit selection. Use the coarse stone to remove nicks in cleavers, the medium stone to renew butcher knife edges and the fine stone to hone a keen edge on boning knives.

Consists of one silicon carbide (course); one silicon carbide (medium); and one aluminum carbide (fine).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-00-215-1881, 614636-85960 or equal, 11"Lx2-3/8"Wx1/2"T, EA, \$273.37

Knife Sharpener

These knife sharpeners are easy to use & insure the same sharp edge every time you use it. Simply place the sharpener flat side down on any firm surface & draw your knife back through it. It will never destroy your knives' temper.

Card-like shape, pocket style.

Federal Strategic Sourcing Initiative, 5110-01-514-7772, 3-1/8" L x 3/4" W x 1/4" T., EA, \$20.42

Awls and Scribes

Trammel Head

Two heads have removable steel scriber points, locking screws, a fine adjustment device and a pencil attachment. Has adjustable points and does not have a beam.

Federal Strategic Sourcing Initiative, 5210-00-221-1850, PR, \$190.95

Electric Etcher

Features a carbide point, six position stroke adjustment dial & a 115V motor. For use on metal, glass, wood, plastic, leather & ceramics.

Federal Strategic Sourcing Initiative, 5130-01-336-5533, 7200 SPM., EA, \$21.94

Electric arc-type etcher operates on 120v AC for marking tools, jigs and dies. Etcher features stage selector switch, on/off power switch, 3 foot etching cable, 3 foot ground cable equipped with a 25 sq. in. ground plate at one end and a copper terminal at the other. Has 5 foot power cable with three-prong plug, steel housing with carrying handle and space for stowage of cables, stylus, spare etching points. Furnished in case. A-A-59252.

Type II - Heavy-duty etcher, 1000 Watts.

Federal Strategic Sourcing Initiative, 5130-00-203-7943, EA, \$893.99

Engraver, marks all materials, includes solid carbide tip.

Federal Strategic Sourcing Initiative, 5130-01-335-1363, GA236B or equal, EA, \$21.86

Machinist's Scriber (Double Point)

Scratch awl/pick is useful for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning nooks / crannies.

Knurled, adjustable sleeve has a chuck for securing the sleeve along a one-piece scribing point. Scriber's sleeve is 2-1/2 to 3" long. Overall length is 8 to 9".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-221-7063, EA, \$2.36

Has removable threaded points and a 2-3/4" to 3-1/4" L handle.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-596-1543, 8" - 9" L Assembled., EA, \$3.45

Machinist's Scriber

Scratch awl/pick is useful for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning nooks / crannies.

One end is straight; the other has a 90° angle for detail work around small objects. Nickel plated steel tips. Knurled aluminum mid-section.

Federal Strategic Sourcing Initiative, 5120-01-428-8378, YA339 or equal., EA, \$4.14

Fixed straight & 90° points.

Federal Strategic Sourcing Initiative, 5120-01-333-9857, 8" L, Knurled., BX(contains 10 EA), \$2.81

Single pointed scriber inscribes on steel & other materials in layout work. Has a pocket clip, a nonrolling tapered steel head & a lightweight aluminum handle with chuck nose. A 1/4" diameter handle reverses a 0.1" - 0.125" diameter scribing point for safety when not in use.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9728, 83 or equal., 4-3/4" L x 1/4" Dia, Knurled., EA, \$3.61

Saddler's Sewing Awl

Needle is for piercing holes and sewing leather. Has a seasoned hardwood handle with a metal ferrule. Made of hardened, tempered steel.

Sewing- and stitching-style awl has automatic action, an enclosed spool or bobbin, a slotted steel chuck and a hardwood handle with an attached tension post. Includes one straight and one curved diamond-point needle. Needles are 2-1/8 long. Space in handle holds spare needles.

Federal Strategic Sourcing Initiative, 5120-00-257-5541, EA, \$23.08

Scratch Awl

Scratch awl/pick is useful for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning nooks / crannies.

Federal Strategic Sourcing Initiative, 5120-01-040-6140, 191-207., 8" L., EA, \$4.99

Special-Purpose Marking Tools

Carpenter's Pencil

Carpenter's-type pencil is for marking lumber. The lead extends throughout the wooden casing. Casing is flat and finished with bright-colored enamel. May be sharpened with a knife. Hardness: 997-H.

7510-00-275-7213, Length: 7", DZ, \$5.35

Surveyor's Flagging Ribbon

Vinyl flagging ribbon is colorfast and will withstand extreme climate changes.

9905-01-458-2057, Artic Blue, 300' L x 1-3/16" W, BX(contains 12 EA), \$48.42

9905-01-458-1192, Artic Red, 300' L x 1-3/16" W, BX(contains 12 EA), \$21.72

9905-01-458-2058, Artic Yellow, 300' L x 1-3/16" W, BX(contains 12 EA), \$20.57

Metal Stamping Die Set

Used for stamping letters or numerals on castings, forgings, machined components, or weldments for informative and identification purposes. Heavy duty die set is made of hardened high grade alloy tool steel. Dies have square bodies, rounded striking ends and beveled or chamfered edges. Character and size are marked on the side of each die. Set is furnished in a plastic or wooden box.

Numeral and letter set has 3/16" characters and contains the complete alphabet in uppercase characters, ampersand, period and contains the complete 0 - 8. (6 to be used as the 9).

Federal Strategic Sourcing Initiative, 5110-00-293-1905, Gothic., SE, \$68.51

Letter set has 1/8" characters and contains the complete alphabet in uppercase characters, plus an ampersand and period.

Federal Strategic Sourcing Initiative, 5110-00-289-0006, Gothic., SE, \$27.30

Calipers

Outside Micrometer Caliper

Heat treated steel tool obtains precise outside measurements. Has hardened and ground measuring faces. Consists of steel or iron frame, micrometer screw spindle, anvil, barrel and thimble, adjusting nut, spindle locknut (clamp ring) and knurled ratchet or friction thimble. Thimble and barrel have a chrome plated, non-glare (dull) finish. Adjusting nut compensates for wear. Wooden or vinyl covered metal case included. Enameled frame may be of various construction, having either a smooth or rippled finish. Beveled barrel and knurled thimble are marked with clear graduations.

Caliper has interchangeable anvils in 1" increments & 0.001 graduations. Has positive seating without any side motion when assembled. Includes disk or rod standard for maintaining the zero setting & positive checking of each length anvil. The length markings on anvils & standards are clear.

Federal Strategic Sourcing Initiative, 5210-00-287-3336, 224BRLZ or equal, Range: 6" - 9", EA, \$121.21

Federal Strategic Sourcing Initiative, 5210-01-523-0196, Range: 2 - 3", Graduations: 0.001". Case., EA, \$232.23

Federal Strategic Sourcing Initiative, 5210-00-560-6091, Range: 0 - 25mm, Graduations: 0.001". EA, \$247.16

Federal Strategic Sourcing Initiative, 5210-00-229-3045, 24" opening, EA, \$372.50

Micrometer has a solid anvil and 0.0001" graduations.

Federal Strategic Sourcing Initiative, 5210-00-243-2933, Range: 1" - 2", EA, \$123.77

Federal Strategic Sourcing Initiative, 5210-00-221-1945, Range: 2" - 3", EA, \$223.81

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-540-2973, Range: 0" to 1", EA, \$222.49

Caliper has a solid anvil and 0.001" graduations.

Federal Strategic Sourcing Initiative, 5210-00-790-1901, Range: 8" - 9", EA, \$313.69

Outside Micrometer Caliper (Set)

Heat treated steel tool obtains precise outside measurements. Has hardened and ground measuring faces. Consists of steel or iron frame, micrometer screw spindle, anvil, barrel and thimble, adjusting nut, spindle locknut (clamp ring) and knurled ratchet or friction thimble. Thimble and barrel have a chrome plated, non-glare (dull) finish. Adjusting nut compensates for wear. Wooden or vinyl covered metal case included. Enameled frame may be of various construction, having either a smooth or rippled finish. Beveled barrel and knurled thimble are marked with clear graduations.

Set consists of six calipers that measure; 0 to 1", 1 to 2", 2 to 3", 3 to 4", 4 to 5", and 5 to 6". One 1" disk and five rod standards (1, 2, 3, 4 and 5") are included for maintaining zero setting on each micrometer.

Federal Strategic Sourcing Initiative, 5210-00-554-7134, Range: 0" to 6", SE, \$1,705.31

Set consists of (12) pieces in size ranges: 0 to 1", 1" to 2", 2" to 3", 3" to 4", 4" to 5" & 5" to 6", 6" to 7", 7" to 8", 8" to 9", 9" to 10", 10" to 11" & 11" to 12" in 0.0001" graduations.

Federal Strategic Sourcing Initiative, 5210-00-088-1945, SE, \$4,783.16

Inside Micrometer Caliper

For obtaining very fine inside measurements. Graduated in 0.001". Heat treated steel with a chrome plated, dull (nonglare) finish.

Rod & sleeve style consists of micrometer head, measuring rods, knurled locking screw, spacing collars, insulated handle & assembling wrenches. Head is assembled from micrometer screw barrel & graduated thimble. Handle mounts on head at a right angle to the measuring rod.

Federal Strategic Sourcing Initiative, 5210-00-221-1921, Range: 2" to 12", EA, \$387.45

Tubular style has an interchangeable head that fits on each hollow, tubular measuring rod. Rods may be mounted on either or both ends of head. Each rod has an adjustable, hardened ground plug at one end.

Furnished with a slip-on handle that can be attached anywhere along the head or measuring rods.

Federal Strategic Sourcing Initiative, 5210-00-293-3523, Range: 1-1/2" to 8", EA, \$336.25

Vernier Caliper

Caliper consists of beam frame with integral fixed jaw, sliding jaw with Vernier scale, adjustment screw and fine adjustment clamp. Main scales are located on front and back of beam. For outside readings the scale is read directly, for inside readings the scales allow for stated width of nibs. Made of tool steel with a chrome plated dull finish. Carrying case included.

Caliper has 0" to 3-3/4" (0 to 95.2mm) outside ranges and 1/4" to 4" (6.34mm to 100mm) inside ranges. Graduations: 0.001" (0.02mm).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-2091, 5" L., EA, \$257.78

Caliper has 0 to 6" (0 to 150mm) outside & inside ranges. Locking screw. Graduations: 0.001".

Federal Strategic Sourcing Initiative, 5210-00-277-7549, EA, \$1,145.88

Caliper has 0 to 6" outside and inside ranges. Dial display. Locking screw. Graduations: 0.001".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-01-010-4522, Case., EA, \$230.26

Caliper has 0 to 6" (0 to 150mm) outside ranges and 1/4" to 6" (6.5 to 150mm) inside ranges. Front Vernier in English units has 0.001" graduations and back Vernier in metric units has 0.02mm graduations.

Federal Strategic Sourcing Initiative, 5210-00-250-4761, EA, \$902.02

Caliper has 0" to 12" outside & inside ranges. Dial display. Grads 0.001".

Federal Strategic Sourcing Initiative, 5210-01-268-3416, Case., EA, \$436.23

Caliper has 0 to 12" (0 to 300mm) outside ranges and 0.01" to 12" (0.3 to 300mm) inside ranges. Front Vernier in English units has 0.001" graduations and back Vernier in metric units has 0.02mm graduations.

Federal Strategic Sourcing Initiative, 5210-00-293-2913, Wooden Case., EA, \$1,359.45

Caliper has 0 to 24" (0 to 600mm) outside ranges and 0.300 to 24" (7.6 to 600mm) inside ranges. Graduations: 0.001" (0.02mm).

Federal Strategic Sourcing Initiative, 5210-00-234-8017, EA, \$976.13

Electronic, range 0-200MM, resolution 0.0005", large LCD display, rolling thumb wheel, control buttons on face, zero, on/off & inch/MM, absolute scales, application remembers the measuring position even after gauge switched off, measuring speed unlimited measuring system absolute, molded plastic case & digital display caliper.

Federal Strategic Sourcing Initiative, 5210-01-601-2377, 500-197-20, EA, \$218.64

Caliper has 0 to 36" outside and inside ranges. Graduations: 0.001".

Federal Strategic Sourcing Initiative, 5210-00-222-4565, EA, \$2,569.39

Dial Indicators

Electronic Caliper

Electronic caliper w/ depth gage. Resolution: 0.005". Accuracy: POM 0.001". Features: fine adjustment, lock, auto off after 15 minutes, (2) 3V batteries, fitted plastic case, zero at any position, output data transmission: devices supporting RS232C.

Federal Strategic Sourcing Initiative, 5210-01-259-6010, 0" to 6", EA, \$183.60

Tubing Micrometer Caliper

Here's a micrometer with the look & feel of quality a craftsman really appreciates. Forged steel frame has a durable black wrinkle finish combined with a silver mist chrome finish head. Gaging Range: 0 to 1", Graduation Unit: Thousandths of an inch.

Federal Strategic Sourcing Initiative, 5210-00-293-0042, 02-0851-9100 or equal, EA, \$117.48

Dial Indicator

Indicator measures linear distances when checking dimensions, inspecting fixtures and aligning workpieces on lathes, milling machines and shapers. Has a clear, unbreakable crystal. Described by (Capacity, Graduations).

Federal Strategic Sourcing Initiative, 5210-00-904-4836, 3", 0.001", 0-100 Markings., EA, \$449.83

Federal Strategic Sourcing Initiative, 5210-01-616-6247, 1/8", 0.0005", 0-25-0 Markings., EA, \$486.58

Federal Strategic Sourcing Initiative, 5210-01-337-3667, 651B5, 0.2", 0.001", 0-50-0 Markings., EA, \$436.05

Federal Strategic Sourcing Initiative, 5210-01-397-3022, 0.2", 0.001", 0-100 Markings., EA, \$161.27

Federal Strategic Sourcing Initiative, 5210-00-710-4359, 1/8", 0.0005", 0-25-0 Markings., EA, \$214.16

Indicator measures linear distances when checking dimensions, inspecting fixtures and aligning workpieces on lathes, milling machines and shapers. Has a clear, unbreakable crystal. Described by (Capacity, Graduations) A-A-2348.

Federal Strategic Sourcing Initiative, 5210-00-277-8840, 0.2", 0.001", 0.1 Markings., EA, \$160.34

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-377-6525, 1/5", 0.001", 0-50-0 Markings., EA, \$149.13

Dial Indicator (Holder)

Consists of magnetic base, upright base post, rod, indicator attachment & (2) snugs. Base has on/off switch for a magnet & (3) magnetic contact points. Base has extra 1/4-20 tapped hole on side for mounting post.

Federal Strategic Sourcing Initiative, 5210-01-091-0696, EA, \$152.87

Cylindrical Vial Level

Levels in horizontal & vertical planes simultaneously.

IAW U.S. Army Tank-Automotive Command drawing 12297933, Rev B.

Federal Strategic Sourcing Initiative, 5210-01-106-6157, EA, \$130.47

Gages

Thickness Gage (Set)

An excellent tool for checking narrow slots and clearances between fitted parts. English system, feeler type gage includes multiple leaves attached to the metal case at one end, making for easy storage. Thickness is permanently marked on each leaf. Features radial ends.

Gage consists of (16) blades. Blade thickness: 0.009" - 0.011", 0.014" - 0.021", 0.023" - 0.027" in 0.001 increments.

Federal Strategic Sourcing Initiative, 5210-01-399-9333, EA, \$18.13

Gage consists of (25) blades. Blade thickness: 0.0015", 0.002" through 0.018", 0.02", 0.022", 0.024", 0.03", 0.032", 0.035" & 0.04".

Federal Strategic Sourcing Initiative, 5210-01-399-9319, EA, \$12.10

Gage consists of (25) blades. Blade thickness: 0.04mm through 0.1mm (0.01 increments), 0.15mm through 1mm (0.05 increments).

Federal Strategic Sourcing Initiative, 5210-01-399-9332, 3-5/16" L x 1/2" W., EA, \$7.91

Gage consists of (25) blades. Blade thickness: 0.0015", 0.002" through 0.008", 0.01" through 0.021", 0.025", 0.027", 0.03" & 0.04". Equipped with a lock.

Federal Strategic Sourcing Initiative, 5210-01-335-1616, Blades: 3-5/16" L x 1/2" W., EA, \$7.93

Gage consists of (20) blades. Blade thickness: 0.05mm thru 1mm.

Federal Strategic Sourcing Initiative, 5210-01-045-3526, Blade: 3" L x 1/2" W., EA, \$7.91

Gage consists of (26) blades. Blade thickness: 0.0015", 0.002", to 0.021", 0.025", 0.027", 0.030" & .040".

Federal Strategic Sourcing Initiative, 5210-01-399-9318, Blade: 12" L x 1/2" W., EA, \$24.01

Gage consists of (26) blades. Blade thickness: 0.0015", 0.002", 0.0025", 0.003" through 0.025". Equipped with a lock.

Federal Strategic Sourcing Initiative, 5210-00-274-2857, Blade: 3" L x 1/2" W., EA, \$23.87

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-1999, Blades: 3" L x 1/4" W., EA, \$22.65

Gage consists of (26) blades. Blade thickness: 0.003" through 0.018", 0.020", 0.022", 0.024", 0.025", 0.028", 0.03", 0.032" & 0.035". Equipped with a lock.

Federal Strategic Sourcing Initiative, 5210-00-223-9191, Blade: 3" L x 1/2" W., EA, \$7.47

Gage consists of (32) blades. Blade thickness: 0.0015", 0.002", 0.0025", 0.003", 0.004", 0.005", 0.006", 0.007", 0.008", 0.009", 0.01" (0.01" Brass), 0.011" - 0.026", 0.028", 0.03", 0.032" & 0.035". Blade lock.

Federal Strategic Sourcing Initiative, 5210-01-368-4549, EA, \$7.74

Thickness/Taper/Wire Gage

Combination thickness, taper & steel wire gage checks narrow slots & clearances between fitted parts. Leaf style feeler gage & blade locknut. Has finished, smooth surfaces & edges with rounded ends. Sizes are clearly marked. (9) tapered thickness gage leaves in sizes 0.002, 0.003, 0.004, 0.006, 0.008, 0.010, 0.012, 0.015 & 1/16". (1) tapered thickness gage leaf has parallel edges, tapers from hinge to face end & is marked with the following thicknesses: 1/64, 1/32, 3/64, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64 & 3/16". The 18 slot wire gage leaf is for Birmingham iron wire gage sizes 19 to 36. Leaves fold into a metal case.

Federal Strategic Sourcing Initiative, 5210-00-221-2047, EA, \$168.25

Wire Gage

American standard wire gage is for determining diameters of wire or thickness of nonferrous metal for gage numbers 0 to 36. Circular gage is made of steel & measures 3-1/4" Dia. Slots are cut in the periphery for each diameter. Has American standard wire gage sizes on the front & decimal equivalents on the reverse side. Has a 1" Dia hole in the center.

Federal Strategic Sourcing Initiative, 5210-00-238-3106, EA, \$32.29

Depth Gage (Micrometer)

Micrometer-style gage consists of micrometer head with base and measuring rods in consecutive sizes. Features ratchet or friction thimble. Made of heat treated tool steel with chrome plating and a dull finish. Includes a case.

5210-01-011-3886, Range: 0 - 3", Rods: 3, EA, \$286.71

Base: 2-1/2" W., Micrometer style gage consists of micrometer head with base and 5/32" diameter measuring rods in consecutive inch sizes. Features ratchet or friction thimble. Graduated in 0.001", with a head range of 1". Rods are securely held in micrometer spindle. Made of heat treated tool steel with chrome plating and a dull finish.

Federal Strategic Sourcing Initiative, 5210-00-221-1932, Range: 0 to 6", 2-1/2" W Base, 6 rods., EA, \$158.18

Federal Strategic Sourcing Initiative, 5210-00-619-4045, Range: 0 to 6"; Rods: 6, Base 4" L., EA, \$249.60

Micrometer-style gage consists of micrometer head with base and measuring rods in consecutive sizes. Features ratchet or friction thimble. Made of heat treated tool steel with chrome plating and a dull finish. Includes a case.

Federal Strategic Sourcing Initiative, 5210-00-477-9603, 443Z-3RL or equal, Range: 0 - 3", Rods: 3, Base: 2" W., EA, \$261.62

Federal Strategic Sourcing Initiative, 5210-01-008-8119, 445AZ-9RL, Range: 0 - 9", Rods: 9, Base: 3" W., EA, \$545.18

Federal Strategic Sourcing Initiative, 5210-01-162-9477, Range: 0 - 75mm, Rods: 3, Base: 2-1/2" W., EA, \$318.32

Vernier Depth Gage

Gage measures in English units and has one 6-long blade with a 3-1/2 minimum range and one 12-long blade with a 9-1/2 range. Has a fine adjustment clamp and screw. Provided in a wooden carrying case.

Federal Strategic Sourcing Initiative, 5210-00-274-2861, EA, \$289.18

Screw Pitch Gage

Hardened steel feeler gage has 60° angled teeth for checking interior and exterior threads and pitches. Ideal for measuring threads on machine screws, bolts and thread fittings. Knurled thumb nut locks in open or closed position. Size is etched on the leaves. Furnished with a steel case.

(51) leaves have the following threads per inch: 4, 4-1/2, 5, 5-1/2, 6, 7, 8, 9, 10, 11, 11-1/2, 12, 13, 14, 15, 16, 18, 20, 22, 24, 26, 27, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82 and 84. (3) blade groups.

Federal Strategic Sourcing Initiative, 5210-00-203-7763, EA, \$49.55

(28) leaves have the following threads per inch: 4, 4-1/2, 5, 6, 7, 8, 9, 10, 11, 11-1/2, 12, 13, 14, 16, 18, 20, 24, 27, 28, 32, 36, 40, 44, 48, 56, 64, 72 & 80. (2) blade groups.

Federal Strategic Sourcing Initiative, 5210-00-293-1872, EA, \$26.73

Screw Pitch Gage (Metric)

Hardened steel feeler gage has 60° angled teeth for checking interior and exterior threads and pitches. Ideal for measuring threads on machine screws, bolts and thread fittings. Knurled thumb nut locks in open or closed position. Size is etched on the leaves. Furnished with a steel case.

Contains (28) leaves with the following thread pitches: 0.5mm - 11.5mm.

Federal Strategic Sourcing Initiative, 5210-00-221-1993, EA, \$34.17

Crankshaft Distortion Gage

Gage has an adjustable dial indicator for measuring distortion in engine crankshafts. Dial indicator head has 0.001" graduations, 0-20-0 dial reading & 5/32" range. (10) pointed extension rods give 2-3/8" to 18" range. Includes balancing attachment & wooden case.

Federal Strategic Sourcing Initiative, 5210-00-494-1776, EA, \$618.46

Drill Point Gage

Consists of a 6" ruler with hook & sliding head. Head slides & locks at any position along the rule by turning the thumbscrew. Hardened blade of the head is riveted to a flat 59° indicator face 1" L & is clearly marked in 1/32" graduations. Rule is graduated in 1/64", 1/32", 1/16" & 1/8" increments. Hook is securely attached to the zero mark on the blade, which has integral tabs on both edges at the zero end.

Federal Strategic Sourcing Initiative, 5210-00-221-2072, 6" L x 3/4" W x 0.05" T., EA, \$43.08

Drill & Rod Gage

Rectangular flat steel gage has rows of holes in descending order by diameter size. For measuring diameters of twist drills and drill rods. Clearly & permanently stamped with sizes.

Wire size gage is for measuring sizes: 1 - 60.

Federal Strategic Sourcing Initiative, 5210-00-221-1894, EA, \$11.84

Federal Strategic Sourcing Initiative, 5210-00-221-1893, EA, \$11.84

Cylinder Gage

Designed to measure engine cylinder bores for straightness, out of roundness & taper diameters. Gage's dial indicator is mounted on a block with a locking device & slide base. Forged steel alignment slide base has a fixed contact point. Locking screw sets the adjustable contact point to synchronize the indicating needle. Knurled steel handle attaches to the toggle joint in the cylinder block. Extension rods form point of contact. Marked in 0.001 graduations, with a 0-100 dial & 0.100 minimum travel. Has a 2-1/2" to 9" gauging range. A-A-52212.

Federal Strategic Sourcing Initiative, 5210-00-494-1774, EA, \$618.60

Telescoping Hole Gage Set

Telescoping style gage is for internal measuring. Consists of a spring loaded telescoping plunger, locking device, self centering handle and case. Plunger operates at a right angle to the handle. Knurled thumb knob on the opposite end of the handle locks gage setting.

Telescoping style gages makes quick, accurate measurements of holes and slots in a wide range of sizes. Set consists of (6) telescoping gages having a range from 5/16" to 6".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-473-9350, Case., SE, \$311.49

Small Hole Gage Set

Small gage measures holes, slots and recesses that are too small or shallow for telescoping gages. Set consists of 4 small hole telescoping gages having a range from 0.125" to 0.5".

Federal Strategic Sourcing Initiative, 5210-00-449-7014, S831EZ or equal, SE, \$63.85

Petroleum Gage Stick

Gage sticks measure liquids in tanks.

Stick is 78-1/2" L & is made of seasoned hardwood (two pieces with a locking device) or aluminum tubing coated to prevent deterioration. Stick has 5/8" to 1" thick & 3/4" to 1-1/8" W. Stick is graduated in 1/8ths & has a non-sparking endcap.

Federal Strategic Sourcing Initiative, 5210-01-309-2055, EA, \$58.34

IAW U.S. Army Mobility Equipment Research & Development Center drawing 13217E7144, Rev A.

Federal Strategic Sourcing Initiative, 5210-01-083-2926, EA, \$57.59

Rules and Protractors

Steel Rule (Rigid)

Rigid one piece ruler is expressly for right hand reading. Features easy to read, non-glare black markings and figures on heat treated tool steel or stainless steel. Features English markings.

Has metric & English markings. Front face of metric rule has one edge graduated in mm & the other in 1/32" increments.

Federal Strategic Sourcing Initiative, 5210-01-075-9328, 6" L x 3/4" W x 0.051" T., EA, \$13.60

Front face has one edge graduated in 1/16" increments and the other in 1/32" increments. Back face has one edge graduated in 1/16" increments and the other in 1/100" increments.

Federal Strategic Sourcing Initiative, 5210-00-273-1965, C607R-6 or equal, 6" L x 3/4" W x 3/64" T., EA, \$14.88

Federal Strategic Sourcing Initiative, 5210-00-293-0565, 24" L x 1-1/4" W x 0.051" T., EA, \$164.23

Federal Strategic Sourcing Initiative, 5210-00-273-1960, 36" L x 1-1/4" W x 0.051" T., EA, \$129.98

Front face has one edge graduated in 1/32" increments and the other in 1/64" increments. Back face has one edge graduated in 1/8" increments and the other in 1/16" increments.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-234-5223, 6" L x 3/4" W x 0.04" T., EA, \$9.85

Federal Strategic Sourcing Initiative, 5210-00-234-5224, 12" L x 1" W x 0.051" T., EA, \$26.58

Federal Strategic Sourcing Initiative, 5210-00-243-3367, 18" L x 1-1/4" W x 0.051" T., EA, \$42.40

Steel Rule (Flexible)

Flexible one piece rule is for right hand reading. Has non-glare easy to read black markings and figures on a heat treated or stainless steel.

Has English markings. Front face has one edge graduated in 1/32" increments and the other in 1/64" increments. Back face has one edge graduated in 1/10" increments and the other in 1/100" increments.

Federal Strategic Sourcing Initiative, 5210-00-204-1283, 301-006 or equal, 6" L x 1/2" W., EA, \$11.99

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-971-8827, 6" L x 1/2" W., EA, \$7.92

Metric markings. Both faces have one edge graduated in 1/2mm increments and the other in 1mm increments.

Federal Strategic Sourcing Initiative, 5210-00-267-2765, C330-300 or equal, 11.81" L x 1/2" W., EA, \$26.39

Has metric and English markings. One edge graduated in 1/64" increments & one edge graduated in 1mm increments. The other side has fractional to metric equivalents.

Federal Strategic Sourcing Initiative, 5210-00-362-5100, 6" L x 1/2" W, Pocket Clip., EA, \$2.95

Folding Rule

Outside reading wood ruler. Metal joint plates and durable, tempered springs hold each section in open or closed position. Displays 1/16" graduations on edges of both sides.

Wooden rule features a yellow or white enamel or lacquer finish. End caps are made of brass or steel alloy.

Federal Strategic Sourcing Initiative, 5210-00-293-3511, 72" L x 5/8" W x 0.12" T. 1/16" Grads., EA, \$16.31

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-293-3393, 72" L x 5/8" W x 0.095" T. 1/16" Grads., EA, \$14.95

Yardstick (Wood)

This yardstick is 36" L & 1" W, is made of seasoned hardwood & has a protective coating. The front side is marked in 1/8" increments on the top edge and the backside in 1/16, 1/8, 1/4, 3/8, 1/2, 5/8, 3/4 & 7/8 fractions of a yard increments. The yardstick has corrosion resistant end caps and hanging holes at both ends. A-A-2940.

Federal Strategic Sourcing Initiative, 5210-00-243-3349, EA, \$5.92

Protractor

For precision measuring, laying out of angles and scribing of lines. Frame, blade and head are made of steel.

Rectangular head protractor is graduated from 0° to 180° both ways in 1° graduations and has a 6" L non-adjustable arm.

Federal Strategic Sourcing Initiative, 5210-00-273-3422, 6" L., EA, \$17.96

Protractor (Mechanics)

For precision measuring, laying out of angles and scribing of lines. Frame, blade and head are made of steel.

Rectangular head, 0 to 90 degrees, magnetic base, measures any angle for pitch or slope.

Federal Strategic Sourcing Initiative, 5210-01-604-4826, EA, \$13.96

Protractor (Digital)

For precision measuring, laying out of angles and scribing of lines. Frame, blade and head are made of steel.

Battery operated (9V). 360° range (90 X 4) Resolution: 0.1°. Accuracy: +/- 0.1° at level, +/- 10° at plumb, 0.2° otherwise. Temperature Operating Range: 23° to 122° F. Features: V-grooved base with two 6-32 tapped holes spaced 4-1/8".

5210-01-494-0899, J38460-A or equal, 6.015" L x 1.215" W x 1.9" H., EA, \$720.70

Straightedge

This tool will give you the accuracy you need & it will last a lifetime.

Federal Strategic Sourcing Initiative, 5210-00-174-3231, 24" L x 1-7/16" W., EA, \$174.25

Federal Strategic Sourcing Initiative, 5210-00-735-7604, 18" L x 1-7/16" W., EA, \$88.08

Machinist's style is for general machine shop use for laying out lines & checking surfaces. Has flat, parallel surfaces & squared ends. One edge is beveled 20 deg, & one edge is square. (2) support points are permanently marked 8" from each end. Tool is not graduated. Made of semi hardened tool steel with ground, polished surfaces. Measures 36" L x 3" W. A-A-52210.

Federal Strategic Sourcing Initiative, 5210-00-264-6400, EA, \$214.69

Squares

Carpenter's Square

The square is more commonly referred to as the framing, rafter or carpenter's square. It consists of a long arm and a shorter one, which meet at a 90° angle.

Face has graduations in 16ths and 4ths on edges of both body and tongue. Back has edge graduations in 12ths and 4ths on body and in 12ths and 10ths on tongue. Brace Table and Octagon Essex Board Measure (100th) scales are included.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-810-3490, Blade 16" L x 24" L Beam., EA, \$16.57

Face has 16ths and 8ths graduations on edges of both body and tongue. Back has edge graduations in 16ths and 12ths on body and in 12ths and 10ths on tongue. Includes Brace Table and Octagon and Essex Board Measure (100th) scales.

Federal Strategic Sourcing Initiative, 5210-00-273-1948, Beam 24" L, Blade 16" L, 2" W., EA, \$16.35

Federal Strategic Sourcing Initiative, 5210-01-428-5325, 45-910 or equal, 10-1/4" x 6-3/4", Steel., EA, \$13.87

Federal Strategic Sourcing Initiative, 5210-01-428-5559, 24" x 16", Aluminum., EA, \$20.17

Machinist's Combination Square

Perform multiple tasks with this precision square depending on the accessories added. Square heads have a 90° square face and a 45° miter face and come with hardened scriber and level. Center heads can accurately determine the center of round work. Protractor heads have revolving turrets with direct reading double graduations a full 0 to 180° in opposite directions. Protractor heads are furnished as reversible type with shoulders on both sides of the blade or non-reversible type with a single shoulder. Grooved blade is made of hardened steel. A-A-3179.

Blade face is graduated in 8ths on one edge and 16ths on the other edge; the opposite blade face is graduated in 16ths on one edge and 32nds on the other edge. Includes square/miter head, level glass and scriber.

Federal Strategic Sourcing Initiative, 5210-00-241-3599, 12" L, Included Heads: Square & Miter., EA, \$17.15

Type: 1 (Blade graduations of 8ths and 16ths of an inch on one side and graduations of 32ths and 64ths of an inch on opposite side).

Federal Strategic Sourcing Initiative, 5210-00-540-3513, 12" L, Included Heads: Square/Miter (Cast Iron), Protractor & Center., EA, \$194.35

Federal Strategic Sourcing Initiative, 5210-00-224-9937, 6" L, Included Heads: Square, Miter & Center., EA, \$102.33

Type: 2 (Blade graduations of 32ths and 64ths of an inch on one side and graduations of 50ths and 100ths of an inch on opposite side).

Federal Strategic Sourcing Initiative, 5210-00-078-8949, 12" L, Included Heads: Square, Miter, Protractor & Center., EA, \$156.46

Federal Strategic Sourcing Initiative, 5210-00-078-8947, 12" L, Included Heads: Square, Miter & Center., EA, \$80.15

Federal Strategic Sourcing Initiative, 5210-00-078-8948, 12" L, Included Heads: Square & Miter., EA, \$11.59

Sliding T Bevel

Machinists & carpenters use bevells to transfer angles in laying out work. Has a plastic or wooden handle with metallic tips that measures 5-9/16" long, 1" wide & 3/4" thick. Locking device on handle holds the blade firmly in any position. Corrosion resistant hardened steel blade measures 8" long x 1" wide.

Federal Strategic Sourcing Initiative, 5210-00-278-0645, EA, \$3.54

Measuring Tapes

Measuring Tape (Steel)

Self supporting steel measuring tape features permanent graduation markings and numbers printed on the full length of the tape. Housed in a butt end plated metal or impact resistant plastic case.

Displays English markings. Graduations are in 1/16" the full length & in 1/32" the first 6". Features power return, blade lock & belt clip.

Federal Strategic Sourcing Initiative, 5210-00-078-3905, 12' L x 1/2" W., EA, \$12.00

Displays both English & metric markings. Graduations are in both 1/16" & 1mm over entire length of tape. Reads from left to right. Includes pull push winding feature.

Federal Strategic Sourcing Initiative, 5210-00-245-0301, 6' L x 1/2" W., EA, \$5.81

Features automatic winding power return, blade lock & belt clip. The color of the blade is yellow enamel with black enamel graduations. Markings are English. Graduations are in 1/16". Reads from left to right.

Federal Strategic Sourcing Initiative, 5210-01-397-3083, 30' L x 1" W., EA, \$16.49

Federal Strategic Sourcing Initiative, 5210-01-494-0069, 25' L x 1-1/4" W., EA, \$23.02

Features automatic winding power return and blade lock. Has English and metric markings. Graduations are in 1/16" and in mm. The first 12" shall be graduated in 1/32". Reads from left to right.

Federal Strategic Sourcing Initiative, 5210-00-086-4988, AbilityOne, 10' L x 1/2" W., EA, \$12.74

Features automatic winding power return, blade lock and belt clip. Case is chrome plated steel. Displays English markings. Graduations are in 1/16".

Federal Strategic Sourcing Initiative, 5210-00-150-2920, AbilityOne, 16' L x 3/4" W., EA, \$14.37

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-182-4797, AbilityOne, 12' L x 3/4" W., EA, \$13.42

Features automatic winding power return, blade lock and a belt clip. Displays English markings. Graduations are in 1/16" increments (first 6" are in 1/32"). Reads left to right.

Federal Strategic Sourcing Initiative, 5210-01-139-7444, AbilityOne, 25' L x 1" W., EA, \$16.05

Features automatic winding power return, blade lock & belt clip. Case is chrome plated steel. Displays English markings. Graduations are in 1/16" (first 12" are in 1/32"). Stud markings every 16" & 19.2".

Federal Strategic Sourcing Initiative, 5210-01-428-5502, 25' L x 1" W., EA, \$17.27

Features pull push winding. Graduations are in 1/16" (first 6" graduated in 1/32"). Reads from left to right. The case does not have a stop or release mechanism for the blade.

Plastics Removal in Marine Environments

5210-00-287-3335, 6' L x 1/2" W., EA, \$5.10

Features pull push winding. Graduations are in 1/16" (The first 6" are graduated in 1/32"). Reads from left to right. The case does not have a stop or release mechanism for the blade. Tape is chromium plated steel.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-293-3505, 10' L x 1/2" W., EA, \$13.96

Measuring Tape (Long Steel)

For general purpose distance measuring. Long steel tape is housed in a round, steel, vinyl covered case and has a finger ring. Tape blades feature easy to read markings on either a plated, epoxy coated or black, etched blade. All reels have a pop open folding handle for quick, easy rewinding.

English markings. Reads left to right. Graduations: 1/8".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-1882, 100' L x 3/8" W., EA, \$45.38

Federal Strategic Sourcing Initiative, 5210-00-234-6745, 50' L x 3/8" W., EA, \$17.09

Tape features English and Metric markings. Graduations in feet, inches and 1/8" on one side. The reverse side in 1cm with a minimum of the first dm in mm. Tape is yellow with red and black markings. Read right to left, left to right and vertically.

Federal Strategic Sourcing Initiative, 5210-00-527-9429, 100' L x 3/8" W., EA, \$36.72

Measuring Tape (Tank Gauging)

This tape is designed for gauging tank fluid levels is graduated in 1/8" increments. Standard American markings are black on a light, rust resistant background.

Consists of a reel, hand crank rewind, plumb bob and one metal tape wiper with replaceable felt pads. The corrosion resistant carbon steel frame supports the tape reel and rewind spindle. A hardwood frame handle ensures a firm hold. Tape is 1/2" wide. Brass plumb bob measures 6-3/4" long and 1" in diameter. One end tapers to a flat point, the other end has a lug or eye for attaching to swivel snap fitted on end of tape. A-A-52216.

Type: I (Plumb bob for measuring liquids), Size: 1 (25 feet), Finish: 1 (Light background).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-1885, 25' L., EA, \$147.20

Type: I (Plumb bob for measuring liquids), Size: 2 (50 feet), Finish: I (Light background).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-1886, 50' L., EA, \$168.01

Type: I (Plumb bob for measuring liquids), Size: 3 (75 feet), Finish: I (Light background).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5210-00-221-1887, 75' L., EA, \$199.15

Type: 2 (Plumb Bob for measuring liquids & temperature), Size: 2 (50 feet), Finish: II (Satin chrome white (with black markings)).

Federal Strategic Sourcing Initiative, 5210-00-526-0752, 50' L., EA, \$218.56

Measuring Tape Replacement (Tank Gauging)

This replacement tape is designed for gauging tank fluid levels is graduated in 1/8" increments. Standard American markings are black on a light, rust resistant background. A-A-52216.

Type: I (Plumb bob for measuring liquids), Size: 2 (50 feet), Finish: I (Light background).

Federal Strategic Sourcing Initiative, 5210-00-347-2613, 50' L x 1/2" W., EA, \$127.24

Type: I (Plumb bob for measuring liquids), Size: 3 (75 feet), Finish: I (Light background).

Federal Strategic Sourcing Initiative, 5210-00-347-2591, 75' L x 1/2" W., EA, \$131.03

Type 3: (Measuring liquids), Size: 4 (100 feet), Finish: 1 (Light background).

Federal Strategic Sourcing Initiative, 5210-01-355-3806, 100' L., EA, \$160.66

Federal Strategic Sourcing Initiative, 5210-01-357-4178, 100' L. Plumb Bob Not Included., EA, \$184.41

Levels

Line Level

Level has a fixed, horizontal vial. Features a single face and a smooth, flat bottom surface. Brass or aluminum stock has integral hooks or other means for attaching to a line. Weighs less than 1/2 oz. Rugged construction withstands rough handling.

Federal Strategic Sourcing Initiative, 5210-00-223-9606, 3" L., EA, \$5.39

Carpenter's Level (Aluminum)

Carpenter's type level features two twin plumb vials and one fixed, non-graduated twin level vial with bent glass tubes. Equipped with double face and side reading convenience. Construction is truss or channel style. Vials are fixed to ensure accuracy.

Federal Strategic Sourcing Initiative, 5210-00-239-0892, 24" L, 2 Bubble, 4 Cross Level., EA, \$26.69

Federal Strategic Sourcing Initiative, 5210-00-241-8305, 12" L, 2 Bubble, 4 Cross Level., EA, \$23.50

Federal Strategic Sourcing Initiative, 5210-00-277-2430, 18" L, 2 Bubble, 4 Cross Level., EA, \$41.64

Cylindrical Vial Level

Levels in horizontal & vertical planes simultaneously.

Federal Strategic Sourcing Initiative, 5210-00-152-0493, 1-7/16" Dia, Brass., EA, \$15.78

Federal Strategic Sourcing Initiative, 5210-01-516-7126, 36078 or equal, 1-3/4" Dia, Plastic., EA, \$2.89

Measuring Tape (Fiberglass)

Fiberglass tape is for general measuring use, particularly near electrical equipment, power lines and where a high degree of accuracy is not required. Tape is made of woven linen or synthetic fiber with a moisture resistant coating and fungus treatment. Replaceable tape has black and red markings. All tapes have a pop open folding handle for easy, fast rewinding.

Has English markings. Graduations are 1/4". Features a finger ring. Reads left to right.

Federal Strategic Sourcing Initiative, 5210-00-554-7092, 100' L x 5/8" W. Grads 1/10"., EA, \$30.37

Federal Strategic Sourcing Initiative, 5210-00-554-7087, 100' L x 5/8" W. Grads 1/4"., EA, \$22.04

Measuring Wheel

Roll these wheels along a surface to measure distances up to 99,999 feet. Choose 36" circumference and larger wheels for measuring uneven surfaces.

Federal Strategic Sourcing Initiative, 5210-01-652-5424, 36" Wheel Circum, 44" L., EA, \$144.20

Plumb Bob (Brass)

Accurately centered surveyor's type plumb bob establishes perpendicular lines. Includes the following: a polished, conical brass body, a detachable, hardened, replaceable steel point, a removable, threaded brass head. Cord hole or slot is for a seven foot braided silk or linen cord. Lacquer finish.

Federal Strategic Sourcing Initiative, 5210-00-268-9617, 10 oz, 5" L., EA, \$9.81

Federal Strategic Sourcing Initiative, 5210-01-367-7283, 8 oz, 5" L., EA, \$7.14

Plumb Bob Replacement (Graduated)

This plumb bob is designed for gauging tank fluid levels is graduated in 1/8". Brass plumb bob measures 6-3/4" long and 1" in diameter. One end tapers to a flat point, the other end has a lug or eye for attaching to swivel snap fitted on end of tape. A-A-52216.

Federal Strategic Sourcing Initiative, 5210-00-238-1734, 20 oz., EA, \$7.54

Chalk Line & Reel

This self chalking line marks construction lines on wood, plaster, concrete, tile & other surfaces. The chalk is applied automatically to the line as it is pulled from the case. Consists of a handle, hand crank, line, hook ring, locking device & chalk powder. Case included. A-A-2525.

Federal Strategic Sourcing Initiative, 5210-00-273-9793, 50' L, Chalk Included., EA, \$8.76

Adjustable-Joint Pliers

Adjustable Joint Pliers (Angle Nose)

These angle nose, adjustable joint pliers have either serrated or smooth jaws. The movement of the jaw can be either from tongue and groove or multiple hole design. The multi-position, adjustable joint permits the jaws to be opened wider. These chrome plated, forged steel pliers have polished heads. Described by (Length, Jaw Capacity and Positions) ASME B107.500 Cat 23.

Type I: (Adjustable joint, angle nose), Class 1: (Multiple grooves and tongue), Style A: (Straight, serrated jaws).

Federal Strategic Sourcing Initiative, 5120-01-600-4518, 7" L, 1-1/2", 18, Comfort Grip., EA, \$10.64

Federal Strategic Sourcing Initiative, 5120-01-336-5636, 9-1/2" L, 1-1/2", 5, Comfort Grip., EA, \$12.79

Federal Strategic Sourcing Initiative, 5120-01-435-0668, 10" L, 1-1/2", 5, Comfort Grip., EA, \$12.79

Federal Strategic Sourcing Initiative, 5120-01-336-5640, 10" L, 2", 7, Comfort Grip., EA, \$14.60

Federal Strategic Sourcing Initiative, 5120-01-399-9257, 12" L, 2-5/8", 6, Comfort Grip., EA, \$16.19

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-278-0350, 5" L, 1/2", 3, Comfort Grip., EA, \$9.28

Federal Strategic Sourcing Initiative, 5120-00-278-0351, 8" L, 1-1/8", 4, Comfort Grip., EA, \$11.69

Nonmagnetic and Nonsparking.

Federal Strategic Sourcing Initiative, 5120-00-541-6731, 10" L, 1-3/8", 5, Comfort Grip, Copper Alloy., EA, \$125.53

Type I: (Adjustable joint, angle nose), Class 1: (Multiple grooves and tongue), Style B: (Curved, serrated jaws).

Federal Strategic Sourcing Initiative, 5120-01-589-9064, 10" L, 2-1/8", 6, Comfort Grip., EA, \$14.56

Adjustable Joint Pliers Set (Angle Nose)

These angle nose, adjustable joint pliers have either serrated or smooth jaws. The movement of the jaw can be either from tongue and groove or multiple hole design. The multi-position, adjustable joint permits the jaws to be opened wider. These chrome plated, forged steel pliers have polished heads. Described by (Length, Jaw Capacity and Positions) ASME B107.500 Cat 23.

Type I: (Adjustable joint, angle nose), Class 1: (Multiple grooves and tongue), Style A: (Straight, serrated jaws).

Consists of (4) pliers in sizes: 4-1/2" L (3 Jaw Positions), 6-1/2" L (5 Jaw Positions), 12" L (7 Jaw Positions) & 16" (8 Jaw Positions).

Federal Strategic Sourcing Initiative, 5120-01-428-8863, SE, \$67.53

Diagonal Cutting Pliers

Diagonal Cutting Pliers

These general purpose diagonal cutting pliers are designed for cutting wires, nails, pins, screws or light metal. They are forged from alloy steel and have polished heads. B107.500 Cat 11.

Type: I (Diagonal cutting, regular nose), Class: 3 (Flush cutting edges).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-3210, 7-1/2" L, Cushion Grip Throat., EA, \$18.50

Nonmagnetic & nonsparking, copper or bronze alloy.

Federal Strategic Sourcing Initiative, 5110-00-595-9490, 6" L, 13/16" L Jaw, Beryllium Copper Alloy, Comfort Grip., EA, \$139.51

Type: I (Diagonal cutting, regular nose), Class: 1 (Standard cutting edges).

Federal Strategic Sourcing Initiative, 5110-01-367-4647, 4-3/4" L, 13/32" L Jaws, Comfort Grip., EA, \$18.09

Federal Strategic Sourcing Initiative, 5110-01-367-4648, 5" L, 9/16" L Jaws, Comfort Grip., EA, \$16.23

Federal Strategic Sourcing Initiative, 5110-01-400-1447, 6" L, 13/16" L Jaw, Comfort Grip., EA, \$17.24

Federal Strategic Sourcing Initiative, 5110-01-400-1438, 4-5/8" L, 13/32" L Jaw, Comfort Grip, Coil Spring., EA, \$28.78

Federal Strategic Sourcing Initiative, 5110-01-349-4818, 6" L, Comfort Grip., EA, \$16.23

Federal Strategic Sourcing Initiative, 5110-01-367-4650, 6-1/8" L, 3/4" L Cut, Comfort Grip., EA, \$16.23

Federal Strategic Sourcing Initiative, 5110-01-400-1453, 7-5/16" L, 25/32" L Jaws, Comfort Grips., EA, \$19.27

Federal Strategic Sourcing Initiative, 5110-01-429-7306, 7-3/4" L, 13/32" L Jaws, Comfort Grips., EA, \$23.22

Federal Strategic Sourcing Initiative, 5110-01-654-1873, 7-1/8" L, 3/4" L Jaw, Comfort Grip, High Leverage., EA, \$19.27

Federal Strategic Sourcing Initiative, 5110-01-518-2391, 7" L, Oxide, Comfort Grip., EA, \$38.45

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-935-0890, 4" L, Comfort Grip., EA, \$15.31

Federal Strategic Sourcing Initiative, 5110-00-618-2700, 4-1/2" L, Handles Covered with Red Vinylite., EA, \$14.68

Federal Strategic Sourcing Initiative, 5110-00-239-8253, 6" L, Comfort Grip., EA, \$16.35

Federal Strategic Sourcing Initiative, 5110-00-222-2708, 7-1/2" L, 13/16" L Jaw, Plastisol Grip., EA, \$14.27

Diagonal Cutting Pliers (Stripping Notches)

These general purpose diagonal cutting pliers are designed for cutting wires, nails, pins, screws or light metal. They are forged from alloy steel and have polished heads. B107.500 Cat 11.

Type: I (Diagonal cutting, regular nose), Class: 2 (Semi-flush cutting edge).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-224-1532, 6" L, Comfort Grip., EA, \$15.64

Diagonal Cutting Pliers (High Leverage)

These general purpose diagonal cutting pliers are designed for cutting wires, nails, pins, screws or light metal. They are forged from alloy steel and have polished heads. B107.500 Cat 11.

Type: I (Diagonal cutting, regular nose), Class: 1 (Standard cutting edges).

Federal Strategic Sourcing Initiative, 5110-01-367-3878, 8" L, Comfort Grips., EA, \$17.50

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-596-7164, 6" L, Comfort Grip., EA, \$21.51

Lineman's Pliers

Pliers - Lineman's (Square Head)

These pliers are the tool of choice for all purpose wire and cable work. These side cutting, solid joint pliers are made of drop forged steel with polished heads and have an insulation crusher in the handle. The crusher surfaces can be smooth or scored. ASME B107.100 Cat 20.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-239-8254, 6" L, Comfort Grip., EA, \$17.30

Federal Strategic Sourcing Initiative, 5120-00-756-1156, 8" L, Insulated Grips., EA, \$23.68

Federal Strategic Sourcing Initiative, 5120-00-239-8251, 8-1/2" L, Comfort Grip., EA, \$24.36

Pliers - Lineman's (Round Head)

These pliers are the tool of choice for all purpose wire and cable work. These side cutting, solid joint pliers are made of drop forged steel with polished heads and have an insulation crusher in the handle. The crusher surfaces can be smooth or scored. ASME B107.100 Cat 20.

Federal Strategic Sourcing Initiative, 5120-01-021-5730, 9-1/4" L, 1000V Insulated Grip, High Leverage., EA, \$54.65

Lineman's Pliers (Non-Magnetic/Non-Sparking)

The tool of choice for all-purpose wire and cable work. Side-cutting lineman's solid-joint pliers are made of drop forged steel with polished heads and an insulation crusher in handle.

Non-magnetic and non-sparking lineman pliers.

Federal Strategic Sourcing Initiative, 5120-00-224-1540, 8" L., EA, \$23.08

Round-Nose Pliers

Pliers (Round Nose)

These solid joint pliers are perfectly formed to fit your needs. They have a scored, flat, gripping surfaces for forming, bending and handling small objects and reaching into openings. ASME B107.500 Cat 13.

Type: III (Round nose), Class: 1 (Long nose), Style: B (Cutter).

Federal Strategic Sourcing Initiative, 5120-01-113-6352, 6-1/2" L, Comfort Grip., EA, \$19.66

Federal Strategic Sourcing Initiative, 5120-01-435-6816, 6-5/8" L, Serrated Jaws, Comfort Grip., EA, \$19.66

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-247-5177, 6-3/8" L, Comfort Grip., EA, \$14.15

Federal Strategic Sourcing Initiative, 5120-00-293-0032, 7" L, Comfort Grip., EA, \$16.13

Type: III (Round nose), Class: 1 (Long nose), Style: A (Without cutter)

Federal Strategic Sourcing Initiative, 5120-01-434-9580, 5" L, Comfort Grip, Serrated Jaws., EA, \$15.33

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-268-3579, 6" L., EA, \$14.86

Type: III (Round nose), Class: 2 (Bent nose).

Federal Strategic Sourcing Initiative, 5120-01-367-4645, 6-5/8" L, Comfort Grip., EA, \$22.76

Federal Strategic Sourcing Initiative, 5120-01-399-9227, 6-5/16" L, Serrated Jaws, Comfort Grip., EA, \$21.57

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-239-8250, 6" L, Comfort Grip., EA, \$16.97

Type: III (Round Nose), Class: 3 (Short Nose), Style: A (Without Cutter)

Federal Strategic Sourcing Initiative, 5120-00-293-3486, 4" L., EA, \$15.52

Federal Strategic Sourcing Initiative, 5120-00-240-6172, 6" L, Comfort Grip., EA, \$15.42

Type: III (Round nose), Class: 4 (Needle nose), Style: A (Without cutter)

Federal Strategic Sourcing Initiative, 5120-01-399-9165, 4-13/16" L, Cushion Grip., EA, \$13.99

Federal Strategic Sourcing Initiative, 5120-01-367-4641, 6" L, Comfort Grip., EA, \$19.66

Federal Strategic Sourcing Initiative, 5120-01-399-9220, 7" L, Serrated Jaws, Comfort Grip., EA, \$21.58

Federal Strategic Sourcing Initiative, 5120-01-367-4642, Red, 8" L, Comfort Grip, Serrated Jaws., EA, \$15.18

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-3481, 6-1/2" L, Comfort Grip., EA, \$15.29

Type: III (Round nose), Class: 4 (Needle nose), Style: B (With cutter)

Federal Strategic Sourcing Initiative, 5120-01-399-9167, 6-5/8" L, Comfort Grip, Serrated Jaws., EA, \$19.66

Federal Strategic Sourcing Initiative, 5120-01-649-6558, 8" L, Comfort Grip., EA, \$16.96

Federal Strategic Sourcing Initiative, 5120-01-428-7830, 7-1/8" L, Comfort Grip., EA, \$16.96

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-184-9403, 6-1/2" L, Comfort Grip., EA, \$15.51

Pliers (Double Round Nose)

These pliers are perfectly designed to bend or shape wire & reach into small openings. The two jaws only meet at the tip of the pliers. ASME B107.500 Cat 13.

Type III: Round nose, Class 1: Long nose, Style A: Without cutter.

Federal Strategic Sourcing Initiative, 5120-01-648-0981, 6" L, 2-1/4" L Jaws, Comfort Grip, Spring., EA, \$20.35

Pliers Set (Round Nose)

These solid joint pliers are perfectly formed to fit your needs. They have a scored, flat, gripping surfaces for forming, bending and handling small objects and reaching into openings. ASME B107.500 Cat 13.

Set consists of (3) pliers: Needle Nose Pliers 7-1/8", Long Needle Nose 8" & Long Handle 11".

Federal Strategic Sourcing Initiative, 5120-01-428-9253, Comfort Grip, Plastic Tray., SE, \$85.92

Pliers (Flat/Duck Bill Nose)

These solid joint flat pliers are perfectly formed to fit your needs. They all have a scored, flat, gripping surfaces for forming, bending & handling small objects & reaching into openings. ASME B107.500 Cat 13.

Type: I (Flat/Duck Bill Nose), Class: 2 (Medium Nose).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-028-7102, 4-1/2" L, Comfort Grip., EA, \$49.93

Type: I (Flat/Duck Bill Nose), Class: 3 (Wide Nose), Style: A (Without Cutter)

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-6213, 6" L, Comfort Grip., EA, \$13.07

Type: I (Flat/Duck Bill Nose), Class: 4 (Long Reach, Flat Nose)

Federal Strategic Sourcing Initiative, 5120-01-367-7246, 8" L, Comfort Grip., EA, \$15.01

Slip-Joint Pliers

Slip-Joint Pliers (Non-Sparking)

Straight nose pliers have combination jaws for holding flat material and round surfaces. Versatile features include a wire cutter in throat, scored gripping surfaces, pointed teeth and a bolted, two position joint. Made of beryllium copper or aluminum bronze alloy. B107.500 Cat 23

Type II: Slip joint, combination jaw, Class 1: Straight nose, Style A: Regular

Nonmagnetic and Nonsparking.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-6217, 8" L, 3-3/8" L Jaw, Comfort Grip., EA, \$73.74

Slip Joint Pliers (Straight Nose)

These straight nose, combination, slip joint pliers have flat gripping surface with fine teeth, a curved center jaw section with sharp teeth. The wire cutter can be either a side or throat type. The two position, slip joint permits the jaws to be opened wider. ASME B107.500 Cat 23.

Type II: Slip joint combination jaw, Class 1: Straight nose, Style A: Regular.

Federal Strategic Sourcing Initiative, 5120-01-434-9759, 6-1/2" L, Chrome, Comfort Grip., EA, \$9.74

Federal Strategic Sourcing Initiative, 5120-01-399-9173, 6-9/16" L, Chrome, Comfort Grip., EA, \$9.69

Federal Strategic Sourcing Initiative, 5120-01-398-9391, 8" L, Comfort Grip., EA, \$9.34

Federal Strategic Sourcing Initiative, 5120-01-399-9175, 8" L, Knurled, Chrome., EA, \$11.92

Federal Strategic Sourcing Initiative, 5120-01-480-0640, 10" L, Chrome, Comfort Grip., EA, \$13.57

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-223-7396, 6-1/2" L, Cutter, Comfort Grip., EA, \$9.02

Federal Strategic Sourcing Initiative, 5120-00-223-7397, 8" L, Chrome, Comfort Grip., EA, \$8.46

Federal Strategic Sourcing Initiative, 5120-00-223-7398, 10" L, Comfort Grip., EA, \$13.64

Special-Purpose Pliers

Pliers Set

All the pliers you need to get the job done. Contains: (1) Slip joint combination pliers w/ Straight nose 7-1/2" L, Adjustable joint angle nose Straight serrated jaws 9-1/4" L 5 to 6 jaw positions, Needle nose pliers round nose without cutter 7-1/8" L & Diagonal cutting, regular nose 7-3/8" L.

Federal Strategic Sourcing Initiative, 5120-01-428-9284, Comfort Grips., SE, \$62.68

Side Cutting Pliers

Open throated to allow passage of long wire pulling operations. A compound cutter provides clean, sharp cuts. Serrated jaws are manufactured from heat treated tough high carbon steel and are nickel plated.

Federal Strategic Sourcing Initiative, 5120-01-645-2315, EA, \$38.35

Cable Clamp Pliers

Great for installing single or multiple loop line clamps. Pliers retain clamps over conduit, wiring or pipes, leaving hands free to screw retaining nut to clamp bolt. Slip joint provides 3/4" adjustment & the lower jaw contains a mechanism for firmly holding clamp in closed position & clamp bolt rigid while nut is tightened. Forged steel with a rust preventive coating, A-A-2971.

Federal Strategic Sourcing Initiative, 5120-00-770-9362, 7-1/2" L., EA, \$121.36

Electrical Connector Pliers

Designed for loosening and tightening threaded lock collar of electrical connectors. Plastic jaw inserts prevent marring of the gripping surface of the collar. Jaw opening is 3/4 to 2-1/2" with a minimum of four jaw positions. ASME B107.500 Cat 27

Federal Strategic Sourcing Initiative, 5120-01-616-3740, Opening: 3/4" To 2-1/2", 4 Positions, 9-1/2" L., EA, \$22.35

Federal Strategic Sourcing Initiative, 5120-01-370-6693, Opening: 3/4" To 2-1/2", 10" L., EA, \$10.64

Electronic Cutters

These cutters are perfect for electronic work & wire cutting. All pliers come with a spring that is capable of opening the jaws under normal use & comfort grips. B107.500 Cat 22.

Type I: Cutters, Class 1: Diagonal, Style C: Tapered head.

Federal Strategic Sourcing Initiative, 5110-00-764-4801, 4" L., EA, \$18.16

Federal Strategic Sourcing Initiative, 5110-01-524-7565, Q-6256., 5-1/2" L, ESD Safe., EA, \$90.09

Federal Strategic Sourcing Initiative, 5110-01-181-7030, 5" L., EA, \$11.17

Electronic Pliers (Chain Nose)

These round nose pliers are perfect for bending & shaping wire. They have tapered, circular jaws that form rounded gripping surfaces. They are made of drop forged steel & have polished heads. The jaws are either smooth or serrated. Furnished with jaw opening spring & cushion grip handles. ASME B107.500 Cat 22.

Type II: Pliers, Class 2: Chain Nose, Style D: Short Nose

Federal Strategic Sourcing Initiative, 5120-01-513-9587, 5" L, Jaw: 1-1/5" L, ESD Safe., EA, \$67.88

Retaining Ring Pliers (Convertible)

These convertible tip retaining ring pliers are the perfect tool for installing & removing internal/external retaining rings. The pliers convert quickly to keep that job going smoothly. Furnished with cushion grip handles. B107.500 Cat 19.

Type V: Retaining ring internal/external (Convertible), Style B: 90° Tip.

Federal Strategic Sourcing Initiative, 5120-01-399-9209, 0.038" D Tip, 5-11/16" L., EA, \$9.36

Type V: Retaining ring internal/external (Convertible), Style C: 45° Tip.

Federal Strategic Sourcing Initiative, 5120-01-399-9205, 0.047" D Tip, 5-3/4" L., EA, \$14.77

Type VI: Retaining ring, replaceable tips, internal and external (universal), Class 2: With spring & adjustable jaw stop, Style A: Straight tip.

(5) Replaceable tips in the sizes & styles: 0.036" (straight & 90°), 0.047" (straight & 90°) & 0.07" (straight).

Federal Strategic Sourcing Initiative, 5120-01-428-8248, 7-3/4" L, Comfort Grip., EA, \$24.39

Type V: Retaining ring internal/external (Convertible), Style A: Straight tip.

Federal Strategic Sourcing Initiative, 5120-01-428-8218, 0.038" D Tip, 5-3/4" L., EA, \$8.81

Retaining Ring Plier Set (Convertible)

These convertible tip retaining ring pliers are the perfect tool for installing & removing internal/external retaining rings. The pliers convert quickly to keep that job going smoothly. Furnished with cushion grip handles. B107.500 Cat 19.

Type V: Retaining ring internal/external (Convertible), Style A: Straight tip, Style B: 90° Tip & Style C: 45° Tip.

(12) Pliers in plastic case. (1) Of each size in each style 0.038", 0.047", 0.07" & 0.09".

Federal Strategic Sourcing Initiative, 5120-01-428-5103, 5-11/16" to 9-1/4" L., SE, \$108.77

Federal Strategic Sourcing Initiative, 5120-01-429-7455, Ring Range: 1/8" to 3-1/2", Case., SE, \$107.11

Type V: Retaining ring internal/external (Convertible), Style A: Straight tip & Style B: 90° Tip.

(6) Fixed tip pliers in plastic case in the following sizes & styles: 0.038" (straight), 0.047" (straight), 0.07" (straight), 0.038" (90 degrees), 0.047" (90 degrees) & 0.07" (90 degrees).

Federal Strategic Sourcing Initiative, 5120-01-437-3785, SE, \$79.28

Retaining Ring Pliers (External)

These fixed tip retaining ring pliers are the perfect tool for installing & removing external retaining rings. Comes with cushion grip handles. B107.500 CAT 19.

Type 2: Retaining Ring (External), Class 3: Without jaw stop & spring, Style A: Straight Tip.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-595-9555, 0.07" D Tip, 6-3/5" L., EA, \$12.37

Type 2: Retaining Ring (External), Class 3: Without jaw stop & spring, Style B: 90 Deg Tip.

Federal Strategic Sourcing Initiative, 5120-00-752-9755, 0.038" D Tip, 6-1/8" L., EA, \$16.12

Retaining Ring Pliers (Internal)

These fixed tip retaining ring pliers are the perfect tool for installing & removing internal retaining rings. B107.500 CAT 19.

Type 1: Retaining Ring (Internal), Class 2: Without adjustable jaw stop & spring, Style A: Straight Tip.

Federal Strategic Sourcing Initiative, 5120-01-399-9268, 0.038" D Tip, 5-3/8" L., EA, \$11.82

Retaining Ring Pliers Set (Replaceable Tip)

These replaceable tip retaining ring pliers are the perfect tool for installing & removing retaining rings. B107.500 CAT 19.

Set consists of (1) internal plier & (1) external pliers with (8) tips. Contains (2) pair each of tip sizes: 0.039" (90°), 0.047" (0°), 0.047" (45°), 0.07" (0°).

Federal Strategic Sourcing Initiative, 5120-01-080-8378, 6-1/4" L, Comfort Grips., SE, \$42.83

Retaining Ring Pliers Set

This replaceable tip retaining ring pliers set is the perfect tool for installing and removing internal retaining rings. B107.500 Cat 19.

This (2) piece set is the perfect set. The (2) pliers are Type 1 & 2: (Universal replaceable tip) with the following replaceable tips: 0.035" (90 degrees), 0.045" (45 degrees), 0.045" (straight) & 0.06" (straight). 4 of each size tip.

Federal Strategic Sourcing Initiative, 5120-01-428-5104, J380, SE, \$36.33

This (18) piece set is the perfect set. The (2) pliers ((1)Internal and (1)External) are Type 4: (Replaceable tip), Class 1 (Spring) and comes with the following replaceable tips: (4) 0.038" D 90° tips, (4) 0.047" D straight tips, (4) 0.047" D 45° tips and (4) 0.07" D straight tips.

Federal Strategic Sourcing Initiative, 5120-00-789-0492, Comfort Grips, Plastic Box., SE, \$41.69

Vise Grips

Vise Grip Pliers (Curved Jaw)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.500 Cat 24

Type 1: Locking pliers, Class 2: Curved jaws, Style B: With cutters

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-965-0604, 5" L, Opens to 1-1/8" Min., EA, \$9.85

Federal Strategic Sourcing Initiative, 5120-00-494-1910, 7" L, Opens to 1-5/8" Min., EA, \$9.88

Federal Strategic Sourcing Initiative, 5120-00-494-1911, 10" L, Opens to 1-7/8" Min., EA, \$11.54

Parallel Jaw Pliers

Parallel Action Jaw Pliers feature compound-leverage construction, a side cutter, an open throat and a longitudinal groove in one of the jaws suitable for gripping and pulling wire and straightening small pins. Serrated jaws give a positive gripping surface. Furnished with cushion-grip handles.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-1541, Jaw: 3-3/64" L x 3/8" T, 17/32" Opening, 6-1/2" L., EA, \$57.20

Pliers (Battery)

These pliers are the tool of choice for battery work. These offset head, solid or slip joint, pliers are made of drop forged steel. The crusher surfaces are deeply scored. ASME B107.500 Cat 20.

Federal Strategic Sourcing Initiative, 5120-01-399-9240, 7-1/2" L, Comfort Grips., EA, \$24.23

Pliers (Wing Lock)

Overall dimensions: Handle 6-2/5" H x 2-1/5 W (outside dimension). The working tip of the tool is 1/4" D x 0.12 W.

Federal Strategic Sourcing Initiative, 5120-00-235-3037, AT35711 or equal., EA, \$118.00

Chain Wrench Locking Pliers

All-purpose tool. Pliers-chain-style wrench is for plumbing, heating and automotive work. Adjusts for ratcheting & will not slip or mar material.

Federal Strategic Sourcing Initiative, 5120-00-889-2050, 20R or equal., EA, \$24.97

Vise Grip Pliers (Long Nose)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.500 Cat 24

Type 1: Locking pliers, Class 3: Long Nose, Style B: With Cutters

Federal Strategic Sourcing Initiative, 5120-01-108-9649, 6" L, Opens to 2-1/4" Min., EA, \$10.49

Federal Strategic Sourcing Initiative, 5120-01-271-8049, 6-1/2" L, Opens to 2", EA, \$10.49

Federal Strategic Sourcing Initiative, 5120-01-148-5455, 10" L, Opens to 2-3/4", EA, \$12.78

Vise Grip Pliers (Straight Jaw)

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.500 Cat 24

Type 1: Locking pliers, Class 1: Straight jaws, Style A: Without cutters

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-4244, 10" L, Opens to 1-5/8" Min., EA, \$14.81

Federal Strategic Sourcing Initiative, 5120-00-277-4243, 7" L, Opens to 1-1/2" Max., EA, \$14.22

Vise Grip Pliers Set

These multi-purpose, positive grip tools can function as a portable vise clamp, adjustable end wrench and locking pliers. These pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. They also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. A release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. B107.500 Cat 24

Set consists of (7) locking pliers in sizes: 5", 7" & 10" (curved jaw with wire cutter), 6" (long nose), 12" (Large jaw), 7" & 10" (Locking Wrenches).

Federal Strategic Sourcing Initiative, 5120-01-456-9009, SE, \$93.02

Wire Twister Pliers

Wire Twister Pliers

Pliers provide fast twisting of safety wire and are excellent for work on critical components of aircraft and vehicles. Features right hand (clockwise) twist and a diagonal (standard) nose configuration for hard to reach areas. Spiraling mechanism produces a close, uniform twist in safety wire when rod is pulled and pliers rotates. Jaws can be locked in a closed position. Furnished with wire cutter. ASME B107.500 CAT 18

Type I: Right-hand twist; Class 1: Automatic (Spring-loaded) twist rod return mechanism; Style A: Serrated wire clamping jaw surface.

Produces 2-1/2 revolutions per pull.

Federal Strategic Sourcing Initiative, 5120-01-112-5031, 9" L., EA, \$28.80

Federal Strategic Sourcing Initiative, 5120-01-487-3823, 9" L., EA, \$80.24

Federal Strategic Sourcing Initiative, 5120-01-617-6566, 12" L., EA, \$96.89

Federal Strategic Sourcing Initiative, 5120-01-590-8688, EA, \$80.24

Type I (Right-hand twist), Class: 2 (Hand Push twist rod return), Style: A (Serrated wire clamping jaws)

Produces 2-1/2 revolutions per pull.

Federal Strategic Sourcing Initiative, 5120-01-307-5143, 6" L, EA, \$61.45

Produces 3 revolutions per pull.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-305-2306, 9" L., EA, \$60.98

Produces 4 revolutions per pull.

Federal Strategic Sourcing Initiative, 5120-00-542-4171, 12" L., EA, \$96.23

Type: I Right-hand twist, Class: 2 Hand Push twist rod return, Style B: Smooth wire clamping jaw surface(no serrations).

Produces 3 revolutions per pull.

Federal Strategic Sourcing Initiative, 5120-01-429-7407, 8-1/2" L., EA, \$58.38

Automatic (Spring-loaded) twist rod return mechanism. Serrated wire clamping jaw surface.

Produces 2 revolutions per pull.

Federal Strategic Sourcing Initiative, 5120-01-429-8147, 45W or equal., EA, \$70.68

Type III: Reversible, Class 1: With automatic (Spring-Loaded) twist rod return mechanism, Style A: Serrated wire clamping jaws surface.

Produces 3 revolutions per pull.

Federal Strategic Sourcing Initiative, 5120-01-429-8153, 12" L, Side Cutter., EA, \$123.25

Type III: Reversible, Class 1: With automatic (Spring-Loaded) twist rod return mechanism, Style B: Smooth wire clamping jaw surface(no serrations).

Federal Strategic Sourcing Initiative, 5120-01-547-9635, 11" L, Side Cutter., EA, \$92.40

Wire Twister Pliers Set

Pliers provide fast twisting of safety wire and are excellent for work on critical components of aircraft and vehicles. Features right hand (clockwise) twist and a diagonal (standard) nose configuration for hard to reach areas. Spiraling mechanism produces a close, uniform twist in safety wire when rod is pulled and pliers rotates. Jaws can be locked in a closed position. Furnished with wire cutter. ASME B107.500 CAT 18

Type I: Right-hand twist; Class 1: Automatic (Spring-loaded) twist rod return mechanism; Style A: Serrated wire clamping jaw surface.

Set Contains (3) pieces: (2) safety wire twister pliers (8-3/8" L & 10-3/8" L) & 18-7/8" L Deep Reach Safety Wire Twister Pliers.

Federal Strategic Sourcing Initiative, 5120-01-430-6569, SE, \$205.91

Cordless Power Tools

Drill (Cordless)

Heavy-duty 18-volt 1/2" (13mm) adjustable clutch drill/driver kit features: variable speed; reversing switch; anti-slip soft comfort grip; keyless chuck; and an electric brake. Includes a one-hour charger, two battery packs (with two amp-hours minimum each pack), a screwdriver bit, and a heavy-duty carrying case.

No-load speed: 2 speed 0-500/0-1800 RPM. Torque: 400 inch-pounds min.

Federal Strategic Sourcing Initiative, 5130-01-444-4662, EA, \$223.92

Standard duty drill performs medium duty and intermittent heavy duty drilling. Drill conforms to UL Standards. Drill size, drive type, handle design, electrical ratings, maximum no load speed, minimum rated load torque, maximum weight and length and other features are listed below.

This straight drive, reversible 2 speed 18 V variable drill has a speed range of 0 To 500/0 To 1800 RPM and has a torque capacity of 450 Inch-Pounds min and a 1/2" keyless chuck. 22 Clutch Settings and a Pistol Grip. It comes with a Case with retention feature securing contents when not in use and while in transit, (2) 18V Batteries, Battery Charger.

Federal Strategic Sourcing Initiative, 5130-01-547-4719, EA, \$226.76

This impact drill, is 20V and has a speed range of 2800 RPM, 3200 IPM, and has a torque capacity of 111 foot-pounds min and a 1/4" hex drive. It comes with a Case with retention feature securing contents when not in use and while in transit, (2) 20V Batteries, Battery Charger and a belt hook.

Federal Strategic Sourcing Initiative, 5130-01-573-2118, Kit Bag., EA, \$249.92

Power Tool Battery Pack

Compatible with Fastening Systems International cordless riveter p/n: PT-3000 and PT-4000.

Federal Strategic Sourcing Initiative, 5130-01-398-4699, F-3001 or equal., EA, \$215.04

Electric Power Tools

Drill (Electric)

Reversible, variable-speed, straight-drive drill has a removable auxiliary side handle and a trigger lock-on button. Double insulated. Heavy-duty, portable drill converts to a clutch screwdriver. Has a 1,000 to 1,400 rpm no-load speed. Operates on 120-volt, 60-Hz current at 5 amp. Has a key-operated, three-jaw chuck. Comes with an instruction book and a chuck key with holder. Conforms to UL standards.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5130-00-935-7354, Chuck Size: 3/8", EA, \$81.54

This heavy duty, medium speed (650 rpm no load speed) has a spade end handle with breastplate for breast drilling and auxiliary side handle. Rated 6.0 amp minimum and has a minimum of 4.7 foot-pounds torque at rated load. Keyed jaw chuck. Furnished in a carrying case.

Federal Strategic Sourcing Initiative, 5130-00-293-1849, Chuck Size: 1/2", EA, \$204.32

This heavy duty, medium speed drill has a closed end handle with an auxiliary side handle. No load speed: 1,200 rpm. Load speed: 400 to 600 rpm. Rated 3.5 amp minimum and has a minimum of 3.0 foot-pound torque at rated load. Non-reversible; keyed jaw chuck. Furnished in a carrying case.

Electromagnetic Interference Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)

Federal Strategic Sourcing Initiative, 5130-00-889-9001, Chuck Size: 3/8", EA, \$140.80

Prevent shock with this double-insulated, portable, reversible, straight-drive, variable-speed drill. Rated 5 amp at 120-volt AC, 60-Hz power and includes a keyed jaw chuck. Heavy-duty drill has a 550-800 rpm no-load speed. Drill has a pistol-grip with a removable auxiliary side handle. Comes with an instruction book, parts list and chuck key. Conforms to UL standards.

Federal Strategic Sourcing Initiative, 5130-00-283-3231, Chuck Size: 1/2", EA, \$150.73

Standard duty drill performs medium duty and intermittent heavy duty drilling. Drill conforms to UL Standards. Drill size, drive type, handle design, electrical ratings, maximum no load speed, minimum rated load torque, maximum weight and length and other features are listed below.

Medium speed (2000 RPM) cordless right-angle drill/driver has a straight grip, right angle transmission. Measuring just 4" from front to back, 3/8" ratcheting chuck and 2 speed motor (low: 0-500 RPM; high: 0-2000 RPM), a multi-grip trigger, (1) 18V NiCad battery, 4 lbs, one-hour charger & rugged storage case.

Federal Strategic Sourcing Initiative, 5130-01-589-9350, EA, \$227.94

This variable speed 120VAC 5.2amps 60Hz has a 1/2" chuck and a no load speed of 550RPM's.

Federal Strategic Sourcing Initiative, 5130-01-397-9801, 6302H or equal, EA, \$185.56

This reversible, 3/8" keyed chuck, variable speed 120 V AC 4 amp drill, has a body grip with a paddle trigger. It has a 2400 RPM min no load speed with an LED work light.

Federal Strategic Sourcing Initiative, 5130-01-397-9805, EA, \$197.71

Drill (Electric)(Hammer)

This heavy duty, medium speed (0 to 1700 rpm no-load speed) cordless hammer drill included: (2) 18V Lithium Ion batteries, charger (30 minutes), Metal or Plastic Carrying Case, LED work light, 1/2 inch chuck and seventeen clutch settings.

Federal Strategic Sourcing Initiative, 5130-01-609-1107, EA, \$372.13

Electric Hammer Drill

This high power, high efficiency motor delivers 750 unit watts out of max power for superior performance in all drilling and fastening applications. The 3-speed, all-metal transmission matches the speed to the application for optimal performance. It has a 1/2" metal ratcheting chuck Speed Rate: 0-400, 0-1200, 0-1600 RPM (+/- 100 RPM per speed), Impact Rate: 0-9000, 0-20000, 0-27000 (+/- 1000 BPM per speed). The kit includes the drill, one-hour charger, two 36-volt compact batteries, 360° side handle and kit box.

Federal Strategic Sourcing Initiative, 5130-01-588-1550, EA, \$326.27

Impact Wrench (Electric)

Electric powered, portable, impact wrench loosens & tightens bolts & nuts. Has built in power regulator for control of power output. The wrench has a pistol grip handle & is reversible. Furnished with operating & maintenance instructions.

Federal Strategic Sourcing Initiative, 5130-01-536-6492, 151700692 or equal, 1/2" Drive., EA, \$2,706.53

Hammer Drill (Electric)

Heavy duty, reversible drill hammer has variable speed and has a 1" diameter drill bit capacity. Accepts SDS bits. Has two modes of operation: hammer with rotation for concrete/masonry or rotation only with chuck for wood/steel. Provided with three wire power cord, depth rod gauge, adjustable 360° side handle and carrying case. Motor operates on 120 volt AC with a current of 9 amp max. Has 1000 rpm and 0 to 4,500 bpm maximum.

Federal Strategic Sourcing Initiative, 5130-00-138-5552, EA, \$311.40

Disk Sander (Electric)

Palm grip; random orbital; 3 AMP 60Hz 12000 OPM; 8-hole hook & loop pad; dust sealed switch; double insulated; dust bag with vacuum adapter; heavy-duty kit box.

Federal Strategic Sourcing Initiative, 5130-01-448-6687, EA, \$80.95

Disk Grinder (Electric)

Angle type, 10-5/8" L, 115 VAC, 60 HZ, 7.5 amp, 10,000 RPM no load, 4-1/2" Dia Capacity, Spindle size and series: 5/8-11 UNC, Side handle for left and right, spindle lock, double insulated, grinding wheel, wheel inner flange, locknut and locknut wrench.

Federal Strategic Sourcing Initiative, 5130-01-397-9684, 9557PB or equal., EA, \$98.98

Portable Electric Grinder

An angle grinder, also known as a side grinder or disc grinder, is a handheld power tool used for grinding (abrasive cutting) and polishing.

Federal Strategic Sourcing Initiative, 5130-01-444-8505, 10,000 RPM, 120 VAC., EA, \$162.66

5/8-11UNC, 14" L., Lock on throttle, 2 position side handle and 4-1/2 inch wheel guard, Flange, Side Handle, Spanner Wrench, Wheel Guard.

Federal Strategic Sourcing Initiative, 5130-01-398-4690, 10,000 RPM, 120 VAC. 4-1/2" Wheel Dia., Body Grip, 7 Lbs, 12-3/4" L., EA, \$102.51

Electric Polisher

This 7" / 9" Variable Speed Polisher has a powerful 12 Amp motor with ball bearing construction and electronic control to deliver desired finish results. Variable speed trigger allows user to control speed from 0 to dialed maximum setting.

Federal Strategic Sourcing Initiative, 5130-01-627-6730, 3500 RPM, 120 VAC, Body Grip, Case., EA, \$351.68

Sheet Metal Cutters

Lightweight shears make straight or contour cuts on ferrous and non-ferrous materials. These portable electric shears operate on 115-volt AC/DC and have a grounded three-wire plug. Type I shears are manually held and guided, single shear action with a pair of blades, one the stationary blade, the other blade with reciprocating movement. Type I shears are equipped with a comfortable closed double-grip handle. CID A-A-59459.

Size 3 - Cuts sheet steel up to 12 gauge (.105") thick; Cutting rate: 15 fpm minimum; Cutting radius: 2-1/2" minimum.

Electromagnetic Interference Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)

Federal Strategic Sourcing Initiative, 5130-01-087-6839, 15" L., EA, \$564.24

Band Saw (Portable)

This heavy duty portable electric band saw has worm gear and chain drive with 100 percent ball and needle bearings. Accommodates band blades 44-7/8" L x 1/2" W x 0.02" T. The saw has a two speed switch and operates on 120 volt AC/DC The saw is equipped with a closed end handle at back and auxiliary control at front. The cutting capacity is up to 4-7/8" in metal stock and up to 4-7/8 x 4-7/8" in rectangular metal stock. Furnished in a carrying case with operating instructions.

Saw is furnished with one bi-metal 18 teeth blade.

Federal Strategic Sourcing Initiative, 5130-01-008-7418, 6238-21 or equal, 17 lbs., EA, \$421.44

Scaling and Chipping Tool Cutter Bundle

Set of two bundles for portable electric rotary scaling and chipping tool. Has a cage design. Consists of cutters, side plates, lock plate, square bearing tube and other parts. Mounting spindle is 1/2" square and rebuildable. Cutters are milled or stamped steel disks with 18 teeth. Measures 1-1/4" in diameter and has a 5/8" bore.

Cutter bundles are used with scaling tools: 5130-01-087-6819 and 5130-00-288-6577.

Federal Strategic Sourcing Initiative, 5130-00-287-5199, SE, \$146.31

Pneumatic Power Tools

Blind Riveter (Pneumatic)

Installs bolts and rivets. Has interchangeable screw on pulling heads. Designed for continuous operation. Furnished with a carrying case and manuals. Note: In order for the blind riveter to install the specified rivets, the appropriate pulling head(s) must be used. Unless otherwise stated below, pulling heads are not furnished with these tools and must be ordered separately (see Pulling Heads).

Installs 3/32", 7/64", 1/8", 5/32", 3/16" and 1/4" diameter heavy duty pop rivets. Operates at 85 psig of air pressure. Includes one set of jaws and applicable nose pieces.

Federal Strategic Sourcing Initiative, 5130-00-177-6876, EA, \$267.44

Die Grinder (Fixed-Head)

Pneumatic dust free grinder sanding system. Includes 75 conditioning discs, 100 assorted coated abrasive discs, 10 Clean & Strip disc, whip assembly (lubricator / evaporator / filter), and oil bottle all in a heavy duty non-corrosive carrying case.

Federal Strategic Sourcing Initiative, 5130-01-544-4414, EA, \$1,386.30

Disk Sander

Right-angle air sander for medium- and heavy-duty sanding, deburring, blending, smoothing and brushing operations. No-load speed is 6,000 rpm. Sander has lever throttle and auxiliary side handle. 1/4" female NPT or NPTF air inlet connection. The spindle has a 5/8-11 UNC-2A thread for mounting the sanding pad. Operating pressure is 90 psig. Pad diameter is 7". The angle height over the spindle is 4.5" maximum. Furnished with parts list and instruction manual.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5130-00-596-1176, EA, \$782.73

Disk Sander (Compact)

Sand and grind intricate shapes in close quarters with this right-angle compact air sander and grinder. No-load speed is 20,000 rpm. Built-in speed regulator. Sander has lever throttle and 1/4" collet. Operating pressure is 90 psig and sander has a 1/4" NPTF air inlet connection. Sanding disk capacity: 3". Length is 6". Sander has a 3" angle head height. Furnished with back-up pad, collet wrench, parts list, and operating and maintenance instructions.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5130-00-340-0719, 1-1/4 lbs., EA, \$73.75

Disk Sander (Dual Action)

Sander pad motion provides a combination oscillation and rotating action to produce a non-repeating path and a finish free of scratches and swirls. Ideal for finish sanding, shaping and feather edging. Has one-hand lever throttle operation. No-load speed is 8,000 to 12,000 rpm. Has a 1/4" NPT air inlet connection. Sander has 6" diameter pad with canvas face. Furnished with operating and maintenance instructions.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5130-00-204-0623, EA, \$93.86

Disk Sander (Pneumatic)

Scuffs paint & removes coatings & is safe for use on aluminum & fiberglass. For use with: 3M surface conditioning disc. Use discs wet or dry. 18 CFM @ 90 PSI with a no load speed of 4500 RPM min. It weighs 4 lbs and is 12.5" L. Sander (No shroud) with hook and loop back-up pad; double safety lock-off lever.

Federal Strategic Sourcing Initiative, 5130-01-460-8604, 151.110 or equal., EA, \$563.01

Sand and grind with this right-angle air sander and grinder. No-load speed is 12,000 rpm. Sander has lever throttle and 1/4" collet and is used with carbide burrs and mounted wheels. Operating pressure is 90 psig and has a 1/4" NPTF air inlet connection. Sanding disk capacity: 3". Length is 7-1/8". Sander has a 3-1/4" head height over the end of the spindle. Furnished with back-up pad, collet wrenches, parts list, and operating and maintenance instructions.

Use with 1/2" carbide burr, 1" mounted wheel and 3" back-up pad. Furnished with 3" back-up pad.

Federal Strategic Sourcing Initiative, 5130-00-900-9514, EA, \$82.21

Drill (Pneumatic)

This air powered, portable drill is for drilling holes in mild steel and wood or for use with various accessories. It has a three jaw chuck with key. Operating pressure is 90 psi. Furnished with operating and maintenance instructions.

Non-reversible drill has a 90° angle head, a body grip handle and a lever throttle. 3,200 rpm no load speed, 1/4" NPT air inlet and a 1/4" chuck.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5130-00-293-1977, 4-1/4 lbs., EA, \$270.25

Non-reversible drill has a 180° angle head, a body grip handle and a lever throttle. 3400 rpm no load speed, 1/4" NPT air inlet and a 1/4" chuck.

Federal Strategic Sourcing Initiative, 5130-00-293-1978, 13-3/4" L, 2.3 lbs., EA, \$785.47

Nonreversible drill has a pistol grip handle & a lever throttle. 3200 rpm rpm no load speed, 1/4" NPT air inlet & a 3/8" chuck.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5130-00-294-9511, 4-1/4 lbs., EA, \$289.11

Nonreversible drill has a 90° body grip handle & a lever throttle. 2000 rpm rpm no load speed, 1/4" NPT air inlet & a 3/8" chuck

Federal Strategic Sourcing Initiative, 5130-00-540-4434, EA, \$136.34

Nonreversible drill has a body grip handle & a lever throttle. 2300 rpm rpm no load speed, 1/4" NPT air inlet & a 1/4" chuck.

Federal Strategic Sourcing Initiative, 5130-00-288-7741, 6 lbs., EA, \$355.80

Nut Runner & Screwdriver (Pneumatic)

Use these nut runners for controlled nut driving. These nut runners include torque transducers to insure the proper amount of torque is applied every time.

1/4" square drive, 225-rpm free speed, 5 to 25 lb-ft torque range.

Federal Strategic Sourcing Initiative, 5130-01-355-2075, 7" L., EA, \$72.47

Grinder (Die)

Die grinder is for use with carbide burrs and mounted wheels. Grinder has body-grip handle with lever-style throttle. Operating pressure is 90 psig. Furnished with operating and maintenance instructions, collet wrenches, parts list and manufacturer's standard equipment.

The grinder is used with 3/4" carbide burr and 1-1/2" mounted wheel. No-load speed is 23,000 rpm; Has a 1/4" collet, built-in speed regulator, aluminum housing, 1/4" NPT air inlet connection and is 6-1/2" long.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5130-00-293-2797, EA, \$105.67

Impact Wrench (Pneumatic)

Air powered, portable, impact wrench loosens and tightens bolts and nuts. Has built in power regulator for control of power output. The wrench has a pistol grip handle and is reversible. Operating pressure is 80 to 100 psi. Furnished with operating and maintenance instructions.

This quick disconnect type pneumatic impact has a pistol grip handle with a 3/4" male square straight drive spindle. Comes with a hex nipple (0.38 NPTF x 0.25 NPTF) and a 3 foot hose. Has a 38"-18NPTF male coupling with 300 psi (maximum). Capacity: 700 foot-pounds min. Working torque range: 100 to 500 foot-pounds with an average air consumption of 7.5 CFM.

Federal Strategic Sourcing Initiative, 5130-01-428-3751, 3/4" Drive., EA, \$166.42

1" square drive for extra heavy duty, high volume, production work. Standard 1-1/4" inch bolt capacity. Working torque: 950 foot-pounds min. Maximum torque: 1,350 foot-pounds. Air inlet connection is 1/2" NPT or NPTF.

Federal Strategic Sourcing Initiative, 5130-00-184-1426, 1" Drive., EA, \$3,915.90

Wrench has a 1/2" square drive with a 1-3/8" maximum spindle offset. Air inlet connection is 1/4" NPT or NPTF. Air consumption while impacting: 30 CFM maximum. Torque developed after five seconds impacting: 250 foot-pounds min.

5130-00-889-2134, 1/2" Drive., EA, \$132.80

Wrench has a 3/4" square drive with a 2" maximum spindle offset. Air inlet connection is 3/8" NPT or NPTF. Air consumption while impacting: 50 CFM maximum. Torque developed after five seconds impacting: 750 foot-pounds min.

Federal Strategic Sourcing Initiative, 5130-00-184-1427, 3/4" Drive., EA, \$267.91

Wrench has a 3/8" square drive with a 1-3/8" maximum spindle offset. Air inlet connection is 1/4" NPT or NPTF. Air consumption while impacting: 15 CFM maximum; Torque developed after five seconds impacting: 70 foot-pounds minimum.

Federal Strategic Sourcing Initiative, 5130-00-234-4879, 3/8" Drive., EA, \$83.06

Wrench has a 3/4" square drive. Air inlet connection is 1/2" NPT or NPTF. Torque developed after 5 seconds impacting: 1450 ft-lbs max. 1050 IPM. Has a body grip handle.

Federal Strategic Sourcing Initiative, 5130-01-486-2261, 3/4" Drive., EA, \$437.69

Needle Scaler (Pneumatic)

Grip type body, heavy duty. Remove paint, rust and scale from flat and irregular surfaces with this portable air operated needle scaler. Operating pressure is 90 psi. Tool has nineteen 1/8" dia needles and a round needle housing. Air inlet connection is 1/4" NPT. Includes operating and maintenance instructions.

Heavy Duty Scaler has pistol-grip handle and button throttle. Under load 3,500 Impacts/Minute (IPM). Weighs 8-1/2 lbs.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5130-00-965-9876, 6" L., EA, \$803.42

Vibration Cushioned Needle Scaler

This vibration cushioned needle scaler with pistol grip handle contains (19) 3mm diameter needles to clean weld seams, remove paint, rust, dress concrete and masonry. Features a two spring configuration to reduce return piston vibration, a lever throttle and a 360° rotating auxiliary side handle. Operating pressure is 90 psig. Air inlet connection is 3/8" NPT. Accessories include one bushing (3/8 x 1/4" NPT), one lubricant tube, two O rings and instructions inside a plastic, metal or wooden case.

Ergonomic Product.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5130-01-317-2453, EA, \$231.37

Oscillating Sander

Orbital-action air sander is for metal or wood finishing jobs. No-load speed is 6,000 to 9,000 orbits per minute. Paper size is 3 x 8". Abrasive area is 18 sq in. Has a palm-driven lever throttle with finger grip housing. Has neoprene rubber pad and 1/4" air inlet connection. Furnished with operating and maintenance instructions.

Federal Strategic Sourcing Initiative, 5130-00-606-9694, EA, \$484.66

Pulling Head

Pulling head is for use on pneumatic riveters to install rivets.

Installs 1/8", 5/32" and 3/16" diameter Cherrymax rivets when attached to Cherry P/N G-701, G-704 or G-746 air operated riveters and G-749 hand riveters.

Federal Strategic Sourcing Initiative, 5130-01-044-7196, H781-456 or equal, EA, \$620.34

Installs universal & countersunk head rivets Cherry No. G750A, G747, G704B, G746A, G701A & G689 riveters.

Federal Strategic Sourcing Initiative, 5130-01-393-2925, H781-456 or equal, EA, \$814.65

Installs 1/8", 5/32" and 3/16" diameter Cherrymax rivets when attached to Cherry P/N G-701, G-704 or G-746 air operated riveters and G-749 hand riveters.

Federal Strategic Sourcing Initiative, 5130-01-044-7197, H701B-456 or equal, EA, \$227.14

Rivet Head Shaver

These portable pneumatic shavers cleanly and precisely shave rivets without damaging surfaces. The shavers come with a pistol grip handle and stabilizer. A-A-58066.

Type 2: Single rotation shaver for soft metal rivets (aluminum, aluminum alloy, copper, brass and mild steel).

Federal Strategic Sourcing Initiative, 5130-00-621-2647, Footpiece/Cutter Head Sizes: 5/16", 3/8", 7/16", 1/2", 9/16, 5/8" & 3/4". Carrying Case., EA, \$738.63

Abrasives and Accessories

GSA Global Supply® provides a diverse line of abrasive products that are primarily used in aircraft maintenance and overhaul depots, naval shipyards, woodworking, vehicle repair and other facilities. Abrasive products are used in conjunction with a variety of power tools. To see the complete offering, visit www.GSAGlobalsupply.gsa.gov.

Aluminum Oxide (A/O)

Primarily used in applications where medium to heavy removal is required. A/O is typically used for de-burring, blending, finishing and removing tool marks on all types of metal and composite surfaces.

Silicon Carbide (S/C)

A more aggressive abrasive, which will provide a rapid cut and longer working life. S/C is primarily used for grinding very hard materials such as titanium, stainless steel, as well as soft aluminum alloys, plastics and other non-ferrous materials.

Crocus

An iron-oxide coated abrasive cloth, used as a polishing agent after most of the work has been done with emery or aluminum oxide.

Emery

Abrasive coated cloth used for light polishing of metal. It is not recommended for large metal surfaces or hard metal, where aluminum oxide cloth is much more satisfactory.

Garnet

The chosen abrasive for all types of woodworking applications. Garnet is not available in all products, and a finer grit aluminum oxide is recommended as an alternative.

Choosing a Grit Size

Lower grit size, such as 36, designates more aggressive results than a grit size of 400. The larger the number (600) achieves a finer finish to the material being worked. Definitions are as follows:

- SFN – Super fine
- VFN – Very fine
- MED – Medium
- CRS – Coarse

Abrasive Aluminum Oxide Disk (Fiber)

Designed for use with portable grinders and sanders and for surface preparation (including removal of paint, scale and rust). Non-waterproof, closed coat disc features a 7/8" arbor hole (without slits or slots).

FSSI	Diameter	Grit	Abrasive	NSN		U/I	Price
Federal Strategic Sourcing Initiative	7 inch	16	A/O	5345-00-558-5929	Material Safety Data Sheet	BX (contains 25 EA)	\$32.22
Federal Strategic Sourcing Initiative	7 inch	24	A/O	5345-00-558-5928	Material Safety Data Sheet	BX (contains 25 EA)	\$29.62
Federal Strategic Sourcing Initiative	7 inch	50	A/O	5345-00-881-8380	Material Safety Data Sheet	BX (contains 25 EA)	\$28.06
Federal Strategic Sourcing Initiative	7 inch	60	A/O	5345-00-196-1696	Material Safety Data Sheet	BX (contains 25 EA)	\$19.54
Federal Strategic Sourcing Initiative	7 inch	80	A/O	5345-00-196-1698	Material Safety Data Sheet	BX (contains 100 EA)	\$72.31

Abrasive Aluminum Oxide Mat

This 9 x 11" sheet is made of non-woven, nylon fiber, non-metallic material, suitable for cleaning, scouring, finishing or preparing metal surfaces for painting.

FSSI	Size	Grit	Abrasive	NSN		U/I	Price
Federal Strategic Sourcing Initiative	9 x 11"	100-150	A/O	5350-00-967-5092	Material Safety Data Sheet	AbilityOne PG (contains 10 SH)	\$19.27
Federal Strategic Sourcing Initiative	9 x 11"	180	A/O	5350-00-967-5093	Material Safety Data Sheet	AbilityOne PG (contains 10 SH)	\$13.53
Federal Strategic Sourcing Initiative	9 x 11"	280 - 400	A/O	5350-00-967-5089	Material Safety Data Sheet	AbilityOne PG (contains 10 SH)	\$13.74

Abrasive Blasting Material

May be used with pressure/suction type blasting equipment. All new materials are excellent for removing carbon, de-scaling, and cleaning and finishing metallic parts. Also suitable for preparing aircraft components for plasma spray plating and painting. (Sieve requirement as originally specified under MIL-PRF-9954.)

FSSI	Type	Size	Mesh	Cloth Type	NSN		U/I	Price
	Glass	3		Soda-lime	5350-00-935-7698	Material Safety Data Sheet	CO (contains 50 LB)	\$35.71
	Glass	6		Soda-lime	5350-00-950-9766	Material Safety Data Sheet	CO (contains 50 LB)	\$27.77
Federal Strategic Sourcing Initiative	Glass	8		Soda-lime	5350-00-012-1869	Material Safety Data Sheet	CO (contains 50 LB)	\$37.36
	Glass	13		Soda-lime	5350-00-576-9634	Material Safety Data Sheet	CO (contains 50 LB)	\$29.75
Federal Strategic Sourcing Initiative	Grain		80	Aluminum-garnet	5350-01-368-6708	Material Safety Data Sheet	BG (contains 100 LB)	\$47.90
	Grain		12/20	Walnut shell	5350-00-050-1094	Material Safety Data Sheet	CO (contains 50 LB)	\$58.08
	Grain		36	A/O	5350-00-619-8973	Material Safety Data Sheet	CO (contains 50 LB)	\$41.00

Abrasive Disk (Surface Conditioning)

Scotch-brite disk material provides a burr-free surface suitable for painting, coating, light rust removal and oxides. Features a "ROLOC TR" male-threaded, quick-change, mechanical attachment feature.

FSSI	Diameter	Grit	Abrasive	NSN		U/I	Price
Federal Strategic Sourcing Initiative	2 inch	SFN	S/C	5345-01-424-2260	Material Safety Data Sheet	BX (contains 200 EA)	\$201.34
Federal Strategic Sourcing Initiative	3 inch	SFN	S/C	5345-01-444-8433	Material Safety Data Sheet	BX (contains 100 EA)	\$148.21
Federal Strategic Sourcing Initiative	2 inch	VFN	A/O	5345-01-367-7680	Material Safety Data Sheet	BX (contains 200 EA)	\$321.14
Federal Strategic Sourcing Initiative	3 inch	VFN	A/O	5345-01-397-5253	Material Safety Data Sheet	BX (contains 100 EA)	\$233.99
Federal Strategic Sourcing Initiative	2 inch	MED	A/O	5345-01-282-0634	Material Safety Data Sheet	BX (contains 200 EA)	\$175.10
Federal Strategic Sourcing Initiative	3 inch	MED	A/O	5345-01-397-5256	Material Safety Data Sheet	BX (contains 100 EA)	\$113.84
Federal Strategic Sourcing Initiative	2 inch	CRS	A/O	5345-01-252-8565	Material Safety Data Sheet	BX (contains 200 EA)	\$98.61
Federal Strategic Sourcing Initiative	3 inch	CRS	A/O	5345-01-249-8361	Material Safety Data Sheet	BX (contains 100 EA)	\$242.85

Abrasive Silicon Carbide Disk (Pressure-Sensitive Adhesive)

For use with dual action sanders for metal applications, this flat disk features no arbor hole or open coat and is not waterproof.

FSSI	Diameter	Grit	Abrasive		NSN		U/I	Price
Federal Strategic Sourcing Initiative	6 inch	80	S/C	Paper	5345-01-053-7925	Material Safety Data Sheet	RO (contains 125 EA)	\$54.44
Federal Strategic Sourcing Initiative	6 inch	120	S/C	Paper	5345-01-074-9405	Material Safety Data Sheet	RO (contains 125 EA)	\$65.44
Federal Strategic Sourcing Initiative	6 inch	180	S/C	Paper	5345-01-074-9404	Material Safety Data Sheet	RO (contains 250 EA)	\$78.29
Federal Strategic Sourcing Initiative	6 inch	280	S/C	Paper	5345-01-074-9406	Material Safety Data Sheet	RO (contains 250 EA)	\$72.74

Abrasive Cloth (Sheets)

Non-waterproof, jean cloth designed for use in hand-sanding and finishing work.

FSSI	Size	Grit	Abrasive	Cloth Type	NSN		U/I	Price
Federal Strategic Sourcing Initiative	9 x 11"	80	A/O	Jeans	5350-00-192-5047	Material Safety Data Sheet	PG (contains 50 EA)	\$49.91
Federal Strategic Sourcing Initiative	9 x 11"	100	A/O	Jeans	5350-00-161-9066	Material Safety Data Sheet	PG (contains 50 EA)	\$45.02
Federal Strategic Sourcing Initiative	9 x 11"	120	A/O	Jeans	5350-00-192-5049	Material Safety Data Sheet	PG (contains 50 EA)	\$26.44
Federal Strategic Sourcing Initiative	9 x 11"	240	A/O	Jeans	5350-00-161-9715	Material Safety Data Sheet	PG (contains 50 EA)	\$45.69
Federal Strategic Sourcing Initiative	9 x 11"	320	A/O	Jeans	5350-00-246-0330	Material Safety Data Sheet	PG (contains 50 EA)	\$44.65
Federal Strategic Sourcing Initiative	9 x 11"	Fine	Quartz	Crocus	5350-00-221-0872	Material Safety Data Sheet	PG (contains 50 EA)	\$41.15

Plastic Blast Media

Can be used with pressure/suction-type blasting equipment in conjunction with aircraft de-paint processing and in preparation of aircraft components for plasma spray plating or painting process. MIL-P-85891 and Air Force T.O.1-1-8.

FSSI	Type	Size	Abrasive	NSN		U/I	Price
Federal Strategic Sourcing Initiative	3	12/16	Melamine Formaldehyde (Thermoset)	5350-01-327-8453	Material Safety Data Sheet	DR (contains 250 LB)	\$419.30
Federal Strategic Sourcing Initiative	5	20/30	Acrylic (Thermoplastic)	5350-01-326-9262	Material Safety Data Sheet	DR (contains 250 LB)	\$516.18
Federal Strategic Sourcing Initiative	2	20/30	Urea Formaldehyde (Thermoset)	5350-01-326-8205	Material Safety Data Sheet	250/LB	\$413.71

Aluminum Oxide Cloth

For metal working, aluminum oxide cloth. Non-waterproof.

FSSI	Size	Grit	Abrasive	Cloth Type	NSN			U/I	Price
	1-1/2" wide	80	A/O	Jeans	5350-00-187-6284	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$283.41
	1-1/2" wide	80	A/O	Jeans	5350-01-631-5577			RO/50 YD	\$28.00
Federal Strategic Sourcing Initiative	2" wide	80	A/O	Jeans	5350-00-187-6295	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$334.88
	2" wide	80	A/O	Jeans	5350-01-631-5593			RO/50 YD	\$34.22
Federal Strategic Sourcing Initiative	1" wide	80	A/O	Jeans	5350-01-631-5581			RO/50 YD	\$21.78
	1-1/2" wide	100	A/O	Jeans	5350-00-187-6283	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$278.60
	1-1/2" wide	100	A/O	Jeans	5350-01-631-5575			RO/50 YD	\$28.00
Federal Strategic Sourcing Initiative	2" wide	100	A/O	Jeans	5350-00-187-6294	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$330.21
	2" wide	100	A/O	Jeans	5350-01-631-5583			RO/50 YD	\$34.22
Federal Strategic Sourcing Initiative	2" wide	120	A/O	Jeans	5350-00-187-6293	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$330.79
	2" wide	120	A/O	Jeans	5350-01-631-5582			RO/50 YD	\$34.22
	3" wide	120	A/O	Jeans	5350-01-631-5594			RO/50 YD	\$46.66
	1-1/2" wide	150	A/O	Jeans	5350-00-187-6281	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$278.60
Federal Strategic Sourcing Initiative	1-1/2" wide	150	A/O	Jeans	5350-01-631-5572			RO/50 YD	\$28.00
	2" wide	150	A/O	Jeans	5350-00-187-6292	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$331.04
Federal Strategic Sourcing Initiative	2" wide	150	A/O	Jeans	5350-01-631-5589			RO/50 YD	\$34.22
	1" wide	180	A/O	Jeans	5350-01-631-5578			RO/50 YD	\$21.78
	1-1/2" wide	180	A/O	Jeans	5350-00-187-6280	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$287.17
Federal Strategic Sourcing Initiative	1-1/2" wide	180	A/O	Jeans	5350-01-631-5592			RO/50 YD	\$28.00
	2" wide	180	A/O	Jeans	5350-00-187-6291	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$330.92
Federal Strategic Sourcing Initiative	2" wide	180	A/O	Jeans	5350-01-631-5580			RO/50 YD	\$34.22
Federal Strategic Sourcing Initiative	3" wide	180	A/O	Jeans	5350-01-631-5587			RO/50 YD	\$48.09
	2" wide	220	A/O	Jeans	5350-00-274-6209	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$311.91
Federal Strategic Sourcing Initiative	2" wide	220	A/O	Jeans	5350-01-631-5590			RO/50 YD	\$34.22
Federal Strategic Sourcing Initiative	1" wide	240	A/O	Jeans	5350-01-631-5584			RO/50 YD	\$21.78
	2" wide	240	A/O	Jeans	5350-00-187-6290	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$333.37
Federal Strategic Sourcing Initiative	2" wide	240	A/O	Jeans	5350-01-631-5586			RO/50 YD	\$34.22
Federal Strategic Sourcing Initiative	3" wide	240	A/O	Jeans	5350-01-631-5585			RO/50 YD	\$46.66
	1" wide	320	A/O	Jeans	5350-00-187-6289	Material Safety Data Sheet	AbilityOne	BX (contains 10 EA)	\$332.47
	3" wide	320	A/O	Jeans	5350-01-631-5591			RO/50 YD	\$46.66

Abrasive Disk Holder Pad

Quick change holder pads, also called disc pads, allow you to quickly and easily change disks. They're available in a range of sizes and densities, so you can find the pad that best suits your grinding and finishing projects.

Federal Strategic Sourcing Initiative, 5130-00-150-8041, 2" Round. 1/4" Shank. 25,000 RPM Min., EA, \$6.73

Abrasive Bristle Disk

Moulded abrasive filled surface conditioning bristle disk, used in conjunction with various right angle tools. This product is designed for deburring, blending, finishing, polishing and cleaning metal surfaces. Has a "ROLOC" quick change, threaded mechanical feature.

Regalite (aluminum oxide and ceramic aluminum oxide mix).

Grit size: 120; Taper: 5/8".

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-432-3027, 048011-18733 or equal, White, Diameter: 2", BX(contains 10 EA), \$67.83

Abrasive Disk

Abrasive disc is plain flat, no arbor hole used in metal or woodworking. It is closed coat and waterproof with a "YN" polyester cloth backing and resin bond. Size: 2 inch diameter.

Aluminum oxide/cubitron.

Grit: 80.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-264-9227, 051144-11109 or equal, BX(contains 50 EA), \$26.72

Abrasive disk is designed to be used with Clayton Abrasives, Dustmaster Supreme Orbital sander, dust-extraction vacuum systems.

Aluminum oxide. Backing is screen type mesh composition, plain flat, round shape.

Grit: 120.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-528-9897, 830-DMS120HV, 3", PG(contains 250 SH), \$199.94

or equal, Grit: 180.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-521-4927, 830-DMS180HV or equal, 3" diameter, PG(contains 250 EA), \$199.94

Federal Strategic Sourcing Initiative, 5345-01-521-7251, 860-DMS180HV, 6" diameter, PG(contains 250 EA), \$251.62

Grit: 240.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-521-4926, 830-DMS240HV or equal, 3" diameter, PG(contains 250 EA), \$199.94

Federal Strategic Sourcing Initiative, 5345-01-521-4548, 860-DMS240HV or equal, 6" diameter, PG(contains 250 EA), \$290.39

Abrasive disk with "YF" weight cloth backing is used for metal working. Closed coat, non-waterproof. Features a "ROLOC" quick-change. Designed for metal working.

Aluminum oxide/ceramic blend.

Grit size: 120.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-420-1453, 051144-80512 or equal, 2" diameter, PG(contains 50 EA), \$43.11

A moulded abrasive filled surface conditioning "ROLOC" threaded bristle disk, used in conjunction with various right angle tools. This product is designed for deburring, blending, finishing, polishing and cleaning surfaces.

Aluminum oxide & ceramic mix). Designed for metal working, speed rating 15,000. Taper size 5/8'.

Grit: 120.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-432-3292, 048011-18737 or equal, White, 3" diameter, BX(contains 10 EA), \$104.70

Abrasive disk with "YF" weight cloth backing is used for metal working. Closed coat, non-waterproof. Features a "ROLOC" quick-change. Designed for metal working.

Aluminum oxide/ceramic blend.

80 grit.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-420-1457, 051144-14661 or equal, 2" diameter, PG(contains 50 EA), \$43.10

Abrasive Disk (Zirconia)

Abrasive Flap Wheel, .875 inch Arbor Hole, 1/8 inch thick, Cloth backing. Designed for use with right angle or vertical grinders in blending welds, deburring and surface finishing.

Grit size: 40.

Abrasive material: zirconia.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-499-9809, DW8306 or equal, 4-1/2" diameter, PG(contains 5 EA), \$15.43

Abrasive Disk Kit

Kit contains an assortment of aluminum oxide disks with a resin bond and drill backing cloth used for metal working. Features Merit abrasive-style "power-lock" back-up pads. Kit consists of 150 disk of assorted sizes and grits as follows: One-inch diameter 40 grit (25 each), one-inch diameter 80 grit (25 each), two-inch diameter 60 grit (5 each), two-inch diameter 80 grit (20 each), two-inch diameter 100 grit (5 each), two-inch diameter 120 grit (20 each), three-inch diameter 50 grit (25 each), three-inch diameter 100 grit (25 each); Also includes three disk holders with the following sizes: one-inch diameter stiff back-up pad holder (1 each), two-inch diameter medium back-up pad holder (1 each), and three-inch diameter medium back-up pad holder (1 each).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-015-1419, 08834165001 or equal, KT, \$115.09

Abrasive Disk, Aluminum Oxide

Abrasive cloth-backed disk is designed for deburring, blending and finishing metal surfaces. Features a snap-on, quick-change, mechanical feature. (Replacement disk for Abrasive Disk Kit NSN 5345-01-015-1419).

Aluminum Oxide, 80 grit.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-017-9511, 69957399778 or equal, 2" diameter, HD, \$30.26

Abrasive Disk, Aluminum Oxide (PSA)

For use with dual action sanders for metal applications, this flat disk features no arbor hole or open coat and is not waterproof.

Grit size: 80.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-420-1460, 00051111504505 or equal, 5" diameter, HD, \$88.16

Abrasive Silicon Carbide Paper Sheet (Waterproof)

Designed for use in wet applications. For metal or wood working use.

Grit size: 120.

Silicon Carbide

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5350-00-721-8115, 00051144020164 or equal, 9 x 11", PG(contains 50 EA), \$35.95

Grit size: 180.

Silicon Carbide

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5350-00-721-8117, 00051144020140 or equal, 9 x 11", PG(contains 50 EA), \$33.95

Abrasive Wheel (Cut Off)

Abrasive oxide grinding wheel. Wheel has a resinoid/glue bond and is 4-1/2" diameter with 7/8" arbor hole.

Aluminum oxide.

Grit: 60.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-01-496-7235, 66252843846 or equal, BX(contains 10 EA), \$21.05

Abrasive Wheel (Dremel)

Dremel power tools are used for their rotary tools, accessories and ease of use.

Federal Strategic Sourcing Initiative, 5130-01-083-5827, 3/8" Dia x 1/2" T, 1/8" Shank. Aluminum Oxide., EA, \$2.57

Abrasive Wheel (Surface-Conditioning Flap Wheel)

Abrasive wheel is a non-woven, abrasive mat bonded to a fiber core with a medium grade. Speed rating of 3400 RPM maximum.

Aluminum Oxide.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 5345-00-157-9790, 00048011-011608 or equal, Maroon, Length: 6";Width: 1", EA, \$50.27

Grinders (Discs)

These "abrasive" grinding wheels are for removing material in various metalworking industries ranging from snagging operations, removal of excess metal from casting operations & high finish operations on foil rolls. B74.2

Federal Strategic Sourcing Initiative, 5130-01-399-1140, 4-1/2" Dia x 1/4" Thick. 7/8" Arbor., EA, \$1.51

Wire Brush (Rotary Side Flare)

These wheel brushes have crimped wire for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The brushes can be made of brass, stainless steel or high carbon tempered steel and with a 1/4" round arbor shaft. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Wire size, RPM max). A-A-2514

Type 3: High carbon tempered steel.

Federal Strategic Sourcing Initiative, 5130-00-595-8179, 1-1/4" Brush, 0.008", 8000 RPM., EA, \$14.82

Federal Strategic Sourcing Initiative, 5130-00-293-2408, 3" Brush, 0.014", 8000 RPM., EA, \$11.73

Federal Strategic Sourcing Initiative, 5130-00-293-2409, 1-1/2" Brush, 0.0204", 8000 RPM., EA, \$7.81

Federal Strategic Sourcing Initiative, 5130-00-595-8182, 3" Brush, 0.0204", 8000 RPM., EA, \$10.58

Wire Brush (Rotary Wheel Crimped Wire)

These wheel brushes have crimped wire for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The brushes can be made of brass, stainless steel or high carbon tempered steel & come in a wide or narrow face. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Arbor hole size, RPM max). A-A-2516

Type 1: Narrow Face Width, Class 3: High carbon tempered steel.

Federal Strategic Sourcing Initiative, 5130-00-293-1992, 2" Brush, 1/2" Arbor, 8000 RPM., EA, \$5.31

Federal Strategic Sourcing Initiative, 5130-00-293-2015, 4" Brush, 1/2" Arbor, 4500 RPM., EA, \$15.72

Wire Brush (Rotary End Solid Wire Fill)

These solid wire filled brushes have crimped wire for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The brushes can be made of brass, stainless steel or high carbon tempered steel and with a 1/4" round arbor shaft. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Wire size, RPM max). A-A-2513

Type 3: High carbon tempered steel.

Federal Strategic Sourcing Initiative, 5130-00-263-0235, 1" Brush, 0.0204", 8000 RPM., EA, \$2.84

Federal Strategic Sourcing Initiative, 5130-00-293-2410, 3/4" Brush, 0.0204", 8000 RPM., EA, \$5.32

Federal Strategic Sourcing Initiative, 5130-00-435-2309, 3/4" Brush, 0.006", 8000 RPM., EA, \$8.18

Wire Brush (Crimped)

Crimped steel wire brush is end-attachment style for use in power tools. Measures 2-1/8" long with a 3/32" round shank. Coated to prevent corrosion.

Federal Strategic Sourcing Initiative, 5130-00-071-9163, 35197 or equal, 1/2" (brush), 0.005" (wire), 2-1/8" L, EA, \$2.88

Wire Brush (Cup - Crimped Wire)

These cup brushes have crimped wire for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The cup brush can be made of brass, stainless steel or high carbon tempered steel & have either a threaded arbor or an unthreaded hole of a specified size to fit the mandrel. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Arbor hole size, RPM max). A-A-2511

Type 3: High carbon tempered steel, Class 1: Threaded Arbor.

Federal Strategic Sourcing Initiative, 5130-00-278-6634, 4" Brush, 5/8" UNC Arbor, 6000 RPM., EA, \$26.83

Wire Brush (Rotary Wheel Twisted Tuft)

These wheel brushes have twisted tuft wires for removing scale, burrs and corrosion in hard-to-reach areas and internal surfaces. The brushes can be made of brass, stainless steel or high carbon tempered steel & come in narrow face with an unthreaded arbor hole. Designed for use with portable electric or pneumatic tools. Described by the following (Brush diameter, Arbor hole size, RPM max). A-A-2517

Type 3: High carbon tempered steel.

Federal Strategic Sourcing Initiative, 5130-00-277-9487, 6" Brush, 5/8" Arbor, 6000 RPM., EA, \$28.88

Federal Strategic Sourcing Initiative, 5130-00-277-9488, 8" Brush, 5/8" Arbor, 4500 RPM., EA, \$35.47

Federal Strategic Sourcing Initiative, 5130-00-293-0781, 6" Brush, 5/8" Arbor, 6000 RPM., EA, \$25.68

Handsaws

Hacksaw

These hacksaws are for cutting materials such as metal or bone. Hand held hacksaws consist of a metal arch with a handle, usually a pistol grip, with pins for attaching a narrow disposable blade. A screw or other mechanism is used to put the thin blade under tension.

Federal Strategic Sourcing Initiative, 5110-01-428-5416, Blade: 12" L, Throat: 3-7/8" D., EA, \$23.17

Hacksaw Frame

A adjustable hacksaw frame to be used with blades that are in accordance with B94.52M.

Mini hacksaw, rigid lightweight die cast aluminum frame. Accepts 10-12" L blades.

Federal Strategic Sourcing Initiative, 5110-01-355-8504, 8-1/4" L., EA, \$4.85

Adjustable hacksaw frame accepts 10" and 12" hacksaw blades. The open handle design allows for a comfortable grip, regardless of hand size. Features a 3" to 3-7/8" throat depth and a thumb nut for adjusting the blade tension.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-289-9657, EA, \$6.92

Hacksaw Frame (Screwdriver)

A adjustable hacksaw frame to be used with blades that are in accordance with B94.52M.

Knob tightens and loosens to secure blade.

Federal Strategic Sourcing Initiative, 5110-01-600-3371, EA, \$7.17

Crosscut Saw

Crosscut saw features a straight back shape, making it ideal for cutting wood across the grain. Includes a sturdy hardwood handle and a hardened and tempered blade. The blade is tapered in width and includes spring set and bevel filed teeth.

Federal Strategic Sourcing Initiative, 5110-00-203-8310, 20" L Blade, 10TPI., EA, \$12.77

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-3435, 26" L Blade, 8TPI., EA, \$8.45

Crosscut Saw (One-Man)

One man saw cuts logs, felling trees and trimming branches. The saw features a hardwood handle with a large hand hole. The saw has a supplemental detachable post handle, with a 5" L gripping and measures 1-1/8" at the largest diameter.

Federal Strategic Sourcing Initiative, 5110-00-242-7147, 36" L, 2:1 or 4:1 Cutter Teeth to Raker., EA, \$291.98

Rip Saw

Cuts wood with the grain. The rip saw features a hardwood handle and a hardened and tempered blade. The blade is 26" long with 8 points per inch, 6-1/2" wide at butt and 1-3/4" wide at point. Teeth are filed straight across for ripping.

Federal Strategic Sourcing Initiative, 5110-00-142-5015, EA, \$6.62

Handsaw Filing Guide

Used for manual sharpening of hand saws in remote locations where electricity is not available. Two positive adjustments shall control pitch & angle through the filing operation. Tool clamps over hand saw blade & has a double arm through which the file slides.

Federal Strategic Sourcing Initiative, 5110-00-860-3377, EA, \$41.01

Saw Blades

Reciprocating Saw Blade

Replacement blade for most portable electric or pneumatic jigsaws or sawzalls.
Described by: (Shank size, Length, Teeth per inch (TPI) and Material used on).

Federal Strategic Sourcing Initiative, 5130-01-587-6656, T Shank, 3" L, 12TPI, Wood., PG(contains 5 EA), \$8.36

Federal Strategic Sourcing Initiative, 5130-01-574-9904, T-shank, 3" L, 24TPI, Bi-Metal., PG(contains 5 EA), \$8.46

Federal Strategic Sourcing Initiative, 5130-01-587-6673, T Shank, 4" L, 10 TPI, Metal., PG(contains 5 EA), \$7.88

Federal Strategic Sourcing Initiative, 5130-00-967-9707, 1/4", 2-1/2" L, 32 TPI, Metal., PG(contains 5 EA), \$8.01

Federal Strategic Sourcing Initiative, 5130-00-275-1203, 1/2", 4" L, 10TPI, Wood., PG(contains 5 EA), \$8.35

Federal Strategic Sourcing Initiative, 5130-01-053-8733, 1/2", 4" L, 24TPI, Metal., PG(contains 5 EA), \$7.59

Federal Strategic Sourcing Initiative, 5130-01-596-1420, 1/2", 6" L, 14TPI, Bi-Metal., PG(contains 5 EA), \$1.60

Federal Strategic Sourcing Initiative, 5130-01-473-9448, 1/2", 6" L, 10TPI, Universal., PG(contains 5 EA), \$1.02

Federal Strategic Sourcing Initiative, 5130-00-275-1206, 1/2", 6" L, 18TPI, Metal & Plastic., PG(contains 5 EA), \$1.53

Federal Strategic Sourcing Initiative, 5130-01-596-1421, 1/2", 6" L, 18TPI, Bi-Metal., PG(contains 5 EA), \$9.59

Federal Strategic Sourcing Initiative, 5130-01-473-9452, 1/2", 6" L, 24TPI, Metal., PG(contains 5 EA), \$1.53

Federal Strategic Sourcing Initiative, 5130-01-473-9449, 1/2", 8" L, 14TPI, Steel., PG(contains 5 EA), \$2.31

Federal Strategic Sourcing Initiative, 5130-01-623-9505, 1/2", 12" L, 14TPI, Bi-Metal., PG(contains 5 EA), \$17.70

Federal Strategic Sourcing Initiative, 5130-01-507-7933, Universal, 4" L, 14TPI, Metal., PG(contains 5 EA), \$1.36

Federal Strategic Sourcing Initiative, 5130-01-507-7934, Universal, 4" L, 18TPI, Metal., PG(contains 5 EA), \$6.82

Reciprocating Saw Blade (Set)

Replacement blade for most portable electric or pneumatic jigsaws or sawzalls.
Described by: (Shank size, Length, Teeth per inch (TPI) and Material used on).

Set consists of (6) pieces, one of each: 6" L 6TPI taper back bi-metal, 6" L 5/8TPI taper back Bi-metal, 6" L 10TPI straight back bi-metal, 6" L 14TPI straight back bi-metal, 6" L 18TPI straight back bi-metal & 6" L 24TPI straight back bi-metal reciprocating saw blade.

Federal Strategic Sourcing Initiative, 5130-01-473-9450, SE, \$12.10

Circular Saw Blade

Replacement blades for circular saws. Described by (Diameter size, Arbor, Teeth).

Federal Strategic Sourcing Initiative, 5130-01-474-4805, 12" Dia, 1" Arbor, 80 TPI., EA, \$61.78

Federal Strategic Sourcing Initiative, 5130-01-474-4810, 7-1/4" Dia, 5/8" Arbor, 20 TPI., EA, \$14.96

Hole Saw Blade Kit

Each hole saw assembly comes complete with arbor, pilot drill, hole saw and plastic case with retention feature securing contents when not in use and while in transit. Accessories: Tool(s) used to affix pilot drill to hole saw and/or arbor, minimum of 2 pilot drills with arbors, extension.

Federal Strategic Sourcing Initiative, 5130-01-478-5593, Sizes: 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4" and 2-1/2"., KT, \$111.28

Saw Setter

This saw setter is used for setting teeth on hand, band, panel & back saws. The setter has a straight lever or plastic grip handle that forces the plunger to move, setting teeth against the anvil head. The anvil is adjustable & has a knurled thumb nut for locking the anvil in any position. Setter is made of high grade steel.

Federal Strategic Sourcing Initiative, 5120-00-244-1167, EA, \$18.90

Hacksaw Blade

A high speed steel replacement hacksaw blade that is single edged and flexible. Holes at each end of the blade engage pins in hacksaw frame. B94.52

Federal Strategic Sourcing Initiative, 5110-01-430-5934, 12" L, 24TPI., BX(contains 100 EA), \$113.20

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-277-4588, 10" L, 24TPI., BD(contains 10 EA), \$12.39

Federal Strategic Sourcing Initiative, 5110-00-277-4589, 10" L, 32TPI., BD(contains 10 EA), \$0.88

Federal Strategic Sourcing Initiative, 5110-00-277-4590, 12" L, 18TPI., PG(contains 10 EA), \$0.95

Jig Saw Blade Set

Set consists of (25) pieces: (5 of each of the following): Blade Sizes, Wood Cutting: 3 inch (12 TPI), 4 inch (6 TPI), and 4 inch (10 TPI); Blade Material, Wood Cutting: High carbon steel; Blade Sizes, Metal Cutting: 3 inch (18 TPI) & 3 inch (24 TPI) Blade Material, Metal Cutting: Cobalt steel.

Federal Strategic Sourcing Initiative, 5130-01-474-4822, SE, \$39.79

Scissors

Pocket Scissors (Stamped Stainless Steel)

Safely carry these lightweight scissors in your pocket. The scissors have ring shaped handles, straight blades and rounded blade points for extra protection. Made of rust resistant stamped stainless steel.

Federal Strategic Sourcing Initiative, 5110-01-241-4376, AbilityOne , AbilityOne, 5-1/4" L, 1-7/8" L Cut., EA, \$5.34

Sewing Scissors (Stamped Stainless Steel)

Lightweight sewing scissors for cutting, trimming and clipping. The scissors have ring shaped handles and straight blades. The molded plastic handles are for left and right hand use. Both blades are pointed or one blade is pointed and the other blade is beveled. Made of rust resistant stamped stainless steel.

Federal Strategic Sourcing Initiative, 5110-01-241-4375, AbilityOne , AbilityOne, 6-1/2" L, 3" L Cut., EA, \$4.64

Sewing Scissors (Drop Forged Steel)

Designed for cutting, trimming and clipping tasks. Heavy-duty sewing scissors have ring-shaped handles and straight blades. One blade is pointed and the other is blunt. The blades are polished nickel-chrome plated and handles are plated or painted.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-754-1499, 6" L, 2-5/8" L Cut., EA, \$21.38

Electrician's Scissors (Drop Forged Steel)

Ideal for cutting small gage wire, insulation and light sheet metal. Heavy duty electrician's scissors have straight, ring shaped handles and sharp, pointed blades. The back edges of the blades have serrated scraping edges. The blades are polished nickel chrome plated.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-255-0420, 5" L, 1-3/4" L Cut., EA, \$20.74

Shears

Bent Trimmer's Shears

These lightweight shears are for light paper cutting and trimming applications. These balanced shears reduce fatigue. They are made of rust resistant stamped stainless steel. The molded, ambidextrous plastic handles are for left or right hand use.

IAW GSA Purchase Description 5110-01-241-4371.

Federal Strategic Sourcing Initiative, 5110-01-241-4371, AbilityOne , AbilityOne, 8-1/4" L, 3-5/8" L Cut., EA, \$4.87

Bent Trimmer's Shears (Drop Forged Steel)

Heavy duty tailor's shears for cutting upholstery, carpet, canvas, duck, fabric and other sheet material. Shears have a bolt and lock nut for adjusting blade tension. Finger bow is provided with a table rest. Thumb ring has a contoured ledge for support of the thumb. One blade is pointed and has a thumb ring, the other is beveled, blunted or pointed. Blades are polished and nickel chrome plated. Handles are painted or nickel chrome plated.

Federal Strategic Sourcing Initiative, 5110-00-596-9703, 10" L, 4-1/2" L Cut., EA, \$36.85

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-6370, 12" L, 6" L Cut., EA, \$26.78

Paper or Stationer's Shears

These heavy duty paper or stationer's shears have long, narrow blades, straight handles and polished nickel chrome plated blades. Both blades are drop forged steel and pointed. 99.9 percent recycled with 87 percent of it being post consumer content.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-161-6912, AbilityOne, AbilityOne, 9" L, 4-5/8" L Cut., EA, \$17.13

Straight Trimmer's Shears

Use lightweight shears for light paper cutting and trimming applications. Balanced shears reduce fatigue. Have straight handles. Rust resistant stamped stainless steel. Molded plastic handles are for left and right hand use. Both blades are stamped stainless steel and pointed.

Federal Strategic Sourcing Initiative, 5110-01-278-4823, 9" L, 4-5/8" L Cut., EA, \$5.86

IAW GSA Purchase Description 5110-01-241-4373.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-01-241-4373, AbilityOne , AbilityOne, 8-1/4" L, 3-5/8" L Cut., EA, \$8.83

Heavy duty shears for cutting fine to heavy fabrics, cording, plastics, rubber, leather, vinyl and tape. Shears are intended for heavier applications such as upholstery, or on production lines where longer cuts and greater strength are needed. The shears have straight handles and have polished chrome plated drop forged steel blades. Comfort grip handles.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-6371, 8" L, 3-5/8" L Cut., EA, \$59.11

Federal Strategic Sourcing Initiative, 5110-00-161-6909, 9" L, 4" L Cut., EA, \$12.99

Recycled content (99 percent) and post-consumer content (87 percent).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-9199, AbilityOne , AbilityOne, 7" L, 3" L Cut., EA, \$12.91

Metal Shears (Drop Forged Steel)(Dental)

Heavy duty dental style shears are designed for cutting thin gold plate & have straight handles & sharp, pointed blades. Shears have a 2-5/8" L of cut & measure 8" L.

Federal Strategic Sourcing Initiative, 5110-00-555-9500, EA, \$14.95

Snips

Tinner Snips

Tinner snips are a great tool for cutting curves, irregular shapes & intricate patterns. The blades are drop forged alloy steel & are bow shaped. Described by: (Size, Length of cut min.). ASME B107.500 Cat 16.

Type 1: Tinner Snips, Class 1: Straight Cut, Style A: Fixed Blade.

Federal Strategic Sourcing Initiative, 5110-00-221-1083, 16, 2-1/4" L Cut., EA, \$66.37

Federal Strategic Sourcing Initiative, 5110-01-400-1418, 10, 2" L Cut, Comfort Grip., EA, \$22.14

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-0089, 12-1/2, 2-3/4" L Cut, Comfort Grip., EA, \$18.85

Federal Strategic Sourcing Initiative, 5110-00-289-8659, 8, 1-3/4" L Cut, Comfort Grip., EA, \$17.29

Type 1: Tinner Snips, Class 2: Duckbill (Combination straight & circular cut).

Federal Strategic Sourcing Initiative, 5110-00-221-1085, 7, 1-1/2" L Cut, Comfort Grip., EA, \$18.03

Federal Strategic Sourcing Initiative, 5110-00-221-1087, 12-1/2, 3" L Cut, Comfort Grip., EA, \$25.01

Aviation Snips

Aviation snips have compound lever action for easy repetitive cutting. Blades are drop forged alloy steel and are serrated to prevent slipping. All snips come with cushion grip handles and a safety latch. Described by: (Size, Length of cut min.). ASME B107.500 Cat 16.

Type 2: Compound Lever (Aviation), Class 1: Straight Cutting.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-273-0128, 10" L, 1-3/16" L Cut., EA, \$17.04

Type 2: Compound Lever (Aviation), Class 3: Circular cutting to the left.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-273-0126, 10" L, 1-3/16" L cut., EA, \$18.63

Cutters

Electronic Cutters

These cutters are perfect for electronic work & wire cutting. All pliers come with a spring that is capable of opening the jaws under normal use & comfort grips. B107.500 Cat 22.

Type I: Cutters, Class 1: Diagonal, Style B: Relieved oval head

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-878-6519, 4-1/2" L, Comfort Grip., EA, \$17.78

Cable Cutter (Hydraulic Action)

Hydraulic action cutter is operated by a hand pumped hydraulic unit with a relief valve. Includes a hardened tool steel cutting blade, rope holder and blade guides. A-A-3029

Federal Strategic Sourcing Initiative, 5110-00-224-7058, 1-1/8" Capacity. Type 2., EA, \$1,070.43

Cuts copper and aluminum power and communications cable, soft strip or bar. Hydraulic cutter consists of cutter head, ram assembly, coupling, handle, hose and pump on mounting board. Cutting capacity is 3".

Federal Strategic Sourcing Initiative, 5110-00-595-8267, EA, \$2,191.90

Cable Cutter (High-Leverage)

High leverage design for exceptional cutting capability. Precision, one hand shearing action. Cable gripping shear type jaws. Perfect for working in confined spaces. Can be carried in most tool pouches. Hot riveted joint ensures smooth action & no handle wobble. Beveled jaw tips provide proper mating & shearing action, which protects leading jaw edges.

Federal Strategic Sourcing Initiative, 5110-01-367-7278, 63050 or equal., 9-1/2" L., EA, \$25.32

Cable Cutter

This hand operated cable cutter is a ratchet type with shear cut blades for cutting soft cable up to 1-3/16".

Federal Strategic Sourcing Initiative, 5110-01-473-9295, EA, \$339.30

Insulated Wire Cutter

Designed for cutting electrically charged barbed wire. Insulated handles withstand high voltages up to 14,000 volt RMS. Cuts wire, cable and light chain to 3/16", soft and medium hard metals to 1/4" diameter. Cuts chain links up to Brinell 300, or Rockwell C31. A center cut tool with a special parrot beak jaw for ease in grasping wire and staples. A-A-52207

Federal Strategic Sourcing Initiative, 5110-00-595-8229, 9" L., EA, \$77.89

Concertina Wire Cutter

Because of its compound leverage system, this wire cutter has 75 lbs of gripping force. The jaws are spring loaded & the handles are cushioned & chemical resistant as well.

Federal Strategic Sourcing Initiative, 5110-01-576-8918, Coyote Brown, 8-1/2" L, Molly Sheath., EA, \$118.56

Bolt Cutter (Clipper Cut)

This bolt cutter tool will slice through rivets, bolts and steel rods like butter. The removable / replaceable, sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size) A-A-3047

Class 3: Clipper Cut (Close Cutting).

Federal Strategic Sourcing Initiative, 5110-00-596-9155, 30" L, 1/2". Replacement Jaws 5110-01-380-5095., EA, \$133.47

Federal Strategic Sourcing Initiative, 5110-00-188-2524, 36" L, 9/16". Replacement Jaws 5110-01-381-0808., EA, \$76.20

Federal Strategic Sourcing Initiative, 5110-00-596-9162, 18" L, 5/16". Replacement Jaws 5110-01-378-4608., EA, \$94.43

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-596-9156, 24" L, 3/8". Replacement Jaws 5110-01-380-5091., EA, \$38.22

Bolt Cutter (Angle Cut)

This bolt cutter tool will slice through rivets, bolts and steel rods like butter. The removable / replaceable, sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size) A-A-3047

Class 1: Angular Cut (Flush Cutting). Angular cut of 25° - 35° from the base plane of the jaw shanks.

Federal Strategic Sourcing Initiative, 5110-00-224-7055, 14" L, 1/4", Comfort Grips., EA, \$85.33

Federal Strategic Sourcing Initiative, 5110-00-224-7056, 24" L, 3/8". Replacement Jaws 5110-01-381-0790., EA, \$172.06

Federal Strategic Sourcing Initiative, 5110-00-224-7057, 36" L, 9/16". Replacement Jaws 5110-01-380-5088., EA, \$99.29

Bolt Cutter (Notch Shear Cut)

This bolt cutter tool will slice through rivets, bolts and steel rods like butter. The sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size) A-A-3047

Class 4: Notched Shear Cut.

Federal Strategic Sourcing Initiative, 5110-00-224-7053, 14" L, 1/4"., EA, \$47.42

Bolt Cutter

This bolt cutter tool will slice through rivets, bolts & steel rods like butter. The removable / replaceable, sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action & a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length & Max bolt size).

Federal Strategic Sourcing Initiative, 5110-01-473-9291, 18" L, 1/4"., EA, \$64.82

Bolt Cutter (Replacement Jaws)

These bolt cutter replacement jaws are made of high grade tool steel and shall fit the tool without any modification. The thickness of the jaw will not be less than 85% of the max diameter of the cutting capacity.

Replacement jaws for NSN 5110-00-188-2524 bolt cutter.

Federal Strategic Sourcing Initiative, 5110-01-381-0808, 9/16" Max Cut., EA, \$76.20

Pipe Cutter (Wheel Type)

The pipe cutter cuts hard metal pipe. Makes a smooth right angle cuts. The cutter is furnished with hardened tool steel cutter wheels, two rollers and pin axles. Has an enclosed lubricated feed mechanism and substantial adjusting handle. A non-deforming frame maintains cutter wheel and feed mechanism alignment.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-221-1049, Cuts 2" to 4"., EA, \$547.76

Steel Strapping Cutter (Safety Style)

Safety type cutter has forward cutting action, hand operated. Has double side retaining devices: after steel strapping is cut, both ends are retained until the handles are released. Flattened bottom jaw. Cuts strapping up to and including 1-1/4".

Federal Strategic Sourcing Initiative, 5110-00-771-3732, 12" L., EA, \$70.05

Steel Strapping Cutter (Heavy-Duty)

Hand-operated heavy-duty steel cutter with forward cutting action. Comfortable grips and handle stops prevent pinching of operator's hand. Has two hardened steel cutting jaws with tapered ends. Flattened bottom jaw slides under strapping. Cuts strapping up to 2" wide and 0.050" thick. Corrosion-inhibiting finish. Weighs 8 lbs.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-223-6281, 24" L., EA, \$85.43

Preformed Packing Pick Remover

O-Ring Picks. (1) Elongated (1) Angled Pick Point & (1) Curved Pick Point Tool.

Federal Strategic Sourcing Initiative, 5120-01-573-0665, 715201 or equal., PG(contains 10 EA), \$26.68

Splicing Sleeve Compressing Tool

Tool is used for splicing aircraft control cables, wire ropes and fiber ropes. Has one single crimping groove. Furnished with gauges for checking sleeve compression and operating instructions. Tool is 18" L.

For use with 1/16-diameter cable or rope.

Federal Strategic Sourcing Initiative, 5120-00-323-2292, 0-1/16SC or equal., EA, \$235.10

Tubing Tools

Tube Bender (Hand)

These hand operated portable benders provide a smooth bend without marring or deforming tubing. Used for cold bending of round metal tubing used in aircraft hydraulic systems, instrument control lines, fuel & oil lines on engines, refrigeration, plumbing, heating & other installations. Not for use on heavy steel tubing.

Federal Strategic Sourcing Initiative, 5120-00-234-8741, 3/8" Tube Bender., EA, \$4.20

Federal Strategic Sourcing Initiative, 5120-00-234-8744, 5/8" Tube Bender., EA, \$5.74

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-0155, 1/2" Tube Bender., EA, \$101.32

Tube Bender Set (Hand)

These hand operated portable benders provide a smooth bend without marring or deforming tubing. Used for cold bending of round metal tubing used in aircraft hydraulic systems, instrument control lines, fuel & oil lines on engines, refrigeration, plumbing, heating & other installations. Not for use on heavy steel tubing.

Set consists of (6) external coil spring, hand actuated benders in sizes: 1/4", 5/16", 3/8", 7/16", 1/2" & 5/8". Benders are flared on both ends & have adequate clearance so that the spring slides over tubing easily. Furnished in a wood or steel chest with a hinged lid & fastener.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-0019, 35285 or equal, 1/4", 5/16", 3/8", 7/16", 1/2" & 5/8" Tube Benders., SE, \$25.51

Tube Cutter (Replacement Wheel)

Replacement wheel for tubing cutter.

Replacement cutting wheel for Ridgid Tool models #360, 732 & 820/364 tube cutters.

Federal Strategic Sourcing Initiative, 5110-00-082-9172, 44185 or equal., EA, \$25.88

Tube Cutter (with Deburring Tool)

The cutter cuts soft metal tubing such as aluminum, lead, copper or brass. Makes a smooth right angle cut. The cutter is furnished with hardened tool steel cutter wheels, two rollers and pin axles. A non-deforming frame maintains cutter wheel and feed mechanism alignment.

Federal Strategic Sourcing Initiative, 5110-00-288-6520, Cuts: 1/8" to 1-1/8", 6" L., EA, \$14.75

Tube Flaring Tool (Hand)

Flaring tools create a flare fitting between two pieces of pipe or tubing. When the process is complete, there should be a secure, water-tight seal between the two pieces of tubing. Described by: (Tube Size Accepted).

Federal Strategic Sourcing Initiative, 5120-01-208-4532, 3/16" to 1/2" OD., EA, \$1,008.15

Has a swivel cone with hinged die bars. For single flaring of 1/8" thru 3/4" tubing. Also includes hardened adapter set for double lap flaring of 3/16" thru 1/2" tubing. Swaging adapter is for 3/16" thru 3/4" tubing. Comes with a leather tool carrying case. Flare gage is not included.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-251-2267, 275-FSCD or equal., EA, \$157.11

Federal Strategic Sourcing Initiative, 5120-00-391-0101, 3/16" to 5/8" OD Aircraft Fuel/Air Lines., EA, \$451.01

Tube Cutter and Flaring Tool Kit

For cutting, flaring and bending copper, aluminum and brass tubing. Kit contains a tube flaring tool with screw actuated swivel cone, hinged dies, tube cutter with 1/8" to 1-1/8" cutting range, enclosed feed mechanism and replaceable steel deburring tool. Flaring tool performs single flaring on 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" tubing and double flaring on 3/16", 1/4", 5/16", 3/8" and 1/2" tubing. Includes swaging adapters for: 3/16", 1/4", 3/8", 1/2", 5/8" and 3/4" tubing.

Federal Strategic Sourcing Initiative, 5180-00-596-1038, KT, \$133.11

Tube Cutter (Sliding Feed)

The cutter cuts soft metal tubing such as aluminum, lead, copper or brass. Makes a smooth right angle cut. The cutter is furnished with hardened tool steel cutter wheels, two rollers and pin axles. A non-deforming frame maintains cutter wheel and feed mechanism alignment.

Federal Strategic Sourcing Initiative, 5110-00-965-0878, Tube Outside Dia: 1/8" to 1/2", EA, \$8.18

Pipe Cutter (Wheel Type)

The pipe cutter cuts hard metal pipe. Makes a smooth right angle cuts. The cutter is furnished with hardened tool steel cutter wheels, two rollers and pin axles. Has an enclosed lubricated feed mechanism and substantial adjusting handle. A non-deforming frame maintains cutter wheel and feed mechanism alignment.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-0460, 32820 2-A or equal., Cuts 1/8" to 2", EA, \$183.79

Flat-Head Screwdrivers

Flat Tip Screwdriver

These straight, chrome plated, handle type, flat tip screwdrivers are for inserting and removing screws with a straight single slotted recess. It is the perfect tool used by all trades. Describe by (Tip Size, Total Length, Blade Length) B107.600

Type I : Cabinet screwdriver with straight sides and features a round shank.

Federal Strategic Sourcing Initiative, 5120-01-487-3821, 1/8" W x 0.02" T Tip, 7-1/4" L, 5" L, Plastic Handle., EA, \$3.35

Federal Strategic Sourcing Initiative, 5120-01-487-3824, 3/16" W x 0.037" T Tip, 8-3/4" L, 5" L, Plastic Handle., EA, \$2.45

Federal Strategic Sourcing Initiative, 5120-01-511-0991, 3/16" W x 0.037" T Tip, 9-3/4" L, 6" L, Plastic Handle., EA, \$7.59

Federal Strategic Sourcing Initiative, 5120-00-062-0813, 3/16" W x 0.03" T Tip, 9-1/2" L, 6" L, Plastic Handle., EA, \$3.24

Federal Strategic Sourcing Initiative, 5120-00-260-4837, 3/16" W x 0.03" T Tip, 11-3/4" L, 8" L, Plastic Handle., EA, \$10.77

Federal Strategic Sourcing Initiative, 5120-00-278-1269, 9/64" W x 0.022" Tip, 1-1/2" L, 3/4" L, Plastic Handle., EA, \$6.83

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-236-2127, 3/16" W x 0.03" T Tip, 6-3/4" L, 3" L, Plastic Handle, Chrome., EA, \$4.98

Federal Strategic Sourcing Initiative, 5120-00-278-1270, 3/16" W x 0.03" T Tip, 8-7/8" L, 5" L, Plastic Handle, Chrome., EA, \$3.24

3/8" square female drive on top of handle.

Federal Strategic Sourcing Initiative, 5120-00-010-7913, 9/64" W x 0.022" T Tip, 9" L, 5" L, Plastic Handle., EA, \$7.70

Federal Strategic Sourcing Initiative, 5120-00-010-7914, 3/16" W x 0.033" T Tip, 11-5/8" L, 8" L, Plastic Handle., EA, \$9.13

Blade is insulated for electrical use.

Federal Strategic Sourcing Initiative, 5120-00-913-5843, 3/16" W x 0.033" T Tip, 13-21/32" to 14-5/16" L, 10" L, Plastic W/Cushion Grip., EA, \$3.56

Federal Strategic Sourcing Initiative, 5120-01-439-0680, 1/4" W x 0.037 T Tip, 11-1/2" L, 7" L, Fiberglass Handle, 1000V., EA, \$10.04

Federal Strategic Sourcing Initiative, 5120-00-905-6730, 1/4" W x 0.04" T Tip, 6-1/2" to 8" L, 4" L, Plastic W/Cushion Grip., EA, \$7.99

Federal Strategic Sourcing Initiative, 5120-00-905-6729, 3/8" W x 0.055" T Tip, 11-1/2" to 13-1/2 L, 8" L, Chrome, Plastic Handle., EA, \$6.06

Federal Strategic Sourcing Initiative, 5120-00-287-2504, 9/64" W x 0.02" T Tip, 6-1/4" L, 3-13/64" L, Plastic Handle, Chrome., EA, \$3.34

, Federal Strategic Sourcing Initiative, 5120-00-278-1267, 9/64" W x 0.02" T Tip, 13" L, 8" L, Plastic Handle., EA, \$4.53

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-227-7356, 3/16" W x 0.039" T Tip, 9-3/4" L, 6" L, Plastic Handle, Chrome., EA, \$7.59

Type I : Screwdriver Assembly, Class I : Flat Tip, Style B: General Purpose Flared Sides.

Federal Strategic Sourcing Initiative, 5120-00-062-8454, 3/32" W x 0.015" T Tip, 5-5/8 - 6-5/8" L, 2" L, Plastic Handle, Pocket Clip., EA, \$4.84

Federal Strategic Sourcing Initiative, 5120-00-236-2140, 1/8" W x 0.02" T Tip, 3-7/8" L, 2" L, Plastic Handle, Chrome, Pocket Style., EA, \$2.33

Federal Strategic Sourcing Initiative, 5120-01-429-6451, 1/8" W x 0.02" T Tip, 4" L, 2" L, Plastic Handle., EA, \$2.03

Federal Strategic Sourcing Initiative, 5120-01-367-3731, Black, 1/8" W x 0.018" T Tip, 7-3/8" L, 4" L, Plastic Handle., EA, \$5.99

Federal Strategic Sourcing Initiative, 5120-01-487-3822, 1/8" W x 0.02" T Tip, 5-1/4" L, 3" L, Plastic Handle Pocket Style., EA, \$1.69

Federal Strategic Sourcing Initiative, 5120-01-335-8568, 3/16" W x 0.03" T Tip, 11-1/2" L to 13-1/2" L, 6" L, Chrome, Plastic Handle., EA, \$7.59

Federal Strategic Sourcing Initiative, 5120-01-406-7724, 3/16" W x 0.037" T Tip, 9-3/4" L, 6" L, Plastic W/Comfort Grip., EA, \$7.59

Federal Strategic Sourcing Initiative, 5120-01-367-3742, 7/32" W x 0.035" T Tip, 6-15/16" L, 2-13/16" L, Plastic Handle., EA, \$7.20

Federal Strategic Sourcing Initiative, 5120-00-596-8502, 1/4" W x 0.037" T Tip, 3" L, 1-1/2" L, Chrome, Plastic Handle., EA, \$2.30

Federal Strategic Sourcing Initiative, 5120-01-601-5187, 5/16" W x 0.045" T Tip, 10-3/4" L, 6" L, Plastic Handle, Bolster., EA, \$8.66

Federal Strategic Sourcing Initiative, 5120-01-398-7973, 5/16" W Tip, 11" L, 6" L, Plastic W/Comfort Grip., EA, \$8.70

Federal Strategic Sourcing Initiative, 5120-01-601-5188, 3/8" W x 0.06" T Tip, 12-3/4" L, 8" L, Plastic Handle, Bolster., EA, \$9.20

Federal Strategic Sourcing Initiative, 5120-01-398-7946, 1/4" W x 0.037" T Tip, 8-3/8" L, 4" L, Plastic W/Comfort Grip., EA, \$7.99

Federal Strategic Sourcing Initiative, 5120-00-596-9364, 1/4" W x 0.04" T Tip, 11-1/2" to 13-1/2" L, 8" L, Plastic Handle., EA, \$3.77

Federal Strategic Sourcing Initiative, 5120-00-293-0315, 5/16" W x 0.05" T Tip, 10-45/64" L, 6" L, Plastic Handle, Chrome, Full Polish., EA, \$8.66

Federal Strategic Sourcing Initiative, 5120-00-278-1283, 5/16" W x 0.046" T Tip, 11" L, 6" L, Plastic Handle, Bolster, Chrome., EA, \$8.66

Federal Strategic Sourcing Initiative, 5120-01-367-3746, 3/8" W x 0.055" T Tip, 13-13/32" L, 7-29/32" L, Plastic W/Comfort Grip, Bolster., EA, \$9.20

Federal Strategic Sourcing Initiative, 5120-00-236-3242, 1/2" W x 0.099" T Tip, 25" L, 18" L, Plastic Handle, Chrome., EA, \$18.26

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-222-8852, 1/4" W x 0.04" T Tip, 8-11/32" L, 4" L, Plastic Handle, Chrome., EA, \$7.21

3/8" square female drive on top of handle.

Federal Strategic Sourcing Initiative, 5120-00-764-8059, 5/16" W x 0.046" T Tip, 10" to 11-1/2" L, 6" L, Plastic Handle., EA, \$19.63

Federal Strategic Sourcing Initiative, 5120-00-764-8061, 3/8" W x 0.055" T Tip, 15-21/32" to 17-7/16" L, 12" L, Plastic Handle., EA, \$22.13

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-764-8058, 1/4" W x 0.04" T Tip, 6-1/2" to 8" L, 4" L, Plastic Handle., EA, \$7.21

Federal Strategic Sourcing Initiative, 5120-00-234-8910, 5/16" W x 3/64" T Tip, 10" L, 6" L, Plastic Handle, Chrome., EA, \$4.28

Federal Strategic Sourcing Initiative, 5120-00-293-3309, 3/8" W x 0.055" T Tip, 15-1/4" L, 10" L, Chrome, Plastic Handle., EA, \$7.94

Federal Strategic Sourcing Initiative, 5120-00-237-6985, 3/8" W x 0.05" T Tip, 13-1/2" L, 8" L, Plastic W/Cushion Grip., EA, \$8.37

Federal Strategic Sourcing Initiative, 5120-00-278-1276, 3/8" W x 0.055" T Tip, 17-1/2" L, 12" L, Keystone Tip, Plastic Handle, Chrome., EA, \$12.69

Type 2: General purpose screwdriver with flared sides & features a square shank.

Federal Strategic Sourcing Initiative, 5120-01-435-0004, 3/16" W x 0.03" T Tip, 3-1/4" L, 1-1/4" L, Plastic Handle., EA, \$6.68

Federal Strategic Sourcing Initiative, 5120-01-367-3734, Black, 3/16" W x 0.028" T Tip, 6-5/8" L, 3" L, Plastic Handle., EA, \$6.83

Federal Strategic Sourcing Initiative, 5120-01-367-3741, Black & Red, 1/4" W x 0.04" T Tip, 3-3/4" L, 1-7/8", Chrome, Comfort Grip, Plastic Handle., EA, \$3.42

Federal Strategic Sourcing Initiative, 5120-01-406-7727, 1/4" W x 0.037" T Tip, 3-1/4" L, 1-1/2" L, Plastic Handle., EA, \$6.68

Federal Strategic Sourcing Initiative, 5120-01-399-9144, 1/4" W x 0.037" T Tip, 3-1/2" L, 1-1/2" L, Plastic Handle, Keystone Tip., EA, \$6.68

Federal Strategic Sourcing Initiative, 5120-01-335-8542, 5/16" W x 0.042" T Tip, 10" L to 11-1/2", 6" L, Chrome, Plastic Handle., EA, \$8.04

Federal Strategic Sourcing Initiative, 5120-01-367-3722, Black, 3/8" W x 0.05" T Tip, 13-1/2" L, 8" L, Plastic Handle., EA, \$7.18

Flat Tip Screwdriver (Non-Sparking)

These straight handle type, beryllium copper or aluminum bronze alloy, flat tip screwdrivers are for inserting and removing screws with a straight single slotted recess. It is the perfect tool when you need a non-magnetic/non-sparking screwdriver. Tip has straight or flared sides and the plastic handle may be covered by an additional grip for comfort. A-A-2484.

Federal Strategic Sourcing Initiative, 5120-00-877-8806, 4" L, 1/8" W x 0.02" T Tip., EA, \$11.69

Federal Strategic Sourcing Initiative, 5120-00-293-1608, 6" L, 5/16" W x 0.042" T Tip., EA, \$30.51

Federal Strategic Sourcing Initiative, 5120-00-618-4915, 6" L Blade, 1/8" W x 1/64" T Tip., EA, \$18.77

Federal Strategic Sourcing Initiative, 5120-00-287-2503, 12" L, 3/8" W x 3/64" T Tip., EA, \$52.93

Federal Strategic Sourcing Initiative, 5120-00-287-2502, 3/8" W x 0.05" T Tip, 12-3/8" L, 8" L Blade., EA, \$45.31

Screwdriver Set

These screwdriver sets are for inserting and removing screws with a Pozidriv, Phillips or flat tip. B107.600

This set consists of (8) screwdrivers: (5) flat tip (Described by Blade Length x Tip Width): 1-1/2" L x 1/4" W, 3" L x 3/16" W, 4" L x 1/4" W, 6" L x 5/16" W and 8" L x 3/8" W, (3) Phillips tip: #1 size (3" L blade), and (2) #2 size (1-1/2" L and 4" L blade). (6) screwdrivers (all except the stubby screwdrivers) have hexagonal wrenching bolsters at the base of the handles. All the handles are solvent and impact resistant.

Federal Strategic Sourcing Initiative, 5120-01-033-2134, SE, \$13.99

This set consists of (8) screwdrivers: (5) flat tip (Described by Described by Blade Length x Tip Width x End Thickness): 1-1/2" L x 1/4" W x 0.037" T, 2-7/8" L x 3/16" W x 0.032" T, 4" L x 1/4" W x 0.037" T, 6" L x 5/16" W x 0.046" T and 8" L x 3/8" W x 0.05" T and (3) Phillips tip: #1 size (3" L blade), and (2) #2 size (1-1/2" L & 4" L blade). Screwdrivers (all except the stubby screwdrivers) have hexagonal wrenching bolsters at the base of the handles. All the orange contoured handles are impact resistant and have round shanks.

Federal Strategic Sourcing Initiative, 5120-01-428-8497, SE, \$23.79

Phillips, Pozidriv and Torx Screwdrivers

Screwdriver Set

These screwdriver sets are for inserting and removing screws with a Pozidriv, Phillips or flat tip. B107.600

This set consists of (4) cross tip (Phillips) screwdrivers in sizes: (1) #1 size (3" L blade), (1) #2 size (4" L blade), (1) #3 size (6" L blade), (1) #4 size (8" L blade).

Federal Strategic Sourcing Initiative, 5120-00-596-0828, SE, \$24.64

This set consists of (8) screwdrivers: (5) flat tip (Described by Described by Blade Length x Tip Width x End Thickness): 1-1/2" L x 1/4" W x 0.037" T, 2-7/8" L x 3/16" W x 0.032" T, 4" L x 1/4" W x 0.037" T, 6" L x 5/16" W x 0.046" T and 8" L x 3/8" W x 0.05" T and (3) Phillips tip: #1 size (3" L blade), and (2) #2 size (1-1/2" L & 4" L blade). Screwdrivers (all except the stubby screwdrivers) have hexagonal wrenching bolsters at the base of the handles. All the orange contoured handles are impact resistant and have round shanks.

Federal Strategic Sourcing Initiative, 5120-01-428-8530, SE, \$32.91

This set consists of (5) cross tip (Phillips) screwdrivers in sizes: two each #1 size (1" L and 3" L blade), two each #2 size (1-1/2" L and 4" L blade), and one each #3 size (6" L blade)

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-357-7175, SE, \$26.86

Screwdriver (Phillips)

These straight, handle type, corrosion preventive coated, Phillips or Pozidriv screwdrivers are for inserting and removing screws with a cross tip slotted recess. It is the perfect tool used by all trades. Describe by (Tip Size, Total Length, Blade Length) B107.600

Type I: Screwdriver Assembly Class 2: Cross Tip Phillips (PH)

- Federal Strategic Sourcing Initiative, 5120-00-820-2995, #0 Phillips Tip, 5-1/4" L, 1-1/4" L Blade, Plastic Handle., EA, \$6.90
- Federal Strategic Sourcing Initiative, 5120-00-060-2004, #0 Phillips Tip, 6 - 7" L, 4" L Blade, Plastic Handle, Chrome., EA, \$3.26
- Federal Strategic Sourcing Initiative, 5120-01-398-7951, #1 Phillips Tip, 6-3/4" L, 3" L, Plastic Handle., EA, \$7.23
- Federal Strategic Sourcing Initiative, 5120-01-398-9248, #1 Phillips Tip, 6-1/4" L to 7-1/4" L, 3" L, Plastic Handle., EA, \$3.20
- Federal Strategic Sourcing Initiative, 5120-01-398-7950, #2 Phillips Tip, 8-3/8" L, Comfort Grip, Plastic Handle., EA, \$5.43
- Federal Strategic Sourcing Initiative, 5120-01-399-9019, #2 Phillips Tip, 8-11/32" L, 4" L, Plastic Handle, Chrome., EA, \$6.24
- Federal Strategic Sourcing Initiative, 5120-01-398-9253, #2 Phillips Tip, 4" L Blade, Plastic Handle, Chrome., EA, \$5.77
- Federal Strategic Sourcing Initiative, 5120-01-398-8053, #3 Phillips Tip, 10-1/2" L, 6" L, Plastic Handle., EA, \$7.21

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-529-3101, #1 Phillips Tip, 11" L, 8" L Blade, Plastic Handle, Chrome., EA, \$10.16
- Federal Strategic Sourcing Initiative, 5120-00-240-8716, #1 Phillips Tip, 6" L, 3" L Blade, Plastic Handle, Chrome., EA, \$5.43
- Federal Strategic Sourcing Initiative, 5120-00-234-8913, #2 Phillips Tip, 8-1/4" L, 4" L Blade, Plastic Handle, Chrome., EA, \$5.77
- Federal Strategic Sourcing Initiative, 5120-00-542-3438, #2 Phillips Tip, 11" L, 8" L Blade, Plastic Handle., EA, \$5.18
- Federal Strategic Sourcing Initiative, 5120-00-234-8912, #3 Phillips Tip, 10-3/4" L, 6" L Blade, Plastic Handle., EA, \$4.89
- Federal Strategic Sourcing Initiative, 5120-00-224-7375, #4 Phillips Tip, 13" L, 8" L Blade, Plastic Handle., EA, \$7.09

3/8" square female drive on top of handle.

- Federal Strategic Sourcing Initiative, 5120-00-764-8097, #2 Phillips Tip, 7-3/4" L, 4-1/2" L Blade, Plastic Handle., EA, \$2.17

Features an external screw gripper with screw starter.

Plastics Removal in Marine Environments

- 5120-00-596-0861, #2 Phillips Tip, 10-3/4" - 11-3/4" L, Plastic Handle, Chrome., EA, \$14.95

Nonsparking & nonmagnetic.

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-596-0864, S-2P or equal, #2 Phillips Tip, 7-1/4" L, 4" L Blade, Plastic Handle, Copper., EA, \$19.37

Class 2: Bolster.

- Federal Strategic Sourcing Initiative, 5120-01-398-9244, Black, #2 Phillips Tip, 8" L to 9" L, 4" L, Plastic Handle., EA, \$8.32
- Federal Strategic Sourcing Initiative, 5120-01-399-5784, #3 Phillips Tip, 10-3/4" L, 6" L, Bolster, Plastic Handle., EA, \$8.13
- Federal Strategic Sourcing Initiative, 5120-01-367-3801, #2 Phillips Tip, 13" L, 8" L, Chrome, Plastic Handle., EA, \$10.32

Class 3: Stubby

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-227-7293, #2 Phillips Tip, 3" L, 1-1/2" L Blade, Plastic Handle, Chrome., EA, \$5.25

Class 4: Pocket

- Federal Strategic Sourcing Initiative, 5120-00-498-7365, #0 Phillips Tip, 3-3/4" L, 3" L Blade, Plastic Handle, Chrome., EA, \$8.28

Screwdriver (Pozidriv)

These straight, handle type, corrosion preventive coated, Phillips or Pozidriv screwdrivers are for inserting and removing screws with a cross tip slotted recess. It is the perfect tool used by all trades. Describe by (Tip Size, Total Length, Blade Length) B107.600

Type I: Screwdriver Assembly Class 2: Cross Tip Phillips (PH)

- Federal Strategic Sourcing Initiative, 5120-01-014-7672, #1 Pozidriv Tip, 6-3/4" L, 3" L, Oxide, Plastic Handle., EA, \$3.31

Class 2: Bolster.

- Federal Strategic Sourcing Initiative, 5120-01-113-1575, #1 Pozidriv Tip, 6-3/4" L to 7-3/4" L, 3" L, Chrome, Plastic Handle., EA, \$4.14
- Federal Strategic Sourcing Initiative, 5120-01-113-7149, #2 Pozidriv Tip, 8" L to 9" L, 4" L, Chrome, Plastic Handle., EA, \$10.43
- Federal Strategic Sourcing Initiative, 5120-01-113-0116, #3 Pozidriv Tip, 10" L to 11" L, 6" L, Chrome, Plastic Handle., EA, \$6.41

Screwdriver (Torx)

These screwdrivers are made of hardened steel & are corrosion resistant. Described by (Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-266-1950, Torx Tip (T-8), 8" L, Plastic Handle., EA, \$3.73
- Federal Strategic Sourcing Initiative, 5120-01-266-7519, Torx Tip (T-9), 8" L, Plastic Handle., EA, \$3.43
- Federal Strategic Sourcing Initiative, 5120-01-168-1131, T15 Torx Tip, 6-7/8" L, Plastic Handle., EA, \$3.39
- Federal Strategic Sourcing Initiative, 5120-01-168-9569, T25 Torx Tip, 7-5/8" L, Plastic Handle., EA, \$3.96

Screwdriver (Torq Set)

These screwdrivers are made of hardened steel & are corrosion resistant. Described by (Size, Length).

- Federal Strategic Sourcing Initiative, 5120-00-714-7400, #4 Torq Set Tip, 6-1/4" L, Plastic Handle., EA, \$30.03
- Federal Strategic Sourcing Initiative, 5120-00-674-9216, #8 Torq Set Tip, 7-1/2" L, Plastic Handle., EA, \$31.39
- Federal Strategic Sourcing Initiative, 5120-00-674-9215, #10 Torq Set Tip, 7" L, Plastic Handle., EA, \$26.21

Hex/Allen

Hex Key (Screwdriver Type)

This screwdriver type hex key (Allen) wrench tightens and loosens fasteners with a hexagonal hole in the screw head. It is made of a tempered steel alloy and has an amber or yellow transparent plastic screwdriver handle. ASME B18.3.

IAW Department of the Army drawing number SC-C-131809.

Federal Strategic Sourcing Initiative, 5120-00-679-4460, Set Contains: 4 Hex Keys Size 0.035", 0.05", 1/16" and 5/64", SE, \$60.29

Federal Strategic Sourcing Initiative, 5120-00-191-6484, Ball Key Size: 7/64", 7" L., EA, \$2.41

Federal Strategic Sourcing Initiative, 5120-01-443-6895, Ball Key Size: 1/8", 5" L., EA, \$2.47

Federal Strategic Sourcing Initiative, 5120-01-265-3846, Key Size: 5/32", 7" L, Comfort Grip., EA, \$2.95

Hex Key (Ball End)

This ball end style hex key (Allen) wrench set tightens and loosens fasteners with a hexagonal hole in the screw head and can be used at angles up to 25°. This L-shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. Made of a tempered steel alloy. B18.3.

Long series has a long arm length for reaching difficult areas or for providing greater leverage.

Federal Strategic Sourcing Initiative, 5120-01-578-7444, Ball Hex Size: 1/8", Oxide., EA, \$2.30

Hex Key (Metric)

This metric hex key (Allen) wrench tightens & loosens fasteners with a hexagonal hole in the screw head. This L-shaped tool has a double-ended shaft that bends 90° to form a short arm and a long arm. It is made of a tempered steel alloy. B18.3.2M.

Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-428-8038, Key Size: 2mm., EA, \$0.28

Federal Strategic Sourcing Initiative, 5120-01-437-1648, Key Size: 2.5mm, Zinc., EA, \$0.65

Federal Strategic Sourcing Initiative, 5120-01-045-4888, Key Size: 3mm, Oxide., EA, \$0.27

Federal Strategic Sourcing Initiative, 5120-01-428-8088, Key Size: 3mm, Zinc., EA, \$0.25

Federal Strategic Sourcing Initiative, 5120-01-428-8095, Key Size: 4mm, Zinc., EA, \$0.55

Federal Strategic Sourcing Initiative, 5120-00-900-9344, Key Size: 5mm., EA, \$0.23

Federal Strategic Sourcing Initiative, 5120-01-431-7146, Key Size: 5mm, Ball End., PG(contains 5 EA), \$1.35

Federal Strategic Sourcing Initiative, 5120-01-428-8106, Key Size: 6mm, Zinc., EA, \$0.98

Federal Strategic Sourcing Initiative, 5120-00-900-9345, Key Size: 6mm., EA, \$0.39

Federal Strategic Sourcing Initiative, 5120-01-045-4892, Key Size: 7mm., EA, \$0.86

Federal Strategic Sourcing Initiative, 5120-01-428-8044, Key Size: 7mm, Zinc., EA, \$1.34

Federal Strategic Sourcing Initiative, 5120-01-428-7967, Key Size: 8mm., EA, \$1.34

Federal Strategic Sourcing Initiative, 5120-01-428-7975, Key Size: 9mm, Zinc., EA, \$1.72

Federal Strategic Sourcing Initiative, 5120-01-428-8030, Key Size: 12mm., EA, \$3.93

Federal Strategic Sourcing Initiative, 5120-01-428-8027, Key Size: 19mm., EA, \$0.53

Hex Key

This hex key (Allen) wrench tightens & loosens fasteners with a hexagonal hole in the screw head. This L-shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. It is made of a tempered steel alloy. B18.3.

Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-335-2102, Key Size: 3/32", PG(contains 100 EA), \$14.83

Federal Strategic Sourcing Initiative, 5120-01-398-7654, Key Size: 7/64", EA, \$0.14

Federal Strategic Sourcing Initiative, 5120-01-335-2115, Key Size: 1/8", PG(contains 100 EA), \$0.13

Federal Strategic Sourcing Initiative, 5120-01-398-7662, Key Size: 5/32", PG(contains 25 EA), \$4.00

Federal Strategic Sourcing Initiative, 5120-01-335-2118, Key Size: 3/16", Oxide., PG(contains 100 EA), \$15.30

Federal Strategic Sourcing Initiative, 5120-01-428-7939, Key Size: 3/16", EA, \$0.21

Federal Strategic Sourcing Initiative, 5120-01-428-7920, Key Size: 1/4", Zinc., EA, \$0.73

Federal Strategic Sourcing Initiative, 5120-01-335-2093, Key Size: 5/16", PG(contains 50 EA), \$0.53

Federal Strategic Sourcing Initiative, 5120-01-428-7934, Key Size: 5/8", EA, \$5.30

Federal Strategic Sourcing Initiative, 5120-00-198-5387, Key Size: 1", EA, \$17.97

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-198-5400, Key Size: 0.035", Oxide., EA, \$0.15

Federal Strategic Sourcing Initiative, 5120-00-198-5401, Key Size: 0.05", Oxide or Zinc., EA, \$0.10

Federal Strategic Sourcing Initiative, 5120-00-224-2504, Key Size: 5/64", Oxide or Zinc., EA, \$0.17

Federal Strategic Sourcing Initiative, 5120-00-198-5398, Key Size: 1/16", Oxide or Zinc., EA, \$0.09

Federal Strategic Sourcing Initiative, 5120-00-242-7410, Key Size: 3/32", Oxide., EA, \$0.10

Federal Strategic Sourcing Initiative, 5120-00-889-2162, Key Size: 7/64", Zinc., EA, \$0.12

Federal Strategic Sourcing Initiative, 5120-00-240-5292, Key Size: 1/8", EA, \$0.16

Federal Strategic Sourcing Initiative, 5120-00-198-5392, Key Size: 5/32", Oxide., EA, \$0.17

Federal Strategic Sourcing Initiative, 5120-00-889-2163, Key Size: 9/64", Oxide., EA, \$0.16

Federal Strategic Sourcing Initiative, 5120-00-240-5300, Key Size: 3/16", Oxide., EA, \$0.20

Federal Strategic Sourcing Initiative, 5120-00-242-7411, Key Size: 7/32", Oxide., EA, \$0.24

Federal Strategic Sourcing Initiative, 5120-00-224-4659, Key Size: 1/4", Oxide., EA, \$0.34

Federal Strategic Sourcing Initiative, 5120-00-240-5274, Key Size: 5/16", EA, \$0.81

Federal Strategic Sourcing Initiative, 5120-00-198-5391, Key Size: 1/2", Oxide., EA, \$3.50

Federal Strategic Sourcing Initiative, 5120-00-224-2510, Key Size: 5/8", Oxide., EA, \$3.68

Long series has a long arm length for reaching difficult areas or for providing greater leverage.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-198-5410, Key Size: 3/16", Chrome., EA, \$0.25

Federal Strategic Sourcing Initiative, 5120-00-198-5409, Key Size: 5/16", Chrome., EA, \$1.24

Hex Key (Spline Type)

This (Allen) wrench with spline fluted ends, tightens & loosens socket screw products with fluted holes in the heads. This L-shaped tool has a double ended shaft that bends 90° to form a short arm & a long arm. Fluted over entire length. It is made of a tempered steel alloy. B18.3.

Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-00-277-1724, Key Size: 0.145", 6 Splines, Oxide., EA, \$4.00

Federal Strategic Sourcing Initiative, 5120-00-293-0195, Key Size: 0.060", 6 Splines, Oxide., EA, \$1.63

Federal Strategic Sourcing Initiative, 5120-00-781-8977, Key Size: 0.076", 4 Splines., EA, \$2.44

Federal Strategic Sourcing Initiative, 5120-00-223-6995, Key Size: 0.096", 6 Splines., EA, \$2.37

Federal Strategic Sourcing Initiative, 5120-00-249-9670, Key Size: 0.072", 6 Splines., EA, \$1.77

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-2482, Key Size: 0.111", 6 Splines., EA, \$2.01

Federal Strategic Sourcing Initiative, 5120-00-224-2496, Key Size: 0.069", 4 Splines., EA, \$2.01

Hex Key Set (Ball End)

This ball end style hex key (Allen) wrench set tightens and loosens fasteners with a hexagonal hole in the screw head and can be used at angles up to 25°. This L-shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. Made of a tempered steel alloy. B18.3.

Set contains (12) L-shaped, long length hexagon keys. Long arm is ball hexagon style, short arm is conventional hexagon in sizes: 0.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" and 5/16". Furnished with a case.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-004-2718, Oxide., SE, \$6.11

Set contains (13) L-shaped, Short length ball hexagon keys in sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8". Furnished with a case.

Federal Strategic Sourcing Initiative, 5120-01-473-9592, SE, \$9.80

Contains (9) Hex Keys Sizes: 1.5mm, 2.5mm, 2mm - 6mm, 8mm & 10mm. Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-355-2056, Bag., SE, \$8.56

Set contains (13) ball end style hexagon keys with screwdriver type plastic handles. Key sizes are: .05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", and 3/8". Furnished with a case.

Federal Strategic Sourcing Initiative, 5120-01-599-4528, Oxide., SE, \$9.55

Hex Key Set (T-Shaped)

This T-handle hex key (Allen) wrench set tightens and loosens fasteners with a hexagonal hole in the screw head. It is made of a tempered steel alloy. B18.3.

Set consists of (10) T-type hex keys in sizes 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8".

Federal Strategic Sourcing Initiative, 5120-00-935-7340, 9" L, Plastic Pouch., SE, \$28.90

Set consists of (8) T-type hex keys in sizes: 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" & 1/4".

Federal Strategic Sourcing Initiative, 5120-01-428-7909, 6" L, Plastic Pouch., SE, \$23.79

Hex Key Set (Spline)

This (Allen) wrench set with spline fluted ends, tightens & loosens socket screw products with fluted holes in the heads. This L shaped tool has a double ended shaft that bends 90° to form a short arm & a long arm. Fluted over entire length. It is made of a tempered steel alloy. B18.3.

Set consists of (12) spline wrenches. (10) six spline in sizes: (0.06", 0.096", 0.111", 0.145", 0.183", 0.216", 0.251", 0.291", 0.372" & 0.454") & (2) four spline in sizes: (0.069" & 0.076"). Furnished with an envelope, pouch, roll or wrap.

Federal Strategic Sourcing Initiative, 5120-00-893-5686, SE, \$67.53

Set consists of (7) wrenches with six splines in sizes 0.06", 0.072", 0.096", 0.111", 0.145" & 0.188". Also contains a four spline 0.069" key wrench. Furnished with an envelope, pouch, roll or wrap.

5120-00-087-6415, SE, \$15.09

Contains (10) Hex Keys Sizes: 4 Flute (0.033", 0.048", 0.069", and 0.076"), 6 Flute (0.048", 0.06", 0.072", 0.096", 0.111" and 0.113"). Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-083-6729, Oxide, Case., SE, \$29.89

Set consists of (13) spline wrenches (12) six spline in sizes: (0.06", 0.072", 0.096", 0.111", 0.145", 0.183", 0.216", 0.251", 0.291", 0.372", 0.454" & 0.595) & a four spline 0.069" key wrench. Furnished with an envelope, pouch, roll or wrap.

Federal Strategic Sourcing Initiative, 5120-00-529-2553, SE, \$113.42

Hex Key Set (Jackknife Type)

This hex key (Allen) wrench set tightens & loosens fasteners with a hexagonal hole in the screw head. This jackknife style tool has a shaft that forms any degree to fit the job. It is made of a tempered steel alloy. B18.3.

Multiple, self contained set of hexagonal, single ended wrenches in a 3-5/8" metal handled case. Keys fold out jackknife style. Contains (9) keys in sizes 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" & 3/16".

Federal Strategic Sourcing Initiative, 5120-01-428-7945, SE, \$3.35

Multiple, self contained set of hexagonal, single ended wrenches in a 3" metal handled case. Keys fold out jackknife style. Contains (8) keys in sizes 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64" & 5/32".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-439-8988, SE, \$3.10

Hex Key Set

This hex key (Allen) wrench set makes it easy. It tightens and loosens fasteners with a hexagonal hole in the screw head. This "L" shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. It is made of a tempered steel alloy. Furnished in a roll or wrap. ASME 18.3

Contains (18) Hex Keys Sizes: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1/2", 9/16" & 5/8". Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-499-3284, SE, \$39.62

Contains (13) Hex Keys Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8". Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-335-1509, Zinc., SE, \$5.77

Contains (20) Hex Keys Sizes: 0.028", 0.035", 0.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4". Short series has a arm length that is suitable for normal use.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-935-4641, SE, \$25.16

Contains (20) Hex Keys Sizes: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4". Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-335-1506, Zinc, Bag., SE, \$23.54

Contains (11) Hex keys in sizes: 0.05", 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8". Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-428-5191, SE, \$3.62

Hex Key Set (Metric)

This metric hex key (Allen) wrench set makes it easy. It tightens and loosens fasteners with a hexagonal hole in the screw head. This "L" shaped tool has a double ended shaft that bends 90° to form a short arm and a long arm. It is made of a tempered steel alloy. Furnished in a roll or wrap. ASME 18.3.2M

Contains (11) hex key sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm & 12mm. Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-087-3616, SE, \$11.69

Contains (14) Metric hex key sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm and 19mm. Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-046-5079, Bag., SE, \$29.94

Contains (7) Hex Keys Sizes: 2mm, 2.5mm, 3mm - 6mm & 8mm. Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-016-5850, SE, \$2.76

Contains (11) Hex Keys Sizes: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm & 12mm. Short series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-428-7913, Metal Case., SE, \$20.65

Contains (9) Hex Keys Sizes: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm & 10mm. Long series has a arm length that is suitable for normal use.

Federal Strategic Sourcing Initiative, 5120-01-493-1885, Ball Hex Tips., SE, \$8.78

Federal Strategic Sourcing Initiative, 5120-01-473-9605, Ball Hex Tips, Case., SE, \$7.78

Nut Drivers

Nut Driver (Conventional)

These 6 point nut drivers have a screwdriver type handle & are perfect for tightening those nuts that require the perfect touch. The exceptionally strong drivers are made of steel & are chrome plated. B107.12.

Type 1: Conventional length, Class 1: Solid shaft, Style A: Conventional handle (Color Coded).

Federal Strategic Sourcing Initiative, 5120-00-224-2599, 3/16", Black Handle., EA, \$7.44

Federal Strategic Sourcing Initiative, 5120-00-596-1263, 3/8", Blue Handle., EA, \$5.94

Federal Strategic Sourcing Initiative, 5120-01-366-0377, 3mm, Blue Handle., EA, \$8.14

Federal Strategic Sourcing Initiative, 5120-01-376-5121, 3.5mm, Brown Handle., EA, \$7.88

Type 1: Conventional length, Class 2: Hollow shaft, Style A: Conventional handle (Color Coded).

Federal Strategic Sourcing Initiative, 5120-00-241-3188, 1/4", Red Handle., EA, \$7.44

Federal Strategic Sourcing Initiative, 5120-00-224-2596, 5/16", Yellow Handle., EA, \$7.44

Federal Strategic Sourcing Initiative, 5120-00-293-0375, 1/2", Red Handle., EA, \$10.21

Federal Strategic Sourcing Initiative, 5120-00-294-9514, 9/16", Orange Handle., EA, \$13.10

Federal Strategic Sourcing Initiative, 5120-00-277-1801, 7/32", Brown Handle., EA, \$7.44

Hex Key Set (Screwdriver Type)

This screwdriver type hex key (Allen) wrench tightens and loosens fasteners with a hexagonal hole in the screw head. It is made of a tempered steel alloy and has an amber or yellow transparent plastic screwdriver handle. ASME B18.3.

Set consists of (9) 4" L hex key blades: 1/20", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" and 3/16". Comes with a regular handle and 4" extension. Furnished in a case.

Federal Strategic Sourcing Initiative, 5120-01-018-8956, SE, \$94.86

Hex Key Set (Screwdriver Type, Ball End)

This screwdriver type hex key (Allen) wrench tightens and loosens fasteners with a hexagonal hole in the screw head. It is made of a tempered steel alloy and has an amber or yellow transparent plastic screwdriver handle. ASME B18.3.

Set consists of (12) ball end style hexagon keys with screwdriver type plastic handles. Contains sizes 0.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" and 5/16". Furnished with plastic case or pouch.

Federal Strategic Sourcing Initiative, 5120-00-116-7841, SE, \$24.36

Nut Driver (Blade)

Consists of a solid round shaft with a working end at one end & a wing drive shank at the other. Used with Xcelite Series 99 handles. Described by (Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-056-3940, 9/32", 6 Point, 3-5/8" L., EA, \$3.44

Federal Strategic Sourcing Initiative, 5120-01-161-4540, 4.5mm, 6 Point, 4-9/16" L., EA, \$3.44

Nut Driver Set

These nut driver sets have a screwdriver type handle and are perfect for tightening those nuts that require the perfect touch. These exceptionally strong hex nut drivers are made of steel and are chrome plated. B107.12.

Type 1: Conventional length, Class 1: Solid shaft.

This set consists of (11) nut drivers in sizes: 4mm - 14mm.

Federal Strategic Sourcing Initiative, 5120-01-428-5085, Case, Roll or Wrap., SE, \$75.77

This set consists of (11) nut drivers in sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16" & 5/8".

Federal Strategic Sourcing Initiative, 5120-01-428-5054, Case, Roll or Wrap., SE, \$96.24

This heat treated steel set consists of a handle, (9) interchangeable nut driver blades (sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2") and (4) interchangeable single ended screwdriver blades (sizes: 3/16" and 1/4" wide flat tips and Phillips #1 and 2) in a plastic coated canvas wrap.

Federal Strategic Sourcing Initiative, 5120-00-440-8008, SE, \$70.43

This (13) piece screwdriver/nut driver set consists of: plastic handle with chuck (1), interchangeable nut driver blades (7) with hexagonal tips in sizes: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32" and 3/8", flat tip screwdriver bits (2) (3/16" and 1/4" W), Phillips screwdriver bits (2) (#1 and #2) and an extension blade (1). Furnished in a plastic case. Handle diameter is 1-1/16", 4-1/8" L.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-165-4098, Blades: 3-5/8" to 4" L, Case., SE, \$75.73

Type 1: Conventional length, Either Class 1: Solid shaft or Class 2: Hollow shaft, Style B: Cushion grip handle.

This set consists of (9) nut drivers in sizes: 3/16", 7/32", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2" and 9/16".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-542-5799, Case, Roll or Wrap., SE, \$38.39

Type 2: Stubby length, Style A: Conventional handle (Color Coded).

This set consists of 11 piece nut drivers in sizes: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32" and 3/8". Includes torque amplifier handle.

Federal Strategic Sourcing Initiative, 5120-00-089-3663, Plastic Case., SE, \$93.45

Offset Screwdrivers

Offset Screwdriver (Flat Tip)

These offset screwdrivers are made are a one piece construction with a comfortable handle shape for a firm grip. Described by: (Tip Sizes, Length) B107.600.

Four way offset screwdriver has double 1/4" wide flared flat tips formed on opposite ends of the shank. At one end, one tip is oriented with the shank & one is perpendicular to the shank. At the opposite end, each tip is oriented 45° to the shank.

Federal Strategic Sourcing Initiative, 5120-00-180-0798, 1/4" W All Ends, 5-1/4" L, 9/16" Offset., EA, \$10.56

Double offset screwdriver with single flat tips that are oriented 90° to opposite sides of the shank.

Federal Strategic Sourcing Initiative, 5120-01-118-6275, 1/4" W Both Ends, 4" L, 1" Offset., EA, \$3.56

Federal Strategic Sourcing Initiative, 5120-01-399-9183, 3R098 or equal, 1/4" W Both Ends, 4-3/16" L., EA, \$3.56

Federal Strategic Sourcing Initiative, 5120-00-287-2129, 3/16" W Both Ends, 3" L, 1/2" Offset., EA, \$2.87

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-5232, 3/8" W Both Ends, 6" L, 3/4" Offset., EA, \$7.25

Federal Strategic Sourcing Initiative, 5120-00-287-2130, 1/4" W x 0.04 T Both Ends, 4-1/4" L, 1/2" Offset, Chrome., EA, \$3.61

Offset Screwdriver Set (Flat Tip)

These offset screwdrivers are made are a one piece construction with a comfortable handle shape for a firm grip. Described by: (Tip Sizes, Length) B107.600.

Set consists of four offset screwdrivers. Tips are offset 90 deg. from shank. Consists of a single flat tip on each end and a comfortable handle shaped for a firm grip. Tips are 5/32, 1/4, 5/16 and 3/8" wide. Blades are 3, 4-1/2, 5 and 6" long.

Federal Strategic Sourcing Initiative, 5120-00-596-9591, SE, \$23.12

Offset Screwdriver (Phillips)

These offset screwdrivers are made are a one piece construction with a comfortable handle shape for a firm grip. Described by: (Tip Sizes, Length) B107.600.

Double offset screwdriver with Phillips tips that are oriented 90° to opposite sides of the shank.

Federal Strategic Sourcing Initiative, 5120-01-399-9182, #1 & #2 Ends, 4-3/4" L, Oxide., EA, \$4.60

Federal Strategic Sourcing Initiative, 5120-00-241-3170, #2 & #3 Ends, 5-1/2" L., EA, \$3.76

Federal Strategic Sourcing Initiative, 5120-01-399-9188, #3 & #4 Ends, 6-1/8" L., EA, \$8.30

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-256-9014, #1 & #2 Ends, 4-3/4" L., EA, \$5.11

Federal Strategic Sourcing Initiative, 5120-00-242-3268, P340 or equal, #3 & #4 Ends, 6" L., EA, \$8.37

Screwdriver (Offset Ratchet)

Reversible steel screwdriver has a right angle, offset style handle. The nonremovable, double sided ratchet has the bits securely mounted perpendicular to the handle.

Federal Strategic Sourcing Initiative, 5120-00-892-5931, 3-3/4" L, Phillips #1 & #2 Tips., EA, \$13.60

Federal Strategic Sourcing Initiative, 5120-00-595-9574, 3-1/2" L. Flat Tips: 1/4" & 3/8"., EA, \$11.89

Federal Strategic Sourcing Initiative, 5120-00-595-9573, 3-7/8" L. Prince & Reed: 1/4", Phillips: #2., EA, \$10.78

Offset Ratchet Screwdriver Set

Consists of 17 screwdriver bits with hexagonal drive shanks to fit into an offset ratcheting handle that has 1/4" and 5/16" openings. Maximum length of bits is 1-1/2". The following bits and sizes are provided: flat-tip 1/4" and 3/8" wide; hexagonal drivers 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" and 5/16" wide across flats; Phillips #1 and #2; and square adapter to 1/4" square drive sockets. Provided in a case or pouch.

Federal Strategic Sourcing Initiative, 5120-00-870-6928, 11400 or equal., SE, \$16.05

Screwdriver Set

These screwdriver sets are for inserting and removing screws with a Pozidriv, Phillips or flat tip. B107.600

Contains both straight and offset screwdrivers. Includes two offset, one-piece steel screwdrivers with Phillips-type point at both ends on opposite sides of tool and blade lengths of 4-3/4" (point size No. 1 and 2) and 6" (point size No. 3 and 4). Also has four straight, Phillips-type screwdrivers with transparent plastic handles and heat-treated steel blades with blade lengths of 3" (point size No. 1), 4" (point size No. 2), 6" (point size No. 3) and 8" (point size No. 4).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-580-0334, SE, \$46.54

Screwdriver Bits and Handles

Screwdriver Bit (Flat Tip)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5120-01-428-8506, 5/16" W x 0.046" T Tip, 1/4" Hex, 1-1/2" L., EA, \$0.34

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-2057, 3/16" W x 0.034" T Tip, 1/4" Hex, 1-1/2" L., EA, \$0.97

Screwdriver Bit (Phillips)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5120-00-596-2893, #2 Phillips Tip, 5/16" Hex, 1-1/4" L., EA, \$0.76

Federal Strategic Sourcing Initiative, 5120-01-368-2433, 440-22-ACR2X, #2 Phillips Tip (ACR), 1/4" Hex, 2" L., EA, \$1.09

Federal Strategic Sourcing Initiative, 5120-00-811-8452, #2 Phillips Tip, 1/4" Hex, 1" L., EA, \$0.86

Federal Strategic Sourcing Initiative, 5120-00-996-2270, #2 Phillips Tip, 1/4" Hex, 2-1/2" L., EA, \$1.03

Federal Strategic Sourcing Initiative, 5120-01-428-4760, #2 Phillips Tip (ACR), 1/4" Hex, 1" L., EA, \$0.50

Federal Strategic Sourcing Initiative, 5120-00-250-5576, #3 Phillips Tip, 1/4" Hex, 1" L., EA, \$0.30

Federal Strategic Sourcing Initiative, 5120-00-595-8198, #4 Phillips Tip, 5/16" Hex, 1-1/4" L., EA, \$0.80

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-595-8197, #2 Phillips Tip, 1/4" Hex, 1" L., EA, \$0.24

These screwdriver bits are designed for use with power tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5130-01-368-2436, #2 Phillips ACR Tip, 1/4" Hex, 1-15/16" L., EA, \$1.05

Federal Strategic Sourcing Initiative, 5120-01-368-2442, 440-2 or equal, #2 Phillips Tip (ACR), 1/4" Hex, 1" L., EA, \$0.44

Federal Strategic Sourcing Initiative, 5130-00-021-2025, #3 Phillips Tip, 1/4" Hex Shank, 1-15/16" L., EA, \$0.53

Screwdriver Bit (Torx)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5120-01-168-1135, T20 Torx Tip, 1/4" Hex, 1" to 1-3/4" L., EA, \$0.91

Federal Strategic Sourcing Initiative, 5120-01-521-4531, T20 Torx Tip, 1/4" Hex., EA, \$3.19

Federal Strategic Sourcing Initiative, 5120-01-428-8608, ZOT20X or equal., T20 Torx Tip, 1/4" Hex, 1" L., EA, \$0.92

Screwdriver Bit (Torq Set Tip)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5120-01-430-5684, 3/8" Torq Set Tip, 5/16" Hex, 1-1/4" L., EA, \$3.10

Federal Strategic Sourcing Initiative, 5120-00-888-5829, #4 Torq Set Tip, 1/4" Hex, 1" L., EA, \$2.70

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-226-5606, 1/4" Torq Set Tip, 1/4" Hex, 1" L., EA, \$1.68

Federal Strategic Sourcing Initiative, 5120-00-888-5826, #8 Torq Set Tip, 1/4" Hex, 1" L., EA, \$4.25

Federal Strategic Sourcing Initiative, 5120-00-888-5831, #10 Torq Set Tip (ACR), 1/4" Hex, 1" L., EA, \$1.70

Socket Screwdriver Bit (Hex)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-399-9759, 1/16" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$8.16
- Federal Strategic Sourcing Initiative, 5120-01-367-3503, 5/64" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.30
- Federal Strategic Sourcing Initiative, 5120-01-367-3504, 3/32" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.45
- Federal Strategic Sourcing Initiative, 5120-01-367-3505, 7/64" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.30
- Federal Strategic Sourcing Initiative, 5120-01-399-9787, 1/8" Hex Tip, 3/8" Drive, 6-3/32" L., EA, \$9.77
- Federal Strategic Sourcing Initiative, 5120-01-399-9770, J47701/8 or equal., 1/8" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$8.16
- Federal Strategic Sourcing Initiative, 5120-01-367-3506, 1/8" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$8.16
- Federal Strategic Sourcing Initiative, 5120-00-044-1718, 9/64" Hex Tip, 1/4" Drive, 1-1/2" L., EA, \$1.69
- Federal Strategic Sourcing Initiative, 5120-01-367-3507, 9/64" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.30
- Federal Strategic Sourcing Initiative, 5120-01-367-3455, 9/64" Hex Tip, 3/8" Drive, 2-1/16" L., EA, \$2.76
- Federal Strategic Sourcing Initiative, 5120-01-399-9799, J4990-5/32XL or equal., 5/32" Hex Tip, 3/8" Drive, 6-1/8" L., EA, \$8.78
- Federal Strategic Sourcing Initiative, 5120-01-367-3488, 5/32" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$8.16
- Federal Strategic Sourcing Initiative, 5120-01-399-9979, J4990-5/32 or equal., 5/32" Hex Tip, 3/8" Drive, 2-11/16" L., EA, \$10.00
- Federal Strategic Sourcing Initiative, 5120-01-367-3489, 3/16" Hex Tip, 1/4" Drive, 1-15/16" L., EA, \$8.16
- Federal Strategic Sourcing Initiative, 5120-01-367-3490, 7/32" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$8.16
- Federal Strategic Sourcing Initiative, 5120-01-367-3491, 1/4" Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$7.09
- Federal Strategic Sourcing Initiative, 5120-01-399-9978, 3/16" Hex Tip, 3/8" Drive, 2-11/16" L., EA, \$10.09
- Federal Strategic Sourcing Initiative, 5120-01-399-9796, 3/16" Hex Tip, 3/8" Drive, 6-3/32" L., EA, \$10.25
- Federal Strategic Sourcing Initiative, 5120-01-398-7923, 3/16" Hex Tip, 3/8" Drive, 1-15/16" L., EA, \$10.09
- Federal Strategic Sourcing Initiative, 5120-01-367-3457, FA6E or equal., 3/16" Hex Tip, 3/8" Drive, 2-1/16" L., EA, \$10.09
- Federal Strategic Sourcing Initiative, 5120-01-399-9981, 7/32" Hex Tip, 3/8" Drive, 2-23/32" L., EA, \$10.75
- Federal Strategic Sourcing Initiative, 5120-01-367-3474, FA7E or equal., 7/32" Hex Tip, 3/8" Drive, 2-1/16" L., EA, \$10.46
- Federal Strategic Sourcing Initiative, 5120-00-243-1674, 5/16" Hex Tip, 3/8" Drive, 2-1/16" L., EA, \$11.49
- Federal Strategic Sourcing Initiative, 5120-01-399-9809, 5/16" Hex Tip, 3/8" Drive, 6-1/8" L., EA, \$11.82
- Federal Strategic Sourcing Initiative, 5120-01-399-9825, 5/16" Hex Tip, 1/2" Drive, 3-1/4" L., EA, \$16.46
- Federal Strategic Sourcing Initiative, 5120-01-399-9982, 5/16" Hex Tip, 3/8" Drive, 2-23/32" L., EA, \$11.49
- Federal Strategic Sourcing Initiative, 5120-01-437-3760, 5/16" Hex Tip, 1/2" Drive, 2-3/8" L., EA, \$11.49
- Federal Strategic Sourcing Initiative, 5120-01-398-7933, 5/16" Hex Tip, 3/8" Drive, 2" L., EA, \$11.49
- Federal Strategic Sourcing Initiative, 5120-01-367-3477, 5/16" Hex Tip, 3/8" Drive, 2-1/16" L., EA, \$11.49
- Federal Strategic Sourcing Initiative, 5120-01-367-3478, 3/8" Hex Tip, 3/8" Drive, 2-3/32" L., EA, \$11.49
- Federal Strategic Sourcing Initiative, 5120-01-399-9830, 1/2" Hex Tip, 1/2" Drive, 3-5/8" L., EA, \$18.01
- Federal Strategic Sourcing Initiative, 5120-01-399-9837, J54419-16XL or equal., 9/16" Hex Tip, 1/2" Drive, 7-1/8" L., EA, \$19.69
- Federal Strategic Sourcing Initiative, 5120-01-430-5628, SZ-43 or equal., 9/16" Hex Tip, 1/2" Drive, 2-1/2" L., EA, \$13.40
- Federal Strategic Sourcing Initiative, 5120-01-399-9831, 5/8" Hex Tip, 1/2" Drive, 4" L., EA, \$20.86
- Federal Strategic Sourcing Initiative, 5120-01-399-9972, 2.5mm Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$9.34
- Federal Strategic Sourcing Initiative, 5120-01-367-3468, 3/4" Hex Tip, 1/2" Drive, 4-1/16" L., EA, \$7.29
- Federal Strategic Sourcing Initiative, 5120-01-399-9974, 3mm Hex Tip, 1/4" Drive, 1-7/8" L., EA, \$10.75
- Federal Strategic Sourcing Initiative, 5120-01-399-9975, 5mm Hex Tip, 1/4" Drive, 1-7/8" L., Full Polish., EA, \$5.98
- Federal Strategic Sourcing Initiative, 5120-01-437-3690, 6mm Hex Tip, 1/2" Drive, 2-3/8" L., EA, \$14.63
- Federal Strategic Sourcing Initiative, 5120-01-437-3661, 6mm Hex Tip, 3/8" Drive, 2-5/64" L., EA, \$11.49
- Federal Strategic Sourcing Initiative, 5120-01-079-8032, 8mm Hex Tip, 1/2" Drive, 3-1/4" L., EA, \$15.55
- Federal Strategic Sourcing Initiative, 5120-01-079-8033, SAM14E or equal., 14mm Hex Tip, 1/2" Drive, 3-13/64" L., EA, \$15.79

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-555-2353, 5/32" Hex Tip, 3/8" Drive, 6-1/16" L., EA, \$8.55
- Federal Strategic Sourcing Initiative, 5120-00-935-4612, TMA6E or equal., 3/16" Hex Tip, 1/4" Drive, 1-15/16" L., EA, \$8.16
- Federal Strategic Sourcing Initiative, 5120-00-596-0938, 3/16" Hex Tip, 1/4" Drive, 3/4" L., EA, \$4.70

Socket Screwdriver Bit (Torx)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-428-8657, T20 Torx Tip, 1/4" Drive, 1-9/16" L., EA, \$3.99
- Federal Strategic Sourcing Initiative, 5120-01-437-3744, T20 Torx Tip, 1/4" Drive, 1-9/16" L., EA, \$5.74
- Federal Strategic Sourcing Initiative, 5120-01-399-9778, T20 Torx Tip, 3/8" Drive, 1-23/32" L., EA, \$3.21
- Federal Strategic Sourcing Initiative, 5120-01-428-8701, T30 Torx Tip, 1/4" Drive, 1-9/16" L., EA, \$1.86
- Federal Strategic Sourcing Initiative, 5120-01-399-9969, T30 Torx Tip, 1/4" Drive, 1-9/16" L., EA, \$2.57
- Federal Strategic Sourcing Initiative, 5120-01-437-3679, T30 Torx Tip, 3/8" Drive, 1-13/16" L., EA, \$3.12
- Federal Strategic Sourcing Initiative, 5120-01-601-5182, T40 Torx Tip, 3/8" Drive, 2" L. Tamper Resistant., EA, \$4.22

Socket Screwdriver Bit (Hi-Torque)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-797-2994, #4 Hi-Torque Tip, 1/4" Drive, 1" L., EA, \$9.36

Two-piece wheel-type assembly (driver and blade) has a square female drive socket. Rotating wheel has tips on opposite sides. Blade (wheel) is firmly assembled to driver.

- Federal Strategic Sourcing Initiative, 5120-00-315-4003, #3 Hi-Torque Tip, 1/4" Drive, 1-23/64" L., EA, \$43.26

Socket Screwdriver Bit (Flat Tip)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-367-3501, 3/8" W x 0.042" T Tip, 1/4" Drive, 2-7/8" L., EA, \$6.66

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-223-6986, 3/4" W x 7/64" T Tip, 1/2" Drive, 1-5/8" L., EA, \$9.23

- Federal Strategic Sourcing Initiative, 5120-00-243-7337, 1/4" W x 0.037" T Tip, 3/8" Drive, 3" L., EA, \$13.35

Socket Screwdriver Bit (Phillips)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-367-3497, #1 Phillips Tip, 1/4" Drive, 1-7/8" L., EA, \$6.28
- Federal Strategic Sourcing Initiative, 5120-01-367-3498, #2 Phillips Tip, 1/4" Drive, 1-7/8" L., EA, \$6.68
- Federal Strategic Sourcing Initiative, 5120-01-367-3525, FP22E or equal., #2 Phillips Tip, 3/8" Drive, 2-1/16" L., EA, \$18.37
- Federal Strategic Sourcing Initiative, 5120-01-367-3527, FP32E or equal., #3 Phillips Tip, 3/8" Drive, 2-5/16" L., EA, \$3.05
- Federal Strategic Sourcing Initiative, 5120-01-367-3529, #4 Phillips Tip, 3/8" Drive, 1-21/32" L., EA, \$14.27

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-879-3547, #2 Phillips Tip, 1/4" Drive, 1-7/8" L., EA, \$1.27
- Federal Strategic Sourcing Initiative, 5120-00-293-0318, #2 Phillips Tip, 3/8" Drive, 2" L., EA, \$3.07

Socket Screwdriver Bit (Ball Hex)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

- Federal Strategic Sourcing Initiative, 5120-01-437-3678, 5mm Ball Hex Tip, 3/8" Drive, 5-1/16" L., EA, \$26.34

Socket Screwdriver Bit (Drag Link)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-243-7332, 11/16" W x 0.115" T Tip, 3/8" Drive, 1-1/8" L., EA, \$10.43

Screwdriver Bit Socket Blade (Hi-Torque)

Wheel shaped replacement blade is for 2 piece socket adapter assembly (Driver & Blade). For installing & removing screwhead fasteners with hi-shear recesses.

Federal Strategic Sourcing Initiative, 5120-01-043-8491, Blade Size #2., EA, \$17.66

Socket Screwdriver Bit Set (Ball Hex Tip)

Socket with bit set. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle.

This set consists of (7) long length pieces: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8".

Federal Strategic Sourcing Initiative, 5120-01-571-6490, 19751, 3/8" Drive, Ball Hex Replaceable Bits, Rail & Clips., SE, \$112.02

Socket Screwdriver Bit Set (Hex Tip)

Socket with bit set. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle.

This set consists of (7) regular length pieces: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4".

Federal Strategic Sourcing Initiative, 5120-01-168-1306, 1/2" Drive, Rail & Clips., SE, \$28.59

This set consists of (7) regular length pieces: 4mm - 10mm.

Federal Strategic Sourcing Initiative, 5120-01-178-0699, 3/8" Drive, Replaceable Bits, Rail & Clips., SE, \$24.05

This set consists of (10) regular length pieces: (7) 3/8" Drive for sizes: 4mm - 10mm & (3) 1/2" Drive for sizes: 12mm, 14mm & 17mm.

Federal Strategic Sourcing Initiative, 5120-01-499-1614, Plastic Case., SE, \$138.97

This set consists of (10) regular length pieces: (7) 3/8" Drive for sizes: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8", (3) 1/2" Drive for sizes: 1/2", 9/16" & 5/8".

Federal Strategic Sourcing Initiative, 5120-01-499-3282, J4900A or equal, Plastic Case., SE, \$96.79

This set consists of (12) regular length pieces: (4) 1/4" drive: 1/16", 5/64", 3/32" & 7/64". (8) 3/8" drive: 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8". Replaceable bits.

Federal Strategic Sourcing Initiative, 5120-01-384-6169, Rail & Clips., SE, \$45.93

This set consists of (8) regular length pieces in 3/8" Drive for sizes: 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8".

Federal Strategic Sourcing Initiative, 5120-01-195-0640, 3/8" Drive, Rail & Clips., SE, \$24.27

This set consists of (11) regular length replaceable bit pieces: 4mm - 14mm.

Federal Strategic Sourcing Initiative, 5120-01-363-1877, 3/8" Drive, Chrome, Rail & Clips., SE, \$42.27

Screwdriver Bit (Hex)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5120-01-428-8532, 3/32" Hex Tip, 1/4" Hex, 4/5" L., EA, \$0.75

Screwdriver Bit (Hex Tip)

Hexagonal male power bit shank with retaining groove. To be used with sockets or bit screwdrivers. Described by: (Hex size, Shank size) A-A-3153.

Federal Strategic Sourcing Initiative, 5120-00-921-0574, 7/64", 1/4" Shank, 1" L., EA, \$0.75

Federal Strategic Sourcing Initiative, 5120-00-640-6733, 1/8", 1/4" Shank, 1" L., EA, \$0.75

Federal Strategic Sourcing Initiative, 5120-00-177-6832, 9/64", 1/4" Shank, 1" L., EA, \$0.66

Federal Strategic Sourcing Initiative, 5120-00-640-6732, 5/32", 1/4" Shank, 1-5/16" L., EA, \$0.75

Federal Strategic Sourcing Initiative, 5120-00-640-6731, 3/16", 1/4" Shank, 1-5/16" L., Oxide., EA, \$0.75

Federal Strategic Sourcing Initiative, 5120-00-640-6730, 7/32", 1/4" Shank, 1-5/16" L., EA, \$0.75

Federal Strategic Sourcing Initiative, 5120-00-640-6729, 1/4", 1/4" Shank, 1-5/16" L., EA, \$0.75

Consists of a solid round shaft with a working end at one end & a wing drive shank at the other. Used with Xcelite Series 99 handles. Described by (Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-190-5756, 3/32" Tip, 5" L., EA, \$3.24

Federal Strategic Sourcing Initiative, 5120-00-156-0978, 116-144 or equal., 1/8" Tip, 5" L., EA, \$3.81

Federal Strategic Sourcing Initiative, 5120-00-112-9333, 3/16 Tip, 4" L., EA, \$3.18

Federal Strategic Sourcing Initiative, 5120-01-161-4542, 3-719 or equal., 4mm Tip, 5-3/4" L., EA, \$7.74

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-156-0981, 9/64" Tip, 5" L., EA, \$3.44

Screwdriver Bit (Spline)

Consists of a solid round shaft with a working end at one end & a wing drive shank at the other. Used with Xcelite Series 99 handles. Described by (Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-112-9335, 9961N or equal., 0.048" Spline Tip, 6 Spline, 4" L., EA, \$7.95

Federal Strategic Sourcing Initiative, 5120-00-112-9349, 0.069" Tip, 6 Spline, 4" L., EA, \$7.18

Federal Strategic Sourcing Initiative, 5120-00-112-9359, 0.076" Tip, 6 Spline, 4" L., EA, \$7.95

Federal Strategic Sourcing Initiative, 5120-00-112-9371, 0.096" Tip, 6 Spline, 4" L., EA, \$7.95

Screwdriver Bit (Square)

These screwdriver bits are designed for use with hand driven tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5120-01-563-3612, H8101XX or equal., #1 Square Tip, 1/4" Hex, 1" L., EA, \$0.38

Screwdriver Bit (Adapter/Holder)

Screwdriver bit holders/extensions are designed for use with hand driven tools. Corrosion resistant. Described by (Drive Size, Female Shank Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-528-2891, 1/4" Drive, 1/4" Hex, 1" L., EA, \$2.74

Federal Strategic Sourcing Initiative, 5120-01-380-8975, 3/8" Drive, 1/4" Hex, 2" L., Magnetic., EA, \$13.15

Federal Strategic Sourcing Initiative, 5120-00-331-5502, 3/8" Drive, 5/16" Hex, 1-1/2" L., EA, \$3.31

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-528-2892, 3/8" Drive, 1/4" Hex, 1-1/4" L., EA, \$1.98

Screwdriver Bit (Torq Set)

These screwdriver bits are designed for use with power tools. The hardened steel bit includes a male hexagonal shank and is corrosion resistant. Described by (Size, Shank, Length).

Federal Strategic Sourcing Initiative, 5130-00-816-1314, #2 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$5.34

Federal Strategic Sourcing Initiative, 5130-00-798-0828, #4 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$1.85

Federal Strategic Sourcing Initiative, 5130-00-724-3703, #4 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$5.95

Federal Strategic Sourcing Initiative, 5130-00-805-3793, #6 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$1.93

Federal Strategic Sourcing Initiative, 5130-00-674-9211, #6 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$5.67

Federal Strategic Sourcing Initiative, 5130-00-726-7873, #8 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$2.53

Federal Strategic Sourcing Initiative, 5130-01-387-0248, #8 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$1.93

Federal Strategic Sourcing Initiative, 5130-00-674-9212, #8 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$5.95

Federal Strategic Sourcing Initiative, 5130-00-774-7130, #10 Torq Set Tip, 1/4" Hex Shank, 1-1/4" L., EA, \$1.39

Federal Strategic Sourcing Initiative, 5130-00-674-9213, #10 Torq Set Tip, 1/4" Hex Shank, 3-1/2" L., EA, \$5.95

Federal Strategic Sourcing Initiative, 5130-00-063-2738, 7/16" Torq Set Tip, 7/16" Hex Shank, 1-1/4" L., EA, \$4.73

Screwdriver Bit Socket Set (Torx Tip)

Socket with bit set. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle.

This set consists of (10) regular length pieces: (6) 1/4" Drive for sizes: (T10, T15, T20, T25, T27 and T30) and (4) 3/8" Drive for sizes: (T40, T45, T47 and T50).

Federal Strategic Sourcing Initiative, 5120-01-178-6342, 1/4" & 3/8" Drive, Chrome, Rail & Clips., SE, \$40.66

Screwdriver Bit (Set)

These screwdriver bit sets are designed for use with hand driven tools. The hardened steel bits include a male hexagonal shank & are corrosion resistant.

Set consists of (6) pieces: (1) 8-3/4" L ratcheting handle with magnetic holder end & bit storage in handle, (2) flat tip bits (3/16" & 9/32"), (2) Phillips bits (#1) & Torx Bit #15.

Federal Strategic Sourcing Initiative, 5120-01-335-1485, SE, \$40.40

Set consists of (7) pieces. (6) 4" L screwdriver blade bits in sizes: (2) Flat Tip sizes: (5-6 and 10-12), (2) Phillips Tip sizes: (1 and 2), (2) Torx Tip sizes: (T-10 and T-15) and ratcheting handle. Bit Storage in Handle.

Federal Strategic Sourcing Initiative, 5120-01-601-5191, SE, \$19.67

Set consists of (11) pieces. (9) 5" L hex screwdriver blade bits in sizes: (0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" & 3/16"), 5" extension & 4-1/8" L handle in a clear plastic case.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-851-4247, SE, \$66.90

Set consists of (6) pieces: Screwdriver handle, (2) flat tip x Phillips (3/16" x #1, 1/4" x #2), square tip (#1 & #2) & Torx bit (T10 x T15). Reversible shaft acts as 1/4" & 5/16" nut driver.

Federal Strategic Sourcing Initiative, 5120-01-504-9546, 7-3/8" L, Comfort Grip, EA, \$18.15

Set consists of (11) pieces: (9) 1/4" drive Torx set bits: (T-10, T15, T-20, T-25, T-27, T-30, T-40, T-45 & T-50) & (2) bit holders.

Federal Strategic Sourcing Initiative, 5120-01-428-5647, Pouch., SE, \$22.05

Set consists of (3) pieces: (3) Torx (T15 & T25 1/4" Drive, T40 3/8" Drive).

Federal Strategic Sourcing Initiative, 5120-01-543-0164, SE, \$44.16

Set consists of (28) pieces: 8-1/2" L Ratcheting handle with magnetic shaft & bits. (5) reversible Flat tip bits in sizes: (3-4, 4-5, 6-8, 8-1 & 10-12), (4) Phillips tip bits in sizes: (#0, #1, #2 & #3), (5) Hex tip bits in sizes: (5/64", 3/32", 1/8", 5/32" & 3/16"), (6) Torx bits in sizes: (T-10, T-15, T-20, T-25, T-30 & T-40), (2) Clutch bits in sizes: (1/8" & 5/32"), (4) square bits in sizes: (0, 1, 2 & 3), & a bit holder with magnetic retention.

Federal Strategic Sourcing Initiative, 5120-01-486-2092, SE, \$64.16

Set consists of (37) pieces: (5) Flat tip bits in sizes: (3/16", 7/32", 1/4", 5/16" & 5/16"), Phillips tip bit in size: (#2), (10) Hex tip bits in sizes: (1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" & 1/4"), (9) Torx tip bits in sizes: (T-8, T-9, T-10, T-15, T-20, T-25, T-27, T-30 & T-40), (4) Scrulox bits in sizes: (0, 1, 2 & 3), Phillips ACR tip bits in size: (#1, #2 & #3), Pozidriv tip bits in size: (#1, #2 & #3), 1/4" Magnetic holder, 1/4" Magnetic Socket & a 1/4" power hex to square adapter.

5120-01-428-8567, SDM400A or equal, Plastic Case., SE, \$128.69

Torque Screwdriver and Bit Set

This limiting torque wrench set will release at the drive tang with and audible click and feel impulse, followed by an automatic reset with no backlash loosening of the fastener when torque is achieved. B107.14.

Type 3: Limiting, Class A: Screwdriver grip, Style 1: Graduated, Design B: Internal hex drive.

This set contains seven pieces: (1) torque limiting screwdriver, (1) drive adapter and (4) 1-15/16" L changeable bits. 1/4" hex x 1/4" square drive adapter, Phillips #1 and #2 power bit and flat tip #2 and #4 power bit and a plastic case.

Federal Strategic Sourcing Initiative, 5120-00-832-6224, SE, \$186.92

This set contains (18) pieces: (1) torque limiting screwdriver 2 to 100 inch-ounce torque range, (3) hex bits in sizes (0.05", 1/16" and 5/64"), (2) hex sockets in sizes: (3/32" and 7/64"), (2) flat-tip screwdriver bits (Blade: 0.08 and 0.1" W), (4) Phillips screwdriver bits: (0, 1, 2 and 3), hex adapter, (2) 12-point sockets (1/8" and 3/16") & miniature bit holder. Furnished case includes instructions and a foam insert for securely holding components.

5180-01-007-8999, Female 1/4" Drive., KT, \$746.29

Screwdriver (Handle)

Consists of a solid round shaft with a working end at one end & a wing drive shank at the other. Used with Xcelite Series 99 handles. Described by (Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-056-3935, 4-1/8" L., EA, \$10.19

Screw Starter

Start or remove screws with a straight slot across the head. Spring-loaded wedge action grips screw slot internally. Heat-treated steel blade has a flat tip and a plastic or knurled metal handle.

Federal Strategic Sourcing Initiative, 5120-00-832-6221, DE-1 or equal., #2 Phillips & Flat Tip: 0.1" W x 0.025" T, 9" L., EA, \$9.20

Federal Strategic Sourcing Initiative, 5120-01-399-9117, J9866 or equal., Phillips & Flat Tip, 6-1/4" L., EA, \$11.33

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-243-3296, Tip: 9/32" W, 5-1/8" L., EA, \$7.77

Jewelers Screwdrivers

Jeweler's Screwdriver

These screwdrivers are the perfect tool for jewelers, watchmakers or for tightening those screws on your glasses. The heat treated steel blade has a smooth, bright finish & a corrosion resistant treatment. A-A-3152.

Type: 1 (Swivel knob, metal handle body, interchangeable blades).

Federal Strategic Sourcing Initiative, 5120-00-180-0705, 0.025" Tip, Non-Magnetic., EA, \$5.50

Federal Strategic Sourcing Initiative, 5120-00-180-0706, 0.04" Tip., EA, \$4.35

Federal Strategic Sourcing Initiative, 5120-00-180-0727, 0.055" Tip., EA, \$3.22

Federal Strategic Sourcing Initiative, 5120-00-180-0728, 0.07" Tip., EA, \$4.43

Federal Strategic Sourcing Initiative, 5120-00-180-0729, 0.08" Tip., EA, \$3.42

Federal Strategic Sourcing Initiative, 5120-00-180-0730, 0.1" Tip., EA, \$4.23

Jeweler's Screwdriver Set

These screwdriver sets are the perfect tool for jewelers, watchmakers or for tightening the screws on your glasses. The heat treated steel blade has a smooth, bright finish and a corrosion resistant treatment. A-A-3152.

This set consists of (7) pieces: (4) flat tip screwdrivers in tip widths of: (1.5mm, 2mm, 2.5mm & 3mm), phillips tip screwdrivers in tip widths of: (00, 0 & 1).

Federal Strategic Sourcing Initiative, 5120-01-430-1433, SE, \$39.83

This set consists of (7) pieces: (4) blades in tip widths of: 1.5mm, 2mm, 2.5mm & 3mm (3) Phillips size #00, 0 & 1.

Federal Strategic Sourcing Initiative, 5120-01-474-5107, 5-3/4" L, Plastic Pouch., SE, \$27.36

This set consists of (6) flat tip screwdrivers in sizes (Described by Blade Length/Tip Width): (5/32" W x 0.025" T, 1/4" W x 0.04" T, 3/8" W x 0.055" T, 7/16" W x 0.07" T, 7/16" W x 0.08" T & 1/2" W x 0.1" T).

Federal Strategic Sourcing Initiative, 5120-01-135-2993, Knurled Handles., SE, \$10.15

This set consists of six flat tip screwdrivers in tip widths of: 0.025", 0.04", 0.055", 0.07", 0.08" and 0.1".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-288-8739, Type 1., SE, \$17.68

Jeweler's Screwdriver Replacement Blade

These replacement bits are for jewelers screwdrivers or for tightening those screws on your glasses. The heat treated steel blade has a smooth, bright finish & a corrosion resistant treatment. A-A-3152.

Federal Strategic Sourcing Initiative, 5120-00-293-2050, 0.04" Tip., EA, \$1.62

Federal Strategic Sourcing Initiative, 5120-00-293-2051, 0.055" Tip., EA, \$1.62

Federal Strategic Sourcing Initiative, 5120-00-293-2052, 0.07" Tip., EA, \$1.46

Federal Strategic Sourcing Initiative, 5120-00-180-0887, 0.08" Tip., EA, \$1.38

Federal Strategic Sourcing Initiative, 5120-00-293-2056, 0.1" Tip., EA, \$1.38

Shovels, Picks, Bars and Rakes

Combination Tool (MAX-Military)

When assembled into its various configurations, the tool is full size, strong, and reliable. Unassembled, the ax and attachments are remarkably compact. They can be stored easily in disaster preparedness supply caches or on any emergency response vehicle or military vehicle. The system incorporates seven hand tools into one unit. The attachments are quickly locked into a beveled socket on the back of the ax head for use. They are further secured with a hitch pin or thumbscrew and bar for safety. When not in use, they are kept in a sturdy carrying case that has strap handles and pack loops. The entire unit, including the ax, weighs 12 pounds, and fits together for one-handed transportability.

The MAX-Military tool is (7) tools in (1). The Max comes with the following: 3-1/2 lb single bit Hudson Bay style ax with fiberglass handle, ax sheath, shovel attachment, mattock attachment, pick attachment, broad pick attachment, rake-hoe attachment, rake-hoe fastener and safety hitch pins. Includes attachment carrying bag.

Federal Strategic Sourcing Initiative, 5120-01-416-8568, Max-Military 595 or equal., SE, \$182.12

Combination Tool

When assembled into its various configurations, the tool is full size, strong, and reliable. Unassembled, the ax and attachments are remarkably compact. They can be stored easily in disaster preparedness supply caches or on any emergency response vehicle or military vehicle. The system incorporates seven hand tools into one unit. The attachments are quickly locked into a beveled socket on the back of the ax head for use. They are further secured with a hitch pin or thumbscrew and bar for safety. When not in use, they are kept in a sturdy carrying case that has strap handles and pack loops. The entire unit, including the ax, weighs 12 pounds, and fits together for one-handed transportability.

Shovel

Federal Strategic Sourcing Initiative, 5120-01-416-8570, 595-040 or equal., 9-1/4" L x 8-1/4" W, EA, \$35.53

Mattock

Federal Strategic Sourcing Initiative, 5120-01-416-8571, 595-050 or equal., 7" L, 3-5/8" Cutting Blade., EA, \$18.65

Broad Pick

Federal Strategic Sourcing Initiative, 5120-01-416-8572, 595-070 or equal., 6" L x 1" W Cutting Edge., EA, \$16.96

Pick

Federal Strategic Sourcing Initiative, 5120-01-416-8573, 595-060 or equal., 7" L., EA, \$16.96

Single Bit Ax

Federal Strategic Sourcing Initiative, 5110-01-416-7827, 595-010 or equal., 3-1/4lbs, 4-1/2" W Cut, 34-3/4" L., EA, \$64.62

Ax Head Sheath

Federal Strategic Sourcing Initiative, 5110-01-416-7830, 595-020 or equal., EA, \$14.74

Thumb Screw

Federal Strategic Sourcing Initiative, 5120-01-416-8574, 595-090 or equal., Bar Length: 3", EA, \$13.10

Lock Pin Set

Federal Strategic Sourcing Initiative, 5120-01-416-8575, 595-999 or equal., SE, \$3.47

Rake Hoe

Federal Strategic Sourcing Initiative, 5120-01-416-8577, 595-080 or equal., 6-1/2" Hoe, 3-1/2" Rake., EA, \$27.53

Accessories Roll

Federal Strategic Sourcing Initiative, 5140-01-416-8569, 595-030 or equal, Olive Drab, 6, 9-3/4" L x 12" W, Cotton or Nylon., EA, \$25.58

Combination Pry & Scraper Bar

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410 Cat 52.

Has smooth ends with a cutting edge across each end. One end is straight with eye-type nail slot nearby. Opposite end is bent 90° to handle.

Federal Strategic Sourcing Initiative, 5120-00-797-3399, 13" L x 1-9/16" W x 1/8" T., EA, \$7.00

Pick (Digging)

This tool is excellent for loosening soil, digging, grubbing and cutting roots. The hardened, forged carbon steel tool features a rust resistant finish. (Comes without a handle.)

Pick has a clay point on one end and a chisel blade on the other. Both ends are tapered & sharpened.

Federal Strategic Sourcing Initiative, 5120-00-928-8696, Head: 9 Lbs., EA, \$72.76

Pick (Mattock)

This tool is excellent for loosening soil, digging, grubbing and cutting roots. The hardened, forged carbon steel tool features a rust resistant finish. (Comes without a handle.)

Cutter type mattock has a curved flat surface blade perpendicular to the handle eye on one end of the head and a sharpened blade parallel to the handle eye on the other end.

Federal Strategic Sourcing Initiative, 5120-00-245-1622, 00120 or equal., Head: 5 Lbs, 18-1/2" L., EA, \$15.95

Federal Strategic Sourcing Initiative, 5120-00-243-2395, Head: 5 Lbs, Head: 18-1/2" to 19-1/2" L, EA, \$15.95

Miniature Pick Set

Scratch awl/pick is useful for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning nooks / crannies.

Four-piece set with screwdriver type handles (3-1/8" L blade, 5-7/8" L overall): awl, hook tool, 45° bent tip tool, 90° bent tip tool.

Federal Strategic Sourcing Initiative, 5120-01-334-9862, SE, \$20.47

Entrenching Tool or E-Tool

These entrenching tools or E-tools are collapsible and used by military forces for a variety of military purposes. Survivalists, freedivers, campers, hikers and other outdoors groups have found it to be indispensable in field use.

The tool is capable of being used as a shovel when fully extended and as a pick when the shovel blade is locked in positioned at a 90 degree angle. Entrenching tool features: a hinged shovel; D-type hand grip; one serrated cutting blade edge; one axe blade edge and an PBT glass fiber handle. The blade and handle can be locked into opened or closed positions. Folds to 9-1/2" for storage.

Federal Strategic Sourcing Initiative, 5120-01-476-7556, 30-000075 05942 or equal., Shovel Only, No Pouch., EA, \$55.06

IAW CID A-A-59337.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-878-5932, AbilityOne, AbilityOne, 23-1/2" L (Extended)., EA, \$97.10

Posthole Digger

Digger is designed with two handles and two attached blades hinged together. Seasoned ash or sugar maple handles are four feet long and 1-3/16" in diameter. Has a bore diameter of 5" or more and a bolted hinge. High-grade steel blades are painted to resist corrosion. Minimum overall handle length is 58". Scoop shape is 4-1/2" across and 9" long. Weight: 8-1/2 to 12 lbs.

Federal Strategic Sourcing Initiative, 5120-00-223-8426, EA, \$32.45

Shovel

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

Has an open back and a “D” handle. Blade is made of 14 gauge steel and has a round point.

5120-01-611-8064, AbilityOne , Blade: 11-3/4" L x 8-3/4" W. 40-1/4" L., EA, \$39.33

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-3336, Blade: 12" L x 9-3/4" W. 26" L Handle., EA, \$19.91

Has an open back and long handle. Blade is made of 14 gauge steel and has a square point.

5120-01-611-8054, AbilityOne , Blade: 11" L x 9-1/2" W. 48" L Handle., EA, \$35.53

Federal Strategic Sourcing Initiative, 5120-00-293-3330, Blade: 12" L x 9-3/4" W. 46" L Handle., EA, \$15.07

Shovel has a closed back & a long handle. Blade is made of 14 guage steel & has a round point.

5120-01-611-8059, AbilityOne , Blade: 11" L x 8-3/4" W. 59-1/4" L., EA, \$37.95

Shovel has an open back and a long handle. Blade is made of 14 gauge steel and has a round point.

Federal Strategic Sourcing Initiative, 5120-00-188-8450, Blade: 12" L x 9" W. 47" L Handle., EA, \$13.58

Eastern pattern scoop has an open back and “D” handle.

Federal Strategic Sourcing Initiative, 5120-00-188-8446, Blade: 16-1/4" L x 12-1/2" W., EA, \$37.44

Shovel or scoop coal or remove ashes from a coal stove with this stamped steel hand tool. Blade measures 3-1/2" to 5" W & 6" to 8-1/2" L.

Federal Strategic Sourcing Initiative, 5120-00-293-0450, 18 to 21" L., EA, \$8.98

Shovel (Snow/Pusher)

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

Light-weight shovel. Knockdown type shovel has an open back construction and a long, pusher type handle.

5120-01-611-8072, AbilityOne, Blade: 12" L x 24-3/8" W. 53-3/4" L., EA, \$34.50

Shovel (Snow)

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

Light-weight shovel.

Federal Strategic Sourcing Initiative, 5120-00-892-5319, Blade: 14" L x 17" W. 36" L, D-Handle., EA, \$27.17

Has an open back & "D" handle. Blade is made of 12 gauge aluminum & has a square point.

5120-01-611-8075, AbilityOne, Blade: 14-5/8" L x 8-1/4" W. 29" L Handle., EA, \$41.40

Medium-weight shovel.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-494-1863, Blade: 14" L x 17" W. 34" L, D-Handle., EA, \$24.72

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. Industrial grade Snow Scoop and Shovel with a 43 inch fiberglass D grip handle and a non-metal head is lightweight and designed for big jobs.

Light-weight shovel.

5120-01-611-8069, AbilityOne, ABS Blade: 9" L x 19" W. 52" L, D-Handle., EA, \$35.19

Sodium Chloride (Salt)

Water conditioning salt is in crystal form and comes in large granules (rock, solar or evaporated). Has a minimum purity level of 97.5 percent.

IAW A-A-694

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6810-00-227-0437, NGT-227-0437 or equal, BG(contains 80 LB), \$97.38

Shovel (Grain)

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

Has an open back & "D" handle. Square face blade & handle are made of ABS plastic.

5120-01-611-8078, AbilityOne, Blade: 16" L x 14-1/2" W, 29" L Handle., EA, \$35.19

Marlin Spike (Wire Rope)

For use in opening and separating strands of wire rope for splicing. This marline spike has an oval, wedge shaped point and a crown or flat head with beveled edges. It has a smooth edged eye near the head that allows for hanging from a lanyard. Made of hardened carbon steel with a smooth, polished finish.

IAW GSA Drawing Number 21-2731.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-221-2731, 8" L., EA, \$23.34

Federal Strategic Sourcing Initiative, 5120-00-293-1136, 12" L., EA, \$49.48

IAW GSA drawing 5120-00-224-9440.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9440, 16" L., EA, \$42.35

Marlin Spike

Tool is for separating strands of wire rope for splicing. Enlarged head has a flat, chamfered surface. Eye near head allows for hanging from lanyard. Made of beryllium-copper or aluminum-bronze alloy. CID A-A-2478.

Nonmagnetic and Nonsparking

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-288-7769, 16" L, 1-1/2" Dia. Head., EA, \$95.72

Pick Handle

This straight grained handle is made from Grade AA or B hickory and coated with clear lacquer. Use this wooden replacement handle with these various hammers: Sledge, mauls, engineer's and similar heavy duty tools.

Federal Strategic Sourcing Initiative, 5120-00-288-6574, 36" L, # 6 Eye., EA, \$7.04

Pry Bar (Pinch)

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410 Cat 52.

Type: 3 Pry Bar, Class: 4 (Pinch): Slightly bent chisel end and a pointed end for alignment applications.

Federal Strategic Sourcing Initiative, 5120-00-526-6044, 11-3/4" L x 9/16" D., EA, \$17.37

Federal Strategic Sourcing Initiative, 5120-01-486-2075, 18" L x 5/8" D., EA, \$14.61

Federal Strategic Sourcing Initiative, 5120-00-242-6624, 60" L x 1-1/4" D., EA, \$59.86

Federal Strategic Sourcing Initiative, 5120-00-240-6040, 47" to 49" L x 1" D., EA, \$42.37

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-1372, 26" L x 3/4" D., EA, \$21.80

Federal Strategic Sourcing Initiative, 5120-00-224-1390, 60" L x 1-1/4" D., EA, \$46.22

Pry Bar (Die Setter)

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410 Cat 52.

Type: 3 Pry Bar, Class: 2 (Die Setter): Bent half loop chisel on one end & a straight chisel end.

Federal Strategic Sourcing Initiative, 5120-00-965-0879, 13" L x 1-11/16" D, (3) nail slots, Claw ends., EA, \$13.84

Pry Bar (Rolling Head)

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410 Cat 52.

Type: 3 Pry Bar, Class: 5 (Rolling Head): Round chisel end that act as a fulcrum to provide leverage and a pointed end for alignment applications.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-1389, 15" to 16" L x 1/2" to 9/16" D., EA, \$10.69

Federal Strategic Sourcing Initiative, 5120-01-617-6687, 18" L x 5/8" D., EA, \$16.89

Pry Bar (Handled)

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410 Cat 52.

Type: 3 Pry Bar, Class: 3 (Handled): Slightly bent chisel end & a handled grip.

5120-01-335-1511, 8" L x 1/4" D., EA, \$19.49

Federal Strategic Sourcing Initiative, 5120-01-473-9686, 17" L x 3/8" D, Oxide., EA, \$12.45

Wrecking Bar

This hardened forged steel utility bars is for demolition work, razing buildings, opening boxes/crates, mechanics and laborers. They are designed for separating, prying, ripping, lifting, scraping and aligning and come in (3) Types: (Struck Nail Puller Bar, Non-struck Nail Puller Bar and Pry Bars). Made from drop forged, high carbon steel. B107.410 Cat 52.

Type II: Nonstruck Nail Puller Bar, Class 2: Ripping/Wrecking.

Federal Strategic Sourcing Initiative, 5120-00-293-0665, 3/4" Dia Hex, 30" L., EA, \$19.60

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-1393, 3/4" Dia Hex, 24" L., EA, \$11.34

Type II: Nonstruck Nail Puller Bar, Class 2: Ripping/Wrecking. Made of beryllium copper or aluminum bronze alloy.

Federal Strategic Sourcing Initiative, 5120-00-180-0872, 36" L x 7/8" D. Non-magnetic & Non-sparking., EA, \$213.31

This wrecking bar is for demolition work, razing buildings, opening boxes/crates, mechanics & laborers. They are designed for separating, prying, ripping, lifting, scraping & aligning. Made of a copper alloy & is non-sparking and non-magnetic.

Federal Strategic Sourcing Initiative, 5120-00-180-0871, 24" L x 3/4" W., EA, \$158.65

Rescue Tool Bar

This one piece construction steel tool, is a combination crowbar, pick, and sledge hammer.

Federal Strategic Sourcing Initiative, 5120-00-009-5044, 30" L., EA, \$101.38

Lawn Rake

Lawn rake is suitable for raking grass clippings, leaves, twigs and litter from lawns without injury to the grass or roots. This steel tine rake has a flexible head and a handle made of a hardwood, fiberglass or tubular metal. A-A-2846.

Class B: Semi-radial head, Size 2, Head: 22" to 26" W, Tines: 21 to 26, Handle: 47" L minimum.

3750-00-903-0720, EA, \$23.45

Asphalt Rake

A must have tool for laying asphalt! The asphalt lute rake head is designed with a notched-tooth design for raking asphalt, concrete or other coarse materials and a smooth top for floating.

Federal Strategic Sourcing Initiative, 5120-00-224-9238, 76" - 83" L x 16" W, 14 Tines, Fiberglass Handle., EA, \$62.91

1/4" Drive Sockets

Socket (Regular Length)

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

Type 1: Sockets (6 Point). Class 1: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-335-0934, AbilityOne, 1/4" Drive, 7/32", Chrome., EA, \$5.28
 Federal Strategic Sourcing Initiative, 5120-01-399-9477, AbilityOne, 1/4" Drive, 9/32", Chrome., EA, \$5.20
 Federal Strategic Sourcing Initiative, 5120-01-398-7718, 1/4" Drive, 11/32", Chrome., EA, \$5.26
 Federal Strategic Sourcing Initiative, 5120-00-232-5703, 1/4" Drive, 5/16", Chrome., EA, \$4.92
 Federal Strategic Sourcing Initiative, 5120-01-398-7722, 1/4" Drive, 7/16", Chrome., EA, \$5.27
 Federal Strategic Sourcing Initiative, 5120-01-430-7468, 1/4" Drive, 1/2", Chrome., EA, \$5.42
 Federal Strategic Sourcing Initiative, 5120-01-335-0941, 1/4" Drive, 1/2", Chrome., EA, \$2.64
 Federal Strategic Sourcing Initiative, 5120-01-399-9472, 1/4" Drive, 1/4", Chrome., EA, \$5.20
 Federal Strategic Sourcing Initiative, 5120-01-398-7714, 1/4" Drive, 1/4", Chrome., EA, \$5.34

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-236-2262, 1/4" Drive, 3/16", Chrome., EA, \$4.97
 Federal Strategic Sourcing Initiative, 5120-00-236-2263, 1/4" Drive, 7/32", Chrome., EA, \$4.97
 Federal Strategic Sourcing Initiative, 5120-00-236-2264, 1/4" Drive, 1/4", Chrome., EA, \$5.34
 Federal Strategic Sourcing Initiative, 5120-00-242-3345, 1/4" Drive, 9/32", Chrome., EA, \$5.20

Type 2: Sockets (4 or 8 Point).

Federal Strategic Sourcing Initiative, 5120-00-189-7907, 1/4" Drive, 5/16", Chrome, 8 Point., EA, \$8.26

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-00-277-1982, 1/4" Drive, 7/32", Chrome., EA, \$4.96
 Federal Strategic Sourcing Initiative, 5120-01-398-7730, 1/4" Drive, 1/4", Chrome., EA, \$5.27
 Federal Strategic Sourcing Initiative, 5120-01-399-9489, 1/4" Drive, 3/8", Chrome., EA, \$5.22
 Federal Strategic Sourcing Initiative, 5120-01-397-3154, 1/4" Drive, 3/8", Chrome., EA, \$5.22
 Federal Strategic Sourcing Initiative, 5120-01-335-0929, 1/4" Drive, 7/16", Chrome., EA, \$5.26
 Federal Strategic Sourcing Initiative, 5120-01-397-3064, 1/4" Drive, 7/32", Chrome., EA, \$4.96
 Federal Strategic Sourcing Initiative, 5120-01-397-3058, 1/4" Drive, 3/16", Chrome., EA, \$4.95

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-242-3352, 1/4" Drive, 3/8", Chrome., EA, \$5.22
 Federal Strategic Sourcing Initiative, 5120-00-935-7490, 1/4" Drive, 7/16", Chrome., EA, \$5.26

Metric Socket (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-045-4884, 1/4" Drive, 5mm, Chrome., EA, \$1.65
 Federal Strategic Sourcing Initiative, 5120-01-112-0564, 1/4" Drive, 5.5mm, Chrome., EA, \$2.90
 Federal Strategic Sourcing Initiative, 5120-01-045-4885, 1/4" Drive, 6mm, Chrome., EA, \$2.90
 Federal Strategic Sourcing Initiative, 5120-01-617-6226, 1/4" Drive, 7mm, Chrome, Full Polish., EA, \$5.41
 Federal Strategic Sourcing Initiative, 5120-01-599-4558, 1/4" Drive, 8 mm, Chrome., EA, \$0.50
 Federal Strategic Sourcing Initiative, 5120-01-014-1833, 1/4" Drive, 10mm, Chrome., EA, \$3.59
 Federal Strategic Sourcing Initiative, 5120-01-617-6233, 1/4" Drive, 10mm, Chrome., EA, \$2.76
 Federal Strategic Sourcing Initiative, 5120-01-026-4688, 1/4" Drive, 11mm, Chrome., EA, \$5.61
 Federal Strategic Sourcing Initiative, 5120-01-026-4687, 1/4" Drive, 12mm, Chrome., EA, \$5.32
 Federal Strategic Sourcing Initiative, 5120-01-028-8539, 1/4" Drive, 13mm, Chrome., EA, \$8.90

When working in a confined area with limited turning space, you need a metric socket to fix that problem. These are for hand use only, no impact wrenches. (Described by: Size, Drive, Point Style) ASME B107.5M

Federal Strategic Sourcing Initiative, 5120-01-398-7756, 5mm, 1/4" Drive, 6 Point, Chrome., EA, \$4.97

Federal Strategic Sourcing Initiative, 5120-01-080-6534, AbilityOne, 10mm, 1/4" Drive, 6 Point, Chrome., EA, \$5.26

Federal Strategic Sourcing Initiative, 5120-01-112-0580, 11mm, 1/4" Drive, 6 Point, Chrome., EA, \$5.26

Socket (Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

Federal Strategic Sourcing Initiative, 5120-00-948-3214, 1/4" Drive, 7/32", Chrome., EA, \$7.87

Federal Strategic Sourcing Initiative, 5120-01-457-1613, 1/4" Drive, 5/16", Chrome., EA, \$7.82

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-775-6980, 1/4" Drive, 7/16", Chrome., EA, \$4.23

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

Type 1: Sockets (6 Point). Class 2: Long Length.

Federal Strategic Sourcing Initiative, 5120-01-399-9495, 1/4" Drive, 7/16", Chrome., EA, \$8.24

Socket (Universal Joint)

These high strength, 12 point, thin wall, universal sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Size, Drive Size, Coating) AS954.

Federal Strategic Sourcing Initiative, 5120-00-082-8528, 7/16", 1/4" Drive, Chrome., EA, \$33.29

Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-335-1070, AbilityOne, 1/4" Drive, 2" L, Chrome, Knurled., EA, \$3.62

Federal Strategic Sourcing Initiative, 5120-01-398-7692, 1/4" Drive, 1-1/2" L, Chrome., EA, \$3.18

Federal Strategic Sourcing Initiative, 5120-01-358-2757, 1/4" Drive, 6" L, Chrome., EA, \$1.79

Federal Strategic Sourcing Initiative, 5120-01-398-7693, 1/4" Drive, 6" L, Chrome., EA, \$1.79

Federal Strategic Sourcing Initiative, 5120-01-599-4613, 1/4" Drive, 6" L, Chrome, Locking Knurled., EA, \$10.69

Federal Strategic Sourcing Initiative, 5120-01-399-9528, 1/4" Drive, 14" L, Chrome., EA, \$16.97

Federal Strategic Sourcing Initiative, 5120-01-335-1074, 1/4" Drive, 14" L, Chrome, Knurled., EA, \$16.97

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-227-8105, 1/4" Drive, 2" L, Chrome., EA, \$2.76

Socket Extension (Flexible Shank)

This chrome-plated, extension bar is designed for use with hand tools, no impacts. It includes a flexible shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. This extension is not designed for torque tightening & breaking loose nuts or bolts. B107.10.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-1532, 1/4" Drive, 6" L, Chrome., EA, \$8.54

Socket Wrench Handle (Spin-Type)

This chrome plated screwdriver type socket wrench works perfectly for driving nuts. The round steel shank is secured in a plastic handle & has a square drive tang, with a spring loaded steel ball, to hold sockets & attachments securely. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-00-242-3256, 4-5/8" - 6" L, 1/4" Drive., EA, \$8.04

Federal Strategic Sourcing Initiative, 5120-01-335-0748, 6" L, 1/4" Drive, 1/4" F Drive Top of Handle., EA, \$12.53

Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-01-335-0695, 1/4" F x 3/8" M Drive, Chrome., EA, \$7.81

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9219, 1/4" F x 3/8" M Drive, Chrome., EA, \$7.81

Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

Style B: Fine Action.

Federal Strategic Sourcing Initiative, 5120-01-355-1859, 1/4" Drive, 4-7/16" L, 72 Tooth, Chrome., EA, \$14.17

Federal Strategic Sourcing Initiative, 5120-01-399-9515, 1/4" Drive, 4-1/2" L, 72 Tooth, Chrome, Knurled Handle., EA, \$20.79

Federal Strategic Sourcing Initiative, 5120-01-398-7690, 1/4" Drive, 5-1/4" L, 36 Tooth, Chrome, Flat Handle, Quick Release., EA, \$22.17

Federal Strategic Sourcing Initiative, 5120-01-617-6547, 1/4" Drive, 5-29/64" L, 60 Tooth, Chrome., EA, \$14.17

Federal Strategic Sourcing Initiative, 5120-01-430-7581, 1/4" Drive, 5-1/2" L, 72 Tooth, Chrome, Knurled Handle., EA, \$14.89

Federal Strategic Sourcing Initiative, 5120-01-437-1622, 1/4" Drive, 6-1/4" L, 36 Tooth, Hinged Head, Chrome., EA, \$36.19

Federal Strategic Sourcing Initiative, 5120-01-335-0766, 1/4" Drive, 6-1/4" L, 72 Tooth, Chrome, Flex Head., EA, \$20.55

Federal Strategic Sourcing Initiative, 5120-01-430-2921, 1/4" Drive, 4-1/2" L, 60 Tooth, Chrome, Knurled., EA, \$22.17

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-221-7957, 1/4" Drive, 4-3/8" L, 72 Tooth, Chrome., EA, \$19.78

Speeder Handle (Brace)

This steel speeder brace handle has a round shank and comfortable handgrip. The male square drive tang has a spring-loaded steel ball to hold onto sockets & attachments. It also has a single revolving handgrip that rotates freely at the butt end of the handle. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-335-0758, 1/4" Drive, 16" L, Chrome., EA, \$34.99

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-1418, 1/4" Drive, 15" - 16-1/2" L, Chrome., EA, \$33.24

Universal Joint

This steel universal joint features a square female & male drive tang that are the same size & allows you to swivel your sockets into tight spaces. Not for use with an impact wrench. AS4283.

Federal Strategic Sourcing Initiative, 5120-01-335-1048, 1/4" Drive, Chrome., EA, \$21.66

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-243-1686, 1/4" Drive, Chrome., EA, \$22.25

Socket Extension Set (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

This extension set consists of (6) extensions: 1-1/4", 2", 4", 6", 8" & 11" L.

Federal Strategic Sourcing Initiative, 5120-01-429-3518, 1/4" Drive, Chrome, Plastic Tray., SE, \$92.88

Socket Wrench Kit

When working in a confined area with limited turning space, you need a socket set to fix that problem. This set comes in a well constructed sheet metal or impact resistant plastic box. These are for hand use only, no impact wrenches. B107.1 and B107.10M.

This set contains (64) pieces: (The following conform to B107.1) Regular length (1/4" Drive, 6 point) sockets (11): 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2". Long length (1/4" Drive, 6 point) sockets (9): 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2". Regular length (1/4" Drive, 8 point) sockets (3): 1/4", 5/16" and 3/8". Mid length (1/4" Drive, 6 point) sockets (6): 1/4", 5/16", 3/8", 7/16", 1/2" and 9/16". (The following conform to B107.10M) Hinged handle (1), reversible ratchet (1), brace type speeder handle (1), spin type socket wrench (1), T-sliding (1), universal joint (1), extensions bar attachment solid (4): (2", 4", 6" and 14" L), flexible extension bar (1) (6" L), ratchet adapter (1), (End B107.10M), socket head set and cap screw (9): (5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" and 1/4"), clutch type screwdriver bits (3): (5/32", 11/64" and 15/64"), carburetor type screwdriver bits (2), drag link socket screwdriver bit (1) (F), Phillips screwdriver bits (3): (#1 size (2" L blade) (1), #2 size (2" L and 3" L blade) (2)), flat tip screwdriver bits (3) (Described by Blade Length/Tip Width/End Thickness): (3" L x 3/16" W x 0.032" T (1), 3" L x 1/4" W x 0.032" T (1), 3" L x 3/8" W x 0.042" T (1)), spin type screwdriver handle (1), screwdriver ratchet spinner (1), flexible screwdriver spinner handle (1) and a tool box (1).

Federal Strategic Sourcing Initiative, 5120-00-087-1022, 167ATMC., KT, \$263.03

Socket Set (Standard, Mixed)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

This socket set consists of (13) pieces: (4) regular length 6 point sockets in sizes: (3/16" to 9/32") and (5) regular length 12 point sockets in sizes: (5/16" to 1/2"), reversible ratchet, spin type handle, universal joint and solid extension (2").

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-081-2305, 1/4" Drive, Metal or Plastic Box., SE, \$42.13

This socket set consists of (14) pieces. (10) regular length sockets in sizes: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" & 9/16"), ratchet wrench (reversible), universal joint & (2) knurled extensions (2" & 4").

Federal Strategic Sourcing Initiative, 5120-01-429-3542, 1/4" Drive, 6 Point, Chrome, Plastic Tray or Box., SE, \$30.21

This socket set consists of (13) chrome pieces. (9) regular length sockets in sizes: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" & 1/2"), ratchet wrench (reversible), speeder bracer & (2) extensions (1-1/2" & 6").

Federal Strategic Sourcing Initiative, 5120-01-430-7637, 1/4" Drive, 6 Point, Chrome, Metal Box., SE, \$31.54

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

This socket set consists of (25) pieces. (10) regular length sockets & (10) long length sockets in sizes: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" & 9/16"), reversible ratchet, speeder, universal joint & (2) extensions (2" & 6" L).

Federal Strategic Sourcing Initiative, 5120-01-430-4485, 1/4" Drive, Chrome, Plastic Case., SE, \$165.91

Socket Set (Standard, Regular Length)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

This socket set consists of (10) chrome regular length sockets in sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" & 9/16".

Federal Strategic Sourcing Initiative, 5120-01-429-3524, 1/4" Drive, 6 Point, Chrome, Rail & Clips., SE, \$19.86

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style A: Regular Length.

This socket set consists of (10) sockets in sizes: 3/16", 7/16", 9/16", 1/2", 9/32", 3/8", 7/32", 5/16", 1/4" & 11/32".

Federal Strategic Sourcing Initiative, 5120-01-429-3521, 1/4" Drive, Chrome, Rail & Clips., SE, \$74.83

Socket Set (Standard, Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

This socket set consists of (10) sockets in sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" & 9/16".

Federal Strategic Sourcing Initiative, 5120-01-429-3622, 1/4" Drive, Chrome, Rail & Clips., SE, \$59.06

This socket set consists of (10) sockets in sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16".

Federal Strategic Sourcing Initiative, 5120-01-430-4456, 1/4" Drive, Chrome, Rail & Clips., SE, \$95.82

Socket Set (Metric & Standard)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Metric & Standard sockets. ASME B107.1 & B107.5M

This socket set consists of (44) chrome pieces. (10) regular length sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" & 9/16"), (10) long length sockets: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" & 9/16"), (10) regular length sockets: 5.5mm, 6mm - 14mm), (10) long length sockets: 5.5mm, 6mm - 14mm), ratchet wrench (reversible), universal joint & (2) extensions (2" & 6").

Federal Strategic Sourcing Initiative, 5120-01-429-3581, 1/4" Drive, 6 Point, Chrome, Plastic Case., SE, \$79.07

Socket Set (Metric)

When working in a confined area with limited turning space, you need a metric socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.5M

This hand socket set consists of (14) pieces: (7) regular length sockets in sizes: 6mm - 12mm, (2) extensions (2" & 6"), flex handle, sliding T-handle, spinner handle, ratchet wrench & universal joint.

Federal Strategic Sourcing Initiative, 5120-01-067-5011, 1/4" Drive, 6 Point., SE, \$48.49

3/8" Drive Sockets

Socket (Regular Length)

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

Type I: Sockets (6 Point). Class 1: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-431-2720, 3/8" Drive, 1/2", Chrome., EA, \$6.00
 Federal Strategic Sourcing Initiative, 5120-01-431-2588, 3/8" Drive, 9/16", Chrome., EA, \$6.22
 Federal Strategic Sourcing Initiative, 5120-01-431-2596, 3/8" Drive, 5/8", Chrome., EA, \$9.99
 Federal Strategic Sourcing Initiative, 5120-01-399-9569, 3/8" Drive, 11/16", Chrome., EA, \$6.45
 Federal Strategic Sourcing Initiative, 5120-01-431-2600, 3/8" Drive, 3/4", Chrome., EA, \$6.59
 Federal Strategic Sourcing Initiative, 5120-01-431-2591, 3/8" Drive, 13/16", Chrome., EA, \$7.02
 Federal Strategic Sourcing Initiative, 5120-01-431-2614, 3/8" Drive, 15/16", Chrome., EA, \$8.34

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-399-9529, 3/8" Drive, 1/4", Chrome., EA, \$3.21
 Federal Strategic Sourcing Initiative, 5120-01-399-9531, 3/8" Drive, 5/16", Chrome., EA, \$2.07
 Federal Strategic Sourcing Initiative, 5120-00-232-5711, 3/8" Drive, 5/16", Chrome., EA, \$2.38
 Federal Strategic Sourcing Initiative, 5120-01-350-1004, 3/8" Drive, 11/32", Chrome., EA, \$3.33
 Federal Strategic Sourcing Initiative, 5120-01-350-1005, 3/8" Drive, 3/8", Chrome., EA, \$2.85
 Federal Strategic Sourcing Initiative, 5120-01-397-3176, 3/8" Drive, 7/16", Chrome., EA, \$6.00
 Federal Strategic Sourcing Initiative, 5120-01-397-3177, 3/8" Drive, 1/2", Chrome., EA, \$3.19
 Federal Strategic Sourcing Initiative, 5120-00-935-7416, 3/8" Drive, 3/4", Chrome., EA, \$6.68
 Federal Strategic Sourcing Initiative, 5120-01-350-0992, 3/8" Drive, 3/4", Chrome., EA, \$6.68
 Federal Strategic Sourcing Initiative, 5120-00-935-7411, 3/8" Drive, 7/16", Chrome., EA, \$6.00
 Federal Strategic Sourcing Initiative, 5120-01-350-1006, 3/8" Drive, 7/16", Chrome., EA, \$6.00
 Federal Strategic Sourcing Initiative, 5120-01-350-1007, 3/8" Drive, 1/2", Chrome., EA, \$3.19
 Federal Strategic Sourcing Initiative, 5120-01-350-0990, 3/8" Drive, 5/8", Chrome., EA, \$6.45
 Federal Strategic Sourcing Initiative, 5120-01-350-0993, 3/8" Drive, 13/16", Chrome., EA, \$7.57
 Federal Strategic Sourcing Initiative, 5120-01-428-4597, 3/8" Drive, 15/16", Chrome., EA, \$8.00

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-288-8155, 3/8" Drive, 1/4", Chrome., EA, \$7.74
 Federal Strategic Sourcing Initiative, 5120-00-227-6702, 3/8" Drive, 3/8", Chrome., EA, \$3.21
 Federal Strategic Sourcing Initiative, 5120-00-232-5706, 3/8" Drive, 11/16", Chrome., EA, \$6.54
 Federal Strategic Sourcing Initiative, 5120-00-242-3330, 3/8" Drive, 7/8", Chrome., EA, \$7.57
 Federal Strategic Sourcing Initiative, 5120-00-227-6703, 3/8" Drive, 7/16", Chrome., EA, \$6.00
 Federal Strategic Sourcing Initiative, 5120-00-237-0977, 3/8" Drive, 1/2", Chrome., EA, \$3.19
 Federal Strategic Sourcing Initiative, 5120-00-227-6704, 3/8" Drive, 9/16", Chrome., EA, \$3.19
 Federal Strategic Sourcing Initiative, 5120-00-237-4973, 3/8" Drive, 5/8", Chrome., EA, \$6.45

Socket Screwdriver Bit (Hex)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

Federal Strategic Sourcing Initiative, 5120-01-399-9769, 7/64" Hex Tip, 1/4" Drive, 1-15/16" L., EA, \$8.16

Socket (Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

Federal Strategic Sourcing Initiative, 5120-01-399-9565, 3/8" Drive, 1/4", Chrome., EA, \$3.13
 Federal Strategic Sourcing Initiative, 5120-01-335-0905, 3/8" Drive, 7/16", Chrome, 2-1/8" L., EA, \$7.94
 Federal Strategic Sourcing Initiative, 5120-00-935-7440, 3/8" Drive, 1/2", Chrome., EA, \$7.99
 Federal Strategic Sourcing Initiative, 5120-00-935-7441, 3/8" Drive, 9/16", Chrome., EA, \$8.28
 Federal Strategic Sourcing Initiative, 5120-01-397-3183, 3/8" Drive, 9/16", Chrome., EA, \$8.28
 Federal Strategic Sourcing Initiative, 5120-01-397-3186, 3/8" Drive, 3/4", Chrome., EA, \$9.69
 Federal Strategic Sourcing Initiative, 5120-01-428-4627, 3/8" Drive, 1", Chrome., EA, \$13.55
 Federal Strategic Sourcing Initiative, 5120-01-335-0904, 3/8" Drive, 3/8", Chrome, 2-1/8" L., EA, \$3.21

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-1464, 3/8" Drive, 7/16", Chrome., EA, \$7.94
 Federal Strategic Sourcing Initiative, 5120-00-239-0018, 3/8" Drive, 5/8", Chrome., EA, \$8.63

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

Type I: Sockets (6 Point). Class 2: Long Length.

Federal Strategic Sourcing Initiative, 5120-01-430-7670, 3/8" Drive, 7/16", Chrome., EA, \$7.56
 Federal Strategic Sourcing Initiative, 5120-01-400-0253, 3/8" Drive, 5/8", Chrome., EA, \$8.73
 Federal Strategic Sourcing Initiative, 5120-01-400-0255, 3/8" Drive, 11/16", Chrome., EA, \$9.55

Socket (Regular Length)(Spark Plug)

When working in a confined engine area with limited turning space, you need a spark plug socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) B107.34

Type I: Sockets, (6-point), Class 1: Regular Length

Federal Strategic Sourcing Initiative, 5120-01-431-2718, 3/8" Drive, 5/8", Chrome., EA, \$11.34

Metric Socket (Regular Length)

When working in a confined area with limited turning space, you need a metric socket to fix that problem. These are for hand use only, no impact wrenches. (Described by: Size, Drive, Point Style) ASME B107.5M

- Federal Strategic Sourcing Initiative, 5120-01-398-7702, 8mm, 3/8" Drive, 6 Point, Chrome., EA, \$6.24
- Federal Strategic Sourcing Initiative, 5120-01-348-9118, 15mm, 3/8" Drive, 6 Point, Chrome., EA, \$6.54
- Federal Strategic Sourcing Initiative, 5120-01-116-6034, 19mm, 3/8" Drive, 6 Point, Chrome., EA, \$7.00
- Federal Strategic Sourcing Initiative, 5120-01-430-7717, 18mm, 3/8" Drive, 6 Point, Chrome., EA, \$6.82

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.

- Federal Strategic Sourcing Initiative, 5120-01-399-9989, 3/8" Drive, 6mm, Chrome., EA, \$5.02
- Federal Strategic Sourcing Initiative, 5120-01-024-6151, 3/8" Drive, 9mm, Chrome., EA, \$6.02
- Federal Strategic Sourcing Initiative, 5120-01-024-6150, 3/8" Drive, 10mm, Chrome., EA, \$6.54
- Federal Strategic Sourcing Initiative, 5120-01-024-6149, 3/8" Drive, 11mm, Chrome., EA, \$6.87
- Federal Strategic Sourcing Initiative, 5120-01-024-6147, 3/8" Drive, 13mm, Chrome., EA, \$6.82
- Federal Strategic Sourcing Initiative, 5120-01-430-7778, 3/8" Drive, 14mm, Chrome., EA, \$7.21
- Federal Strategic Sourcing Initiative, 5120-01-024-6146, 3/8" Drive, 14mm, Chrome., EA, \$6.28
- Federal Strategic Sourcing Initiative, 5120-01-024-6145, 3/8" Drive, 15mm, Chrome., EA, \$7.03
- Federal Strategic Sourcing Initiative, 5120-01-398-7852, 3/8" Drive, 19mm, Chrome., EA, \$7.37

Metric Socket (Long Length)

When working in a confined area with limited turning space, you need a metric socket to fix that problem. These are for hand use only, no impact wrenches. (Described by: Size, Drive, Point Style) ASME B107.5M

- Federal Strategic Sourcing Initiative, 5120-01-348-9189, AbilityOne, 10mm, 3/8" Drive, 6 Point, Chrome., EA, \$7.89
- Federal Strategic Sourcing Initiative, 5120-01-348-9190, AbilityOne, 11mm, 3/8" Drive, 6 Point, Chrome., EA, \$7.94
- Federal Strategic Sourcing Initiative, 5120-01-400-0279, 18mm, 3/8" Drive, 6 Point, Chrome., EA, \$10.09
- Federal Strategic Sourcing Initiative, 5120-01-113-6280, 19mm, 3/8" Drive, 6 Point, Chrome., EA, \$7.14
- Federal Strategic Sourcing Initiative, 5120-01-112-0546, 22mm, 3/8" Drive, 6 Point, Chrome., EA, \$7.96

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

Type I: Metric Sockets, Class 1: Metric Sockets, Style C: Long Length.

- Federal Strategic Sourcing Initiative, 5120-01-399-9607, 3/8" Drive, 15mm, Chrome., EA, \$8.86
- Federal Strategic Sourcing Initiative, 5120-01-399-9606, 3/8" Drive, 17mm, Chrome., EA, \$10.78

Sockets (Spline)

This high strength, chrome plated, thin wall splined socket is for use on high tensile strength aircraft fasteners. (Described by Spline#, Drive Size, Flutes, Length.) MIL-W-8982/1A.

- Federal Strategic Sourcing Initiative, 5120-01-065-3236, # 12 (3/8"), 3/8" Drive, 12 Spline., EA, \$3.03

Socket (Universal Joint)

These high strength, 12 point, thin wall, universal sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Size, Drive Size, Coating) AS954.

- Federal Strategic Sourcing Initiative, 5120-00-242-3355, 1/2", 3/8" Drive, Chrome., EA, \$39.56
- Federal Strategic Sourcing Initiative, 5120-00-142-5156, 9/16", 3/8" Drive, Chrome., EA, \$39.56

Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

Style A: Coarse Action.

- Federal Strategic Sourcing Initiative, 5120-01-486-2297, 5249 or equal, 3/8" Drive, 7" L, 24 Tooth, Chrome., EA, \$15.85

Style B: Fine Action.

- Federal Strategic Sourcing Initiative, 5120-01-335-0721, 3/8" Drive, 4-3/16" L, 80 Tooth, Chrome., EA, \$23.81
- Federal Strategic Sourcing Initiative, 5120-01-474-5182, F80 or equal., 3/8" Drive, 7-7/16" L, 80 Tooth, Chrome., EA, \$15.85
- Federal Strategic Sourcing Initiative, 5120-01-335-0719, 3/8" Drive, 7-7/16" L, 80 Tooth, Chrome, Quick Release., EA, \$36.04
- Federal Strategic Sourcing Initiative, 5120-01-355-1868, 3/8" Drive, 7-1/2" L, 100 Tooth, Chrome., EA, \$32.87
- Federal Strategic Sourcing Initiative, 5120-01-366-0626, 3/8" Drive, 7-1/2" L, 36 Tooth, Chrome., EA, \$14.90
- Federal Strategic Sourcing Initiative, 5120-01-398-7641, 3/8" Drive, 7-1/2" L, 36 Tooth, Chrome, Flat Handle, Quick Release., EA, \$25.80
- Federal Strategic Sourcing Initiative, 5120-01-430-3106, 3/8" Drive, 7-1/2" L, 40 Tooth, Chrome, Knurled Handle., EA, \$40.64
- Federal Strategic Sourcing Initiative, 5120-01-575-6750, 3/8" Drive, 8" L, 60 Tooth, Chrome., EA, \$15.85
- Federal Strategic Sourcing Initiative, 5120-01-619-4322, J5249XL, 3/8" Drive, 8-1/2" L, 45 Tooth, Chrome, Knurled., EA, \$43.09
- Federal Strategic Sourcing Initiative, 5120-01-378-5002, 3/8" Drive, 9-9/16" L, 80 Tooth, Chrome., EA, \$15.85
- Federal Strategic Sourcing Initiative, 5120-01-474-5185, 3/8" Drive, 10-5/16" L, 80 Tooth, Chrome., EA, \$21.42
- Federal Strategic Sourcing Initiative, 5120-01-335-0717, 3/8" Drive, 11-1/2" L, 80 Tooth, Chrome, Flex Head., EA, \$54.76

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-240-5364, 3/8" Drive, 5-3/4" L, Chrome., EA, \$26.01

Socket Wrench (Ratchet Adapter)

A chrome plated steel ratchet adapter that converts a standard wrench handle to a ratchet handle. Has a square male drive tang at one end & a square female drive socket at the other end. Also has a reversible mechanism. The male drive tang has a spring loaded steel ball to hold a mating socket or attachment. B107.10.

- Federal Strategic Sourcing Initiative, 5120-00-227-8129, 3/8" Drive, Reversible., EA, \$49.25
- Federal Strategic Sourcing Initiative, 5120-01-335-1082, 3/8" Drive., EA, \$23.46

Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

- Federal Strategic Sourcing Initiative, 5120-00-116-9360, GAX5 or equal, 1/2" F x 3/8" M Drive, 5" L, Oxide., EA, \$13.34

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-240-8703, 3/8" F x 1/2" M Drive, Chrome., EA, \$8.89
- Federal Strategic Sourcing Initiative, 5120-00-227-8095, 3/8" F x 1/4" M Drive, Chrome., EA, \$8.93

Socket Wrench (Breaker Bar)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-601-5171, 3/8" Drive, 8-1/2" L, Chrome., EA, \$26.54

Federal Strategic Sourcing Initiative, 5120-01-355-1864, AbilityOne, 3/8" Drive, 9-9/16" L, Chrome., EA, \$25.83

Federal Strategic Sourcing Initiative, 5120-01-430-3079, 3/8" Drive, 10" L, Chrome, Knurled., EA, \$25.83

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-5396, 3/8" Drive, 7" - 10" L, Chrome., EA, \$18.38

Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-601-5172, 11-934 or equal, 3/8" Drive, 3" L, Chrome, Locking., EA, \$15.37

Federal Strategic Sourcing Initiative, 5120-01-651-0754, 3/8" Drive, 4-1/2" L, Locking, Chrome., EA, \$45.48

Federal Strategic Sourcing Initiative, 5120-01-601-5170, 3/8" Drive, 6" L, Chrome, Locking., EA, \$11.35

Federal Strategic Sourcing Initiative, 5120-01-398-7673, 3/8" Drive, 6" L, Chrome, Knurled., EA, \$12.17

Federal Strategic Sourcing Initiative, 5120-01-651-0753, 3/8" Drive, 7-1/2" L, Chrome, Locking., EA, \$44.58

Federal Strategic Sourcing Initiative, 5120-01-335-1060, 3/8" Drive, 8" L, Chrome, Knurled., EA, \$15.20

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-243-1689, 3/8" Drive, 3" L, Chrome., EA, \$9.82

Federal Strategic Sourcing Initiative, 5120-00-227-8107, 3/8" Drive, 6" L, Chrome., EA, \$12.17

Federal Strategic Sourcing Initiative, 5120-00-243-1693, 3/8" Drive, 9" L, Chrome., EA, \$15.20

Federal Strategic Sourcing Initiative, 5120-00-243-1691, 3/8" Drive, 12" L, Chrome., EA, \$16.47

Socket Extension (Flexible Shank)

This chrome-plated, extension bar is designed for use with hand tools, no impacts. It includes a flexible shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. This extension is not designed for torque tightening & breaking loose nuts or bolts. B107.10.

Federal Strategic Sourcing Initiative, 5120-00-022-9797, 3/8" Drive, 8" L, Chrome., EA, \$15.20

Torque Adaptor

This torque adapter has a wrenching end on one end & a square female drive on the other. Made of chrome plated, high strength steel, thin wall construction. The perfect torque tool to get into those tight spaces. Described by (Size, Drive Size).

Federal Strategic Sourcing Initiative, 5120-01-429-7333, 3/8" Box End, 3/8" Drive, 12 Point., EA, \$24.84

Federal Strategic Sourcing Initiative, 5120-01-429-7330, 7/16" Box End, 3/8" Drive, 12 Point., EA, \$18.16

Universal Joint

This steel universal joint features a square female & male drive tang that are the same size & allows you to swivel your sockets into tight spaces. Not for use with an impact wrench. AS4283.

Federal Strategic Sourcing Initiative, 5120-01-358-2754, 3/8" Drive, Chrome., EA, \$32.51

Federal Strategic Sourcing Initiative, 5120-01-335-1044, 3/8" Drive, Chrome., EA, \$3.32

Federal Strategic Sourcing Initiative, 5120-01-399-9617, 3/8" Drive, Chrome., EA, \$3.32

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-9215, 3/8" Drive, Chrome., EA, \$3.90

Speeder Handle (Brace)

This steel speeder brace handle has a round shank and comfortable handgrip. The male square drive tang has a spring-loaded steel ball to hold onto sockets & attachments. It also has a single revolving handgrip that rotates freely at the butt end of the handle. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-335-2033, 3/8" Drive, 16" L, Chrome, Knurled., EA, \$34.75

Federal Strategic Sourcing Initiative, 5120-01-355-1865, AbilityOne, 3/8" Drive, 17-27/32" L, Chrome., EA, \$11.41

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-237-4969, 3/8" Drive, 14" - 17-1/2" L, Chrome., EA, \$24.62

Impact Driver (Manual)

Set has a manual impact driver type handle. The drive rotates when the handle is struck. Has a square male drive. Steel with industrial black oxide or phosphate coating.

Federal Strategic Sourcing Initiative, 5120-01-378-5508, 3/8" Drive., EA, \$24.76

Socket Rail and Clips

These clips are replacement clips to hold sockets onto socket rail tracks.

Federal Strategic Sourcing Initiative, 5140-01-351-5113, J2573 or equal., 3/8" Drive Clips, 17" L Rail, 16 Clips., EA, \$5.67

Socket Set (Universal Joint)

These high strength, 12 point, thin wall, universal sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Size, Drive Size, Coating) AS954.

This socket set consists of (8) universal joint sockets in sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-935-7309, 3/8" Drive, Chrome, Metal or Plastic Box., SE, \$31.38

Metric Socket Set (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.

This hand socket set consists of (12) sockets in sizes: 8mm - 19mm.

Federal Strategic Sourcing Initiative, 5120-01-429-3585, 3/8" Drive, Chrome, Rail & Clips., SE, \$14.79

Impact Socket Set (Manual)

Set has a manual impact driver type handle. The drive rotates when the handle is struck. Has a square male drive. Steel with industrial black oxide or phosphate coating.

Set consists of (36) components: Hex Bits: (7/32", 3/16", 5/16", 3/8", 1/4"), Phillips Bits, (2) Standard Length: (#2 and #3), (1) long length (#4), (3) Flat Tip Bits Short Length: (3/8", 1/4" and 5/16"), (2) Clutch Socket Drivers (3/8" and 5/16"), (5) Hex Socket Drivers (1/4", 7/32", 3/8", 5/16" and 3/16"), Pozidriv #2, (3) Flat Tip sockets: (1/4", 5/16" and 3/8"), (3) Phillips Socket Driver, Standard Length: (#2, #3, #4) (1) Long Length: #4, Drag Link Socket: 11/16" W blade, Impact Sockets, Shallow 6-Point: (1/2", 3/4", 11/16", 7/16", 9/16", 3/8" and 5/8"), Phillips Bit Socket Driver: #4 and an Impact Driver.

Federal Strategic Sourcing Initiative, 5120-00-724-2145, 3/8" Drive, 6 Point, Plastic or Metal Case., SE, \$158.80

Socket Set (Standard, Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

This socket set consists of (11) sockets in sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" & 7/8".

Federal Strategic Sourcing Initiative, 5120-01-429-3597, 3/8" Drive, Chrome, Rail & Clips., SE, \$25.80

Socket Set (Standard, Regular Length)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

This socket set consists of (13) regular length sockets in sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" & 1".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-935-7313, 3/8" Drive, 6 Point, Chrome, Rail & Clips., SE, \$33.23

Socket Set (Universal Joint)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

This socket set consists of (7) universal joint sockets in sizes: 3/8", 7/16", 1/2", 9/16" 5/8", 11/16 & 3/4".

Federal Strategic Sourcing Initiative, 5120-01-430-4481, 3/8" Drive, 6 Point, Chrome, Rail & Clips., SE, \$40.13

Socket Set (Standard, Mixed)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

This socket set consists of (23) pieces: (6) long length sockets in sizes: (1/2", 9/16", 5/8", 11/16", 3/4" and 13/16"), (9) regular length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"), (2) universal joint sockets (1/2" and 9/16"), (2) breaker bars (8" and 8-1/2"), reversible ratchet, brace type speeder and (2) solid extensions (6" and 11" L).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-322-6231, 3/8" Drive, Chrome, Metal or Plastic Box., SE, \$146.79

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1

This socket set consists of (54) pieces. (7) 6 point, 3/8" drive, regular length sockets in sizes: (5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 11/16"), (5) 8 point, 3/8" drive, regular length sockets in sizes: (1/4", 5/16", 3/8", 7/16" & 1/2"), (9) 12 point, 3/8" drive, regular length sockets & (9) 12 point, 3/8" drive, long length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" & 7/8"), (7) 12 point universal joint sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"), (3) hex bits (3/16", 7/32" & 1/4"), (3) phillips bits (#2, #3 & #4), flat tip bit, (3) solid extension bars (3", 8" & 12" L), hinged (breaker bar), sliding T-handle, speeder brace, reversible ratchet, ratchet adaptor & universal joint. All in a steel chest.

Federal Strategic Sourcing Initiative, 5120-01-242-1514, 3/8" Drive., SE, \$860.81

This socket set consists of (22) pieces. (9) regular length sockets: & (9) long length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" & 7/8"), ratchet wrench (reversible), universal joint & (2) extensions (2" & 6").

Federal Strategic Sourcing Initiative, 5120-01-430-4510, 3/8" Drive, 6 Point, Chrome, Metal Box., SE, \$239.53

This socket set consists of (22) chrome pieces. (7) regular length sockets & (7) long length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"), ratchet wrench (reversible), breaker bar, (2) spark plug sockets (13/16" & 5/8"), universal joint & (3) extensions (3", 4" & 8").

Federal Strategic Sourcing Initiative, 5120-01-429-3652, 3/8" Drive, 6 Point, Chrome, Plastic Box., SE, \$116.07

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

This socket set consists of (22) pieces: (9) long length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"), (9) regular length sockets in sizes: (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8"), (1) universal joint, reversible ratchet, and (2) solid extensions (3" and 6" L).

Federal Strategic Sourcing Initiative, 5120-01-430-4478, 3/8" Drive, Chrome, Metal Box., SE, \$248.66

Socket Set (Metric)

When working in a confined area with limited turning space, you need a metric socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.5M

This hand socket set consists of (22) chrome pieces. (7) regular length sockets in sizes: (10mm, 12mm - 15mm, 17mm & 19mm), (7) long length sockets in sizes: (10mm, 11mm, 13mm - 15mm, 17mm & 19mm), breaker bar, reversible ratchet, universal joint, (3) extensions (3", 4" & 8" L) & (2) spark plug sockets (13/16" & 5/8").

Federal Strategic Sourcing Initiative, 5120-01-429-3642, 3/8" Drive, 6 Point, Chrome, Plastic Box., SE, \$106.39

1/2" Drive Sockets

Socket (Regular Length)

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

Type 1: Sockets (6 Point). Class 1: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-428-4810, 1/2" Drive, 3/8", Chrome., EA, \$6.97
 Federal Strategic Sourcing Initiative, 5120-01-399-9624, 1/2" Drive, 7/16", Chrome., EA, \$7.02
 Federal Strategic Sourcing Initiative, 5120-01-398-7937, 1/2" Drive, 1/2", Chrome., EA, \$7.57
 Federal Strategic Sourcing Initiative, 5120-01-398-7943, 1/2" Drive, 9/16", Chrome., EA, \$7.57
 Federal Strategic Sourcing Initiative, 5120-01-399-9628, 1/2" Drive, 5/8", Chrome., EA, \$7.71
 Federal Strategic Sourcing Initiative, 5120-01-399-9627, 1/2" Drive, 3/4", Chrome., EA, \$8.73
 Federal Strategic Sourcing Initiative, 5120-01-399-9631, 1/2" Drive, 13/16", Chrome., EA, \$9.27
 Federal Strategic Sourcing Initiative, 5120-01-398-7894, 1/2" Drive, 15/16", Chrome., EA, \$9.84
 Federal Strategic Sourcing Initiative, 5120-01-428-4817, 1/2" Drive, 1", Chrome., EA, \$5.72
 Federal Strategic Sourcing Initiative, 5120-01-428-4825, 1/2" Drive, 1-1/8", Chrome., EA, \$13.35
 Federal Strategic Sourcing Initiative, 5120-01-428-4724, 1/2" Drive, 1-3/16", Chrome., EA, \$14.46

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-578-3615, 1/2" Drive, 5/8", Chrome., EA, \$6.45
 Federal Strategic Sourcing Initiative, 5120-01-335-0800, SW241 or equal, 1/2" Drive, 3/4", Chrome., EA, \$8.51
 Federal Strategic Sourcing Initiative, 5120-01-428-4781, 1/2" Drive, 1-3/16", Chrome., EA, \$15.81
 Federal Strategic Sourcing Initiative, 5120-01-428-4768, 1/2" Drive, 1-5/16", Chrome., EA, \$17.83
 Federal Strategic Sourcing Initiative, 5120-01-428-4706, 1/2" Drive, 1-3/8", Chrome., EA, \$10.07
 Federal Strategic Sourcing Initiative, 5120-01-428-4786, 1/2" Drive, 1-7/16", Chrome., EA, \$21.09

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-189-7924, 1/2" Drive, 7/16", Chrome., EA, \$6.52
 Federal Strategic Sourcing Initiative, 5120-00-237-0984, 1/2" Drive, 1/2", Chrome., EA, \$7.67
 Federal Strategic Sourcing Initiative, 5120-00-189-7932, 1/2" Drive, 9/16", Chrome., EA, \$7.77
 Federal Strategic Sourcing Initiative, 5120-00-935-7420, 1/2" Drive, 9/16", Chrome., EA, \$7.77
 Federal Strategic Sourcing Initiative, 5120-00-189-7946, 1/2" Drive, 5/8", Chrome., EA, \$7.77
 Federal Strategic Sourcing Initiative, 5120-00-235-5870, 1/2" Drive, 11/16", Chrome., EA, \$8.51
 Federal Strategic Sourcing Initiative, 5120-00-189-7985, 1/2" Drive, 3/4", Chrome., EA, \$8.51
 Federal Strategic Sourcing Initiative, 5120-00-189-7934, 1/2" Drive, 7/8", Chrome., EA, \$9.05
 Federal Strategic Sourcing Initiative, 5120-00-189-7935, 1/2" Drive, 15/16", Chrome., EA, \$8.75
 Federal Strategic Sourcing Initiative, 5120-00-189-7927, 1/2" Drive, 1", Chrome., EA, \$10.58
 Federal Strategic Sourcing Initiative, 5120-00-189-7914, 1/2" Drive, 1-1/8", Chrome., EA, \$13.56
 Federal Strategic Sourcing Initiative, 5120-00-189-7917, 1/2" Drive, 1-1/4", Chrome., EA, \$15.35
 Federal Strategic Sourcing Initiative, 5120-00-277-1465, 1/2" Drive, 1-1/2", Chrome., EA, \$22.55

Socket Extension Set (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

This extension set consists of (6) pieces. Universal joint, (3) extensions (1-1/2", 3" & 6" L) & (2) size adaptors (3/8" F x 1/4" M & 3/8" F x 1/2" M).

Federal Strategic Sourcing Initiative, 5120-01-429-3564, 3/8" Drive., SE, \$15.45

Socket (Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

Federal Strategic Sourcing Initiative, 5120-01-428-4941, 1/2" Drive, 1/2", Chrome., EA, \$12.63
 Federal Strategic Sourcing Initiative, 5120-01-399-9766, 1/2" Drive, 9/16", Chrome., EA, \$7.77
 Federal Strategic Sourcing Initiative, 5120-01-428-4916, 1/2" Drive, 5/8", Chrome., EA, \$12.30
 Federal Strategic Sourcing Initiative, 5120-01-428-4948, 1/2" Drive, 3/4", Chrome, Full Polish., EA, \$12.05
 Federal Strategic Sourcing Initiative, 5120-00-935-7451, 1/2" Drive, 7/8", Chrome., EA, \$13.28
 Federal Strategic Sourcing Initiative, 5120-01-428-4693, 1/2" Drive, 7/8", Chrome, Full Polish., EA, \$13.74
 Federal Strategic Sourcing Initiative, 5120-01-620-6784, 1/2" Drive, 15/16", 3-1/4" L, Chrome., EA, \$15.28
 Federal Strategic Sourcing Initiative, 5120-01-335-0820, 1/2" Drive, 1-1/8", Chrome., EA, \$19.16
 Federal Strategic Sourcing Initiative, 5120-01-335-0823, 1/2" Drive, 1-5/16", Chrome., EA, \$26.76
 Federal Strategic Sourcing Initiative, 5120-01-428-4688, 1/2" Drive, 1-3/8", Chrome., EA, \$29.50
 Federal Strategic Sourcing Initiative, 5120-01-428-4686, 1/2" Drive, 1-7/16", Chrome., EA, \$32.56
 Federal Strategic Sourcing Initiative, 5120-01-428-4711, 1/2" Drive, 1-1/2", Chrome., EA, \$35.15

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-242-3349, 1/2" Drive, 3/4", Chrome., EA, \$14.86
 Federal Strategic Sourcing Initiative, 5120-00-243-7343, 1/2" Drive, 15/16", Chrome., EA, \$15.28

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

Type 1: Sockets (6 Point). Class 2: Long Length.

Federal Strategic Sourcing Initiative, 5120-01-428-4740, 1/2" Drive, 9/16", Chrome., EA, \$12.30
 Federal Strategic Sourcing Initiative, 5120-01-428-4744, 1/2" Drive, 5/8", Chrome., EA, \$12.62
 Federal Strategic Sourcing Initiative, 5120-01-428-4841, 1/2" Drive, 1-1/8", Chrome., EA, \$19.19
 Federal Strategic Sourcing Initiative, 5120-01-428-4830, 1/2" Drive, 1-1/4", Chrome., EA, \$15.89

Metric Socket (Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

Type I: Metric Sockets, Class 1: Metric Sockets, Style C: Long Length.

Federal Strategic Sourcing Initiative, 5120-01-112-0576, 1/2" Drive, 10mm, Chrome., EA, \$12.40
 Federal Strategic Sourcing Initiative, 5120-01-399-9645, 1/2" Drive, 15mm, Chrome., EA, \$12.51
 Federal Strategic Sourcing Initiative, 5120-01-112-0572, 1/2" Drive, 24mm, Chrome., EA, \$14.89

Metric Socket (Regular Length)

When working in a confined area with limited turning space, you need a metric socket to fix that problem. These are for hand use only, no impact wrenches. (Described by: Size, Drive, Point Style) ASME B107.5M

Federal Strategic Sourcing Initiative, 5120-01-349-1042, 10mm, 1/2" Drive, 6 Point, Chrome., EA, \$3.12
 Federal Strategic Sourcing Initiative, 5120-01-398-8033, 13mm, 1/2" Drive, 6 Point, Chrome., EA, \$3.96
 Federal Strategic Sourcing Initiative, 5120-01-348-9033, 14mm, 1/2" Drive, 6 Point, Chrome., EA, \$2.76
 Federal Strategic Sourcing Initiative, 5120-01-348-9034, 15mm, 1/2" Drive, 6 Point, Chrome., EA, \$2.48
 Federal Strategic Sourcing Initiative, 5120-01-348-9035, 16mm, 1/2" Drive, 6 Point, Chrome., EA, \$3.11
 Federal Strategic Sourcing Initiative, 5120-01-348-9037, 18mm, 1/2" Drive, 6 Point, Chrome., EA, \$1.84
 Federal Strategic Sourcing Initiative, 5120-01-112-8322, 18mm, 1/2" Drive, 6 Point, Chrome., EA, \$2.23
 Federal Strategic Sourcing Initiative, 5120-01-398-7919, 19mm, 1/2" Drive, 6 Point, Chrome., EA, \$5.52
 Federal Strategic Sourcing Initiative, 5120-01-367-3205, 27mm, 1/2" Drive, 6 Point, Chrome., EA, \$8.14

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-580-7878, 1/2" Drive, 13mm, Chrome., EA, \$7.53
 Federal Strategic Sourcing Initiative, 5120-00-263-4136, 1/2" Drive, 14mm, Chrome., EA, \$7.81
 Federal Strategic Sourcing Initiative, 5120-00-263-4149, 1/2" Drive, 15mm, Chrome., EA, \$8.73
 Federal Strategic Sourcing Initiative, 5120-01-580-7868, 1/2" Drive, 22mm, Chrome., EA, \$9.67
 Federal Strategic Sourcing Initiative, 5120-00-287-4151, 1/2" Drive, 12mm, Chrome., EA, \$8.16
 Federal Strategic Sourcing Initiative, 5120-00-263-4137, 1/2" Drive, 13mm, Chrome., EA, \$8.16
 Federal Strategic Sourcing Initiative, 5120-01-548-9076, 1/2" Drive, 15mm, Chrome., EA, \$8.96
 Federal Strategic Sourcing Initiative, 5120-00-263-4148, 1/2" Drive, 16mm, Chrome., EA, \$9.21
 Federal Strategic Sourcing Initiative, 5120-01-398-7944, 1/2" Drive, 17mm, Chrome., EA, \$8.41
 Federal Strategic Sourcing Initiative, 5120-01-399-9636, 1/2" Drive, 17mm, Chrome., EA, \$8.41
 Federal Strategic Sourcing Initiative, 5120-00-287-4153, 1/2" Drive, 24mm, Chrome., EA, \$10.15

Impact Socket (Metric)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty metric sockets are intended for use with impact tools. All have square drives & are made of hardened steel with a black oxide or phosphate coating. ASME B107.33

Federal Strategic Sourcing Initiative, 5130-01-045-8552, 13mm, 1/2" Drive, 6 Point., EA, \$6.96
 Federal Strategic Sourcing Initiative, 5130-01-112-0552, 17mm, 1/2" Drive, 6 Point., EA, \$13.40
 Federal Strategic Sourcing Initiative, 5130-01-348-9316, 19mm, 1/2" Drive, 6 Point., EA, \$8.16

Impact Socket (Regular Thin Wall)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives & are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-00-221-8006, 1/2", 1/2" Drive, 6 Point., EA, \$7.57
 Federal Strategic Sourcing Initiative, 5130-00-221-8010, 3/4", 1/2" Drive, 6 Point., EA, \$8.51

Impact Socket (Regular Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives & are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-01-400-0074, 9/16", 1/2" Drive, 12 Point., EA, \$7.95
 Federal Strategic Sourcing Initiative, 5130-00-227-6696, 1", 1/2" Drive, 6 Point., EA, \$9.04
 Federal Strategic Sourcing Initiative, 5130-00-203-6447, 1-1/16", 1/2" Drive, 6 Point., EA, \$5.36

Impact Socket (Long Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives & are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-00-714-0600, 15/16", 1/2" Drive, 6 Point., EA, \$16.09

Sockets (Spline)

This high strength, chrome plated, thin wall splined socket is for use on high tensile strength aircraft fasteners. (Described by Spline#, Drive Size, Flutes, Length.) MIL-W-8982/1A.

Federal Strategic Sourcing Initiative, 5120-01-066-7516, # 16 (1/2"), 1/2" Drive, 12 Spline, 1-9/32" L., EA, \$3.42

Federal Strategic Sourcing Initiative, 5120-01-023-4212, M8982/1-20-4-R., # 20 (5/8"), 1/2" Drive, 12 Spline, 1-1/2" L., EA, \$10.64

Socket Wrench (Breaker Bar)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-00-221-7958, 1/2" Drive, 9" - 13-1/2" L, Chrome, Full Polish., EA, \$27.57

Federal Strategic Sourcing Initiative, 5120-00-236-7590, 1/2" Drive, 14-1/2" - 19" L, Chrome., EA, \$33.66

Federal Strategic Sourcing Initiative, 5120-01-335-0713, 1/2" Drive, 15" L, Chrome., EA, \$23.62

Federal Strategic Sourcing Initiative, 5120-01-345-9540, 1/2" Drive, 17" L, Chrome., EA, \$67.05

Federal Strategic Sourcing Initiative, 5120-01-335-0714, AbilityOne, 1/2" Drive, 18" L, Chrome., EA, \$52.94

Federal Strategic Sourcing Initiative, 5120-01-437-1841, 1/2" Drive, 24" L, Chrome., EA, \$65.22

Federal Strategic Sourcing Initiative, 5120-01-430-3064, 1/2" Drive, 15" L, Chrome, Knurled., EA, \$58.13

Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

Style A: Coarse Action.

Federal Strategic Sourcing Initiative, 5120-01-400-0229, 1/2" Drive, 10" L, 24 Tooth, Chrome, Knurled., EA, \$55.03

Style B: Fine Action.

Federal Strategic Sourcing Initiative, 5120-01-355-1901, 1/2" Drive, 10-5/16" L, 80 Tooth, Chrome., EA, \$26.49

Federal Strategic Sourcing Initiative, 5120-01-572-0856, 1/2" Drive, 10-5/16" L, 80 Tooth, Chrome., EA, \$55.03

Federal Strategic Sourcing Initiative, 5120-01-601-5184, 1/2" Drive, 10-1/2" L, 60 Tooth, Chrome., EA, \$42.67

Federal Strategic Sourcing Initiative, 5120-01-400-0231, 1/2" Drive, 16" L, 38 Tooth, Chrome, Knurled Handle., EA, \$68.43

Federal Strategic Sourcing Initiative, 5120-01-430-3066, 1/2" Drive, 10-1/4" L, 72 Tooth, Chrome, Knurled Handle., EA, \$87.57

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-230-6385, 1/2" Drive, 9-1/2" L, 45 Tooth, Chrome., EA, \$36.04

Socket Wrench (Sliding T-Handle)

This sliding T handle is chrome plated and has round shank with a comfortable handgrip. The male square drive tang has a spring loaded steel ball to hold onto sockets and attachments. The round handle rod slides freely to allow smooth operation in tight quarters and each end of the handle has a firmly mounted steel ball that acts as a stop. B107.10.

Federal Strategic Sourcing Initiative, 5120-00-241-3142, 1/2" Drive, 9" - 13" L., EA, \$27.66

Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-01-378-5897, 1/2" F x 3/4" M Drive, Oxide., EA, \$15.21

Federal Strategic Sourcing Initiative, 5120-01-335-0701, 3/8" F x 1/2" M Drive, Oxide., EA, \$8.88

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-8702, 1/2" F x 3/8" M Drive, Chrome., EA, \$10.26

Federal Strategic Sourcing Initiative, 5120-00-227-8088, 3/4" F x 1/2" M Drive, Chrome., EA, \$18.41

Socket Wrench Size Adapter (Impact)

This versatile, black oxide, attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed for use with impact tools. ASME B107.2.

Federal Strategic Sourcing Initiative, 5130-01-367-3110, 1/2" F x 3/8" M., EA, \$11.28

Federal Strategic Sourcing Initiative, 5130-01-400-0122, 1/2" F x 3/4" M., EA, \$15.21

Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-335-1050, SXX5 or equal., 1/2" Drive, 5" L, Chrome., EA, \$15.30

Federal Strategic Sourcing Initiative, 5120-01-474-4801, 1/2" Drive, 11" L, Chrome, Knurled., EA, \$20.33

Federal Strategic Sourcing Initiative, 5120-00-278-6643, 1/2" Drive, 36" L, Chrome., EA, \$69.35

Federal Strategic Sourcing Initiative, 5120-01-601-5175, 1/2" Drive, 3" L, Locking, Chrome., EA, \$10.33

Federal Strategic Sourcing Initiative, 5120-01-601-5174, 1/2" Drive, 5" L, Locking, Chrome., EA, \$10.52

Federal Strategic Sourcing Initiative, 5120-01-430-3094, 1/2" Drive, 5" L, Chrome, Knurled., EA, \$15.30

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-243-7326, 1/2" Drive, 5" L, Chrome., EA, \$18.87

Federal Strategic Sourcing Initiative, 5120-00-227-8074, 1/2" Drive, 10" L, Chrome., EA, \$20.33

Federal Strategic Sourcing Initiative, 5120-00-240-8705, 1/2" Drive, 20" L, Chrome., EA, \$23.04

Socket Set (Standard, Long Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

This socket set consists of (11) sockets in sizes: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16" and 1-1/8".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-596-8622, 1/2" Drive, Chrome, Metal or Plastic Box., SE, \$163.79

Socket Set (Standard, Mixed)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

This socket set consists of (20) pieces: (13) regular length sockets in sizes: (7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4"), (2) breaker bars (9" and 14-1/2"), reversible ratchet, universal joint and (3) solid extensions (2", 5" and 10" L).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-081-2307, 1/2" Drive, Chrome, Metal or Plastic Box., SE, \$158.34

Socket Set (Metric)

When working in a confined area with limited turning space, you need a metric socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.5M

This hand socket set consists of (17) pieces: (13) regular length sockets in sizes: 12mm - 24mm, (2) extensions (5" & 10" L), breaker bar & ratchet wrench.

Federal Strategic Sourcing Initiative, 5120-01-429-3671, 1/2" Drive, 6 Point, Plastic Tray., SE, \$59.27

Metric Socket Set (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.

This hand socket set consists of (23) sockets in sizes: 10mm - 32mm.

Federal Strategic Sourcing Initiative, 5120-01-429-3681, 1/2" Drive, Chrome., SE, \$93.41

This hand socket set consists of (10) sockets in sizes: 10mm - 19mm.

Federal Strategic Sourcing Initiative, 5120-01-429-3555, 1/2" Drive, Chrome, Rail & Clips., SE, \$37.68

Metric Socket Set (Mixed)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

This hand socket set consists of (16) pieces. (14) regular length sockets in sizes: 10mm - 23mm, reversible ratchet & extension (5" L).

Federal Strategic Sourcing Initiative, 5120-01-430-4530, 1/2" Drive, Chrome, Plastic or Metal Box., SE, \$25.49

Impact Socket Set (Metric)

These socket sets are designed for use with power tools. The sockets are made of steel and have an industrial black oxide or phosphate coating. B107.33

This set consists of (15) long length impact sockets in sizes: 10mm - 24mm.

Federal Strategic Sourcing Initiative, 5130-01-115-1149, 1/2" Drive, 6 Point, Case., SE, \$105.72

This set consists of (23) regular length impact sockets in sizes: 10mm - 27mm, 29mm, 30mm, 32mm, 36mm and 46mm.

Federal Strategic Sourcing Initiative, 5130-01-112-9541, 1/2" Drive, 6 Point, Metal or Plastic Case., SE, \$171.99

Socket Screwdriver Bit (Hex)

Socket with bit. The hardened steel tool has a plated or treated surface for corrosion resistance. Socket has a square female drive that attaches firmly to a socket drive handle. Described by (Size, Drive Size, Length).

Federal Strategic Sourcing Initiative, 5120-01-580-9778, 9/16" Hex Tip, 1/2" Drive, 3-3/4" L., EA, \$18.77

Federal Strategic Sourcing Initiative, 5120-01-580-9773, 1/2" Hex Tip, 1/2" Drive, 3-3/4" L., EA, \$18.01

Socket Clips

These clips are replacement clips to hold sockets onto socket rail tracks.

Federal Strategic Sourcing Initiative, 5140-01-364-9467, 1/2" Drive., EA, \$0.14

Universal Joint

This steel universal joint features a square female & male drive tang that are the same size & allows you to swivel your sockets into tight spaces. Not for use with an impact wrench. AS4283.

Federal Strategic Sourcing Initiative, 5120-01-430-3055, 1/2" Drive, Chrome., EA, \$27.20

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-269-7971, 1/2" Drive, Chrome., EA, \$5.91

Impact Driver (Manual)

Set has a manual impact driver type handle. The drive rotates when the handle is struck. Has a square male drive. Steel with industrial black oxide or phosphate coating.

Federal Strategic Sourcing Initiative, 5120-01-562-9497, 1/2" Drive., EA, \$923.51

Speeder Handle (Brace)

This steel speeder brace handle has a round shank and comfortable handgrip. The male square drive tang has a spring-loaded steel ball to hold onto sockets & attachments. It also has a single revolving handgrip that rotates freely at the butt end of the handle. Described by: (Drive size, Length, Coating) AS4283.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-249-1071, 1/2" Drive, 18" L, Chrome., EA, \$25.72

3/4" Drive Sockets

Socket (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-378-8340, 3/4" Drive, 3/4", Chrome., EA, \$14.93

Federal Strategic Sourcing Initiative, 5120-00-181-6813, 3/4" Drive, 15/16", Chrome., EA, \$15.86

Federal Strategic Sourcing Initiative, 5120-01-399-9690, 3/4" Drive, 1-3/16", Chrome., EA, \$16.68

Federal Strategic Sourcing Initiative, 5120-01-348-9690, 3/4" Drive, 1-3/8", Chrome., EA, \$19.56

Federal Strategic Sourcing Initiative, 5120-00-189-7910, 3/4" Drive, 1-9/16", Chrome., EA, \$24.55

Federal Strategic Sourcing Initiative, 5120-01-378-6699, 3/4" Drive, 1-11/16", Chrome., EA, \$27.39

Federal Strategic Sourcing Initiative, 5120-01-399-9689, 3/4" Drive, 1-11/16", Chrome., EA, \$27.39

Federal Strategic Sourcing Initiative, 5120-01-378-5733, 3/4" Drive, 1-13/16", Chrome., EA, \$34.20

Federal Strategic Sourcing Initiative, 5120-01-378-5398, 3/4" Drive, 2", Chrome., EA, \$43.64

Federal Strategic Sourcing Initiative, 5120-00-199-7771, 3/4" Drive, 2-1/4", Chrome., EA, \$58.67

Federal Strategic Sourcing Initiative, 5120-01-399-9691, 3/4" Drive, 1-3/8", Chrome., EA, \$19.05

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-239-0021, 3/4" Drive, 1-1/8", Chrome., EA, \$16.40

Federal Strategic Sourcing Initiative, 5120-00-232-5681, 3/4" Drive, 1-5/16", Chrome., EA, \$17.73

Federal Strategic Sourcing Initiative, 5120-00-293-0094, 3/4" Drive, 1-1/2", Chrome., EA, \$22.40

Socket (Long Length)

When working in a confined area with limited turning space, you need a socket to fix that problem. All have square drives. These are for hand use only, no impact wrenches. Described by: (Drive Size, Size, Coating) ASME B107.1.

Type 1: Sockets (6 Point), Class 2: Long Length.

Federal Strategic Sourcing Initiative, 5120-01-348-9698, 3/4" Drive, 1-1/16", Chrome., EA, \$16.82

Federal Strategic Sourcing Initiative, 5120-01-399-9673, 3/4" Drive, 1-3/8", Chrome., EA, \$18.85

Federal Strategic Sourcing Initiative, 5120-01-399-9678, 3/4" Drive, 1-5/8", Chrome., EA, \$25.34

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

Type I: Sockets, Class 1: Sockets (12 Point), Style B: Long Length

Federal Strategic Sourcing Initiative, 5120-01-428-4671, 3/4" Drive, 13/16", Chrome., EA, \$13.28

Federal Strategic Sourcing Initiative, 5120-01-399-9717, 3/4" Drive, 2-3/8", Chrome., EA, \$66.25

Metric Socket (Regular Length)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS955.

Type I: Metric Sockets, Class 1: Metric Sockets, Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-399-9708, 3/4" Drive, 27mm, Chrome., EA, \$16.54

Federal Strategic Sourcing Initiative, 5120-01-348-9691, 3/4" Drive, 36mm, Chrome., EA, \$25.98

Federal Strategic Sourcing Initiative, 5120-01-399-9720, 3/4" Drive, 38mm, Chrome., EA, \$25.98

Federal Strategic Sourcing Initiative, 5120-01-399-9721, 3/4" Drive, 41mm, Chrome., EA, \$29.70

Federal Strategic Sourcing Initiative, 5120-01-169-6186, 3/4" Drive, 55mm, Chrome., EA, \$61.96

Socket (Budd Wheel)

This socket has wrenching openings on each end with a drive size in the center of the socket. Described by: (Drive Size, Wrenching Openings).

Federal Strategic Sourcing Initiative, 5130-01-389-8450, 3/4" Drive, 13/16" Square x 1-1/2" Hex., EA, \$41.68

Impact Socket (Regular Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives & are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-00-227-6676, 13/16", 3/4" Drive, 6 Point., EA, \$15.34

Federal Strategic Sourcing Initiative, 5130-00-227-6677, 7/8", 3/4" Drive, 6 Point., EA, \$15.20

Federal Strategic Sourcing Initiative, 5130-00-293-1412, 1-1/16", 3/4" Drive, 6 Point., EA, \$17.43

Federal Strategic Sourcing Initiative, 5130-00-227-6681, 1-1/8", 3/4" Drive, 6 Point., EA, \$17.08

Federal Strategic Sourcing Initiative, 5130-00-227-6684, 1-5/16", 3/4" Drive, 6 Point., EA, \$30.54

Federal Strategic Sourcing Initiative, 5130-00-227-6686, 1-7/16", 3/4" Drive, 6 Point., EA, \$21.83

Federal Strategic Sourcing Initiative, 5130-00-236-3979, 1-1/2", 3/4" Drive, 6 Point., EA, \$19.78

Federal Strategic Sourcing Initiative, 5130-00-227-6679, 1", 3/4" Drive, 6 Point., EA, \$16.23

Federal Strategic Sourcing Initiative, 5130-01-400-0155, 1", 3/4" Drive, 6 Point., EA, \$16.23

Impact Socket (Long Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives & are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-01-400-0177, 7/8", 3/4" Drive, 6 Point., EA, \$21.47

Federal Strategic Sourcing Initiative, 5130-01-400-0182, 1-1/8", 3/4" Drive, 6 Point., EA, \$22.87

Federal Strategic Sourcing Initiative, 5130-01-299-0016, 1-1/4", 3/4" Drive, 6 Point., EA, \$16.56

Federal Strategic Sourcing Initiative, 5130-01-355-1890, 1-3/8", 3/4" Drive, 6 Point., EA, \$34.13

Federal Strategic Sourcing Initiative, 5130-00-541-7839, 1-1/2", 3/4" Drive, 6 Point., EA, \$35.47

Impact Socket (Metric)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty metric sockets are intended for use with impact tools. All have square drives & are made of hardened steel with a black oxide or phosphate coating. ASME B107.33

Federal Strategic Sourcing Initiative, 5130-01-113-1558, 24mm, 3/4" Drive, 6 Point., EA, \$15.81

Federal Strategic Sourcing Initiative, 5130-01-113-1559, 27mm, 3/4" Drive, 6 Point., EA, \$26.02

Federal Strategic Sourcing Initiative, 5130-01-355-1872, 30mm, 3/4" Drive, 6 Point., EA, \$27.82

Federal Strategic Sourcing Initiative, 5130-01-400-0196, 07533M, 33mm, 3/4" Drive, 6 Point., EA, \$20.65

Federal Strategic Sourcing Initiative, 5130-01-355-1874, SIMM332 or equal, 33mm, 3/4" Drive, 6 Point., EA, \$17.44

Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

Style A: Coarse Action.

Federal Strategic Sourcing Initiative, 5120-01-400-0226, 3/4" Drive, 20" L, 24 Tooth, Chrome, Knurled Handle., EA, \$126.75

Style B: Fine Action.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-249-1076, 3/4" Drive, 19-3/4" L, 36 Tooth, Chrome., EA, \$83.14

Socket Wrench (Breaker Bar)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-00-221-7959, 3/4" Drive, 17-3/4" - 23" L, Chrome., EA, \$73.54

Socket Wrench (Sliding T-Handle)

This sliding T handle is chrome plated and has round shank with a comfortable handgrip. The male square drive tang has a spring loaded steel ball to hold onto sockets and attachments. The round handle rod slides freely to allow smooth operation in tight quarters and each end of the handle has a firmly mounted steel ball that acts as a stop. B107.10.

Federal Strategic Sourcing Initiative, 5120-01-355-1899, 3/4" Drive, Replacement Head Only., EA, \$106.75

Federal Strategic Sourcing Initiative, 5120-00-709-4072, 3/4" Drive, 17" - 20" L., EA, \$49.97

This black oxide, sliding T handle, has round shank with a comfortable handgrip. The male square drive tang has a spring loaded steel ball to hold onto sockets & attachments. The round handle rod slides freely to allow smooth operation in tight quarters & each end of the handle has a firmly mounted steel ball that acts as a stop. B107.10.

Federal Strategic Sourcing Initiative, 5120-01-242-7218, 3/4" Drive, 17-1/2" L., EA, \$22.10

Socket Wrench (Head Only) (Reversible Ratchet)

This socket wrench has NO handle. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism & a shifting lever or knob for reversing the ratchet direction. B107.10.

Federal Strategic Sourcing Initiative, 5120-01-335-1318, 3/4" Drive, 32 Tooth, Chrome., EA, \$97.21

Socket Wrench (Breaker Bar)(Head Only)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-477-9554, 3/4" Drive, 3-11/16" L, Chrome, (Head Only) 13/16" Handle Hole., EA, \$43.74

Handle Bar

Made of chrome plated steel, the round rod has diameter of 3/4". Flattened on one end for 1" to a width greater than 3/4" bar diameter. Flattened end is 17/32" thick. Test load: 300 foot-pounds.

Federal Strategic Sourcing Initiative, 5120-00-243-2419, 30" L., EA, \$14.53

Universal Joint

This steel universal joint features a square female & male drive tang that are the same size & allows you to swivel your sockets into tight spaces. Not for use with an impact wrench. AS4283.

Federal Strategic Sourcing Initiative, 5120-00-243-1687, 3/4" Drive, Chrome., EA, \$62.05

Socket Extension (Impact)

This black oxide, steel extension bar is designed for use with impacts. It includes a solid shank & has a square female socket at one end & a male drive tang of the same size at the opposite end. The female drive end has a through hole for a retaining ring & pin for retention. ASME B107.2

Federal Strategic Sourcing Initiative, 5130-01-400-0129, 3/4" Drive, 13" L., EA, \$34.77

Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-399-9736, 3/4" Drive, 4" L, Chrome., EA, \$28.55

Federal Strategic Sourcing Initiative, 5120-00-243-7328, 3/4" Drive, 8" L, Chrome., EA, \$31.93

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-227-8079, 3/4" Drive, 16" L, Chrome., EA, \$46.10

Universal Joint (Impact)

This black oxide, steel, universal joint features a square female & male drive tang that are the same size & allows you to swivel your sockets into tight spaces. For use with power-driven impact wrenches. ASME B107.2

Federal Strategic Sourcing Initiative, 5130-01-299-0175, 3/4" Drive., EA, \$56.89

Socket Wrench Size Adapter (Impact)

This versatile, black oxide, attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed for use with impact tools. ASME B107.2.

Federal Strategic Sourcing Initiative, 5130-00-684-6964, 1" F x 3/4" M., EA, \$21.20

Federal Strategic Sourcing Initiative, 5130-01-400-0123, 3/4" F x 1/2" M., EA, \$16.42

Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-01-355-1894, 3/4" F x 1/2" M Drive, Oxide., EA, \$14.63

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-144-5207, 1/2" F x 3/4" M Drive, Chrome., EA, \$4.19

Socket Wrench (Ratchet Adapter)

A chrome plated steel ratchet adapter that converts a standard wrench handle to a ratchet handle. Has a square male drive tang at one end & a square female drive socket at the other end. Also has a reversible mechanism. The male drive tang has a spring loaded steel ball to hold a mating socket or attachment. B107.10.

Federal Strategic Sourcing Initiative, 5120-00-243-7323, 3/4" Drive., EA, \$172.95

Socket Set (Standard, Mixed)

These high strength, 12 point, thin wall sockets are perfect for getting into those narrow spaces that the regular sockets can't get to. Described by: (Drive size, Size, Coating) AS954.

This socket set consists of (35) chrome pieces. (26) regular length sockets in sizes: (3/4", 13/16", 7/8", 15/16", 31/32", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/16", 2-1/8", 2-3/16", 2-1/4" & 2-3/8"), ratchet wrench (reversible, sealed head only), breaker bar (head only), 19-1/4" handle, sliding T handle (head only), ratchet adapter, universal joint & (3) extensions (3", 8" & 16").

Federal Strategic Sourcing Initiative, 5120-01-429-3646, 3/4" Drive, Chrome, Metal Box., SE, \$809.63

Impact Socket Set

These square drive sockets are designed for use with impact power tools. Sockets are made of steel and have an industrial black oxide or phosphate coating. B107.2

This set consists of regular length impact sockets (10) in sizes: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", & 1-5/16".

Federal Strategic Sourcing Initiative, 5130-01-525-4650, 07500-10 or equal, 3/4" Drive, 6 Point., SE, \$152.48

This set consists of (16) items: regular length impact sockets (14) in sizes: 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-7/16" and 1-1/2" and solid extension bars (2): 7" and 13".

Federal Strategic Sourcing Initiative, 5130-00-357-5135, 3/4" Drive, 6 Point, Metal Case., SE, \$388.21

1" Drive Sockets

Impact Socket (Regular Length)

When working on a stubborn nut or a bolt in an area with limited turning space, you need a impact socket to fix that problem. These heavy duty sockets are intended for use with impact tools. All have square drives & are made of hardened steel with a black oxide or phosphate coating. B107.2

Federal Strategic Sourcing Initiative, 5130-00-236-2246, 2-9/16", 1" Drive, 6 Point., EA, \$195.87

Socket Wrench Handle

Used on Military transport tractors. Handle length: 30"; Outside diameter: 1"; Drive size: 1-1/8". Has a rectangular-shaped drive end that is 1-3/8" long by 3/4" wide.

Federal Strategic Sourcing Initiative, 5120-01-233-9508, ORR301 or equal., EA, \$14.53

Socket Wrench (Reversible Ratchet)

This socket wrench has a steel handle, round shank and comfortable handgrip. The male drive tang has a spring loaded steel ball to hold sockets and attachments firmly in place. It has a gear head or clutch type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. The drive tang, shift knob and ratchet covers may have a black oxide coating. AS4283

Style A: Coarse Action.

Federal Strategic Sourcing Initiative, 5120-00-221-7968, 1" Drive, 20" L, 30 Tooth, Chrome., EA, \$195.38

Socket Wrench (Breaker Bar)

This steel breaker bar has a round shank and comfortable handgrip. The square male drive tang has a spring loaded steel ball to hold the sockets and attachments firmly. The hinged socket drive is permanently attached to the handle fork and can move 90° to either side. Drive end may have a black oxide coating. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-437-1695, 1" Drive, 32-5/32" L, Chrome, Detachable Head., EA, \$143.74

Socket Wrench Size Adapter

This versatile attachment enables a socket of one drive size to be used with a handle or extension of another drive size. Designed only for use with hand tools, no impacts. ASME B107.10.

Federal Strategic Sourcing Initiative, 5120-01-355-1895, 3/4" F x 1" M Drive, Oxide., EA, \$33.68

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-227-8104, 3/4" F x 1" M Drive, Chrome., EA, \$22.36

Socket Extension (Solid Shank)

This solid steel extension bar is designed for use with hand tools, no impacts. It includes a solid shank and has a square female socket at one end and a male drive tang of the same size at the opposite end. Described by: (Drive size, Length, Coating) AS4283.

Federal Strategic Sourcing Initiative, 5120-01-437-1747, 1" Drive, 8" L, Chrome., EA, \$62.38

Socket Accessories

Socket Organizer

Socket organizers house your sockets so your sockets are always organized & easily accessible.

Federal Strategic Sourcing Initiative, 5120-01-365-1709, Rail Only, 13" L., EA, \$0.88

Federal Strategic Sourcing Initiative, 5140-01-349-0633, J2575 or equal., 17" L Rail, (16) 1/2" Drive Clips., EA, \$3.02

Socket Set Case

Case stores sockets in ascending size sequence. 20 gauge sheet steel with a friction type snap fastener & an enamel finish.

Includes two compartments. Has a handle attached to top center of lid. Has a handle on each end of case. Has a handle attached to top center of lid.

Federal Strategic Sourcing Initiative, 5140-00-103-9172, 20" L x 6" W x 2-1/2" H, EA, \$19.48

Handle

Handle (No Head, replaceable heads). Used with ratchet heads, sliding T-head, and breaker bars. Accepts sealed and non-sealed ratchet heads.

Federal Strategic Sourcing Initiative, 5120-01-378-5361, 19-1/4" L., EA, \$45.86

Taps and Dies

Tap and Die Set

Hand operated tap set is for right hand cutting of internal coarse (UNC) bolt or screw threads in iron or steel plates. Includes one each taper, plug and bottoming taps. Made of high speed steel. Taps have straight, ground flutes, square headed shanks and cut threads and are chamfered at the threaded end. Thread size shows diameter, threads per inch and series. B94.9.

For use in cutting new threads in steel. Set consists of one each of the following components: The components are in a metal, wood, or plastic compartmentalized case. Thread cutting dies; sizes 3-0.50, 4-0.70, 4-0.75, 5-0.80, 5-0.90 and 6-1.00mm shall be hex or double hex in shape, .0625" or 1" across flats; Thread sizes - 7-1.00, 8-1.00, 8-1.25, 9-1.00, 9-1.25, 10-1.25, 10-1.50, 11-1.50, 12-1.50, 12-1.75mm and a 1/8-28 BSP shall be hex or double hex in shape, 1.000" across flats; Thread sizes - 14-1.25, 14-1.50, 14-2.00, 16-1.50, 16-2.00, 18-1.50 and 18-2.50 shall be adjustable round dies, 1.500" outside diameter. Thread sizes 20-2.50, 22-1.50, 24-2.00 and 24-3.00mm shall be adjustable round dies, 2.000" outside diameter; 28 fluted plug taps in thread sizes 3-0.50, 4-0.70, 4-0.75 to 24-3mm and 1/8"-28 BSP. Set also includes four diestocks, one each for double hexagonal dies 5/8 and 1" across flats and for round dies 1-1/2 and 2" outside diameter; and four tap wrenches, including one adjustable clamp type with straight handles for tap size 3-0.50 to 12-1.75mm and one for tap sizes 7-1 to 24-3mm and one T-handled wrench with adjustable four-jaw chuck for tap sizes 3 - 0.50 to 6 - 1mm and one for tap sizes 7 - 1 to 12 - 1.75mm. The tap and die set is made of carbon or high-speed steel. Includes a screwdriver and a metric screw pitch gage.

Federal Strategic Sourcing Initiative, 5136-01-119-0005, Case., SE, \$475.53

Set consists of (41) pieces: Double hex adjustable dies sizes 1/4-28, 5/16-24, 3/8-24, 7/16-20 & 1/2 -20 NF; 1/4-20, 5/16-18, 3/8-16, 7/16-14 & 1/2-13 NC; 5/8" double hex adjustable dies sizes: 4-40, 6-32, 8-32, 10-24, 10-32 & 12-24 machine screw; 1/8-27 NPT die; taps for same sizes, (2) diestocks, (3) tap wrenches, screw pitch gage & screwdriver.

Federal Strategic Sourcing Initiative, 5136-01-429-7445, SE, \$163.00

Set consists of (76) pieces: (5) 1" UNF Double hexagon dies: (1/4-28, 5/16-24, 3/8-24, 7/16-20, 1/2-20), (5) 1" UNC Double hexagon dies: (1/4-20, 5/16-28, 3/8-16, 7/16-14, 1/2-13), (6) 5/8" Machine screw double hexagon dies: (4-40, 6-32, 8-32, 10-24, 10-32, 12-24), 1" NPT double hexagon non-adjustable die: 1/8-24, (15) 5/8" metric double hexagon dies: (M3-0.5, M4-0.75, M5-0.8, M5-0.9, M6-1, M7-1, M8-1, M8-1.25, M9-1, M9-1.25, M10-1.25, M10-1.5, M11-1.5, M12-1.5, M12-1.75), fractional size - 1/8-28 BSP, taps in same sizes, (2) diestocks, (3) tap wrenches, screw pitch gage & screwdriver.

Federal Strategic Sourcing Initiative, 5136-01-429-7469, SE, \$259.62

Set consists of (41) pieces: 5/8" Double hex adjustable dies sizes: M3-0.5, M4-0.7, M4.5-0.75, M5-0.8, M5-0.9, M6-1; & 1" outside diameter for M7-1, M8-1, M8-1.25, M9-1, M9-1.25, M10-1.25, M10-1.5, M11-1.5, M12-1.5, M12-1.75; 1" double hex non-adjustable die size 1/8-28 BSP, taps in same sizes, straight flute, Plug; (2) diestocks, (3) tap wrenches; screw pitch gage & screwdriver.

Federal Strategic Sourcing Initiative, 5136-01-429-7466, SE, \$138.77

Set consists of one plug tap and one round split die in the following nominal sizes: 2mm - 0.45, 2.5mm - 0.45, 3mm - 0.60, 3.5mm - 0.60, 4mm - 0.75, 4.5mm - 0.75, 5mm - 0.90, 6mm - 1.00, 7mm - 1.00, 8mm - 1.25, 9mm - 1.25, 10mm - 1.50, 12mm - 1.75, 14mm - 2.00, 16mm - 2.00, 18mm - 2.50, 20mm - 2.50, 22mm - 2.50, 24mm - 3.00 and 5.5mm - 0.90. Without diestock. Comes in a metal or wooden case.

Federal Strategic Sourcing Initiative, 5136-00-357-7508, SE, \$883.07

Tap STI (Screw Thread Insert)

A special finishing style screw thread insert tap that is for preparing threads for helical coil wire screw thread inserts. Performs right hand thread cutting. Made of high speed, hardened steel. Has a square shank & ground threads. A bottoming tap has the first 1 to 2 threads chamfered & a plug tap has the first 3 to 5 threads chamfered. A positive pitch diameter tolerance is indicated by H number thread limits (The higher the number the greater the tolerance). Thread size shows diameter, threads per inch and series. UNC is Unified National Coarse and UNF is Unified National Fine. Numbered taps come in sizes 0-80 to 12-28 and fractional taps come in sizes 1/4-20 to 3/4-10. AS59158.

Type 1: Tap, Thread Cutting. Class 1: Finishing, Plug Style.

Federal Strategic Sourcing Initiative, 5136-00-045-0596, (H2) 6-32 STI UNC-3B. (3) Straight Flutes., EA, \$8.19

Rethreading Die

Hexagonal die cleans existing threads and dresses over bruised or rusty threads. Made of high-grade carbon steel. Non-adjustable tool is right-hand threaded. UNC is Unified Coarse, UNF is Unified Fine and UNS is Unified Special.

Federal Strategic Sourcing Initiative, 5136-01-439-1833, ENF14, 1/4 - 28 UNF., EA, \$24.38

Federal Strategic Sourcing Initiative, 5136-00-237-8270, 3/8 - 16 UNC., EA, \$2.27

Federal Strategic Sourcing Initiative, 5136-00-197-9553, 7/16 - 14 UNC., EA, \$13.12

Federal Strategic Sourcing Initiative, 5136-01-439-1834, ENC91, 9/16 - 12 UNC., EA, \$34.43

Federal Strategic Sourcing Initiative, 5136-00-197-9557, 3/4 - 10 UNC., EA, \$24.32

Federal Strategic Sourcing Initiative, 5136-01-439-1803, ENC34, 3/4 - 10 UNC., EA, \$36.41

Federal Strategic Sourcing Initiative, 5136-01-439-1805, ENF58, 5/8 - 18 UNF., EA, \$38.48

Federal Strategic Sourcing Initiative, 5136-01-438-4745, ENF71, 7/16 - 20 UNF., EA, \$30.69

Federal Strategic Sourcing Initiative, 5136-01-439-1832, ENF91, 0.562 - 18 UNF., EA, \$2.96

Federal Strategic Sourcing Initiative, 5136-01-439-1807, ENF78, 7/8 - 14 UNF., EA, \$20.92

Federal Strategic Sourcing Initiative, 5136-00-197-9559, 1 - 8 UNC., EA, \$33.91

Federal Strategic Sourcing Initiative, 5136-01-438-4743, 3/8 - 24 UNF., EA, \$30.76

Federal Strategic Sourcing Initiative, 5136-01-438-4742, 3/8 - 16 UNC., EA, \$26.51

Federal Strategic Sourcing Initiative, 5136-01-438-4736, ENC51, 0.312 - 18 UNC., EA, \$24.62

Federal Strategic Sourcing Initiative, 5136-01-438-4748, ENC12, 1/2" - 13 UNC., EA, \$32.48

Federal Strategic Sourcing Initiative, 5136-01-439-1809, ENN14, 1 - 14 UNS., EA, \$34.52

Federal Strategic Sourcing Initiative, 5136-01-438-4740, 1/2 - 20 UNF., EA, \$28.76

Federal Strategic Sourcing Initiative, 5136-00-197-9558, 7/8 - 9 UNC., EA, \$29.63

Federal Strategic Sourcing Initiative, 5136-00-197-9556, 5/8 - 11 UNC., EA, \$21.47

Federal Strategic Sourcing Initiative, 5136-00-197-9554, 1/2 - 13 UNC., EA, \$18.01

Federal Strategic Sourcing Initiative, 5136-00-197-9555, 9/16 - 12 UNC., EA, \$19.52

Rethreading Die Set

Two piece, hex die with retaining spring and having American National or Unified National threads. Set contains 18 Carbon steel split thread repair dies including sizes: 5mm 0.80, 6mm 1.00, 8mm 1.00, 8mm 1.25, 9mm 1.00, 9mm 1.25, 10mm 1.00, 10mm 1.25, 10mm 1.50, 11mm 1.50, 12mm 1.25, 12mm 1.50, 12mm 1.75, 14mm 1.25, 14mm 1.50, 16mm 2.00, 20mm 2.50 and 24mm 3.00.

Federal Strategic Sourcing Initiative, 5136-01-355-3035, Furnished in a case., SE, \$694.95

Die Sinker's Riffler Set

The set contains 12 rifflers in Swiss pattern and No. 2 cut. Furnished with a fabric, leatherette or plastic pouch, wrap or roll with separate compartments and a tie or fastener.

Contains one each of shape No. 1, 4 through 9, 11, 12, 15, 16 and 18 rifflers.

Federal Strategic Sourcing Initiative, 5110-00-510-4505, Compartmented wrap or roll., SE, \$187.24

Diestock (Split Round)

Two-handled diestock is for use with adjustable round split dies. Machined center recess for dies is tapped for three setscrews 90 deg. apart. Diestock comes with two setscrews with oval points 180 deg. apart and one setscrew with a cone point in the center hole.

Federal Strategic Sourcing Initiative, 5136-00-224-7113, 1-1/2" dia, 1/2" T, 18" L., EA, \$16.30

Tap (Thread Cutting)

Pipe thread-cutting tap has a straight square shank, ground threads and straight flutes. Performs right-hand cutting. Made of high-speed steel. First two to four threads are chamfered. Thread size shows diameter, threads per inch and series. NPT is American Standard taper pipe threads. B94.9.

Cut thread - 0.0599/ 0.0677 inch, 5 Flutes.

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-00-237-8148, 1 - 11-1/2 NPT, Plug., EA, \$82.70

Cut thread - 0.0599/ 0.0677 inch, 7 Flutes.

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-00-889-6977, 2 - 11-1/2 NPT, Plug., EA, \$202.95

Cut thread: 0.0599/ 0.0703 inch, 4 flutes

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-00-189-7805, 1/8 - 27 NPT, Plug., EA, \$15.46

For hand tapping in metal. Performs right-hand thread cutting. Made of high-speed, hardened steel. Has a square shank & ground threads. A bottoming tap has the first 1 to 2 threads chamfered; a plug tap has the first 3 to 5 threads chamfered; and a taper tap has the first 8 to 10 threads chamfered. A positive pitch diameter tolerance is indicated by H number thread limits; the higher the number the greater the tolerance. Thread size shows diameter, threads per inch and series. UNC is Unified National Coarse and UNF is Unified National Fine. Numbered taps come in sizes 0-80 to 12-28 and fractional taps come in sizes 1/4-20 to 3/4-10. ASME B 94.9.

H1 thread limit, Four Flutes.

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-00-203-6647, 1/4 - 20 UNC, Taper., EA, \$4.01

Federal Strategic Sourcing Initiative, 5136-00-516-3370, 10 - 32 UNF, Taper., EA, \$4.00

Federal Strategic Sourcing Initiative, 5136-00-203-6506, 8 - 32 UNC, Plug., EA, \$3.53

Federal Strategic Sourcing Initiative, 5136-00-203-7074, 8 - 32 UNC, Taper., EA, \$4.66

Federal Strategic Sourcing Initiative, 5136-00-203-6212, 10 - 32 UNF, Bottoming., EA, \$3.83

Federal Strategic Sourcing Initiative, 5136-00-203-6510, 1/4 - 20 UNC, Plug., EA, \$4.01

Federal Strategic Sourcing Initiative, 5136-00-203-6504, 3/8 - 16 UNC, Bottoming., EA, \$5.63

H2 thread limit, Three Flutes.

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-00-262-1484, 2 - 64 UNF, Bottoming., EA, \$7.92

Federal Strategic Sourcing Initiative, 5136-00-729-5686, 4 - 40 UNC, Taper., EA, \$2.06

Federal Strategic Sourcing Initiative, 5136-00-580-7316, 6 - 32 UNC, Bottoming, EA, \$2.06

Federal Strategic Sourcing Initiative, 5136-00-729-5675, 6 - 40 UNF, Taper., EA, \$2.06

H2 thread limit, Four Flutes.

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-00-228-1007, 8 - 36 UNF, Plug., EA, \$4.01

Federal Strategic Sourcing Initiative, 5136-00-821-1029, 0.19 - 32 UNF, Taper., EA, \$4.46

Federal Strategic Sourcing Initiative, 5136-00-729-5684, 10 - 24 UNC, Taper., EA, \$4.00

Federal Strategic Sourcing Initiative, 5136-00-580-7327, 10 - 24 UNC, Bottoming, EA, \$3.90

H3 thread limit, Four Flutes.

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-00-555-9205, 3/8 - 16 UNC, Taper., EA, \$4.95

Federal Strategic Sourcing Initiative, 5136-00-580-7333, 5/16 - 18 UNC, Taper., EA, \$4.44

Federal Strategic Sourcing Initiative, 5136-00-293-0715, 3/8 - 16 UNC, Bottoming., EA, \$4.95

Federal Strategic Sourcing Initiative, 5136-00-729-5691, 7/16 - 14 UNC, Plug., EA, \$9.73

Federal Strategic Sourcing Initiative, 5136-00-729-5717, 5/8 - 11 UNC, Bottoming., EA, \$17.63

Federal Strategic Sourcing Initiative, 5136-00-729-5683, 5/8 - 11 UNC, Taper., EA, \$16.02

Federal Strategic Sourcing Initiative, 5136-00-729-5682, 3/4 - 10 UNC, Taper., EA, \$21.65

Federal Strategic Sourcing Initiative, 5136-00-729-5716, 3/4 - 10 UNC, Bottoming., EA, \$21.65

Federal Strategic Sourcing Initiative, 5136-00-228-0999, 3/4 - 16 UNF, Taper., EA, \$26.46

Federal Strategic Sourcing Initiative, 5136-00-580-7364, 5/16 - 24 UNF, Taper, EA, \$4.72

Federal Strategic Sourcing Initiative, 5136-00-729-5688, 1/2 - 13 UNC, Bottoming., EA, \$9.15

Federal Strategic Sourcing Initiative, 5136-00-228-0996, 1/2 - 20 UNF, Taper., EA, \$10.56

Federal Strategic Sourcing Initiative, 5136-00-580-7356, 1/2 - 20 UNF, Bottoming., EA, \$9.28

Federal Strategic Sourcing Initiative, 5136-01-028-4309, 10 - 24 UNC, Plug., EA, \$3.71

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5136-00-293-0711, 1/4 - 20 UNC, Bottoming., EA, \$3.63

H5 thread limit, Four Flutes.

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-01-045-8596, 6mm - 1mm ISO M, Plug., EA, \$5.64

ISO M, Three Flutes.

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-01-045-8603, 10mm - 1.5mm ISO M, Plug., EA, \$7.99

ISO M, Four Flutes.

Straight Flutes.

Federal Strategic Sourcing Initiative, 5136-01-045-8607, 12mm - 1.75mm, Plug., EA, \$14.42

Federal Strategic Sourcing Initiative, 5136-01-113-1566, 14mm - 1.5mm ISO M, Plug., EA, \$16.08

Tap Set

Hand operated tap set is for right hand cutting of internal coarse (UNC) bolt or screw threads in iron or steel plates. Includes one each taper, plug and bottoming taps. Made of high speed steel. Taps have straight, ground flutes, square headed shanks and cut threads and are chamfered at the threaded end. Thread size shows diameter, threads per inch and series. B94.9.

Set includes three 1/4-20 UNC taps in Taper, Plug and Bottoming Styles. Four flutes; H3 thread limit.

Federal Strategic Sourcing Initiative, 5136-00-293-3325, SE, \$11.86

Thread Cutting Die (Round, Split)

For threading machine screws, bolts & other components, this die cuts Unified or American National threads. This round, split style steel die is adjustable. Cylindrical in shape, with a split (slot) from threads to periphery. One side of the slot is tapped & furnished with an adjustment setscrew to provide a slightly tighter or looser fit. Two dimples in die body engage die in diestock (handle). The front face has two to three threads chamfered & the back face has one to two threads chamfered. (UNC = Unified Coarse, UNF = Unified Fine & UNS = Unified Special). A-A-410

Federal Strategic Sourcing Initiative, 5136-00-224-1461, 1/4" - 20 UNC, RH Cut., EA, \$7.85

Federal Strategic Sourcing Initiative, 5136-00-189-3194, 1/4" - 28 UNF, RH Cut., EA, \$29.69

Federal Strategic Sourcing Initiative, 5136-00-189-3216, 5/16" - 18 UNC, RH Cut., EA, \$30.78

Federal Strategic Sourcing Initiative, 5136-00-189-3195, 5/16" - 24 UNF, RH Cut., EA, \$11.40

Federal Strategic Sourcing Initiative, 5136-00-189-3196, 3/8" - 24 UNF, RH Cut., EA, \$13.85

Federal Strategic Sourcing Initiative, 5136-00-189-3217, 3/8" - 16 UNC, RH Cut., EA, \$30.41

Federal Strategic Sourcing Initiative, 5136-00-189-3218, 7/16" - 14 UNC, RH Cut., EA, \$30.78

Federal Strategic Sourcing Initiative, 5136-00-189-3197, 7/16" - 20 UNF, RH Cut., EA, \$30.41

Federal Strategic Sourcing Initiative, 5136-00-189-3219, 1/2" - 13 UNC, RH Cut., EA, \$30.41

Federal Strategic Sourcing Initiative, 5136-00-189-3198, 1/2" - 20 UNF, RH Cut., EA, \$29.69

Federal Strategic Sourcing Initiative, 5136-00-189-3220, 9/16" - 12 UNC, RH Cut., EA, \$36.73

Federal Strategic Sourcing Initiative, 5136-00-189-3221, 5/8" - 11 UNC, RH Cut., EA, \$68.83

Federal Strategic Sourcing Initiative, 5136-00-189-3222, 3/4" - 10 UNC, RH Cut., EA, \$73.80

Federal Strategic Sourcing Initiative, 5136-00-189-3201, 3/4" - 16 UNF, RH Cut., EA, \$11.36

Federal Strategic Sourcing Initiative, 5136-00-189-3224, 1" - 8 UNC, RH Cut., EA, \$64.92

Federal Strategic Sourcing Initiative, 5136-00-239-2780, 12 - 24 UNC, RH Cut., EA, \$7.55

Grinder (Die)

Die grinder is for use with carbide burrs and mounted wheels. Grinder has body-grip handle with lever-style throttle. 120V AC, 13 amp. Furnished with operating and maintenance instructions, collet wrenches, parts list and manufacturer's standard equipment. Spindle thread/series: 5/8-11 UNC.

5130-01-455-5609, DW840 or equal., EA, \$299.98

Punch & Die (Knockout)

This punch, die & drivescrew punch holes in sheet metal, plastic, hard rubber & leather. Operate punch by tightening the drivescrew. Die cuts with shearing action. Made of hardened-steel alloy & permanently marked with size. GGG-P-836.

Type 1: Light duty (chassis), Class 1: Round hole.

Federal Strategic Sourcing Initiative, 5110-00-243-1645, 3/4" Hole., EA, \$58.16

Federal Strategic Sourcing Initiative, 5110-00-293-0108, 1" Hole., EA, \$67.95

Grommet Inserting Punch & Die (Spur)

Punch & die are used for inserting spur style grommets in duck, canvas, leather, rubber & similar materials. Tools are made of steel. Grommets are not included.

Federal Strategic Sourcing Initiative, 5120-00-221-1151, Size: 5. 5/8" Hole., EA, \$68.79

Screw Threading Set

Hand operated tap set is for right hand cutting of internal coarse (UNC) bolt or screw threads in iron or steel plates. Includes one each taper, plug and bottoming taps. Made of high speed steel. Taps have straight, ground flutes, square headed shanks and cut threads and are chamfered at the threaded end. Thread size shows diameter, threads per inch and series. B94.9.

Set consists of one taper tap, one plug tap, one bottoming tap and one round split die for each of the following coarse thread (UNC) series in sizes: 1 through 6, 8, 10, 12, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4, 7/8 and 1". Pitch diameter limits are: H1 for thread series No. 1 and 2, H2 for No. 3 through 10, H3 for No. 12 through 3/4" and H4 for 7/8 and 1". Also included in the set is one tap and die in Unified Special (UNS) thread size 11/16-1. Set is furnished in a metal or wooden compartmentalized case.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5136-00-357-7494, SE, \$783.15

Hand operated tap and die set with right hand cut consists of thread cutting taps and dies, diestock (handle), tap and reamer wrench and accessories. Furnished in a metal, wooden, or plastic case with compartments for separate storage of each item so that components do not contact each other and damage cutting edges.

Set contains (41) components: round split dies, (2) diestocks, plug taps and (1) adjustable tap and reamer wrench. Thread sizes range from 1/4 - 20 UNC through 1 - 8 UNC and 1/4 - 28 UNF through 1 - 14 UNS. Diestocks accommodate 1-1/2" and 2-1/2" diameter dies. Made of high speed steel. With ground threads.

Federal Strategic Sourcing Initiative, 5180-00-203-9585, SE, \$2,620.01

Reamers and Extractors

Craftsman's Tweezers (Smooth Jaw, Fine Tip)

Repair instruments, grip small objects or solder with these tweezers. These general use, chrome plated steel tweezers have a welded, brazed or riveted joint with right & left hand legs join to form a solid, durable tool.

Federal Strategic Sourcing Initiative, 5120-00-247-0867, 4-1/2" L, Jaw Opening 5/16", EA, \$20.47

Craftsmans Tweezers

Repair instruments, grip small objects or solder with these tweezers. These general use, chrome plated steel tweezers have a welded, brazed or riveted joint with right & left hand legs join to form a solid, durable tool.

Federal Strategic Sourcing Initiative, 5120-00-247-0868, Fine Tip, Smooth Jaws, 4-3/8" L., EA, \$13.41

Federal Strategic Sourcing Initiative, 5120-00-252-7720, Fine Tip, Smooth Jaws, 4-1/2" L., EA, \$21.08

Craftsman's Tweezers (Self-Closing)

Repair instruments, grip small objects and solder with these cross-locking (self-closing) chrome-plated tweezers.

Federal Strategic Sourcing Initiative, 5120-00-293-0149, 6-1/2" L., EA, \$2.90

Hand Reamers

These hand reamers are used in machining to make existing holes dimensionally more accurate, to improve surface finish & are mostly used in the metalworking areas. They may be used in hand tools or in the spindles of machine tools such as milling machines or drill presses. Described by: (Size, Length, Flute Length) B94.2.

IAW Table 3: Hand Reamers with Straight Flutes & Squared Shank (HSS).

Federal Strategic Sourcing Initiative, 5110-00-260-1645, 5/8", 7" L, 3-1/2" L Flutes. 6 to 8 Flutes., EA, \$68.39

Federal Strategic Sourcing Initiative, 5110-00-260-1647, 11/16", 7-3/4" L, 3-7/8" L Flutes. 6 to 8 Flutes., EA, \$78.60

Federal Strategic Sourcing Initiative, 5110-00-260-1721, 7/8", 9-3/4" L, 4-7/8" L Flutes. 8 to 10 Flutes., EA, \$90.22

Federal Strategic Sourcing Initiative, 5110-00-199-7292, 1-1/2", 13" L, 6-1/2" L Flutes. 10 to 14 Flutes., EA, \$270.19

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-260-1665, 3/16", 3-1/2" L, 1-3/4" L Flutes. 4 to 6 Flutes., EA, \$34.56

Federal Strategic Sourcing Initiative, 5110-00-255-6579, 3/8", 5" L, 2-1/2" L Flutes. 4 to 6 Flutes., EA, \$42.96

Federal Strategic Sourcing Initiative, 5110-00-255-6541, 1/2", 6" L, 3" L Flutes. 6 to 8 Flutes., EA, \$55.28

Federal Strategic Sourcing Initiative, 5110-00-255-6557, 3/4", 8-3/8" L, 4-3/16" L Flutes. 6 to 8 Flutes., EA, \$81.98

Federal Strategic Sourcing Initiative, 5110-00-260-1664, 1/4", 4" L, 2" L Flutes. 4 to 6 Flutes., EA, \$35.50

Federal Strategic Sourcing Initiative, 5110-00-255-6600, 5/16", 4-1/2" L, 2-1/4" L Flutes. 4 to 6 Flutes., EA, \$33.74

Hand Reamer (Taper Pin)

These hand reamers are used in machining to make existing holes dimensionally more accurate, to improve surface finish & are mostly used in the metalworking areas. They may be used in hand tools or in the spindles of machine tools such as milling machines or drill presses. Described by: (Size, Length, Flute Length) A-A-2930 (Conforms to B94.2, Table #24)

Type 1: Straight Fluted.

Federal Strategic Sourcing Initiative, 5110-00-243-2003, 2/0, 2-9/16" L, Flute 1-9/16" L., EA, \$24.91

Federal Strategic Sourcing Initiative, 5110-00-253-3160, 3/0, 2-5/16" L, Flute 1-5/16" L., EA, \$32.61

Federal Strategic Sourcing Initiative, 5110-00-253-3156, 5/0, 2-3/16" L, Flute 1-3/16" L., EA, \$32.64

Federal Strategic Sourcing Initiative, 5110-00-253-3152, 7/0, 1-13/16" L, Flute 13/16" L., EA, \$34.27

Federal Strategic Sourcing Initiative, 5110-00-253-3158, 4/0, 2-5/16" L, Flute 1-5/16" L., EA, \$31.24

Federal Strategic Sourcing Initiative, 5110-00-253-3154, 6/0, 1-15/16" L, Flute 15/16" L., EA, \$32.68

Reamer (Countersink)

These reamers are used in machining to make existing holes dimensionally more accurate, to improve surface finish & are mostly used in the metalworking areas. They may be used in hand tools or in the spindles of machine tools such as milling machines or drill presses. Described by (Cut, Angle°, Overall Length) B94.2.

IAW Table 32: Straight Shank Center Reamers (Short Countersinks) - (HSS), 3 or 4 Straight Flutes.

Federal Strategic Sourcing Initiative, 5133-00-239-0786, 3/8", 82° Cut, 1-3/4" L., EA, \$10.02

Federal Strategic Sourcing Initiative, 5133-00-293-1902, 3/8", 100° Cut, 1-3/4" L., EA, \$8.99

Receding Segmental Thread Cutter

Adjustable, geared thread cutter with renewable, segmental, taper pipe dies. Size: 2-1/2", 3", 3-1/2" & 4" NPT RH. Type: adjustable, geared thread cutter with renewable, segmental, taper pipe dies. Two extra set of dies shall be furnished with the thread cutters assigned to 5136-00-287-5196. A suitable wood, metal or durable plastic case for carrying & storing the thread cutter shall be furnished.

Federal Strategic Sourcing Initiative, 5136-00-287-5196, EA, \$3,080.10

Screw Extractor

These hand operated extractors remove broken screws, pipes, bolts, studs and fittings from threaded openings. B107.410 Cat 46.

Type 2: Spiral Flute Extractor.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-580-2359, 1/4" Min to 5/16" Max Extractor., EA, \$1.43

Federal Strategic Sourcing Initiative, 5120-00-240-5223, 3/16" Min to 1/4" Max Extractor., EA, \$1.23

Federal Strategic Sourcing Initiative, 5120-00-240-5221, 5/16" Min to 7/16" Max Extractor., EA, \$1.63

Federal Strategic Sourcing Initiative, 5120-00-240-5222, 7/16" Min to 9/16" Max Extractor., EA, \$1.71

Federal Strategic Sourcing Initiative, 5120-00-240-5219, 9/16" Min to 3/4" Max Extractor., EA, \$3.83

Type 4: Tapered Flute Extractor.

Federal Strategic Sourcing Initiative, 5120-00-180-0777, 1/4" Min to 5/16" Max Extractor., EA, \$4.77

Federal Strategic Sourcing Initiative, 5120-00-756-0946, 3/4" Extractor., EA, \$7.35

Federal Strategic Sourcing Initiative, 5120-00-756-0925, J9528 or equal., 1-1/4" Min to 1-3/8" Max Extractor., EA, \$19.85

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-180-0780, 1/2" Min to 9/16" Max Extractor., EA, \$9.85

Screw Extractor Set

These hand operated extractor sets remove broken screws, pipes, bolts, studs and fittings from threaded openings. B107.410 Cat 46.

Type 3: (Straight Flute Extractor). This set includes (5) pieces. 1/8", 3/16", 7/32", 5/16" & 3/8".

Federal Strategic Sourcing Initiative, 5120-01-400-2739, Tool Roll., SE, \$13.52

Contains (58) pieces, for screws from 1/4" to 1" diameter & standard pipe sizes 1/8" to 1".

Federal Strategic Sourcing Initiative, 5120-01-355-1955, E1025 or equal, SE, \$573.14

Type 2: Spiral Flute Extractor. This set includes nine extractors in sizes 1- 9.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-610-1888, SE, \$73.56

Type 2: (Spiral Flute Extractor). This set includes (10) pieces. (5) Extractors in sizes: 1 - 5 & (5) RH cobalt drills.

Federal Strategic Sourcing Initiative, 5120-01-335-1357, EXD10A or equal., SE, \$51.62

Type 2: (Spiral Flute Extractor). This set includes (5) extractors in sizes 1 - 5.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-595-8279, SE, \$14.66

Type 4: (Tapered flute extractor). This set includes (10) extractors in sizes 1/8", 3/16", 7/32", 5/16", 3/8", 7/16", 17/32", 5/8", 3/4" & 1".

Federal Strategic Sourcing Initiative, 5120-01-400-2740, 9500B or 3R996, SE, \$104.48

Screw Extractor Set (Combination)

These hand operated extractor sets remove broken screws, pipes, bolts, studs and fittings from threaded openings. B107.410 Cat 46.

This combination extractor set removes broken or embedded screws and bolts from 1/4 to 1/2" in diameter. Set consists of components (20) consisting of:
Type 3: Straight Flute Extractors (5) in sizes: 1 - 5 with a sliding turnout nut. Commercial fractional drills (5) sizes (diameter x length): 1/8" x 2-1/2", 3/16" x 3", 1/4" x 3-1/2", 5/16" x 4" and 11/32" x 4-1/2". Drill guides (10). The guides shall be of the solid type for centering drill bits at a depth not exceeding 1". The nominal outside diameters are 9/32 through 9/16", in 1/32" increments. The nominal overall length is 1-3/16".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-540-1416, 35585 or equal, Plastic Box., SE, \$106.11

This combination extractor set removes broken or embedded screws and bolts from 1/4 to 1" in diameter. Set consists of components (61) consisting of: Type 3: Straight Flute Extractors (5) in sizes: 1 - 5 with a sliding turnout nut. Type 3: Straight Flute Extractors (3) in sizes: 6 - 8 without a sliding turnout nut. Commercial fractional drills (9) sizes (diameter x length): 1/8" x 2-1/2", 3/16" x 3", 1/4" x 3-1/2", 5/16" x 4", 11/32" x 4-1/2", 7/16" x 4-1/4", 1/2" x 4-3/4", 5/8" x 5-1/4" and 1/4" x 6". Drill guides (10). The guides shall be of the solid type for centering drill bits at a depth not exceeding 1". Drill sleeve (1) with a 5/8" nominal outside diameter and 3-13/16" length. Knurled sleeve nut (1) with a 3/4" nominal outside diameter. Sleeve spacers (4) with a 5/8" nominal outside diameter. Sleeve bushings (22 or more) with 2 each of the following nominal outside diameters: 21/32", 11/16", 23/32", 25/32", 13/16", 29/32", 5/16", 31/32", 1-1/32", 1-1/16" and 1-3/32". The nominal overall length of the bushings is 3/8". Pipe and plug extractors (6). The extractors are used to extract pipes of nominal standard sizes 1/8", 1/4", 3/8", 1/2", 3/4" and 1".

Federal Strategic Sourcing Initiative, 5120-00-305-2275, 35590 or equal, SE, \$598.67

Extraction Tool

Tong style, with both legs terminating in an internal facing tip.

Federal Strategic Sourcing Initiative, 5120-00-115-9185, TE9185 or equal., 3-9/10" L x 3/8" W x 0.025" T., EA, \$10.99

Pipe Extractor Set

Screw & pipe extractors are used to remove broken threaded ends of pipe, pipe plugs & fittings. They are straight fluted with a square tang. A-A-3021.

Class 1: Tapered, spiral flutes or ridges, Style A: Drill: This set includes (10) pieces. (5) Extractors in sizes: 1 - 5 & (5) LH cobalt drill bits.

Federal Strategic Sourcing Initiative, 5120-01-335-1358, SE, \$39.24

Stuffing Box Packing Extractor

Extracts semihard packing from stuffing boxes. Consists of a flexible shaft with a T type handle at one end & a corkscrew type screw bit at the other end. Shaft bends up to 45°.

Federal Strategic Sourcing Initiative, 5120-00-223-9557, 11" L, 9/32" Spiral Dia., EA, \$8.83

Pin Remover (Cotter Key)

Used to remove cotter pins. Screwdriver style handle.

Federal Strategic Sourcing Initiative, 5120-01-335-1573, 10" L., EA, \$12.67

Bench Mechanic's Block

Steel block is for holding work when driving pins or drilling. Has a 90° V-groove across the top surface & (9) through holes in the following sizes: 1/8" (two holes), 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" & 5/8".

Federal Strategic Sourcing Initiative, 5120-00-240-7308, 3" D x 1-1/2" H., EA, \$46.90

Tool Kits

Clutch Alignment Tool Kit

Kit is for use on cars and trucks with standard transmissions, including foreign vehicles. Provides quick alignment for single-disk clutches and consists of a rod and taper bushing; centralizer knob, nut, collar, locator and tube; sleeves; and 16 collets in sizes from 0.465 to 1.181. Case and instruction sheet are included.

Federal Strategic Sourcing Initiative, 5180-00-449-3785, KT, \$264.62

Electrician's Tool Kit

Tool kit with insulated tools.

Federal Strategic Sourcing Initiative, 5180-01-442-0988, Klein Tool 33525 or equal, KT, \$811.42
This 23 piece kit provides a variety of quick change tools and tool combinations to speed up assembly and service work. The set is furnished in a plastic coated canvas tool roll with individual pockets. The kit includes the following items: extension blade (1), regular and stubby screwdriver/nutdriver handles, (9) nut drivers in regular sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2", (3) nut drivers in stubby sizes: 1/4", 5/16" and 3/8", cushion grip long nose pliers, cushion grip diagonal cutting pliers, tapered reamers, screwdriver bits (4) (Phillips(2) and flat tip (2) and an adjustable wrench.

Federal Strategic Sourcing Initiative, 5180-00-650-7821, KT, \$209.79

Electronic System Tool Kit

Great for field repair with portable 120 VAC support. Kit includes electric soldering iron, electric solder tip, desoldering attachment, pliers (diagonal midget, flush cutting midget, long needle nose, short nose tip and tip cutting wiring), flat tip screwdrivers and Phillips screwdriver.

5180-00-009-1970, KT, \$574.43

All-in-one kit. Includes: 53 individual tools, 31 interchangeable screwdriver/nutdriver blades and handles, extensions, electronic snips, straight nose soldering seizer, Bristol spline bits, Allen hexagonal socket screw key bits, Phillips and flat tip screwdriver blades, reamer, chain nose, needle nose, ignition and other pliers, adjustable wrench, adjustable wire cutter and stripper, electronic technician's knife, mini-driver kit, offset ratchet screwdriver set, four way pocket tool, screwdrivers, screwdriver hexagonal socket, nut drivers, amplifier torque handle and tool case.

Federal Strategic Sourcing Initiative, 5180-01-046-4980, TCS100ST or equal, KT, \$882.62

General Mechanic's Tool Kit

Kit includes regular cold chisel with 1/2" cut edge, 4" drift pin, 6" half round file, hammer, 8" slip joint pliers, aligning punch, cross tip screwdriver, (2) flat tip screwdrivers, portable toolbox, (11) boxed/open end wrenches (8mm, 10-19mm), adjustable wrench, box wrench, pliers wrench, socket wrench set with (9) regular length sockets 3/8" drive, 3/8 to 7/8", (11) reg length (3/8" dr. 8mm, 10-19mm), (6) long length sockets 1/2 to 13/16", (2) universal sockets 1/2" and 9/16", 3/8" drive hinged handle, 3/8" drive ratchet handle, 3/8" brace speeder, 3/8" drive universal joint and (2) 3/8" drive extensions 6" and 11". Dept of the Army Supply Catalog SC 5180-95-N57.

Federal Strategic Sourcing Initiative, 5180-00-672-2611, KT, \$318.63

General Mechanic's Tool Set

This 39 piece set includes the following: magnetic nut driver, (9) regular nut drivers, (9) Allen type hexagonal screwdrivers, (9) Bristol multiple spline screwdrivers, (4) slotted screwdrivers, (3) Phillips screwdrivers, reamer, extension, T type handle and regular type handle. Pocketed tool roll included.

Federal Strategic Sourcing Initiative, 5120-01-034-8231, Tool Roll, SE, \$256.10

Mechanic's Tool Kit

This 546 piece kit has 331 sockets, 26 drive tools, 90 combination wrenches, 31 screwdrivers and nutdrivers. There are 68 additional tools including pliers, hex key set, punches, chisels and a hacksaw with blades. There are fractional and metric sizes including 1/4, 3/8, 1/2, and 3/4" drives.

Federal Strategic Sourcing Initiative, 5180-01-544-9840, KT, \$4,492.12

Highway Safety Tool Kit

This tool kit contains essential highway safety items housed in a slim plastic storage box. Designed to fit in car trunks, under van and utility vehicle seats, and behind the seats of most pickup trucks.

The tool kit consists of the following components: 8 foot jumper cables, flashlight with flashing wand, three alkaline "D" batteries, Kimwipes, electrical tape, duct tape, two shop rags, first aid kit, two highway safety triangles, jersey gloves, three 30-minute light sticks, rescue blanket, 6" long 5/16" slotted screwdriver, 4" long No. 2 Phillips screwdriver, 6" adjustable wrench, 7" groove joint pliers, and utility snips furnished in a tool box.

5180-01-434-5068, AbilityOne , KT, \$258.13

Home Repair Tool Kit

This home repair tool kit is designed for minor home repairs. Kit contains 42 tools assembled in a portable stepstool-type toolbox. Components include: flashlight; flat-head and Phillips screwdrivers; 10-piece nut driver set; plunger; industrial goggles; 16-oz. hammer; 10-piece socket head screw key set; Craftsman's knife; putty knife; level and plumb; mechanical finger; needle-nose pliers; two slip-joint pliers; nest saw set; glass scraper razor blade; anti-seizing tape; measuring tape; plumber's plunger; electrical insulation tape; open-ended adjustable wrench; pliers wrench.

5180-01-423-6468, AbilityOne , KT, \$383.63

Personal Computer (PC) and Printer Tool Kit

This personal computer repair kit contains 17 of the most common tools required for repair and service of desktops, printers, fax machines and other small office appliances. Includes pliers, screwdrivers, screw starters and retrievers and a flashlight for tight spaces illumination.

Federal Strategic Sourcing Initiative, 5180-01-432-3144, KT, \$107.69

Office Tool Kit

Kit offers all-in-one convenience! Contains: screwdriver bit set and handle with (1) Phillips and (5) flat tip mini drivers, slip joint pliers with combination jaw and cutter, chain pliers with long round nose and cutter, heavy duty straight trimmer's shears, curved claw hammer, adjustable wrench, (2) flat tip screwdrivers (3/16" and 5/16" W tips), (2) Phillips screwdrivers (#1 and #2), smooth jaw tweezers, (6) L-shaped Allen wrench set (nominal sizes 0.05 to 1/8"), steel measuring tape (16" L x 3/4" W), utility knife with retractable blade in four positions. Equipped with a custom zipper tool case.

Federal Strategic Sourcing Initiative, 5180-01-336-7141, KT, \$144.29

Installation Tool Kit

Metric, threaded keylocking inserts designed to replace damaged threads in tapped holes. For use with metric bolts and screws. Kit consists of metric carbon steel inserts and installing tools. Kit come with a plastic, wood, or metal case designed to contain the set in an orderly manner for easy selection. The case shall be of a substantial and rigid construction for storing and carrying.

Federal Strategic Sourcing Initiative, 5120-01-113-1544, 25999 or equal., KT, \$537.57

Strapping and Banding Kit

Clamping tool kit is designed for the fabrication and application of clamps, in hose assembly. The banding kit is of the double wrap open end type, used to install 3/8" and 5/8" W steel strapping bands around pipes, boxes or crates. Consists of banding tool, 100 feet of strap, (100) locking seals, angle iron, mallet, punch and wrench. Comes in a steel box with instructions.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5180-00-288-6567, B145A or G145A., KT, \$299.93

Off-Road Survival Tool Kit

Off-road survival tool kit (Sport Utility Pack), (7) piece kit w/folding case. Consisting of: Exchange-A-Blade folding handsaw, Expert-M 100+ lumen (2) CR123 lithium battery tactical flashlight, concertina wire cutter, MP600 needle nose multi-purpose pocket tool, back pack compact axe, folding spade and a small first aid kit. Furnished in a semi-rigid polyester case which is compact enough to fit under most truck, van and SUV seats, yet carries the essential tools needed for many off-road applications. Weight: 8.4 lbs.

Federal Strategic Sourcing Initiative, 5180-01-457-5621, 05635 or equal, Case: 12" x 11" x 3" Closed Position., KT, \$455.80

Mine Probe Tool Kit

The kit contains a multi-tool with blasting cap crimper, LED flashlight with white bulb, three piece titanium probe and handle, (3) plastic delrin tips and (3) titanium tips and furnished in a black ballistic sheath.

Federal Strategic Sourcing Initiative, 5180-01-516-3229, 05982 or equal., KT, \$295.69

The kit contains a three piece titanium probe and handle, (3) plastic delrin tips & (3) titanium tips & furnished in a black ballistic sheath.

Federal Strategic Sourcing Initiative, 5180-01-516-3233, 05984 or equal, KT, \$168.53

Carriers

Tool Bag

These tool bags are for use when you can't bring the full mobile tool cabinet to the job. Perfect for a few tools and parts. Described by: (Pockets, Dimensions, Material).

Federal Strategic Sourcing Initiative, 5140-01-562-8124, Black, 3, 11" L x 7" W x 17" H, Nylon., EA, \$39.33

Federal Strategic Sourcing Initiative, 5140-01-471-4422, 1, 16" L x 6" W x 14" H, Canvas., EA, \$70.84

IAW U.S. Air Force Drawing 50J8016, Rev F.

Federal Strategic Sourcing Initiative, 5140-00-329-4306, Olive Drab, 7, 11-1/2" L x 5-1/4" W x 7" H, Cotton., EA, \$24.48

IAW Natick Drawing number 5-3-62.

Federal Strategic Sourcing Initiative, 5140-00-772-4142, AbilityOne, Olive Drab, 20-1/4" L x 10-1/8" W, EA, \$13.87

IAW U.S. Army Natick Research Drawing Number 2-3-525 and 2-3-526 including support drawings 2-3-527, 2-3-528 and 2-3-529. Also separate parts list PL 2-3-525 and PL 2-3-526.

Federal Strategic Sourcing Initiative, 5140-00-293-2379, 1, 24" L x 6" W x 15" H, Cotton & Leather., EA, \$59.42

Includes two pockets with slide fastener closure and two nylon web handles. (Does not include sling.)

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5140-00-473-6256, AbilityOne, 2, 19-1/2" L x 6" W x 8-1/2" H, Nylon. zippered bag for tools. shoulder strap carry., EA, \$41.39

8105-01-613-1758, DCKB 17B, 21 x 15", EA, \$180.75

Tool Bag (Lineman's)

These tool bags are for use when you can't bring the full mobile tool cabinet to the job. Perfect for a few tools and parts. Described by: (Pockets, Dimensions, Material).

Designed to raise and lower tools and materials. Cloth body features a leather, artificial leather, or poly/nylon reinforced vinyl bottom. Construction also includes an opening ring, inside pocket and a 36" L x 1/2" Diameter manila rope handle.

Federal Strategic Sourcing Initiative, 5140-00-288-7763, 12" Dia, 16-1/2" H., EA, \$57.49

Tool Carrier

Handy item accommodates small tools and can be attached to a workman's belt. Leather carrier has stitched construction.

IAW U.S. Army Natick Laboratories Drawing 2-3-320, Rev C.

Federal Strategic Sourcing Initiative, 5140-00-261-4994, Olive Drab, 1 Pockets, 8-1/2" L x 3-3/4" W, Cotton., EA, \$21.52

Tool Carrier (Backpack)

This backpack carrier makes it convenient to transport tools virtually anywhere! Backpack carrier contains five to seven panels, each of which includes various sized pockets, slots and zippered compartments. Backpack includes padded shoulder straps with adjustable buckles, two handles to carry the pack like a bag, adjustable straps for securing backpack at waist (optional), flaps to hold tools in place, and a zipper closure. All panel shells are sewn together and joints are seamed-taped with nylon seam tape. Tool holder divisions are sewn and back-sewn at the terminating ends. Each panel has nylon seamed-taped radius edges to form a cup shaped enclosure. Each pocket is sewn independently, allowing holders in one panel to be altered without affecting the holders in the adjacent panel. Zipper chain is sewn around the outside edge on all sides of the backpack, except 8" on the bottom side.

Federal Strategic Sourcing Initiative, 5140-01-420-0438, 18-1/2" H X 14" W., EA, \$105.00

Tool & Accessories Roll

Mildew resistant duck roll serves to protect & carry tools & accessories. Described by: (Compartment Quantity, Length x Width, Material).

Federal Strategic Sourcing Initiative, 5140-00-335-0085, MIL-R-45804/13, Olive Drab, 9, 21-1/2" L x 12" W, Cotton., EA, \$21.60

IAW US Army Communications Electronics Materials Readiness Command Logistics Engineering Dir Drawing Number: SCD27097 & SCD74657.

Federal Strategic Sourcing Initiative, 5140-00-356-4503, Olive Drab, 9, 13-7/8" L x 8-1/2" W, Cotton., EA, \$43.99

Federal Strategic Sourcing Initiative, 5140-01-167-1541, 1350190 or equal, Green Canvas., 5, 17" L x 14" W., EA, \$26.34

Tool Satchel

Heavy duty ballistic nylon tool bag. Nylon is lightweight, abrasion and moisture resistant. Features a sturdy handle, protective rails and interior and exterior storage pockets. Double stitched for increased durability.

Federal Strategic Sourcing Initiative, 5140-01-490-6470, 21" L x 11" W x 11-1/2" H. 28 Pockets., EA, \$52.50

Deployment Kit Bag

Used on XM107 Sniper Rifle. 600DP black, zippered, unzipped & open flat 14.51" L x 14.15" W. Closed: 14.15" L x 7-1/4" W. 2 sections inside that are velcro closed.

Federal Strategic Sourcing Initiative, 5140-01-512-8449, EA, \$67.94

Toolboxes

Tool Box (Portable)

These portable steel tool boxes store and transport non-powered hand tools. They have solid construction, a painted or colored finish.

Briefcase style. Handles up to 20 lbs. of tools. IAW Naval Engineering Dwg 6SE01085.

Federal Strategic Sourcing Initiative, 5140-01-154-3870, 18" L x 6" W x 11-1/2" H., EA, \$210.56

Hip roof-style steel chest has a top compartment with a till and a removable tote tray; two drawers mounted on compound slides held by the front panel cover and three handles, one on top of the box and one on each side. Drawers are 19-3/4" L x 7-3/4" W x 1-1/2" and 3" deep. Hasp and staple closure and an enamel finish.

Federal Strategic Sourcing Initiative, 5140-00-651-7676, Red, 21" L x 8-3/4" W x 11-1/4" H, EA, \$46.95

Federal Strategic Sourcing Initiative, 5140-01-418-6648, Black, 13-1/2" L x 10" W x 5-1/2" H, Plastic., EA, \$21.64

Has a removable, three-compartment, 24-gauge steel tray with a handle. Box is made of 24-gauge steel. Has two draw bolts and hasp and staple latch.

Federal Strategic Sourcing Initiative, 5140-00-315-2747, Red, 16" L x 7" W x 7" H, Steel., EA, \$50.81

Has a removable, three-compartment, 22-gauge steel tote tray. Box is made of 20-gauge steel with 16-gauge steel ends.

Federal Strategic Sourcing Initiative, 5140-00-473-6260, Red, 21" L x 9-1/2" W x 9-7/8" H., EA, \$159.79

Federal Strategic Sourcing Initiative, 5140-01-010-4861, Red, 27" L x 18" W x 16-5/8" H, 5 Drawer, Steel., EA, \$568.42

Federal Strategic Sourcing Initiative, 5140-00-226-9019, Red, 33" L x 14" W x 12" H, Steel., EA, \$129.38

Federal Strategic Sourcing Initiative, 5140-01-237-3233, 42" L x 19" W x 19" H, 2 Tray, Chest, Steel., EA, \$512.86

Federal Strategic Sourcing Initiative, 5140-01-139-6261, 25-3/16" L x 9-1/16" W x 4-1/16" H, Chest, Steel., EA, \$74.28

Has a removable three-compartment tote tray. Both tray and box are made of 22-gauge steel with 20-gauge steel ends.

Federal Strategic Sourcing Initiative, 5140-00-498-8772, Red, 21" L x 8-1/2" W x 7-3/8" H, Steel., EA, \$45.60

Tool Cart (Portable)

These portable tool carts & trays, store & transport nonpowered hand tools. They have solid construction, a painted or colored finish.

Federal Strategic Sourcing Initiative, 5140-01-474-5091, 43" W x 21-3/4" D x 38-1/2" H., EA, \$233.17

Tool Chests and Cabinets

Tool Cabinet (Mobile)

These mobile steel cabinets store and transport powered and non-powered hand tools. Has welded construction, a baked enamel finish, a lock with two keys and a continuous piano type hinge (If it has drawer covers). Drawers are mounted on durable compound slides and have suitable pulls and dividers.

Has (3) drawers.

Federal Strategic Sourcing Initiative, 5140-01-534-3681, MP-2012RD or equal, Black, 20" W x 9" D x 12" H., EA, \$46.95

Has seven drawers that are 25" W x 18-1/2" D, three drawers 2" H, three drawers 4" H, one drawer 6" H. Cabinet is mounted on two swivel locking and two rigid non-locking casters measuring 5" in diameter. Drawers have automatic internal locking system.

Federal Strategic Sourcing Initiative, 5140-01-010-4775, GSA-4775 or equal, 29" W x 20" D x 35" H., EA, \$1,038.56

Has (13) drawers, integral lock, (2) fixed wheels & (2) swivel wheels, ball bearing drawer slides, (2) sliding trays & tote tray.

Federal Strategic Sourcing Initiative, 5140-01-434-5815, Black, 45-7/8" H x 54-1/4" W x 29-1/8" D, Steel., EA, \$1,471.30

Mechanic's Tool Chest

Tools stay organized in this steel chest. Consists of top cover with an attached front panel, partitioned till in top compartment, tote tray and integral lock. Has 6 drawers: 3 full width and a top row of (3) 1/3 width, with a chest type handle at each end. Welded construction. Box is 20-gauge steel, drawers and tote tray are 22-gauge steel and compartment partitions are 24-gauge steel.

Federal Strategic Sourcing Initiative, 5140-00-388-3416, Red, 26" L x 13" W x 15" H., EA, \$53.04

Mobile Tool Cabinet (Chest Top)

These mobile steel cabinets store and transport powered and non-powered hand tools. Has welded construction, a baked enamel finish, a lock with two keys and a continuous piano type hinge (If it has drawer covers). Drawers are mounted on durable compound slides and have suitable pulls and dividers.

Has (4) drawers. Integral lock & a top till.

Federal Strategic Sourcing Initiative, 5140-01-434-5790, Red, 40" L x 19-51/64" W x 19-1/2" H, Steel, Chest Top., EA, \$1,592.77

Has (3) drawers. Integral lock, felt lined top till and drawers & includes (6) adjustable steel drawer dividers.

Federal Strategic Sourcing Initiative, 5140-01-408-3853, Brown, 20-1/8" L x 13-5/8" W . x 8-9/16" H, Steel, Chest Top, EA, \$331.10

Has (9) drawers. Integral lock & a top till.

Federal Strategic Sourcing Initiative, 5140-01-367-3936, KRA4059A or equal, Red, 26" L x 14-23/32" W x 17-3/16" H, Steel, Chest Top., EA, \$462.49

Machinist's Tool Chest

Transport and store tools with this sturdy storage chest. Consists of box body and lid, top compartment with till drawers, front panel, handle and hardware. Has a continuous piano type hinge and sturdy compound drawer slides. Front panel is stored under the bottom drawer. Chest type handle is centered on top of the box. Top compartment and drawers are lined with cork, felt or a similar material. Has an integral lock and two luggage type catches. Made of sheet steel with welded construction.

Has seven drawers. Six are compartmented.

Federal Strategic Sourcing Initiative, 5140-00-319-5079, Red, 20" L x 8-1/2" W x 13" H., EA, \$411.16

Tool Chest

Steel box has a top opening hinged lid, hasp and staple closure and a carrying handle on each end. Army Ordnance Corps Dwg 6534198.

Federal Strategic Sourcing Initiative, 5140-00-653-4198, Olive Drab, 29" L x 13-1/4" W x 13-1/4" H., EA, \$302.75

Twist Drill Sets and Accessories

Drill Bit Set (Cobalt HSS)

Aircraft quality, heavy duty cobalt high speed steel bits for use in constant speed drills. Cobalt drills maintain their cutting ability at higher temperatures which is common in drilling harder materials. Recommended for use in the following types of steels: high strength alloy steels, stainless steel, titanium, manganese steel, armor plate and steel. These bits feature 135° split points with straight round shanks for easier drill starting without the need for center punching. The bits are oxide surface treated, right hand cutting and have two flutes. NAS 907.

Type J-Straight shank, Jobbers length (short). Features (18) fractional sizes from 7/64" to 3/8" in 1/64" increments provided in an indexed metal case.

Federal Strategic Sourcing Initiative, 5133-00-980-3422, SE, \$65.88

Type J-Straight shank, jobbers length (Aircraft extension). Features (29) fractional sizes from 1/16" to 1/2" in 1/64" increments provided in an indexed metal case.

Federal Strategic Sourcing Initiative, 5133-01-477-9534, SE, \$135.41

Type J-Straight shank, jobbers length (short). Features (115) pieces: fractional sizes: 1/16" to 1/2" in 1/64" increments, wire sizes: 1 - 60 & letter sizes: A - Z.

Federal Strategic Sourcing Initiative, 5133-01-398-2438, SE, \$381.98

Type D-Straight shank, Jobbers length (short). Features (40) number sizes from 1 to 40 provided in an indexed metal case.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5133-00-980-3423, SE, \$79.37

Set contains (60) pieces: 1 each wire gage sizes 1 to 60.

Federal Strategic Sourcing Initiative, 5133-01-474-4980, DBC260A or equal, SE, \$106.54

Drill Bit Set (High Speed Steel)

These general purpose drill bit sets are for right hand cutting. They are made of high speed, heat treated steel and are designed for use under wide variations of materials, equipment and job conditions. A typical applicable applications include drilling production parts, maintenance and portable drilling. They have two spiral flutes, a 118° point angle and they have a straight, round shank. ASME B94.11M.

The set consists of (25) bits in the following sizes: (Jobbers length) 1mm - 13mm and 1.5mm - 12.5mm.

Federal Strategic Sourcing Initiative, 5133-01-047-0258, SE, \$81.46

The set consists of (25) bits in the following sizes: (Jobbers length) 1mm - 13mm in 0.5mm increments.

Federal Strategic Sourcing Initiative, 5133-01-486-2314, SE, \$90.74

The set consists of (26) bits in the following sizes: (Jobbers length) A - Z.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5133-00-540-4375, Metal Case., SE, \$73.11

The set consists of (29) bits in the following sizes: (Jobbers length) 1/16" - 1/2" in 1/64" increments.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5133-00-293-0983, SE, \$70.79

The set consists of (29) bits in the following sizes: (Jobber Length) 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" & 11/64". Pilot points: 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64" & 1/2". Furnished in a metal indexed case.

Federal Strategic Sourcing Initiative, 5133-01-535-1216, SE, \$63.85

The set consists of (29) bits in the following sizes: (Jobbers length) 1/16" - 1/2" in 1/64" increments.

Federal Strategic Sourcing Initiative, 5133-01-478-7706, SE, \$76.05

The set consists of (60) bits in the following sizes: (Jobbers length) Wire Sizes 1 - 60.

Federal Strategic Sourcing Initiative, 5133-01-474-4989, SE, \$58.48

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5133-00-449-6775, SE, \$55.84

The set consists of (115) bits in the following sizes: (Morse Taper Shank Length) 1/16" - 1/2" in 1/64" increments and letter drills A - Z and number drills from 1 - 60. Furnished in a case.

Federal Strategic Sourcing Initiative, 5133-01-551-1094, SE, \$366.41

The set consists of (16) bits in the following sizes: (Morse Taper Shank length) 49/64" - 1" in 1/64" increments.

Federal Strategic Sourcing Initiative, 5133-00-293-1161, SE, \$1,019.55

The set consists of (20) bits in the following sizes: (Jobbers length) Wire Sizes 61 - 80.

Federal Strategic Sourcing Initiative, 5133-00-555-1528, SE, \$25.00

The set consists of (23) bits in the following sizes: (15) (Jobbers length) 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32" and 1/2", (8) (Taper length) 17/32", 9/16", 19/32", 5/8", 21/32", 11/16", 23/32" and 3/4".

Federal Strategic Sourcing Initiative, 5133-00-278-0230, SE, \$242.63

Expansive Bit

The bit consists of two cutters with screw or gear adjustment and clamping screw. The expansive bit is used for boring holes of any diameter within the adjustment range. The bit is made of steel and features right-hand cutting, a polished surface and clearly marked graduations and size. The bit has rapid and accurate adjustment, a threaded screw point and a tapered square shank.

Cutting end style - 16 geared cutter adjustment; shank style -81-tapered square; shank large end square width - 7/16 inch; shank small end square width - 1/4 inch; overall length - 8-1/2 to 10-1/2 inches maximum; cutting diameter range - 7/8 to 3 inches.

Federal Strategic Sourcing Initiative, 5133-00-223-4987, EA, \$31.66

Step Drill Bit

Step drill bits are used to drill metal up to 1/4" thick. They are designed to enlarge a hole as the bit drills through the metal. Each step on the bit is larger in diameter than the step before. Smaller step drill bits are self-starting and no pilot bit is required to start the hole.

Federal Strategic Sourcing Initiative, 5133-01-144-5337, 13 Steps, 1/8" - 1/2", 1/4" Shank., EA, \$24.46

Twist Drill Bits

Drill Bit (Carbide-Tipped)

These drill bits are for right-hand cutting & are made of high speed, heat treated steel & are carbide tipped. They have two spiral flutes, a 118° point angle & they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-222-9471	3/16", 3-1/2" L, 2-5/16" L Flute.		EA	\$13.35
Federal Strategic Sourcing Initiative	5133-00-222-9469	1/4", 4" L, 2-3/4" L Flute.		EA	\$15.93
Federal Strategic Sourcing Initiative	5133-00-222-9470	5/16", 4-1/2" L, 3-3/16" L Flute.		EA	\$20.02
Federal Strategic Sourcing Initiative	5133-00-222-9468	7/16", 5-1/2" L, 4-1/16" L Flute.		EA	\$24.34
Federal Strategic Sourcing Initiative	5133-00-222-9467	3/8", 5" L, 3-5/8" L Flute.		EA	\$22.61
Federal Strategic Sourcing Initiative	5133-00-222-9466	1/2", 6" L, 4-1/2" L Flute.		EA	\$37.98

Drill Bit (Solid Carbide)

These, "Jobber" or general purpose drill bits are for right-hand cutting. They are made of solid carbide & are designed for heavy duty drilling on cast iron and nonferrous materials. A typical applicable applications include drilling production parts, maintenance, and portable drilling. They have two spiral flutes, a 118° point angle & they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-010-4005	3/32", 2" L, 1" L Flute.		EA	\$8.34
Federal Strategic Sourcing Initiative	5133-00-841-8702	1/8", 2-1/4" L, 1-1/4" L Flute.		EA	\$10.73
Federal Strategic Sourcing Initiative	5133-00-850-3292	5/32", 2-1/2" L, 1-3/8" L Flute.		EA	\$2.02
Federal Strategic Sourcing Initiative	5133-00-900-2063	3/16", 2-3/4" L, 1-5/8" L Flute.		EA	\$15.16
Federal Strategic Sourcing Initiative	5133-00-841-8757	1/4", 3-1/4" L, 2" L Flute.		EA	\$21.95

Countersink Microstop

Accepts up to 5/8 inch countersink cutter diameter using 1/4-28 male threaded shank. Utilizes needle bearings, 5/16 inch shaft travel, left handed hex locknut, 1/4 inch shaft, straight skirt, and a thrust ball bearing for longevity.

Federal Strategic Sourcing Initiative, 5130-01-371-0080, ATI441HSS or equal., EA, \$72.08

Countersink & Drill Set

Set consists of five combination countersinks & drills, each being a one piece, double ended cutting tool with helical or straight flutes & plain ends. Drill portion is adjacent to countersink on both ends. Has an 118 degree angle on the drill and a 60 degree countersink angle. The countersink and drill set is furnished in a box or wrap. B94.11M.

Body diameters are 1/8", 3/16", 1/4", 5/16" & 7/16".

Federal Strategic Sourcing Initiative, 5133-00-585-0367, SE, \$36.35

Drill Bit Case

Store your drill bit set in this sturdy steel case. Hinged cover & die cast alloy holders provide easy access to drill bits & prevent loss or damage. Drill holes are in size sequence & have clearly marked drill bit sizes. Case withstands rough usage & has a corrosion resistant coating.

Federal Strategic Sourcing Initiative, 5140-00-837-5313, (13) drills bits: 1/16" - 1/4" in 1/64" increments., EA, \$5.27

Drill Bit (Cobalt HSS)

These, type “J”, “Jobber” length drill bits are for use in drilling hard steel, stainless steel, titanium, and other hard materials. These heavy duty, oxide treated, aircraft quality cobalt drills maintain their cutting ability at higher temperatures, which is common in drilling harder materials. These drills have two spiral flutes and a standard P-3, 135-degree split point for easier drill starting. Described by the following (Size, Length, Flute length) NAS-907.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-838-5245	#10 (0.1935"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$29.75
Federal Strategic Sourcing Initiative	5133-00-065-0980	#11 (0.191"), 3-1/2" L, 2-5/16" L Flute.	AbilityOne	DZ	\$37.03
Federal Strategic Sourcing Initiative	5133-00-065-0981	#21 (0.159"), 3-1/4" L, 2-1/8" L Flute.	AbilityOne	DZ	\$24.87
Federal Strategic Sourcing Initiative	5133-00-894-5613	#27 (0.144"), 3" L, 1-7/8" L Flute.		DZ	\$18.07
Federal Strategic Sourcing Initiative	5133-00-051-5748	#30 (0.1285"), 2-3/4" L, 1-5/8" L Flute.		DZ	\$15.33
	5133-00-051-5749	#40 (0.098"), 2-3/8" L, 1-3/8" L Flute.	AbilityOne	DZ	\$18.61
Federal Strategic Sourcing Initiative	5133-00-837-7595	1/16", 1-7/8" L, 7/8" L Flute.		PG	\$1.48
Federal Strategic Sourcing Initiative	5133-01-045-4946	3/32", 2-1/4" L, 1-1/4" L Flute.		EA	\$1.19
Federal Strategic Sourcing Initiative	5133-00-988-5695	1/8", 2-3/4" L, 1-5/8" L Flute.		DZ	\$8.41
Federal Strategic Sourcing Initiative	5133-00-988-5699	3/16", 3-1/2" L, 2-5/16" L Flute.		DZ	\$32.58
Federal Strategic Sourcing Initiative	5133-00-988-5702	15/64", 3-7/8" L, 2-5/8" L Flute.		EA	\$3.11
Federal Strategic Sourcing Initiative	5133-00-988-5703	1/4", 4" L, 2-3/4" L Flute.		DZ	\$34.19
Federal Strategic Sourcing Initiative	5133-01-437-3755	17/64", 4-1/8" L, 2-7/8" L Flute.		EA	\$4.06
Federal Strategic Sourcing Initiative	5133-00-988-5708	21/64", 4-5/8" L, 3-5/16" L Flute.		EA	\$5.11
Federal Strategic Sourcing Initiative	5133-00-988-5709	11/32", 4-3/4" L, 3-7/16" L Flute.		EA	\$6.13

These, type “D”, “Jobber” short flute length drill bits are for use in drilling hard steel, stainless steel, titanium, and other hard materials. These heavy duty, aircraft quality cobalt drills maintain their cutting ability at higher temperatures, which is common in drilling harder materials. These drills have two spiral flutes & standard P-9, 135° split point for easier drill starting. Described by the following (Size, Length, Flute length) NAS-907.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-988-5684	#10 (0.1935"), 3-5/8" L, 1-3/16" L Flute.	AbilityOne	DZ	\$43.76
Federal Strategic Sourcing Initiative	5133-00-988-5673	#21 (0.159"), 3-1/4" L, 1-1/16" L Flute.	AbilityOne	DZ	\$33.15
Federal Strategic Sourcing Initiative	5133-01-366-0167	#30 (0.1285"), 2-3/4" L, 15/16" L Flute.		PG	\$18.61
Federal Strategic Sourcing Initiative	5133-00-894-5611	#30 (0.1285"), 2-3/4" L, 15/16" L Flute.		DZ	\$17.67
	5133-00-988-5655	#40 (0.098"), 2-3/8" L, 13/16" L Flute.	AbilityOne	DZ	\$21.05

Drill Bit (High Speed Steel)

These, "Jobber" general purpose drill bits are for right hand cutting. They are made of high speed, heat treated steeland are designed for use under wide variations of materials, equipment and job conditions. A typical applicable applications include drilling production parts, maintenance and portable drilling. They have two spiral flutes, a 118° point angle and they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-189-9246	#1 (0.228"), 3-7/8" L, 2-5/8" L Flute.		DZ	\$18.11
Federal Strategic Sourcing Initiative	5133-00-189-9247	#2 (0.221"), 3-7/8" L, 2-5/8" L Flute.		DZ	\$18.52
Federal Strategic Sourcing Initiative	5133-00-189-9248	#3 (0.213"), 3-3/4" L, 2-1/2" L Flute.		DZ	\$17.12
Federal Strategic Sourcing Initiative	5133-00-189-9249	#4 (0.209"), 3-3/4" L, 2-1/2" L Flute.		DZ	\$18.01
Federal Strategic Sourcing Initiative	5133-00-189-9250	#5 (0.2055"), 3-3/4" L, 2-1/2" L Flute.		DZ	\$16.47
Federal Strategic Sourcing Initiative	5133-00-189-9251	#6 (0.204"), 3-3/4" L, 2-1/2" L Flute.		DZ	\$16.74
Federal Strategic Sourcing Initiative	5133-00-189-9252	#7 (0.201"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$13.94
Federal Strategic Sourcing Initiative	5133-00-189-9253	#8 (0.199"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$14.41
Federal Strategic Sourcing Initiative	5133-00-189-9254	#9 (0.196"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$15.85
Federal Strategic Sourcing Initiative	5133-00-189-9255	#10 (0.1935"), 3-5/8" L, 2-7/16" L Flute.		DZ	\$14.40
Federal Strategic Sourcing Initiative	5133-00-189-9256	#11 (0.191"), 3-1/2" L, 2-5/16" L Flute.		DZ	\$12.45
Federal Strategic Sourcing Initiative	5133-00-189-9257	#12 (0.189"), 3-1/2" L, 2-5/16" L Flute.		DZ	\$13.81
Federal Strategic Sourcing Initiative	5133-00-189-9258	#13 (0.185"), 3-1/2" L, 2-5/16" L Flute.		DZ	\$14.22
Federal Strategic Sourcing Initiative	5133-00-189-9259	#14 (0.182"), 3-3/8" L, 2-3/16" L Flute.		DZ	\$14.40
Federal Strategic Sourcing Initiative	5133-00-189-9260	#15 (0.18"), 3-3/8" L, 2-3/16" L Flute.		DZ	\$13.49
Federal Strategic Sourcing Initiative	5133-00-189-9261	#16 (0.177"), 3-3/8" L, 2-3/16" L Flute.		DZ	\$13.14
Federal Strategic Sourcing Initiative	5133-00-189-9262	#17 (0.173"), 3-3/8" L, 2-3/16" L Flute.		DZ	\$13.68
Federal Strategic Sourcing Initiative	5133-00-189-9263	#18 (0.1695"), 3-1/4" L, 2-1/8" L Flute.		DZ	\$12.61
Federal Strategic Sourcing Initiative	5133-00-189-9264	#19 (0.166"), 3-1/4" L, 2-1/8" L Flute.		DZ	\$11.57
Federal Strategic Sourcing Initiative	5133-00-189-9265	#20 (0.161"), 3-1/4" L, 2-1/8" L Flute.		DZ	\$11.29
Federal Strategic Sourcing Initiative	5133-00-189-9266	#21 (0.159"), 3-1/4" L, 2-1/8" L Flute.		DZ	\$9.94
Federal Strategic Sourcing Initiative	5133-00-189-9267	#22 (0.157"), 3-1/8" L, 2" L Flute.		DZ	\$11.52
Federal Strategic Sourcing Initiative	5133-00-189-9268	#23 (0.154"), 3-1/8" L, 2" L Flute.		DZ	\$11.80
Federal Strategic Sourcing Initiative	5133-00-189-9269	#24 (0.152"), 3-1/8" L, 2" L Flute.		DZ	\$11.65
Federal Strategic Sourcing Initiative	5133-00-189-9270	#25 (0.1495"), 3" L, 1-7/8" L Flute.		DZ	\$9.30
Federal Strategic Sourcing Initiative	5133-00-189-9271	#26 (0.147"), 3" L, 1-7/8" L Flute.		DZ	\$10.26
Federal Strategic Sourcing Initiative	5133-00-189-9272	#27 (0.144"), 3" L, 1-7/8" L Flute.		DZ	\$10.25
Federal Strategic Sourcing Initiative	5133-00-189-9273	#28 (0.1405"), 2-7/8" L, 1-3/4" L Flute.		DZ	\$8.76
Federal Strategic Sourcing Initiative	5133-00-189-9274	#29 (0.136"), 2-7/8" L, 1-3/4" L Flute.		DZ	\$8.16
Federal Strategic Sourcing Initiative	5133-00-189-9275	#30 (0.1285"), 2-3/4" L, 1-5/8" L Flute.		DZ	\$8.38
Federal Strategic Sourcing Initiative	5133-00-189-9276	#31 (0.12"), 2-3/4" L, 1-5/8" L Flute.		DZ	\$7.74
Federal Strategic Sourcing Initiative	5133-00-189-9277	#32 (0.116"), 2-3/4" L, 1-5/8" L Flute.		DZ	\$9.18
Federal Strategic Sourcing Initiative	5133-00-189-9278	#33 (0.113"), 2-5/8" L, 1-1/2" L Flute.		DZ	\$8.67
Federal Strategic Sourcing Initiative	5133-00-189-9280	#35 (0.11"), 2-5/8" L, 1-1/2" L Flute.		DZ	\$8.67
Federal Strategic Sourcing Initiative	5133-00-189-9281	#36 (0.1065"), 2-1/2" L, 1-7/16" L Flute.		DZ	\$8.28
Federal Strategic Sourcing Initiative	5133-00-189-9282	#37 (0.1040"), 2-1/2" L, 1-7/16" L Flute.		DZ	\$8.76
Federal Strategic Sourcing Initiative	5133-00-189-9283	#38 (0.1015"), 2-1/2" L, 1-7/16" L Flute.		DZ	\$8.76
Federal Strategic Sourcing Initiative	5133-00-189-9284	#39 (0.0995"), 2-3/8" L, 1-3/8" L Flute.		DZ	\$7.85
Federal Strategic Sourcing Initiative	5133-00-189-9285	#40 (0.098"), 2-3/8" L, 1-3/8" L Flute.		DZ	\$8.17
Federal Strategic Sourcing Initiative	5133-00-189-9286	#41 (0.096"), 2-3/8" L, 1-3/8" L Flute.		DZ	\$9.00
Federal Strategic Sourcing Initiative	5133-00-189-9287	#42 (0.0935"), 2-1/4" L, 1-1/4" L Flute.		DZ	\$8.63
Federal Strategic Sourcing Initiative	5133-00-189-9288	#43 (0.089"), 2-1/4" L, 1-1/4" L Flute.		DZ	\$8.04
Federal Strategic Sourcing Initiative	5133-00-189-9289	#44 (0.086"), 2-1/8" L, 1-1/8" L Flute.		DZ	\$8.48
Federal Strategic Sourcing Initiative	5133-00-189-9290	#45 (0.082"), 2-1/8" L, 1-1/8" L Flute.		DZ	\$8.86

Drill Bit (High Speed Steel), continued

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-189-9291	#46 (0.081"), 2-1/8" L, 1-1/8" L Flute.		DZ	\$9.55
Federal Strategic Sourcing Initiative	5133-00-189-9292	#47 (0.0785"), 2" L, 1" L Flute.		DZ	\$9.55
Federal Strategic Sourcing Initiative	5133-00-189-9293	#48 (0.076"), 2" L, 1" L Flute.		DZ	\$9.55
Federal Strategic Sourcing Initiative	5133-00-189-9294	#49 (0.073"), 2" L, 1" L Flute.		DZ	\$8.04
Federal Strategic Sourcing Initiative	5133-00-189-9295	#50 (0.07"), 2" L, 1" L Flute.		DZ	\$8.98
Federal Strategic Sourcing Initiative	5133-00-189-9296	#51 (0.067"), 2" L, 1" L Flute.		DZ	\$9.67
Federal Strategic Sourcing Initiative	5133-00-189-9297	#52 (0.0635"), 1-7/8" L, 7/8" L Flute.		DZ	\$8.48
Federal Strategic Sourcing Initiative	5133-00-189-9298	#53 (0.0595"), 1-7/8" L, 7/8" L Flute.		DZ	\$8.48
Federal Strategic Sourcing Initiative	5133-00-189-9299	#54 (0.055"), 1-7/8" L, 7/8" L Flute.		DZ	\$9.42
Federal Strategic Sourcing Initiative	5133-00-189-9300	#55 (0.052"), 1-7/8" L, 7/8" L Flute.		DZ	\$9.67
Federal Strategic Sourcing Initiative	5133-00-189-9301	#56 (0.0465"), 1-3/4" L, 3/4" L Flute.		DZ	\$8.63
Federal Strategic Sourcing Initiative	5133-00-189-9302	#57 (0.043"), 1-3/4" L, 3/4" L Flute.		DZ	\$8.94
Federal Strategic Sourcing Initiative	5133-00-189-9303	#58 (0.042"), 1-5/8" L, 11/16" L Flute.		DZ	\$9.55
Federal Strategic Sourcing Initiative	5133-00-189-9304	#59 (0.041"), 1-5/8" L, 11/16" L Flute.		DZ	\$7.74
Federal Strategic Sourcing Initiative	5133-00-189-9305	#60 (0.04"), 1-5/8" L, 11/16" L Flute.		DZ	\$8.66
Federal Strategic Sourcing Initiative	5133-00-266-9246	#74 (0.0225"), 1" L, 1/4" L Flute.		DZ	\$12.68
Federal Strategic Sourcing Initiative	5133-00-262-2191	A (0.234"), 3-7/8" L, 2-5/8" L Flute.		DZ	\$20.01
Federal Strategic Sourcing Initiative	5133-00-232-6398	B (0.238"), 4" L, 2-3/4" L Flute.		DZ	\$20.40
Federal Strategic Sourcing Initiative	5133-00-232-6399	C (0.242"), 4" L, 2-3/4" L Flute.		DZ	\$20.57
Federal Strategic Sourcing Initiative	5133-00-262-2179	D (0.246"), 4" L, 2-3/4" L Flute.		DZ	\$22.26
Federal Strategic Sourcing Initiative	5133-00-262-2192	F (0.257"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$23.68
Federal Strategic Sourcing Initiative	5133-00-262-2193	G (0.261"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$23.27
Federal Strategic Sourcing Initiative	5133-00-262-2194	H (0.266"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$22.70
Federal Strategic Sourcing Initiative	5133-00-262-2157	I (0.272"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$25.28
Federal Strategic Sourcing Initiative	5133-00-262-2158	J (0.277"), 4-1/8" L, 2-7/8" L Flute.		DZ	\$28.99
Federal Strategic Sourcing Initiative	5133-00-262-2162	N (0.302"), 4-3/8" L, 3-1/16" L Flute.		PG	\$17.44
Federal Strategic Sourcing Initiative	5133-00-262-2163	O (0.316"), 4-1/2" L, 3-3/16" L Flute.		PG	\$17.63
Federal Strategic Sourcing Initiative	5133-00-262-2164	P (0.323"), 4-5/8" L, 3-5/16" L Flute.		PG	\$18.61
Federal Strategic Sourcing Initiative	5133-00-262-2165	Q (0.332"), 4-3/4" L, 3-7/16" L Flute.		PG	\$18.97
Federal Strategic Sourcing Initiative	5133-00-262-2168	T (0.358"), 4-7/8" L, 3-1/2" L Flute.		PG	\$21.16
Federal Strategic Sourcing Initiative	5133-00-262-2169	U (0.368"), 5" L, 3-5/8" L Flute.		PG	\$22.08
Federal Strategic Sourcing Initiative	5133-00-262-2170	V (0.377"), 5" L, 3-5/8" L Flute.		PG	\$22.23
Federal Strategic Sourcing Initiative	5133-00-262-2171	W (0.386"), 5-1/8" L, 3-3/4" L Flute.		PG	\$23.87
Federal Strategic Sourcing Initiative	5133-00-262-2172	X (0.397"), 5-1/8" L, 3-3/4" L Flute.		PG	\$27.29
Federal Strategic Sourcing Initiative	5133-00-262-2173	Y (0.404"), 5-1/4" L, 3-7/8" L Flute.		PG	\$51.14
Federal Strategic Sourcing Initiative	5133-00-262-2174	Z (0.413"), 5-1/4" L, 3-7/8" L Flute.		PG	\$63.14
Federal Strategic Sourcing Initiative	5133-00-266-9233	1/64", 3/4" L, 3/16" L Flute.		DZ	\$26.12
Federal Strategic Sourcing Initiative	5133-00-227-9649	7/64", 2-5/8" L, 1-1/2" L Flute.		DZ	\$8.17
Federal Strategic Sourcing Initiative	5133-00-227-9650	1/8", 2-3/4" L, 1-5/8" L Flute.		DZ	\$8.10
Federal Strategic Sourcing Initiative	5133-00-227-9651	9/64", 2-7/8" L, 1-3/4" L Flute.		DZ	\$9.36
Federal Strategic Sourcing Initiative	5133-00-227-9652	5/32", 3-1/8" L, 2" L Flute.		DZ	\$9.30
Federal Strategic Sourcing Initiative	5133-00-227-9647	5/64", 2" L, 1" L Flute.		DZ	\$8.07
Federal Strategic Sourcing Initiative	5133-00-227-9653	11/64", 3-1/4" L, 2-1/8" L Flute.		DZ	\$11.93
Federal Strategic Sourcing Initiative	5133-00-227-9654	3/16", 3-1/2" L, 2-5/16" L Flute.		DZ	\$11.41
Federal Strategic Sourcing Initiative	5133-00-243-9612	13/64", 3-5/8" L, 2-7/16" L Flute.		DZ	\$13.34
Federal Strategic Sourcing Initiative	5133-00-227-9656	7/32", 3-3/4" L, 2-1/2" L Flute.		DZ	\$14.88
Federal Strategic Sourcing Initiative	5133-00-243-9611	15/64", 3-7/8" L, 2-5/8" L Flute.		DZ	\$17.88
Federal Strategic Sourcing Initiative	5133-00-227-9658	1/4", 4" L, 2-3/4" L Flute.		DZ	\$17.68

Drill Bit (High Speed Steel), continued

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-227-9660	9/32", 4-1/4" L, 2-15/16" L Flute.		DZ	\$23.67
Federal Strategic Sourcing Initiative	5133-00-227-9662	5/16", 4-1/2" L, 3-3/16" L Flute.		DZ	\$26.51
Federal Strategic Sourcing Initiative	5133-00-243-9613	21/64", 4-5/8" L, 3-5/16" L Flute.		DZ	\$29.83
Federal Strategic Sourcing Initiative	5133-00-227-9665	23/64", 4-7/8" L, 3-1/2" L Flute.		DZ	\$37.59
Federal Strategic Sourcing Initiative	5133-00-227-9666	3/8", 5" L, 3-5/8" L Flute.		DZ	\$34.42
Federal Strategic Sourcing Initiative	5133-00-227-9669	27/64", 5-3/8" L, 3-15/16" L Flute.		PG	\$4.96
Federal Strategic Sourcing Initiative	5133-00-227-9671	29/64", 5-5/8" L, 4-3/16" L Flute.		PG	\$6.80
Federal Strategic Sourcing Initiative	5133-00-227-9673	15/32", 5-3/4" L, 4-5/16" L Flute.		PG	\$36.42
Federal Strategic Sourcing Initiative	5133-00-227-9674	31/64", 5-7/8" L, 4-3/8" L Flute.		PG	\$34.36
Federal Strategic Sourcing Initiative	5133-00-227-9672	1/2", 6" L, 4-1/2" L Flute.		PG	\$31.04

These, "Taper" or long length general purpose drill bits are for right hand cutting with increased cutting length. They are manufactured with straight shanks of the same diameter as that of the flute diameter. They are made of high speed, heat treated steel & are designed for use under wide variations of materials, equipment & job conditions. A typical applicable applications include drilling production parts, maintenance & portable drilling. They have two spiral flutes, a 118° point angle & they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-262-2180	1/8", 5-1/8" L, 2-3/4" L Flute.		DZ	\$38.90
Federal Strategic Sourcing Initiative	5133-00-266-9464	9/16", 8-1/4" L, 4-7/8" L Flute.		EA	\$16.93
Federal Strategic Sourcing Initiative	5133-00-236-4059	1/4", 6-1/8" L, 3-3/4" L Flute.		DZ	\$55.84
Federal Strategic Sourcing Initiative	5133-00-203-6468	1/2", 12" L, 9" L Flute.		EA	\$28.50
Federal Strategic Sourcing Initiative	5133-00-266-9461	33/64", 8" L, 4-3/4" L Flute.		EA	\$16.49

These, "Morse Taper Shank" or long length general purpose drill bits are for right-hand cutting with increased cutting length. They are manufactured with tapered shanks (Machine Tapers) of the same diameter as that of the flute diameter. They are made of high-speed, heat-treated steel & are designed for use with drill press equipment. They have two spiral flutes, a 118° point angle & they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-228-1325	19/32", 8-3/4" L, 4-7/8" L Flute.		EA	\$28.85
Federal Strategic Sourcing Initiative	5133-00-228-1327	5/8", 8-3/4" L, 4-7/8" L Flute.		EA	\$27.05
Federal Strategic Sourcing Initiative	5133-00-228-1336	49/64", 9-7/8" L, 6" L Flute.		EA	\$40.52
Federal Strategic Sourcing Initiative	5133-00-228-1339	13/16", 10-3/4" L, 6-1/8" L Flute.		EA	\$43.23

These type "A", "Jobber" general purpose drill bits are for right-hand cutting. They are made of high-speed, heat-treated steel & are designed for use under wide variations of materials, equipment and job conditions. Typically used with power drills for working on steel and nonferrous materials. These oxide surface treated drills have two spiral flutes & a standard P-5, 118° point angle & they have a straight, round shank. Described by the following (Size, Length, Flute length) NAS-907.

Aircraft Extension Length

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-595-8861	#21 (0.159"), 12" L, 2-1/8" L Flute.		DZ	\$84.47
Federal Strategic Sourcing Initiative	5133-00-595-8849	#40 (0.098"), 12" L, 1-3/8" L Flute.		DZ	\$74.47

Drill Bit (HSS)

These, type "C", "Screw Machine" length drill bits are for use in repetitive drilling of hard steel, stainless steel, titanium, and other hard materials. These heavy duty, aircraft quality high speed steel (HSS) drills maintain their cutting ability at higher temperatures, which is common in drilling harder materials. These drills have two spiral flutes, a bright finish & standard P-3, 135 degree split point for easier drill starting. Described by the following (Size, Length, Flute length) NAS-907.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-912-6029	#9 (0.196"), 2-1/4" L, 1-3/16" L Flute.		DZ	\$15.49
Federal Strategic Sourcing Initiative	5133-00-912-6031	#30 (0.1285"), 1-15/16" L, 15/16" L Flute.		DZ	\$7.91

Masonry Drill Bit

Carbide tipped, spiral grooved type steel bit is for use in portable, rotary driven power drills for concrete and other masonry work. For right hand cutting. Has a straight, rounded shank. Described by (Length, Drill Designation, Cut and Shank) ASME B212.15.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-01-473-9454	6" L, FMD-4, 1/4" Dia,		EA	\$4.54
Federal Strategic Sourcing Initiative	5133-01-473-9410	6" L, FMD-8, 1/2" Dia, 3/8" Shank.		EA	\$4.00

Carbide tipped, spiral grooved type steel bit is for use in portable, rotary driven power drills for concrete and other masonry work. For right hand cutting. Has a straight, rounded shank. Described by (Length, Cut and Shank) GGG-D-694.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-289-0541	6" L, 1/2" Dia, 3/8" Shank.		EA	\$5.02
Federal Strategic Sourcing Initiative	5133-00-542-4764	8" L, 5/8" Dia, 3/8" Shank.		EA	\$57.21
Federal Strategic Sourcing Initiative	5133-00-277-2702	8" L, 3/4" Dia, 1/2" Shank.		EA	\$28.01

Drill Bit (Metric)

These, "Jobber" general purpose drill bits are for right hand cutting. They are made of high speed, heat treated steel and are designed for use under wide variations of materials, equipment and job conditions. A typical applicable applications include drilling production parts, maintenance and portable drilling. They have two spiral flutes, a 118° point angle and they have a straight, round shank. Described by the following (Size, Length, Flute length) ASME B94.11M.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-01-115-7993	1.5 mm, 1-7/8" L, 7/8" L Flute.		EA	\$1.26
Federal Strategic Sourcing Initiative	5133-01-115-7995	2.5 mm, 2-3/8" L, 1-3/8" L Flute.		EA	\$1.12
Federal Strategic Sourcing Initiative	5133-01-118-0720	3.5 mm, 2-7/8" L, 1-3/4" L Flute.		EA	\$1.28
Federal Strategic Sourcing Initiative	5133-01-117-0464	6.5 mm, 4-1/8" L, 2-7/8" L Flute.		EA	\$2.30
Federal Strategic Sourcing Initiative	5133-01-113-6305	7.5 mm, 4-3/8" L, 3-1/16" L Flute.		EA	\$3.64
Federal Strategic Sourcing Initiative	5133-01-120-3515	8.9 mm, 4-7/8" L, 3-1/2" L Flute.		EA	\$5.63
Federal Strategic Sourcing Initiative	5133-01-120-8720	11mm, 5-1/2" L, 4-1/16" L Flute.		EA	\$5.19

Drill Bit (Countersink)

These drill bits form a hole and then a counter sink for flush mounting screws. Made of high speed steel, these countersinks are marked with size and angle. Right hand cutting. Described by the following (Drill Length and Size are the same, Length) ASME B94.11M.

Double End Style. Bit and countersink on both ends.

FSSI	NSN	Dimensions	Source	U/I	Price
Federal Strategic Sourcing Initiative	5133-00-240-7337	3/64", 1-1/4" L.		EA	\$5.14
Federal Strategic Sourcing Initiative	5133-00-224-1963	3/16", 2-3/4" L.		EA	\$6.80
Federal Strategic Sourcing Initiative	5133-00-224-1965	1/8", 2-5/32" L.		EA	\$6.20
Federal Strategic Sourcing Initiative	5133-00-228-2323	7/32", 3" L.		EA	\$11.94
Federal Strategic Sourcing Initiative	5133-00-555-3610	#3 (7/64"), 2" L.		EA	\$5.89

Drill Bit (Threaded Shank/HSS)

These type "B", general-medium duty, (HSS) high speed steel drill bits, feature an externally threaded shank with hex nut (1/4-28 UNF). These oxide surface treated drill bits have two spiral flutes and a standard P-3, 135° point angle and they have a straight, round shank for right-hand cutting. Commonly used in aircraft maintenance. Described by the following (Size, Length, Flute length)(Length does not include length of the thread) NAS-965.

FSSI	NSN	Dimensions	Source	U/I	Price
	5133-00-435-3276	#10 (0.1935"), 1-1/4" L, 9/16" L Flute.		DZ	\$32.42
Federal Strategic Sourcing Initiative	5133-00-435-3267	#30 (0.1285"), 1-1/4" L, 9/16" L Flute.		DZ	\$2.18

Adjustable Wrenches

Adjustable Wrench

An adjustable open end wrench that has a pin & hole adjustment, smooth jaw surfaces & a head that is angled 15°. Consists of frame, nut & adjustment pin.

Plastics Removal in Marine Environments

5120-00-277-6470, 34" L, 2-3/4" - 4-3/4" Jaw Opening., EA, \$715.92

Adjustable Wrench (Automotive)

This heavy duty, open ended, adjustable crescent wrench has a knurled or serrated worm adjustment. The head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. ASME B107.100 Cat 8.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-242-3254, 0" to 2-1/2", 8-1/2" L., EA, \$22.01

Federal Strategic Sourcing Initiative, 5120-00-473-6476, 0" to 2-3/4", 10-1/2" L., EA, \$24.79

Federal Strategic Sourcing Initiative, 5120-00-264-3793, 0" to 3-5/8", 15" L., EA, \$35.25

Adjustable Wrench (Crescent)

This heavy duty, open ended, adjustable crescent wrench has a knurled or serrated worm adjustment. The head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. ASME B107.100 Cat 8.

Federal Strategic Sourcing Initiative, 5120-01-399-9876, 15/16" Jaw Opening, 6" L, Chrome., EA, \$9.36

Federal Strategic Sourcing Initiative, 5120-01-399-9886, 1-1/8" Jaw Opening, 8" L, Oxide., EA, \$13.06

Federal Strategic Sourcing Initiative, 5120-01-335-2217, 15/16" Jaw Opening, 8" L, Chrome., EA, \$11.85

Federal Strategic Sourcing Initiative, 5120-01-127-6857, 1-1/8" Jaw Opening, 8" L, Chrome., EA, \$11.50

Federal Strategic Sourcing Initiative, 5120-01-600-4304, 1-1/2" Jaw Opening, 8" L, Chrome, Comfort Grip., EA, \$16.76

Federal Strategic Sourcing Initiative, 5120-01-335-2218, 1-1/8" Jaw Opening, 10" L, Chrome., EA, \$14.41

Federal Strategic Sourcing Initiative, 5120-01-367-3393, 1-1/8" Jaw Opening, 10" L, Chrome., EA, \$17.45

Federal Strategic Sourcing Initiative, 5120-01-399-9850, 1-5/16" Jaw Opening, 10" L, Chrome., EA, \$23.94

Federal Strategic Sourcing Initiative, 5120-01-473-9271, 1-1/8" Jaw Opening, 10" L, Chrome., EA, \$22.57

Federal Strategic Sourcing Initiative, 5120-01-398-7594, 1-5/16" Jaw Opening, 12" L, Chrome., EA, \$28.55

Federal Strategic Sourcing Initiative, 5120-01-473-9274, 1-1/2" Jaw Opening, 12" L, Oxide., EA, \$12.70

Federal Strategic Sourcing Initiative, 5120-01-601-5164, 1-1/2" Jaw Opening, 12" L, Chrome., EA, \$15.87

Federal Strategic Sourcing Initiative, 5120-01-399-9869, 2-1/16" Jaw Opening, 18" L, Oxide., EA, \$113.49

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-5330, 1/2" Jaw Opening, 4" L, Chrome., EA, \$10.00

Federal Strategic Sourcing Initiative, 5120-00-264-3795, 3/4" Jaw Opening, 6" L, Chrome., EA, \$36.78

Federal Strategic Sourcing Initiative, 5120-00-240-5328, 61/64" Jaw Opening, 8" L, Chrome., EA, \$10.76

Federal Strategic Sourcing Initiative, 5120-00-449-8083, 1-1/8" Jaw Opening, 10" L, Chrome., EA, \$26.83

Federal Strategic Sourcing Initiative, 5120-00-264-3796, 1-1/16" Jaw Opening, 12" L, Chrome., EA, \$15.87

Federal Strategic Sourcing Initiative, 5120-00-423-6728, 1-11/16" Jaw Opening, 15" L, Chrome., EA, \$44.97

Federal Strategic Sourcing Initiative, 5120-00-240-1414, 2-1/16" Jaw Opening, 18" L, Chrome., EA, \$34.43

Federal Strategic Sourcing Initiative, 5120-00-449-8084, 2-7/16" Jaw Opening, 24" L, Chrome., EA, \$109.97

Adjustable Wrench (Crescent) (Non-Sparking)

This heavy duty, open ended, adjustable crescent wrench has a knurled or serrated worm adjustment. The head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. ASME B107.100 Cat 8.

Adjustable wrench tightens nuts or bolts with either square or hexagonal heads in flammable, explosive or magnetically delicate environments. Made of sturdy beryllium-copper or aluminum-bronze alloy.

Federal Strategic Sourcing Initiative, 5120-00-278-0340, 3/4" Jaw Opening, 6" L., EA, \$71.22

Adjustable wrench tightens nuts or bolts with either square or hexagonal heads in flammable, explosive or magnetically delicate environments. Made of sturdy beryllium-copper or aluminum-bronze alloy. Non-magnetic and non-sparking.

Federal Strategic Sourcing Initiative, 5120-00-278-0341, 1-1/8" Jaw Opening, 10" L., EA, \$99.50

Federal Strategic Sourcing Initiative, 5120-00-293-3009, 2-13/16" Jaw Opening, 13"-17" L., EA, \$245.31

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-0031, 7/8" Jaw Opening, 8" L., EA, \$86.58

Federal Strategic Sourcing Initiative, 5120-00-264-3794, 1-3/8" Jaw Opening, 12" L., EA, \$144.02

Nonmagnetic and Nonsparking.

Federal Strategic Sourcing Initiative, 5120-00-293-0008, 1-11/16" Jaw Opening, 15" L, Copper Alloy., EA, \$251.61

Box Wrenches

Box Wrench (Double Head)

These double head, thin wall, high strength box wrenches come in a 12 point design. AS955.

Type II Metric Box Wrenches Double Head, Class 1: 15° offset each end, Style A: Regular length.

Federal Strategic Sourcing Initiative, 5120-01-181-5622, 17mm & 19mm Ends, Chrome., EA, \$9.91

These double head, thin wall, high strength box wrenches come in a 12 point design. AS954.

Type 2: Box Wrench, Class 1: Angled end, Style A: Regular length.

Federal Strategic Sourcing Initiative, 5120-00-224-3146, 3/8" & 7/16" Ends, Chrome., EA, \$16.13

Federal Strategic Sourcing Initiative, 5120-01-349-1384, 7/16" & 1/2" Ends, Chrome., EA, \$17.04

Federal Strategic Sourcing Initiative, 5120-01-349-1385, 1/2" & 9/16" Ends, Chrome., EA, \$18.76

Federal Strategic Sourcing Initiative, 5120-00-228-9521, 1-1/16" & 1-1/8" Ends, Chrome., EA, \$46.16

Federal Strategic Sourcing Initiative, 5120-00-184-8676, 1-1/4" & 1-5/16" Ends, Chrome., EA, \$62.00

Type 2: Box Wrench, Class 3: Deep Offset, Style A: Regular Length.

Federal Strategic Sourcing Initiative, 5120-01-349-1406, 1/2" & 9/16" Ends, Chrome., EA, \$18.76

Federal Strategic Sourcing Initiative, 5120-01-367-3281, 3/4" & 7/8" Ends, Chrome., EA, \$24.53

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-3135, 3/8" & 7/16" Ends, Chrome., EA, \$13.30

Federal Strategic Sourcing Initiative, 5120-00-224-3136, 1/2" & 9/16" Ends, Chrome., EA, \$18.26

Federal Strategic Sourcing Initiative, 5120-00-224-3141, 5/8" & 11/16" Ends, Chrome., EA, \$19.68

Type 2: Box Wrench, Class 3: Deep Offset, Style B: Short Length.

Federal Strategic Sourcing Initiative, 5120-00-224-3154, 1/2" & 9/16" Ends, Chrome., EA, \$6.76

Federal Strategic Sourcing Initiative, 5120-00-224-3138, 5/8" & 3/4" Ends, Chrome., EA, \$20.38

Box Wrench (Double Head)(Half Moon)

These double head, high strength chromium plated box wrenches come in a 12 point design & half moon shape. The length is measured between the middle of the two openings. A-A-1346.

Federal Strategic Sourcing Initiative, 5120-01-367-3315, 7/16" & 1/2", 5" L., EA, \$8.45

Federal Strategic Sourcing Initiative, 5120-01-399-8876, 9/16" x 5/8" Ends, Satin Finish., EA, \$9.54

These double head, high strength chrome plated box wrenches come in a 12 point design & half moon shape. The length is measured between the middle of the two openings.

Federal Strategic Sourcing Initiative, 5120-01-535-7641, 9/16" & 5/8", 5-51/64" L., EA, \$9.54

Box Wrench (Single Head, Ratchet)

A single headed wrench that loosens and tightens hexagonal fasteners such as tubing and hose nuts. Described by Wrenching Size, Length and Style)

Federal Strategic Sourcing Initiative, 5120-00-777-2782, 7/8", 9" L., 12 Point., EA, \$15.83

Box Wrench (Double Head, Ratchet)

Double headed, reversible steel box wrench has a corrosion resistant coating & a comfortable handgrip. B107.100 Cat 66.

Type I: Laminated construction.

Federal Strategic Sourcing Initiative, 5120-01-335-1325, 1/4" & 5/16" Ends, 12 Point, Chrome., EA, \$7.95

Federal Strategic Sourcing Initiative, 5120-01-335-1328, 3/8" & 7/16" Ends, 12 Point, Chrome., EA, \$8.07

Federal Strategic Sourcing Initiative, 5120-01-335-1321, 3/8" & 7/16" Ends, 6 Point, Chrome., EA, \$7.69

Federal Strategic Sourcing Initiative, 5120-01-335-1329, 1/2" & 9/16" Ends, 12 Point, Chrome., EA, \$9.47

Federal Strategic Sourcing Initiative, 5120-00-831-1052, 11/16" & 7/8" Ends, 6 Point, Chrome., EA, \$15.21

Federal Strategic Sourcing Initiative, 5120-01-335-1333, 3/4" & 7/8" Ends, 12 Point, Chrome., EA, \$14.52

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-831-1051, 5/8" & 3/4" Ends, 12 Point, Chrome., EA, \$9.99

Federal Strategic Sourcing Initiative, 5120-00-221-7980, 1/2" - 9/16" Hex x 3/16" - 1/4" Square Ends, Chrome., EA, \$23.21

Box Wrench (Slugging)

This slugging type wrench has a 12 point box wrench opening on one end for use on hexagonal head nuts & bolts. The handle end is suitable for being struck with a hammer. Durable steel tool has a corrosion preventive coating. Described by (Wrenching Size, Min Length) B107.410 Cat 59.

Type 1: Slugging Wrench (Straight Shank)

Federal Strategic Sourcing Initiative, 5120-00-277-1611, 1-1/8", 8-1/2" L min., EA, \$43.35

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-3112, 2-3/8", 8-7/16" L min, Oxide., EA, \$133.18

Type 3: Striking Wrench (Slightly angled shank & large offset)

Federal Strategic Sourcing Initiative, 5120-00-277-1610, 1-1/16", 8-1/2" L., EA, \$43.35

Federal Strategic Sourcing Initiative, 5120-00-264-5217, 2-15/16", 13-1/8" L min., EA, \$210.99

Ratcheting Box Wrench (Refrigeration)

Dual wrenching surface on each end: For refrigeration applications. Ratchet wrench, 3/16" x 1/4" & 5/16" x 3/8".

Federal Strategic Sourcing Initiative, 5120-01-419-4365, EA, \$9.68

Box Wrench Set (Double Head)

These double head, thin wall, high strength box wrenches come in a 12 point design. AS954.

Type 2: Box Wrench, Class 3: Deep Offset, Style A: Regular Length.

Set consists of (5) wrenches in the following sizes: 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8" and 15/16" x 1".

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-3453, Chrome, Roll or Wrap., SE, \$114.10

Type 2: Box Wrench, Class 2: Modified Offset, Style A: Regular Length.

Set consists of (5) box wrenches in sizes: 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 13/16" & 7/8" x 15/16".

Federal Strategic Sourcing Initiative, 5120-01-428-8435, Chrome, Full Polish, Plastic Tray., SE, \$77.48

These double head, thin wall, high strength box wrenches come in a 12 point design. AS955.

Type 2: Metric Box Wrenches, Class 2: Deep Offset Each End, Style A: Regular Length.

Set consists of (8) wrenches in the following sizes: 6mm x 7mm, 8mm x 9mm, 9mm x 10mm, 11mm x 12mm, 13mm x 14mm, 15mm x 16mm, 17mm x 19mm and 18mm x 20mm.

Federal Strategic Sourcing Initiative, 5120-00-103-9782, Chrome, Roll or Wrap., SE, \$146.88

Type II Metric Box Wrenches Double Head, Class 1: 15° offset each end, Style A: Regular length.

Set consists of (11) wrenches in the following sizes: 6mm x 7mm, 8mm x 9mm, 10mm x 11mm, 12mm x 13mm, 14mm x 15mm, 16mm x 18mm, 17mm x 19mm, 21mm x 24mm, 22mm x 24mm, 27mm x 30mm & 30mm x 32mm.

Federal Strategic Sourcing Initiative, 5120-01-428-8525, Chrome, Full Polish, Kit Bag., SE, \$223.02

Box Wrench Set (Double Head, Ratchet)

Double headed, reversible steel box wrench has a corrosion resistant coating & a comfortable handgrip. B107.100 Cat 66.

Type I: Laminated construction.

Set consists of (5) double box end ratchet wrenches in the following sizes: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16" & 3/4" x 7/8".

Federal Strategic Sourcing Initiative, 5120-01-446-4014, 12 Point, Roll or Wrap., SE, \$45.99

Box Wrench Set (Geared)

Double headed, reversible steel box wrench has a corrosion resistant coating & a comfortable handgrip. B107.100 Cat 66.

Type II: Nonlaminated construction.

Set consists of (10) wrenches in the following metric sizes: 10mm to 19mm.

Federal Strategic Sourcing Initiative, 5120-01-495-7714, 72 Tooth, 12 Point, Furnished in a vinyl roll., SE, \$137.42

Combination Wrenches

Combination Wrench (Box and Open End)

A combination box & open end style, chromium plated wrench that has a 15° offset box end & a 15° head angle on the open end. The open end is suitable for use on hexagonal & square headed bolts & nuts. B107.100 Cat 6.

Regular Length.

- Federal Strategic Sourcing Initiative, 5120-01-431-0985, 7mm B & O, 6 Point, Full Polish., EA, \$6.43
- Federal Strategic Sourcing Initiative, 5120-01-431-1012, 10mm B & O, 6 Point, Full Polish., EA, \$4.96
- Federal Strategic Sourcing Initiative, 5120-01-431-1031, 15mm B & O, 6 Point, Full Polish., EA, \$7.28
- Federal Strategic Sourcing Initiative, 5120-00-892-6089, 3/16" B & O, 6 Point., EA, \$6.07
- Federal Strategic Sourcing Initiative, 5120-01-335-1291, 7/16" B & O, 6 Point., EA, \$6.54

Combination box and open end style wrench has a thin wall 15° offset box end and a 15° head angle on the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. Box end is 12 point. AS954.

Style A: Regular Length.

- Federal Strategic Sourcing Initiative, 5120-01-367-3371, 3/8" B & O, Chrome., EA, \$6.44
- Federal Strategic Sourcing Initiative, 5120-00-935-7370, 7/16" B & O, Chrome., EA, \$7.91
- Federal Strategic Sourcing Initiative, 5120-01-132-4038, 7/16" B & O, Black Oxide., EA, \$7.91
- Federal Strategic Sourcing Initiative, 5120-01-367-3372, 7/16" B & O, Chrome., EA, \$6.68
- Federal Strategic Sourcing Initiative, 5120-01-367-3373, 1/2" B & O, Chrome, Full Polish., EA, \$9.59
- Federal Strategic Sourcing Initiative, 5120-01-437-1642, 1/2" B & O, Black Oxide., EA, \$9.25
- Federal Strategic Sourcing Initiative, 5120-01-398-9221, 1/2" B & O, Chrome., EA, \$9.35
- Federal Strategic Sourcing Initiative, 5120-00-935-7371, 1/2" B & O, Chrome., EA, \$9.59
- Federal Strategic Sourcing Initiative, 5120-01-532-2342, 5/16" B & O, Chrome, Full Polish., EA, \$7.21
- Federal Strategic Sourcing Initiative, 5120-01-398-9222, 9/16" B & O, Chrome., EA, \$9.35
- Federal Strategic Sourcing Initiative, 5120-01-335-1245, 9/16" B & O, 10" L, Chrome., EA, \$5.94
- Federal Strategic Sourcing Initiative, 5120-01-398-9218, 5/8" B & O, Chrome., EA, \$10.81
- Federal Strategic Sourcing Initiative, 5120-01-430-2982, 7/8" B & O, Chrome., EA, \$17.31
- Federal Strategic Sourcing Initiative, 5120-01-398-9322, 7/8" B & O, Chrome., EA, \$17.31
- Federal Strategic Sourcing Initiative, 5120-01-430-3042, 15/16" B & O, Chrome., EA, \$21.66
- Federal Strategic Sourcing Initiative, 5120-01-264-6123, 15/16" B & O, Chrome., EA, \$22.25
- Federal Strategic Sourcing Initiative, 5120-01-486-2069, 15/16" B & O, Chrome., EA, \$22.25
- Federal Strategic Sourcing Initiative, 5120-01-399-8821, 1-1/16" B & O, Chrome., EA, \$29.10
- Federal Strategic Sourcing Initiative, 5120-01-335-1267, 1-5/16" B & O, 17-13/16" L, Chrome., EA, \$66.11
- Federal Strategic Sourcing Initiative, 5120-00-277-8833, 1-3/8" B & O, 17-1/4" L, Chrome., EA, \$68.01
- Federal Strategic Sourcing Initiative, 5120-00-228-9519, 1-7/16" B & O, Chrome., EA, \$77.28
- Federal Strategic Sourcing Initiative, 5120-00-277-8834, 1-1/2" B & O, 18-3/4" L, Chrome., EA, \$78.80
- Federal Strategic Sourcing Initiative, 5120-01-399-8801, 1-5/8" B & O, Chrome., EA, \$100.23
- Federal Strategic Sourcing Initiative, 5120-01-399-8795, 1-11/16" B & O, Chrome., EA, \$111.50
- Federal Strategic Sourcing Initiative, 5120-01-437-1838, 1-3/4" B & O, Oxide., EA, \$114.89
- Federal Strategic Sourcing Initiative, 5120-01-399-8803, 1-13/16" B & O, Chrome., EA, \$122.45
- Federal Strategic Sourcing Initiative, 5120-01-335-1240, 1-13/16" B & O, Chrome., EA, \$122.45
- Federal Strategic Sourcing Initiative, 5120-01-224-4876, 1-7/8" B & O, Chrome., EA, \$141.72
- Federal Strategic Sourcing Initiative, 5120-01-122-8360, 2-1/4" B & O, Chrome., EA, \$222.40

Plastics Removal in Marine Environments

- Federal Strategic Sourcing Initiative, 5120-00-288-9997, 1/4" B & O, Chrome., EA, \$7.21
- Federal Strategic Sourcing Initiative, 5120-00-228-9504, 3/8" B & O, Chrome., EA, \$7.19
- Federal Strategic Sourcing Initiative, 5120-00-228-9505, 7/16" B & O, Chrome., EA, \$8.57
- Federal Strategic Sourcing Initiative, 5120-00-228-9506, 1/2" B & O, Chrome., EA, \$9.37
- Federal Strategic Sourcing Initiative, 5120-00-228-9509, 11/16" B & O, Chrome., EA, \$11.70
- Federal Strategic Sourcing Initiative, 5120-00-228-9510, 3/4" B & O, Chrome., EA, \$13.13
- Federal Strategic Sourcing Initiative, 5120-00-228-9511, 13/16" B & O, Chrome., EA, \$14.49
- Federal Strategic Sourcing Initiative, 5120-00-228-9512, 7/8" B & O, Chrome., EA, \$15.53
- Federal Strategic Sourcing Initiative, 5120-00-228-9513, 15/16" B & O, Chrome., EA, \$21.08
- Federal Strategic Sourcing Initiative, 5120-00-228-9514, 1" B & O, Chrome., EA, \$21.76
- Federal Strategic Sourcing Initiative, 5120-00-228-9516, 1-1/8" B & O, Chrome., EA, \$29.10
- Federal Strategic Sourcing Initiative, 5120-00-228-9517, 1-1/4" B & O, Chrome., EA, \$40.50
- Federal Strategic Sourcing Initiative, 5120-00-228-9515, 1-1/16" B & O, Chrome., EA, \$27.55

Style B: Short Length.

- Federal Strategic Sourcing Initiative, 5120-00-228-9503, 5/16" B & O, Chrome., EA, \$8.00
- Federal Strategic Sourcing Initiative, 5120-01-398-9291, 5/16" B & O, Chrome., EA, \$20.70
- Federal Strategic Sourcing Initiative, 5120-01-651-2680, 3/8" B & O, Chrome, Full Polish., EA, \$17.26
- Federal Strategic Sourcing Initiative, 5120-01-398-9294, 3/8" B & O, Chrome., EA, \$7.19
- Federal Strategic Sourcing Initiative, 5120-01-398-9295, 7/16" B & O, Chrome., EA, \$7.65
- Federal Strategic Sourcing Initiative, 5120-01-430-2966, 9/16" B & O, Chrome., EA, \$9.35
- Federal Strategic Sourcing Initiative, 5120-01-430-3023, 5/8" B & O, 7-1/2" L, Chrome., EA, \$10.81
- Federal Strategic Sourcing Initiative, 5120-01-335-1253, 3/4" B & O, Chrome., EA, \$4.30
- Plastics Removal in Marine Environments
- Federal Strategic Sourcing Initiative, 5120-00-278-0342, 11/32" B & O, Chrome., EA, \$8.83
- Federal Strategic Sourcing Initiative, 5120-00-228-9507, 9/16" B & O, Chrome., EA, \$9.54
- Federal Strategic Sourcing Initiative, 5120-00-228-9508, 5/8" B & O, Chrome., EA, \$10.31

Style A: Regular Length.

- Federal Strategic Sourcing Initiative, 5120-01-367-3374, 9/16" B & O, Chrome, Full Polish., EA, \$8.56

Combination box and open end style wrench has a thin wall 15° offset box end and a 15° head angle on the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. Box end is 12 point. AS955.

Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style A: Extra short length

- Federal Strategic Sourcing Initiative, 5120-01-079-8024, 8mm B & O, Chrome., EA, \$5.03

Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style B: Short length.

- Federal Strategic Sourcing Initiative, 5120-01-430-2964, 8mm B & O, Chrome, Full Polish., EA, \$8.38
- Federal Strategic Sourcing Initiative, 5120-01-398-9351, 8mm B & O, Chrome., EA, \$8.16
- Federal Strategic Sourcing Initiative, 5120-01-054-7126, 8mm B & O, Chrome., EA, \$4.01
- Federal Strategic Sourcing Initiative, 5120-01-430-3021, 10mm B & O, Chrome, Full Polish., EA, \$8.38
- Federal Strategic Sourcing Initiative, 5120-01-113-7134, 10mm B & O, Chrome., EA, \$4.59
- Federal Strategic Sourcing Initiative, 5120-01-430-3027, 11mm B & O, Chrome, Full Polish., EA, \$9.18
- Federal Strategic Sourcing Initiative, 5120-01-430-3002, 12mm B & O, Chrome, Full Polish., EA, \$9.87
- Federal Strategic Sourcing Initiative, 5120-01-054-7130, 12mm B & O, Chrome., EA, \$7.92
- Federal Strategic Sourcing Initiative, 5120-01-430-3006, 13mm B & O, Chrome, Full Polish., EA, \$18.83
- Federal Strategic Sourcing Initiative, 5120-01-054-7131, 13mm B & O, Chrome., EA, \$4.43
- Federal Strategic Sourcing Initiative, 5120-01-430-2978, 14mm B & O, Chrome, Full Polish., EA, \$9.87
- Federal Strategic Sourcing Initiative, 5120-01-366-9324, 14mm B & O, Chrome., EA, \$6.28
- Federal Strategic Sourcing Initiative, 5120-01-430-3009, 17mm B & O, Chrome, Full Polish., EA, \$14.09
- Federal Strategic Sourcing Initiative, 5120-01-054-7135, 17mm B & O, Chrome., EA, \$14.09
- Federal Strategic Sourcing Initiative, 5120-01-430-3014, 18mm B & O, Chrome, Full Polish., EA, \$14.09
- Federal Strategic Sourcing Initiative, 5120-01-054-7136, 18mm B & O, Chrome., EA, \$6.72
- Federal Strategic Sourcing Initiative, 5120-01-045-4910, 18mm B & O, Oxide., EA, \$14.09
- Federal Strategic Sourcing Initiative, 5120-01-101-4630, 20mm B & O, Chrome., EA, \$24.20
- Federal Strategic Sourcing Initiative, 5120-01-054-7138, 21mm B & O, Chrome., EA, \$29.47
- Federal Strategic Sourcing Initiative, 5120-01-054-7139, 22mm B & O, Chrome., EA, \$33.19

Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style C: Regular length.

Federal Strategic Sourcing Initiative, 5120-01-598-3108, 9mm B & O, Chrome, Full Polish., EA, \$8.38

Federal Strategic Sourcing Initiative, 5120-01-349-1476, 10mm B & O, Chrome., EA, \$8.38

Federal Strategic Sourcing Initiative, 5120-01-349-1477, 11mm B & O, Chrome., EA, \$9.18

Federal Strategic Sourcing Initiative, 5120-01-398-9354, 11mm B & O, Chrome., EA, \$8.90

Federal Strategic Sourcing Initiative, 5120-01-598-3095, 51-213 or equal, 13mm B & O, Chrome, Full Polish., EA, \$9.87

Federal Strategic Sourcing Initiative, 5120-01-349-1481, 15mm B & O, Chrome., EA, \$11.42

Federal Strategic Sourcing Initiative, 5120-01-430-3051, 16mm B & O, Chrome, Full Polish., EA, \$12.19

Federal Strategic Sourcing Initiative, 5120-01-430-2983, 19mm B & O, Chrome, Full Polish., EA, \$14.27

Federal Strategic Sourcing Initiative, 5120-01-598-3046, 19mm B & O, Chrome, Full Polish., EA, \$15.26

Federal Strategic Sourcing Initiative, 5120-01-435-6953, 19mm B & O, Chrome., EA, \$15.26

Federal Strategic Sourcing Initiative, 5120-01-430-3052, 21mm B & O, Chrome, Full Polish., EA, \$16.81

Federal Strategic Sourcing Initiative, 5120-01-430-3020, 22mm B & O, Chrome, Full Polish., EA, \$16.27

Federal Strategic Sourcing Initiative, 5120-01-054-7141, 24mm B & O, Chrome., EA, \$24.04

Federal Strategic Sourcing Initiative, 5120-01-348-9474, 34mm B & O, Chrome., EA, \$31.58

Federal Strategic Sourcing Initiative, 5120-01-399-8834, 41mm B & O, Chrome., EA, \$115.51

Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style D: Long length.

Federal Strategic Sourcing Initiative, 5120-01-399-8851, 13mm B & O, Chrome., EA, \$7.00

Federal Strategic Sourcing Initiative, 5120-01-399-8893, 30mm B & O, Chrome., EA, \$33.34

Federal Strategic Sourcing Initiative, 5120-01-399-8830, 46mm B & O, Chrome., EA, \$21.82

Combination Wrench (Flare Nut & Open End)

These 12 point flare nut wrenches are designed for tightening & loosening tube fittings, stuffing gland nuts & similar flare nuts by having an slot that fits over the tubing. AS4167

Type I: Chromium finish, Class 2: Flare nut wrenches, Style C: Combination open end and flare nut

Federal Strategic Sourcing Initiative, 5120-01-486-2101, 7/16" F & O Ends, Chrome., EA, \$18.57

Federal Strategic Sourcing Initiative, 5120-01-486-2106, 11/16" F & O Ends, Chrome., EA, \$22.80

Flare Nut Wrench (Double Head)

These double head flare nut wrenches are designed for tightening & loosening tube fittings & stuffing gland nuts & similar flare nuts by having an open end slot that fits over the tubing. They are chromium plated. B107.100 Cat 40.

Federal Strategic Sourcing Initiative, 5120-01-431-4956, 3/4" & 7/8" Ends, 6 Point., EA, \$31.77

Combination Wrench (Spline Box & Open End)

Combination wrench has a spline box end & an open end that is offset 15°. It has a high strength, thin wall design for aircraft fasteners. MIL-W-8982/6.

Federal Strategic Sourcing Initiative, 5120-01-590-1800, JSCV08 or equal M8982/6, #8 (1/4") B & O, 5-1/2" L, Oxide., EA, \$12.96

Combination Box and Open End Wrench (Geared)

These geared combination wrenches have an all steel, one piece construction and are fully polished. The box end features a geared ratcheting closed head design. Short ratcheting arc and small head thickness allows the fastener to be quickly turned, even in confined areas. The conventional open end permits more torque to be applied to a fastener. B107.66

Type II: Nonlaminated construction.

Federal Strategic Sourcing Initiative, 5120-01-542-7441, 1/2" B & O, 8" L, 12 Point, Full Polish., EA, \$9.33

Combination Box and Open End Wrench Set (Geared)

These geared combination wrenches have an all steel, one piece construction and are fully polished. The box end features a geared ratcheting closed head design. Short ratcheting arc and small head thickness allows the fastener to be quickly turned, even in confined areas. The conventional open end permits more torque to be applied to a fastener. B107.66

Type II: Nonlaminated construction.

Set consists of seven wrenches in the following sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".

Federal Strategic Sourcing Initiative, 5120-01-495-7710, Standard Lengths, Reversing Lever, 12 Point, Chrome., SE, \$92.35

Set consists of seven wrenches in the following sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".

Federal Strategic Sourcing Initiative, 5120-01-495-7719, Short Lengths, 12 Point, Chrome, Vinyl Roll or Wrap., SE, \$57.19

Federal Strategic Sourcing Initiative, 5120-01-495-7705, Standard Lengths, 12 Point, Chrome., SE, \$69.22

Set consists of (10) wrenches in the following metric sizes: 10mm to 19mm.

Federal Strategic Sourcing Initiative, 5120-01-495-7720, Short Lengths, 12 Point, Chrome, Vinyl Roll or Wrap., SE, \$80.46

Set consists of 10 wrenches in the following sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".

Federal Strategic Sourcing Initiative, 5120-01-495-7712, Standard Lengths, 12 Point, 72 Tooth, Chrome, Roll., SE, \$76.12

Combination Wrench Set (Box and Open End)

Combination box and open end style wrench has a thin wall 15° offset box end and a 15° head angle on the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. Box end is 12 point. AS954.

Style A: Regular Length.

Set consists of (7) combination wrenches in sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4".

Federal Strategic Sourcing Initiative, 5120-01-428-8570, Chrome, Full Polish, Serrated Open Ends, Plastic Tray., SE, \$78.54

Set consists of (9) combination wrenches in sizes: 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".

Federal Strategic Sourcing Initiative, 5120-00-935-7310, Chrome, Roll or Wrap., SE, \$161.33

Set consists of (14) combination wrenches in sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" & 1-1/4".

Federal Strategic Sourcing Initiative, 5120-01-428-8200, Chrome, Full Polish, Kit Bag., SE, \$273.18

Set consists of (15) combination wrenches in sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" & 1-1/4".

Federal Strategic Sourcing Initiative, 5120-01-482-7617, Chrome, Kit Bag., SE, \$172.63

Combination box and open end style wrench has a thin wall 15° offset box end and a 15° head angle on the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. Box end is 12 point. AS955.

Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style C: Regular length.

Set consists of (10) combination wrenches in sizes: 10mm - 19mm.

Federal Strategic Sourcing Initiative, 5120-01-428-8496, Chrome, Full Polish, Serrated Open End, Tray, Roll or Wrap., SE, \$79.87

Set consists of (14) combination wrenches in sizes: 6mm to 19mm.

Federal Strategic Sourcing Initiative, 5120-01-046-4979, Oxide, Roll or Wrap., SE, \$132.15

Set consists of (15) combination wrenches in sizes: 7mm, 8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm - 30mm & 32mm.

Federal Strategic Sourcing Initiative, 5120-01-067-5016, Chrome, Roll or Wrap., SE, \$348.40

This set consists of (16) combination wrenches in sizes: 12mm - 24mm, 27, 30 & 32mm.

Federal Strategic Sourcing Initiative, 5120-00-025-9361, Chrome., SE, \$145.34

Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style B: Short length.

Set consists of (14) combination wrenches in sizes: 6mm - 19mm.

Federal Strategic Sourcing Initiative, 5120-01-428-8214, Chrome, Kit Bag., SE, \$230.69

Set consists of (9) combination wrenches in sizes: 10mm to 18mm.

Federal Strategic Sourcing Initiative, 5120-00-935-7333, Chrome, Roll or Wrap., SE, \$106.08

Type III: Metric Combination Wrench, Class 1: 15° offset each end, Style C: Regular length.

Set consists of (19) combination wrenches in sizes: 10mm to 24mm, 26mm, 27mm, 30mm and 32mm.

Federal Strategic Sourcing Initiative, 5120-01-119-0010, Chrome., SE, \$132.89

Set consists of (23) combination wrenches in sizes: 8mm - 27mm, 29mm, 30mm and 32mm.

Federal Strategic Sourcing Initiative, 5120-01-176-1819, Chrome, Roll or Wrap., SE, \$221.24

Set consists of (25) combination wrenches in sizes: 9mm - 27mm, 29mm, 30mm, 32mm, 34mm & 36mm.

Federal Strategic Sourcing Initiative, 5120-01-428-8379, Chrome, Full Polish., SE, \$173.91

Open-End Wrenches

Wrench (Open End) (Single Head)

This open ended, single head box wrench is chrome plated & has a 15-degree angle.

Federal Strategic Sourcing Initiative, 5120-00-277-1191, JC906B or equal., 1", 11" to 14 3/4" L., EA, \$31.37

Federal Strategic Sourcing Initiative, 5120-00-277-1194, 1-1/8", 12-3/4" to 17-1/4" L., Oxide., EA, \$26.90

Double headed wrench, 15 degree angle each end, wrenching size 3/8", head thickness 1/4" both ends. Army Signal Corps Engineering Laboratories drawing number SC-B-98220.

Federal Strategic Sourcing Initiative, 5120-00-302-5696, GA143C or equal., EA, \$8.28

This wrench has single 15° angled open end and is chrome plated. The thin head is perfect for use on hexagonal and square jam nuts and in confined spaces. Described by (Wrench Size, Length). A-A-1357.

Federal Strategic Sourcing Initiative, 5120-00-293-1324, 1-3/8", 11-1/2" L., EA, \$19.71

Federal Strategic Sourcing Initiative, 5120-00-277-1246, 1-1/2", 13-1/2" L., EA, \$22.41

Federal Strategic Sourcing Initiative, 5120-00-277-1243, 1-7/8", 16-1/2" L., EA, \$35.50

Federal Strategic Sourcing Initiative, 5120-00-277-1236, 2-3/8", 21" L., EA, \$35.63

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-1247, 1-5/16", 11-7/8" L., EA, \$41.83

This wrench has single 30° angled open end & is chrome plated. The thin head is perfect for use on hexagonal & square jam nuts & in confined spaces. Described by (Wrench Size, Length). A-A-1353.

Federal Strategic Sourcing Initiative, 5120-00-203-4812, 1", 6-7/8" L., EA, \$19.13

Federal Strategic Sourcing Initiative, 5120-00-203-4801, 1-3/4", 8-1/2" L., EA, \$27.09

Federal Strategic Sourcing Initiative, 5120-01-619-4835, 2", 8-1/2" L., EA, \$28.86

Federal Strategic Sourcing Initiative, 5120-00-203-4795, 2-1/8", 8-1/2" L., EA, \$29.38

Federal Strategic Sourcing Initiative, 5120-00-203-4794, 2-1/4", 8-1/2" L., EA, \$28.80

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-203-4810, 1-1/8", 6-7/8" L., EA, \$20.82

Federal Strategic Sourcing Initiative, 5120-00-203-4807, 1-5/16", 7-5/8" L., EA, \$14.88

This (Structural) wrench has single deep offset open end & is black oxide treated. The thin head is perfect for use on hexagonal & square jam nuts & in confined spaces to permit clearance of obstructions. The handle is tapered for insertion into bolt holes. Described by (Wrench Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-277-1187, 13/16", 9-1/4" - 14-3/4" L., EA, \$26.55

This wrench has single 15° angled open end. The thin head is perfect for use on hexagonal & square jam nuts & in confined spaces. Described by (Wrench Size, Length).

Federal Strategic Sourcing Initiative, 5120-00-277-1230, 903A or equal., 5/8", 12" L., Oxide., EA, \$31.44

Open End Wrench (Double Head)

These open ended, engineer's style double headed wrenches are chrome plated & have a 15° angle on both ends. B107.100 Cat 39.

Federal Strategic Sourcing Initiative, 5120-00-490-4856, 1/4" & 3/8" Ends, Chrome., EA, \$60.38

Regular Length

Federal Strategic Sourcing Initiative, 5120-01-398-9310, 30mm & 32mm Ends., EA, \$110.81

Federal Strategic Sourcing Initiative, 5120-01-430-7861, 5/16" & 3/8" Ends., EA, \$10.15

Federal Strategic Sourcing Initiative, 5120-00-277-4834, 7/16" & 9/16" Ends, 5" L., EA, \$7.80

Federal Strategic Sourcing Initiative, 5120-01-398-9148, 1/2" & 9/16" Ends., EA, \$10.34

Federal Strategic Sourcing Initiative, 5120-01-399-8764, 5/8" & 3/4" Ends., EA, \$16.22

Federal Strategic Sourcing Initiative, 5120-01-335-1205, 5/8" & 11/16" Ends., EA, \$14.77

Federal Strategic Sourcing Initiative, 5120-00-293-2134, 9/16" & 11/16" Ends, 6" L Min., EA, \$9.06

Federal Strategic Sourcing Initiative, 5120-00-277-8300, 11/16" & 13/16" Ends., EA, \$19.65

Federal Strategic Sourcing Initiative, 5120-00-187-7130, 13/16" & 7/8" Ends., EA, \$14.61

Federal Strategic Sourcing Initiative, 5120-00-293-0190, 1-1/16" & 1-1/8" Ends., EA, \$34.48

Federal Strategic Sourcing Initiative, 5120-00-277-2323, 1-5/16" & 1-1/2" Ends, 14" L., EA, \$74.53

Federal Strategic Sourcing Initiative, 5120-01-399-8752, 1-11/16" & 1-13/16" Ends., EA, \$129.14

Federal Strategic Sourcing Initiative, 5120-00-184-8439, 1-1/2" & 1-5/8" Ends., EA, \$85.38

Federal Strategic Sourcing Initiative, 5120-01-335-1181, 10mm & 11mm Ends., EA, \$10.44

Federal Strategic Sourcing Initiative, 5120-01-072-2954, 13mm & 15mm Ends., EA, \$63.15

Federal Strategic Sourcing Initiative, 5120-01-101-1193, 14mm & 15mm Ends., EA, \$12.85

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-228-9527, 3/16" & 1/4" Ends., EA, \$9.47

Federal Strategic Sourcing Initiative, 5120-00-277-2342, 3/8" & 7/16" Ends., EA, \$9.67

Federal Strategic Sourcing Initiative, 5120-00-187-7123, 7/16" & 1/2" Ends., EA, \$9.95

Federal Strategic Sourcing Initiative, 5120-00-187-7126, 9/16" & 5/8" Ends., EA, \$11.90

Federal Strategic Sourcing Initiative, 5120-00-224-3102, 5/8" & 3/4" Ends., EA, \$15.79

Federal Strategic Sourcing Initiative, 5120-00-277-8301, 5/8" & 11/16" Ends., EA, \$12.93

Federal Strategic Sourcing Initiative, 5120-00-277-7025, 15/16" & 1" Ends., EA, \$31.74

These open ended, engineer's style double headed wrenches are black oxide coated & have a 15° angle on both ends. B107.100 Cat 39.

Regular Length

Federal Strategic Sourcing Initiative, 5120-01-373-8833, 3/4" & 7/8" Ends. Oxide., EA, \$18.37

Open End Wrench (Angle Style)

Angle style open end wrench is double headed & chrome plated. The heads are angled 15° one end & 60° on the other end. The ends are listed by 15° (A) then 60° (B). ASME B107.100 Cat 39 Class 3.

Federal Strategic Sourcing Initiative, 5120-00-184-8653, 7/8" (A) & (B)., EA, \$31.59

Federal Strategic Sourcing Initiative, 5120-00-277-8314, 3/8" (A) & 11/32" (B)., EA, \$3.44

Federal Strategic Sourcing Initiative, 5120-00-277-8308, 7/32" (A) & 1/4" (B)., EA, \$2.83

Federal Strategic Sourcing Initiative, 5120-00-277-8309, 1/4" (A) & 7/32" (B)., EA, \$2.84

Exception to spec: Wrench angles shall be 15° & 75° degree angles.

Federal Strategic Sourcing Initiative, 5120-00-293-0191, 3/8" (A & B) (15 degree and 75 degree)., EA, \$6.29

Open End Wrench (Tappet)

This automotive tappet style, double headed wrench has a 15 degree angle on both ends & is chrome plated. B107.100 Cat 39.

Type III: Tappet wrench, 15 deg

Federal Strategic Sourcing Initiative, 5120-00-277-2327, 5/8" & 11/16" Ends., EA, \$15.16

Federal Strategic Sourcing Initiative, 5120-00-473-6538, 3/4" & 7/8" Ends, 8" L Min, Full Polish., EA, \$20.72

Federal Strategic Sourcing Initiative, 5120-01-399-9902, 9/16" & 5/8" Ends, 10" L., EA, \$15.09

Federal Strategic Sourcing Initiative, 5120-01-400-0242, 1/2" & 9/16" Ends, 10" L, Satin Chrome., EA, \$15.90

Flare Nut Wrench (Single Head)

Forged steel flare nut wrench has a corrosion preventive coating & is for tightening & loosening tube fittings, stuffing gland nuts & similar flare nuts. Has a nondistortion design, with heads that are angled at 15°.

Federal Strategic Sourcing Initiative, 5120-01-387-0055, 3/4", 7-1/2" L, 12 Point., EA, \$25.79

These 12 point flare nut wrenches are designed for tightening & loosening tube fittings, stuffing gland nuts & similar flare nuts by having an slot that fits over the tubing. AS4167

Type II: Black oxide or phosphate finish, Class 2: Flare nut wrenches, Style D: Single flare nut.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-224-3156, 7/16"., EA, \$15.99

Flare Nut Wrench (Double Head)

These double head flare nut wrenches are designed for tightening & loosening tube fittings & stuffing gland nuts & similar flare nuts by having an open end slot that fits over the tubing. They are chromium plated. B107.100 Cat 40.

Federal Strategic Sourcing Initiative, 5120-01-428-8321, 1/2" & 9/16" Ends, 6 Point., EA, \$22.71

Federal Strategic Sourcing Initiative, 5120-01-428-8275, 3/8" & 7/16" Ends, 6 Point., EA, \$23.93

These 12 point flare nut wrenches are designed for tightening & loosening tube fittings, stuffing gland nuts & similar flare nuts by having an slot that fits over the tubing. AS4167

Type I: Chromium finish, Class 2: Wrench (Flare nut), Style A: Double flare nut, Design B: 15 degree heads.

Federal Strategic Sourcing Initiative, 5120-00-269-7972, 3/4" & 1" Ends., EA, \$25.79

Federal Strategic Sourcing Initiative, 5120-01-486-2298, 7mm & 8mm Ends., EA, \$15.60

Open End Wrench Set (Double Head) Angle Style

These angle style open end wrench sets are double headed. The heads are angled 15° one end and 60° on the other end. The ends are listed by 15° (A) then 60° (B). ASME B107.100 Cat 39.

Wrench set consists of (8) pieces in sizes: 13/64" x 15/64", 7/32" x 1/4", 15/64" x 13/64", 1/4" x 7/32", 9/32" x 5/16", 5/16" x 9/32", 11/32" x 3/8" & 3/8" x 11/32"

Federal Strategic Sourcing Initiative, 5120-00-962-7580, Chrome., SE, \$23.97

Open End Wrench Set (Double Head)

These angle style open end wrench sets are double headed & chrome plated. The heads are angled 30° one end & 60° on the other end. The ends are listed by 30° (A) then 60° (B). ASME B107.100.

Wrench set consists of (28) regular length wrenches in (A & B) sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8" & 2".

Federal Strategic Sourcing Initiative, 5120-01-428-8751, SE, \$1,016.25

Wrench set consists of (14) regular length wrenches in (A & B) sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" & 1-1/4".

Federal Strategic Sourcing Initiative, 5120-01-428-8705, SE, \$433.77

These open ended, engineer's style double headed wrench sets have a 15 degree angle on both ends. B107.100 Cat 39.

Regular Length

Set consists of (6) wrenches in sizes: 1/4" x 5/16", 5/16" x 3/8", 3/8" x 7/16", 7/16" x 1/2", 1/2" x 9/16", 9/16" x 5/8", 5/8" x 11/16", 5/8" x 3/4", 11/16" x 3/4", 3/4" x 13/16", 3/4" x 7/8", 13/16" x 7/8", 7/8" x 15/16", 15/16" x 1", 1" x 1-1/16", 1-1/16" x 1-1/4", 1-1/8" x 1-3/16", 1-1/4" x 1-5/16", 1-3/8" x 1-7/16" & 1-1/2" x 1-5/8".

Federal Strategic Sourcing Initiative, 5120-01-428-8521, Kit Bag., SE, \$620.31

Set consists of (10) wrenches in the following sizes: 5/16" X 3/8", 7/16" X 1/2", 9/16" X 5/8", 11/16" X 3/4", 13/16" X 7/8", 15/16" X 1", 1-1/16" X 1-1/8", 1-1/4" X 1-5/16", 1-3/8" X 1-7/16" & 1-1/2" X 1-5/8".

Federal Strategic Sourcing Initiative, 5120-01-581-6433, Oxide, Vinyl Roll., SE, \$262.51

Set consists of (5) wrenches in sizes: 3/16" X 7/32", 1/4" X 9/32", 5/16" X 11/32", 3/8" X 7/16" & 7/16" X 1/2".

Federal Strategic Sourcing Initiative, 5120-00-449-8128, Kit Bag or Roll., SE, \$60.92

Flare Nut Wrench Set

These double head flare nut wrench sets are designed for tightening and loosening tube fittings and stuffing gland nuts and similar flare nuts by having an open end slot that fits over the tubing. B107.100 Cat 40.

This flare nut wrench set consists of (5) wrenches in sizes: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 13/16".

Federal Strategic Sourcing Initiative, 5120-01-428-8285, 6 Point, Chrome, Plastic Tray., SE, \$126.07

Pipe Wrenches

Pipe Wrench (Angle Style)

Use this adjustable, angle style wrench when service is in confined quarters & not unusually severe. The jaw opens at a 25° angle from the handle. Consists of a steel adjusting nut, a threaded movable jaw, a handle with fixed jaw & frame openings for movable jaw & adjusting nut. Knurled adjusting nut has internal threads. Described by: (Range, Length).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-269-7966, 1/4" to 1", 10" L., EA, \$11.57

Federal Strategic Sourcing Initiative, 5120-00-269-7965, 1/2" to 1-1/2", 14" L., EA, \$20.98

Pipe Wrench (Strap Type)

Adjustable, strap type wrench will not scratch polished pipe or tubing. Consists of a steel head with strap pin and slot, a one piece "I" beam handle and a flexible woven web strap. Strap is treated for added traction. Described by: (Capacity, Strap Length and Handle Length)

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-242-3249, Capacity: 1/8 to 2", 17" L Strap, 11-3/4" L Handle., EA, \$39.99

Oil Filter Wrench

These oil filter wrenches have either a steel band, strap or form fitting type.

Federal Strategic Sourcing Initiative, 5120-00-020-2947, 1/2" & 3/8" Drives, Nylon Strap, Fits 1" - 6" Dia., EA, \$9.88

Pipe Wrench (Chain Type)

A chain type wrench should be used on larger size pipe only. Consists of a steel or iron handle fitted with removable steel jaws and a length of flat link steel chain. Reversible working end has teeth on each side. Described by (Capacity, Handle Length).

Federal Strategic Sourcing Initiative, 5120-01-486-2264, 7/8" to 4", 12-5/16" L., EA, \$38.86

Federal Strategic Sourcing Initiative, 5120-01-335-2624, C-14 or equal., 3/4" to 5", 15" L., EA, \$80.77

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-240-1410, R233 or equal., 1" to 6", 42" L., EA, \$461.96

Pipe Wrench (Movable Jaw)

This heavy duty adjustable wrench features a movable jaw that opens at a 90° angle from the handle. Consists of a handle with a fixed jaw and frame, a movable steel upper jaw and a freely operating steel adjusting nut. Described by (Capacity, Length).

Federal Strategic Sourcing Initiative, 5120-01-335-1030, 0" to 1-1/2", 10" L., EA, \$11.57

Federal Strategic Sourcing Initiative, 5120-01-357-4758, 0" to 2", 12" L, Steel., EA, \$29.18

Federal Strategic Sourcing Initiative, 5120-01-335-1031, 0" to 2", 12" L., EA, \$18.05

Federal Strategic Sourcing Initiative, 5120-01-336-5476, 31100 or equal., 0" to 2-1/2", 18" L, Aluminum., EA, \$42.85

Federal Strategic Sourcing Initiative, 5120-01-335-1033, 0" to 2-1/2", 18" L., EA, \$29.78

Federal Strategic Sourcing Initiative, 5120-01-335-1034, 0" to 3", 24" L., EA, \$47.56

Federal Strategic Sourcing Initiative, 5120-01-399-8985, 0" to 5", 36" L., EA, \$96.14

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-1483, 1/8" to 1/2", 6" L., EA, \$17.59

Federal Strategic Sourcing Initiative, 5120-00-277-1477, 31090 or equal., 1-1/2", 10" L, Aluminum., EA, \$31.09

Federal Strategic Sourcing Initiative, 5120-00-240-5336, 0" to 2-1/8", 10-1/2" L., EA, \$25.54

Federal Strategic Sourcing Initiative, 5120-00-277-1486, 1/2" to 1-1/2", 14" L Steel., EA, \$20.98

Federal Strategic Sourcing Initiative, 5120-00-277-1478, 1/2" to 1-1/2", 14" L, Aluminum., EA, \$28.59

Federal Strategic Sourcing Initiative, 5120-00-277-1461, 1" to 2", 18" L., EA, \$29.78

Federal Strategic Sourcing Initiative, 5120-00-277-1479, 1" to 2", 18" L, Aluminum., EA, \$44.82

Federal Strategic Sourcing Initiative, 5120-00-277-1462, 1-1/2" to 2-1/2", 24" L., EA, \$47.56

Federal Strategic Sourcing Initiative, 5120-00-277-1480, 1-1/2" to 2-1/2", 24" L, Aluminum., EA, \$60.20

Federal Strategic Sourcing Initiative, 5120-00-277-1481, 31110 or equal., 5", 36" L, Aluminum., EA, \$134.51

Federal Strategic Sourcing Initiative, 5120-00-270-4309, 2-1/2" to 3-1/2", 36" L, Cast Iron., EA, \$96.14

Spanner Wrenches

Spanner Wrench

Repair problems more easily with hose coupling type wrench. Use on rocker lugs, slotted or pin lug fire hose couplings from 1-1/2 to 3-1/2" sizes. Made of aluminum alloy. IAW Dept of the Navy Dwg 810-4444647.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-018-1519, EA, \$19.21

These spanner wrenches are made of steel and are used for machinery maintenance and for tightening / loosening hose couplings and hydrant caps. Described by (Capacity, Length) GGG-W-665.

Type 1: Adjustable Hook Type. Class 1: Fixed Pivot Point.

Federal Strategic Sourcing Initiative, 5120-01-335-0704, 3/4" - 2", 6-3/8" L., EA, \$19.49

Federal Strategic Sourcing Initiative, 5120-01-399-8970, 2" to 4-3/4", 11-1/4" L., EA, \$42.90

Federal Strategic Sourcing Initiative, 5120-00-288-6468, 3/4" to 2", 6-3/8" L., Steel, Oxide., EA, \$16.15

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-9075, 1-1/4" to 3", 8-1/8" L., EA, \$24.38

Federal Strategic Sourcing Initiative, 5120-00-277-9077, 4-1/2" to 6-1/4", 12-1/8" L., Steel., EA, \$64.07

Type 2: Pin, Class 2: Adjustable.

Federal Strategic Sourcing Initiative, 5120-01-335-0708, 3/4" - 2", 6-3/8" L., Oxide., EA, \$43.59

Type 3: Face. Class 2: Adjustable.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-0798, 3", Pin 1/4", 8-1/4" L., EA, \$49.80

Universal hose coupling-type wrench is for use on pin-lug, guard-lug, rocker-lug and other couplings for hoses with diameters of 1 to 3. Handle is shaped for use as a forcible entry tool and to shut off gas cocks. With belt hook eyelet. Made of forged steel or cast iron.

Federal Strategic Sourcing Initiative, 5120-00-293-1602, 11" L, EA, \$17.06

These spanner wrenches are made of steel and are used for machinery maintenance and for tightening and loosening hose couplings and hydrant caps.

Type III: Face, Class 1: Non-Adjustable.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-288-8746, 2" dia, Pin 3/16", 6-3/8" L., EA, \$35.19

Perfect for use on collars, rings and locknuts. Steel wrench has a corrosion preventive coating and a comfortable grip. AS6018

Type I: Adjustable Hook, Class 1: Fixed Pivot Point

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-277-9076, 11-3/8" L, 3/16" Pin, 2" to 4-3/4" Opening., EA, \$23.19

Hook wrench is adjustable and is made of beryllium-copper or aluminum-bronze alloy. Length is 12-1/4" with hook fully open. Diameter capacity is 4 to 6-3/8". Hook is 1/4" long, 7/16" wide and 5/8" deep.

Nonmagnetic and Nonsparking.

Federal Strategic Sourcing Initiative, 5120-00-494-1989, 12" L., EA, \$87.04

Face pin-type wrench is adjustable and has two head arms joined at one end with a hinge pin, providing smooth movement. Friction holds arms at any angle.

Federal Strategic Sourcing Initiative, 5120-00-157-2133, JC497 or equal., 11-3/8" L, 1/4" Pin, 2" to 4-3/4" Opening., EA, \$68.59

IAW U.S. Army Electronics Research and Development Command, Night Vision and Electro-Optics Laboratory dwg #5007644.

Federal Strategic Sourcing Initiative, 5120-01-175-7134, EA, \$52.29

Adjustable hook-type wrench has a fixed pivot point and a jaw that pivots freely. Also has a well-secured hinge pin.

Diameter capacity: 1-1/4 to 3"; Pin diameter: 3/16".

Federal Strategic Sourcing Initiative, 5120-01-566-1944, 3731-65-1 or equal., EA, \$295.90

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-293-0406, JC472 or equal, 8-1/8" L, 3/16" Pin, 1-1/4" to 3" Opening., EA, \$44.23

Type III-Face. Face pin-type wrench has two pins permanently attached in ends of spanner head at right angles.

Adjustable wrench has two head arms joined at one end with a hinge pin, providing smooth movement. Friction holds arms at any angle.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-264-3777, 10-3/8" L, 5/16" Pin, 4" Opening., EA, \$68.59

Spanner Wrench (Face Spanner Socket Wrench)

Perfect for use on collars, rings and locknuts. Steel wrench has a corrosion preventive coating and a comfortable grip. AS6018

End Item Identification: NSN 2320-01-304-2277, Truck

Federal Strategic Sourcing Initiative, 5120-01-354-9451, Opening: 4.63", 2-3/4" L, 1" Drive., EA, \$358.82

Spanner Wrench Set

Consists of one steel handle (1/4" diameter and 4" long) and six wrenches with openings 9/16, 15/16, 1-1/4, 1-7/16, 1-5/8 and 1-13/16". Black oxide, chromium or nickel finish. IAW Department of the Army Signal Corps Engineering Laboratories drawing SC-B-61575, Rev D.

Federal Strategic Sourcing Initiative, 5120-00-658-9805, SE, \$135.19

Special-Purpose Wrenches

Crowfoot Wrench (Flare Nut)

These 12 point flare nut wrenches are designed for tightening & loosening tube fittings, stuffing gland nuts & similar flare nuts by having an slot that fits over the tubing. AS4167

Type I: Chromium finish, Class 1: Crowfoot (Flare nut), Style B: 3/8" Drive, Design A: Standard duty.

Federal Strategic Sourcing Initiative, 5120-00-224-7288, 5/8", EA, \$22.93

Federal Strategic Sourcing Initiative, 5120-01-348-9464, 5/8", EA, \$22.93

Federal Strategic Sourcing Initiative, 5120-01-348-9465, 11/16", EA, \$19.82

Federal Strategic Sourcing Initiative, 5120-01-348-9466, 3/4", EA, \$26.05

Federal Strategic Sourcing Initiative, 5120-01-348-9470, 1", EA, \$31.03

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-229-2772, 1", EA, \$31.01

Type I: Chromium finish, Class 1: Crowfoot (Flare nut), Style C: 1/2" Drive, Design A: Standard duty.

Federal Strategic Sourcing Initiative, 5120-00-184-8385, 2-1/4", EA, \$62.90

Type II: Black oxide or phosphate finish, Class 1: Crowfoot (Flare nut), Style C: 1/2" Drive, Design A: Standard duty.

Federal Strategic Sourcing Initiative, 5120-01-428-8033, 1-3/4", EA, \$36.59

Crowfoot Wrench (Open End)

These forged steel, crowfoot wrenches have a female drive at one end & a wrenching configuration at the other end. The wrench attaches to the male square drive end of a socket wrench handle or extension bar. For use on flare nuts, fittings & aircraft fittings in hard to reach areas. B107.100 Cat 21.

Type: II (Crowfoot, Open End), Class: 1 (Standard Duty).

Federal Strategic Sourcing Initiative, 5120-01-335-1149, 3/8", 3/8" Drive, Chrome., EA, \$6.46

Federal Strategic Sourcing Initiative, 5120-01-335-1150, 7/16", 3/8" Drive, Chrome., EA, \$7.79

Federal Strategic Sourcing Initiative, 5120-00-184-8384, 1/2", 3/8" Drive, Chrome., EA, \$27.54

Federal Strategic Sourcing Initiative, 5120-01-335-1151, 1/2", 3/8" Drive, Chrome., EA, \$8.06

Federal Strategic Sourcing Initiative, 5120-00-184-8397, 9/16", 3/8" Drive, Chrome., EA, \$7.76

Federal Strategic Sourcing Initiative, 5120-01-335-1152, 9/16", 3/8" Drive, Chrome., EA, \$25.65

Federal Strategic Sourcing Initiative, 5120-01-335-1153, 5/8", 3/8" Drive, Chrome., EA, \$8.04

Federal Strategic Sourcing Initiative, 5120-01-335-1154, 11/16", 3/8" Drive, Chrome., EA, \$8.59

Federal Strategic Sourcing Initiative, 5120-01-335-1155, 3/4", 3/8" Drive, Chrome., EA, \$8.70

Federal Strategic Sourcing Initiative, 5120-01-335-1156, 13/16", 3/8" Drive, Chrome., EA, \$9.78

Federal Strategic Sourcing Initiative, 5120-01-335-1089, 7/8", 3/8" Drive, Chrome., EA, \$10.26

Federal Strategic Sourcing Initiative, 5120-01-335-1090, 15/16", 3/8" Drive, Chrome., EA, \$10.51

Federal Strategic Sourcing Initiative, 5120-01-335-1123, 1-5/16", 1/2" Drive, Chrome., EA, \$42.57

Federal Strategic Sourcing Initiative, 5120-01-335-1126, 1-1/2", 1/2" Drive, Chrome., EA, \$52.84

Federal Strategic Sourcing Initiative, 5120-01-335-1141, 1-5/8", 3/8" Drive, Chrome., EA, \$31.25

Federal Strategic Sourcing Initiative, 5120-01-335-1128, 1-11/16", 1/2" Drive, Chrome., EA, \$32.58

Federal Strategic Sourcing Initiative, 5120-01-335-1142, 1-11/16", 3/8" Drive, Chrome., EA, \$32.05

Federal Strategic Sourcing Initiative, 5120-00-812-5522, 1-7/8", 3/8" Drive, Chrome., EA, \$37.61

Federal Strategic Sourcing Initiative, 5120-01-620-6411, 2-1/4", 1/2" Drive, Chrome., EA, \$63.27

Federal Strategic Sourcing Initiative, 5120-01-428-8032, 12mm, 3/8" Drive, Chrome., EA, \$9.80

Federal Strategic Sourcing Initiative, 5120-01-122-8359, 13mm, 3/8" Drive, Chrome., EA, \$8.56

Type: II (Crowfoot, Open End), Class: 2 (Heavy Duty).

Federal Strategic Sourcing Initiative, 5120-01-335-1091, 1", 3/8" Drive, Chrome., EA, \$10.63

Federal Strategic Sourcing Initiative, 5120-01-335-1124, 1-3/8", 1/2" Drive, Chrome., EA, \$45.57

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-236-2261, 11/16", 3/8" Drive, Chrome., EA, \$19.98

Crowfoot Wrench Set (Open End)

These forged steel, crowfoot wrenches have a female drive at one end & a wrenching configuration at the other end. The wrench attaches to the male square drive end of a socket wrench handle or extension bar. For use on flare nuts, fittings & aircraft fittings in hard to reach areas. B107.100 Cat 21.

Set contains (14) standard duty, open end, crowfoot wrenches in sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16" & 1-1/4".

Federal Strategic Sourcing Initiative, 5120-01-429-1110, 3/8" Drive, Chrome, Plastic Tray., SE, \$293.58

Set contains (14) standard duty, open end, crowfoot wrenches in sizes: 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2".

Federal Strategic Sourcing Initiative, 5120-01-429-1090, 1/2" Drive, Chrome., SE, \$612.35

Set contains (26) standard duty, open end, crowfoot wrenches in sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16" & 2".

Federal Strategic Sourcing Initiative, 5120-01-429-1097, 3/8" Drive, Chrome., SE, \$680.07

Set contains (42) standard duty, open end, crowfoot wrenches in sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2", 2-1/16", 2-1/8", 2-3/16", 2-1/4", 2-5/16", 2-3/8", 2-7/16", 2-1/2", 2-9/16", 2-5/8", 2-11/16", 2-3/4", 2-13/16", 2-7/8", 2-15/16" & 3".

Federal Strategic Sourcing Initiative, 5120-01-429-1087, 3/8" Drive, Chrome., SE, \$440.98

Lineman's Wrench

This double open-end type forged steel wrench is used for electrical pole line work. Wrench openings: First end: 5/8" & 13/16"; Second end: 29/32" & 1-3/32". Has a 7/8" x 3/4" oval hole in the shank at the larger end for turning standard pole steps. GGG-W-648

Federal Strategic Sourcing Initiative, 5120-00-277-4248, 3146 or equal, 13" L., EA, \$97.80

Flare Nut Wrench (Double Head)

These double head flare nut wrenches are designed for tightening & loosening tube fittings & stuffing gland nuts & similar flare nuts by having an open end slot that fits over the tubing. They are chromium plated. B107.100 Cat 40.

Federal Strategic Sourcing Initiative, 5120-01-025-0206, 9mm & 11mm Ends, 6 Point, Full Polish., EA, \$17.68

Wrench

Handle hex opening 3/4 inch; Overall length; 22 inches.

Federal Strategic Sourcing Initiative, 120-01-134-9422, 32318 or equal., EA, \$16.63

Wrench (Tranion Bearing)

IAW Department of the Army, Ordnance Department drawing number 7950946, Rev D, support drawing numbers 7950213 & 7950975.

Federal Strategic Sourcing Initiative, 5120-00-795-0946, EA, \$114.72

Wrench Release Tool

IAW GSA Drawing number 022-9783, Rev A.

Federal Strategic Sourcing Initiative, 5120-00-022-9783, EA, \$57.51

Wrench Assembly

Services & maintains the range & accessory outfit (field burner unit), gasoline field range outfit & two burner gasoline stove. Set of six wrenches made of stamped steel consists of (4) double ended open end wrenches with openings that measure 9/16" x 3/4", 3/8" x 9/16", 5/16" x 7/16" & 1/4" x 7/16". Alligator jaw wrench & screwdriver (maximum opening of jaws is 7/8") & wrench assembly (gas tip cleaner connects to wrench). In accordance with Army Natick drawing 2-9-108, Rev 7.

Federal Strategic Sourcing Initiative, 5120-00-303-7737, EA, \$18.67

Grease Fitting Tool

Hand-operated tool with a socket wrench opening at each end is for reaming, cleaning and retapping grease fittings; also for tightening fittings and removing broken fittings. T-handle has a left-hand spiral on one end for removing broken or worn fittings and a tap on the other end for rethreading fittings.

For use on midget-type high-pressure fittings. Has socket wrench opening of 7/16 for removal of hex, angle, straight or pin-type fittings. Tap size is 1/8 NPT; 27 threads per inch.

Federal Strategic Sourcing Initiative, 5120-00-246-2311, EA, \$16.89

Cheater Bar

Steel tube extension fits on six point, single headed, stub end box wrenches.

For use with wrenches that have openings ranging from 2-3/8" through 3-1/8".

Federal Strategic Sourcing Initiative, 5120-00-473-6320, 36B or equal., Inside diameter: 1-1/8", 36" L., EA, \$63.84

Nut Splitter

Heavy duty splitter has a C-type body. Splits rusted or frozen nuts up to 3/4" across flats. Cutting chisel rotates 360° inside body to attain best cutting position. Replaceable anvil is secured to screw with friction ring. Pressure screw has a 3/4" hexagonal head for use with an open or box end wrench. Includes a detachable bar handle.

Note: Do not use with power wrenches.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-803-6339, EA, \$30.57

Spud Nut Wrench

Internal gripping wrench is for installing & removing all sizes of water closet bowl spuds & sink strainers. Also securely holds waste & basin pipes while tightening locknut. Made of hardened steel.

Federal Strategic Sourcing Initiative, 5120-00-511-1432, 059592 or equal., EA, \$37.74

Tap and Reamer Wrench

Steel wrench has a straight handle & adjustable jaw for holding & supplying torque to manually rotated taps & reamers. The wrench has two handles: one handle is integral with & screwed into the body, the other is designed to operate & adjust the movable jaw. A2 TAP.

Bolt and screw tap capacity: 3/16" to 5/8".

Federal Strategic Sourcing Initiative, 5120-01-370-6476, 12-5/8" L., EA, \$118.57

Bolt and screw tap capacity: No. 8 to 1/2"; Reamer capacity: 11/64 to 3/8".

Federal Strategic Sourcing Initiative, 5120-00-277-4064, 8" to 12" L., EA, \$16.30

Steel wrench with sliding T-handle is designed to hold and supply torque to manually rotated taps and reamers. The adjusting sleeve is threaded internally and knurled on the external surface. The body encloses a ratcheting device with a shifter capable of being set for three different positions: Clockwise ratcheting; Counterclockwise ratcheting; Non-ratcheting (ratchet mechanism is locked).

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-289-0534, 3-3/8" L, Tap capacity: 1/4" to 1/2", Reamer capacity: 1/4" to 3/8"., EA, \$9.32

Federal Strategic Sourcing Initiative, 5120-00-517-5347, 3-1/2" L, Tap capacity: 0.06 to 1/4", Reamer capacity: Size #0 to 1/4"., EA, \$9.59

Bung Wrench

All-purpose bung wrench has multiple heads that tighten and loosen 20 or more different styles of commercial bungs on metal drums. Use this double-ended wrench on male and female bungs of round, square, hexagonal, channel and lug forms. Has a steel handle and steel or malleable iron wrench heads.

Federal Strategic Sourcing Initiative, 5120-00-507-4886, 15" L., EA, \$43.68

Torque Wrenches

Torque Wrench

Insure the proper torque is applied to all your nuts and bolts with these torque wrenches. The operation can be operated in a clockwise only, counterclockwise only or both. When torque is achieved it is followed by a physical impulse and an audible signal. The torque wrench is reset when the load is released. AS28431

Type I: Bi-directional. Class 1: Non-Ratchet Head (Precise Clockwise Torque).

Capacity: 50 to 250 foot pounds in 1 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1741, 1/2" Drive, 20-1/4" L, Chrome, Case., EA, \$194.93

Federal Strategic Sourcing Initiative, 5120-01-573-1396, 1/2" Drive, 26" L, Chrome, Case., EA, \$246.58

Capacity: 40 to 200 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1732, 1/4" Drive, 8" L, Chrome., EA, \$146.69

Capacity: 150 to 1000 inch pounds in 5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1735, 3/8" Drive, 11-7/8" L, Chrome., EA, \$204.04

Capacity Dual Scale: 100 to 1000 inch pounds in 5 inch pound increments / 173 to 1210 Kg Centimeters in 5.75 Kg Centimeter increments.

Federal Strategic Sourcing Initiative, 5120-01-399-9023, 3/8" Drive, 16" L, EA, \$165.18

Capacity Dual Scale: 120 to 600 foot pounds in 2 to 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-399-9051, 3/4" Drive, 41-1/4" L, Chrome, Case., EA, \$754.04

Type 1: Bi-directional. Class 2: Ratchet Head (Precise Clockwise Torque).

Capacity: 300 to 2500 inch pounds in 10 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-396-5914, 1/2" Drive, 18" L, Chrome., EA, \$188.45

Capacity Dual Scale: 20 to 100 foot pounds in 0.5 foot pound increments / 3.5 to 14.5 Kg meters in 0.07 Kg meter increments.

Federal Strategic Sourcing Initiative, 5120-01-400-0237, 3/8" Drive, 16" L, Chrome, Case., EA, \$176.31

Capacity: 30 to 250 foot pounds in 1 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-276-7016, 1/2" Drive, 23" L, Chrome, Case., EA, \$214.67

Federal Strategic Sourcing Initiative, 5120-01-396-5917, 1/2" Drive, 18" L, Chrome., EA, \$235.02

Capacity: 20 to 150 foot pounds in 1 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-468-6124, 1/2" Drive, 20" L, EA, \$194.09

Capacity Dual Scale: 100 to 750 inch pounds in 5 inch pound increments / 14.1 to 81.9 newton meters in 0.6 newton meter increments.

Federal Strategic Sourcing Initiative, 5120-01-426-7560, 3/8" Drive, 16" L, Chrome., EA, \$166.41

Capacity: 10 to 50 inch pounds in 0.5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-477-9530, 1/4" Drive, 9-7/8" L, Chrome., EA, \$257.05

Capacity: 30 to 150 inch pounds in 2 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-001-3733, 1/4" Drive, 10" L, Chrome, Case., EA, \$190.37

Capacity: 40 to 200 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-339-0367, 1/4" Drive, 11-1/16" L, Chrome, Case., EA, \$141.46

Capacity Dual Scale: 40 to 200 inch pounds in 1 inch pound increments / 58 to 242 Kg Centimeters in 1.15 Kg Centimeter increments.

Federal Strategic Sourcing Initiative, 5120-01-400-0232, 1/4" Drive, 11" L, EA, \$161.89

Capacity: 40 to 200 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-339-0368, 3/8" Drive, 10-1/4" L, Case., EA, \$188.64

Capacity: 30 to 250 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-396-5959, 3/8" Drive, 14-3/4" L, Chrome., EA, \$125.23

Capacity: 200 to 1000 inch pounds in 5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-339-0369, 3/8" Drive, 15-1/2" L, Chrome, Case., EA, \$200.98

Capacity: 5 to 75 foot pounds in 0.5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1734, 3/8" Drive, 15-1/8" L, Flex Head., EA, \$144.88

Capacity: 15 to 100 foot pounds in 0.5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1736, 3/8" Drive, 15-1/4" L, Case., EA, \$174.10

Capacity: 500 to 2500 inch pounds in 10 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1739, 1/2" Drive, 19-1/8" L, Chrome, Case., EA, \$192.93

Capacity: 30 to 200 foot pounds in 1 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-125-5190, 1/2" Drive, 23" L, Chrome., EA, \$235.02

Capacity: 50 to 250 foot pounds in 1 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-042-0982, 1/2" Drive, 20" L, Chrome, Case., EA, \$235.02

Capacity Dual Scale: 50 to 250 foot pounds in 10 foot pound increments / 7.6 to 35.2 meter kilograms in 0.14 meter kilogram increments.

Federal Strategic Sourcing Initiative, 5120-01-400-0239, 1/2" Drive, 26-1/4" L, Case., EA, \$216.84

Capacity: 100 to 600 foot pounds in 10 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-113-9564, 3/4" Drive, 40" L, Chrome, Case., EA, \$728.97

Capacity: 120 to 600 foot pounds in 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1742, 3/4" Drive, 42-3/4" L, Chrome., EA, \$590.61

Capacity Dual Scale: 120 to 600 foot pounds in 2 to 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-400-0319, 3/4" Drive, 41-1/2" L, Chrome, Case., EA, \$655.57

Capacity Dual Scale: 120 to 600 foot pounds in 2 foot pound increments / 162.8 to 814 newton meters in 2.71 newton meter increments.

Federal Strategic Sourcing Initiative, 5120-01-399-5605, 3/4" Drive, 41-1/2" L, Knurled., EA, \$646.71

Capacity: 200 to 1000 foot pounds in 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-474-5099, 1" Drive, Chrome, 71" L., EA, \$1,223.27

Type I: Bi-directional. Class 5: Interchangeable Head (Precise Clockwise Torque).

Furnished with (2) open end wrench heads having hexagonal openings of 1/4" and 5/16".

Federal Strategic Sourcing Initiative, 5120-00-169-5776, 6" L, 8 in/lbs., EA, \$203.51

Pre-set torque wrench. Capacity: 8.0 in-lbs; Torque Head: interchangeable open end type.

Federal Strategic Sourcing Initiative, 5120-01-168-9451, 5/16" Open End, 7" L, Chrome, Case., EA, \$205.65

Type 2: Uni-directional. Class 1: Non-Ratchet Head (Precise Clockwise Torque).

Capacity: 30 to 150 inch pounds in 2 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-396-6070, 1/4" Drive, Chrome., EA, \$143.71

Capacity: 150 to 750 inch pounds in 5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-374-1931, 3/8" Drive, Chrome., EA, \$161.81

Capacity: 10 to 50 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-396-6067, 1/4" Drive, Chrome., EA, \$176.83

Capacity: 700 to 1600 inch pounds in 10 inch pound increments.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-396-6075, 1/2" Drive, Chrome., EA, \$211.08

Capacity: 30 to 150 foot pounds in 1 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-374-1935, 1/2" Drive, Chrome., EA, \$174.81

Type 2: Uni-directional. Class 2: Ratchet Head (Precise Clockwise Torque).**Capacity: 10 to 50 inch pounds in 1 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-374-1926, 1/4" Drive, Chrome., EA, \$136.96

Capacity: 40 to 200 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-374-1928, 1/4" Drive, Chrome., EA, \$212.93

Capacity: 15 to 75 foot pounds in 0.5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-351-2048, 3/8" Drive, 14" L, Chrome, Case., EA, \$146.78

Capacity: 150 to 750 inch pounds in 5 inch pound increments.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-374-1932, 3/8" Drive, Chrome., EA, \$198.00

Capacity: 30 to 150 foot pounds in 1 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-374-1936, 1/2" Drive, Chrome., EA, \$210.37

Capacity: 40 to 250 foot pounds in 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1781, 1/2" Drive, 22-1/8" L, Flex Head, Chrome., EA, \$225.98

Capacity: 50 to 250 foot pounds in 1 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-374-1938, 1/2" Drive, Chrome., EA, \$204.28

Capacity: 120 to 600 foot pounds in 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-374-1939, 3/4" Drive, Chrome., EA, \$763.97

Type 2: Uni-directional. Class 3: Non Ratchet Head (Precise Counter-clockwise Torque).**Capacity: 5 to 50 inch pounds in 0.5 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-142-9857, 1/4" Drive, 8" L., EA, \$116.69

Torque Wrench (Dial)

Insure the proper torque is applied to all your screws, nuts & bolts with these torque wrenches. These screwdriver type indicating torque wrenches shall be calibrated in the direction(s) of their intended use. They can be operated in a clockwise only, counterclockwise only or both. B107.14.

Dial indicating 1/4" external drive torque wrench. 0 to 50 in-lbs. range. 2 in-lb graduations. Visual indication. Reads left or right hand. Contains 0.250" internal drive in handle.

Federal Strategic Sourcing Initiative, 5120-01-131-4467, EA, \$251.37

Electronic Torque Wrench

Electronic torque wrench is designed for the professional technician. Features a comfortable, non slip handle & is designed to withstand shock without failure. Flex head ratchet moves 15 degrees in both directions; Easy to use as each button has only one function. LCD Low Battery Indicator. Auto Shut-off after 2 minutes idle. Runs on 3 AA batteries (included). Furnished in a carrying case. ASME B107.28.

Torque range: 5-100 ft. lb., Increments: 1 ft. lb.

Federal Strategic Sourcing Initiative, 5130-01-514-7768, 3/8" Drive., EA, \$321.28

Hydraulic Torque Wrench

IAW Pratt & Whitney Aircraft Group (United Technologies) Drawing PWA 50308 Rev. N.

Federal Strategic Sourcing Initiative, 5130-00-468-0849, EA, \$38,721.14

Torque Wrench (Indicating)

Insure the proper torque is applied to all your nuts and bolts with these indicating torque wrenches. These indicating type torque wrenches have a working mechanism that visually shows the torque in both the clockwise and counterclockwise direction. B107.14.

Type 1: Indicating, Class A: Deflecting Beam, Style 1: Plain Scale.**Capacity: 0 to 120 inch pounds in 5 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-00-900-1283, 1/4" Drive, Chrome, Case., EA, \$223.31

Federal Strategic Sourcing Initiative, 5120-00-585-7706, 3/8" Drive, 10" L., EA, \$144.79

Capacity: 0 to 600 inch pounds in 25 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-542-5681, 3/8" Drive, 15-1/2" L, Chrome, Case., EA, \$50.62

Federal Strategic Sourcing Initiative, 5120-00-221-7947, 1/2" Drive, 13-1/2" L, Chrome, Case., EA, \$272.11

Capacity: 0 to 150 foot pounds in 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-00-247-2540, 1/2" Drive, 20" L, Chrome, Case., EA, \$27.45

Capacity: 0 to 300 inch pounds in 10 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-247-2536, 1/2" Drive, Chrome, Case., EA, \$208.29

Capacity: 0 to 10 inch pounds in 0.5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-618-4433, 1/4" Drive, 6" L, Chrome., EA, \$139.57

Type 1: Indicating, Class C: Rigid Housing, Style 1: Plain Scale.**Capacity: 0 to 30 inch pounds in 1 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-00-839-8139, 1/4" Drive, 11" L, Chrome, Case., EA, \$179.21

Capacity Dual Scale: 0 to 30 inch pounds in 1 inch pound increments / 0 to 3.5 Newton meters in 0.1 Newton meter increments.

Federal Strategic Sourcing Initiative, 5120-01-123-1122, 1/4" Drive, 9-3/4" L, Chrome, Case., EA, \$169.19

Capacity: 0 to 75 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-585-8434, 1/4" Drive, 10" L, Chrome, Case., EA, \$158.07

Federal Strategic Sourcing Initiative, 5120-01-355-1763, 1/4" Drive, 9-29/32" L, Chrome, Case., EA, \$187.70

Capacity: 0 to 300 inch pounds in 5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-776-1841, 3/8" Drive, Chrome, Case., EA, \$170.03

Capacity: 0 to 600 inch pounds in 10 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1766, 3/8" Drive, 12-1/2" L, Chrome, Case., EA, \$31.21

Capacity: 0 to 50 foot pounds in 2 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-00-242-3264, 3/8" Drive, Chrome, Case., EA, \$180.28

Capacity: 0 to 175 foot pounds in 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-00-640-6364, 1/2" Drive, Chrome, Case., EA, \$203.37

Capacity: 0 to 250 foot pounds in 10 foot pound increments.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-00-640-6365, 1/2" Drive, Chrome, Case., EA, \$186.03

Capacity: 0 to 420 foot pounds in 10 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-00-242-3263, 3/4" Drive, 50" L, Chrome, Case., EA, \$513.27

Capacity: 0 to 1,000 foot pounds in 25 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-00-555-1521, 1" Drive, Chrome, Case., EA, \$800.93

Capacity: 0 to 30 inch pounds in 0.5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1762, 1/4" Drive, 9-29/32" L, Chrome, Case., EA, \$154.17

Type 1: Indicating, Class C: Rigid Housing, Style 2: Scale with signal mechanism.**Capacity: 0 to 50 foot pounds in 1 foot pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-355-1792, 1/2" Drive, 15" L, Chrome., EA, \$183.77

Type 1: Indicating, Class C: Rigid Housing, Style 3: Scale with Memory Indicator.**Capacity: 6 to 30 inch pounds in 1/2 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-00-117-4832, 1/4" Drive, Chrome, Case., EA, \$147.80

Capacity: 0 to 75 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-117-3428, 1/4" Drive, Chrome, Case., EA, \$149.75

Capacity: 0 to 150 inch pounds in 2 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-230-6380, 3/8" Drive, Chrome, Case., EA, \$175.75

Capacity: 0 to 600 inch pounds in 20 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-288-8865, 3/8" Drive, Chrome, Case., EA, \$180.28

Capacity Dual Scale: 0 to 175 foot pounds in 5 foot pound increments / 0 to 25 Kg meters in 1 Kg meter increments.

Federal Strategic Sourcing Initiative, 5120-01-134-4362, 1/2" Drive, 18-3/4" L, Chrome, Case., EA, \$231.03

Capacity Dual Scale: 0 to 600 foot pounds in 10 foot pound increments / 0 to 800 Newton meters in 13.5 Newton meter increments.

Federal Strategic Sourcing Initiative, 5120-00-221-7983, 3/4" Drive, Chrome, Case., EA, \$484.33

Capacity Dual Scale: 0 to 1000 foot pounds in 20 foot pound increments / 0 to 1560 Newton meters in 31.2 Newton meter increments.

Federal Strategic Sourcing Initiative, 5120-01-610-4990, 1" Drive, 74-1/4" L, Chrome, Case., EA, \$723.74

Capacity: 0 to 600 foot pounds in 10 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1824, 3/4" Drive, 41" L, Chrome, Case., EA, \$518.04

Capacity Dual Scale: 0 to 75 inch pounds in 1 inch pound increments / 0 to 90 Kg Centimeters in 2.5 Kg Centimeter increments.

Federal Strategic Sourcing Initiative, 5120-01-399-8989, 1/4" Drive, 10" L, Chrome., EA, \$176.34

Capacity Dual Scale: 0 to 600 foot pounds in 20 foot pound increments / 0 to 80 Kg meters in 2 Kg meter increments.

Federal Strategic Sourcing Initiative, 5120-01-104-0695, 3/4" Drive, 40" L, Chrome, Case., EA, \$567.93

Torque Wrench (Indicating, Screwdriver)

Insure the proper torque is applied to all your screws, nuts & bolts with these torque wrenches. These screwdriver type indicating torque wrenches shall be calibrated in the direction(s) of their intended use. They can be operated in a clockwise only, counterclockwise only or both. B107.14.

Type 1: Indicating, Class E: Screwdriver Grip, Style 1: Enclosed Dial.**Capacity: 3 to 15 inch pounds in 0.2 inch pound increments.**

Federal Strategic Sourcing Initiative, 5120-01-509-0882, 1/4" Drive, 5-1/4" L., EA, \$189.40

Capacity: 0 to 75 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-890-7816, 1/4" Drive, 8-1/2" L, Chrome, Case., EA, \$236.23

Type 1: Indicating, Class E: Screwdriver Grip, Style 2: Exposed Dial.**Capacity: 0 to 25 inch pounds in 1 inch pound increments. Comes with (3) items: (1) #3 phillips bit, (1) Flat tip bit & (1) 1/4" male square adapter.**

Federal Strategic Sourcing Initiative, 5120-00-568-4742, 1/4" Drive, 9-1/2" L., EA, \$137.69

Torque Wrench (Limiting)

These limiting torque wrenches will release at the drive tang with and audible click & feel impulse, followed by an automatic reset with no backlash loosening of the fastener when torque is achieved.

For use with TNC & MPC6 Coaxial Connectors.

Federal Strategic Sourcing Initiative, 5120-01-566-1945, 23 in-lbs, 13/16" Open End., EA, \$237.04

Torque Wrench (Limiting Screwdriver)

These limiting torque wrenches will release at the drive tang with and audible click and feel impulse, followed by an automatic reset with no backlash loosening of the fastener when torque is achieved. B107.14.

Type 3: Limiting, Class A: Screwdriver grip, Style 1: Graduated, Design A: External square drive.

Capacity: 5 to 30 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-923-9620, 5-1/2" L, 1/4" Drive, Clockwise Torquing., EA, \$76.93

Type 3: Limiting, Class A: Screwdriver grip, Style 1: Graduated, Design B: Internal hex drive.

Capacity: 20 to 100 inch ounces in 2 inch ounce increments.

Federal Strategic Sourcing Initiative, 5120-00-943-0941, 1/4" Drive, Clockwise Torquing., EA, \$185.17

Capacity: 2 to 36 inch pounds in 0.5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-399-9053, 7-3/16" L, 1/4" Drive, Clockwise Torquing, Chrome., EA, \$239.62

Capacity: 1 to 30 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-931-8361, 1/4" Drive, Clockwise Torquing., EA, \$185.17

Capacity: 6 to 30 inch pounds in 1 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-449-8231, 6-3/8" L, 1/4" Drive, Clockwise Torquing., EA, \$237.09

Capacity: 5 to 40 inch pounds in 0.5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-509-0862, QDRIVER4 or equal., Red, 1/4" Drive, 6-11/16" L, Clockwise Torquing, Magnetic.EA, \$239.62

Capacity: 5 to 40 inch pounds in 0.5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-00-021-2041, 7" L, 1/4" Drive, Clockwise Torquing., EA, \$246.09

Type 3: Limiting, Class A: Screwdriver grip, Style 2: Nongraduated, Design A: External square drive.

Capacity: 5 to 35 inch pounds in 0.5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-355-1729, 7-1/2" L, 1/4" Drive, Clockwise Torquing., EA, \$77.90

Torque Wrench (Setting)

Insure the proper torque is applied to all your nuts & bolts with these setting torque wrenches. When torque is achieved it is followed by a physical impulse & an audible signal. The torque wrench is reset when the load is released. B107.14.

Type 2: Setting, Class A: Graduated, Style 1: Non-Ratcheting, Design A: Bi-directional torquing.

Capacity: 200 to 1000 foot pounds in 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-428-4738, 1" Drive, 69" L, Chrome., EA, \$1,137.72

Type 2: Setting, Class A: Graduated, Style 2: Ratcheting, Design A: Bi-directional Torquing.

Capacity Dual Scale: 30 to 150 foot pounds in 1 foot pound increments / 40.67 to 197 newton meters in 1.36 newton meter increments.

Federal Strategic Sourcing Initiative, 5120-01-496-6664, 1/2" Drive, 19" L, Chrome., EA, \$180.30

Capacity: 200 to 1000 inch pounds in 5 inch pound increments.

Federal Strategic Sourcing Initiative, 5120-01-530-2311, 3/8" Drive, 16-1/2" L., EA, \$187.49

Capacity Dual Scale: 200 to 1000 inch pounds in 5 inch pound increments / 17.3 to 119 newton meters in 0.565 newton meter increments.

Federal Strategic Sourcing Initiative, 5120-01-619-4790, 3/8" Drive, 15-1/2" L, Chrome, Case., EA, \$187.49

Type 2: Setting, Class A: Graduated, Style 2: Ratcheting, Design B: Clockwise Torquing.

Capacity: 100 to 600 foot pounds in 5 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-130-8880, 3/4" Drive, 40" L, Chrome., EA, \$642.41

Type 2: Setting, Class A: Graduated, Style 3: Interchangeable Head, Design B: Clockwise Torquing.

Capacity: 200 to 600 foot pounds in 10 foot pound increments.

Federal Strategic Sourcing Initiative, 5120-01-462-8874, 3/4" Drive, 48" L, Chrome., EA, \$792.69

Type 2: Setting, Class B: Non-Graduated, Style 3: Interchangeable Head, Design A: Bi-directional torquing.

Capacity: 8 to 8.3 inch pounds(preset).

Federal Strategic Sourcing Initiative, 5120-01-173-6247, 5/16" Open End, 4-1/2" L., EA, \$175.09

Torque Wrench Multiplier

Insure the proper torque is applied to all your nuts and bolts with these torque multiplying wrenches. Described by: (Input x Output Drive, Power Ratio).

Federal Strategic Sourcing Initiative, 5120-01-399-9054, 1/2" x 3/4", 6.33 : 1, 1200 ft-lbs., EA, \$1,013.31

Federal Strategic Sourcing Initiative, 5120-00-337-9652, 3/4" x 3/4", 11 : 1, 12000 ft-lbs., EA, \$10,145.64

Federal Strategic Sourcing Initiative, 5120-00-574-9318, 3/4" F x 1" M, 3 : 1, 2000 ft-lbs., EA, \$402.02

Federal Strategic Sourcing Initiative, 5120-01-296-4235, 1/2" F x 1" M, 18.5 : 1, 3200 ft-lbs., EA, \$3,238.89

Torque Multiplier (Electronic Display)

Digital readout accuracy within +/- 2 percent of actual output torque from 20 percent of rated maximum torque to the rated maximum torque. Clockwise/ counter-clockwise operation. Protractor is graduated 180° in 1° increments. Has zero backlash. Operates from minus -25 to +120°F. Powered by 9v battery. Easy zero adjustment. Requires torque wrench bar NSN 5120-01-008-3632.

Has a 1,200 foot-pounds rated maximum output torque (1.0 foot-pound increments) and a 6" L x 3/4" square male output shaft. Furnished in a carrying case with a 3/8" male input crank, a 3/4" square female output shaft and a set of instructions. Weighs approximately 20 lbs.

Federal Strategic Sourcing Initiative, 5120-00-169-2986, 5-1/16 x 6-5/8 x 9-1/4", EA, \$3,192.46

Torque Wrench Bar

The adjustable torque reaction bar consists of a reaction bar extension, an extension tube, a plate & bar reaction assembly, & (2) shoulder screw assemblies.

Federal Strategic Sourcing Initiative, 5120-01-008-3632, EA, \$601.27

Torque Wrench Extension (Limiting)

Torque limiting accessory designed for use with presetting ratchet wrench, speed handles & long extensions. Torque Capacity: 24 - 180 in-lbs; 2-3/10" L, 1-1/2" Dia, 3/8" square female input drive x 3/8" square male output drive.

Federal Strategic Sourcing Initiative, 5120-01-003-2366, EA, \$76.68

Torque Reaction Bar

IAW U.S. Army Tank Automotive Command drawing number 12369295, Rev A.

Federal Strategic Sourcing Initiative, 5120-01-312-5842, EA, \$723.69

Torque Wrench Adapter (Spline)

This wrench has a box wrench (Spline) on one end & a square female drive on the other. For use with torque wrenches on high tensile strength aircraft fasteners. Made of chrome plated, high strength steel, thin wall construction. Has chamfered openings & a cross hole or recess for engaging the handle firmly. Described by (Spline Size, Drive Size, Length).

Federal Strategic Sourcing Initiative, 5120-01-367-3592, #12 Spline, 3/8" Drive, 2" L., EA, \$15.90

Federal Strategic Sourcing Initiative, 5120-01-367-3578, #18 Spline, 3/8" Drive, 2" L., EA, \$16.55

Federal Strategic Sourcing Initiative, 5120-01-367-3577, #16 Spline, 3/8" Drive, 2" L., EA, \$16.84

Federal Strategic Sourcing Initiative, 5120-01-367-3583, #20 Spline, 1/2" Drive, 3" L, Chrome., EA, \$16.74

Federal Strategic Sourcing Initiative, 5120-01-367-3584, #22 Spline, 1/2" Drive, 3" L, Chrome., EA, \$14.96

Torque Adapter Wrench

This wrench has a box wrench (Spline) on one end & a square female drive on the other. For use with torque wrenches on high tensile strength aircraft fasteners. Made of chrome plated, high strength steel, thin wall construction. Has chamfered openings & a cross hole or recess for engaging the handle firmly. Described by (Spline Size, Drive Size, Length) MIL-W-8982/3

Federal Strategic Sourcing Initiative, 5120-01-367-3585, M8982/3-24-4-B, 3/4" #24 Spline, 1/2" Drive, 3" L., EA, \$17.94

Federal Strategic Sourcing Initiative, 5120-01-074-6572, M8982/3-14-3-B, 7/16" #14 Spline, 3/8" Drive, 2" L., EA, \$17.27

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5120-01-074-6573, M8982/3-10-3-B, 5/16" #10 Spline, 3/8" Drive, 2" L., EA, \$29.39

Torque Wrench Heads (Interchangeable)

These interchangeable torque wrench heads are cast as a single piece from alloy steel & have a black oxide coating. To achieve constant torque values when changing heads, the exact lever length must be maintained. All heads share a precise distance from end of wrench to center of fastener to maintain a "Common Center Line". The dovetail design used to join the head & wrench provides an exceptionally strong connection & allows complete interchangeability.

Federal Strategic Sourcing Initiative, 5120-00-020-5636, 5/64" Hex., EA, \$40.93

Federal Strategic Sourcing Initiative, 5120-00-020-5635, 809506 or equal, 1/2" Square Drive, Ratchet Type., EA, \$80.44

Federal Strategic Sourcing Initiative, 5120-00-020-5634, 1/4" Square Drive, Ratchet Type., EA, \$88.81

Federal Strategic Sourcing Initiative, 5120-00-020-8601, 819065 or equal, 9/16" Box End, 12 Point., EA, \$63.81

Federal Strategic Sourcing Initiative, 5120-00-020-5632, 819059 or equal, 1/2" Square Drive., EA, \$46.21

Lawn and Garden

Garden Hose

Commercial-grade, rubber/vinyl-reinforced 5/8" diameter garden hose. Kink-resistant hose includes brass couplings, a protective collar at faucet end, and an abrasion-resistant gray cover. Burst strength is 500 psi with a minimum four-ply construction.

65% Postconsumer Material

Comprehensive Procurement Guideline Compliant

Federal Strategic Sourcing Initiative, 720-01-447-8759, 829501-1001 or equal, LG(contains 50 FT), \$30.76

Federal Strategic Sourcing Initiative, 4720-01-447-8757, 874001-1002 or Equal, LG(contains 100 FT), \$54.60

Drinking Systems

Drinking System

Back worn hydration system. Compatible with CamelBak HydroLink system. Features: Burst-resistant polyurethane reservoir with leak-proof threaded cap. Detachable insulated drinking tube with self-sealing bite valve and cover and a positive single handed shut-off valve. Abrasion-resistant 1000D Cordura nylon shell.

Capacity: 50 oz. (1.5 liter); 12" L x 7.5" W x 3" D; Volume: 92 cubic inches, empty weight: 0.9 lbs. Unit includes: External access wide-opening fill-port, four D-ring attachment points and an integrated MOLLE attachment system.

8465-01-396-9921, 76050 Pakteen or equal, Black, EA, \$37.44

Capacity: 100 oz. (3.0 liter); 18.0" L x 10.0" W x 6.0" D; Volume: cargo storage 1600 cubic inches; Volume including water: 1160 cubic inches; Empty weight: 2.6 lbs. Unit includes: Internal access wide-opening fill-port, approximately 19 liters of cargo storage, dual antenna ports, zippered reservoir compartment and main compartment with compression straps, zippered cargo storage, waste belt can be stowed away, ventilated back panel, adjustable padded shoulder suspension harness with quick-release buckles, sternum strap with quick-release buckle, MOLLE attachment system.

For replacement reservoir, see NSN 8465-01-495-6522 or 8465-01-396-9928.

8465-01-396-9922, 73000 H.A.W.G. or equal, Black, EA, \$118.43

Capacity: 100 oz. (3.0 liter); 17" L x 10" W x 6" D; Volume: cargo storage 489 cubic inches, volume including water: 671 cubic inches, empty weight: 2.1 lbs. Unit includes: Internal access fill-port, approximately 11 liters of cargo storage, zippered reservoir compartment, two zippered cargo compartments and a waist belt that can be stowed away. Ventilated back panel, MOLLE attachment system. Adjustable padded shoulder suspension harness with quick-release buckles. Sternum strap with quick-release buckle.

For replacement reservoir, see NSN 8465-01-495-6522 or 8465-01-396-9928.

8465-01-396-9919, 72000 M.U.L.E. or equal, Black, EA, \$85.81

Capacity: 102 oz. (3.1 liter); 19" L x 12.5" W x 8" D; Volume: cargo storage 110 to 950 cubic inches; Volume including water: 270 to 1134 cubic inches; Empty weight: 2.94 lbs. Unit includes: Baffled reservoir with internal access wide-opening fill-port, two removable cargo compartments, dual side storage pockets, ventilated back panel, adjustable padded shoulder suspension harness with quick-release buckles, sternum strap with quick-release buckle, MOLE attachment system, strap management system, and a waterproof dual colored pack cover for camouflage or signal.

8465-01-517-4760, 20362 Transformer or equal, Black, EA, \$127.51

Back worn hydration system. Compatible with CamelBak HydroLink system. Features: Reservoir with external access wide-opening fillport and a leak proof cap. Anti-microbial bite valve cover stays clean from dirt and debris. One handed on/off valve. Insulated carrier helps keep water cool.

Capacity: 70 oz. (2.0 liter); 19.0" L x 11.0" W x 2.0" D. Volume: 122 cubic inches, empty weight: 1.45 lbs. Unit includes: Adjustable shoulder straps with quick-release buckles, sternum strap with quick-release buckle. Reflective tape strips on pack and harness for low light visibility.

8465-01-517-4767, 13157 or equal, Orange, EA, \$51.18

8465-01-517-4769, 13156 or equal, Lime Green, EA, \$51.18

Drinking System Adapter

Designed for use with backpack type hydration system. Compatible with CamelBak HydroLink system.

Adapter for use with back worn hydration systems. Designed to connect drinking tube to protective masks.

Fits JSGPM (XM-50) protective masks. Type A Gas Mask Adapter. Not for use with non-Chemical, Biological, Radiological, or Nuclear systems.

8465-01-517-6850, 90662 or equal, Black, EA, \$9.77

Drinking System Valve Bite

Designed for use with backpack type hydration system. Compatible with CamelBak HydroLink system.

Replacement bite valve with cover and adapter is compatible and interchangeable with CamelBak Hydrolink Omega and Long Neck Waterbeast drink tubes.

8465-01-517-4774, 90890 or equal, Black, EA, \$7.19

Drinking System Reservoir

Designed for use with backpack type hydration system. Compatible with CamelBak HydroLink system.

Standard long-neck leak proof cap replacement reservoir. Burst-resistant polyurethane reservoir with standard fill-port and leak-proof threaded cap. Detachable insulated drinking tube with self-sealing bite valve with a positive single-handed shut-off valve.

Capacity: 70 oz. (2.0 liter); 18.19" L x 5.88" W. Empty weight including drinking tube and bite valve: 5.15 oz. Replacement for NSN 8465-01-396-9917.

8465-01-396-9927, 90382 or equal, Black, EA, \$21.28

Capacity: 100 oz. (3.0 liter); 18.19" L x 6.88" W. Empty weight including drinking tube and bite valve: 5.4 oz. Replacement for NSN's 8465-01-396-9919 and 8465-01-396-9922.

8465-01-396-9928, 90392 or equal, Black, EA, \$21.85

Replacement reservoir that is burst-resistant. Polyurethane reservoir with wide-opening fill-port and leak-proof threaded cap. Detachable insulated drinking tube with bite valve and cover with a positive shut-off valve.

Capacity: 100 oz. (3.0 liter); 18" L x 7.37" W. Empty weight 7.6 oz. Suitable replacement reservoir for NSNs: 8465-01-396-9919 and 8465-01-396-9922.

8465-01-495-6522, 90352 or equal, Black, EA, \$25.87

Wildland Gear

GPS FRS/GMRS Radio

This Waterproof Handheld GPS plus FRS/GMRS Radio with Camera and NOAA Weather combines a 5 W FRS/GMRS radio with a 2.6-inch color touch screen GPS with preloaded TOPO 100K maps which includes coverage of the full U.S., barometric altimeter, 3-axis compass, NOAA weather radio and 5-megapixel camera. With the built-in 5-megapixel autofocus camera, you'll be able to capture the highlights of your outings. Each photo is automatically geotagged with the location of where it was taken, allowing you to easily navigate back to that spot in the future. The radio supports Specific Area Message Encoding, which allows you to see National Weather Service warnings and watches displayed county-by-county on the map screen. Includes a GPS with TOPO, Lithium ion battery, USB cable, AC outlet wall charger, Carabiner clip and Owner's Manual.

NEW, 5820-01-541-8042, Garmin Rino 755T, Gray/Black, 7.5"H x 2.3"W x 1.8"D, EA, \$739.44

FRS/GMRS Walkie-Talkie Radio Set

This two-way GMRS radio features 50 channels with high, medium and low power settings. Provides up to 36-mile range, with 284 privacy codes. Water-resistant (JIS4 minimum) unit works with all FRS/GMRS and includes vox, scan feature, hands-free operation, silent operation, backlit LCD and keypad lock. Other features include: NOAA Weather Alert Radio Automatic alert for severe weather/hazard information, roger beep tone, auto squelch and call tones. Set includes one pair of radios, re-chargeable batteries, AC wall adapter, DC adapter, Boom Mic headsets and durable belt clip.

NEW, 5820-01-518-3622, Midland GXT1000VP4K, Black, 7.0"H x 3.25"W x 1.75" D, SE, \$86.01

GPS Radio

eTrex 30X takes one of the most popular and reliable GPS handhelds and makes it better. Enhanced ergonomics, an improved interface, paperless geo-caching and expanded mapping capabilities makes eTrex more versatile and user-friendly, while maintaining its toughness and durability. eTrex 30X has an enhanced 2.2-inch 65K color, sunlight readable display. Durable and waterproof, eTrex 30X is built to withstand the elements. It has an upgraded interface and stands strong against the elements - be it dust, dirt, humidity or water, none of which are a match for this storied navigator. eTrex 30X adds a built-in 3-axis tilt-compensated electronic compass, which shows your heading even when you're standing still, without holding it level. Also added is a barometric altimeter which tracks changes in pressure to pinpoint your precise altitude, and you even can use it to plot barometric pressure over time, which can help you keep an eye on changing weather conditions. Internal memory expanded to hold more maps and worldwide basemap with shaded relief. With a battery life up to 25 hours. Requires 2 AA batteries (not included).

NEW, 5820-01-524-5067, eTrex22X, 4.0"H x 2.1"W x 1.3"D, EA, \$365.30

Weapon Cleaning Kit

A weapons cleaning kit for military and law enforcement applications.

Each kit contains: A Multi-tool in non-reflective black featuring needle-nose pliers, flashlight with a red L.E.D. bulb and the appropriate cleaning accessories for your 7.62mm firearm.

Federal Strategic Sourcing Initiative, 5180-01-516-3218, 22-01101 or equal, Kit for M40, M240 & M60., KT, \$258.90

Each kit contains: A Multi-tool in non-reflective black featuring needle-nose pliers, flashlight with a red L.E.D. bulb and the appropriate cleaning accessories for your 5.56mm firearm.

5180-01-516-3219, 22-01100 or equal, Kit for M4 & M16., KT, \$291.96

This weapons cleaning kit is designed for military pistols and subguns 9MM through .45 calibers.

Federal Strategic Sourcing Initiative, 5180-01-516-3220, 22-01102 or equal, Cleans Pistols & Subguns 9 mm - .45 cal., KT, \$276.24

This weapons cleaning kit is designed for 50 caliber weapons.

Federal Strategic Sourcing Initiative, 5180-01-516-3224, 22-01104 or equal, Cleans 50 cal., KT, \$278.77

This weapons cleaning kit is designed for 10/12 gauge military shotguns.

Federal Strategic Sourcing Initiative, 5180-01-516-3222, 22-01103 or equal, Cleans Shotguns 10/12 gauge., KT, \$223.91

Each kit contains: A Multi-tool in non-reflective black featuring needle-nose pliers, flashlight with a red L.E.D. bulb and the appropriate cleaning accessories for your pistol, shotgun and rifle.

Federal Strategic Sourcing Initiative, 5180-01-516-3227, 22-01106 or equal., Cleans pistols and subguns 9 mm - .45 cal., KT, \$245.98

Cleans 5.56/7.62/9mm/.41/.45/.50 cal/12 cal.

Federal Strategic Sourcing Initiative, 5180-01-516-3225, 22-01105 or equal, KT, \$274.39

Weapons Cleaning Kit

A weapons cleaning kit for military and law enforcement applications.

This military maintenance tool was built compatible with OTIS gun cleaning devices for cleaning weapons like AR15, M16 and M4. The OTIS components included with this device are interchangeable with other OTIS components. A nylon sheath is included.

Federal Strategic Sourcing Initiative, 5120-01-578-4888, 30-000030 or equal., EA, \$79.30

Insect Screening

For windows, doors and porch enclosures, woven wire insect screening has non-raveling edges.

Aluminum alloy wire is coated with aluminum pigment paint. Mesh size: 16 strands by 18 strands per square inch.

5335-00-889-3283, 36Y961 or equal, Width: 36", RO(contains 100 FT), \$117.87

5335-00-889-3285, 10516 or equal, Width: 48", RO(contains 100 FT), \$159.85

Non-metallic screening is made of vinyl-coated glass yarn insect screening. Colorfast fabric is used for making screens for windows, patios and other enclosures. Has self-edge edges. Mesh size is: 16 strands by 18 strands per square inch.

8305-00-927-3829, FCS8801-M or equal, Aluminum, Width: 36", RO(contains 100 FT), \$67.28

8305-00-927-3831, FCS8847-M or equal, Aluminum, Width: 48", RO(contains 100 FT), \$99.36

Insect Repellent

This lotion-like repellent is effective against mosquitoes, gnats, fleas, biting flies and chiggers. Contains a minimum of 25 percent active ingredients (minimum 17 percent DEET).

48-month maximum shelf life (extendable).

Material Safety Data Sheet

6840-01-003-9589, SP533 or equal, CO(contains 3 OZ), \$6.36

Controlled-release lotion provides protection from insects for up to 20 hours. Contains 20 percent DEET encapsulated in a sub-micron protein for slow release.

48-month maximum shelf life (extendable).

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6840-01-463-5455, SP-524N or equal, BT(contains 4 OZ), \$6.93

Easy to apply while keeping your hands repellent free. Provides protection from biting insects. Contains 20-30 percent DEET.

Material Safety Data Sheet

Federal Strategic Sourcing Initiative, 6840-01-490-6693, SRA-12M or equal, 6 oz. aerosol, BX(contains 12 EA), \$81.61

Propane Gas Cylinder

Propane in accordance with GPA 2140 type HD-5. Disposable cylinders are fourteen ounce by weight minimum.

Material Safety Data Sheet

6830-00-584-3041, 332703 or equal, BX(contains 12 EA), \$143.69

Tarpaulin

All-purpose tarpaulin is made of high-strength, dimensionally stable, 18 oz/sq yd. This weather, mildew, and water resistant cloth is flame retardant and flexible in cold temperatures. Resistant to aromatic hydrocarbon fluids. Complete with grommets and ropes for tie down.

MIL-DTL-32063

8340-01-487-5610, UNICOR, Olive Drab, 7 x 15, EA, \$118.93

8340-01-487-5719, UNICOR, Olive Drab, 7 x 18', EA, \$134.03

Axes, Hatchets and Accessories

Single Bit Ax

This ax is ideal for general utility use in forestry work. It has a forged, hardened steel head, a ground polished cutting edge, and an elliptical tapered eye for the handle. B107.400 Cat 42.

Single bit, men's (Dayton) pattern ax has a curved hickory handle and flat top face for striking.

Federal Strategic Sourcing Initiative, 5110-00-272-2699, 2-1/4lbs, 3-15/16" W Cut, 18" L., EA, \$26.51

For Leather Ax Sheath, see NSN 8465-00-293-3369; for replacement handle, see NSN 5110-00-293-3380.

Federal Strategic Sourcing Initiative, 5110-00-293-2339, 22BR or equal, 2-1/4Lbs, 4" W Cut, 28" L., EA, \$24.95

IAW U. S. Army Tank Automotive Command Drawing 6150925.

Plastics Removal in Marine Environments

Federal Strategic Sourcing Initiative, 5110-00-293-2336, 4Lbs, 4-3/4" W Cut, 31" L., EA, \$45.99

Double Bit Ax

Built for tough forestry & fire suppression work, this ax has a forged, hardened steel head & a ground/polished cutting edge. Elliptical, tapered eye is for handle. B107.400 Cat 42

Double-bit, western style ax has a fiberglass handle secured to the head with epoxy adhesive & a plastic wedge.

Federal Strategic Sourcing Initiative, 5110-01-488-6190, 3-1/2 lb Head, 4-1/2" W Cut, Handle: 36" L., EA, \$45.33

Lathing Hatchet

Built for tough roofing work. This hatchet has a forged, hardened steel head & a ground/polished cutting edge and a hammer face for driving nails. Elliptical, tapered eye is for handle. B107.400 Cat 42.

Federal Strategic Sourcing Initiative, 5110-00-223-5379, 14" L x 2-1/4" W., EA, \$22.71

Machete

In tropical and subtropical countries, the machete is frequently used to cut through rain forest undergrowth and for agricultural purposes.

IAW Department of Army, Quartermaster Corps, Drawing 2-9-128, Rev F and if applicable, U.S. Army Natick Laboratories Drawing 2-9-277.

Federal Strategic Sourcing Initiative, 5110-00-813-1286, 24" L, Blade 18" L, 2-1/4" W., EA, \$21.23

Federal Strategic Sourcing Initiative, 5110-01-474-5393, 17" L, 1" Safety Toe, Black Cordura Sheath., EA, \$43.13

Pick-Up Tool

These tools are used in the retrieval of items in inaccessible areas.

Nifty-Nabber pick-up tool is ideal for grabbing items high and low. This tool's powerful claws grip small and odd-shape objects. Features aluminum construction with rubber coated steel fingers. For indoor and outdoor use.

Federal Strategic Sourcing Initiative, 5120-01-490-6488, 92134 or equal., 36" L., EA, \$53.98

3510

3510-00-273-9738. 265
 3510-00-273-9739. 265

3540

3540-00-223-8436. 410
 3540-00-273-8821. 410
 3540-00-565-6241. 410
 3540-00-565-6242. 410
 3540-00-565-6243. 410
 3540-00-565-6244. 410
 3540-01-456-4286. 410
 3540-01-518-6568. 169

3590

3590-00-058-1837. 311
 3590-00-892-4525. 311

3750

3750-00-903-0720. 484

3920

3920-00-847-1305. 169

3990

3990-00-171-9774. 410
 3990-00-171-9775. 410
 3990-00-596-7051. 410

4010

4010-00-149-5584. 396
 4010-00-171-4426. 396
 4010-00-171-4427. 396
 4010-00-171-4512. 396

4020

4020-00-068-7906. 408
 4020-00-068-7907. 408
 4020-00-141-7152. 408
 4020-00-240-2142. 409
 4020-00-240-2146. 408
 4020-00-241-8439. 409
 4020-00-289-8616. 408
 4020-00-551-3343. 409
 4020-00-782-5574. 409
 4020-00-919-3443. 408
 4020-00-928-3438. 408
 4020-00-968-1350. 408
 4020-00-968-1351. 408
 4020-00-968-1356. 408
 4020-00-968-1357. 408
 4020-00-968-1358. 408

4110

4110-00-255-8760. 336

4140

4140-00-256-9912. 335
 4140-00-851-9319. 335

4140-00-961-5480. 335
 4140-01-278-1527. 335

4210

4210-00-595-1777. 338
 4210-00-775-0127. 338
 4210-00-889-2491. 338
 4210-00-889-2492. 338
 4210-00-965-1105. 338
 4210-00-965-1107. 338
 4210-01-245-9850. 338

4240

4240-00-052-3776. 342
 4240-00-540-0623. 342
 4240-00-542-2048. 342
 4240-01-292-2818. 342
 4240-01-463-5449. 342
 4240-01-492-0177. 342

4460

4460-01-443-4895. 266
 4460-01-443-4896. 266
 4460-01-443-4897. 266

4510

4510-00-203-2707. 259
 4510-00-203-2721. 252
 4510-00-224-8549. 250
 4510-00-247-1370. 334
 4510-00-253-0857. 406
 4510-00-595-1785. 403
 4510-00-752-9065. 252
 4510-01-327-9405. 252
 4510-01-426-4187. 266
 4510-01-521-9866. 259
 4510-01-521-9868. 259
 4510-01-521-9870. 259
 4510-01-521-9871. 259
 4510-01-521-9872. 259
 4510-01-521-9873. 259
 4510-01-551-1194. 311
 4510-01-551-2864. 259
 4510-01-551-2865. 259
 4510-01-551-2866. 260
 4510-01-551-2867. 260

4520

4520-00-540-2038. 336
 4520-00-555-8696. 336
 4520-00-865-5939. 335

4720

4720-01-447-8757. 534
 4720-01-447-8759. 534

4940

4940-01-490-2455. 373

4940-01-490-2463. 373
 4940-01-490-2470. 373
 4940-01-504-5270. 373
 4940-01-504-5273. 373
 4940-01-505-0680. 373
 4940-01-535-7651. 373
 4940-01-535-7652. 373
 4940-01-535-7653. 373
 4940-01-535-7654. 373

5110

5110-00-063-3037. 387
 5110-00-082-9172. 466
 5110-00-126-0804. 387
 5110-00-142-5015. 460
 5110-00-156-0054. 388
 5110-00-156-0059. 388
 5110-00-156-0062. 389
 5110-00-156-0063. 389
 5110-00-156-0065. 389
 5110-00-161-6909. 73, 463
 5110-00-161-6912. 73, 462
 5110-00-162-2205. 428
 5110-00-162-5629. 430
 5110-00-177-7286. 387
 5110-00-186-7107. 377
 5110-00-188-2524. 465
 5110-00-199-7292. 502
 5110-00-203-4935. 388
 5110-00-203-8310. 460
 5110-00-204-2685. 389
 5110-00-221-1049. 465
 5110-00-221-1075. 377
 5110-00-221-1083. 463
 5110-00-221-1085. 463
 5110-00-221-1087. 463
 5110-00-221-1538. 378
 5110-00-221-8132. 377
 5110-00-222-2117. 378
 5110-00-222-2708. 441
 5110-00-222-4400. 430
 5110-00-223-5379. 537
 5110-00-223-6281. 465
 5110-00-223-6370. 462
 5110-00-223-6371. 73, 463
 5110-00-223-7782. 429
 5110-00-223-8827. 378
 5110-00-224-1532. 441
 5110-00-224-7053. 465
 5110-00-224-7055. 465
 5110-00-224-7056. 465
 5110-00-224-7057. 465
 5110-00-224-7058. 464
 5110-00-224-7911. 381
 5110-00-233-9110. 378

5110-00-233-9722.....	389	5110-00-273-0126.....	463	5110-00-878-6519.....	464
5110-00-234-1927.....	377	5110-00-273-0128.....	463	5110-00-892-5071.....	429
5110-00-234-1944.....	377	5110-00-277-4588.....	461	5110-00-935-0890.....	441
5110-00-234-6528.....	388	5110-00-277-4589.....	461	5110-00-941-2707.....	378
5110-00-234-6534.....	388	5110-00-277-4590.....	461	5110-00-965-0878.....	466
5110-00-234-6539.....	388	5110-00-288-6520.....	466	5110-00-997-4237.....	378
5110-00-234-6554.....	388	5110-00-289-0006.....	432	5110-01-019-1772.....	387
5110-00-234-6557.....	388	5110-00-289-8659.....	463	5110-01-068-5253.....	386
5110-00-236-3272.....	377	5110-00-289-9657.....	460	5110-01-181-7030.....	444
5110-00-238-7696.....	386	5110-00-293-0089.....	463	5110-01-241-4371.....	73, 462
5110-00-239-3269.....	388	5110-00-293-0108.....	501	5110-01-241-4373.....	73, 463
5110-00-239-3281.....	389	5110-00-293-0460.....	466	5110-01-241-4375.....	73, 462
5110-00-239-7590.....	389	5110-00-293-1585.....	429	5110-01-241-4376.....	73, 462
5110-00-239-7602.....	389	5110-00-293-1905.....	432	5110-01-278-4823.....	463
5110-00-239-7614.....	389	5110-00-293-2336.....	537	5110-01-321-8805.....	425
5110-00-239-8253.....	441	5110-00-293-2339.....	537	5110-01-346-5339.....	426
5110-00-240-3094.....	378	5110-00-293-2865.....	429	5110-01-346-5340.....	426
5110-00-240-6031.....	377	5110-00-293-3210.....	441	5110-01-346-5341.....	426
5110-00-240-7070.....	429	5110-00-293-3435.....	460	5110-01-349-4818.....	441
5110-00-241-9132.....	388	5110-00-293-9199.....	73	5110-01-355-8504.....	460
5110-00-241-9138.....	388	5110-00-293-9199.....	463	5110-01-367-3831.....	387
5110-00-241-9147.....	388	5110-00-344-9900.....	429	5110-01-367-3878.....	441
5110-00-241-9148.....	388	5110-00-357-5593.....	378	5110-01-367-4647.....	441
5110-00-241-9150.....	388	5110-00-359-6478.....	429	5110-01-367-4648.....	441
5110-00-241-9151.....	388	5110-00-449-6907.....	378	5110-01-367-4650.....	441
5110-00-241-9160.....	388	5110-00-472-2343.....	387	5110-01-367-7278.....	464
5110-00-242-0127.....	389	5110-00-510-4505.....	500	5110-01-368-3507.....	73
5110-00-242-0146.....	389	5110-00-541-6730.....	386	5110-01-369-9340.....	428
5110-00-242-3457.....	377	5110-00-555-8497.....	377	5110-01-377-2180.....	387
5110-00-242-5387.....	388	5110-00-555-9500.....	463	5110-01-380-9346.....	387
5110-00-242-7147.....	460	5110-00-585-8427.....	378	5110-01-381-0808.....	465
5110-00-243-1645.....	501	5110-00-585-8428.....	378	5110-01-385-7354.....	427
5110-00-243-2003.....	502	5110-00-585-8430.....	378	5110-01-394-6249.....	424
5110-00-243-7965.....	388	5110-00-585-8431.....	378	5110-01-394-6252.....	424
5110-00-245-4165.....	389	5110-00-585-8432.....	378	5110-01-395-0291.....	428
5110-00-245-4177.....	388	5110-00-585-8433.....	378	5110-01-399-9317.....	427
5110-00-246-0975.....	387	5110-00-595-8229.....	464	5110-01-400-1164.....	378
5110-00-249-2850.....	388	5110-00-595-8267.....	464	5110-01-400-1418.....	463
5110-00-253-3152.....	502	5110-00-595-8325.....	389	5110-01-400-1438.....	441
5110-00-253-3154.....	502	5110-00-595-8400.....	429	5110-01-400-1447.....	441
5110-00-253-3156.....	502	5110-00-595-9490.....	441	5110-01-400-1453.....	441
5110-00-253-3158.....	502	5110-00-596-7164.....	441	5110-01-412-8019.....	429
5110-00-253-3160.....	502	5110-00-596-9155.....	465	5110-01-414-4916.....	427
5110-00-255-0420.....	462	5110-00-596-9156.....	465	5110-01-414-4917.....	428
5110-00-255-6541.....	502	5110-00-596-9162.....	465	5110-01-414-4918.....	428
5110-00-255-6557.....	502	5110-00-596-9703.....	73, 462	5110-01-414-4920.....	428
5110-00-255-6579.....	502	5110-00-618-2700.....	441	5110-01-416-7827.....	479
5110-00-255-6600.....	502	5110-00-640-5419.....	378	5110-01-416-7830.....	479
5110-00-260-1645.....	502	5110-00-640-5423.....	378	5110-01-425-7570.....	424
5110-00-260-1647.....	502	5110-00-754-1499.....	462	5110-01-428-5231.....	429
5110-00-260-1664.....	502	5110-00-764-4801.....	444	5110-01-428-5236.....	429
5110-00-260-1665.....	502	5110-00-771-3732.....	465	5110-01-428-5268.....	429
5110-00-260-1721.....	502	5110-00-803-6339.....	528	5110-01-428-5416.....	460
5110-00-268-4224.....	387	5110-00-813-1286.....	537	5110-01-428-5547.....	429
5110-00-272-2699.....	537	5110-00-860-3377.....	460	5110-01-429-7306.....	441

5110-01-430-1526.....	388	5110-01-598-2253.....	425	5120-00-079-4601.....	385
5110-01-430-5039.....	424	5110-01-598-2254.....	425	5120-00-079-4602.....	385
5110-01-430-5046.....	424	5110-01-598-7727.....	427	5120-00-081-2305.....	487
5110-01-430-5056.....	422	5110-01-599-5184.....	388	5120-00-081-2307.....	494
5110-01-430-5934.....	461	5110-01-600-3371.....	460	5120-00-082-8528.....	485
5110-01-432-6191.....	427	5110-01-600-9339.....	429	5120-00-087-1022.....	487
5110-01-434-9884.....	377	5110-01-601-5159.....	388	5120-00-087-6415.....	471
5110-01-437-2038.....	387	5110-01-604-2057.....	422	5120-00-089-3663.....	473
5110-01-451-0707.....	427	5110-01-611-9911.....	422	5120-00-103-9708.....	385
5110-01-451-4943.....	427	5110-01-617-7463.....	389	5120-00-103-9782.....	519
5110-01-451-4945.....	425	5110-01-621-5253.....	429	5120-00-112-9333.....	476
5110-01-452-2215.....	428	5110-01-621-5256.....	429	5120-00-112-9335.....	476
5110-01-456-0578.....	424	5110-01-621-5257.....	429	5120-00-112-9349.....	476
5110-01-462-3400.....	423	5110-01-621-5259.....	429	5120-00-112-9359.....	476
5110-01-462-3402.....	427	5110-01-621-7915.....	429	5120-00-112-9371.....	476
5110-01-473-9291.....	465	5110-01-641-4777.....	422	5120-00-115-9185.....	503
5110-01-473-9295.....	464	5110-01-654-1873.....	441	5120-00-116-7841.....	472
5110-01-474-0894.....	424	5110-01-657-4266.....	388	5120-00-116-9360.....	489
5110-01-474-4899.....	426			5120-00-117-3428.....	531
5110-01-474-5393.....	537	5120		5120-00-117-4832.....	531
5110-01-475-2144.....	425	5120-00-001-3733.....	529	5120-00-126-0860.....	383
5110-01-488-6190.....	537	5120-00-005-1024.....	381	5120-00-132-0396.....	384
5110-01-507-0228.....	422	5120-00-009-3743.....	381	5120-00-132-5739.....	384
5110-01-514-7772.....	430	5120-00-009-5044.....	484	5120-00-132-5791.....	384
5110-01-516-3228.....	427	5120-00-010-7913.....	467	5120-00-132-5808.....	384
5110-01-516-3243.....	427	5120-00-010-7914.....	467	5120-00-132-6328.....	384
5110-01-516-3244.....	427	5120-00-016-6382.....	383	5120-00-132-6913.....	383
5110-01-518-2391.....	441	5120-00-017-3827.....	383	5120-00-133-0144.....	385
5110-01-524-7565.....	444	5120-00-017-3927.....	383	5120-00-133-1747.....	384
5110-01-525-6655.....	423	5120-00-018-0575.....	384	5120-00-137-9140.....	385
5110-01-525-6659.....	423	5120-00-018-1519.....	526	5120-00-142-5156.....	489
5110-01-525-6660.....	423	5120-00-020-2947.....	525	5120-00-144-5207.....	497
5110-01-525-6661.....	423	5120-00-020-5632.....	533	5120-00-146-6558.....	385
5110-01-525-6664.....	423	5120-00-020-5634.....	533	5120-00-148-9845.....	385
5110-01-525-6665.....	426	5120-00-020-5635.....	533	5120-00-156-0978.....	476
5110-01-525-6666.....	424	5120-00-020-5636.....	533	5120-00-156-0981.....	476
5110-01-540-0152.....	422	5120-00-020-5926.....	385	5120-00-157-2133.....	526
5110-01-540-0186.....	422	5120-00-020-8601.....	533	5120-00-157-3138.....	384
5110-01-540-9530.....	422	5120-00-021-2041.....	532	5120-00-165-3910.....	383
5110-01-541-1201.....	426	5120-00-022-9783.....	528	5120-00-165-3912.....	383
5110-01-541-1202.....	426	5120-00-022-9797.....	490	5120-00-165-3913.....	384
5110-01-541-1454.....	423	5120-00-025-9361.....	522	5120-00-165-4098.....	473
5110-01-541-1455.....	423	5120-00-044-1718.....	475	5120-00-167-0153.....	409
5110-01-542-3028.....	388	5120-00-055-4063.....	409	5120-00-169-2986.....	532
5110-01-563-4373.....	387	5120-00-056-3935.....	477	5120-00-169-3003.....	381
5110-01-576-8918.....	464	5120-00-056-3940.....	472	5120-00-169-5776.....	529
5110-01-578-4890.....	430	5120-00-060-2004.....	469	5120-00-171-1643.....	413
5110-01-583-9252.....	427	5120-00-061-8540.....	390	5120-00-177-6832.....	476
5110-01-585-7934.....	425	5120-00-061-8541.....	390	5120-00-177-6966.....	385
5110-01-585-7935.....	425	5120-00-061-8543.....	390	5120-00-177-6967.....	385
5110-01-585-7936.....	425	5120-00-061-8545.....	390	5120-00-177-7029.....	385
5110-01-585-7937.....	425	5120-00-061-8546.....	390	5120-00-177-9839.....	407
5110-01-592-2581.....	425	5120-00-062-0813.....	467	5120-00-180-0670.....	380
5110-01-594-3747.....	422	5120-00-062-8454.....	467	5120-00-180-0681.....	380
5110-01-598-2248.....	425	5120-00-079-4598.....	385	5120-00-180-0705.....	478
		5120-00-079-4599.....	385		

5120-00-180-0706.....	478	5120-00-198-5398.....	470	5120-00-224-2510.....	470
5120-00-180-0727.....	478	5120-00-198-5400.....	470	5120-00-224-2596.....	472
5120-00-180-0728.....	478	5120-00-198-5401.....	470	5120-00-224-2599.....	472
5120-00-180-0729.....	478	5120-00-198-5409.....	470	5120-00-224-2661.....	386
5120-00-180-0730.....	478	5120-00-198-5410.....	470	5120-00-224-3102.....	523
5120-00-180-0777.....	502	5120-00-199-7771.....	495	5120-00-224-3112.....	518
5120-00-180-0780.....	502	5120-00-203-4656.....	391	5120-00-224-3135.....	518
5120-00-180-0798.....	473	5120-00-203-4766.....	369	5120-00-224-3136.....	518
5120-00-180-0848.....	379	5120-00-203-4794.....	523	5120-00-224-3138.....	518
5120-00-180-0849.....	379	5120-00-203-4795.....	523	5120-00-224-3141.....	518
5120-00-180-0871.....	484	5120-00-203-4801.....	523	5120-00-224-3146.....	518
5120-00-180-0872.....	484	5120-00-203-4807.....	523	5120-00-224-3154.....	518
5120-00-180-0887.....	478	5120-00-203-4810.....	523	5120-00-224-3156.....	524
5120-00-180-0897.....	379	5120-00-203-4812.....	523	5120-00-224-4085.....	393
5120-00-180-0905.....	379	5120-00-203-6436.....	379	5120-00-224-4111.....	394
5120-00-180-0907.....	379	5120-00-203-6437.....	379	5120-00-224-4130.....	392
5120-00-180-0908.....	379	5120-00-221-1117.....	380	5120-00-224-4139.....	392
5120-00-180-0909.....	379	5120-00-221-1122.....	380	5120-00-224-4141.....	391
5120-00-180-2936.....	379	5120-00-221-1151.....	501	5120-00-224-4659.....	470
5120-00-181-6813.....	495	5120-00-221-1506.....	380	5120-00-224-4748.....	381
5120-00-184-8384.....	527	5120-00-221-1536.....	378	5120-00-224-7288.....	527
5120-00-184-8385.....	527	5120-00-221-2731.....	482	5120-00-224-7330.....	368
5120-00-184-8397.....	527	5120-00-221-7063.....	431	5120-00-224-7375.....	469
5120-00-184-8439.....	523	5120-00-221-7947.....	530	5120-00-224-9215.....	490
5120-00-184-8653.....	523	5120-00-221-7957.....	486	5120-00-224-9219.....	486
5120-00-184-8676.....	518	5120-00-221-7958.....	493	5120-00-224-9238.....	484
5120-00-184-9403.....	442	5120-00-221-7959.....	496	5120-00-224-9297.....	407
5120-00-187-1033.....	390	5120-00-221-7968.....	498	5120-00-224-9440.....	482
5120-00-187-1034.....	390	5120-00-221-7980.....	518	5120-00-224-9453.....	386
5120-00-187-7123.....	523	5120-00-221-7983.....	531	5120-00-224-9456.....	386
5120-00-187-7126.....	523	5120-00-222-3241.....	409	5120-00-224-9728.....	431
5120-00-187-7130.....	523	5120-00-222-8852.....	467	5120-00-226-5606.....	474
5120-00-188-1182.....	380	5120-00-223-0989.....	376	5120-00-227-6702.....	488
5120-00-188-1788.....	368	5120-00-223-1945.....	380	5120-00-227-6703.....	488
5120-00-188-1790.....	368	5120-00-223-1951.....	380	5120-00-227-6704.....	488
5120-00-188-8446.....	481	5120-00-223-6838.....	421	5120-00-227-7293.....	469
5120-00-188-8450.....	481	5120-00-223-6986.....	475	5120-00-227-7356.....	467
5120-00-189-7907.....	485	5120-00-223-6995.....	470	5120-00-227-8074.....	494
5120-00-189-7910.....	495	5120-00-223-7396.....	443	5120-00-227-8079.....	497
5120-00-189-7914.....	492	5120-00-223-7397.....	443	5120-00-227-8088.....	494
5120-00-189-7917.....	492	5120-00-223-7398.....	443	5120-00-227-8095.....	489
5120-00-189-7924.....	492	5120-00-223-8426.....	480	5120-00-227-8104.....	498
5120-00-189-7927.....	492	5120-00-223-8653.....	369	5120-00-227-8105.....	486
5120-00-189-7932.....	492	5120-00-223-8862.....	406	5120-00-227-8107.....	490
5120-00-189-7934.....	492	5120-00-223-9557.....	503	5120-00-227-8129.....	489
5120-00-189-7935.....	492	5120-00-224-1372.....	483	5120-00-228-9503.....	520
5120-00-189-7946.....	492	5120-00-224-1389.....	483	5120-00-228-9504.....	520
5120-00-189-7985.....	492	5120-00-224-1390.....	483	5120-00-228-9505.....	520
5120-00-190-5756.....	476	5120-00-224-1393.....	484	5120-00-228-9506.....	520
5120-00-191-6484.....	470	5120-00-224-1416.....	393	5120-00-228-9507.....	520
5120-00-194-1648.....	393	5120-00-224-1540.....	442	5120-00-228-9508.....	520
5120-00-197-9473.....	377	5120-00-224-1541.....	445	5120-00-228-9509.....	520
5120-00-198-5387.....	470	5120-00-224-2482.....	470	5120-00-228-9510.....	520
5120-00-198-5391.....	470	5120-00-224-2496.....	470	5120-00-228-9511.....	520
5120-00-198-5392.....	470	5120-00-224-2504.....	470	5120-00-228-9512.....	520

5120-00-228-9513.....	520	5120-00-240-5300.....	470	5120-00-243-2776.....	386
5120-00-228-9514.....	520	5120-00-240-5328.....	517	5120-00-243-2957.....	392
5120-00-228-9515.....	520	5120-00-240-5330.....	517	5120-00-243-2959.....	391
5120-00-228-9516.....	520	5120-00-240-5336.....	525	5120-00-243-3296.....	477
5120-00-228-9517.....	520	5120-00-240-5364.....	489	5120-00-243-7323.....	497
5120-00-228-9519.....	520	5120-00-240-5396.....	490	5120-00-243-7326.....	494
5120-00-228-9521.....	518	5120-00-240-6040.....	483	5120-00-243-7328.....	497
5120-00-228-9527.....	523	5120-00-240-6082.....	376	5120-00-243-7332.....	476
5120-00-229-2772.....	527	5120-00-240-6083.....	376	5120-00-243-7337.....	475
5120-00-230-6380.....	531	5120-00-240-6092.....	376	5120-00-243-7343.....	492
5120-00-230-6385.....	493	5120-00-240-6104.....	376	5120-00-243-9072.....	380
5120-00-232-5681.....	495	5120-00-240-6172.....	442	5120-00-244-1167.....	461
5120-00-232-5703.....	485	5120-00-240-6213.....	443	5120-00-245-1622.....	480
5120-00-232-5706.....	488	5120-00-240-6217.....	443	5120-00-246-2311.....	528
5120-00-232-5711.....	488	5120-00-240-7308.....	503	5120-00-247-0867.....	502
5120-00-234-8741.....	466	5120-00-240-8702.....	494	5120-00-247-0868.....	502
5120-00-234-8744.....	466	5120-00-240-8703.....	489	5120-00-247-2536.....	530
5120-00-234-8910.....	467	5120-00-240-8705.....	494	5120-00-247-2540.....	530
5120-00-234-8912.....	469	5120-00-240-8716.....	469	5120-00-247-5177.....	442
5120-00-234-8913.....	469	5120-00-240-8894.....	376	5120-00-249-1071.....	495
5120-00-235-3037.....	445	5120-00-240-8896.....	376	5120-00-249-1076.....	496
5120-00-235-5870.....	492	5120-00-240-8898.....	376	5120-00-249-7494.....	379
5120-00-236-2127.....	467	5120-00-241-2973.....	379	5120-00-249-9670.....	470
5120-00-236-2140.....	467	5120-00-241-3142.....	494	5120-00-250-5576.....	474
5120-00-236-2261.....	527	5120-00-241-3170.....	473	5120-00-251-2267.....	466
5120-00-236-2262.....	485	5120-00-241-3188.....	472	5120-00-251-4489.....	392
5120-00-236-2263.....	485	5120-00-242-3249.....	525	5120-00-251-9503.....	385
5120-00-236-2264.....	485	5120-00-242-3254.....	517	5120-00-252-7720.....	502
5120-00-236-3242.....	467	5120-00-242-3256.....	486	5120-00-254-4612.....	387
5120-00-236-7590.....	493	5120-00-242-3263.....	531	5120-00-255-1476.....	393
5120-00-237-0977.....	488	5120-00-242-3264.....	530	5120-00-256-9014.....	473
5120-00-237-0984.....	492	5120-00-242-3268.....	473	5120-00-257-5541.....	432
5120-00-237-4969.....	490	5120-00-242-3330.....	488	5120-00-260-4837.....	467
5120-00-237-4973.....	488	5120-00-242-3345.....	485	5120-00-262-1872.....	386
5120-00-237-6985.....	467	5120-00-242-3349.....	492	5120-00-263-4136.....	493
5120-00-238-4436.....	386	5120-00-242-3352.....	485	5120-00-263-4137.....	493
5120-00-239-0018.....	488	5120-00-242-3355.....	489	5120-00-263-4148.....	493
5120-00-239-0021.....	495	5120-00-242-3433.....	376	5120-00-263-4149.....	493
5120-00-239-0035.....	376	5120-00-242-3434.....	376	5120-00-264-3777.....	526
5120-00-239-0038.....	376	5120-00-242-3435.....	376	5120-00-264-3793.....	517
5120-00-239-8250.....	442	5120-00-242-3908.....	393	5120-00-264-3794.....	517
5120-00-239-8251.....	442	5120-00-242-3915.....	392	5120-00-264-3795.....	517
5120-00-239-8254.....	442	5120-00-242-5966.....	376	5120-00-264-3796.....	517
5120-00-240-0155.....	466	5120-00-242-6624.....	483	5120-00-264-5217.....	518
5120-00-240-1410.....	525	5120-00-242-7410.....	470	5120-00-265-7462.....	392
5120-00-240-1414.....	517	5120-00-242-7411.....	470	5120-00-268-3579.....	442
5120-00-240-1418.....	486	5120-00-243-1372.....	380	5120-00-269-7965.....	525
5120-00-240-1532.....	486	5120-00-243-1674.....	475	5120-00-269-7966.....	525
5120-00-240-5219.....	502	5120-00-243-1686.....	486	5120-00-269-7971.....	495
5120-00-240-5221.....	502	5120-00-243-1687.....	497	5120-00-269-7972.....	524
5120-00-240-5222.....	502	5120-00-243-1689.....	490	5120-00-270-4309.....	525
5120-00-240-5223.....	502	5120-00-243-1691.....	490	5120-00-273-0001.....	376
5120-00-240-5232.....	473	5120-00-243-1693.....	490	5120-00-277-1187.....	523
5120-00-240-5274.....	470	5120-00-243-2395.....	480	5120-00-277-1191.....	523
5120-00-240-5292.....	470	5120-00-243-2419.....	497	5120-00-277-1194.....	523

5120-00-277-1230.....	523	5120-00-287-2129.....	473	5120-00-293-2056.....	478
5120-00-277-1236.....	523	5120-00-287-2130.....	473	5120-00-293-2057.....	474
5120-00-277-1243.....	523	5120-00-287-2502.....	468	5120-00-293-2081.....	385
5120-00-277-1246.....	523	5120-00-287-2503.....	468	5120-00-293-2134.....	523
5120-00-277-1247.....	523	5120-00-287-2504.....	467	5120-00-293-2319.....	383
5120-00-277-1461.....	525	5120-00-287-2512.....	379	5120-00-293-2997.....	393
5120-00-277-1462.....	525	5120-00-287-4151.....	493	5120-00-293-2999.....	393
5120-00-277-1464.....	488	5120-00-287-4153.....	493	5120-00-293-3002.....	393
5120-00-277-1465.....	492	5120-00-288-6468.....	526	5120-00-293-3003.....	393
5120-00-277-1477.....	525	5120-00-288-6563.....	393	5120-00-293-3005.....	393
5120-00-277-1478.....	525	5120-00-288-6564.....	393	5120-00-293-3007.....	393
5120-00-277-1479.....	525	5120-00-288-6574.....	483	5120-00-293-3009.....	517
5120-00-277-1480.....	525	5120-00-288-7710.....	370	5120-00-293-3309.....	467
5120-00-277-1481.....	525	5120-00-288-7769.....	483	5120-00-293-3330.....	481
5120-00-277-1483.....	525	5120-00-288-7781.....	385	5120-00-293-3336.....	481
5120-00-277-1486.....	525	5120-00-288-8155.....	488	5120-00-293-3397.....	392
5120-00-277-1610.....	518	5120-00-288-8716.....	371	5120-00-293-3399.....	392
5120-00-277-1611.....	518	5120-00-288-8739.....	478	5120-00-293-3453.....	519
5120-00-277-1724.....	470	5120-00-288-8746.....	526	5120-00-293-3466.....	377
5120-00-277-1801.....	472	5120-00-288-8865.....	531	5120-00-293-3481.....	442
5120-00-277-1982.....	485	5120-00-288-9997.....	520	5120-00-293-3486.....	442
5120-00-277-2323.....	523	5120-00-289-0534.....	528	5120-00-293-3509.....	377
5120-00-277-2327.....	524	5120-00-293-0008.....	517	5120-00-293-3510.....	377
5120-00-277-2342.....	523	5120-00-293-0019.....	466	5120-00-293-3512.....	377
5120-00-277-4064.....	528	5120-00-293-0031.....	517	5120-00-294-4605.....	378
5120-00-277-4243.....	446	5120-00-293-0032.....	442	5120-00-294-9514.....	472
5120-00-277-4244.....	446	5120-00-293-0077.....	368	5120-00-302-5696.....	523
5120-00-277-4248.....	527	5120-00-293-0094.....	495	5120-00-303-7737.....	528
5120-00-277-4834.....	523	5120-00-293-0110.....	380	5120-00-305-2275.....	503
5120-00-277-6470.....	517	5120-00-293-0149.....	502	5120-00-305-2306.....	446
5120-00-277-7025.....	523	5120-00-293-0190.....	523	5120-00-308-3809.....	368
5120-00-277-8300.....	523	5120-00-293-0191.....	523	5120-00-315-4003.....	475
5120-00-277-8301.....	523	5120-00-293-0195.....	470	5120-00-316-9217.....	369
5120-00-277-8308.....	523	5120-00-293-0315.....	467	5120-00-322-6231.....	491
5120-00-277-8309.....	523	5120-00-293-0318.....	475	5120-00-323-2292.....	465
5120-00-277-8314.....	523	5120-00-293-0375.....	472	5120-00-330-7602.....	380
5120-00-277-8833.....	520	5120-00-293-0406.....	526	5120-00-331-5502.....	476
5120-00-277-8834.....	520	5120-00-293-0448.....	376	5120-00-337-9652.....	532
5120-00-277-9075.....	526	5120-00-293-0450.....	481	5120-00-340-2010.....	370
5120-00-277-9076.....	526	5120-00-293-0665.....	484	5120-00-357-5868.....	393
5120-00-277-9077.....	526	5120-00-293-0791.....	376	5120-00-357-6065.....	407
5120-00-278-0340.....	517	5120-00-293-0792.....	376	5120-00-357-7175.....	468
5120-00-278-0341.....	517	5120-00-293-0793.....	376	5120-00-390-8586.....	369
5120-00-278-0342.....	520	5120-00-293-0798.....	526	5120-00-391-0101.....	466
5120-00-278-0350.....	441	5120-00-293-0887.....	392	5120-00-391-0116.....	407
5120-00-278-0351.....	441	5120-00-293-1108.....	380	5120-00-409-5206.....	385
5120-00-278-1267.....	467	5120-00-293-1136.....	482	5120-00-423-6728.....	517
5120-00-278-1269.....	467	5120-00-293-1324.....	523	5120-00-439-8988.....	471
5120-00-278-1270.....	467	5120-00-293-1408.....	376	5120-00-440-8008.....	473
5120-00-278-1276.....	467	5120-00-293-1439.....	380	5120-00-449-3769.....	370
5120-00-278-1283.....	467	5120-00-293-1602.....	526	5120-00-449-8083.....	517
5120-00-278-2423.....	383	5120-00-293-1608.....	468	5120-00-449-8084.....	517
5120-00-278-6643.....	494	5120-00-293-2050.....	478	5120-00-449-8128.....	524
5120-00-278-9925.....	379	5120-00-293-2051.....	478	5120-00-473-6320.....	528
5120-00-278-9926.....	371	5120-00-293-2052.....	478	5120-00-473-6476.....	517

5120-00-473-6538.....	524	5120-00-595-9574.....	473	5120-00-765-3688.....	385
5120-00-490-4283.....	370	5120-00-596-0828.....	468	5120-00-770-9362.....	444
5120-00-490-4856.....	523	5120-00-596-0861.....	469	5120-00-775-1670.....	409
5120-00-494-1863.....	482	5120-00-596-0864.....	469	5120-00-775-6980.....	485
5120-00-494-1910.....	445	5120-00-596-0938.....	475	5120-00-776-1841.....	530
5120-00-494-1911.....	445	5120-00-596-1071.....	393	5120-00-777-2782.....	518
5120-00-494-1989.....	526	5120-00-596-1263.....	472	5120-00-778-6241.....	385
5120-00-498-7365.....	469	5120-00-596-1543.....	431	5120-00-781-7891.....	387
5120-00-505-5477.....	385	5120-00-596-2893.....	474	5120-00-781-8977.....	470
5120-00-505-5918.....	376	5120-00-596-8502.....	467	5120-00-789-0492.....	445
5120-00-507-0649.....	399	5120-00-596-8622.....	494	5120-00-795-0946.....	528
5120-00-507-4886.....	528	5120-00-596-9313.....	383	5120-00-797-2402.....	421
5120-00-511-1432.....	528	5120-00-596-9364.....	467	5120-00-797-2404.....	421
5120-00-516-3120.....	370	5120-00-596-9591.....	473	5120-00-797-2994.....	475
5120-00-517-5347.....	528	5120-00-604-5007.....	398	5120-00-797-3399.....	480
5120-00-526-6044.....	483	5120-00-605-3926.....	372	5120-00-801-0949.....	409
5120-00-528-2891.....	476	5120-00-610-1888.....	503	5120-00-811-8452.....	474
5120-00-528-2892.....	476	5120-00-611-7525.....	372	5120-00-812-5522.....	527
5120-00-529-2553.....	471	5120-00-618-4433.....	530	5120-00-816-5707.....	421
5120-00-529-3101.....	469	5120-00-618-4915.....	468	5120-00-820-2995.....	469
5120-00-529-3744.....	379	5120-00-618-6898.....	386	5120-00-822-7194.....	409
5120-00-540-1416.....	503	5120-00-618-6899.....	386	5120-00-831-1051.....	518
5120-00-541-3186.....	369	5120-00-618-6901.....	371	5120-00-831-1052.....	518
5120-00-541-4687.....	369	5120-00-618-6902.....	371	5120-00-832-6221.....	477
5120-00-541-6731.....	441	5120-00-624-8065.....	386	5120-00-832-6224.....	477
5120-00-542-3438.....	469	5120-00-628-5569.....	374	5120-00-839-8139.....	530
5120-00-542-4171.....	446	5120-00-629-6258.....	371	5120-00-840-3358.....	379
5120-00-542-5681.....	530	5120-00-640-6364.....	531	5120-00-840-7288.....	376
5120-00-542-5799.....	473	5120-00-640-6365.....	531	5120-00-840-7289.....	376
5120-00-545-4268.....	369	5120-00-640-6729.....	476	5120-00-849-1141.....	406
5120-00-555-1521.....	531	5120-00-640-6730.....	476	5120-00-850-6313.....	369
5120-00-555-2074.....	393	5120-00-640-6731.....	476	5120-00-851-4247.....	477
5120-00-555-2077.....	393	5120-00-640-6732.....	476	5120-00-865-0933.....	369
5120-00-555-2086.....	393	5120-00-640-6733.....	476	5120-00-870-6928.....	473
5120-00-555-2353.....	475	5120-00-658-9805.....	526	5120-00-877-8806.....	468
5120-00-568-4742.....	531	5120-00-673-1885.....	409	5120-00-878-5932.....	480
5120-00-574-9318.....	532	5120-00-674-9215.....	469	5120-00-879-3547.....	475
5120-00-580-0334.....	474	5120-00-674-9216.....	469	5120-00-883-3003.....	377
5120-00-580-2359.....	502	5120-00-679-4460.....	470	5120-00-888-5826.....	474
5120-00-585-2383.....	392	5120-00-679-5655.....	409	5120-00-888-5829.....	474
5120-00-585-7706.....	530	5120-00-709-4072.....	496	5120-00-888-5831.....	474
5120-00-585-8434.....	530	5120-00-711-7456.....	381	5120-00-889-1796.....	413
5120-00-595-8190.....	381	5120-00-714-7400.....	469	5120-00-889-2050.....	445
5120-00-595-8197.....	474	5120-00-724-2145.....	491	5120-00-889-2162.....	470
5120-00-595-8198.....	474	5120-00-731-2862.....	379	5120-00-889-2163.....	470
5120-00-595-8279.....	503	5120-00-752-9030.....	376	5120-00-890-7816.....	531
5120-00-595-8396.....	368	5120-00-752-9755.....	444	5120-00-892-4952.....	380
5120-00-595-8424.....	371	5120-00-756-0925.....	502	5120-00-892-5319.....	482
5120-00-595-9304.....	370	5120-00-756-0946.....	502	5120-00-892-5485.....	391
5120-00-595-9305.....	370	5120-00-756-1156.....	442	5120-00-892-5744.....	391
5120-00-595-9470.....	377	5120-00-757-7653.....	384	5120-00-892-5931.....	473
5120-00-595-9471.....	377	5120-00-764-8058.....	467	5120-00-892-6089.....	520
5120-00-595-9555.....	444	5120-00-764-8059.....	467	5120-00-893-5686.....	471
5120-00-595-9558.....	371	5120-00-764-8061.....	467	5120-00-900-1283.....	530
5120-00-595-9573.....	473	5120-00-764-8097.....	469	5120-00-900-6096.....	392

5120-00-900-6097.....	392	5120-00-966-5372.....	409	5120-01-065-3236.....	489
5120-00-900-6098.....	392	5120-00-966-5375.....	409	5120-01-065-9037.....	393
5120-00-900-6103.....	392	5120-00-966-5379.....	409	5120-01-066-7516.....	493
5120-00-900-6110.....	391	5120-00-966-5381.....	409	5120-01-067-5011.....	488
5120-00-900-9344.....	470	5120-00-966-8270.....	409	5120-01-067-5016.....	522
5120-00-900-9345.....	470	5120-00-967-8151.....	409	5120-01-069-5686.....	391
5120-00-902-0094.....	392	5120-00-971-7053.....	393	5120-01-070-4540.....	390
5120-00-903-8545.....	394	5120-00-987-0785.....	384	5120-01-070-4541.....	390
5120-00-903-8546.....	394	5120-00-991-1907.....	380	5120-01-070-4542.....	390
5120-00-903-8547.....	394	5120-00-996-2270.....	474	5120-01-070-8386.....	369
5120-00-903-8552.....	394	5120-01-003-2366.....	533	5120-01-071-5356.....	393
5120-00-903-8553.....	394	5120-01-004-2718.....	471	5120-01-072-2954.....	523
5120-00-903-8555.....	394	5120-01-008-3632.....	533	5120-01-072-7987.....	393
5120-00-903-9303.....	392	5120-01-014-1833.....	485	5120-01-074-6572.....	533
5120-00-903-9310.....	394	5120-01-014-7672.....	469	5120-01-074-6573.....	533
5120-00-905-6729.....	467	5120-01-015-1422.....	381	5120-01-079-8024.....	520
5120-00-905-6730.....	467	5120-01-016-2149.....	372	5120-01-079-8032.....	475
5120-00-913-5843.....	467	5120-01-016-5850.....	472	5120-01-079-8033.....	475
5120-00-915-4587.....	384	5120-01-018-8956.....	472	5120-01-080-6534.....	485
5120-00-915-4588.....	384	5120-01-021-5730.....	442	5120-01-080-8378.....	445
5120-00-921-0574.....	476	5120-01-023-4212.....	493	5120-01-083-6729.....	471
5120-00-923-9620.....	532	5120-01-024-6145.....	489	5120-01-086-8472.....	372
5120-00-926-5175.....	375	5120-01-024-6146.....	489	5120-01-087-3616.....	472
5120-00-926-7116.....	393	5120-01-024-6147.....	489	5120-01-097-4520.....	393
5120-00-926-7117.....	393	5120-01-024-6149.....	489	5120-01-097-5219.....	385
5120-00-928-8696.....	480	5120-01-024-6150.....	489	5120-01-101-1193.....	523
5120-00-930-7503.....	385	5120-01-024-6151.....	489	5120-01-101-4630.....	520
5120-00-931-8361.....	532	5120-01-025-0206.....	527	5120-01-101-6683.....	383
5120-00-935-4612.....	475	5120-01-026-4687.....	485	5120-01-104-0695.....	531
5120-00-935-4641.....	471	5120-01-026-4688.....	485	5120-01-108-9649.....	445
5120-00-935-7309.....	490	5120-01-028-7102.....	443	5120-01-111-1125.....	384
5120-00-935-7310.....	521	5120-01-028-8539.....	485	5120-01-112-0546.....	489
5120-00-935-7313.....	491	5120-01-032-7496.....	392	5120-01-112-0564.....	485
5120-00-935-7333.....	522	5120-01-033-2134.....	468	5120-01-112-0572.....	492
5120-00-935-7340.....	471	5120-01-034-8231.....	505	5120-01-112-0576.....	492
5120-00-935-7370.....	520	5120-01-040-6140.....	432	5120-01-112-0580.....	485
5120-00-935-7371.....	520	5120-01-041-1613.....	377	5120-01-112-5031.....	446
5120-00-935-7411.....	488	5120-01-042-0982.....	529	5120-01-112-8322.....	493
5120-00-935-7416.....	488	5120-01-043-8491.....	476	5120-01-112-8345.....	391
5120-00-935-7420.....	492	5120-01-045-4884.....	485	5120-01-112-8349.....	391
5120-00-935-7440.....	488	5120-01-045-4885.....	485	5120-01-112-8350.....	391
5120-00-935-7441.....	488	5120-01-045-4888.....	470	5120-01-112-8352.....	391
5120-00-935-7451.....	492	5120-01-045-4892.....	470	5120-01-113-0116.....	469
5120-00-935-7490.....	485	5120-01-045-4910.....	520	5120-01-113-1544.....	506
5120-00-937-5438.....	387	5120-01-046-4979.....	522	5120-01-113-1575.....	469
5120-00-943-0941.....	532	5120-01-046-5079.....	472	5120-01-113-6280.....	489
5120-00-944-4268.....	369	5120-01-054-7126.....	520	5120-01-113-6352.....	442
5120-00-948-3214.....	485	5120-01-054-7130.....	520	5120-01-113-7134.....	520
5120-00-952-3507.....	409	5120-01-054-7131.....	520	5120-01-113-7149.....	469
5120-00-962-7580.....	524	5120-01-054-7135.....	520	5120-01-113-9564.....	529
5120-00-963-7661.....	384	5120-01-054-7136.....	520	5120-01-116-6034.....	489
5120-00-965-0326.....	398	5120-01-054-7138.....	520	5120-01-117-4979.....	384
5120-00-965-0603.....	398	5120-01-054-7139.....	520	5120-01-118-6275.....	473
5120-00-965-0604.....	445	5120-01-054-7141.....	521	5120-01-119-0010.....	522
5120-00-965-0879.....	483	5120-01-065-2211.....	392	5120-01-120-8721.....	383

5120-01-121-5023.....	379	5120-01-313-4097.....	371	5120-01-335-1245.....	520
5120-01-122-8359.....	527	5120-01-330-3822.....	384	5120-01-335-1253.....	520
5120-01-122-8360.....	520	5120-01-333-9857.....	431	5120-01-335-1267.....	520
5120-01-123-1122.....	530	5120-01-334-9862.....	480	5120-01-335-1291.....	520
5120-01-125-5190.....	529	5120-01-335-0695.....	486	5120-01-335-1318.....	497
5120-01-127-6857.....	517	5120-01-335-0701.....	494	5120-01-335-1321.....	518
5120-01-130-8880.....	532	5120-01-335-0704.....	526	5120-01-335-1325.....	518
5120-01-131-4467.....	530	5120-01-335-0708.....	526	5120-01-335-1328.....	518
5120-01-132-4038.....	520	5120-01-335-0713.....	493	5120-01-335-1329.....	518
5120-01-134-4362.....	531	5120-01-335-0714.....	493	5120-01-335-1333.....	518
5120-01-134-9422.....	527	5120-01-335-0717.....	489	5120-01-335-1357.....	503
5120-01-135-2993.....	478	5120-01-335-0719.....	489	5120-01-335-1358.....	503
5120-01-142-9857.....	530	5120-01-335-0721.....	489	5120-01-335-1374.....	369
5120-01-146-8096.....	368	5120-01-335-0748.....	486	5120-01-335-1376.....	369
5120-01-148-5455.....	445	5120-01-335-0758.....	486	5120-01-335-1377.....	369
5120-01-156-7296.....	368	5120-01-335-0766.....	486	5120-01-335-1409.....	376
5120-01-158-6616.....	371	5120-01-335-0800.....	492	5120-01-335-1410.....	376
5120-01-159-4362.....	371	5120-01-335-0820.....	492	5120-01-335-1416.....	376
5120-01-161-4540.....	472	5120-01-335-0823.....	492	5120-01-335-1435.....	376
5120-01-161-4542.....	476	5120-01-335-0904.....	488	5120-01-335-1462.....	377
5120-01-168-1131.....	469	5120-01-335-0905.....	488	5120-01-335-1463.....	377
5120-01-168-1135.....	474	5120-01-335-0929.....	485	5120-01-335-1469.....	394
5120-01-168-1306.....	476	5120-01-335-0934.....	485	5120-01-335-1472.....	390
5120-01-168-9451.....	529	5120-01-335-0941.....	485	5120-01-335-1474.....	390
5120-01-168-9569.....	469	5120-01-335-1030.....	525	5120-01-335-1483.....	390
5120-01-169-6186.....	496	5120-01-335-1031.....	525	5120-01-335-1485.....	477
5120-01-173-6247.....	532	5120-01-335-1033.....	525	5120-01-335-1506.....	471
5120-01-175-7134.....	526	5120-01-335-1034.....	525	5120-01-335-1509.....	471
5120-01-176-1819.....	522	5120-01-335-1044.....	490	5120-01-335-1511.....	484
5120-01-178-0699.....	476	5120-01-335-1048.....	486	5120-01-335-1571.....	371
5120-01-178-6342.....	477	5120-01-335-1050.....	494	5120-01-335-1572.....	371
5120-01-181-5622.....	518	5120-01-335-1060.....	490	5120-01-335-1573.....	503
5120-01-195-0640.....	476	5120-01-335-1070.....	486	5120-01-335-2033.....	490
5120-01-208-4532.....	466	5120-01-335-1074.....	486	5120-01-335-2093.....	470
5120-01-209-6515.....	370	5120-01-335-1082.....	489	5120-01-335-2102.....	470
5120-01-224-4876.....	520	5120-01-335-1089.....	527	5120-01-335-2115.....	470
5120-01-230-1506.....	385	5120-01-335-1090.....	527	5120-01-335-2118.....	470
5120-01-230-1507.....	385	5120-01-335-1091.....	527	5120-01-335-2217.....	517
5120-01-232-0023.....	385	5120-01-335-1123.....	527	5120-01-335-2218.....	517
5120-01-233-9508.....	498	5120-01-335-1124.....	527	5120-01-335-2518.....	371
5120-01-242-1514.....	491	5120-01-335-1126.....	527	5120-01-335-2624.....	525
5120-01-242-7218.....	496	5120-01-335-1128.....	527	5120-01-335-8542.....	468
5120-01-264-6123.....	520	5120-01-335-1141.....	527	5120-01-335-8568.....	467
5120-01-265-3846.....	470	5120-01-335-1142.....	527	5120-01-335-8716.....	385
5120-01-266-1950.....	469	5120-01-335-1149.....	527	5120-01-335-8733.....	384
5120-01-266-7519.....	469	5120-01-335-1150.....	527	5120-01-336-5476.....	525
5120-01-271-8049.....	445	5120-01-335-1151.....	527	5120-01-336-5536.....	369
5120-01-276-7016.....	529	5120-01-335-1152.....	527	5120-01-336-5636.....	441
5120-01-278-8257.....	371	5120-01-335-1153.....	527	5120-01-336-5640.....	441
5120-01-283-0320.....	406	5120-01-335-1154.....	527	5120-01-339-0367.....	529
5120-01-289-4310.....	407	5120-01-335-1155.....	527	5120-01-339-0368.....	529
5120-01-296-4235.....	532	5120-01-335-1156.....	527	5120-01-339-0369.....	529
5120-01-307-5143.....	446	5120-01-335-1181.....	523	5120-01-345-9540.....	493
5120-01-312-5842.....	533	5120-01-335-1205.....	523	5120-01-348-9033.....	493
5120-01-313-4096.....	371	5120-01-335-1240.....	520	5120-01-348-9034.....	493

5120-01-348-9035.....	493	5120-01-355-2044.....	392	5120-01-367-3746.....	467
5120-01-348-9037.....	493	5120-01-355-2048.....	390	5120-01-367-3801.....	469
5120-01-348-9118.....	489	5120-01-355-2050.....	390	5120-01-367-4641.....	442
5120-01-348-9189.....	489	5120-01-355-2052.....	390	5120-01-367-4642.....	442
5120-01-348-9190.....	489	5120-01-355-2056.....	471	5120-01-367-4645.....	442
5120-01-348-9464.....	527	5120-01-357-4758.....	525	5120-01-367-7116.....	380
5120-01-348-9465.....	527	5120-01-358-2754.....	490	5120-01-367-7246.....	443
5120-01-348-9466.....	527	5120-01-358-2757.....	486	5120-01-368-2433.....	474
5120-01-348-9470.....	527	5120-01-361-9342.....	384	5120-01-368-2442.....	474
5120-01-348-9474.....	521	5120-01-361-9408.....	384	5120-01-368-8316.....	368
5120-01-348-9690.....	495	5120-01-363-1877.....	476	5120-01-370-6476.....	528
5120-01-348-9691.....	496	5120-01-365-1709.....	498	5120-01-370-6693.....	444
5120-01-348-9698.....	496	5120-01-366-0377.....	472	5120-01-372-5753.....	383
5120-01-349-1042.....	493	5120-01-366-0626.....	489	5120-01-373-8833.....	523
5120-01-349-1384.....	518	5120-01-366-9324.....	520	5120-01-374-0532.....	368
5120-01-349-1385.....	518	5120-01-367-3205.....	493	5120-01-374-1926.....	530
5120-01-349-1406.....	518	5120-01-367-3281.....	518	5120-01-374-1928.....	530
5120-01-349-1476.....	521	5120-01-367-3315.....	518	5120-01-374-1931.....	530
5120-01-349-1477.....	521	5120-01-367-3371.....	520	5120-01-374-1932.....	530
5120-01-349-1481.....	521	5120-01-367-3372.....	520	5120-01-374-1935.....	530
5120-01-350-0990.....	488	5120-01-367-3373.....	520	5120-01-374-1936.....	530
5120-01-350-0992.....	488	5120-01-367-3374.....	520	5120-01-374-1938.....	530
5120-01-350-0993.....	488	5120-01-367-3393.....	517	5120-01-374-1939.....	530
5120-01-350-1004.....	488	5120-01-367-3455.....	475	5120-01-376-5121.....	472
5120-01-350-1005.....	488	5120-01-367-3457.....	475	5120-01-378-5002.....	489
5120-01-350-1006.....	488	5120-01-367-3468.....	475	5120-01-378-5361.....	498
5120-01-350-1007.....	488	5120-01-367-3474.....	475	5120-01-378-5398.....	495
5120-01-351-2048.....	530	5120-01-367-3477.....	475	5120-01-378-5508.....	490
5120-01-351-2074.....	368	5120-01-367-3478.....	475	5120-01-378-5733.....	495
5120-01-354-9451.....	526	5120-01-367-3488.....	475	5120-01-378-5897.....	494
5120-01-355-1729.....	532	5120-01-367-3489.....	475	5120-01-378-6699.....	495
5120-01-355-1732.....	529	5120-01-367-3490.....	475	5120-01-378-8340.....	495
5120-01-355-1734.....	529	5120-01-367-3491.....	475	5120-01-380-8971.....	371
5120-01-355-1735.....	529	5120-01-367-3497.....	475	5120-01-380-8975.....	476
5120-01-355-1736.....	529	5120-01-367-3498.....	475	5120-01-380-9000.....	386
5120-01-355-1739.....	529	5120-01-367-3501.....	475	5120-01-384-6169.....	476
5120-01-355-1741.....	529	5120-01-367-3503.....	475	5120-01-387-0055.....	524
5120-01-355-1742.....	529	5120-01-367-3504.....	475	5120-01-388-6821.....	413
5120-01-355-1762.....	531	5120-01-367-3505.....	475	5120-01-395-7207.....	391
5120-01-355-1763.....	530	5120-01-367-3506.....	475	5120-01-396-5914.....	529
5120-01-355-1766.....	530	5120-01-367-3507.....	475	5120-01-396-5917.....	529
5120-01-355-1781.....	530	5120-01-367-3525.....	475	5120-01-396-5959.....	529
5120-01-355-1792.....	531	5120-01-367-3527.....	475	5120-01-396-6067.....	530
5120-01-355-1824.....	531	5120-01-367-3529.....	475	5120-01-396-6070.....	529
5120-01-355-1859.....	486	5120-01-367-3577.....	533	5120-01-396-6075.....	530
5120-01-355-1864.....	490	5120-01-367-3578.....	533	5120-01-397-3058.....	485
5120-01-355-1865.....	490	5120-01-367-3583.....	533	5120-01-397-3064.....	485
5120-01-355-1868.....	489	5120-01-367-3584.....	533	5120-01-397-3154.....	485
5120-01-355-1894.....	497	5120-01-367-3585.....	533	5120-01-397-3176.....	488
5120-01-355-1895.....	498	5120-01-367-3592.....	533	5120-01-397-3177.....	488
5120-01-355-1899.....	496	5120-01-367-3722.....	468	5120-01-397-3183.....	488
5120-01-355-1901.....	493	5120-01-367-3731.....	467	5120-01-397-3186.....	488
5120-01-355-1955.....	503	5120-01-367-3734.....	468	5120-01-398-7594.....	517
5120-01-355-2036.....	390	5120-01-367-3741.....	468	5120-01-398-7641.....	489
5120-01-355-2042.....	392	5120-01-367-3742.....	467	5120-01-398-7654.....	470

5120-01-398-7662.	470	5120-01-399-8989.	531	5120-01-399-9720.	496
5120-01-398-7673.	490	5120-01-399-9019.	469	5120-01-399-9721.	496
5120-01-398-7690.	486	5120-01-399-9023.	529	5120-01-399-9736.	497
5120-01-398-7692.	486	5120-01-399-9051.	529	5120-01-399-9759.	475
5120-01-398-7693.	486	5120-01-399-9053.	532	5120-01-399-9766.	492
5120-01-398-7702.	489	5120-01-399-9054.	532	5120-01-399-9769.	488
5120-01-398-7714.	485	5120-01-399-9117.	477	5120-01-399-9770.	475
5120-01-398-7718.	485	5120-01-399-9144.	468	5120-01-399-9778.	475
5120-01-398-7722.	485	5120-01-399-9165.	442	5120-01-399-9787.	475
5120-01-398-7730.	485	5120-01-399-9167.	442	5120-01-399-9796.	475
5120-01-398-7756.	485	5120-01-399-9173.	443	5120-01-399-9799.	475
5120-01-398-7852.	489	5120-01-399-9175.	443	5120-01-399-9809.	475
5120-01-398-7894.	492	5120-01-399-9182.	473	5120-01-399-9825.	475
5120-01-398-7919.	493	5120-01-399-9183.	473	5120-01-399-9830.	475
5120-01-398-7923.	475	5120-01-399-9188.	473	5120-01-399-9831.	475
5120-01-398-7933.	475	5120-01-399-9205.	444	5120-01-399-9837.	475
5120-01-398-7937.	492	5120-01-399-9209.	444	5120-01-399-9850.	517
5120-01-398-7943.	492	5120-01-399-9220.	442	5120-01-399-9869.	517
5120-01-398-7944.	493	5120-01-399-9227.	442	5120-01-399-9876.	517
5120-01-398-7946.	467	5120-01-399-9240.	445	5120-01-399-9886.	517
5120-01-398-7950.	469	5120-01-399-9252.	391	5120-01-399-9902.	524
5120-01-398-7951.	469	5120-01-399-9257.	441	5120-01-399-9948.	376
5120-01-398-7973.	467	5120-01-399-9262.	392	5120-01-399-9951.	377
5120-01-398-8033.	493	5120-01-399-9266.	393	5120-01-399-9955.	377
5120-01-398-8053.	469	5120-01-399-9268.	445	5120-01-399-9969.	475
5120-01-398-9148.	523	5120-01-399-9286.	369	5120-01-399-9972.	475
5120-01-398-9218.	520	5120-01-399-9301.	371	5120-01-399-9974.	475
5120-01-398-9221.	520	5120-01-399-9302.	371	5120-01-399-9975.	475
5120-01-398-9222.	520	5120-01-399-9389.	376	5120-01-399-9978.	475
5120-01-398-9244.	469	5120-01-399-9472.	485	5120-01-399-9979.	475
5120-01-398-9248.	469	5120-01-399-9477.	485	5120-01-399-9981.	475
5120-01-398-9253.	469	5120-01-399-9489.	485	5120-01-399-9982.	475
5120-01-398-9291.	520	5120-01-399-9495.	485	5120-01-399-9989.	489
5120-01-398-9294.	520	5120-01-399-9515.	486	5120-01-400-0226.	496
5120-01-398-9295.	520	5120-01-399-9528.	486	5120-01-400-0229.	493
5120-01-398-9310.	523	5120-01-399-9529.	488	5120-01-400-0231.	493
5120-01-398-9322.	520	5120-01-399-9531.	488	5120-01-400-0232.	529
5120-01-398-9351.	520	5120-01-399-9565.	488	5120-01-400-0237.	529
5120-01-398-9354.	521	5120-01-399-9569.	488	5120-01-400-0239.	529
5120-01-398-9391.	443	5120-01-399-9606.	489	5120-01-400-0242.	524
5120-01-399-5605.	529	5120-01-399-9607.	489	5120-01-400-0253.	488
5120-01-399-5784.	469	5120-01-399-9617.	490	5120-01-400-0255.	488
5120-01-399-8752.	523	5120-01-399-9624.	492	5120-01-400-0279.	489
5120-01-399-8764.	523	5120-01-399-9627.	492	5120-01-400-0319.	529
5120-01-399-8795.	520	5120-01-399-9628.	492	5120-01-400-1165.	393
5120-01-399-8801.	520	5120-01-399-9631.	492	5120-01-400-2739.	503
5120-01-399-8803.	520	5120-01-399-9636.	493	5120-01-400-2740.	503
5120-01-399-8821.	520	5120-01-399-9645.	492	5120-01-406-7724.	467
5120-01-399-8830.	521	5120-01-399-9673.	496	5120-01-406-7727.	468
5120-01-399-8834.	521	5120-01-399-9678.	496	5120-01-413-8724.	371
5120-01-399-8851.	521	5120-01-399-9689.	495	5120-01-415-4223.	392
5120-01-399-8876.	518	5120-01-399-9690.	495	5120-01-416-8568.	479
5120-01-399-8893.	521	5120-01-399-9691.	495	5120-01-416-8570.	479
5120-01-399-8970.	526	5120-01-399-9708.	496	5120-01-416-8571.	479
5120-01-399-8985.	525	5120-01-399-9717.	496	5120-01-416-8572.	479

5120-01-416-8573.....	479	5120-01-428-8044.....	470	5120-01-429-7455.....	444
5120-01-416-8574.....	479	5120-01-428-8088.....	470	5120-01-429-8137.....	368
5120-01-416-8575.....	479	5120-01-428-8095.....	470	5120-01-429-8147.....	446
5120-01-416-8577.....	479	5120-01-428-8106.....	470	5120-01-429-8153.....	446
5120-01-419-4365.....	518	5120-01-428-8200.....	522	5120-01-430-1433.....	478
5120-01-420-8619.....	392	5120-01-428-8214.....	522	5120-01-430-1481.....	391
5120-01-426-7560.....	529	5120-01-428-8218.....	444	5120-01-430-2921.....	486
5120-01-428-4597.....	488	5120-01-428-8248.....	444	5120-01-430-2964.....	520
5120-01-428-4627.....	488	5120-01-428-8275.....	524	5120-01-430-2966.....	520
5120-01-428-4671.....	496	5120-01-428-8285.....	524	5120-01-430-2978.....	520
5120-01-428-4686.....	492	5120-01-428-8321.....	524	5120-01-430-2982.....	520
5120-01-428-4688.....	492	5120-01-428-8378.....	431	5120-01-430-2983.....	521
5120-01-428-4693.....	492	5120-01-428-8379.....	522	5120-01-430-3002.....	520
5120-01-428-4706.....	492	5120-01-428-8435.....	519	5120-01-430-3006.....	520
5120-01-428-4711.....	492	5120-01-428-8496.....	522	5120-01-430-3009.....	520
5120-01-428-4724.....	492	5120-01-428-8497.....	468	5120-01-430-3014.....	520
5120-01-428-4738.....	532	5120-01-428-8506.....	474	5120-01-430-3020.....	521
5120-01-428-4740.....	492	5120-01-428-8521.....	524	5120-01-430-3021.....	520
5120-01-428-4744.....	492	5120-01-428-8525.....	519	5120-01-430-3023.....	520
5120-01-428-4760.....	474	5120-01-428-8530.....	468	5120-01-430-3027.....	520
5120-01-428-4768.....	492	5120-01-428-8532.....	476	5120-01-430-3042.....	520
5120-01-428-4781.....	492	5120-01-428-8567.....	477	5120-01-430-3051.....	521
5120-01-428-4786.....	492	5120-01-428-8570.....	521	5120-01-430-3052.....	521
5120-01-428-4810.....	492	5120-01-428-8608.....	474	5120-01-430-3055.....	495
5120-01-428-4817.....	492	5120-01-428-8657.....	475	5120-01-430-3064.....	493
5120-01-428-4825.....	492	5120-01-428-8701.....	475	5120-01-430-3066.....	493
5120-01-428-4830.....	492	5120-01-428-8705.....	524	5120-01-430-3079.....	490
5120-01-428-4841.....	492	5120-01-428-8751.....	524	5120-01-430-3094.....	494
5120-01-428-4916.....	492	5120-01-428-8863.....	441	5120-01-430-3106.....	489
5120-01-428-4941.....	492	5120-01-428-9253.....	443	5120-01-430-4456.....	487
5120-01-428-4948.....	492	5120-01-428-9284.....	444	5120-01-430-4478.....	491
5120-01-428-5054.....	472	5120-01-429-1087.....	527	5120-01-430-4481.....	491
5120-01-428-5085.....	472	5120-01-429-1090.....	527	5120-01-430-4485.....	487
5120-01-428-5103.....	444	5120-01-429-1097.....	527	5120-01-430-4510.....	491
5120-01-428-5104.....	445	5120-01-429-1110.....	527	5120-01-430-4530.....	495
5120-01-428-5158.....	390	5120-01-429-3518.....	486	5120-01-430-5628.....	475
5120-01-428-5168.....	390	5120-01-429-3521.....	487	5120-01-430-5684.....	474
5120-01-428-5182.....	390	5120-01-429-3524.....	487	5120-01-430-6569.....	446
5120-01-428-5191.....	471	5120-01-429-3542.....	487	5120-01-430-7468.....	485
5120-01-428-5647.....	477	5120-01-429-3555.....	494	5120-01-430-7581.....	486
5120-01-428-7830.....	442	5120-01-429-3564.....	492	5120-01-430-7637.....	487
5120-01-428-7909.....	471	5120-01-429-3581.....	487	5120-01-430-7670.....	488
5120-01-428-7913.....	472	5120-01-429-3585.....	491	5120-01-430-7717.....	489
5120-01-428-7920.....	470	5120-01-429-3597.....	491	5120-01-430-7778.....	489
5120-01-428-7934.....	470	5120-01-429-3622.....	487	5120-01-430-7861.....	523
5120-01-428-7939.....	470	5120-01-429-3642.....	492	5120-01-430-8273.....	376
5120-01-428-7945.....	471	5120-01-429-3646.....	497	5120-01-430-8278.....	376
5120-01-428-7967.....	470	5120-01-429-3652.....	491	5120-01-430-8282.....	376
5120-01-428-7975.....	470	5120-01-429-3671.....	494	5120-01-430-8483.....	377
5120-01-428-8005.....	371	5120-01-429-3681.....	494	5120-01-430-9839.....	377
5120-01-428-8027.....	470	5120-01-429-6065.....	368	5120-01-430-9955.....	376
5120-01-428-8030.....	470	5120-01-429-6451.....	467	5120-01-431-0985.....	520
5120-01-428-8032.....	527	5120-01-429-7330.....	490	5120-01-431-1012.....	520
5120-01-428-8033.....	527	5120-01-429-7333.....	490	5120-01-431-1031.....	520
5120-01-428-8038.....	470	5120-01-429-7407.....	446	5120-01-431-2588.....	488

5120-01-431-2591.....	488	5120-01-473-9724.....	392	5120-01-532-2342.....	520
5120-01-431-2596.....	488	5120-01-474-4801.....	494	5120-01-535-7641.....	518
5120-01-431-2600.....	488	5120-01-474-5087.....	371	5120-01-542-7441.....	521
5120-01-431-2614.....	488	5120-01-474-5099.....	529	5120-01-543-0164.....	477
5120-01-431-2718.....	488	5120-01-474-5107.....	478	5120-01-547-9635.....	446
5120-01-431-2720.....	488	5120-01-474-5182.....	489	5120-01-548-9076.....	493
5120-01-431-4956.....	521	5120-01-474-5185.....	489	5120-01-562-9497.....	495
5120-01-431-6283.....	379	5120-01-476-7556.....	480	5120-01-563-3612.....	476
5120-01-431-7146.....	470	5120-01-477-9530.....	529	5120-01-566-1944.....	526
5120-01-434-9165.....	376	5120-01-477-9554.....	497	5120-01-566-1945.....	532
5120-01-434-9199.....	376	5120-01-480-0640.....	443	5120-01-571-6490.....	476
5120-01-434-9215.....	376	5120-01-482-7617.....	522	5120-01-572-0856.....	493
5120-01-434-9537.....	390	5120-01-486-2069.....	520	5120-01-573-0665.....	465
5120-01-434-9559.....	390	5120-01-486-2075.....	483	5120-01-573-1396.....	529
5120-01-434-9580.....	442	5120-01-486-2081.....	370	5120-01-575-6750.....	489
5120-01-434-9600.....	377	5120-01-486-2082.....	370	5120-01-578-3615.....	492
5120-01-434-9759.....	443	5120-01-486-2087.....	370	5120-01-578-4888.....	536
5120-01-434-9827.....	376	5120-01-486-2092.....	477	5120-01-578-7444.....	470
5120-01-434-9828.....	376	5120-01-486-2101.....	521	5120-01-580-7868.....	493
5120-01-435-0004.....	468	5120-01-486-2106.....	521	5120-01-580-7878.....	493
5120-01-435-0661.....	393	5120-01-486-2111.....	370	5120-01-580-9773.....	495
5120-01-435-0665.....	393	5120-01-486-2133.....	370	5120-01-580-9778.....	495
5120-01-435-0668.....	441	5120-01-486-2135.....	370	5120-01-581-6433.....	524
5120-01-435-6816.....	442	5120-01-486-2143.....	370	5120-01-589-8738.....	392
5120-01-435-6953.....	521	5120-01-486-2209.....	370	5120-01-589-9064.....	441
5120-01-437-1622.....	486	5120-01-486-2264.....	525	5120-01-590-1800.....	521
5120-01-437-1642.....	520	5120-01-486-2297.....	489	5120-01-590-8688.....	446
5120-01-437-1648.....	470	5120-01-486-2298.....	524	5120-01-593-0558.....	376
5120-01-437-1695.....	498	5120-01-487-3821.....	467	5120-01-596-6433.....	392
5120-01-437-1747.....	498	5120-01-487-3822.....	467	5120-01-598-3046.....	521
5120-01-437-1838.....	520	5120-01-487-3823.....	446	5120-01-598-3095.....	521
5120-01-437-1841.....	493	5120-01-487-3824.....	467	5120-01-598-3108.....	521
5120-01-437-1951.....	393	5120-01-487-5272.....	391	5120-01-598-5650.....	392
5120-01-437-3661.....	475	5120-01-490-6488.....	537	5120-01-598-5655.....	391
5120-01-437-3678.....	475	5120-01-490-6490.....	379	5120-01-599-4528.....	471
5120-01-437-3679.....	475	5120-01-493-1885.....	472	5120-01-599-4558.....	485
5120-01-437-3690.....	475	5120-01-495-7705.....	521	5120-01-599-4613.....	486
5120-01-437-3744.....	475	5120-01-495-7710.....	521	5120-01-599-6252.....	384
5120-01-437-3760.....	475	5120-01-495-7712.....	521	5120-01-600-4304.....	517
5120-01-437-3785.....	444	5120-01-495-7714.....	519	5120-01-600-4518.....	441
5120-01-439-0680.....	467	5120-01-495-7719.....	521	5120-01-601-5160.....	378
5120-01-440-5129.....	386	5120-01-495-7720.....	521	5120-01-601-5161.....	376
5120-01-443-6895.....	470	5120-01-496-6664.....	532	5120-01-601-5162.....	376
5120-01-446-4014.....	519	5120-01-499-1614.....	476	5120-01-601-5164.....	517
5120-01-449-8231.....	532	5120-01-499-3282.....	476	5120-01-601-5166.....	386
5120-01-456-9009.....	446	5120-01-499-3284.....	471	5120-01-601-5170.....	490
5120-01-457-1613.....	485	5120-01-504-9546.....	477	5120-01-601-5171.....	490
5120-01-462-8874.....	532	5120-01-509-0862.....	532	5120-01-601-5172.....	490
5120-01-463-7117.....	386	5120-01-509-0882.....	531	5120-01-601-5174.....	494
5120-01-468-6124.....	529	5120-01-511-0991.....	467	5120-01-601-5175.....	494
5120-01-473-9271.....	517	5120-01-513-9587.....	444	5120-01-601-5182.....	475
5120-01-473-9274.....	517	5120-01-514-3465.....	368	5120-01-601-5184.....	493
5120-01-473-9592.....	471	5120-01-514-7806.....	398	5120-01-601-5187.....	467
5120-01-473-9605.....	472	5120-01-521-4531.....	474	5120-01-601-5188.....	467
5120-01-473-9686.....	484	5120-01-530-2311.....	532	5120-01-601-5191.....	477

5120-01-609-8721.....	368	5130-00-277-9487.....	459	5130-01-112-9541.....	495
5120-01-610-4990.....	531	5130-00-277-9488.....	459	5130-01-113-1558.....	496
5120-01-611-8054.....	481	5130-00-278-6634.....	459	5130-01-113-1559.....	496
5120-01-611-8059.....	481	5130-00-283-3231.....	448	5130-01-115-1149.....	495
5120-01-611-8064.....	481	5130-00-287-5199.....	449	5130-01-299-0016.....	496
5120-01-611-8069.....	482	5130-00-288-7741.....	451	5130-01-299-0175.....	497
5120-01-611-8072.....	481	5130-00-293-0781.....	459	5130-01-317-2453.....	452
5120-01-611-8075.....	482	5130-00-293-1412.....	496	5130-01-335-1363.....	431
5120-01-611-8078.....	482	5130-00-293-1849.....	448	5130-01-336-5533.....	431
5120-01-616-3740.....	444	5130-00-293-1977.....	451	5130-01-348-9316.....	493
5120-01-617-6226.....	485	5130-00-293-1978.....	451	5130-01-355-1872.....	496
5120-01-617-6233.....	485	5130-00-293-1992.....	459	5130-01-355-1874.....	496
5120-01-617-6547.....	486	5130-00-293-2015.....	459	5130-01-355-1890.....	496
5120-01-617-6566.....	446	5130-00-293-2408.....	458	5130-01-355-2075.....	451
5120-01-617-6687.....	483	5130-00-293-2409.....	458	5130-01-367-3110.....	494
5120-01-619-4322.....	489	5130-00-293-2410.....	459	5130-01-368-2436.....	474
5120-01-619-4790.....	532	5130-00-293-2797.....	451	5130-01-371-0080.....	511
5120-01-619-4835.....	523	5130-00-294-9511.....	451	5130-01-387-0248.....	477
5120-01-620-6411.....	527	5130-00-340-0719.....	450	5130-01-389-8450.....	496
5120-01-620-6784.....	492	5130-00-357-5135.....	497	5130-01-393-2925.....	452
5120-01-626-5254.....	376	5130-00-435-2309.....	459	5130-01-397-7379.....	406
5120-01-645-2315.....	444	5130-00-468-0849.....	530	5130-01-397-9684.....	449
5120-01-648-0981.....	442	5130-00-540-4434.....	451	5130-01-397-9779.....	413
5120-01-649-6558.....	442	5130-00-541-7839.....	496	5130-01-397-9801.....	448
5120-01-651-0753.....	490	5130-00-595-8179.....	458	5130-01-397-9805.....	448
5120-01-651-0754.....	490	5130-00-595-8182.....	458	5130-01-398-4690.....	449
5120-01-651-2680.....	520	5130-00-596-1176.....	450	5130-01-398-4699.....	447
5130		5130-00-606-9694.....	452	5130-01-399-1140.....	458
5130-00-021-2025.....	474	5130-00-621-2647.....	452	5130-01-400-0074.....	493
5130-00-063-2738.....	477	5130-00-674-9211.....	477	5130-01-400-0122.....	494
5130-00-071-9163.....	459	5130-00-674-9212.....	477	5130-01-400-0123.....	497
5130-00-138-5552.....	449	5130-00-674-9213.....	477	5130-01-400-0129.....	497
5130-00-150-8041.....	457	5130-00-684-6964.....	497	5130-01-400-0155.....	496
5130-00-177-6876.....	450	5130-00-714-0600.....	493	5130-01-400-0177.....	496
5130-00-184-1426.....	451	5130-00-724-3703.....	477	5130-01-400-0182.....	496
5130-00-184-1427.....	451	5130-00-726-7873.....	477	5130-01-400-0196.....	496
5130-00-203-6447.....	493	5130-00-774-7130.....	477	5130-01-428-3751.....	451
5130-00-203-7943.....	431	5130-00-798-0828.....	477	5130-01-444-4662.....	447
5130-00-204-0623.....	450	5130-00-805-3793.....	477	5130-01-444-8505.....	449
5130-00-221-8006.....	493	5130-00-816-1314.....	477	5130-01-448-6687.....	449
5130-00-221-8010.....	493	5130-00-889-2134.....	451	5130-01-449-9225.....	406
5130-00-227-6676.....	496	5130-00-889-9001.....	448	5130-01-455-5609.....	501
5130-00-227-6677.....	496	5130-00-900-9514.....	450	5130-01-460-8604.....	450
5130-00-227-6679.....	496	5130-00-935-7354.....	448	5130-01-473-9448.....	461
5130-00-227-6681.....	496	5130-00-965-9876.....	452	5130-01-473-9449.....	461
5130-00-227-6684.....	496	5130-00-967-9707.....	461	5130-01-473-9450.....	461
5130-00-227-6686.....	496	5130-00-991-0699.....	371	5130-01-473-9452.....	461
5130-00-227-6696.....	493	5130-01-008-7418.....	449	5130-01-474-4805.....	461
5130-00-234-4879.....	451	5130-01-044-7196.....	452	5130-01-474-4810.....	461
5130-00-236-2246.....	498	5130-01-044-7197.....	452	5130-01-474-4822.....	461
5130-00-236-3979.....	496	5130-01-045-8552.....	493	5130-01-478-5593.....	461
5130-00-263-0235.....	459	5130-01-053-8733.....	461	5130-01-486-2261.....	451
5130-00-275-1203.....	461	5130-01-083-5827.....	458	5130-01-507-7933.....	461
5130-00-275-1206.....	461	5130-01-087-6839.....	449	5130-01-507-7934.....	461
		5130-01-112-0552.....	493	5130-01-514-7768.....	530
				5130-01-525-4650.....	497

5130-01-536-6492.....	449	5133-00-189-9281.....	513	5133-00-228-1336.....	515
5130-01-544-4414.....	450	5133-00-189-9282.....	513	5133-00-228-1339.....	515
5130-01-547-4719.....	447	5133-00-189-9283.....	513	5133-00-228-2323.....	516
5130-01-573-2118.....	447	5133-00-189-9284.....	513	5133-00-232-6398.....	514
5130-01-574-9904.....	461	5133-00-189-9285.....	513	5133-00-232-6399.....	514
5130-01-587-6656.....	461	5133-00-189-9286.....	513	5133-00-236-4059.....	515
5130-01-587-6673.....	461	5133-00-189-9287.....	513	5133-00-239-0786.....	502
5130-01-588-1550.....	449	5133-00-189-9288.....	513	5133-00-240-7337.....	516
5130-01-589-9350.....	448	5133-00-189-9289.....	513	5133-00-243-9611.....	514
5130-01-596-1420.....	461	5133-00-189-9290.....	513	5133-00-243-9612.....	514
5130-01-596-1421.....	461	5133-00-189-9291.....	514	5133-00-243-9613.....	515
5130-01-609-1107.....	448	5133-00-189-9292.....	514	5133-00-262-2157.....	514
5130-01-623-9505.....	461	5133-00-189-9293.....	514	5133-00-262-2158.....	514
5130-01-627-6730.....	449	5133-00-189-9294.....	514	5133-00-262-2162.....	514
5133		5133-00-189-9295.....	514	5133-00-262-2163.....	514
5133-00-010-4005.....	511	5133-00-189-9296.....	514	5133-00-262-2164.....	514
5133-00-051-5748.....	512	5133-00-189-9297.....	514	5133-00-262-2165.....	514
5133-00-051-5749.....	512	5133-00-189-9298.....	514	5133-00-262-2168.....	514
5133-00-065-0980.....	512	5133-00-189-9299.....	514	5133-00-262-2169.....	514
5133-00-065-0981.....	512	5133-00-189-9300.....	514	5133-00-262-2170.....	514
5133-00-189-9246.....	513	5133-00-189-9301.....	514	5133-00-262-2171.....	514
5133-00-189-9247.....	513	5133-00-189-9302.....	514	5133-00-262-2172.....	514
5133-00-189-9248.....	513	5133-00-189-9303.....	514	5133-00-262-2173.....	514
5133-00-189-9249.....	513	5133-00-189-9304.....	514	5133-00-262-2174.....	514
5133-00-189-9250.....	513	5133-00-189-9305.....	514	5133-00-262-2179.....	514
5133-00-189-9251.....	513	5133-00-203-6468.....	515	5133-00-262-2180.....	515
5133-00-189-9252.....	513	5133-00-222-9466.....	511	5133-00-262-2191.....	514
5133-00-189-9253.....	513	5133-00-222-9467.....	511	5133-00-262-2192.....	514
5133-00-189-9254.....	513	5133-00-222-9468.....	511	5133-00-262-2193.....	514
5133-00-189-9255.....	513	5133-00-222-9469.....	511	5133-00-262-2194.....	514
5133-00-189-9256.....	513	5133-00-222-9470.....	511	5133-00-266-9233.....	514
5133-00-189-9257.....	513	5133-00-222-9471.....	511	5133-00-266-9246.....	514
5133-00-189-9258.....	513	5133-00-223-4987.....	511	5133-00-266-9461.....	515
5133-00-189-9259.....	513	5133-00-224-1963.....	516	5133-00-266-9464.....	515
5133-00-189-9260.....	513	5133-00-224-1965.....	516	5133-00-277-2702.....	516
5133-00-189-9261.....	513	5133-00-227-9647.....	514	5133-00-278-0230.....	510
5133-00-189-9262.....	513	5133-00-227-9649.....	514	5133-00-289-0541.....	516
5133-00-189-9263.....	513	5133-00-227-9650.....	514	5133-00-293-0983.....	510
5133-00-189-9264.....	513	5133-00-227-9651.....	514	5133-00-293-1161.....	510
5133-00-189-9265.....	513	5133-00-227-9652.....	514	5133-00-293-1902.....	502
5133-00-189-9266.....	513	5133-00-227-9653.....	514	5133-00-435-3267.....	516
5133-00-189-9267.....	513	5133-00-227-9654.....	514	5133-00-435-3276.....	516
5133-00-189-9268.....	513	5133-00-227-9656.....	514	5133-00-449-6775.....	510
5133-00-189-9269.....	513	5133-00-227-9658.....	514	5133-00-540-4375.....	510
5133-00-189-9270.....	513	5133-00-227-9660.....	515	5133-00-542-4764.....	516
5133-00-189-9271.....	513	5133-00-227-9662.....	515	5133-00-555-1528.....	510
5133-00-189-9272.....	513	5133-00-227-9665.....	515	5133-00-555-3610.....	516
5133-00-189-9273.....	513	5133-00-227-9666.....	515	5133-00-585-0367.....	511
5133-00-189-9274.....	513	5133-00-227-9669.....	515	5133-00-595-8849.....	515
5133-00-189-9275.....	513	5133-00-227-9671.....	515	5133-00-595-8861.....	515
5133-00-189-9276.....	513	5133-00-227-9672.....	515	5133-00-837-7595.....	512
5133-00-189-9277.....	513	5133-00-227-9673.....	515	5133-00-838-5245.....	512
5133-00-189-9278.....	513	5133-00-227-9674.....	515	5133-00-841-8702.....	511
5133-00-189-9280.....	513	5133-00-228-1325.....	515	5133-00-841-8757.....	511
		5133-00-228-1327.....	515	5133-00-850-3292.....	511
				5133-00-894-5611.....	512

5133-00-894-5613.....	512	5136-00-197-9554.....	499	5136-01-438-4736.....	499
5133-00-900-2063.....	511	5136-00-197-9555.....	499	5136-01-438-4740.....	499
5133-00-912-6029.....	515	5136-00-197-9556.....	499	5136-01-438-4742.....	499
5133-00-912-6031.....	515	5136-00-197-9557.....	499	5136-01-438-4743.....	499
5133-00-980-3422.....	510	5136-00-197-9558.....	499	5136-01-438-4745.....	499
5133-00-980-3423.....	510	5136-00-197-9559.....	499	5136-01-438-4748.....	499
5133-00-988-5655.....	512	5136-00-203-6212.....	500	5136-01-439-1803.....	499
5133-00-988-5673.....	512	5136-00-203-6504.....	500	5136-01-439-1805.....	499
5133-00-988-5684.....	512	5136-00-203-6506.....	500	5136-01-439-1807.....	499
5133-00-988-5695.....	512	5136-00-203-6510.....	500	5136-01-439-1809.....	499
5133-00-988-5699.....	512	5136-00-203-6647.....	500	5136-01-439-1832.....	499
5133-00-988-5702.....	512	5136-00-203-7074.....	500	5136-01-439-1833.....	499
5133-00-988-5703.....	512	5136-00-224-1461.....	501	5136-01-439-1834.....	499
5133-00-988-5708.....	512	5136-00-224-7113.....	500		
5133-00-988-5709.....	512	5136-00-228-0996.....	500	5140	
5133-01-045-4946.....	512	5136-00-228-0999.....	500	5140-00-103-9172.....	498
5133-01-047-0258.....	510	5136-00-228-1007.....	500	5140-00-226-9019.....	508
5133-01-113-6305.....	516	5136-00-237-8148.....	500	5140-00-261-4994.....	507
5133-01-115-7993.....	516	5136-00-237-8270.....	499	5140-00-288-7763.....	507
5133-01-115-7995.....	516	5136-00-239-2780.....	501	5140-00-293-2379.....	507
5133-01-117-0464.....	516	5136-00-262-1484.....	500	5140-00-315-2747.....	508
5133-01-118-0720.....	516	5136-00-287-5196.....	502	5140-00-319-5079.....	509
5133-01-120-3515.....	516	5136-00-293-0711.....	500	5140-00-329-4306.....	507
5133-01-120-8720.....	516	5136-00-293-0715.....	500	5140-00-335-0085.....	508
5133-01-144-5337.....	511	5136-00-293-3325.....	501	5140-00-356-4503.....	508
5133-01-366-0167.....	512	5136-00-357-7494.....	501	5140-00-388-3416.....	509
5133-01-398-2438.....	510	5136-00-357-7508.....	499	5140-00-473-6256.....	507
5133-01-437-3755.....	512	5136-00-516-3370.....	500	5140-00-473-6260.....	508
5133-01-473-9410.....	516	5136-00-555-9205.....	500	5140-00-498-8772.....	508
5133-01-473-9454.....	516	5136-00-580-7316.....	500	5140-00-651-7676.....	508
5133-01-474-4980.....	510	5136-00-580-7327.....	500	5140-00-653-4198.....	509
5133-01-474-4989.....	510	5136-00-580-7333.....	500	5140-00-772-4142.....	507
5133-01-477-9534.....	510	5136-00-580-7356.....	500	5140-00-837-5313.....	511
5133-01-478-7706.....	510	5136-00-580-7364.....	500	5140-01-010-4775.....	509
5133-01-486-2314.....	510	5136-00-729-5675.....	500	5140-01-010-4861.....	508
5133-01-535-1216.....	510	5136-00-729-5682.....	500	5140-01-139-6261.....	508
5133-01-551-1094.....	510	5136-00-729-5683.....	500	5140-01-154-3870.....	508
		5136-00-729-5684.....	500	5140-01-167-1541.....	508
5136		5136-00-729-5686.....	500	5140-01-237-3233.....	508
5136-00-045-0596.....	499	5136-00-729-5688.....	500	5140-01-349-0633.....	498
5136-00-189-3194.....	501	5136-00-729-5691.....	500	5140-01-351-5113.....	490
5136-00-189-3195.....	501	5136-00-729-5716.....	500	5140-01-364-9467.....	495
5136-00-189-3196.....	501	5136-00-729-5717.....	500	5140-01-367-3936.....	509
5136-00-189-3197.....	501	5136-00-821-1029.....	500	5140-01-408-3853.....	509
5136-00-189-3198.....	501	5136-00-889-6977.....	500	5140-01-416-8569.....	479
5136-00-189-3201.....	501	5136-01-028-4309.....	500	5140-01-418-6648.....	508
5136-00-189-3216.....	501	5136-01-045-8596.....	500	5140-01-420-0438.....	507
5136-00-189-3217.....	501	5136-01-045-8603.....	500	5140-01-429-6945.....	368
5136-00-189-3218.....	501	5136-01-045-8607.....	500	5140-01-434-5790.....	509
5136-00-189-3219.....	501	5136-01-113-1566.....	500	5140-01-434-5815.....	509
5136-00-189-3220.....	501	5136-01-119-0005.....	499	5140-01-471-4422.....	507
5136-00-189-3221.....	501	5136-01-355-3035.....	500	5140-01-474-5091.....	508
5136-00-189-3222.....	501	5136-01-429-7445.....	499	5140-01-490-6470.....	508
5136-00-189-3224.....	501	5136-01-429-7466.....	499	5140-01-512-8449.....	508
5136-00-189-7805.....	500	5136-01-429-7469.....	499	5140-01-534-3681.....	509
5136-00-197-9553.....	499			5140-01-562-8124.....	507

5180

5180-00-009-1970.....	504
5180-00-054-7503.....	421
5180-00-054-7507.....	421
5180-00-055-7042.....	377
5180-00-203-9585.....	501
5180-00-288-6567.....	506
5180-00-313-9496.....	370
5180-00-449-3785.....	504
5180-00-596-1038.....	466
5180-00-650-7821.....	504
5180-00-672-2611.....	504
5180-00-935-0732.....	421
5180-00-935-0735.....	421
5180-00-935-0736.....	421
5180-01-007-8999.....	477
5180-01-046-4980.....	504
5180-01-123-8949.....	383
5180-01-201-4978.....	407
5180-01-336-7141.....	505
5180-01-412-8437.....	369
5180-01-423-6468.....	505
5180-01-432-3144.....	505
5180-01-434-5068.....	505
5180-01-442-0988.....	504
5180-01-457-5621.....	506
5180-01-486-2208.....	370
5180-01-516-3218.....	536
5180-01-516-3219.....	536
5180-01-516-3220.....	536
5180-01-516-3222.....	536
5180-01-516-3224.....	536
5180-01-516-3225.....	536
5180-01-516-3227.....	536
5180-01-516-3229.....	506
5180-01-516-3233.....	506
5180-01-544-9840.....	505
5180-01-598-2251.....	427

5210

5210-00-019-3050.....	368
5210-00-078-3905.....	439
5210-00-078-8947.....	438
5210-00-078-8948.....	438
5210-00-078-8949.....	438
5210-00-086-4988.....	439
5210-00-088-1945.....	433
5210-00-150-2920.....	439
5210-00-152-0493.....	440
5210-00-174-3231.....	438
5210-00-182-4797.....	439
5210-00-203-7763.....	436
5210-00-204-1283.....	437
5210-00-221-1850.....	431
5210-00-221-1882.....	439

5210-00-221-1885.....	439
5210-00-221-1886.....	439
5210-00-221-1887.....	439
5210-00-221-1893.....	436
5210-00-221-1894.....	436
5210-00-221-1921.....	433
5210-00-221-1932.....	435
5210-00-221-1945.....	433
5210-00-221-1993.....	436
5210-00-221-1999.....	435
5210-00-221-2047.....	435
5210-00-221-2072.....	436
5210-00-221-2091.....	433
5210-00-222-4565.....	434
5210-00-223-9191.....	435
5210-00-223-9606.....	440
5210-00-224-9937.....	438
5210-00-229-3045.....	433
5210-00-234-5223.....	437
5210-00-234-5224.....	437
5210-00-234-6745.....	439
5210-00-234-8017.....	434
5210-00-238-1734.....	440
5210-00-238-3106.....	435
5210-00-239-0892.....	440
5210-00-241-3599.....	438
5210-00-241-8305.....	440
5210-00-243-2933.....	433
5210-00-243-3349.....	437
5210-00-243-3367.....	437
5210-00-245-0301.....	439
5210-00-250-4761.....	433
5210-00-263-0376.....	381
5210-00-263-0378.....	399
5210-00-264-6400.....	438
5210-00-267-2765.....	437
5210-00-268-9617.....	440
5210-00-273-1948.....	438
5210-00-273-1960.....	437
5210-00-273-1965.....	437
5210-00-273-3422.....	437
5210-00-273-9793.....	440
5210-00-274-2857.....	435
5210-00-274-2861.....	435
5210-00-277-2430.....	440
5210-00-277-7549.....	433
5210-00-277-8840.....	434
5210-00-278-0645.....	438
5210-00-287-3335.....	439
5210-00-287-3336.....	433
5210-00-293-0042.....	434
5210-00-293-0565.....	437
5210-00-293-1872.....	436
5210-00-293-2913.....	434
5210-00-293-3393.....	437

5210-00-293-3505.....	439
5210-00-293-3511.....	437
5210-00-293-3523.....	433
5210-00-347-2591.....	440
5210-00-347-2613.....	440
5210-00-362-5100.....	437
5210-00-377-6525.....	434
5210-00-449-7014.....	436
5210-00-473-9350.....	436
5210-00-477-9603.....	435
5210-00-494-1774.....	436
5210-00-494-1776.....	436
5210-00-526-0752.....	439
5210-00-527-9429.....	439
5210-00-540-2973.....	433
5210-00-540-3513.....	438
5210-00-554-7087.....	440
5210-00-554-7092.....	440
5210-00-554-7134.....	433
5210-00-560-6091.....	433
5210-00-619-4045.....	435
5210-00-710-4359.....	434
5210-00-735-7604.....	438
5210-00-790-1901.....	433
5210-00-810-3490.....	438
5210-00-904-4836.....	434
5210-00-971-8827.....	437
5210-01-008-8119.....	435
5210-01-010-4522.....	433
5210-01-011-3886.....	435
5210-01-045-3526.....	435
5210-01-075-9328.....	437
5210-01-083-2926.....	436
5210-01-091-0696.....	434
5210-01-106-6157.....	434
5210-01-139-7444.....	439
5210-01-162-9477.....	435
5210-01-259-6010.....	434
5210-01-268-3416.....	433
5210-01-309-2055.....	436
5210-01-335-1616.....	435
5210-01-337-3667.....	434
5210-01-355-3806.....	440
5210-01-357-4178.....	440
5210-01-367-7283.....	440
5210-01-368-4549.....	435
5210-01-397-3022.....	434
5210-01-397-3083.....	439
5210-01-399-9318.....	435
5210-01-399-9319.....	435
5210-01-399-9332.....	435
5210-01-399-9333.....	435
5210-01-428-5325.....	438
5210-01-428-5502.....	439
5210-01-428-5559.....	438

5210-01-494-0069.....	439	5345-00-157-9790.....	458	5350-00-192-5049.....	455
5210-01-494-0899.....	437	5345-00-196-1696.....	453	5350-00-221-0872.....	455
5210-01-516-7126.....	440	5345-00-196-1698.....	453	5350-00-246-0330.....	455
5210-01-523-0196.....	433	5345-00-215-1881.....	430	5350-00-274-6209.....	456
5210-01-601-2377.....	434	5345-00-224-6595.....	430	5350-00-576-9634.....	454
5210-01-604-4826.....	437	5345-00-242-2555.....	430	5350-00-619-8973.....	454
5210-01-616-6247.....	434	5345-00-243-6086.....	430	5350-00-721-8115.....	458
5210-01-652-5424.....	440	5345-00-558-5928.....	453	5350-00-721-8117.....	458
5305		5345-00-558-5929.....	453	5350-00-935-7698.....	454
5305-00-068-0502.....	398	5345-00-584-4554.....	430	5350-00-950-9766.....	454
5305-00-145-1064.....	398	5345-00-881-8380.....	453	5350-00-967-5089.....	453
5310		5345-01-015-1419.....	458	5350-00-967-5092.....	453
5310-00-637-9541.....	399	5345-01-017-9511.....	458	5350-00-967-5093.....	453
5315		5345-01-053-7925.....	455	5350-01-326-8205.....	455
5315-00-598-5916.....	New-4	5345-01-074-9404.....	455	5350-01-326-9262.....	455
5335		5345-01-074-9405.....	455	5350-01-327-8453.....	455
5335-00-889-3283.....	536	5345-01-074-9406.....	455	5350-01-368-6708.....	454
5335-00-889-3285.....	536	5345-01-249-8361.....	454	5350-01-631-5572.....	456
5340		5345-01-252-8565.....	454	5350-01-631-5575.....	456
5340-00-116-2375.....	399	5345-01-264-9227.....	457	5350-01-631-5577.....	456
5340-00-116-2376.....	399	5345-01-282-0634.....	454	5350-01-631-5578.....	456
5340-00-158-3805.....	400	5345-01-367-7680.....	454	5350-01-631-5580.....	456
5340-00-158-3807.....	400	5345-01-397-5253.....	454	5350-01-631-5581.....	456
5340-00-244-2728.....	84	5345-01-397-5256.....	454	5350-01-631-5582.....	456
5340-00-281-2194.....	400	5345-01-420-1453.....	457	5350-01-631-5583.....	456
5340-00-285-6523.....	400	5345-01-420-1457.....	457	5350-01-631-5584.....	456
5340-00-292-0896.....	400	5345-01-420-1460.....	458	5350-01-631-5585.....	456
5340-00-514-2782.....	400	5345-01-424-2260.....	454	5350-01-631-5586.....	456
5340-00-568-9915.....	400	5345-01-432-3027.....	457	5350-01-631-5587.....	456
5340-00-664-1326.....	399	5345-01-432-3292.....	457	5350-01-631-5589.....	456
5340-00-682-1505.....	401	5345-01-444-8433.....	454	5350-01-631-5590.....	456
5340-00-685-1202.....	399	5345-01-496-7235.....	458	5350-01-631-5591.....	456
5340-00-907-8277.....	400	5345-01-499-9809.....	457	5350-01-631-5592.....	456
5340-00-914-5107.....	68	5345-01-521-4548.....	457	5350-01-631-5593.....	456
5340-00-985-6734.....	399	5345-01-521-4926.....	457	5350-01-631-5594.....	456
5340-00-985-6735.....	399	5345-01-521-4927.....	457	5640	
5340-00-985-6736.....	399	5345-01-521-7251.....	457	5640-00-103-2254.....	414
5340-01-346-4611.....	401	5345-01-528-9897.....	457	5640-01-065-6769.....	382
5340-01-346-4612.....	401	5350		5820	
5340-01-346-7462.....	401	5350-00-012-1869.....	454	5820-01-518-3622.....	535
5340-01-384-2016.....	6	5350-00-050-1094.....	454	5820-01-524-5067.....	536
5340-01-412-7004.....	401	5350-00-161-9066.....	455	5820-01-541-8042.....	535
5340-01-412-7006.....	401	5350-00-161-9715.....	455	5920	
5340-01-463-5841.....	401	5350-00-187-6280.....	456	5920-01-384-7958.....	5, 402
5340-01-598-7495.....	6	5350-00-187-6281.....	456	5920-01-384-8501.....	5, 402
5340-01-598-7496.....	6	5350-00-187-6283.....	456	5920-01-384-8597.....	5, 402
5340-01-695-2544.....	New-4	5350-00-187-6284.....	456	5920-01-384-8699.....	5, 402
5340-01-695-2546.....	New-4	5350-00-187-6289.....	456	5920-01-422-8844.....	5, 402
5340-01-695-2554.....	New-4	5350-00-187-6290.....	456	5920-01-422-8851.....	5, 402
5340-01-695-2557.....	New-4	5350-00-187-6291.....	456	5920-01-422-8857.....	5, 402
5345		5350-00-187-6292.....	456	5920-01-422-8867.....	5, 402
5345-00-116-9230.....	430	5350-00-187-6293.....	456	5920-01-433-0301.....	5
		5350-00-187-6294.....	456	5920-01-490-6691.....	5, 402
		5350-00-187-6295.....	456		
		5350-00-192-5047.....	455		

5970

5970-00-962-3335..... 381
 5970-01-613-4737..... 415
 5970-01-613-4738..... 415
 5970-01-613-4739..... 415
 5970-01-613-4740..... 415
 5970-01-613-4741..... 415
 5970-01-613-4742..... 415

6110

6110-01-450-4385..... 5, 403

6130

6130-01-413-3929..... 395

6135

6135-00-826-4798..... 395
 6135-00-835-7210..... 395
 6135-00-900-2139..... 395
 6135-01-301-8776..... 395
 6135-01-446-8307..... 395
 6135-01-446-8308..... 395
 6135-01-446-8310..... 395
 6135-01-447-0949..... 395
 6135-01-447-0950..... 395

6140

6140-01-413-3923..... 395
 6140-01-413-3925..... 395
 6140-01-413-3926..... 395
 6140-01-672-8906..... 4
 6140-01-672-8907..... 4

6150

6150-00-144-0091..... 403
 6150-00-485-6149..... 403
 6150-00-990-7396..... 403
 6150-00-990-7397..... 403
 6150-01-503-2025..... 403

6210

6210-00-688-4929..... 403
 6210-00-727-6417..... 403
 6210-00-727-6418..... 403
 6210-00-892-5294..... 403

6230

6230-00-140-1165..... 397
 6230-00-146-8898..... 397
 6230-00-146-8899..... 397
 6230-00-163-1856..... 397
 6230-00-270-5418..... 397
 6230-00-299-3035..... 397
 6230-00-500-0523..... 398
 6230-00-643-3486..... 397
 6230-00-781-3671..... 397
 6230-00-926-4331..... 398
 6230-01-291-7531..... 397

6230-01-463-5816..... 398
 6230-01-513-2663..... 397
 6230-01-513-3296..... 397
 6230-01-513-3305..... 397
 6230-01-513-3306..... 397
 6230-01-513-4300..... 397
 6230-01-615-6035..... 342

6260

6260-00-106-7478..... 345, 396
 6260-01-074-4230..... 345, 396
 6260-01-178-5560..... 345, 396
 6260-01-195-9752..... 345, 396
 6260-01-195-9753..... 345, 397
 6260-01-218-5146..... 345, 396
 6260-01-230-8601..... 345, 396
 6260-01-247-0362..... 345, 397
 6260-01-247-0363..... 345, 396
 6260-01-247-0367..... 345, 397
 6260-01-247-0368..... 345, 396
 6260-01-265-0612..... 345, 397
 6260-01-265-0613..... 345, 397
 6260-01-265-0614..... 345, 397
 6260-01-282-7630..... 345, 396
 6260-01-396-1704..... 345, 397

6350

6350-01-094-4171..... 338

6510

6510-01-464-0369..... 340

6515

6515-01-411-0626..... 343
 6515-01-411-0627..... 343
 6515-01-413-9293..... 343
 6515-01-418-5404..... 343
 6515-01-463-5340..... 343
 6515-01-464-0432..... 340

6545

6545-00-656-1093..... 339
 6545-00-663-9032..... 340
 6545-00-664-5313..... 340, 374
 6545-01-465-1800..... 339
 6545-01-465-1823..... 339
 6545-01-465-1846..... 339

6645

6645-00-066-4279..... 132
 6645-00-250-4680..... 131
 6645-01-046-8848..... 129
 6645-01-046-8849..... 129
 6645-01-106-4303..... 131
 6645-01-342-5313..... 129
 6645-01-342-5314..... 129
 6645-01-342-8199..... 129
 6645-01-389-7944..... 129

6645-01-389-7958..... 129
 6645-01-421-6904..... 129
 6645-01-456-6018..... 130
 6645-01-467-8478..... 130
 6645-01-491-9814..... 129
 6645-01-492-0373..... 129
 6645-01-544-0408..... 131
 6645-01-544-9475..... 133
 6645-01-547-0300..... 131
 6645-01-550-7391..... 131
 6645-01-557-3148..... 130
 6645-01-557-3149..... 130
 6645-01-557-4606..... 130
 6645-01-557-4608..... 130
 6645-01-623-7483..... 130
 6645-01-623-8823..... 130
 6645-01-661-1877..... 129
 6645-01-694-1795..... 131
 6645-01-694-1800..... 132
 6645-01-694-4636..... 132
 6645-01-694-7149..... 132
 6645-01-696-1137..... 132
 6645-01-696-2685..... 131
 6645-01-696-2687..... 131
 6645-01-696-2688..... 131
 6645-01-696-8175..... 132
 6645-01-696-8182..... 132
 6645-01-697-4201..... 133
 6645-01-697-4202..... 133
 6645-01-697-4203..... 133
 6645-01-697-4204..... 133
 6645-01-697-4205..... 133
 6645-01-697-8861..... 131
 6645-01-697-8862..... 133
 6645-01-697-8863..... 134
 6645-01-697-8864..... 134
 6645-01-697-8865..... 131
 6645-01-698-4273..... 133
 6645-01-698-4274..... 133
 6645-01-698-4275..... 133
 6645-01-698-6036..... 131
 6645-01-698-6037..... 133
 6645-01-699-2508..... 132
 6645-01-699-2509..... 132
 6645-01-699-2510..... 132
 6645-01-699-2511..... 132
 6645-01-699-2512..... 132
 6645-01-699-2513..... 132
 6645-01-699-2514..... 132
 6645-01-699-5583..... 133
 6645-01-699-5584..... 133
 6645-01-699-5585..... 133
 6645-01-699-5586..... 133
 6645-01-699-5587..... 133
 6645-01-699-5588..... 133

6645-01-699-5589	133
6645-01-699-5590	133
6645-01-699-5591	133
6645-01-699-5592	133
6645-01-699-8247	131
6645-01-699-8599	132
6645-01-699-8602	133
6645-01-699-8603	131
6645-01-699-8606	133
6645-01-699-8607	133
6645-01-699-9110	131
6645-01-699-9118	131
6645-01-699-9119	132
6645-01-699-9623	133
6645-01-699-9624	131
6645-20-001-9382	134
6645-21-558-0133	134

6680

6680-00-641-3206	82
------------------	----

6810

6810-00-227-0437	336, 482
6810-00-233-1715	375

6830

6830-00-584-3041	537
------------------	-----

6840

6840-00-242-4770	274
6840-00-246-6438	267
6840-00-255-0472	274
6840-00-551-8346	274
6840-00-584-3129	274
6840-00-664-6610	267
6840-00-687-7904	274
6840-00-721-6055	266
6840-01-003-9589	312, 536
6840-01-342-4143	273
6840-01-367-2914	273
6840-01-368-4785	266
6840-01-368-4787	266
6840-01-368-4789	266
6840-01-397-3065	299
6840-01-410-8860	273
6840-01-411-9963	273
6840-01-425-8232	266
6840-01-429-5864	266
6840-01-451-9189	267
6840-01-459-8263	266
6840-01-463-5455	312, 536
6840-01-490-6693	312, 536
6840-01-666-0471	267
6840-01-666-0472	267
6840-01-699-8437	New-6
6840-01-699-8438	New-6

6840-01-699-8439	New-6
6840-01-699-8440	New-6
6840-01-699-8442	New-6
6840-01-699-8443	New-6
6840-01-699-8444	New-6
6840-01-699-8445	New-6
6840-01-699-8446	New-6
6840-01-699-8447	New-6
6840-01-699-8448	New-6
6840-01-699-8449	New-6

6840

6850-00-063-2843	265
6850-00-281-3042	299
6850-00-664-1403	372
6850-00-664-1409	372
6850-00-835-0484	299
6850-00-965-2332	372
6850-00-973-9091	372
6850-01-574-8506	273
6850-01-683-1761	6

7025

7025-01-490-6701	8
7025-01-618-4138	8
7025-01-651-8938	8
7025-01-677-4742	8
7025-01-690-9998	8

7035

7035-01-485-2134	19
------------------	----

7045

7045-01-368-4808	8
7045-01-368-4809	8
7045-01-368-4810	8
7045-01-368-4811	8
7045-01-406-4657	9
7045-01-406-4663	9
7045-01-412-5317	9
7045-01-429-3462	2
7045-01-441-9576	9
7045-01-441-9577	9
7045-01-442-1631	3
7045-01-444-2533	9
7045-01-444-2534	9
7045-01-444-2535	9
7045-01-470-3592	2
7045-01-477-7792	9
7045-01-490-7254	6
7045-01-490-7303	44
7045-01-490-7307	44
7045-01-490-7309	56
7045-01-515-5371	2
7045-01-515-5372	3
7045-01-515-5373	3

7045-01-515-5374	3
7045-01-515-5375	2
7045-01-515-6774	2
7045-01-554-7681	3
7045-01-554-7682	3
7045-01-558-4985	2
7045-01-558-4986	2
7045-01-558-4988	2
7045-01-568-9695	2
7045-01-569-1704	2
7045-01-570-2661	2
7045-01-570-8894	7
7045-01-570-8895	7
7045-01-570-8897	7
7045-01-570-8898	7
7045-01-570-8900	7
7045-01-570-8902	7
7045-01-570-8904	7
7045-01-570-8907	7
7045-01-570-8908	7
7045-01-570-8910	7
7045-01-599-5286	7
7045-01-599-5302	7
7045-01-599-9355	2
7045-01-613-7629	7
7045-01-613-7630	7
7045-01-614-6231	7
7045-01-614-6232	7
7045-01-614-6233	7
7045-01-614-7492	3
7045-01-619-2983	7
7045-01-649-6592	7
7045-01-649-7196	7
7045-01-658-2771	3
7045-01-658-2772	3
7045-01-658-2773	3
7045-01-662-0013	7
7045-01-662-0015	7
7045-01-671-2138	7
7045-01-671-2140	7
7045-01-671-2141	7
7045-01-685-8918	10
7045-01-685-8919	10
7045-01-685-8920	10
7045-01-685-8921	10
7045-01-685-8922	10
7045-01-685-8923	10
7045-01-685-9192	10
7045-01-685-9763	10
7045-01-687-3470	7
7045-01-698-3259	New-2
7045-01-698-3260	New-2
7045-01-705-7351	New-2
7045-01-705-7352	New-2

7045-01-705-7353.....	New-2	7105-01-419-5322.....	36	7105-01-440-6073.....	37
7045-01-705-7354.....	New-2	7105-01-419-5329.....	36	7105-01-440-6074.....	38
7045-01-705-7355.....	New-2	7105-01-419-5332.....	36	7105-01-440-6075.....	38
7045-01-705-7356.....	New-2	7105-01-419-5338.....	36	7105-01-440-6076.....	38
7045-01-705-7357.....	New-2	7105-01-419-5339.....	36	7105-01-440-6077.....	38
7045-01-705-7358.....	New-2	7105-01-419-5344.....	36	7105-01-440-6078.....	38
		7105-01-419-5347.....	36	7105-01-440-6079.....	38
		7105-01-419-5350.....	36	7105-01-440-6080.....	37
7050		7105-01-419-5351.....	36	7105-01-440-6081.....	37
7050-01-689-7544.....	6	7105-01-419-5353.....	36	7105-01-440-6082.....	37
7050-01-689-7545.....	6	7105-01-419-5355.....	36	7105-01-440-6083.....	37
7050-01-689-7546.....	6	7105-01-419-5358.....	36	7105-01-458-8209.....	35
		7105-01-419-5360.....	36	7105-01-458-8210.....	35
7105		7105-01-424-6471.....	36	7105-01-458-8211.....	35
7105-00-051-1212.....	37	7105-01-424-6472.....	36	7105-01-458-8212.....	35
7105-00-052-8684.....	37	7105-01-424-6473.....	36	7105-01-458-8213.....	35
7105-00-052-8686.....	37	7105-01-424-6474.....	36	7105-01-458-8214.....	35
7105-00-052-8689.....	37	7105-01-424-6475.....	36	7105-01-458-8215.....	35
7105-00-052-8690.....	37	7105-01-424-6476.....	36	7105-01-458-8216.....	35
7105-00-052-8695.....	39	7105-01-424-6477.....	36	7105-01-458-8217.....	35
7105-00-052-8696.....	39	7105-01-424-6478.....	36	7105-01-458-8218.....	35
7105-00-052-8697.....	39	7105-01-424-6479.....	36	7105-01-458-8219.....	35
7105-00-052-8698.....	39	7105-01-424-6480.....	36	7105-01-458-8220.....	35
7105-00-053-0170.....	37	7105-01-424-6481.....	36	7105-01-458-8221.....	35
7105-00-061-5834.....	37	7105-01-424-6482.....	36	7105-01-458-8222.....	35
7105-00-149-0505.....	222	7105-01-424-6483.....	36	7105-01-458-8223.....	35
7105-00-149-1281.....	39	7105-01-424-6484.....	36	7105-01-458-8224.....	35
7105-00-149-1282.....	39	7105-01-424-6485.....	36	7105-01-458-8225.....	35
7105-00-269-8463.....	240	7105-01-424-6486.....	36	7105-01-458-8226.....	35
7105-00-275-6224.....	222	7105-01-424-6487.....	36	7105-01-458-8227.....	35
7105-00-297-3397.....	39	7105-01-424-6488.....	36	7105-01-458-8228.....	35
7105-00-297-3398.....	37	7105-01-424-6489.....	36	7105-01-458-8229.....	35
7105-00-465-6199.....	37	7105-01-424-6490.....	36	7105-01-458-8230.....	35
7105-00-641-4385.....	39	7105-01-424-6491.....	36	7105-01-458-8231.....	35
7105-00-663-8475.....	240	7105-01-424-6492.....	36	7105-01-458-8232.....	35
7105-00-782-3166.....	83	7105-01-424-6493.....	36	7105-01-462-0845.....	226
7105-00-782-9576.....	222	7105-01-424-6494.....	36	7105-01-462-0852.....	227
7105-00-903-1842.....	39	7105-01-424-6495.....	36	7105-01-462-0898.....	228
7105-00-903-1843.....	39	7105-01-424-6497.....	36	7105-01-462-0902.....	228
7105-01-282-0630.....	39	7105-01-424-6498.....	36	7105-01-462-0914.....	228
7105-01-282-0631.....	39	7105-01-424-6499.....	36	7105-01-462-0918.....	228
7105-01-282-0632.....	39	7105-01-424-6501.....	36	7105-01-462-0962.....	228
7105-01-282-0633.....	39	7105-01-424-6503.....	36	7105-01-462-0966.....	228
7105-01-357-9978.....	38	7105-01-424-6504.....	36	7105-01-462-0978.....	228
7105-01-357-9979.....	38	7105-01-424-6505.....	36	7105-01-462-0982.....	228
7105-01-357-9980.....	38	7105-01-424-7865.....	36	7105-01-462-1048.....	227
7105-01-357-9981.....	38	7105-01-440-6064.....	37	7105-01-462-1049.....	227
7105-01-408-9957.....	39	7105-01-440-6065.....	37	7105-01-462-1050.....	227
7105-01-419-5289.....	36	7105-01-440-6066.....	38	7105-01-462-1051.....	227
7105-01-419-5293.....	36	7105-01-440-6067.....	37	7105-01-462-1052.....	226
7105-01-419-5296.....	36	7105-01-440-6068.....	38	7105-01-462-1053.....	228
7105-01-419-5298.....	36	7105-01-440-6069.....	38	7105-01-462-1054.....	227
7105-01-419-5302.....	36	7105-01-440-6070.....	38	7105-01-462-1057.....	227
7105-01-419-5305.....	36	7105-01-440-6071.....	37	7105-01-462-1062.....	225
7105-01-419-5309.....	36	7105-01-440-6072.....	37	7105-01-462-1064.....	226
7105-01-419-5318.....	36				
7105-01-419-5319.....	36				

7105-01-462-1065.....	226	7105-01-664-7848.....	223	7105-01-683-0151.....	231
7105-01-470-4586.....	229	7105-01-664-7849.....	223	7105-01-683-0152.....	231
7105-01-470-4596.....	229	7105-01-665-0841.....	222	7105-01-683-0153.....	231
7105-01-470-4603.....	229	7105-01-665-0842.....	222	7105-01-683-0154.....	230
7105-01-470-4612.....	229	7105-01-665-0843.....	222	7105-01-683-0155.....	230
7105-01-470-5018.....	229	7105-01-665-0844.....	222	7105-01-683-0156.....	230
7105-01-470-5022.....	229	7105-01-665-0845.....	222	7105-01-683-0157.....	230
7105-01-470-5036.....	229	7105-01-665-0846.....	222	7105-01-683-0158.....	230
7105-01-470-5038.....	229	7105-01-665-0847.....	222	7105-01-683-0159.....	230
7105-01-470-5338.....	229	7105-01-665-0848.....	222	7105-01-683-0160.....	230
7105-01-470-5358.....	229	7105-01-665-0849.....	222	7105-01-683-0161.....	230
7105-01-470-5373.....	229	7105-01-665-0850.....	222	7105-01-683-0162.....	233
7105-01-470-5374.....	229	7105-01-665-0851.....	222	7105-01-683-0163.....	230
7105-01-576-6177.....	241	7105-01-665-0852.....	222	7105-01-683-0449.....	238
7105-01-576-6178.....	241	7105-01-665-0855.....	222	7105-01-683-0450.....	239
7105-01-576-6179.....	241	7105-01-665-0858.....	222	7105-01-683-0451.....	239
7105-01-576-6180.....	240	7105-01-665-0859.....	222	7105-01-683-0452.....	239
7105-01-652-8444.....	231	7105-01-665-0860.....	222	7105-01-683-0454.....	239
7105-01-652-8445.....	230	7105-01-665-0866.....	223	7105-01-683-0456.....	239
7105-01-663-0780.....	228	7105-01-665-0869.....	223	7105-01-683-0458.....	239
7105-01-663-0781.....	228	7105-01-665-0870.....	223	7105-01-683-0459.....	239
7105-01-663-0782.....	228	7105-01-665-0871.....	223	7105-01-683-0460.....	234
7105-01-663-0784.....	225	7105-01-665-0872.....	223	7105-01-683-0462.....	234
7105-01-663-0785.....	225	7105-01-665-0873.....	223	7105-01-683-0463.....	239
7105-01-663-0786.....	225	7105-01-665-0874.....	223	7105-01-683-0464.....	239
7105-01-663-0787.....	225	7105-01-665-0875.....	223	7105-01-683-0465.....	234
7105-01-663-0788.....	225	7105-01-665-0876.....	222	7105-01-683-0466.....	234
7105-01-663-0789.....	226	7105-01-665-0877.....	222	7105-01-683-0467.....	234
7105-01-663-0790.....	226	7105-01-677-8622.....	204	7105-01-683-0468.....	238
7105-01-663-0791.....	226	7105-01-677-8628.....	204	7105-01-683-0469.....	234
7105-01-663-0794.....	228	7105-01-677-8629.....	204	7105-01-683-0472.....	238
7105-01-663-0796.....	227	7105-01-677-8630.....	204	7105-01-683-0473.....	238
7105-01-663-2829.....	226	7105-01-682-9725.....	230	7105-01-683-0850.....	234
7105-01-663-7983.....	240	7105-01-682-9726.....	230	7105-01-683-0852.....	234
7105-01-663-7984.....	240	7105-01-682-9727.....	230	7105-01-683-0853.....	234
7105-01-664-7828.....	222	7105-01-682-9728.....	230	7105-01-683-0854.....	234
7105-01-664-7829.....	223	7105-01-682-9729.....	230	7105-01-683-0855.....	231
7105-01-664-7830.....	222	7105-01-682-9730.....	230	7105-01-683-0856.....	231
7105-01-664-7831.....	222	7105-01-682-9731.....	230	7105-01-683-0857.....	234
7105-01-664-7832.....	222	7105-01-682-9732.....	230	7105-01-683-0858.....	234
7105-01-664-7833.....	222	7105-01-682-9889.....	234	7105-01-683-0859.....	234
7105-01-664-7834.....	222	7105-01-683-0136.....	233	7105-01-683-0860.....	231
7105-01-664-7835.....	223	7105-01-683-0137.....	233	7105-01-683-0861.....	234
7105-01-664-7836.....	223	7105-01-683-0138.....	233	7105-01-683-0862.....	235
7105-01-664-7837.....	222	7105-01-683-0139.....	233	7105-01-683-0863.....	231
7105-01-664-7838.....	223	7105-01-683-0140.....	233	7105-01-683-0864.....	234
7105-01-664-7839.....	223	7105-01-683-0141.....	233	7105-01-683-0865.....	235
7105-01-664-7840.....	223	7105-01-683-0142.....	233	7105-01-683-0866.....	231
7105-01-664-7841.....	222	7105-01-683-0143.....	233	7105-01-683-0867.....	234
7105-01-664-7842.....	223	7105-01-683-0145.....	234	7105-01-683-0868.....	231
7105-01-664-7843.....	222	7105-01-683-0146.....	234	7105-01-683-0869.....	234
7105-01-664-7844.....	223	7105-01-683-0147.....	234	7105-01-683-0870.....	235
7105-01-664-7845.....	223	7105-01-683-0148.....	234	7105-01-683-0871.....	234
7105-01-664-7846.....	223	7105-01-683-0149.....	231	7105-01-683-0872.....	235
7105-01-664-7847.....	223	7105-01-683-0150.....	231	7105-01-683-0873.....	235

7105-01-683-0874.....	235	7105-01-683-1789.....	235	7110-00-149-1626.....	215
7105-01-683-0875.....	234	7105-01-683-1790.....	236	7110-00-149-1627.....	215
7105-01-683-0876.....	235	7105-01-683-1791.....	236	7110-00-149-1628.....	215
7105-01-683-0877.....	235	7105-01-683-1792.....	236	7110-00-149-1629.....	215
7105-01-683-0878.....	235	7105-01-683-1793.....	236	7110-00-149-1630.....	215
7105-01-683-0879.....	235	7105-01-683-1794.....	236	7110-00-149-1631.....	215
7105-01-683-1151.....	237	7105-01-683-1795.....	236	7110-00-149-1641.....	217
7105-01-683-1153.....	237	7105-01-683-1796.....	236	7110-00-149-1642.....	217
7105-01-683-1155.....	238	7105-01-683-1797.....	236	7110-00-149-1643.....	217
7105-01-683-1156.....	236	7105-01-683-1798.....	236	7110-00-149-1644.....	217
7105-01-683-1157.....	236	7105-01-683-1799.....	238	7110-00-149-1645.....	218
7105-01-683-1158.....	237	7105-01-683-1800.....	236	7110-00-149-1660.....	217
7105-01-683-1159.....	236	7105-01-683-2154.....	231	7110-00-149-1661.....	217
7105-01-683-1160.....	237	7105-01-683-2155.....	232	7110-00-149-2021.....	217
7105-01-683-1161.....	235	7105-01-683-2156.....	233	7110-00-149-2022.....	217
7105-01-683-1162.....	235	7105-01-683-2157.....	239	7110-00-149-2023.....	217
7105-01-683-1402.....	234	7105-01-683-2384.....	232	7110-00-149-2024.....	217
7105-01-683-1403.....	231	7105-01-683-2385.....	232	7110-00-286-3796.....	220
7105-01-683-1404.....	231	7105-01-683-2386.....	232	7110-00-286-3798.....	220
7105-01-683-1405.....	231	7105-01-683-2387.....	232	7110-00-497-1420.....	219
7105-01-683-1406.....	231	7105-01-683-2388.....	232	7110-00-497-1829.....	220
7105-01-683-1407.....	231	7105-01-683-2389.....	232	7110-00-497-2346.....	220
7105-01-683-1753.....	237	7105-01-683-2390.....	232	7110-00-551-5489.....	219
7105-01-683-1754.....	237	7105-01-683-2391.....	232	7110-00-551-5493.....	219
7105-01-683-1755.....	237	7105-01-683-2392.....	232	7110-00-597-8023.....	216
7105-01-683-1756.....	237	7105-01-683-2393.....	232	7110-00-597-8027.....	216
7105-01-683-1757.....	237	7105-01-683-2394.....	237	7110-00-601-9821.....	220
7105-01-683-1758.....	237	7105-01-683-2395.....	232	7110-00-601-9822.....	220
7105-01-683-1759.....	237	7105-01-683-2396.....	232	7110-00-601-9823.....	220
7105-01-683-1760.....	237	7105-01-683-2397.....	232	7110-00-601-9835.....	83
7105-01-683-1762.....	235	7105-01-683-2398.....	232	7110-00-601-9849.....	83
7105-01-683-1763.....	237	7105-01-683-2399.....	232	7110-00-601-9850.....	215
7105-01-683-1764.....	235	7105-01-683-2400.....	232	7110-00-601-9851.....	215
7105-01-683-1765.....	235	7105-01-683-2401.....	232	7110-00-656-1110.....	240
7105-01-683-1766.....	237	7105-01-683-2402.....	232	7110-00-764-5061.....	219
7105-01-683-1767.....	237	7105-01-683-2403.....	232	7110-00-823-7675.....	190
7105-01-683-1768.....	235	7105-01-683-3017.....	233	7110-00-902-3052.....	190
7105-01-683-1769.....	235	7105-01-683-3018.....	233	7110-00-903-3061.....	190
7105-01-683-1770.....	237	7105-01-683-3019.....	233	7110-00-919-9193.....	357
7105-01-683-1771.....	235	7105-01-683-3020.....	233	7110-00-919-9213.....	358
7105-01-683-1772.....	237	7105-01-683-3021.....	233	7110-00-919-9214.....	358
7105-01-683-1773.....	235	7105-01-683-3022.....	233	7110-00-919-9306.....	358
7105-01-683-1774.....	237	7105-01-683-3023.....	233	7110-00-920-9342.....	357
7105-01-683-1775.....	237	7105-01-683-3025.....	233	7110-00-920-9343.....	357
7105-01-683-1776.....	238	7105-01-683-3770.....	233	7110-00-928-8689.....	362
7105-01-683-1777.....	238	7105-01-683-3771.....	233	7110-00-931-0770.....	363
7105-01-683-1778.....	238			7110-00-931-0771.....	362
7105-01-683-1779.....	238	7110		7110-00-958-0780.....	190
7105-01-683-1780.....	238	7110-00-004-6695.....	219	7110-00-985-5687.....	219
7105-01-683-1783.....	236	7110-00-082-6111.....	355	7110-01-012-8739.....	355
7105-01-683-1784.....	236	7110-00-082-6112.....	355	7110-01-012-8740.....	355
7105-01-683-1785.....	236	7110-00-128-0065.....	216	7110-01-012-8741.....	355
7105-01-683-1786.....	236	7110-00-128-0067.....	216	7110-01-015-1361.....	215
7105-01-683-1787.....	236	7110-00-149-1621.....	220	7110-01-015-1362.....	215
7105-01-683-1788.....	236	7110-00-149-1624.....	215	7110-01-015-2850.....	355
		7110-00-149-1625.....	215		

7110-01-015-2851	358	7110-01-309-1971	356	7110-01-476-2954	361
7110-01-015-2852	358	7110-01-309-1972	356	7110-01-484-1756	26
7110-01-015-3196	358	7110-01-309-1994	356	7110-01-493-6753	215
7110-01-015-4266	357	7110-01-309-1995	356	7110-01-493-6758	215
7110-01-015-4638	357	7110-01-309-1996	356	7110-01-493-6759	215
7110-01-015-4639	357	7110-01-309-2011	358	7110-01-493-6760	215
7110-01-015-6099	357	7110-01-309-2012	358	7110-01-495-2785	183
7110-01-015-6100	357	7110-01-309-2032	362	7110-01-495-2786	183
7110-01-015-6101	358	7110-01-309-2033	362	7110-01-495-2795	187
7110-01-016-5642	215	7110-01-309-2034	362	7110-01-495-2796	187
7110-01-016-5802	358	7110-01-334-7078	25	7110-01-495-2797	187
7110-01-017-3546	363	7110-01-334-7079	25	7110-01-495-2798	187
7110-01-017-3547	363	7110-01-334-7080	25	7110-01-495-2799	187
7110-01-018-4301	358	7110-01-334-7081	25	7110-01-495-2800	187
7110-01-019-0408	362	7110-01-334-7082	25	7110-01-495-2801	187
7110-01-021-3609	215	7110-01-380-1428	217	7110-01-495-2802	187
7110-01-024-5958	362	7110-01-380-1438	217	7110-01-495-2811	190
7110-01-029-0389	357	7110-01-380-6438	217	7110-01-495-2812	190
7110-01-029-5767	357	7110-01-383-8102	189	7110-01-495-2813	190
7110-01-029-8055	357	7110-01-383-8106	189	7110-01-495-2814	190
7110-01-029-8058	357	7110-01-383-8107	183	7110-01-495-2815	184
7110-01-029-8059	357	7110-01-383-8116	183	7110-01-495-2816	184
7110-01-030-9009	357	7110-01-383-8120	183	7110-01-495-2817	184
7110-01-050-6060	357	7110-01-383-8123	183	7110-01-495-2818	184
7110-01-135-1990	215	7110-01-383-8142	188	7110-01-541-5626	216
7110-01-135-1991	215	7110-01-383-8144	188	7110-01-541-6604	211
7110-01-135-1992	215	7110-01-383-8230	184	7110-01-541-6606	211
7110-01-135-1995	215	7110-01-383-8234	184	7110-01-541-6609	216
7110-01-135-1996	215	7110-01-388-5044	188	7110-01-541-6610	216
7110-01-136-1563	83	7110-01-388-5063	190	7110-01-541-6611	211
7110-01-136-1564	215	7110-01-388-5069	188	7110-01-541-6612	211
7110-01-154-6985	189	7110-01-388-5073	189	7110-01-541-6613	211
7110-01-154-6986	190	7110-01-388-5095	183	7110-01-541-6616	211
7110-01-154-6987	190	7110-01-388-5112	190	7110-01-555-0292	25
7110-01-154-6988	190	7110-01-388-5117	189	7110-01-555-0293	25
7110-01-155-7460	189	7110-01-388-5118	189	7110-01-555-0294	25
7110-01-195-6401	184	7110-01-388-5123	183	7110-01-555-0295	41
7110-01-195-6402	184	7110-01-388-5129	189	7110-01-555-8491	208
7110-01-195-6406	189	7110-01-388-5132	190	7110-01-555-8492	208
7110-01-195-6419	183	7110-01-388-5148	190	7110-01-555-8494	208
7110-01-195-6422	188	7110-01-388-5154	183	7110-01-555-8495	209
7110-01-195-6423	188	7110-01-388-5159	189	7110-01-555-8496	208
7110-01-195-6426	189	7110-01-388-5178	190	7110-01-555-8499	209
7110-01-195-6427	189	7110-01-388-5184	183	7110-01-555-8502	209
7110-01-246-3055	188	7110-01-388-5194	190	7110-01-555-8510	209
7110-01-246-3056	188	7110-01-388-5196	188	7110-01-559-9642	240
7110-01-246-3065	190	7110-01-388-5197	189	7110-01-563-1683	357
7110-01-264-8483	358	7110-01-388-5212	183	7110-01-563-1684	358
7110-01-309-1957	356	7110-01-388-5217	189	7110-01-563-1685	356
7110-01-309-1958	356	7110-01-388-5219	188	7110-01-563-1686	358
7110-01-309-1959	356	7110-01-407-0160	27	7110-01-563-1687	355
7110-01-309-1962	356	7110-01-416-5198	26	7110-01-563-1688	356
7110-01-309-1963	356	7110-01-417-0782	187	7110-01-563-1689	355
7110-01-309-1964	356	7110-01-417-0783	187	7110-01-563-1690	357
7110-01-309-1970	356	7110-01-444-7735	27	7110-01-563-1691	356

7110-01-563-1692	356	7110-01-608-8286	211	7110-01-614-5405	359
7110-01-563-1693	356	7110-01-608-8293	211	7110-01-614-5406	356
7110-01-563-1694	355	7110-01-614-5352	357	7110-01-614-5407	356
7110-01-563-1695	358	7110-01-614-5353	360	7110-01-614-5408	359
7110-01-563-1696	355	7110-01-614-5354	360	7110-01-614-5409	359
7110-01-563-1697	356	7110-01-614-5355	358	7110-01-614-5410	356
7110-01-563-1698	357	7110-01-614-5356	360	7110-01-614-5411	356
7110-01-563-1699	355	7110-01-614-5357	360	7110-01-614-5412	359
7110-01-563-1700	355	7110-01-614-5358	357	7110-01-614-5413	356
7110-01-568-0397	26	7110-01-614-5359	358	7110-01-614-5414	359
7110-01-568-0398	26	7110-01-614-5360	360	7110-01-614-5415	359
7110-01-568-0399	25	7110-01-614-5361	358	7110-01-614-5416	361
7110-01-568-0400	26	7110-01-614-5362	360	7110-01-614-5417	357
7110-01-568-0401	26	7110-01-614-5363	359	7110-01-614-5418	360
7110-01-568-0402	26	7110-01-614-5364	359	7110-01-614-5419	360
7110-01-568-0403	28	7110-01-614-5365	358	7110-01-614-5420	355
7110-01-568-0404	26	7110-01-614-5366	356	7110-01-614-5421	361
7110-01-568-0405	26	7110-01-614-5367	358	7110-01-614-5422	355
7110-01-568-0406	25	7110-01-614-5368	358	7110-01-614-5423	355
7110-01-568-0407	26	7110-01-614-5369	357	7110-01-614-5424	355
7110-01-573-6539	208	7110-01-614-5370	356	7110-01-614-5425	355
7110-01-573-6556	209	7110-01-614-5371	358	7110-01-614-5426	355
7110-01-573-6558	210	7110-01-614-5372	358	7110-01-614-5427	355
7110-01-573-6559	209	7110-01-614-5373	359	7110-01-614-5428	357
7110-01-573-6560	209	7110-01-614-5374	358	7110-01-614-5429	355
7110-01-573-6561	210	7110-01-614-5375	356	7110-01-614-5430	355
7110-01-573-6562	209	7110-01-614-5376	358	7110-01-614-5431	356
7110-01-573-6563	208	7110-01-614-5377	357	7110-01-614-5432	357
7110-01-587-1156	210	7110-01-614-5378	356	7110-01-614-5433	357
7110-01-587-1157	210	7110-01-614-5379	357	7110-01-614-5434	355
7110-01-587-1159	210	7110-01-614-5380	358	7110-01-614-5435	357
7110-01-587-1160	210	7110-01-614-5381	358	7110-01-614-5436	360
7110-01-598-1893	210	7110-01-614-5382	358	7110-01-614-5437	357
7110-01-598-1896	210	7110-01-614-5383	357	7110-01-614-5438	357
7110-01-598-1899	210	7110-01-614-5384	358	7110-01-614-5439	358
7110-01-598-1912	208	7110-01-614-5385	358	7110-01-614-5440	355
7110-01-598-1918	209	7110-01-614-5386	356	7110-01-614-5441	355
7110-01-598-4108	210	7110-01-614-5387	357	7110-01-614-5801	363
7110-01-598-4109	210	7110-01-614-5388	356	7110-01-614-5802	363
7110-01-598-4111	210	7110-01-614-5389	357	7110-01-614-5803	363
7110-01-598-4112	210	7110-01-614-5390	356	7110-01-614-5804	363
7110-01-598-4383	209	7110-01-614-5391	361	7110-01-614-5805	363
7110-01-606-5822	359	7110-01-614-5392	358	7110-01-614-5808	362
7110-01-606-5824	359	7110-01-614-5393	356	7110-01-614-5809	362
7110-01-606-5826	361	7110-01-614-5394	357	7110-01-614-5810	363
7110-01-606-5829	361	7110-01-614-5395	357	7110-01-614-5812	362
7110-01-606-5830	361	7110-01-614-5396	356	7110-01-614-5813	362
7110-01-606-5831	361	7110-01-614-5397	361	7110-01-614-5814	362
7110-01-606-5832	361	7110-01-614-5398	356	7110-01-614-5815	363
7110-01-606-5833	360	7110-01-614-5399	361	7110-01-614-5816	362
7110-01-606-5834	360	7110-01-614-5400	357	7110-01-614-5817	362
7110-01-606-5835	361	7110-01-614-5401	358	7110-01-614-5818	362
7110-01-606-5836	360	7110-01-614-5402	356	7110-01-614-5819	362
7110-01-606-5837	359	7110-01-614-5403	361	7110-01-614-5820	362
7110-01-608-8279	211	7110-01-614-5404	356	7110-01-614-5821	362

7110-01-614-5822.....	362	7110-01-622-2872.....	194	7110-01-622-3377.....	192
7110-01-614-5823.....	362	7110-01-622-2874.....	194	7110-01-622-3378.....	192
7110-01-614-5824.....	362	7110-01-622-2875.....	194	7110-01-622-3379.....	192
7110-01-614-5826.....	362	7110-01-622-2876.....	193	7110-01-622-3382.....	192
7110-01-614-5827.....	362	7110-01-622-3175.....	192	7110-01-622-3383.....	192
7110-01-614-5828.....	363	7110-01-622-3176.....	192	7110-01-622-3384.....	192
7110-01-614-5829.....	362	7110-01-622-3178.....	192	7110-01-622-3385.....	192
7110-01-614-5830.....	363	7110-01-622-3181.....	192	7110-01-622-3386.....	192
7110-01-614-5831.....	362	7110-01-622-3183.....	192	7110-01-622-3387.....	192
7110-01-614-5832.....	362	7110-01-622-3185.....	192	7110-01-622-3388.....	193
7110-01-614-5834.....	362	7110-01-622-3186.....	192	7110-01-622-3389.....	193
7110-01-614-5835.....	362	7110-01-622-3188.....	192	7110-01-622-3390.....	193
7110-01-614-5836.....	362	7110-01-622-3192.....	192	7110-01-622-3391.....	193
7110-01-614-5837.....	362	7110-01-622-3207.....	193	7110-01-622-3392.....	193
7110-01-622-0455.....	193	7110-01-622-3210.....	193	7110-01-622-3672.....	196
7110-01-622-1760.....	193	7110-01-622-3213.....	193	7110-01-622-3681.....	196
7110-01-622-1761.....	193	7110-01-622-3215.....	193	7110-01-622-3686.....	196
7110-01-622-1762.....	193	7110-01-622-3217.....	193	7110-01-622-3687.....	196
7110-01-622-1765.....	193	7110-01-622-3218.....	193	7110-01-622-3688.....	196
7110-01-622-1766.....	193	7110-01-622-3221.....	193	7110-01-622-3690.....	195
7110-01-622-1767.....	193	7110-01-622-3223.....	193	7110-01-622-3691.....	196
7110-01-622-1768.....	193	7110-01-622-3225.....	193	7110-01-622-3692.....	195
7110-01-622-1769.....	193	7110-01-622-3227.....	192	7110-01-622-3693.....	195
7110-01-622-1770.....	193	7110-01-622-3229.....	193	7110-01-622-3694.....	196
7110-01-622-1811.....	193	7110-01-622-3231.....	192	7110-01-622-3695.....	195
7110-01-622-2117.....	25	7110-01-622-3235.....	192	7110-01-622-3696.....	196
7110-01-622-2118.....	25	7110-01-622-3238.....	192	7110-01-622-3697.....	196
7110-01-622-2121.....	25	7110-01-622-3242.....	192	7110-01-622-3700.....	195
7110-01-622-2125.....	25	7110-01-622-3269.....	194	7110-01-622-3701.....	196
7110-01-622-2127.....	27	7110-01-622-3273.....	194	7110-01-622-3702.....	196
7110-01-622-2128.....	25	7110-01-622-3275.....	194	7110-01-622-3703.....	195
7110-01-622-2132.....	26	7110-01-622-3279.....	194	7110-01-622-3704.....	191
7110-01-622-2133.....	27	7110-01-622-3280.....	194	7110-01-622-3706.....	191
7110-01-622-2829.....	194	7110-01-622-3282.....	192	7110-01-622-3707.....	196
7110-01-622-2831.....	194	7110-01-622-3284.....	194	7110-01-622-3708.....	191
7110-01-622-2832.....	194	7110-01-622-3285.....	192	7110-01-622-3709.....	195
7110-01-622-2833.....	194	7110-01-622-3287.....	194	7110-01-622-3710.....	195
7110-01-622-2837.....	194	7110-01-622-3289.....	192	7110-01-622-3711.....	191
7110-01-622-2841.....	193	7110-01-622-3290.....	194	7110-01-622-3712.....	195
7110-01-622-2842.....	193	7110-01-622-3292.....	192	7110-01-622-3713.....	191
7110-01-622-2844.....	194	7110-01-622-3293.....	194	7110-01-622-3715.....	196
7110-01-622-2845.....	193	7110-01-622-3295.....	194	7110-01-622-3716.....	196
7110-01-622-2847.....	194	7110-01-622-3296.....	194	7110-01-622-3717.....	191
7110-01-622-2848.....	193	7110-01-622-3299.....	194	7110-01-622-3718.....	195
7110-01-622-2850.....	194	7110-01-622-3300.....	194	7110-01-622-3719.....	191
7110-01-622-2852.....	193	7110-01-622-3301.....	194	7110-01-622-3720.....	196
7110-01-622-2854.....	194	7110-01-622-3302.....	192	7110-01-622-3721.....	195
7110-01-622-2856.....	194	7110-01-622-3305.....	194	7110-01-622-3722.....	195
7110-01-622-2857.....	194	7110-01-622-3307.....	194	7110-01-622-3723.....	191
7110-01-622-2858.....	194	7110-01-622-3309.....	194	7110-01-622-3724.....	195
7110-01-622-2861.....	194	7110-01-622-3315.....	194	7110-01-622-3725.....	191
7110-01-622-2865.....	194	7110-01-622-3365.....	195	7110-01-622-3726.....	195
7110-01-622-2868.....	193	7110-01-622-3366.....	195	7110-01-622-3729.....	196
7110-01-622-2869.....	194	7110-01-622-3371.....	195	7110-01-622-3730.....	195
7110-01-622-2871.....	194	7110-01-622-3372.....	195	7110-01-622-3731.....	196

7110-01-622-3732.....	195	7110-01-622-4252.....	192	7110-01-646-7758.....	217
7110-01-622-3733.....	191	7110-01-622-4257.....	192	7110-01-646-7762.....	217
7110-01-622-3734.....	196	7110-01-622-4258.....	192	7110-01-646-7764.....	217
7110-01-622-3735.....	196	7110-01-622-4259.....	192	7110-01-646-7765.....	217
7110-01-622-3736.....	195	7110-01-622-4260.....	192	7110-01-646-7766.....	217
7110-01-622-3737.....	195	7110-01-622-4261.....	192	7110-01-646-7768.....	217
7110-01-622-3739.....	196	7110-01-622-4262.....	193	7110-01-646-7769.....	217
7110-01-622-3740.....	195	7110-01-622-4263.....	192	7110-01-646-7770.....	217
7110-01-622-3741.....	195	7110-01-622-4264.....	193	7110-01-646-7771.....	217
7110-01-622-3743.....	196	7110-01-622-4265.....	193	7110-01-653-5899.....	212
7110-01-622-3746.....	196	7110-01-622-4266.....	192	7110-01-653-5900.....	212
7110-01-622-3747.....	195	7110-01-622-4654.....	195	7110-01-653-5901.....	212
7110-01-622-3750.....	195	7110-01-622-4655.....	195	7110-01-653-5903.....	212
7110-01-622-3751.....	196	7110-01-622-4656.....	195	7110-01-653-6726.....	212
7110-01-622-3752.....	195	7110-01-622-4657.....	195	7110-01-653-7595.....	212
7110-01-622-3755.....	195	7110-01-622-4658.....	195	7110-01-654-7920.....	183
7110-01-622-3759.....	195	7110-01-622-4659.....	195	7110-01-654-7921.....	183
7110-01-622-3763.....	195	7110-01-622-4660.....	195	7110-01-654-8322.....	184
7110-01-622-3764.....	195	7110-01-622-4661.....	195	7110-01-654-8323.....	184
7110-01-622-3767.....	195	7110-01-622-4662.....	195	7110-01-654-8324.....	184
7110-01-622-3769.....	193	7110-01-622-4663.....	195	7110-01-654-8325.....	184
7110-01-622-3771.....	193	7110-01-622-4666.....	195	7110-01-654-8326.....	184
7110-01-622-3772.....	195	7110-01-622-4667.....	195	7110-01-654-8327.....	184
7110-01-622-3773.....	193	7110-01-622-4671.....	195	7110-01-654-8328.....	187
7110-01-622-3775.....	194	7110-01-622-5469.....	195	7110-01-654-8329.....	184
7110-01-622-3776.....	194	7110-01-624-1137.....	196	7110-01-654-8330.....	187
7110-01-622-3779.....	193	7110-01-630-5156.....	26	7110-01-654-8331.....	184
7110-01-622-3781.....	193	7110-01-630-5157.....	208	7110-01-654-8332.....	187
7110-01-622-3783.....	192	7110-01-630-5159.....	209	7110-01-654-8333.....	188
7110-01-622-3784.....	195	7110-01-630-5161.....	209	7110-01-654-8334.....	187
7110-01-622-3785.....	193	7110-01-630-5163.....	209	7110-01-654-8335.....	188
7110-01-622-3786.....	194	7110-01-630-5164.....	209	7110-01-654-8336.....	187
7110-01-622-3787.....	194	7110-01-630-5165.....	209	7110-01-654-8337.....	188
7110-01-622-3789.....	194	7110-01-630-5168.....	210	7110-01-654-8338.....	188
7110-01-622-3790.....	194	7110-01-630-5170.....	25	7110-01-654-8339.....	187
7110-01-622-3791.....	194	7110-01-630-5171.....	25	7110-01-654-8340.....	187
7110-01-622-3792.....	194	7110-01-630-5172.....	209	7110-01-654-8341.....	187
7110-01-622-3793.....	194	7110-01-630-5173.....	208	7110-01-654-8342.....	187
7110-01-622-4200.....	193	7110-01-630-5174.....	208	7110-01-654-8343.....	187
7110-01-622-4201.....	192	7110-01-630-5175.....	208	7110-01-659-7049.....	212
7110-01-622-4202.....	193	7110-01-630-5176.....	208	7110-01-659-7050.....	212
7110-01-622-4203.....	193	7110-01-630-5177.....	208	7110-01-666-3141.....	218
7110-01-622-4204.....	193	7110-01-630-5178.....	208	7110-01-666-3142.....	217
7110-01-622-4205.....	193	7110-01-630-5179.....	210	7110-01-666-3143.....	218
7110-01-622-4206.....	192	7110-01-630-5180.....	208	7110-01-666-3144.....	218
7110-01-622-4207.....	192	7110-01-630-5181.....	208	7110-01-666-3145.....	218
7110-01-622-4209.....	193	7110-01-630-5182.....	209	7110-01-666-3146.....	217
7110-01-622-4212.....	192	7110-01-642-9853.....	215	7110-01-666-3147.....	217
7110-01-622-4213.....	192	7110-01-642-9854.....	215	7110-01-666-3148.....	218
7110-01-622-4214.....	192	7110-01-642-9855.....	216	7110-01-666-3149.....	217
7110-01-622-4215.....	192	7110-01-642-9856.....	215	7110-01-666-3150.....	217
7110-01-622-4218.....	192	7110-01-642-9857.....	215	7110-01-666-3151.....	218
7110-01-622-4220.....	192	7110-01-642-9858.....	215	7110-01-666-3152.....	218
7110-01-622-4223.....	192	7110-01-642-9859.....	216	7110-01-666-3153.....	218
7110-01-622-4245.....	192	7110-01-643-0782.....	215	7110-01-666-3154.....	217

7110-01-666-3155.....	217	7110-01-666-3869.....	217	7110-01-668-1138.....	213
7110-01-666-3156.....	218	7110-01-666-3871.....	218	7110-01-668-1139.....	213
7110-01-666-3157.....	217	7110-01-666-3873.....	217	7110-01-668-1140.....	214
7110-01-666-3158.....	218	7110-01-666-3874.....	218	7110-01-668-1141.....	213
7110-01-666-3159.....	218	7110-01-666-3876.....	218	7110-01-668-1142.....	213
7110-01-666-3160.....	218	7110-01-666-3880.....	220	7110-01-669-5638.....	244
7110-01-666-3161.....	218	7110-01-666-3882.....	220	7110-01-671-6415.....	241
7110-01-666-3162.....	218	7110-01-666-3884.....	220	7110-01-671-6416.....	241
7110-01-666-3163.....	218	7110-01-666-3885.....	220	7110-01-671-6417.....	241
7110-01-666-3164.....	218	7110-01-666-3886.....	220	7110-01-671-6418.....	241
7110-01-666-3165.....	218	7110-01-666-3888.....	220	7110-01-677-8325.....	203
7110-01-666-3166.....	221	7110-01-666-3890.....	220	7110-01-677-8326.....	203
7110-01-666-3167.....	221	7110-01-666-3892.....	220	7110-01-677-8327.....	203
7110-01-666-3168.....	221	7110-01-666-3893.....	220	7110-01-677-8328.....	204
7110-01-666-3169.....	221	7110-01-666-3896.....	220	7110-01-677-8329.....	204
7110-01-666-3170.....	221	7110-01-666-3897.....	220	7110-01-677-8330.....	204
7110-01-666-3171.....	221	7110-01-666-3899.....	220	7110-01-677-8331.....	204
7110-01-666-3174.....	221	7110-01-666-4260.....	221	7110-01-677-8332.....	204
7110-01-666-3175.....	221	7110-01-666-4261.....	221	7110-01-677-8333.....	204
7110-01-666-3176.....	221	7110-01-666-4262.....	221	7110-01-677-8334.....	204
7110-01-666-3177.....	221	7110-01-666-4263.....	221	7110-01-677-8335.....	197
7110-01-666-3178.....	221	7110-01-666-4264.....	221	7110-01-677-8336.....	197
7110-01-666-3179.....	221	7110-01-666-4265.....	221	7110-01-677-8337.....	204
7110-01-666-3180.....	221	7110-01-666-4266.....	221	7110-01-677-8338.....	197
7110-01-666-3181.....	221	7110-01-666-4271.....	221	7110-01-677-8339.....	204
7110-01-666-3182.....	221	7110-01-666-4273.....	221	7110-01-677-8340.....	197
7110-01-666-3823.....	219	7110-01-666-4274.....	221	7110-01-677-8341.....	197
7110-01-666-3824.....	220	7110-01-666-4275.....	221	7110-01-677-8342.....	204
7110-01-666-3825.....	220	7110-01-666-4276.....	221	7110-01-677-8343.....	197
7110-01-666-3826.....	219	7110-01-666-4277.....	221	7110-01-677-8344.....	197
7110-01-666-3827.....	220	7110-01-666-4278.....	221	7110-01-677-8345.....	197
7110-01-666-3828.....	220	7110-01-666-4279.....	221	7110-01-677-8346.....	197
7110-01-666-3829.....	220	7110-01-666-4280.....	221	7110-01-677-8348.....	203
7110-01-666-3830.....	220	7110-01-666-4281.....	221	7110-01-677-8350.....	203
7110-01-666-3831.....	220	7110-01-666-4282.....	221	7110-01-677-8351.....	197
7110-01-666-3832.....	220	7110-01-666-4701.....	220	7110-01-677-8352.....	203
7110-01-666-3833.....	220	7110-01-668-1118.....	214	7110-01-677-8353.....	197
7110-01-666-3834.....	220	7110-01-668-1119.....	214	7110-01-677-8354.....	203
7110-01-666-3835.....	220	7110-01-668-1120.....	214	7110-01-677-8355.....	197
7110-01-666-3836.....	220	7110-01-668-1121.....	214	7110-01-677-8356.....	197
7110-01-666-3837.....	220	7110-01-668-1123.....	214	7110-01-677-8357.....	204
7110-01-666-3846.....	217	7110-01-668-1124.....	214	7110-01-677-8358.....	203
7110-01-666-3847.....	218	7110-01-668-1125.....	214	7110-01-677-8359.....	197
7110-01-666-3848.....	219	7110-01-668-1126.....	213	7110-01-677-8360.....	203
7110-01-666-3850.....	218	7110-01-668-1127.....	213	7110-01-677-8361.....	204
7110-01-666-3851.....	219	7110-01-668-1128.....	213	7110-01-677-8362.....	203
7110-01-666-3853.....	218	7110-01-668-1129.....	214	7110-01-677-8363.....	203
7110-01-666-3854.....	219	7110-01-668-1130.....	213	7110-01-677-8364.....	203
7110-01-666-3856.....	217	7110-01-668-1131.....	213	7110-01-677-8365.....	203
7110-01-666-3858.....	219	7110-01-668-1132.....	213	7110-01-677-8366.....	203
7110-01-666-3859.....	217	7110-01-668-1133.....	214	7110-01-677-8855.....	201
7110-01-666-3860.....	218	7110-01-668-1134.....	213	7110-01-677-8856.....	199
7110-01-666-3862.....	218	7110-01-668-1135.....	214	7110-01-677-8858.....	200
7110-01-666-3866.....	217	7110-01-668-1136.....	213	7110-01-677-8859.....	200
7110-01-666-3867.....	218	7110-01-668-1137.....	214	7110-01-677-8860.....	200

7110-01-677-8861.....	200	7110-01-678-2420.....	202	7110-01-679-2659.....	206
7110-01-677-8862.....	200	7110-01-678-2421.....	201	7110-01-679-2660.....	205
7110-01-677-8863.....	200	7110-01-678-2422.....	201	7110-01-679-2661.....	207
7110-01-677-8864.....	200	7110-01-678-2423.....	201	7110-01-679-2662.....	206
7110-01-677-8865.....	200	7110-01-678-2424.....	202	7110-01-679-2663.....	207
7110-01-677-8866.....	201	7110-01-678-2425.....	202	7110-01-679-2664.....	205
7110-01-677-8867.....	199	7110-01-678-2426.....	201	7110-01-679-2665.....	206
7110-01-677-8868.....	201	7110-01-678-2427.....	201	7110-01-679-2666.....	207
7110-01-677-8869.....	199	7110-01-678-2428.....	202	7110-01-679-2667.....	205
7110-01-677-8870.....	199	7110-01-678-2429.....	202	7110-01-679-2668.....	205
7110-01-677-8871.....	199	7110-01-678-2430.....	202	7110-01-679-2669.....	207
7110-01-677-8872.....	199	7110-01-678-2431.....	202	7110-01-679-2670.....	205
7110-01-677-8873.....	199	7110-01-678-2432.....	201	7110-01-679-2671.....	206
7110-01-677-9546.....	201	7110-01-678-2433.....	202	7110-01-679-2672.....	206
7110-01-677-9547.....	203	7110-01-678-2434.....	201	7110-01-679-2673.....	206
7110-01-677-9548.....	203	7110-01-678-3059.....	201	7110-01-679-2674.....	205
7110-01-677-9550.....	203	7110-01-678-3060.....	198	7110-01-679-2675.....	205
7110-01-677-9551.....	203	7110-01-678-3061.....	199	7110-01-679-2676.....	206
7110-01-677-9552.....	203	7110-01-679-2622.....	207	7110-01-679-2677.....	205
7110-01-677-9553.....	202	7110-01-679-2623.....	207	7110-01-679-2678.....	206
7110-01-677-9554.....	202	7110-01-679-2624.....	207	7110-01-679-2679.....	206
7110-01-677-9558.....	202	7110-01-679-2625.....	207	7110-01-679-2680.....	206
7110-01-677-9559.....	202	7110-01-679-2626.....	207	7110-01-679-2681.....	206
7110-01-677-9860.....	198	7110-01-679-2627.....	206	7110-01-679-2682.....	206
7110-01-677-9861.....	198	7110-01-679-2628.....	206	7110-01-679-2685.....	207
7110-01-677-9862.....	199	7110-01-679-2629.....	206	7110-01-679-2686.....	207
7110-01-677-9863.....	198	7110-01-679-2630.....	206	7110-01-679-2687.....	207
7110-01-677-9864.....	198	7110-01-679-2631.....	207	7110-01-679-2689.....	207
7110-01-677-9865.....	198	7110-01-679-2632.....	207	7110-01-679-2690.....	207
7110-01-677-9867.....	198	7110-01-679-2633.....	207	7110-01-679-2691.....	207
7110-01-677-9868.....	198	7110-01-679-2634.....	207	7110-01-679-2692.....	207
7110-01-678-0217.....	203	7110-01-679-2635.....	206	7110-01-679-2694.....	207
7110-01-678-0518.....	198	7110-01-679-2636.....	206	7110-01-679-2695.....	206
7110-01-678-1757.....	200	7110-01-679-2637.....	207	7110-01-679-2696.....	206
7110-01-678-1758.....	200	7110-01-679-2638.....	206	7110-01-679-2697.....	206
7110-01-678-1760.....	200	7110-01-679-2639.....	207	7110-01-679-2698.....	206
7110-01-678-2077.....	202	7110-01-679-2640.....	206	7110-01-679-2699.....	206
7110-01-678-2401.....	201	7110-01-679-2641.....	207	7110-01-679-2700.....	206
7110-01-678-2402.....	199	7110-01-679-2642.....	206	7110-01-679-2701.....	206
7110-01-678-2403.....	201	7110-01-679-2643.....	207	7110-01-679-2702.....	206
7110-01-678-2404.....	199	7110-01-679-2644.....	206	7110-01-679-2703.....	207
7110-01-678-2405.....	200	7110-01-679-2645.....	206	7110-01-679-2704.....	207
7110-01-678-2406.....	199	7110-01-679-2646.....	207	7110-01-679-3320.....	207
7110-01-678-2407.....	200	7110-01-679-2647.....	206	7110-01-681-0786.....	212
7110-01-678-2408.....	200	7110-01-679-2648.....	206	7110-01-683-0851.....	235
7110-01-678-2409.....	200	7110-01-679-2649.....	207	7110-01-690-4867.....	213
7110-01-678-2410.....	200	7110-01-679-2650.....	206	7110-01-690-4868.....	213
7110-01-678-2412.....	198	7110-01-679-2651.....	207	7110-01-690-4869.....	213
7110-01-678-2413.....	202	7110-01-679-2652.....	207	7110-01-690-4870.....	213
7110-01-678-2414.....	201	7110-01-679-2653.....	206	7110-01-691-5485.....	244
7110-01-678-2415.....	202	7110-01-679-2654.....	207	7110-01-691-5486.....	244
7110-01-678-2416.....	198	7110-01-679-2655.....	207	7110-01-692-5299.....	212
7110-01-678-2417.....	202	7110-01-679-2656.....	206	7110-01-698-8614.....	185
7110-01-678-2418.....	201	7110-01-679-2657.....	207	7110-01-698-8615.....	185
7110-01-678-2419.....	198	7110-01-679-2658.....	207	7110-01-698-8616.....	185

7110-01-698-8617.....	185	7125-00-764-5744.....	219	7125-01-667-1404.....	242
7110-01-698-8618.....	185	7125-01-151-5435.....	243	7125-01-667-1407.....	242
7110-01-698-8619.....	185	7125-01-666-3838.....	219	7125-01-667-2783.....	242
7110-01-698-9068.....	185	7125-01-666-3839.....	219	7125-01-667-2784.....	242
7110-01-698-9069.....	185	7125-01-666-3840.....	219	7125-01-667-2785.....	242
7110-01-698-9695.....	186	7125-01-666-3842.....	219	7125-01-667-2786.....	242
7110-01-698-9696.....	186	7125-01-666-3843.....	219	7125-01-667-2787.....	242
7110-01-698-9697.....	186	7125-01-666-3845.....	219	7125-01-667-2788.....	242
7110-01-698-9698.....	186	7125-01-666-3863.....	219	7125-01-668-9091.....	224
7110-01-698-9699.....	186	7125-01-666-3865.....	219	7125-01-668-9092.....	224
7110-01-698-9700.....	186	7125-01-666-3868.....	219	7125-01-668-9093.....	224
7110-01-698-9701.....	186	7125-01-666-3870.....	219		
7110-01-698-9702.....	185	7125-01-666-3872.....	219	7195	
7110-01-698-9703.....	185	7125-01-666-3875.....	219	7195-01-218-2026.....	26
7110-01-698-9704.....	185	7125-01-666-3877.....	219	7195-01-235-4161.....	26
7110-01-698-9705.....	186	7125-01-666-3878.....	219	7195-01-484-0005.....	26
7110-01-698-9706.....	186	7125-01-666-3881.....	219	7195-01-484-0007.....	26
7110-01-698-9707.....	185	7125-01-666-3883.....	219	7195-01-484-0010.....	26
7110-01-698-9708.....	185	7125-01-666-3887.....	219	7195-01-567-9517.....	26
7110-01-698-9709.....	185	7125-01-666-3889.....	219	7195-01-567-9519.....	26
7110-01-698-9710.....	185	7125-01-666-3891.....	219	7195-01-567-9520.....	26
7110-01-698-9711.....	185	7125-01-666-3894.....	219	7195-01-567-9521.....	26
7110-01-698-9712.....	186	7125-01-666-3895.....	219	7195-01-567-9522.....	26
7110-01-698-9713.....	186	7125-01-666-3898.....	219	7195-01-590-9070.....	245
7110-01-698-9714.....	186	7125-01-666-5393.....	223	7195-01-590-9071.....	245
7110-01-698-9715.....	186	7125-01-666-5394.....	223	7195-01-618-3861.....	241
7110-01-698-9716.....	186	7125-01-666-5395.....	223	7195-01-618-3862.....	241
7110-01-698-9717.....	186	7125-01-666-5396.....	223	7195-01-618-3863.....	241
7110-01-698-9718.....	186	7125-01-666-5397.....	223	7195-01-618-3864.....	241
7110-01-700-0769.....	New-3	7125-01-666-5398.....	223	7195-01-618-3865.....	241
7110-01-700-1029.....	New-3	7125-01-666-5399.....	223	7195-01-618-3866.....	241
7110-01-700-1030.....	New-3	7125-01-666-5400.....	223	7195-01-618-3867.....	241
7110-01-700-1031.....	New-3	7125-01-666-5401.....	224	7195-01-622-2141.....	26
7110-01-700-1032.....	New-3	7125-01-666-5402.....	223	7195-01-666-7982.....	244
7110-01-700-1033.....	New-3	7125-01-666-5403.....	224	7195-01-690-9141.....	245
7110-01-700-1034.....	New-3	7125-01-666-5404.....	224	7195-01-690-9142.....	245
7110-01-700-1800.....	New-3	7125-01-666-5405.....	242	7195-01-690-9143.....	245
7110-01-702-5670.....	New-3	7125-01-666-5406.....	224	7195-01-690-9363.....	245
7110-01-702-5671.....	New-3	7125-01-666-5407.....	224	7195-01-690-9364.....	245
7110-01-702-5673.....	New-3	7125-01-666-5408.....	223	7195-01-690-9365.....	245
7110-01-702-5675.....	New-3	7125-01-666-5409.....	224	7195-01-690-9366.....	245
7110-01-702-6953.....	New-4	7125-01-666-5410.....	223	7195-01-691-0000.....	245
7110-01-702-6954.....	New-4	7125-01-666-5411.....	224		
7110-01-702-6955.....	New-4	7125-01-666-5412.....	223	7210	
7110-01-702-6956.....	New-4	7125-01-666-6184.....	242	7210-00-054-7911.....	332
7110-01-702-6957.....	New-4	7125-01-666-6855.....	224	7210-00-110-8102.....	329
		7125-01-666-7226.....	224	7210-00-110-8103.....	329
7125		7125-01-666-7227.....	224	7210-00-110-8104.....	327
7125-00-132-8973.....	243	7125-01-666-7245.....	224	7210-00-139-6411.....	328
7125-00-269-8534.....	242	7125-01-666-7246.....	224	7210-00-139-6424.....	328
7125-00-270-7720.....	242	7125-01-666-7247.....	224	7210-00-139-6428.....	329
7125-00-285-3049.....	243	7125-01-667-1400.....	242	7210-00-139-6434.....	329
7125-00-298-1926.....	224	7125-01-667-1401.....	242	7210-00-139-6517.....	328
7125-00-558-0011.....	242	7125-01-667-1402.....	242	7210-00-139-6538.....	328
7125-00-559-6378.....	242	7125-01-667-1403.....	242	7210-00-139-6555.....	328
7125-00-764-5482.....	219			7210-00-171-1144.....	317

7210-00-177-4986.....	332	7210-01-291-9512.....	327	7210-01-488-9183.....	332
7210-00-205-2804.....	338	7210-01-292-2551.....	328	7210-01-488-9184.....	332
7210-00-205-3205.....	332	7210-01-292-2552.....	328	7210-01-488-9185.....	332
7210-00-205-3483.....	317	7210-01-306-3244.....	331	7210-01-488-9186.....	332
7210-00-205-3534.....	329	7210-01-306-3246.....	331	7210-01-515-1069.....	332
7210-00-205-3544.....	84	7210-01-306-3247.....	331		
7210-00-205-3545.....	84	7210-01-306-3249.....	331	7220	
7210-00-205-3585.....	329	7210-01-306-3250.....	331	7220-00-034-7225.....	351
7210-00-227-1526.....	331	7210-01-306-3251.....	331	7220-00-151-6518.....	349
7210-00-243-1019.....	333	7210-01-324-3848.....	327	7220-00-205-0389.....	382
7210-00-259-8897.....	332	7210-01-324-3851.....	329	7220-00-224-6486.....	351
7210-00-259-9004.....	332	7210-01-324-6946.....	329	7220-00-238-8852.....	351
7210-00-259-9005.....	332	7210-01-324-6947.....	329	7220-00-254-4240.....	351
7210-00-529-3709.....	329	7210-01-324-6948.....	330	7220-00-255-0765.....	351
7210-00-582-7540.....	327	7210-01-324-6949.....	330	7220-00-267-4630.....	351
7210-00-682-6601.....	332	7210-01-324-6950.....	330	7220-00-292-2096.....	351
7210-00-716-0706.....	329	7210-01-324-6951.....	330	7220-00-457-6046.....	349
7210-00-718-8325.....	333	7210-01-324-6952.....	330	7220-00-457-6054.....	349
7210-00-753-3042.....	331	7210-01-324-7977.....	327	7220-00-634-1601.....	333
7210-00-761-1470.....	331	7210-01-324-7978.....	327	7220-00-753-2981.....	351
7210-00-844-9113.....	331	7210-01-324-7982.....	330	7220-00-753-2982.....	351
7210-00-883-8492.....	331	7210-01-324-7984.....	330	7220-00-965-4699.....	351
7210-00-883-8494.....	332	7210-01-324-7988.....	329	7220-00-965-4769.....	351
7210-00-894-1144.....	332	7210-01-324-7989.....	329	7220-01-024-9039.....	351
7210-00-958-9118.....	332	7210-01-324-7990.....	330	7220-01-024-9040.....	351
7210-01-051-5837.....	333	7210-01-324-8803.....	327	7220-01-025-1695.....	351
7210-01-051-5839.....	333	7210-01-324-8804.....	327	7220-01-056-1944.....	351
7210-01-075-8358.....	329	7210-01-324-8805.....	327	7220-01-057-1897.....	351
7210-01-075-8359.....	329	7210-01-324-8806.....	327	7220-01-305-3062.....	349
7210-01-076-1084.....	329	7210-01-324-8807.....	327	7220-01-386-6722.....	351
7210-01-076-1086.....	328	7210-01-324-8808.....	327	7220-01-411-1515.....	350
7210-01-076-1088.....	328	7210-01-324-8812.....	330	7220-01-411-2979.....	350
7210-01-076-1089.....	328	7210-01-324-8813.....	330	7220-01-411-2980.....	350
7210-01-076-8730.....	328	7210-01-325-0611.....	327	7220-01-470-9466.....	351
7210-01-076-9029.....	329	7210-01-325-0613.....	327	7220-01-471-0913.....	349
7210-01-077-9358.....	328	7210-01-325-2295.....	330	7220-01-579-6870.....	352
7210-01-119-6415.....	331	7210-01-325-2296.....	330	7220-01-579-6875.....	352
7210-01-119-6416.....	331	7210-01-325-2297.....	330	7220-01-579-6876.....	352
7210-01-119-6417.....	331	7210-01-325-2299.....	330	7220-01-579-6877.....	352
7210-01-129-0120.....	333	7210-01-325-2313.....	329	7220-01-579-6880.....	352
7210-01-138-8177.....	329	7210-01-325-2315.....	330	7220-01-582-6220.....	350
7210-01-163-3444.....	327	7210-01-325-3696.....	330	7220-01-582-6222.....	350
7210-01-168-4473.....	331	7210-01-325-3698.....	327	7220-01-582-6223.....	350
7210-01-177-1491.....	329	7210-01-395-7921.....	332	7220-01-582-6224.....	350
7210-01-177-1496.....	329	7210-01-417-5531.....	331	7220-01-582-6225.....	350
7210-01-177-3627.....	329	7210-01-417-5532.....	331	7220-01-582-6226.....	350
7210-01-228-5726.....	328	7210-01-417-5533.....	332	7220-01-582-6228.....	350
7210-01-228-5727.....	328	7210-01-417-9691.....	328	7220-01-582-6229.....	350
7210-01-228-5728.....	328	7210-01-417-9694.....	328	7220-01-582-6230.....	350
7210-01-228-5729.....	328	7210-01-417-9696.....	328	7220-01-582-6231.....	350
7210-01-228-5735.....	327	7210-01-417-9701.....	328	7220-01-582-6240.....	350
7210-01-228-5736.....	327	7210-01-417-9705.....	328	7220-01-582-6241.....	350
7210-01-228-5737.....	327	7210-01-448-9432.....	332	7220-01-582-6242.....	350
7210-01-228-5738.....	327	7210-01-488-9180.....	332	7220-01-582-6243.....	350
7210-01-291-9511.....	327	7210-01-488-9181.....	332	7220-01-582-6244.....	350
				7220-01-582-6245.....	350

7220-01-582-6246.....	350	7220-01-648-1778.....	353	7220-01-667-3566.....	350
7220-01-582-6247.....	350	7220-01-648-1779.....	353	7220-01-667-3567.....	350
7220-01-582-6248.....	350	7220-01-648-1780.....	353	7220-01-667-3568.....	350
7220-01-586-3333.....	334	7220-01-648-1781.....	353	7220-01-667-3569.....	350
7220-01-586-3334.....	334	7220-01-648-1782.....	353	7220-01-667-3570.....	350
7220-01-646-1673.....	353	7220-01-650-5922.....	352	7220-01-667-3571.....	350
7220-01-648-0982.....	354	7220-01-656-8315.....	349		
7220-01-648-0983.....	354	7220-01-656-8317.....	349	7230	
7220-01-648-0984.....	354	7220-01-656-8318.....	349	7230-00-205-1762.....	333
7220-01-648-0986.....	354	7220-01-656-8320.....	349	7230-00-247-1280.....	333
7220-01-648-0987.....	352	7220-01-656-8321.....	349	7230-00-252-3394.....	334
7220-01-648-0988.....	352	7220-01-656-8322.....	349	7230-00-849-9838.....	333
7220-01-648-0989.....	354	7220-01-656-8324.....	349	7230-00-849-9839.....	333
7220-01-648-0990.....	352	7220-01-656-8325.....	349		
7220-01-648-0993.....	352	7220-01-656-8326.....	349	7240	
7220-01-648-0994.....	354	7220-01-656-8327.....	349	7240-00-060-6006.....	301, 404
7220-01-648-0995.....	352	7220-01-656-8328.....	349	7240-00-061-1163.....	301, 404
7220-01-648-0997.....	352	7220-01-656-8329.....	349	7240-00-138-7984.....	316
7220-01-648-0998.....	352	7220-01-656-8330.....	349	7240-00-139-7521.....	302
7220-01-648-0999.....	352	7220-01-656-8994.....	349	7240-00-151-6629.....	302
7220-01-648-1000.....	352	7220-01-658-7589.....	354	7240-00-151-6630.....	302
7220-01-648-1001.....	353	7220-01-658-7590.....	354	7240-00-160-0438.....	302
7220-01-648-1002.....	353	7220-01-658-7591.....	354	7240-00-160-0440.....	302
7220-01-648-1003.....	353	7220-01-658-7592.....	354	7240-00-160-0441.....	302
7220-01-648-1004.....	352	7220-01-658-7593.....	354	7240-00-160-0455.....	301, 404
7220-01-648-1005.....	353	7220-01-658-7594.....	354	7240-00-222-3084.....	373
7220-01-648-1006.....	353	7220-01-658-7595.....	354	7240-00-240-6958.....	373
7220-01-648-1007.....	352	7220-01-658-7596.....	353	7240-00-246-1097.....	301, 404
7220-01-648-1008.....	352	7220-01-658-7597.....	353	7240-00-256-7700.....	404
7220-01-648-1009.....	352	7220-01-658-7598.....	353	7240-00-274-3875.....	301
7220-01-648-1010.....	353	7220-01-658-7599.....	354	7240-00-282-8411.....	404
7220-01-648-1011.....	352	7220-01-658-7600.....	354	7240-00-286-5342.....	404
7220-01-648-1012.....	353	7220-01-658-7601.....	354	7240-00-499-8031.....	302
7220-01-648-1013.....	352	7220-01-658-7602.....	354	7240-00-527-9868.....	403
7220-01-648-1014.....	353	7220-01-658-8036.....	354	7240-00-559-7364.....	318
7220-01-648-1015.....	352	7220-01-658-8037.....	354	7240-00-634-0001.....	302
7220-01-648-1016.....	353	7220-01-658-8038.....	354	7240-00-634-0133.....	302
7220-01-648-1018.....	353	7220-01-658-8039.....	354	7240-00-819-7735.....	302
7220-01-648-1019.....	353	7220-01-658-8040.....	352	7240-00-965-4427.....	302
7220-01-648-1020.....	353	7220-01-658-8041.....	352	7240-01-094-4305.....	301, 404
7220-01-648-1021.....	353	7220-01-658-8042.....	354	7240-01-150-0716.....	301, 404
7220-01-648-1022.....	353	7220-01-658-8043.....	354	7240-01-318-5222.....	373
7220-01-648-1023.....	353	7220-01-667-1398.....	352	7240-01-411-0581.....	301, 404
7220-01-648-1765.....	353	7220-01-667-1399.....	352	7240-01-411-0584.....	310, 315
7220-01-648-1766.....	353	7220-01-667-1405.....	352	7240-01-411-0585.....	310, 315
7220-01-648-1767.....	353	7220-01-667-1406.....	352	7240-01-426-1569.....	318
7220-01-648-1769.....	353	7220-01-667-1408.....	352	7240-01-647-1014.....	287
7220-01-648-1770.....	353	7220-01-667-1409.....	352		
7220-01-648-1771.....	353	7220-01-667-1410.....	352	7290	
7220-01-648-1772.....	353	7220-01-667-3560.....	350	7290-00-104-4725.....	315
7220-01-648-1773.....	353	7220-01-667-3561.....	350	7290-00-125-9069.....	265
7220-01-648-1774.....	353	7220-01-667-3562.....	350	7290-00-148-7068.....	265
7220-01-648-1775.....	353	7220-01-667-3563.....	350	7290-00-224-8308.....	282
7220-01-648-1776.....	353	7220-01-667-3564.....	350	7290-00-260-1147.....	169
7220-01-648-1777.....	353	7220-01-667-3565.....	350	7290-00-616-0109.....	282
				7290-00-663-7300.....	265
				7290-00-893-7339.....	169

7290-01-369-7966. 265
7290-01-460-6663. 282

7330

7330-00-153-9760. 316
7330-00-197-1280. 317
7330-00-205-3150. 313
7330-00-205-3151. 315
7330-00-240-2137. 313
7330-00-248-1153. 316
7330-00-254-4793. 316
7330-00-256-2158. 316
7330-00-263-8504. 313
7330-00-263-8516. 313
7330-00-264-5368. 316
7330-00-266-7453. 316
7330-00-272-2591. 315
7330-00-285-4299. 318
7330-00-286-8069. 313
7330-00-379-4439. 317
7330-00-485-7376. 313
7330-00-633-8905. 313
7330-00-634-6555. 318
7330-00-680-0865. 316
7330-00-680-2636. 316
7330-00-815-1458. 316
7330-01-411-9788. 316
7330-01-411-9789. 316
7330-01-449-2318. 318
7330-01-449-2319. 318

7340

7340-00-022-1315. 320
7340-00-022-1316. 320
7340-00-022-1317. 320
7340-00-060-6057. 321
7340-00-098-4327. 428
7340-00-170-8374. 320
7340-00-197-1271. 314
7340-00-205-3187. 320
7340-00-205-3340. 321
7340-00-205-3341. 321
7340-00-205-3342. 320
7340-00-223-7771. 314
7340-00-229-9475. 321
7340-00-229-9477. 321
7340-00-229-9479. 321
7340-00-235-5013. 321
7340-00-235-5021. 321
7340-00-235-5023. 321
7340-00-235-5027. 321
7340-00-235-5029. 321
7340-00-235-5042. 321
7340-00-241-8169. 321
7340-00-241-8171. 321
7340-00-272-9586. 317

7340-00-488-7939. 314
7340-00-488-7950. 314
7340-00-680-0863. 314
7340-00-680-2758. 314
7340-00-688-1055. 321
7340-00-753-5565. 317
7340-01-379-5524. 320
7340-01-379-8840. 320
7340-01-382-0538. 320
7340-01-438-7391. 320
7340-01-438-7392. 320
7340-01-438-9241. 320
7340-01-564-1884. 319
7340-01-564-1885. 319
7340-01-564-1886. 319
7340-01-564-1887. 319
7340-01-564-1888. 319
7340-01-564-1889. 319

7350

7350-00-082-5741. 322
7350-00-144-4989. 325
7350-00-162-3006. 323
7350-00-192-1932. 326
7350-00-192-1933. 326
7350-00-205-0928. 253, 324
7350-00-205-1182. 323
7350-00-205-3219. 325
7350-00-205-3220. 325
7350-00-222-3288. 326
7350-00-223-7760. 325
7350-00-223-7836. 325
7350-00-251-8746. 325
7350-00-271-1701. 326
7350-00-271-1704. 326
7350-00-271-1705. 326
7350-00-272-9359. 326
7350-00-272-9529. 326
7350-00-281-3211. 322
7350-00-290-0586. 323
7350-00-290-0588. 323
7350-00-290-0593. 323
7350-00-290-0594. 323
7350-00-444-1323. 324
7350-00-641-4517. 323
7350-00-641-4518. 322
7350-00-641-4519. 323
7350-00-641-4520. 323
7350-00-641-4523. 322
7350-00-641-4576. 323
7350-00-641-4587. 322
7350-00-641-4589. 322
7350-00-641-4590. 322
7350-00-641-4591. 322
7350-00-641-4592. 322
7350-00-641-4593. 322

7350-00-680-2630. 317
7350-00-680-2770. 318
7350-00-689-5383. 326
7350-00-721-9003. 322
7350-00-838-3919. 318
7350-00-899-3054. 323
7350-00-899-3055. 323
7350-00-899-3056. 323
7350-00-914-5088. 322
7350-00-914-5089. 322
7350-00-926-1661. 322
7350-00-926-6180. 318
7350-00-926-9233. 323
7350-00-988-6498. 323
7350-01-012-8787. 324
7350-01-036-3769. 325
7350-01-036-3770. 325
7350-01-036-5427. 325
7350-01-036-5429. 325
7350-01-080-8842. 324
7350-01-256-1085. 326
7350-01-256-1086. 326
7350-01-256-1087. 326
7350-01-256-1091. 326
7350-01-256-1093. 326
7350-01-263-6700. 323
7350-01-263-6701. 323
7350-01-332-2111. 323
7350-01-411-5265. 323
7350-01-411-5266. 324
7350-01-483-8988. 322
7350-01-645-7874. 323
7350-01-645-7875. 322
7350-01-645-7876. 322
7350-01-646-1759. 322
7350-01-664-6905. 324
7350-01-664-6906. 324
7350-01-664-6907. 324
7350-01-664-6908. 324
7350-01-664-6909. 324

7360

7360-00-634-4800. 319
7360-01-167-2610. 319
7360-01-564-3560. 319

7420

7420-01-182-8532. 11
7420-01-246-3043. 11
7420-01-412-4131. 11
7420-01-412-4135. 11
7420-01-412-4136. 11
7420-01-412-4138. 11
7420-01-484-4559. 11
7420-01-484-4560. 11
7420-01-484-4580. 11

7490

7490-00-164-0537.....	74	7490-01-631-3693.....	13	7490-01-697-1168.....	17
7490-00-164-0541.....	74	7490-01-631-3694.....	16	7490-01-697-1169.....	15
7490-00-164-0542.....	74	7490-01-632-8035.....	341	7490-01-697-1170.....	15
7490-00-281-3959.....	74	7490-01-653-5320.....	16	7490-01-697-1171.....	13
7490-00-368-7821.....	13	7490-01-657-6124.....	20	7490-01-697-1675.....	17
7490-00-688-9866.....	341	7490-01-657-6125.....	20	7490-01-697-1676.....	15
7490-01-183-7247.....	13	7490-01-657-6126.....	20	7490-01-697-1677.....	15
7490-01-344-0206.....	11	7490-01-662-2531.....	16	7490-01-697-1680.....	17
7490-01-390-6011.....	13	7490-01-664-3607.....	341	7490-01-697-1681.....	17
7490-01-390-6147.....	16	7490-01-664-8153.....	14	7490-01-697-1682.....	15
7490-01-390-6162.....	16	7490-01-664-9499.....	14	7490-01-697-1683.....	19
7490-01-390-6163.....	16	7490-01-673-4012.....	16	7490-01-697-1685.....	17
7490-01-395-3208.....	169	7490-01-681-3681.....	15	7490-01-697-1932.....	18
7490-01-395-3263.....	13	7490-01-687-1136.....	19	7490-01-697-1933.....	18
7490-01-395-3355.....	13	7490-01-688-1538.....	New-5	7490-01-697-1934.....	18
7490-01-395-3362.....	13	7490-01-691-2152.....	17	7490-01-697-1935.....	18
7490-01-441-0134.....	12	7490-01-694-6014.....	14	7490-01-697-1936.....	18
7490-01-450-4973.....	16	7490-01-694-6015.....	14	7490-01-697-1937.....	18
7490-01-450-4974.....	16	7490-01-694-6017.....	14	7490-01-697-1938.....	18
7490-01-459-8264.....	12	7490-01-694-6504.....	14	7490-01-697-2224.....	17
7490-01-461-6119.....	13	7490-01-694-6505.....	14	7490-01-697-2225.....	17
7490-01-461-6124.....	18	7490-01-694-6959.....	14	7490-01-697-2226.....	17
7490-01-475-2734.....	16	7490-01-694-6960.....	14	7490-01-697-2227.....	17
7490-01-475-4305.....	13	7490-01-694-7764.....	14	7490-01-697-2922.....	17
7490-01-477-7789.....	19	7490-01-694-8148.....	17	7490-01-697-3143.....	18
7490-01-477-7790.....	19	7490-01-694-8150.....	17	7490-01-697-3144.....	18
7490-01-481-0399.....	13	7490-01-694-8151.....	17	7490-01-697-3348.....	18
7490-01-481-0403.....	12	7490-01-695-1072.....	17	7490-01-697-3349.....	18
7490-01-490-7262.....	21	7490-01-695-1075.....	17	7490-01-697-3351.....	13
7490-01-498-9095.....	13	7490-01-695-1076.....	17	7490-01-697-3352.....	15
7490-01-498-9096.....	14	7490-01-695-2551.....	17	7490-01-697-3355.....	15
7490-01-501-8543.....	13	7490-01-695-2552.....	17	7490-01-697-3356.....	15
7490-01-501-8544.....	14	7490-01-695-2553.....	17	7490-01-697-3357.....	15
7490-01-503-9122.....	14	7490-01-695-2555.....	17	7490-01-697-3358.....	15
7490-01-504-5602.....	16	7490-01-695-2556.....	17	7490-01-697-3359.....	15
7490-01-504-5605.....	14	7490-01-696-3666.....	14	7490-01-697-3360.....	13
7490-01-504-5606.....	19	7490-01-696-3673.....	14	7490-01-700-2954.....	18
7490-01-505-2540.....	13	7490-01-696-4179.....	14	7490-01-700-5136.....	15
7490-01-505-2541.....	14	7490-01-696-4181.....	14	7490-01-700-5137.....	15
7490-01-505-2543.....	14	7490-01-696-4950.....	14	7490-01-700-6544.....	18
7490-01-509-1322.....	13	7490-01-696-4951.....	14	7490-01-700-6545.....	18
7490-01-509-1323.....	14	7490-01-696-5916.....	14	7490-01-700-6546.....	18
7490-01-585-1431.....	19	7490-01-696-6330.....	14	7490-01-700-7930.....	18
7490-01-598-3987.....	16	7490-01-696-7023.....	14	7490-01-700-7931.....	18
7490-01-598-3988.....	16	7490-01-696-7278.....	14	7490-01-700-7935.....	18
7490-01-598-3989.....	16	7490-01-696-7279.....	14	7490-01-701-0685.....	18
7490-01-598-3990.....	16	7490-01-696-7281.....	14		
7490-01-598-3991.....	16	7490-01-696-7282.....	15	7510	
7490-01-598-3992.....	16	7490-01-696-7456.....	15	7510-00-007-4551.....	414
7490-01-598-3993.....	16	7490-01-696-7457.....	15	7510-00-019-4750.....	417
7490-01-599-7186.....	82	7490-01-696-8928.....	15	7510-00-040-5895.....	418
7490-01-605-5416.....	14	7490-01-696-8929.....	15	7510-00-045-9505.....	109
7490-01-612-4131.....	18	7490-01-696-8931.....	15	7510-00-053-9662.....	103
7490-01-622-9348.....	14	7490-01-696-8932.....	15	7510-00-071-6854.....	414
		7490-01-697-1167.....	15	7510-00-073-6094.....	178
				7510-00-073-6096.....	178

7510-00-074-4952.	419	7510-00-223-6807.	68	7510-00-409-8647.	89
7510-00-074-4954.	419	7510-00-223-6814.	95	7510-00-419-9564.	411
7510-00-074-4955.	178	7510-00-223-7046.	60	7510-00-469-7910.	411
7510-00-074-4960.	419	7510-00-234-7960.	67	7510-00-482-2994.	31
7510-00-074-4961.	419	7510-00-235-6068.	103	7510-00-484-3273.	418
7510-00-074-4962.	419	7510-00-240-1526.	59	7510-00-502-9143.	415
7510-00-074-4963.	419	7510-00-240-6012.	91	7510-00-515-0319.	414
7510-00-074-4964.	419	7510-00-243-3434.	72	7510-00-526-1741.	79
7510-00-074-4969.	419	7510-00-243-3435.	72	7510-00-530-5512.	414
7510-00-074-4978.	419	7510-00-243-3437.	72	7510-00-530-6375.	414
7510-00-074-4996.	419	7510-00-264-5478.	71	7510-00-530-8881.	89
7510-00-074-5029.	177	7510-00-266-5016.	419	7510-00-550-7814.	67
7510-00-074-5100.	419	7510-00-266-6694.	415	7510-00-550-8446.	11
7510-00-074-5122.	419	7510-00-266-6707.	415	7510-00-551-8474.	419
7510-00-074-5124.	419	7510-00-266-6708.	415	7510-00-551-9817.	67
7510-00-074-5157.	419	7510-00-266-6709.	415	7510-00-551-9818.	67
7510-00-074-5160.	419	7510-00-266-6710.	415	7510-00-551-9819.	66
7510-00-074-5174.	419	7510-00-266-6711.	415	7510-00-551-9822.	66
7510-00-074-5178.	419	7510-00-266-6712.	415	7510-00-551-9823.	66
7510-00-079-7604.	418	7510-00-266-6714.	416	7510-00-551-9824.	66
7510-00-079-7905.	178	7510-00-266-6715.	177	7510-00-551-9825.	66
7510-00-079-7906.	178	7510-00-272-6886.	69	7510-00-579-2751.	90
7510-00-079-7907.	178	7510-00-272-6887.	69	7510-00-582-4201.	104
7510-00-082-2520.	66	7510-00-272-9409.	71	7510-00-582-4771.	178
7510-00-082-2521.	66	7510-00-272-9410.	71	7510-00-582-4772.	178
7510-00-086-7550.	91	7510-00-272-9662.	71	7510-00-582-5398.	104
7510-00-105-3090.	417	7510-00-272-9804.	168	7510-00-584-2489.	105
7510-00-106-9842.	414	7510-00-272-9805.	168	7510-00-584-2490.	105
7510-00-115-3250.	31	7510-00-275-7213.	432	7510-00-584-2491.	105
7510-00-117-5520.	418	7510-00-275-7217.	71	7510-00-584-2492.	105
7510-00-118-2489.	177	7510-00-281-2700.	177	7510-00-604-4150.	168
7510-00-132-5109.	414	7510-00-281-4309.	104	7510-00-629-0273.	348
7510-00-134-8179.	31	7510-00-281-4310.	104	7510-00-634-0209.	104
7510-00-134-8830.	179	7510-00-281-4313.	104	7510-00-634-1566.	418
7510-00-145-0296.	45	7510-00-281-5234.	59	7510-00-634-2943.	416
7510-00-155-5174.	347	7510-00-281-6180.	89	7510-00-634-3329.	417
7510-00-157-8616.	418	7510-00-282-6924.	29	7510-00-634-3330.	417
7510-00-157-8618.	31	7510-00-282-8201.	68	7510-00-660-0004.	414
7510-00-159-4450.	178	7510-00-283-0612.	415	7510-00-663-3732.	177
7510-00-161-4237.	79	7510-00-285-1728.	65	7510-00-664-0001.	414
7510-00-161-4284.	103	7510-00-285-2567.	103	7510-00-680-2395.	416
7510-00-161-4291.	68	7510-00-285-5422.	95	7510-00-680-2450.	416
7510-00-161-4292.	68	7510-00-285-5995.	68	7510-00-680-2471.	416
7510-00-161-6215.	82	7510-00-286-5787.	95	7510-00-684-8784.	416
7510-00-165-6560.	414	7510-00-286-5789.	95	7510-00-684-8803.	413
7510-00-171-1123.	103	7510-00-286-6954.	90	7510-00-685-4963.	416
7510-00-173-4897.	82	7510-00-290-2026.	415	7510-00-687-2664.	168
7510-00-180-6275.	420	7510-00-290-8035.	178	7510-00-720-7516.	413
7510-00-187-6486.	90	7510-00-290-8036.	178	7510-00-754-2522.	413
7510-00-205-0371.	72	7510-00-291-0140.	103	7510-00-755-7077.	31
7510-00-205-0842.	72	7510-00-297-6655.	177	7510-00-766-4269.	91
7510-00-205-1438.	72	7510-00-297-6656.	177	7510-00-782-2664.	89
7510-00-205-1439.	72	7510-00-355-7154.	418	7510-00-782-6220.	420
7510-00-223-6706.	65	7510-00-403-5544.	413	7510-00-782-6257.	79
7510-00-223-6708.	65	7510-00-409-8646.	89	7510-00-782-6274.	166

7510-00-782-6275.....	166	7510-01-200-1597.....	417	7510-01-347-9579.....	92
7510-00-789-2455.....	42	7510-01-202-2195.....	415	7510-01-347-9580.....	92
7510-00-801-0482.....	417	7510-01-203-4663.....	67	7510-01-351-9138.....	68
7510-00-802-8311.....	178	7510-01-203-4708.....	89	7510-01-357-6829.....	116
7510-00-812-2679.....	418	7510-01-203-8814.....	89	7510-01-357-8194.....	419
7510-00-813-4952.....	66	7510-01-207-3959.....	79	7510-01-362-7043.....	417
7510-00-816-8077.....	413	7510-01-207-3960.....	79	7510-01-368-3485.....	88
7510-00-823-8072.....	179	7510-01-207-3961.....	79	7510-01-368-3486.....	88
7510-00-829-1239.....	417	7510-01-207-3978.....	69	7510-01-368-3487.....	88
7510-00-846-8674.....	417	7510-01-236-0059.....	92	7510-01-371-3234.....	416
7510-00-888-4756.....	420	7510-01-237-0526.....	418	7510-01-371-3235.....	417
7510-00-888-8526.....	411	7510-01-248-7514.....	417	7510-01-371-3236.....	417
7510-00-889-3494.....	91	7510-01-251-2097.....	89	7510-01-371-3238.....	417
7510-00-890-9872.....	419	7510-01-259-1400.....	417	7510-01-372-5777.....	418
7510-00-890-9874.....	419	7510-01-269-2303.....	173	7510-01-375-0502.....	108
7510-00-890-9875.....	419	7510-01-269-4478.....	85	7510-01-375-4510.....	103
7510-00-904-2663.....	67	7510-01-272-3219.....	90	7510-01-377-8151.....	105
7510-00-923-0591.....	177	7510-01-272-3231.....	87	7510-01-377-8162.....	105
7510-00-926-8941.....	179	7510-01-277-6459.....	88	7510-01-381-2219.....	92
7510-00-927-1514.....	418	7510-01-278-4129.....	89	7510-01-381-5300.....	92
7510-00-935-1005.....	82	7510-01-278-4130.....	89	7510-01-383-0233.....	21
7510-00-935-5848.....	67	7510-01-278-4131.....	89	7510-01-383-7952.....	34
7510-00-940-0935.....	69	7510-01-281-9769.....	416	7510-01-383-7967.....	417
7510-00-958-0743.....	68	7510-01-283-5273.....	89	7510-01-384-8673.....	88
7510-00-971-8028.....	420	7510-01-283-5274.....	89	7510-01-384-8786.....	88
7510-00-982-3955.....	414	7510-01-288-8440.....	420	7510-01-384-8788.....	88
7510-00-984-5787.....	90	7510-01-300-2124.....	421	7510-01-385-0747.....	21
7510-00-987-6661.....	417	7510-01-300-2125.....	421	7510-01-385-6711.....	88
7510-00-996-6097.....	414	7510-01-300-2126.....	421	7510-01-386-1609.....	76
7510-01-018-2849.....	419	7510-01-300-2127.....	421	7510-01-386-2431.....	93
7510-01-019-7842.....	68	7510-01-308-2325.....	413	7510-01-389-2262.....	81
7510-01-020-2806.....	76	7510-01-315-2019.....	81	7510-01-390-0712.....	31
7510-01-026-4117.....	420	7510-01-315-2020.....	81	7510-01-390-0717.....	76
7510-01-032-4082.....	418	7510-01-315-2021.....	81	7510-01-392-5283.....	88
7510-01-043-5026.....	413	7510-01-315-2022.....	81	7510-01-392-6512.....	69
7510-01-053-5591.....	45	7510-01-315-2023.....	81	7510-01-392-6513.....	69
7510-01-056-1927.....	31	7510-01-315-2024.....	81	7510-01-392-6964.....	69
7510-01-058-9974.....	72	7510-01-315-8654.....	81	7510-01-392-6965.....	69
7510-01-060-5896.....	59	7510-01-315-8656.....	81	7510-01-394-2523.....	417
7510-01-065-0166.....	91	7510-01-315-9110.....	103	7510-01-394-9223.....	420
7510-01-071-2828.....	418	7510-01-316-2165.....	81	7510-01-399-1152.....	81
7510-01-108-0174.....	417	7510-01-316-2167.....	88	7510-01-399-1153.....	81
7510-01-127-0648.....	417	7510-01-316-2302.....	105	7510-01-410-7012.....	81
7510-01-137-8404.....	418	7510-01-316-6213.....	30	7510-01-411-6323.....	45
7510-01-138-3403.....	348	7510-01-317-4215.....	178	7510-01-412-0533.....	348
7510-01-141-8657.....	42	7510-01-317-4220.....	69	7510-01-412-6336.....	88
7510-01-151-5431.....	421	7510-01-317-4222.....	58	7510-01-412-6338.....	88
7510-01-153-7976.....	413	7510-01-317-4228.....	69	7510-01-415-3566.....	104
7510-01-158-2644.....	418	7510-01-317-6421.....	58	7510-01-417-1876.....	88
7510-01-158-6605.....	416	7510-01-317-6422.....	58	7510-01-417-1877.....	88
7510-01-158-6607.....	416	7510-01-318-6591.....	92	7510-01-417-1878.....	88
7510-01-158-7778.....	416	7510-01-326-1567.....	420	7510-01-417-1879.....	88
7510-01-161-2049.....	419	7510-01-326-1568.....	420	7510-01-417-1881.....	88
7510-01-185-5626.....	42	7510-01-333-6242.....	76	7510-01-417-1882.....	88
7510-01-197-9856.....	413	7510-01-338-3317.....	76	7510-01-417-1883.....	88

7510-01-417-1884.....	88	7510-01-504-7385.....	3	7510-01-544-9469.....	55
7510-01-420-8078.....	88	7510-01-504-7387.....	71	7510-01-545-5830.....	T-9
7510-01-421-4751.....	81	7510-01-504-8940.....	76	7510-01-545-5831.....	T-9
7510-01-425-6139.....	89	7510-01-505-3664.....	91	7510-01-545-5833.....	T-9
7510-01-425-6768.....	178	7510-01-506-7475.....	92	7510-01-545-5834.....	T-9
7510-01-431-6236.....	89	7510-01-506-8515.....	48	7510-01-546-6400.....	T-3
7510-01-431-6244.....	89	7510-01-507-7270.....	420	7510-01-546-6403.....	T-10
7510-01-435-8537.....	45	7510-01-510-4858.....	90	7510-01-546-6407.....	T-9
7510-01-444-9445.....	9	7510-01-510-4859.....	88	7510-01-546-6410.....	T-9
7510-01-445-9340.....	67	7510-01-510-4860.....	90	7510-01-546-6411.....	T-3
7510-01-445-9342.....	45	7510-01-510-4865.....	88	7510-01-546-6413.....	T-10
7510-01-445-9348.....	45	7510-01-510-4866.....	88	7510-01-546-6414.....	T-3
7510-01-446-8311.....	29	7510-01-510-4869.....	88	7510-01-546-6415.....	T-10
7510-01-452-6538.....	T-20	7510-01-510-4871.....	90	7510-01-546-6418.....	T-10
7510-01-454-7010.....	419	7510-01-510-7492.....	89	7510-01-546-6425.....	T-9
7510-01-454-7388.....	45	7510-01-511-7930.....	77	7510-01-546-6426.....	T-10
7510-01-455-0022.....	81	7510-01-511-7933.....	77	7510-01-546-6427.....	T-3
7510-01-456-7877.....	416	7510-01-512-2414.....	105	7510-01-555-2905.....	105
7510-01-462-1383.....	87	7510-01-512-2415.....	105	7510-01-557-4970.....	45
7510-01-462-1384.....	87	7510-01-516-9247.....	82	7510-01-557-4978.....	45
7510-01-462-1385.....	87	7510-01-518-9665.....	T-3	7510-01-557-4980.....	45
7510-01-462-1386.....	87	7510-01-518-9666.....	T-3	7510-01-558-8440.....	T-11
7510-01-462-1387.....	87	7510-01-518-9667.....	T-3	7510-01-560-3446.....	165
7510-01-462-1388.....	87	7510-01-518-9668.....	T-3	7510-01-560-6577.....	T-5
7510-01-462-1389.....	87	7510-01-519-4381.....	88	7510-01-561-2755.....	91
7510-01-462-1390.....	87	7510-01-519-4382.....	90	7510-01-561-9961.....	T-19
7510-01-462-1391.....	87	7510-01-519-4383.....	90	7510-01-561-9962.....	T-19
7510-01-467-6738.....	68	7510-01-519-5770.....	31	7510-01-564-7766.....	48
7510-01-475-9607.....	10	7510-01-519-5771.....	31	7510-01-565-0621.....	55
7510-01-480-4366.....	417	7510-01-525-4313.....	T-9	7510-01-565-7161.....	T-2
7510-01-484-0004.....	45	7510-01-526-0716.....	T-17	7510-01-565-7166.....	T-2
7510-01-484-1743.....	90	7510-01-527-3524.....	T-9	7510-01-565-7169.....	T-2
7510-01-484-1755.....	90	7510-01-528-6287.....	T-9	7510-01-565-8506.....	T-15
7510-01-484-1759.....	90	7510-01-528-8310.....	41	7510-01-565-9540.....	414
7510-01-484-1761.....	90	7510-01-531-2399.....	417	7510-01-565-9541.....	67
7510-01-484-4563.....	45	7510-01-531-4863.....	416	7510-01-566-3324.....	T-15
7510-01-484-4578.....	105	7510-01-531-9763.....	417	7510-01-566-6209.....	T-21
7510-01-490-7265.....	21	7510-01-532-6081.....	22	7510-01-566-8658.....	T-3
7510-01-490-7266.....	21	7510-01-532-6082.....	22	7510-01-566-9117.....	T-3
7510-01-495-0692.....	87	7510-01-532-6084.....	22	7510-01-568-0644.....	T-3
7510-01-495-0694.....	87	7510-01-532-6085.....	22	7510-01-568-0645.....	T-15
7510-01-495-0695.....	87	7510-01-534-2164.....	22	7510-01-568-1272.....	414
7510-01-495-0696.....	87	7510-01-534-2165.....	22	7510-01-572-1159.....	T-3
7510-01-495-0697.....	87	7510-01-534-2166.....	22	7510-01-572-1160.....	T-15
7510-01-495-0698.....	87	7510-01-536-5708.....	419	7510-01-572-1161.....	T-15
7510-01-498-1880.....	55	7510-01-536-5709.....	419	7510-01-572-1162.....	T-3
7510-01-498-2077.....	91	7510-01-536-5710.....	419	7510-01-572-1164.....	T-6
7510-01-504-5267.....	416	7510-01-537-1400.....	91	7510-01-573-0059.....	T-4
7510-01-504-5268.....	416	7510-01-538-8768.....	T-9	7510-01-573-0114.....	T-4
7510-01-504-5271.....	416	7510-01-538-8770.....	T-9	7510-01-573-0115.....	T-4
7510-01-504-5272.....	416	7510-01-539-9845.....	81	7510-01-573-0117.....	T-3
7510-01-504-5275.....	416	7510-01-540-6777.....	420	7510-01-574-2336.....	T-21
7510-01-504-5276.....	416	7510-01-542-5295.....	T-21	7510-01-574-2338.....	T-21
7510-01-504-5277.....	416	7510-01-544-7041.....	418	7510-01-574-2340.....	T-21
7510-01-504-5278.....	416	7510-01-544-9466.....	55	7510-01-574-2350.....	T-21

7510-01-574-2355.....	T-21	7510-01-591-5822.....	414	7510-01-604-1045.....	T-22
7510-01-574-8933.....	T-21	7510-01-593-1377.....	T-14	7510-01-604-1046.....	T-22
7510-01-575-4562.....	43	7510-01-593-7127.....	T-3	7510-01-604-1063.....	T-22
7510-01-575-4563.....	43	7510-01-594-4372.....	T-5	7510-01-604-2614.....	T-17
7510-01-575-4564.....	43	7510-01-594-4376.....	T-19	7510-01-604-6511.....	T-2
7510-01-576-4049.....	T-3	7510-01-594-4377.....	T-19	7510-01-604-6512.....	T-2
7510-01-576-4055.....	T-3	7510-01-594-4378.....	T-19	7510-01-604-6513.....	T-2
7510-01-576-4058.....	T-3	7510-01-594-4379.....	T-19	7510-01-604-6514.....	T-2
7510-01-576-4060.....	T-3	7510-01-596-4260.....	T-5	7510-01-604-6516.....	T-2
7510-01-577-8118.....	103	7510-01-600-3046.....	T-15	7510-01-604-6517.....	T-2
7510-01-577-8121.....	43	7510-01-600-3047.....	T-15	7510-01-604-6518.....	T-2
7510-01-578-3512.....	72	7510-01-600-3048.....	T-15	7510-01-606-4444.....	T-21
7510-01-578-3516.....	72	7510-01-600-3049.....	T-15	7510-01-606-4445.....	T-21
7510-01-578-9302.....	416	7510-01-600-3051.....	T-16	7510-01-606-4446.....	T-21
7510-01-579-6871.....	177	7510-01-600-5978.....	T-15	7510-01-606-4458.....	T-21
7510-01-579-6872.....	177	7510-01-600-5980.....	T-3	7510-01-606-7915.....	T-21
7510-01-579-6873.....	177	7510-01-600-5981.....	T-8	7510-01-606-7916.....	T-21
7510-01-579-6874.....	177	7510-01-600-8651.....	118	7510-01-606-7919.....	T-21
7510-01-579-9317.....	87	7510-01-602-9202.....	T-17	7510-01-606-7925.....	T-21
7510-01-579-9319.....	87	7510-01-603-2869.....	T-7	7510-01-606-7929.....	T-21
7510-01-579-9329.....	87	7510-01-603-2871.....	T-6	7510-01-606-7935.....	T-21
7510-01-580-6224.....	66	7510-01-603-2872.....	T-4	7510-01-606-7937.....	T-21
7510-01-580-6225.....	67	7510-01-603-2873.....	T-6	7510-01-606-8632.....	T-20
7510-01-580-6226.....	67	7510-01-603-2874.....	T-7	7510-01-606-9859.....	T-22
7510-01-580-8394.....	T-6	7510-01-603-2875.....	T-6	7510-01-606-9866.....	T-22
7510-01-580-8395.....	T-6	7510-01-603-2876.....	T-4	7510-01-607-0137.....	T-21
7510-01-581-6447.....	T-3	7510-01-603-2879.....	T-7	7510-01-607-0138.....	T-21
7510-01-581-6451.....	T-6	7510-01-603-2898.....	T-4	7510-01-607-0139.....	T-22
7510-01-581-6452.....	T-3	7510-01-603-2902.....	T-4	7510-01-607-0140.....	T-22
7510-01-581-6459.....	T-5	7510-01-603-2903.....	T-6	7510-01-607-0141.....	T-22
7510-01-581-6460.....	T-3	7510-01-603-2911.....	T-4	7510-01-607-0142.....	T-22
7510-01-581-6475.....	T-19	7510-01-603-2915.....	T-4	7510-01-607-0144.....	T-22
7510-01-581-6483.....	T-19	7510-01-603-2916.....	T-5	7510-01-607-0145.....	T-22
7510-01-581-6485.....	T-19	7510-01-603-2919.....	T-6	7510-01-607-0147.....	T-20
7510-01-581-6486.....	T-19	7510-01-603-2923.....	T-6	7510-01-607-0148.....	T-21
7510-01-581-6487.....	T-19	7510-01-603-2924.....	T-3	7510-01-607-0149.....	T-21
7510-01-581-6488.....	T-19	7510-01-603-2925.....	T-5	7510-01-607-1383.....	T-22
7510-01-581-7305.....	T-15	7510-01-603-2926.....	T-6	7510-01-609-3369.....	420
7510-01-582-4358.....	T-15	7510-01-603-2929.....	T-6	7510-01-610-1156.....	416
7510-01-582-5432.....	T-3	7510-01-603-2930.....	T-7	7510-01-612-8854.....	T-17
7510-01-586-7695.....	9	7510-01-603-2931.....	T-5	7510-01-612-8855.....	T-17
7510-01-586-7696.....	22	7510-01-603-2932.....	T-6	7510-01-612-8856.....	T-17
7510-01-587-2619.....	T-14	7510-01-603-2933.....	T-7	7510-01-612-8857.....	T-17
7510-01-590-1500.....	T-8	7510-01-603-2934.....	T-5	7510-01-614-3526.....	76
7510-01-590-4409.....	T-4	7510-01-603-2935.....	T-5	7510-01-615-8270.....	T-5
7510-01-590-4422.....	T-4	7510-01-603-2936.....	T-7	7510-01-616-2915.....	T-15
7510-01-590-5022.....	T-4	7510-01-603-2937.....	T-4	7510-01-616-2916.....	T-15
7510-01-590-5023.....	T-4	7510-01-603-2938.....	T-5	7510-01-616-2918.....	T-15
7510-01-590-9752.....	T-14	7510-01-603-2942.....	T-5	7510-01-616-3267.....	T-6
7510-01-590-9757.....	T-14	7510-01-603-2944.....	T-3	7510-01-616-3268.....	T-6
7510-01-591-1923.....	421	7510-01-603-2946.....	T-5	7510-01-616-3269.....	T-6
7510-01-591-5407.....	T-17	7510-01-603-2948.....	T-3	7510-01-616-3273.....	T-6
7510-01-591-5408.....	T-17	7510-01-603-2951.....	T-5	7510-01-616-9667.....	92
7510-01-591-5409.....	T-17	7510-01-603-2958.....	T-4	7510-01-616-9670.....	92
7510-01-591-5415.....	T-17	7510-01-603-4853.....	T-6	7510-01-617-4251.....	348

7510-01-617-4257.....	348	7510-01-649-1556.....	T-16	7510-01-653-4888.....	T-11
7510-01-617-9429.....	T-19	7510-01-649-2976.....	T-16	7510-01-653-4889.....	T-11
7510-01-617-9433.....	T-19	7510-01-649-9273.....	T-16	7510-01-653-4890.....	T-11
7510-01-617-9434.....	T-19	7510-01-649-9276.....	T-16	7510-01-653-4891.....	T-11
7510-01-617-9436.....	T-19	7510-01-650-9324.....	T-13	7510-01-653-4894.....	T-11
7510-01-618-1839.....	420	7510-01-650-9325.....	T-13	7510-01-653-4895.....	T-11
7510-01-620-0283.....	80	7510-01-650-9326.....	T-13	7510-01-653-4898.....	T-11
7510-01-620-2015.....	T-7	7510-01-650-9328.....	T-13	7510-01-653-4899.....	T-11
7510-01-620-2017.....	T-7	7510-01-651-6266.....	T-8	7510-01-653-4901.....	T-11
7510-01-620-2019.....	T-7	7510-01-651-6268.....	T-8	7510-01-653-4902.....	T-11
7510-01-621-1307.....	81	7510-01-651-6270.....	T-8	7510-01-653-4909.....	T-19
7510-01-623-6238.....	346	7510-01-651-6271.....	T-8	7510-01-653-5317.....	T-15
7510-01-623-6239.....	346	7510-01-652-5427.....	416	7510-01-653-5319.....	T-12
7510-01-623-6240.....	346	7510-01-652-5429.....	179	7510-01-653-5321.....	T-12
7510-01-623-6845.....	346	7510-01-652-5432.....	179	7510-01-653-5322.....	T-12
7510-01-627-0325.....	T-19	7510-01-652-5433.....	179	7510-01-653-5323.....	T-12
7510-01-627-0327.....	T-19	7510-01-652-5436.....	179	7510-01-653-5885.....	T-11
7510-01-627-0330.....	T-19	7510-01-652-5438.....	179	7510-01-653-6725.....	T-12
7510-01-627-0331.....	T-19	7510-01-652-6108.....	T-13	7510-01-653-7592.....	T-12
7510-01-627-2958.....	31	7510-01-652-6109.....	T-13	7510-01-653-9294.....	T-15
7510-01-627-2960.....	31	7510-01-652-6111.....	T-13	7510-01-654-5082.....	T-8
7510-01-627-2961.....	31	7510-01-652-6112.....	T-13	7510-01-654-5083.....	T-8
7510-01-630-2385.....	21	7510-01-652-6113.....	T-13	7510-01-654-5084.....	T-8
7510-01-632-1758.....	T-7	7510-01-652-6114.....	T-13	7510-01-654-5085.....	T-8
7510-01-632-2379.....	T-7	7510-01-652-6115.....	T-14	7510-01-654-9556.....	T-16
7510-01-632-2381.....	T-7	7510-01-652-6116.....	T-13	7510-01-655-0666.....	T-16
7510-01-632-2383.....	T-7	7510-01-652-6117.....	T-14	7510-01-657-6745.....	20
7510-01-633-4176.....	T-19	7510-01-652-6118.....	T-13	7510-01-657-6746.....	20
7510-01-640-7947.....	T-19	7510-01-652-6119.....	T-14	7510-01-657-6747.....	21
7510-01-640-8656.....	T-19	7510-01-652-6120.....	T-13	7510-01-657-6748.....	21
7510-01-640-9621.....	T-19	7510-01-652-6121.....	T-13	7510-01-657-6749.....	20
7510-01-641-0137.....	T-20	7510-01-652-6123.....	T-14	7510-01-657-7786.....	20
7510-01-641-0689.....	T-20	7510-01-652-6124.....	T-14	7510-01-658-7385.....	T-7
7510-01-641-0695.....	T-20	7510-01-652-6126.....	T-14	7510-01-658-9383.....	T-22
7510-01-641-0697.....	T-20	7510-01-652-6127.....	T-15	7510-01-658-9392.....	T-22
7510-01-641-0699.....	T-20	7510-01-652-6128.....	T-15	7510-01-658-9395.....	T-22
7510-01-641-0700.....	T-20	7510-01-652-6133.....	T-15	7510-01-658-9402.....	T-22
7510-01-641-0703.....	T-20	7510-01-652-6136.....	T-15	7510-01-659-0090.....	T-11
7510-01-641-9545.....	T-16	7510-01-652-6138.....	T-12	7510-01-659-0092.....	T-11
7510-01-641-9547.....	T-16	7510-01-652-6139.....	T-12	7510-01-659-0093.....	T-11
7510-01-641-9549.....	T-11	7510-01-652-6140.....	T-15	7510-01-659-0095.....	T-11
7510-01-645-2734.....	T-4	7510-01-652-6141.....	T-15	7510-01-659-0098.....	T-2
7510-01-645-8754.....	T-22	7510-01-652-6142.....	T-12	7510-01-659-0100.....	T-2
7510-01-645-8755.....	T-22	7510-01-652-6143.....	T-15	7510-01-659-8415.....	New-2
7510-01-645-8756.....	T-16	7510-01-652-7082.....	T-14	7510-01-660-3730.....	T-5
7510-01-647-7926.....	168	7510-01-652-7083.....	T-14	7510-01-660-4951.....	T-6
7510-01-648-8174.....	T-16	7510-01-652-7529.....	T-14	7510-01-660-4952.....	T-5
7510-01-648-8177.....	T-16	7510-01-653-4877.....	T-11	7510-01-660-4956.....	T-6
7510-01-648-8179.....	T-16	7510-01-653-4878.....	T-15	7510-01-660-4959.....	T-6
7510-01-648-8193.....	T-16	7510-01-653-4879.....	T-15	7510-01-660-4961.....	T-6
7510-01-649-1223.....	T-6	7510-01-653-4880.....	T-15	7510-01-660-4962.....	T-6
7510-01-649-1224.....	T-16	7510-01-653-4881.....	T-15	7510-01-661-1214.....	T-20
7510-01-649-1225.....	T-7	7510-01-653-4882.....	T-11	7510-01-661-1476.....	T-8
7510-01-649-1554.....	T-16	7510-01-653-4886.....	T-11	7510-01-661-1477.....	T-8
7510-01-649-1555.....	T-16	7510-01-653-4887.....	T-11	7510-01-661-1478.....	T-8

7510-01-661-1479.....	T-8	7510-01-671-2565.....	T-22	7510-01-685-9365.....	T-7
7510-01-661-1481.....	T-8	7510-01-672-1978.....	T-7	7510-01-686-4217.....	T-7
7510-01-661-1482.....	T-8	7510-01-673-1195.....	T-4	7510-01-687-5678.....	New-5
7510-01-661-1483.....	T-8	7510-01-673-1196.....	T-5	7510-01-687-9385.....	T-6
7510-01-661-1485.....	T-7	7510-01-673-1197.....	T-4	7510-01-687-9386.....	T-6
7510-01-661-1486.....	T-7	7510-01-673-1199.....	T-4	7510-01-687-9387.....	T-4
7510-01-661-1487.....	T-7	7510-01-673-1901.....	T-4	7510-01-687-9388.....	T-4
7510-01-661-1489.....	T-8	7510-01-673-1903.....	T-4	7510-01-687-9389.....	T-4
7510-01-661-1878.....	T-2	7510-01-673-2686.....	T-4	7510-01-687-9390.....	T-4
7510-01-661-4493.....	92	7510-01-673-8628.....	T-7	7510-01-687-9977.....	T-4
7510-01-661-4494.....	92	7510-01-675-8745.....	179	7510-01-688-0575.....	T-6
7510-01-662-3671.....	T-12	7510-01-676-8313.....	T-13	7510-01-688-6068.....	T-5
7510-01-662-3672.....	T-12	7510-01-676-8314.....	T-13	7510-01-688-7306.....	T-4
7510-01-662-3673.....	T-12	7510-01-676-8316.....	T-13	7510-01-688-7307.....	T-4
7510-01-662-3674.....	T-12	7510-01-676-8317.....	T-13	7510-01-688-7922.....	T-4
7510-01-662-3675.....	T-12	7510-01-676-8319.....	T-13	7510-01-691-2280.....	T-5
7510-01-662-7099.....	T-12	7510-01-676-8320.....	T-13	7510-01-691-2966.....	T-5
7510-01-662-7100.....	T-12	7510-01-676-8321.....	T-13	7510-01-691-2969.....	T-5
7510-01-662-7101.....	T-12	7510-01-676-8322.....	T-13	7510-01-691-5757.....	T-5
7510-01-662-7102.....	T-12	7510-01-676-8323.....	T-11	7510-01-691-5759.....	T-5
7510-01-662-7103.....	T-12	7510-01-676-8325.....	T-12	7510-01-691-5760.....	T-5
7510-01-662-7104.....	T-14	7510-01-676-8327.....	T-11	7510-01-691-5764.....	T-5
7510-01-662-7105.....	T-12	7510-01-676-8568.....	T-11	7510-01-691-7564.....	T-18
7510-01-662-7106.....	T-12	7510-01-676-8850.....	T-13	7510-01-691-9217.....	76
7510-01-662-7107.....	T-14	7510-01-676-8851.....	T-13	7510-01-691-9220.....	76
7510-01-662-7108.....	T-12	7510-01-676-8852.....	T-13	7510-01-691-9671.....	76
7510-01-662-7109.....	T-14	7510-01-676-8853.....	T-13	7510-01-694-3018.....	T-10
7510-01-662-7110.....	T-12	7510-01-676-8854.....	T-13	7510-01-694-3021.....	T-10
7510-01-662-7111.....	T-14	7510-01-676-8855.....	T-13	7510-01-694-3024.....	T-10
7510-01-662-7112.....	T-12	7510-01-676-8856.....	T-13	7510-01-694-5343.....	T-5
7510-01-662-7113.....	T-12	7510-01-676-8857.....	T-13	7510-01-695-4570.....	T-14
7510-01-662-7114.....	T-14	7510-01-676-8859.....	T-13	7510-01-695-4571.....	T-14
7510-01-662-7115.....	T-14	7510-01-676-8860.....	T-13	7510-01-695-4578.....	T-11
7510-01-662-7116.....	T-14	7510-01-676-9797.....	T-11	7510-01-695-4579.....	T-14
7510-01-662-7117.....	T-14	7510-01-676-9798.....	T-13	7510-01-695-4580.....	T-14
7510-01-662-7118.....	T-14	7510-01-677-4484.....	T-2	7510-01-695-5083.....	T-12
7510-01-662-7119.....	T-14	7510-01-677-4487.....	T-2	7510-01-695-5084.....	T-14
7510-01-662-7121.....	T-12	7510-01-677-4490.....	T-2	7510-01-695-5085.....	T-14
7510-01-662-7125.....	T-14	7510-01-682-0818.....	T-22	7510-01-695-8011.....	T-17
7510-01-662-7129.....	T-14	7510-01-682-0826.....	T-22	7510-01-695-8013.....	T-17
7510-01-662-7131.....	T-12	7510-01-682-1127.....	T-22	7510-01-695-8014.....	T-17
7510-01-662-7132.....	T-12	7510-01-682-1160.....	T-22	7510-01-695-8015.....	T-17
7510-01-662-7133.....	T-12	7510-01-682-1187.....	T-22	7510-01-695-8016.....	T-17
7510-01-664-7175.....	T-7	7510-01-682-1213.....	T-22	7510-01-695-8017.....	T-17
7510-01-664-7178.....	T-7	7510-01-682-1229.....	T-22	7510-01-695-8018.....	T-17
7510-01-664-8154.....	T-7	7510-01-682-1303.....	T-6	7510-01-695-8019.....	T-17
7510-01-665-0862.....	T-2	7510-01-682-1305.....	T-5	7510-01-695-8020.....	T-17
7510-01-668-7059.....	T-2	7510-01-682-1928.....	T-6	7510-01-695-8021.....	T-17
7510-01-668-7060.....	T-2	7510-01-682-2176.....	T-6	7510-01-695-8022.....	T-17
7510-01-668-7061.....	T-2	7510-01-682-2180.....	T-9	7510-01-695-8023.....	T-17
7510-01-668-7063.....	T-2	7510-01-682-6841.....	T-9	7510-01-695-8024.....	T-17
7510-01-669-8032.....	T-7	7510-01-682-8375.....	T-11	7510-01-695-8025.....	T-17
7510-01-670-3514.....	T-5	7510-01-683-3487.....	T-5	7510-01-695-8267.....	T-18
7510-01-670-3515.....	T-8	7510-01-683-3781.....	T-5	7510-01-695-8268.....	T-18
7510-01-671-2563.....	T-22	7510-01-685-7914.....	76	7510-01-695-8269.....	T-18

7510-01-695-8271.....	T-18	7510-01-697-5528.....	T-20	7520-00-205-1857.....	302
7510-01-695-8272.....	T-18	7510-01-697-5529.....	T-20	7520-00-223-6672.....	59
7510-01-695-8273.....	T-18	7510-01-697-5530.....	T-10	7520-00-223-6675.....	59
7510-01-695-8274.....	T-18	7510-01-697-5531.....	T-20	7520-00-223-6676.....	59
7510-01-695-8275.....	T-18	7510-01-697-5775.....	T-9	7520-00-224-7589.....	75
7510-01-695-8276.....	T-18	7510-01-697-5776.....	T-9	7520-00-224-7620.....	74
7510-01-695-8277.....	T-18	7510-01-697-5777.....	T-9	7520-00-224-7621.....	74
7510-01-695-8278.....	T-18	7510-01-697-5779.....	T-9	7520-00-227-1451.....	59
7510-01-695-8279.....	T-18	7510-01-697-5780.....	T-22	7520-00-232-6828.....	85
7510-01-695-8280.....	T-18	7510-01-697-5783.....	T-8	7520-00-240-2408.....	66
7510-01-695-8281.....	T-18	7510-01-697-5784.....	T-22	7520-00-240-2411.....	66
7510-01-695-8282.....	T-18	7510-01-697-5785.....	T-8	7520-00-240-2417.....	66
7510-01-695-8283.....	T-18	7510-01-697-5786.....	T-8	7520-00-240-5503.....	96
7510-01-695-8892.....	T-19	7510-01-697-5787.....	T-8	7520-00-240-5727.....	70
7510-01-695-8893.....	T-19	7510-01-697-5788.....	T-8	7520-00-243-1780.....	70
7510-01-695-8894.....	T-19	7510-01-697-5789.....	T-8	7520-00-246-2664.....	108
7510-01-695-8899.....	T-18	7510-01-697-5790.....	T-8	7520-00-248-9285.....	411
7510-01-695-8901.....	T-19	7510-01-697-5792.....	T-8	7520-00-254-4610.....	96
7510-01-695-8903.....	T-18	7510-01-697-5793.....	T-9	7520-00-255-7081.....	95
7510-01-695-8904.....	T-18	7510-01-697-5794.....	T-9	7520-00-263-3425.....	75
7510-01-695-8905.....	T-18	7510-01-697-5795.....	T-9	7520-00-264-3718.....	78
7510-01-695-8906.....	T-18	7510-01-697-6025.....	T-20	7520-00-264-5479.....	86
7510-01-695-8907.....	T-18	7510-01-697-6026.....	T-20	7520-00-268-9913.....	59
7510-01-695-8908.....	T-18	7510-01-697-6027.....	T-3	7520-00-269-9012.....	411
7510-01-695-8909.....	T-18	7510-01-697-6028.....	T-6	7520-00-272-9680.....	411
7510-01-695-8910.....	T-18	7510-01-697-6029.....	T-8	7520-00-272-9683.....	411
7510-01-695-8911.....	T-18	7510-01-697-6030.....	T-7	7520-00-272-9684.....	411
7510-01-695-8912.....	T-18	7510-01-697-6364.....	T-9	7520-00-281-5895.....	70
7510-01-695-8913.....	T-18	7510-01-697-6365.....	T-9	7520-00-281-5896.....	70
7510-01-695-8914.....	T-18	7510-01-697-7340.....	T-20	7520-00-281-5911.....	302
7510-01-695-8915.....	T-18	7510-01-697-7341.....	T-3	7520-00-281-5918.....	96
7510-01-696-0261.....	T-18	7510-01-699-5001.....	T-8	7520-00-281-5931.....	82
7510-01-696-0262.....	T-19	7510-01-700-5138.....	T-10	7520-00-285-1772.....	179
7510-01-696-5353.....	T-10	7510-01-700-5139.....	T-10	7520-00-285-5416.....	302
7510-01-696-5355.....	T-10	7510-01-700-5140.....	T-10	7520-00-285-5822.....	58
7510-01-696-5356.....	T-10	7510-01-700-5141.....	T-10	7520-00-286-1722.....	107
7510-01-696-5917.....	T-10	7510-01-700-5142.....	T-10	7520-00-286-1723.....	107
7510-01-697-5508.....	T-3	7510-01-700-5143.....	T-10	7520-00-286-1726.....	106
7510-01-697-5509.....	T-3	7510-01-700-5144.....	T-10	7520-00-298-7043.....	411
7510-01-697-5511.....	T-4	7510-01-700-5145.....	T-10	7520-00-298-7044.....	411
7510-01-697-5512.....	T-9			7520-00-460-7598.....	61
7510-01-697-5513.....	T-6	7520		7520-00-558-1501.....	63
7510-01-697-5514.....	T-9	7520-00-043-3408.....	62	7520-00-559-9618.....	45
7510-01-697-5515.....	T-7	7520-00-045-4354.....	179	7520-00-590-1878.....	57
7510-01-697-5516.....	T-7	7520-00-138-7981.....	30	7520-00-634-4675.....	74
7510-01-697-5517.....	T-7	7520-00-139-3942.....	75	7520-00-634-6724.....	66
7510-01-697-5519.....	T-8	7520-00-139-4101.....	75	7520-00-728-5761.....	85
7510-01-697-5520.....	T-7	7520-00-139-4277.....	41	7520-00-833-7343.....	107
7510-01-697-5521.....	T-8	7520-00-139-4869.....	85	7520-00-904-1265.....	62
7510-01-697-5522.....	T-3	7520-00-139-6170.....	70	7520-00-904-1266.....	62
7510-01-697-5523.....	T-7	7520-00-161-5664.....	57	7520-00-904-1268.....	65
7510-01-697-5524.....	T-20	7520-00-162-6177.....	71	7520-00-904-4476.....	61
7510-01-697-5525.....	T-9	7520-00-162-6178.....	59	7520-00-935-7135.....	51
7510-01-697-5526.....	T-20	7520-00-163-2563.....	75	7520-00-935-7136.....	51
7510-01-697-5527.....	T-9	7520-00-163-2568.....	74	7520-00-939-6179.....	New-5
		7520-00-205-1760.....	411		

7520-00-973-1059.....	62	7520-01-316-0361.....	84	7520-01-424-4865.....	51
7520-00-973-1060.....	62	7520-01-316-1048.....	108	7520-01-424-4867.....	24
7520-00-973-1061.....	62	7520-01-316-2177.....	84	7520-01-424-4872.....	53
7520-00-973-1062.....	62	7520-01-316-4446.....	60	7520-01-424-4874.....	57
7520-01-005-8881.....	30	7520-01-317-3230.....	179	7520-01-424-4875.....	53
7520-01-005-9136.....	302	7520-01-317-6140.....	58	7520-01-424-4879.....	51
7520-01-011-2371.....	68	7520-01-317-6428.....	58	7520-01-424-4883.....	62
7520-01-058-9978.....	53	7520-01-324-6955.....	78	7520-01-424-4884.....	53
7520-01-059-4125.....	53	7520-01-332-2833.....	51	7520-01-431-6240.....	75
7520-01-060-5820.....	53	7520-01-332-3967.....	51	7520-01-431-6251.....	75
7520-01-060-5821.....	53	7520-01-347-9581.....	57	7520-01-433-1787.....	New-5
7520-01-094-4307.....	85	7520-01-349-6303.....	50	7520-01-436-2575.....	75
7520-01-094-4309.....	85	7520-01-351-9146.....	60	7520-01-436-4130.....	71
7520-01-130-3208.....	85	7520-01-352-3018.....	77	7520-01-436-6417.....	71
7520-01-132-4996.....	57	7520-01-352-3019.....	77	7520-01-437-6364.....	107
7520-01-156-1411.....	29	7520-01-352-7309.....	52	7520-01-437-6365.....	102
7520-01-159-1585.....	61	7520-01-352-7310.....	52	7520-01-437-6369.....	107
7520-01-166-0682.....	61	7520-01-352-7311.....	52	7520-01-439-3387.....	96
7520-01-186-3605.....	29	7520-01-352-7321.....	29	7520-01-439-3388.....	46
7520-01-201-7791.....	60	7520-01-357-6841.....	53	7520-01-439-3391.....	96
7520-01-207-4057.....	28	7520-01-362-8656.....	84	7520-01-439-3397.....	56
7520-01-207-4058.....	41	7520-01-365-6126.....	29	7520-01-439-3398.....	96
7520-01-207-4059.....	41	7520-01-368-7771.....	52	7520-01-441-9130.....	83
7520-01-207-4061.....	28	7520-01-368-7772.....	52	7520-01-442-1469.....	50
7520-01-207-4108.....	78	7520-01-368-7773.....	52	7520-01-445-7223.....	52
7520-01-207-4111.....	78	7520-01-383-7924.....	61	7520-01-445-7225.....	52
7520-01-207-4119.....	78	7520-01-383-7938.....	61	7520-01-445-7226.....	51
7520-01-207-4151.....	77	7520-01-383-7943.....	61	7520-01-445-7228.....	52
7520-01-207-4159.....	64	7520-01-383-7950.....	29	7520-01-445-7230.....	49
7520-01-207-4167.....	65	7520-01-383-7959.....	61	7520-01-445-7233.....	52
7520-01-207-4168.....	65	7520-01-385-5271.....	56	7520-01-445-7237.....	51
7520-01-207-4188.....	77	7520-01-386-1581.....	57	7520-01-446-6194.....	50
7520-01-207-4190.....	78	7520-01-386-1604.....	53	7520-01-449-3740.....	56
7520-01-207-4194.....	78	7520-01-386-1618.....	53	7520-01-449-8335.....	32
7520-01-207-4196.....	78	7520-01-386-2444.....	77	7520-01-450-4338.....	New-5
7520-01-207-4207.....	78	7520-01-386-3670.....	96	7520-01-450-8920.....	29
7520-01-207-4209.....	78	7520-01-392-5296.....	30	7520-01-451-2267.....	57
7520-01-207-4222.....	78	7520-01-392-5300.....	32	7520-01-451-2268.....	57
7520-01-207-4226.....	78	7520-01-407-9430.....	71	7520-01-451-2270.....	58
7520-01-207-4228.....	78	7520-01-407-9431.....	71	7520-01-451-2271.....	58
7520-01-207-4231.....	78	7520-01-413-5061.....	85	7520-01-451-2272.....	60
7520-01-207-4242.....	78	7520-01-419-5949.....	78	7520-01-451-5391.....	51
7520-01-207-4264.....	49	7520-01-422-0312.....	53	7520-01-451-9177.....	47
7520-01-207-4272.....	56	7520-01-422-0314.....	52	7520-01-451-9178.....	47
7520-01-209-1152.....	179	7520-01-422-0315.....	52	7520-01-451-9179.....	53
7520-01-218-2053.....	103	7520-01-422-0318.....	53	7520-01-451-9181.....	47
7520-01-219-2308.....	86	7520-01-422-0323.....	52	7520-01-452-1562.....	85
7520-01-223-9896.....	27	7520-01-422-0326.....	52	7520-01-452-1563.....	84
7520-01-223-9897.....	27	7520-01-422-0327.....	52	7520-01-452-1564.....	84
7520-01-223-9898.....	42	7520-01-424-4845.....	24	7520-01-453-6287.....	54
7520-01-238-1728.....	61	7520-01-424-4847.....	53	7520-01-454-5704.....	26
7520-01-241-4229.....	59	7520-01-424-4857.....	51	7520-01-455-2675.....	46
7520-01-292-0013.....	86	7520-01-424-4859.....	53	7520-01-456-7876.....	24
7520-01-294-3791.....	30	7520-01-424-4861.....	49	7520-01-457-0723.....	85
7520-01-315-9854.....	70	7520-01-424-4864.....	57	7520-01-457-5400.....	51

7520-01-458-3932.	46	7520-01-500-5212.	47	7520-01-555-0297.	63
7520-01-458-3933.	46	7520-01-500-5213.	47	7520-01-557-4971.	29
7520-01-458-3934.	46	7520-01-500-5214.	47	7520-01-564-6054.	48
7520-01-461-2660.	50	7520-01-504-7384.	71	7520-01-564-9906.	55
7520-01-461-2661.	60	7520-01-504-7392.	75	7520-01-565-4870.	57
7520-01-461-2662.	60	7520-01-504-8140.	63	7520-01-565-4871.	57
7520-01-461-2663.	50	7520-01-504-8931.	49	7520-01-565-4872.	57
7520-01-461-2664.	50	7520-01-504-8933.	49	7520-01-565-4873.	57
7520-01-461-2665.	50	7520-01-506-8494.	49	7520-01-565-4874.	57
7520-01-461-2666.	60	7520-01-506-8495.	49	7520-01-565-4875.	57
7520-01-461-2667.	60	7520-01-506-8497.	49	7520-01-566-4139.	179
7520-01-461-3779.	61	7520-01-506-8498.	49	7520-01-566-8647.	70
7520-01-463-1990.	56	7520-01-506-8500.	48	7520-01-566-8648.	70
7520-01-463-6556.	62	7520-01-506-8501.	49	7520-01-566-8649.	70
7520-01-465-1425.	47	7520-01-506-8502.	48	7520-01-566-8656.	70
7520-01-465-1427.	47	7520-01-507-6958.	63	7520-01-574-5970.	54
7520-01-465-1431.	47	7520-01-507-6963.	64	7520-01-574-5971.	54
7520-01-465-1432.	47	7520-01-507-6965.	64	7520-01-574-8720.	32
7520-01-465-1448.	50	7520-01-507-6969.	64	7520-01-578-9304.	54
7520-01-465-1449.	47	7520-01-507-6972.	63	7520-01-578-9305.	54
7520-01-465-1450.	53	7520-01-507-6974.	63	7520-01-578-9306.	54
7520-01-465-1454.	47	7520-01-510-5655.	30	7520-01-578-9307.	51
7520-01-465-9889.	65	7520-01-510-5658.	30	7520-01-582-7273.	86
7520-01-467-9433.	70	7520-01-510-5659.	30	7520-01-582-7274.	86
7520-01-467-9434.	70	7520-01-510-5661.	30	7520-01-582-7277.	86
7520-01-481-5368.	59	7520-01-511-4319.	62	7520-01-582-7279.	86
7520-01-481-7461.	47	7520-01-511-4324.	62	7520-01-587-3933.	58
7520-01-481-7462.	47	7520-01-515-3549.	70	7520-01-587-7791.	50
7520-01-483-8900.	74	7520-01-516-7575.	66	7520-01-587-7801.	50
7520-01-483-8902.	74	7520-01-516-7576.	66	7520-01-587-9633.	52
7520-01-483-8994.	41	7520-01-519-4364.	54	7520-01-587-9640.	52
7520-01-484-0013.	61	7520-01-519-4366.	54	7520-01-587-9646.	53
7520-01-484-0014.	77	7520-01-519-4367.	50	7520-01-588-2363.	48
7520-01-484-0020.	56	7520-01-519-4369.	53	7520-01-588-2364.	48
7520-01-484-0021.	46	7520-01-519-4372.	63	7520-01-588-9097.	64
7520-01-484-4577.	46	7520-01-519-4373.	54	7520-01-588-9098.	64
7520-01-484-4579.	86	7520-01-519-4374.	63	7520-01-588-9099.	64
7520-01-484-5250.	47	7520-01-519-4378.	63	7520-01-588-9100.	64
7520-01-484-5252.	47	7520-01-519-4380.	63	7520-01-588-9101.	64
7520-01-484-5253.	47	7520-01-519-5769.	30	7520-01-588-9102.	64
7520-01-484-5261.	28	7520-01-520-3153.	63	7520-01-598-4238.	70
7520-01-484-5263.	28	7520-01-520-3887.	63	7520-01-608-5381.	161
7520-01-484-5267.	53	7520-01-520-3888.	63	7520-01-619-0302.	95
7520-01-484-5271.	52	7520-01-520-3889.	63	7520-01-619-0303.	95
7520-01-484-5272.	52	7520-01-536-9244.	63	7520-01-620-3314.	75
7520-01-493-6006.	83	7520-01-542-5943.	51	7520-01-620-3315.	75
7520-01-494-0907.	50	7520-01-542-5950.	51	7520-01-620-3317.	75
7520-01-494-0908.	50	7520-01-544-9467.	55	7520-01-620-3827.	75
7520-01-496-5473.	28	7520-01-553-8141.	62	7520-01-620-3828.	75
7520-01-496-5474.	28	7520-01-553-8142.	29	7520-01-620-4671.	75
7520-01-496-5475.	28	7520-01-553-8143.	60	7520-01-620-5405.	60
7520-01-496-5476.	28	7520-01-554-8208.	62	7520-01-620-6416.	60
7520-01-496-5477.	28	7520-01-554-8210.	61	7520-01-620-8390.	75
7520-01-498-1876.	55	7520-01-554-8211.	62	7520-01-622-2122.	95
7520-01-498-2079.	55	7520-01-555-0296.	63	7520-01-622-2123.	95

7520-01-622-7156.....	11	7530-00-082-2661.....	125	7530-00-767-5729.....	166
7520-01-622-7157.....	11	7530-00-144-9601.....	115	7530-00-767-5756.....	166
7520-01-627-3358.....	70	7530-00-160-8477.....	93	7530-00-767-5758.....	166
7520-01-629-6573.....	51	7530-00-198-5873.....	165	7530-00-767-5825.....	166
7520-01-642-1219.....	23	7530-00-198-5876.....	165	7530-00-800-0996.....	115
7520-01-642-1221.....	23	7530-00-200-4308.....	101	7530-00-811-7169.....	97
7520-01-642-1222.....	23	7530-00-222-3443.....	97	7530-00-889-3555.....	101
7520-01-642-1223.....	23	7530-00-222-3444.....	97	7530-00-926-8978.....	97
7520-01-642-1225.....	23	7530-00-223-7939.....	118	7530-00-926-8979.....	102
7520-01-642-2441.....	24	7530-00-242-1218.....	165	7530-00-926-8980.....	97
7520-01-644-3712.....	70	7530-00-243-9436.....	109	7530-00-926-8981.....	97
7520-01-644-3713.....	70	7530-00-243-9437.....	109	7530-00-926-8982.....	97
7520-01-645-1147.....	52	7530-00-244-4035.....	125	7530-00-926-8983.....	102
7520-01-645-1148.....	49	7530-00-247-0318.....	109	7530-00-926-9000.....	165
7520-01-645-1149.....	52	7530-00-247-6069.....	165	7530-00-959-4441.....	92
7520-01-645-9515.....	53	7530-00-268-3993.....	106	7530-00-985-7012.....	99
7520-01-646-1095.....	56	7530-00-268-3994.....	106	7530-00-988-6515.....	103
7520-01-647-1706.....	48	7530-00-273-9845.....	102	7530-00-988-6520.....	103
7520-01-647-3133.....	48	7530-00-281-5939.....	101	7530-00-989-0684.....	92
7520-01-647-3134.....	48	7530-00-281-5940.....	101	7530-00-990-8884.....	98
7520-01-647-3136.....	48	7530-00-281-5941.....	99	7530-01-011-9454.....	98
7520-01-647-3137.....	48	7530-00-281-5945.....	99	7530-01-033-8891.....	113
7520-01-647-3138.....	48	7530-00-281-5960.....	99	7530-01-042-7400.....	166
7520-01-652-2436.....	57	7530-00-282-2507.....	99	7530-01-071-9794.....	114
7520-01-652-2439.....	57	7530-00-282-2508.....	99	7530-01-071-9795.....	114
7520-01-653-9297.....	49	7530-00-285-1732.....	99	7530-01-077-5386.....	114
7520-01-653-9298.....	49	7530-00-285-2913.....	106	7530-01-077-5387.....	114
7520-01-653-9299.....	50	7530-00-285-2914.....	106	7530-01-078-5649.....	114
7520-01-653-9300.....	49	7530-00-285-2915.....	106	7530-01-085-5225.....	113
7520-01-654-0768.....	30	7530-00-285-2916.....	106	7530-01-086-4518.....	127
7520-01-655-8004.....	58	7530-00-285-2917.....	106	7530-01-116-7865.....	79
7520-01-655-8504.....	58	7530-00-286-4339.....	124	7530-01-116-7866.....	79
7520-01-655-9036.....	55	7530-00-286-6923.....	101	7530-01-116-7867.....	79
7520-01-658-0392.....	47	7530-00-286-6924.....	101	7530-01-124-5660.....	116
7520-01-658-0393.....	47	7530-00-286-6925.....	102	7530-01-124-7632.....	116
7520-01-661-1668.....	56	7530-00-286-6952.....	118	7530-01-134-2873.....	124
7520-01-661-1669.....	54	7530-00-286-6963.....	165	7530-01-146-3361.....	113
7520-01-661-5817.....	104	7530-00-286-6965.....	166	7530-01-147-6811.....	113
7520-01-661-8834.....	104	7530-00-286-6970.....	165	7530-01-147-6812.....	113
7520-01-666-1049.....	49	7530-00-286-6971.....	165	7530-01-150-0334.....	113
7520-01-666-1050.....	49	7530-00-286-7286.....	101	7530-01-151-6860.....	93
7520-01-680-7012.....	60	7530-00-286-8570.....	101	7530-01-152-5122.....	165
7520-01-680-7013.....	60	7530-00-290-0599.....	115	7530-01-153-9699.....	167
7520-01-682-6564.....	48	7530-00-290-0617.....	114	7530-01-156-4689.....	113
7520-01-682-6565.....	48	7530-00-290-0618.....	114	7530-01-157-1015.....	113
7520-01-684-9424.....	48	7530-00-290-2009.....	98	7530-01-200-2203.....	115
7520-01-691-0488.....	51	7530-00-291-0098.....	99	7530-01-200-2204.....	115
7520-01-691-1540.....	51	7530-00-509-8632.....	114	7530-01-200-2206.....	113
7520-01-691-9222.....	60	7530-00-577-4849.....	165	7530-01-200-2207.....	113
7520-01-693-7345.....	55	7530-00-619-8880.....	24	7530-01-203-1493.....	100
7520-01-693-7347.....	55	7530-00-634-1785.....	98	7530-01-207-4353.....	79
7520-01-693-7348.....	55	7530-00-663-0031.....	101	7530-01-207-4354.....	79
7520-01-694-1460.....	New-5	7530-00-707-8406.....	97	7530-01-207-4355.....	79
7530		7530-00-764-0565.....	116	7530-01-207-4356.....	79
7530-00-043-1194.....	97	7530-00-767-5709.....	166	7530-01-207-4363.....	127

7530-01-209-6526.....	116	7530-01-368-3489.....	93	7530-01-463-2330.....	98
7530-01-243-1061.....	125	7530-01-368-3490.....	93	7530-01-463-3909.....	165
7530-01-273-3755.....	80	7530-01-368-3491.....	93	7530-01-475-9611.....	127
7530-01-285-8355.....	79	7530-01-368-3492.....	93	7530-01-476-2079.....	115
7530-01-286-5121.....	79	7530-01-368-3493.....	93	7530-01-483-8889.....	106
7530-01-289-8190.....	19	7530-01-372-3102.....	107	7530-01-483-9999.....	100
7530-01-289-8191.....	127	7530-01-372-3107.....	116	7530-01-484-0001.....	97
7530-01-298-5145.....	108	7530-01-372-3108.....	116	7530-01-484-0002.....	98
7530-01-302-5504.....	126	7530-01-372-3109.....	116	7530-01-484-0006.....	100
7530-01-308-7293.....	42	7530-01-372-3110.....	109	7530-01-490-7271.....	34
7530-01-315-1877.....	115	7530-01-379-2211.....	127	7530-01-493-2820.....	113
7530-01-316-1639.....	108	7530-01-385-7533.....	80	7530-01-498-1873.....	120
7530-01-316-4455.....	93	7530-01-385-7560.....	80	7530-01-498-2078.....	121
7530-01-316-4457.....	93	7530-01-393-0103.....	80	7530-01-498-2080.....	121
7530-01-316-6584.....	165	7530-01-393-0104.....	25	7530-01-498-2081.....	119
7530-01-316-6585.....	165	7530-01-396-3414.....	118	7530-01-498-2083.....	114
7530-01-332-1560.....	42	7530-01-398-2652.....	115	7530-01-498-2085.....	114
7530-01-332-1561.....	42	7530-01-398-2660.....	79	7530-01-498-9209.....	128
7530-01-335-2623.....	112	7530-01-398-2661.....	24	7530-01-498-9211.....	128
7530-01-336-0540.....	127	7530-01-398-2662.....	125	7530-01-500-5416.....	115
7530-01-346-4849.....	80	7530-01-398-2680.....	113	7530-01-502-6508.....	125
7530-01-349-4462.....	127	7530-01-398-2681.....	113	7530-01-503-8441.....	112
7530-01-349-4463.....	127	7530-01-398-2682.....	113	7530-01-503-8445.....	112
7530-01-349-4464.....	126	7530-01-407-2248.....	94	7530-01-503-8449.....	112
7530-01-352-4257.....	113	7530-01-407-2250.....	94	7530-01-503-8453.....	112
7530-01-352-6616.....	79	7530-01-412-5168.....	112	7530-01-505-3660.....	121
7530-01-352-9250.....	94	7530-01-418-1212.....	80	7530-01-505-3661.....	120
7530-01-353-0571.....	127	7530-01-418-1230.....	92	7530-01-505-3665.....	119
7530-01-356-6726.....	116	7530-01-418-1281.....	79	7530-01-505-3705.....	121
7530-01-356-6727.....	116	7530-01-418-1282.....	124	7530-01-511-7590.....	127
7530-01-357-6852.....	124	7530-01-418-1314.....	97	7530-01-514-4903.....	126
7530-01-357-6854.....	108	7530-01-418-1420.....	79	7530-01-514-4904.....	126
7530-01-357-6855.....	107	7530-01-418-1504.....	124	7530-01-514-4905.....	103
7530-01-357-6856.....	107	7530-01-418-1687.....	42	7530-01-514-4907.....	127
7530-01-357-6857.....	107	7530-01-434-2255.....	166	7530-01-514-4909.....	127
7530-01-364-9482.....	100	7530-01-434-4198.....	93	7530-01-514-4910.....	127
7530-01-364-9483.....	100	7530-01-443-5285.....	34	7530-01-514-4911.....	126
7530-01-364-9484.....	100	7530-01-444-3068.....	124	7530-01-514-4912.....	127
7530-01-364-9485.....	100	7530-01-447-1353.....	116	7530-01-514-4913.....	126
7530-01-364-9486.....	100	7530-01-447-1355.....	116	7530-01-516-7581.....	117
7530-01-364-9487.....	107	7530-01-447-1356.....	116	7530-01-516-9626.....	117
7530-01-364-9488.....	114	7530-01-449-6945.....	124	7530-01-516-9627.....	117
7530-01-364-9489.....	93	7530-01-449-6946.....	124	7530-01-516-9629.....	117
7530-01-364-9495.....	107	7530-01-454-2127.....	127	7530-01-517-1781.....	98
7530-01-364-9496.....	107	7530-01-454-5702.....	118	7530-01-523-4594.....	98
7530-01-364-9497.....	107	7530-01-454-7392.....	118	7530-01-528-5808.....	91
7530-01-364-9498.....	107	7530-01-455-6051.....	99	7530-01-536-2359.....	109
7530-01-364-9499.....	107	7530-01-455-6052.....	99	7530-01-536-2360.....	109
7530-01-364-9500.....	107	7530-01-455-6059.....	99	7530-01-536-2647.....	121
7530-01-364-9501.....	107	7530-01-455-6093.....	99	7530-01-536-2648.....	121
7530-01-364-9502.....	100	7530-01-456-0683.....	79	7530-01-536-2649.....	122
7530-01-364-9504.....	100	7530-01-456-0684.....	80	7530-01-536-2650.....	121
7530-01-364-9505.....	100	7530-01-456-2249.....	79	7530-01-536-2651.....	122
7530-01-364-9506.....	100	7530-01-461-8586.....	93	7530-01-536-2652.....	121
7530-01-366-5856.....	42	7530-01-463-2324.....	98	7530-01-536-2653.....	121

7530-01-536-2655.....	121	7530-01-578-9290.....	126	7530-01-642-7769.....	120
7530-01-536-2656.....	340	7530-01-578-9292.....	126	7530-01-643-1462.....	125
7530-01-536-2658.....	95	7530-01-578-9293.....	126	7530-01-645-8093.....	101
7530-01-536-2659.....	113	7530-01-578-9294.....	126	7530-01-647-1413.....	126
7530-01-536-2661.....	123	7530-01-578-9296.....	126	7530-01-657-8882.....	20
7530-01-536-2662.....	123	7530-01-578-9298.....	126	7530-01-657-8883.....	20
7530-01-536-2663.....	114	7530-01-578-9299.....	125	7530-01-657-8884.....	20
7530-01-536-2664.....	123	7530-01-583-0556.....	101	7530-01-657-9756.....	20
7530-01-536-2665.....	123	7530-01-583-0557.....	101	7530-01-659-7149.....	106
7530-01-537-3569.....	114	7530-01-583-3820.....	102	7530-01-659-9976.....	106
7530-01-537-3576.....	114	7530-01-583-3821.....	102	7530-01-662-5587.....	120
7530-01-539-9831.....	112	7530-01-587-2621.....	125	7530-01-662-5591.....	121
7530-01-539-9832.....	112	7530-01-590-7103.....	102	7530-01-662-5592.....	120
7530-01-539-9833.....	112	7530-01-590-7104.....	102	7530-01-662-5593.....	123
7530-01-539-9835.....	112	7530-01-590-7105.....	102	7530-01-662-6355.....	121
7530-01-544-9455.....	43	7530-01-590-7106.....	102	7530-01-662-6356.....	122
7530-01-554-7683.....	98	7530-01-590-7107.....	102	7530-01-662-6357.....	123
7530-01-554-7684.....	98	7530-01-590-7108.....	102	7530-01-662-6358.....	121
7530-01-554-9538.....	3	7530-01-600-2013.....	117	7530-01-662-6359.....	114
7530-01-556-2578.....	115	7530-01-600-2015.....	117	7530-01-662-6360.....	114
7530-01-556-7912.....	98	7530-01-600-2017.....	117	7530-01-662-6363.....	119
7530-01-556-7913.....	97	7530-01-600-2020.....	117	7530-01-662-6364.....	122
7530-01-556-7914.....	98	7530-01-600-2025.....	117	7530-01-662-6365.....	114
7530-01-556-7915.....	98	7530-01-600-2029.....	118	7530-01-662-6367.....	114
7530-01-556-7916.....	98	7530-01-600-6970.....	94	7530-01-662-6368.....	114
7530-01-556-7917.....	98	7530-01-600-6971.....	98	7530-01-662-6369.....	114
7530-01-556-7918.....	98	7530-01-600-6972.....	98	7530-01-662-6373.....	121
7530-01-557-3174.....	80	7530-01-600-6975.....	98	7530-01-662-9148.....	114
7530-01-557-3179.....	80	7530-01-600-6977.....	94	7530-01-673-6217.....	128
7530-01-561-3024.....	98	7530-01-600-6978.....	94	7530-01-673-6219.....	128
7530-01-562-3259.....	113	7530-01-600-6979.....	98	7530-01-673-6220.....	128
7530-01-562-3260.....	113	7530-01-600-6980.....	98	7530-01-673-6513.....	126
7530-01-565-2771.....	80	7530-01-600-6981.....	94	7530-01-673-6516.....	128
7530-01-566-4131.....	100	7530-01-600-6982.....	94	7530-01-681-6534.....	107
7530-01-566-4132.....	100	7530-01-600-6983.....	98	7530-01-687-1404.....	22
7530-01-566-4134.....	100	7530-01-600-6984.....	98	7530-01-687-1406.....	125
7530-01-566-4136.....	100	7530-01-611-0277.....	112	7530-01-687-8444.....	82
7530-01-566-4137.....	100	7530-01-611-1896.....	112	7530-01-693-5841.....	121
7530-01-566-4138.....	100	7530-01-611-6427.....	118	7530-01-693-7346.....	109
7530-01-566-4143.....	100	7530-01-618-8427.....	91	7530-01-693-7599.....	121
7530-01-566-4146.....	100	7530-01-621-5258.....	93	7530-01-693-7600.....	119
7530-01-572-6205.....	97	7530-01-621-6198.....	107	7530-01-693-7602.....	109
7530-01-572-6207.....	97	7530-01-631-2660.....	122	7530-01-693-7613.....	122
7530-01-572-6208.....	97	7530-01-631-2661.....	121	7530-01-693-7873.....	109
7530-01-575-5879.....	43	7530-01-631-2662.....	122	7530-01-693-7874.....	119
7530-01-577-2170.....	25	7530-01-631-2663.....	123	7530-01-693-7886.....	109
7530-01-577-7668.....	43	7530-01-631-2665.....	123	7530-01-693-8217.....	120
7530-01-577-7671.....	43	7530-01-631-2666.....	43	7530-01-693-8219.....	121
7530-01-577-7673.....	123	7530-01-631-2667.....	109	7530-01-693-8220.....	121
7530-01-577-7675.....	43	7530-01-631-3699.....	123	7530-01-693-8222.....	120
7530-01-577-7676.....	43	7530-01-631-4245.....	43	7530-01-693-8224.....	121
7530-01-577-7679.....	123	7530-01-632-1013.....	99	7530-01-693-8225.....	121
7530-01-577-8865.....	119	7530-01-632-1016.....	99	7530-01-693-8227.....	120
7530-01-577-8866.....	120	7530-01-632-1017.....	99	7530-01-693-8228.....	121
7530-01-577-8867.....	120	7530-01-642-7768.....	120	7530-01-693-8229.....	121

7530-01-693-8230.....	120	7540-01-218-4384.....	111	7920-00-205-0426.....	286
7530-01-693-9092.....	121	7540-01-267-1158.....	111	7920-00-205-0484.....	284
7530-01-693-9093.....	120	7540-01-509-5208.....	111	7920-00-205-0488.....	284
7530-01-693-9094.....	120			7920-00-205-0565.....	34
7530-01-694-0249.....	121	7810		7920-00-205-1168.....	287
7530-01-694-0250.....	121	7810-00-271-1762.....	354	7920-00-205-1170.....	287
7530-01-694-0251.....	121			7920-00-205-1656.....	293
7530-01-694-0252.....	121	7830		7920-00-205-1711.....	294
7530-01-694-0253.....	121	7830-00-242-4340.....	354	7920-00-205-2401.....	297
7530-01-694-0254.....	121	7830-00-242-4341.....	354	7920-00-205-3570.....	294
7530-01-694-0255.....	114			7920-00-224-7987.....	389
7530-01-694-0256.....	114	7910		7920-00-224-8339.....	297
7530-01-694-0618.....	122	7910-00-526-1959.....	289	7920-00-224-8726.....	285
7530-01-694-1024.....	120	7910-00-550-9111.....	289	7920-00-233-3737.....	297
7530-01-694-1639.....	122	7910-00-550-9120.....	289	7920-00-234-9317.....	267
7530-01-694-1640.....	122	7910-00-550-9123.....	289	7920-00-240-2555.....	294
7530-01-694-1641.....	122	7910-00-720-5536.....	289	7920-00-240-6350.....	282
7530-01-694-1793.....	122	7910-00-720-5541.....	289	7920-00-240-6358.....	281
7530-01-694-1794.....	122	7910-00-820-9898.....	290	7920-00-240-7171.....	281, 296
7530-01-694-1993.....	122	7910-00-820-9912.....	290	7920-00-240-7174.....	281, 296
7530-01-694-1994.....	122	7910-00-985-6797.....	288	7920-00-243-3407.....	279
7530-01-694-2429.....	122	7910-01-084-8854.....	288	7920-00-255-5135.....	296
7530-01-694-2430.....	122	7910-01-092-8503.....	290	7920-00-255-7536.....	299, 375
7530-01-694-2769.....	119	7910-01-198-3913.....	290	7920-00-260-1279.....	293
7530-01-694-2772.....	119	7910-01-363-6975.....	290	7920-00-263-0328.....	280
7530-01-694-2774.....	119	7910-01-364-2170.....	290	7920-00-263-8528.....	288
7530-01-694-2775.....	119	7910-01-386-3666.....	288	7920-00-264-4638.....	279
7530-01-694-2776.....	119	7910-01-400-0928.....	290	7920-00-267-1218.....	287
7530-01-694-2777.....	119	7910-01-420-0590.....	289	7920-00-267-2967.....	279
7530-01-694-2778.....	119	7910-01-423-9525.....	4	7920-00-269-1259.....	296
7530-01-694-2779.....	119	7910-01-483-5302.....	290	7920-00-282-2470.....	281, 296
7530-01-694-3025.....	122	7910-01-520-6436.....	290	7920-00-282-9246.....	296
7530-01-694-3252.....	119			7920-00-291-1237.....	295
7540		7920		7920-00-291-5815.....	296
7540-00-117-8424.....	110	7920-00-044-4857.....	282	7920-00-291-8305.....	281
7540-00-138-9137.....	110	7920-00-044-9281.....	291	7920-00-292-2360.....	279
7540-00-222-3442.....	111	7920-00-045-2940.....	295	7920-00-292-2363.....	279
7540-00-222-3467.....	110	7920-00-051-4384.....	300	7920-00-292-2365.....	279
7540-00-222-3468.....	110	7920-00-061-0037.....	296	7920-00-292-2367.....	279
7540-00-634-4018.....	110	7920-00-061-0038.....	296	7920-00-292-4375.....	281
7540-00-634-4037.....	111	7920-00-141-5450.....	267	7920-00-292-9204.....	291
7540-00-634-4041.....	111	7920-00-141-5452.....	280	7920-00-401-8034.....	291
7540-00-634-4176.....	111	7920-00-141-5544.....	286	7920-00-432-7117.....	285
7540-00-634-5053.....	111	7920-00-141-5547.....	286	7920-00-490-6046.....	300
7540-00-935-5862.....	110	7920-00-141-5548.....	286	7920-00-492-5971.....	267
7540-01-058-0222.....	111	7920-00-141-5549.....	286	7920-00-514-2417.....	404
7540-01-119-5628.....	110	7920-00-141-5550.....	286	7920-00-519-1912.....	293
7540-01-165-7295.....	111	7920-00-148-9666.....	294	7920-00-530-5740.....	297
7540-01-207-5536.....	111	7920-00-151-6120.....	300	7920-00-532-8543.....	293
7540-01-207-5537.....	111	7920-00-165-7195.....	291	7920-00-543-6492.....	250
7540-01-207-5538.....	111	7920-00-165-7277.....	281	7920-00-559-8463.....	294
7540-01-207-5539.....	111	7920-00-171-1148.....	286	7920-00-559-8464.....	294
7540-01-209-4939.....	111	7920-00-171-1534.....	300	7920-00-577-4744.....	297
7540-01-214-5372.....	111	7920-00-177-5106.....	280	7920-00-577-4745.....	297
		7920-00-178-8315.....	281	7920-00-577-4746.....	297
		7920-00-205-0425.....	286		

7920-00-616-2493.....	284	7920-01-448-7052.....	291	7920-01-586-8010.....	298
7920-00-619-9162.....	311	7920-01-448-7053.....	292	7920-01-586-8011.....	298
7920-00-633-9906.....	294	7920-01-452-2029.....	287	7920-01-598-9089.....	299
7920-00-633-9928.....	294	7920-01-452-2030.....	287	7920-01-598-9090.....	299
7920-00-634-2408.....	293	7920-01-454-1147.....	291	7920-01-598-9091.....	299
7920-00-655-5290.....	295	7920-01-454-1148.....	292	7920-01-598-9092.....	299
7920-00-682-6710.....	250	7920-01-454-1150.....	292	7920-01-604-3307.....	282
7920-00-682-6861.....	288	7920-01-454-5879.....	292	7920-01-604-3309.....	296
7920-00-721-8884.....	250	7920-01-458-8208.....	281	7920-01-630-1595.....	280
7920-00-728-1167.....	285	7920-01-460-6658.....	281	7920-01-630-3062.....	280
7920-00-753-5242.....	295	7920-01-460-7906.....	287	7920-01-630-3063.....	280
7920-00-772-5800.....	267	7920-01-460-8614.....	280	7920-01-648-6104.....	292
7920-00-781-5247.....	287	7920-01-463-2977.....	295	7920-01-657-7796.....	291
7920-00-823-6931.....	250	7920-01-463-4653.....	294	7920-01-660-1489.....	285
7920-00-823-9772.....	250	7920-01-482-6040.....	291	7920-01-660-1490.....	285
7920-00-823-9773.....	250	7920-01-482-6043.....	292	7920-01-663-4340.....	295
7920-00-823-9818.....	293	7920-01-487-5024.....	263	7920-01-667-2781.....	293
7920-00-851-0141.....	284	7920-01-490-7273.....	284	7920-01-682-8879.....	284
7920-00-851-0142.....	284	7920-01-490-7274.....	285	7920-01-684-8963.....	291
7920-00-884-1115.....	294	7920-01-491-0664.....	291	7920-01-684-9744.....	291
7920-00-884-1116.....	294	7920-01-491-0668.....	291	7920-01-685-0956.....	291
7920-00-891-7537.....	295	7920-01-512-2412.....	293	7920-01-699-4055.....	New-6
7920-00-900-3586.....	281	7920-01-512-4961.....	280		
7920-00-926-5146.....	280	7920-01-512-4967.....	280	7930	
7920-00-926-5176.....	295	7920-01-512-4969.....	286	7930-00-045-6912.....	277
7920-00-926-5244.....	288	7920-01-512-4970.....	286	7930-00-056-8144.....	274
7920-00-926-5493.....	286	7920-01-513-3290.....	286	7930-00-068-1669.....	275
7920-00-926-5494.....	286	7920-01-513-3297.....	287	7930-00-132-5265.....	279
7920-00-926-5495.....	286	7920-01-513-3298.....	287	7930-00-141-5888.....	276
7920-00-926-5496.....	286	7920-01-513-3300.....	286	7930-00-177-5243.....	275
7920-00-959-3842.....	296	7920-01-513-3309.....	287	7930-00-205-2870.....	276
7920-00-965-1709.....	291	7920-01-513-3310.....	287	7930-00-269-1272.....	279
7920-00-965-4886.....	279	7920-01-513-3311.....	287	7930-00-282-9699.....	274
7920-00-998-2482.....	284	7920-01-513-3316.....	287	7930-00-291-0410.....	279
7920-00-998-2483.....	284	7920-01-513-3317.....	287	7930-00-357-7386.....	274
7920-00-998-2484.....	284	7920-01-519-4735.....	300	7930-00-459-2247.....	272
7920-01-004-7847.....	291	7920-01-554-7100.....	280	7930-00-633-9849.....	279
7920-01-011-9429.....	282	7920-01-564-7770.....	287	7930-00-664-7483.....	272
7920-01-162-6064.....	295	7920-01-565-4595.....	282	7930-00-721-8592.....	276
7920-01-177-3633.....	293	7920-01-565-4596.....	282	7930-00-880-4454.....	262
7920-01-180-0556.....	291	7920-01-565-4598.....	283	7930-00-899-9534.....	262
7920-01-180-0557.....	293	7920-01-565-4599.....	283	7930-00-901-2088.....	268
7920-01-195-5355.....	281	7920-01-565-4600.....	282	7930-00-926-5280.....	275
7920-01-222-7798.....	295	7920-01-566-4130.....	295	7930-00-929-1220.....	264
7920-01-233-0483.....	293	7920-01-570-3636.....	292	7930-00-985-6911.....	274
7920-01-343-3776.....	288	7920-01-572-7349.....	281	7930-01-045-3517.....	264
7920-01-370-1364.....	292	7920-01-574-8715.....	283	7930-01-151-1124.....	263
7920-01-370-1365.....	292	7920-01-574-8716.....	283	7930-01-152-7072.....	262
7920-01-383-7799.....	285	7920-01-574-8718.....	283	7930-01-177-5119.....	262
7920-01-383-7927.....	285	7920-01-574-9146.....	283	7930-01-183-8585.....	278
7920-01-383-8023.....	299, 375	7920-01-574-9445.....	283	7930-01-198-6050.....	274
7920-01-436-8325.....	249	7920-01-574-9446.....	283	7930-01-236-7280.....	264
7920-01-437-8636.....	286	7920-01-574-9447.....	283	7930-01-294-1115.....	276
7920-01-437-9810.....	286	7920-01-574-9448.....	283	7930-01-294-1116.....	276
7920-01-448-0218.....	285	7920-01-586-8009.....	298	7930-01-294-5523.....	272
				7930-01-314-6133.....	275

7930-01-316-6008.....	279	7930-01-418-1104.....	277	7930-01-600-5754.....	269
7930-01-326-8110.....	268	7930-01-418-1151.....	275	7930-01-631-1931.....	278
7930-01-346-5280.....	272	7930-01-418-1439.....	263	7930-01-631-3702.....	278
7930-01-350-7035.....	275	7930-01-419-5178.....	262	7930-01-687-9646.....	262
7930-01-353-6414.....	290	7930-01-420-3593.....	273		
7930-01-353-6415.....	279	7930-01-423-1120.....	261	8105	
7930-01-356-9206.....	266	7930-01-423-1145.....	266	8105-00-022-1319.....	254
7930-01-359-9229.....	269	7930-01-436-7897.....	276	8105-00-025-1263.....	137
7930-01-360-8050.....	275	7930-01-436-7911.....	263	8105-00-070-9496.....	305
7930-01-363-8631.....	279	7930-01-436-7958.....	273	8105-00-117-9860.....	166
7930-01-367-0987.....	266	7930-01-436-7971.....	276	8105-00-117-9866.....	166
7930-01-367-0988.....	264	7930-01-436-7991.....	277	8105-00-117-9869.....	166
7930-01-367-2907.....	264	7930-01-436-8039.....	277	8105-00-117-9870.....	166
7930-01-367-2908.....	265	7930-01-436-8083.....	271	8105-00-117-9872.....	166
7930-01-367-2909.....	275	7930-01-438-6461.....	382	8105-00-117-9879.....	166
7930-01-367-2965.....	275	7930-01-454-1138.....	4	8105-00-117-9881.....	166
7930-01-373-8844.....	275	7930-01-454-1159.....	262	8105-00-117-9886.....	166
7930-01-373-8845.....	275	7930-01-455-9536.....	279	8105-00-137-9131.....	167
7930-01-373-8848.....	275	7930-01-471-2724.....	272	8105-00-137-9132.....	136
7930-01-373-8849.....	275	7930-01-486-5067.....	278	8105-00-137-9133.....	136
7930-01-379-5378.....	268	7930-01-487-5022.....	263	8105-00-137-9134.....	136
7930-01-379-5696.....	277	7930-01-487-6098.....	263	8105-00-137-9135.....	136
7930-01-380-4783.....	279	7930-01-487-6099.....	263	8105-00-137-9136.....	136
7930-01-380-8365.....	278	7930-01-488-5450.....	263	8105-00-139-1276.....	167
7930-01-380-8381.....	276	7930-01-490-7282.....	263	8105-00-145-0163.....	303
7930-01-380-8387.....	277	7930-01-490-7283.....	275	8105-00-174-0836.....	136
7930-01-380-8406.....	277	7930-01-490-7283.....	375	8105-00-179-0087.....	136
7930-01-380-8447.....	277	7930-01-490-7301.....	264	8105-00-179-0089.....	136
7930-01-380-8450.....	277	7930-01-494-0067.....	263	8105-00-183-6981.....	136
7930-01-380-8469.....	277	7930-01-494-0905.....	272	8105-00-183-6982.....	136
7930-01-380-8495.....	273	7930-01-494-2986.....	264	8105-00-183-6985.....	136
7930-01-381-3491.....	276	7930-01-494-2987.....	274	8105-00-183-6989.....	136
7930-01-381-5820.....	271	7930-01-504-8866.....	261	8105-00-190-9824.....	412
7930-01-381-5826.....	268	7930-01-512-8969.....	276	8105-00-191-3701.....	137
7930-01-381-5834.....	270	7930-01-513-6864.....	268	8105-00-191-3776.....	137
7930-01-381-5897.....	271	7930-01-513-9967.....	273	8105-00-191-3902.....	137
7930-01-381-5936.....	270	7930-01-549-8189.....	271	8105-00-200-0195.....	303
7930-01-381-5997.....	270	7930-01-549-8190.....	271	8105-00-224-8485.....	167
7930-01-382-9138.....	273	7930-01-549-8191.....	271	8105-00-262-7363.....	311
7930-01-383-7926.....	274	7930-01-555-2898.....	268	8105-00-269-4662.....	137
7930-01-383-7926.....	375	7930-01-555-2899.....	272	8105-00-271-1485.....	254
7930-01-393-6747.....	272	7930-01-555-2900.....	272	8105-00-271-1511.....	136
7930-01-398-0997.....	300	7930-01-555-2901.....	269	8105-00-281-1156.....	254
7930-01-398-2473.....	4	7930-01-555-3382.....	272	8105-00-281-1158.....	254
7930-01-399-2720.....	267	7930-01-555-3384.....	268	8105-00-281-1163.....	254
7930-01-410-8562.....	278	7930-01-597-6009.....	264	8105-00-281-1167.....	167
7930-01-411-8931.....	275	7930-01-597-6010.....	264	8105-00-281-1168.....	167
7930-01-412-0535.....	263	7930-01-600-1717.....	272	8105-00-281-1169.....	167
7930-01-412-0984.....	300	7930-01-600-5747.....	268	8105-00-281-1425.....	254
7930-01-412-1033.....	270	7930-01-600-5748.....	268	8105-00-281-1429.....	315
7930-01-412-1034.....	270	7930-01-600-5749.....	New-5	8105-00-281-1436.....	167
7930-01-412-1036.....	270	7930-01-600-5750.....	269	8105-00-281-3924.....	136
7930-01-412-2377.....	275	7930-01-600-5751.....	269	8105-00-285-4744.....	338
7930-01-412-2402.....	278	7930-01-600-5752.....	New-5	8105-00-286-7308.....	254
7930-01-412-2434.....	300	7930-01-600-5753.....	269	8105-00-290-0340.....	167
				8105-00-290-0342.....	167

8105-00-290-0343.....	167	8105-01-218-5323.....	137	8105-01-517-1359.....	309
8105-00-290-3360.....	136	8105-01-218-5326.....	311	8105-01-517-1360.....	309
8105-00-290-4579.....	412	8105-01-221-3233.....	304	8105-01-517-1361.....	309
8105-00-295-6177.....	137	8105-01-221-3234.....	304	8105-01-517-1362.....	307
8105-00-299-8532.....	303	8105-01-221-3236.....	304	8105-01-517-1363.....	307
8105-00-330-7264.....	304	8105-01-221-3237.....	304	8105-01-517-1364.....	309
8105-00-334-4120.....	167	8105-01-221-3238.....	304	8105-01-517-1365.....	308
8105-00-351-3385.....	167	8105-01-221-3239.....	304	8105-01-517-1366.....	307
8105-00-543-7169.....	254	8105-01-264-4571.....	372	8105-01-517-1367.....	307
8105-00-543-7837.....	136	8105-01-268-4413.....	136	8105-01-517-1368.....	307
8105-00-579-8451.....	304	8105-01-284-2923.....	305	8105-01-517-1369.....	309
8105-00-680-0503.....	305	8105-01-284-2924.....	305	8105-01-517-1370.....	310
8105-00-702-7175.....	304	8105-01-353-2497.....	137	8105-01-517-1371.....	307
8105-00-702-7177.....	305	8105-01-353-8808.....	137	8105-01-517-1372.....	310
8105-00-726-5607.....	303	8105-01-354-3949.....	412	8105-01-517-1373.....	307
8105-00-756-2710.....	167	8105-01-362-0029.....	308	8105-01-517-1374.....	310
8105-00-759-0794.....	303	8105-01-369-7953.....	310	8105-01-517-1376.....	309
8105-00-773-7581.....	315	8105-01-381-6365.....	289	8105-01-517-1377.....	309
8105-00-835-7212.....	341	8105-01-386-2289.....	306	8105-01-517-1378.....	309
8105-00-837-7753.....	315	8105-01-386-2290.....	306	8105-01-517-1379.....	309
8105-00-837-7754.....	315	8105-01-386-2312.....	306	8105-01-517-3660.....	341
8105-00-837-7755.....	315	8105-01-386-2323.....	306	8105-01-517-3662.....	341
8105-00-837-7756.....	315	8105-01-386-2329.....	306	8105-01-517-3664.....	341
8105-00-837-7757.....	315	8105-01-386-2362.....	306	8105-01-517-3665.....	341
8105-00-857-2247.....	167	8105-01-386-2399.....	306	8105-01-517-3667.....	308
8105-00-857-2250.....	254	8105-01-386-2410.....	306	8105-01-517-3668.....	308
8105-00-921-5821.....	412	8105-01-386-2428.....	306	8105-01-517-3669.....	308
8105-00-922-9469.....	341	8105-01-386-3868.....	311	8105-01-517-5540.....	341
8105-00-965-2509.....	338	8105-01-392-6510.....	310	8105-01-521-2119.....	305
8105-00-985-7221.....	167	8105-01-399-4791.....	12	8105-01-532-0443.....	412
8105-00-989-2376.....	305	8105-01-399-4792.....	12	8105-01-532-6918.....	305
8105-01-084-8645.....	412	8105-01-399-4793.....	12	8105-01-532-6920.....	311
8105-01-088-5803.....	305	8105-01-399-4814.....	311	8105-01-534-6819.....	310
8105-01-119-8109.....	305	8105-01-399-4821.....	137	8105-01-534-6822.....	310
8105-01-120-3372.....	305	8105-01-437-0820.....	137	8105-01-534-6826.....	310
8105-01-120-3376.....	305	8105-01-439-6178.....	412	8105-01-534-6828.....	310
8105-01-150-6256.....	303	8105-01-452-0831.....	412	8105-01-534-6830.....	310
8105-01-163-5165.....	412	8105-01-455-7808.....	412	8105-01-557-4972.....	308
8105-01-174-0941.....	303	8105-01-516-3959.....	137	8105-01-557-4973.....	310
8105-01-174-0942.....	304	8105-01-517-0803.....	307	8105-01-557-4974.....	12
8105-01-174-0943.....	304	8105-01-517-1343.....	307	8105-01-557-4975.....	12
8105-01-174-0944.....	304	8105-01-517-1344.....	308	8105-01-557-4976.....	12
8105-01-174-0945.....	304	8105-01-517-1345.....	307	8105-01-557-4982.....	12
8105-01-175-5532.....	304	8105-01-517-1346.....	307	8105-01-557-4983.....	310
8105-01-175-5533.....	304	8105-01-517-1347.....	308	8105-01-557-4984.....	310
8105-01-183-9764.....	303	8105-01-517-1349.....	308	8105-01-560-4930.....	308
8105-01-183-9767.....	303	8105-01-517-1350.....	307	8105-01-560-4932.....	308
8105-01-183-9768.....	303	8105-01-517-1351.....	306	8105-01-560-4933.....	308
8105-01-183-9769.....	303	8105-01-517-1352.....	306	8105-01-560-4934.....	308
8105-01-184-7159.....	303	8105-01-517-1353.....	307	8105-01-567-9524.....	308
8105-01-185-2635.....	137	8105-01-517-1354.....	307	8105-01-567-9526.....	308
8105-01-185-9680.....	305	8105-01-517-1355.....	307	8105-01-568-1328.....	338
8105-01-195-8730.....	303	8105-01-517-1356.....	309	8105-01-568-1545.....	310
8105-01-217-4312.....	137	8105-01-517-1357.....	307	8105-01-569-2113.....	305
8105-01-217-7595.....	311	8105-01-517-1358.....	309	8105-01-575-2509.....	412

8105-01-589-5232.....	305	8115-00-079-8697.....	148	8115-00-190-4936.....	138
8105-01-589-5233.....	305	8115-00-079-8745.....	148	8115-00-190-4950.....	138
8105-01-601-0260.....	136	8115-00-079-8788.....	148	8115-00-190-4959.....	139
8105-01-613-1755.....	364	8115-00-079-8823.....	149	8115-00-190-4969.....	139
8105-01-613-1756.....	364	8115-00-079-8825.....	149	8115-00-190-4974.....	139
8105-01-613-1757.....	364	8115-00-079-8879.....	160	8115-00-190-4995.....	141
8105-01-613-1758.....	507	8115-00-079-8989.....	151	8115-00-190-5002.....	140
8105-01-613-1759.....	364	8115-00-079-9015.....	144	8115-00-190-5007.....	141
8105-01-613-1760.....	364	8115-00-101-7638.....	161	8115-00-190-5012.....	141
8105-01-613-1761.....	364	8115-00-101-7647.....	161	8115-00-190-5015.....	142
8105-01-613-1762.....	364	8115-00-117-8249.....	160	8115-00-190-5017.....	142
8105-01-613-1763.....	364	8115-00-117-8338.....	147	8115-00-190-5018.....	142
8105-01-613-1764.....	364	8115-00-117-8347.....	147	8115-00-190-5020.....	142
8105-01-613-1765.....	364	8115-00-117-9527.....	140	8115-00-200-6954.....	138
8105-01-613-1766.....	365	8115-00-117-9529.....	142	8115-00-224-7935.....	164
8105-01-613-1767.....	365	8115-00-128-8024.....	151	8115-00-229-9340.....	140
8105-01-613-1768.....	365	8115-00-134-3655.....	161	8115-00-245-8500.....	163
8105-01-613-1769.....	365	8115-00-142-9594.....	144	8115-00-275-5777.....	141
8105-01-613-1770.....	365	8115-00-165-6599.....	141	8115-00-281-3877.....	138
8105-01-613-1771.....	365	8115-00-174-2349.....	140	8115-00-281-3882.....	138
8105-01-613-1772.....	365	8115-00-174-2354.....	142	8115-00-281-3889.....	139
8105-01-613-1773.....	365	8115-00-176-8062.....	140	8115-00-290-3364.....	138
8105-01-613-1774.....	365	8115-00-176-8064.....	140	8115-00-290-3365.....	145
8105-01-613-1775.....	365	8115-00-179-0547.....	150	8115-00-290-3367.....	145
8105-01-613-1776.....	365	8115-00-179-0550.....	141	8115-00-290-3369.....	139
8105-01-613-1777.....	365	8115-00-179-0565.....	144	8115-00-290-3370.....	146
8105-01-614-0296.....	365	8115-00-179-0566.....	145	8115-00-290-3371.....	140
8105-01-617-6925.....	412	8115-00-179-0568.....	145	8115-00-290-3373.....	140
8105-01-618-4748.....	412	8115-00-179-0570.....	145	8115-00-290-3374.....	146
8105-01-628-5366.....	137	8115-00-179-0571.....	145	8115-00-290-3376.....	147
8105-01-658-9832.....	306	8115-00-179-0575.....	146	8115-00-290-3380.....	147
8105-01-662-6361.....	304	8115-00-179-0578.....	147	8115-00-290-3384.....	148
8105-01-662-6362.....	304	8115-00-179-0579.....	148	8115-00-290-3386.....	148
8105-01-662-7122.....	305	8115-00-179-0580.....	149	8115-00-290-3387.....	149
8105-01-662-7124.....	305	8115-00-183-9464.....	141	8115-00-290-3394.....	150
8105-01-662-7928.....	305	8115-00-183-9482.....	141	8115-00-290-5494.....	145
8105-01-674-0029.....	365	8115-00-183-9484.....	140	8115-00-292-0120.....	142
8105-01-674-9014.....	167	8115-00-183-9487.....	140	8115-00-360-2858.....	143
		8115-00-183-9488.....	140	8115-00-409-3807.....	140
8110		8115-00-183-9489.....	140	8115-00-417-9236.....	141
8110-00-291-0347.....	165	8115-00-183-9490.....	140	8115-00-417-9292.....	141
8110-00-291-0348.....	165	8115-00-183-9491.....	140	8115-00-417-9319.....	140
8110-00-753-4643.....	164	8115-00-183-9493.....	139	8115-00-417-9320.....	140
8110-01-437-4425.....	165	8115-00-183-9494.....	139	8115-00-417-9321.....	140
8110-01-559-6485.....	164	8115-00-183-9496.....	139	8115-00-417-9378.....	140
8110-01-559-6836.....	164	8115-00-183-9497.....	139	8115-00-417-9380.....	139
		8115-00-183-9498.....	138	8115-00-417-9406.....	139
8115		8115-00-183-9499.....	138	8115-00-417-9414.....	139
8115-00-050-5237.....	161	8115-00-183-9500.....	138	8115-00-417-9416.....	142
8115-00-079-8447.....	144	8115-00-183-9501.....	138	8115-00-417-9440.....	138
8115-00-079-8459.....	145	8115-00-183-9503.....	138	8115-00-417-9442.....	138
8115-00-079-8677.....	146	8115-00-183-9505.....	138	8115-00-418-4653.....	140
8115-00-079-8679.....	146	8115-00-190-4864.....	141	8115-00-418-4656.....	140
8115-00-079-8680.....	146	8115-00-190-4865.....	141	8115-00-418-4657.....	140
8115-00-079-8682.....	147	8115-00-190-4921.....	138	8115-00-418-4660.....	138
8115-00-079-8693.....	145				

8115-00-428-4124.....	141	8115-00-935-5902.....	142	8115-01-556-7306.....	157
8115-00-428-4145.....	141	8115-00-935-5904.....	144	8115-01-562-4555.....	412
8115-00-428-4158.....	141	8115-00-935-5906.....	143	8115-01-562-5722.....	160
8115-00-428-4183.....	141	8115-00-935-6510.....	144	8115-01-580-9475.....	161
8115-00-428-4185.....	141	8115-00-935-6530.....	160	8115-01-580-9476.....	161
8115-00-451-7853.....	140	8115-00-935-6532.....	160	8115-01-582-9709.....	162
8115-00-514-2404.....	139	8115-00-953-0276.....	144	8115-01-582-9710.....	162
8115-00-514-2409.....	141	8115-00-993-2790.....	143	8115-01-582-9711.....	162
8115-00-527-2302.....	315	8115-00-993-2791.....	143	8115-01-583-0300.....	156
8115-00-559-5516.....	143	8115-01-010-4654.....	142	8115-01-588-4481.....	160
8115-00-559-9996.....	144	8115-01-011-3617.....	139	8115-01-589-8856.....	160
8115-00-559-9997.....	143	8115-01-011-3618.....	141	8115-01-589-9256.....	156
8115-00-559-9998.....	143	8115-01-011-3619.....	139	8115-01-589-9264.....	156
8115-00-559-9999.....	143	8115-01-011-3620.....	139	8115-01-589-9742.....	155
8115-00-576-8428.....	144	8115-01-011-3621.....	139	8115-01-590-0295.....	158, 161
8115-00-579-8405.....	141	8115-01-011-3626.....	139	8115-01-590-0308.....	158
8115-00-579-8406.....	143	8115-01-012-9071.....	139	8115-01-590-0310.....	158
8115-00-579-8407.....	143	8115-01-015-4241.....	140	8115-01-592-5917.....	170
8115-00-579-8461.....	143	8115-01-015-4994.....	152	8115-01-592-8655.....	170
8115-00-579-9155.....	142	8115-01-019-0767.....	142	8115-01-596-0412.....	170
8115-00-579-9156.....	142	8115-01-019-0768.....	142	8115-01-598-2716.....	163
8115-00-598-5807.....	141	8115-01-019-4085.....	161	8115-01-598-2717.....	163
8115-00-609-4164.....	150	8115-01-034-0370.....	139	8115-01-619-4833.....	161
8115-00-609-4165.....	149	8115-01-163-3446.....	142	8115-01-641-3215.....	155
8115-00-609-4287.....	150	8115-01-163-3447.....	142	8115-01-646-3158.....	160
8115-00-616-9147.....	143	8115-01-163-9189.....	141	8115-01-652-9919.....	160
8115-00-616-9148.....	143	8115-01-166-6449.....	142	8115-01-654-7924.....	160
8115-00-616-9150.....	143	8115-01-166-6452.....	142	8115-01-657-1364.....	160
8115-00-616-9151.....	143	8115-01-166-6460.....	139	8115-01-663-4719.....	170
8115-00-616-9153.....	141	8115-01-166-6462.....	141	8115-01-673-2691.....	163
8115-00-616-9154.....	142	8115-01-192-0935.....	341	8115-01-691-1875.....	145
8115-00-656-0912.....	142	8115-01-256-1118.....	160	8115-01-692-8568.....	155
8115-00-663-0212.....	160	8115-01-262-9613.....	165	8115-01-693-2195.....	147
8115-00-682-6820.....	149	8115-01-357-9995.....	148	8115-01-693-2731.....	148
8115-00-717-8572.....	164	8115-01-357-9996.....	145	8115-01-693-5840.....	143
8115-00-719-4111.....	164	8115-01-357-9997.....	147	8115-01-693-5842.....	142
8115-00-753-4690.....	143	8115-01-377-8817.....	170	8115-01-693-5843.....	140
8115-00-753-4691.....	144	8115-01-386-2238.....	149	8115-01-693-5844.....	139
8115-00-761-8912.....	160	8115-01-430-5668.....	83	8115-01-693-5845.....	142
8115-00-774-6562.....	144	8115-01-444-0197.....	162	8115-01-693-5846.....	143
8115-00-782-1695.....	144	8115-01-444-0198.....	162	8115-01-693-5847.....	142
8115-00-782-3932.....	139	8115-01-444-0206.....	162	8115-01-693-5848.....	141
8115-00-782-3935.....	150	8115-01-444-0211.....	162	8115-01-693-5849.....	142
8115-00-782-3936.....	148	8115-01-444-0212.....	162	8115-01-693-5850.....	143
8115-00-782-3940.....	145	8115-01-488-6186.....	155	8115-01-693-5851.....	138
8115-00-861-1574.....	139	8115-01-499-0898.....	160	8115-01-693-6360.....	139
8115-00-901-6428.....	144	8115-01-535-0149.....	170	8115-01-693-6671.....	144
8115-00-901-6434.....	144	8115-01-535-0150.....	170	8115-01-693-6674.....	144
8115-00-901-6435.....	144	8115-01-539-0008.....	156	8115-01-693-6675.....	145
8115-00-926-4886.....	143	8115-01-539-0058.....	157	8115-01-693-6676.....	145
8115-00-926-4887.....	143	8115-01-548-0450.....	156	8115-01-693-6679.....	144
8115-00-926-4888.....	144	8115-01-556-2579.....	162	8115-01-693-6680.....	144
8115-00-935-1140.....	143	8115-01-556-2580.....	162	8115-01-693-6682.....	143
8115-00-935-5896.....	143	8115-01-556-2581.....	162	8115-01-693-6684.....	144
8115-00-935-5897.....	142	8115-01-556-7302.....	157	8115-01-693-7108.....	147

8115-01-693-7109.....	147	8115-01-693-7635.....	150	8115-01-694-6745.....	161
8115-01-693-7110.....	147	8115-01-693-7636.....	149	8115-01-694-6746.....	161
8115-01-693-7111.....	145	8115-01-693-7637.....	150	8115-01-694-6748.....	161
8115-01-693-7112.....	147	8115-01-693-7638.....	150	8115-01-694-6956.....	161
8115-01-693-7113.....	147	8115-01-693-7871.....	146	8115-01-694-6957.....	161
8115-01-693-7114.....	147	8115-01-693-7872.....	146	8115-01-694-6958.....	161
8115-01-693-7115.....	145	8115-01-693-7875.....	146	8115-01-694-7141.....	161
8115-01-693-7116.....	145	8115-01-693-7876.....	146	8115-01-694-7142.....	161
8115-01-693-7117.....	145	8115-01-693-7877.....	146	8115-01-694-7143.....	161
8115-01-693-7118.....	145	8115-01-693-7878.....	146	8115-01-694-7145.....	161
8115-01-693-7119.....	145	8115-01-693-7879.....	146	8115-01-694-7147.....	161
8115-01-693-7120.....	145	8115-01-693-7880.....	146	8115-01-695-2545.....	161
8115-01-693-7121.....	147	8115-01-693-7881.....	146	8115-01-695-2548.....	161
8115-01-693-7122.....	147	8115-01-693-7882.....	146	8115-01-695-2549.....	161
8115-01-693-7123.....	147	8115-01-693-7884.....	146	8115-01-695-2550.....	161
8115-01-693-7124.....	147	8115-01-693-7885.....	145	8115-01-695-6609.....	157
8115-01-693-7591.....	148	8115-01-693-7887.....	146	8115-01-695-6610.....	155
8115-01-693-7592.....	148	8115-01-693-7888.....	147	8115-01-695-6611.....	155
8115-01-693-7593.....	150	8115-01-693-7889.....	146	8115-01-695-9666.....	156
8115-01-693-7594.....	148	8115-01-693-7890.....	146	8115-01-695-9667.....	156
8115-01-693-7595.....	150	8115-01-693-7891.....	146	8115-01-695-9668.....	156
8115-01-693-7596.....	150	8115-01-693-7892.....	145	8115-01-695-9671.....	156
8115-01-693-7597.....	150	8115-01-693-7893.....	146	8115-01-695-9672.....	156
8115-01-693-7598.....	150	8115-01-693-7894.....	146	8115-01-695-9673.....	156
8115-01-693-7601.....	150	8115-01-693-8218.....	148	8115-01-696-0263.....	157
8115-01-693-7603.....	150	8115-01-693-8221.....	149	8115-01-696-0833.....	144
8115-01-693-7604.....	150	8115-01-693-8223.....	149	8115-01-696-0834.....	151
8115-01-693-7605.....	149	8115-01-693-8226.....	149	8115-01-696-0835.....	152
8115-01-693-7606.....	150	8115-01-693-8231.....	148	8115-01-696-0836.....	152
8115-01-693-7607.....	150	8115-01-693-8232.....	148	8115-01-696-0837.....	152
8115-01-693-7608.....	149	8115-01-693-8233.....	148	8115-01-696-0838.....	152
8115-01-693-7609.....	149	8115-01-693-8234.....	148	8115-01-696-0839.....	151
8115-01-693-7610.....	145	8115-01-693-8671.....	147	8115-01-696-0840.....	144
8115-01-693-7611.....	147	8115-01-693-9338.....	146	8115-01-696-0841.....	143
8115-01-693-7612.....	149	8115-01-693-9339.....	146	8115-01-696-0842.....	144
8115-01-693-7614.....	151	8115-01-693-9340.....	147	8115-01-696-0843.....	144
8115-01-693-7615.....	149	8115-01-693-9341.....	147	8115-01-696-1561.....	151
8115-01-693-7616.....	149	8115-01-694-0257.....	149	8115-01-696-1562.....	152
8115-01-693-7617.....	149	8115-01-694-0258.....	148	8115-01-696-1563.....	152
8115-01-693-7620.....	148	8115-01-694-0259.....	150	8115-01-696-1564.....	151
8115-01-693-7621.....	148	8115-01-694-0619.....	150	8115-01-696-1565.....	152
8115-01-693-7622.....	147	8115-01-694-0620.....	150	8115-01-696-1567.....	151
8115-01-693-7623.....	147	8115-01-694-0621.....	150	8115-01-696-1569.....	151
8115-01-693-7624.....	149	8115-01-694-0622.....	150	8115-01-696-1571.....	151
8115-01-693-7625.....	149	8115-01-694-1000.....	151	8115-01-696-1572.....	151
8115-01-693-7626.....	148	8115-01-694-1007.....	151	8115-01-696-1574.....	152
8115-01-693-7627.....	149	8115-01-694-1015.....	151	8115-01-696-1576.....	151
8115-01-693-7628.....	149	8115-01-694-1019.....	151	8115-01-696-1578.....	151
8115-01-693-7629.....	149	8115-01-694-1021.....	151	8115-01-696-1579.....	151
8115-01-693-7630.....	150	8115-01-694-1022.....	151	8115-01-696-1582.....	151
8115-01-693-7631.....	149	8115-01-694-1025.....	151	8115-01-696-1586.....	151
8115-01-693-7632.....	150	8115-01-694-4113.....	148	8115-01-696-1587.....	151
8115-01-693-7633.....	148	8115-01-694-4114.....	151	8115-01-696-1588.....	152
8115-01-693-7634.....	148	8115-01-694-4116.....	145	8115-01-696-3663.....	155
		8115-01-694-4117.....	148	8115-01-696-3664.....	156

8115-01-696-3665.....	155	8115-01-696-9269.....	158	8115-01-705-5766.....	158
8115-01-696-3667.....	156	8115-01-696-9270.....	155	8115-01-705-5768.....	158
8115-01-696-3668.....	156	8115-01-696-9643.....	155	8115-01-705-5769.....	158
8115-01-696-3669.....	156	8115-01-697-0893.....	153	8115-01-705-6700.....	154
8115-01-696-3670.....	153	8115-01-697-0896.....	155	8115-01-705-6701.....	154
8115-01-696-3671.....	156	8115-01-697-0897.....	153	8115-01-705-8901.....	158
8115-01-696-3672.....	156	8115-01-697-3844.....	155	8115-01-705-9140.....	158
8115-01-696-3674.....	155	8115-01-697-3845.....	154	8115-01-705-9141.....	158
8115-01-696-3675.....	155	8115-01-697-3846.....	154	8115-01-705-9145.....	158
8115-01-696-3676.....	155	8115-01-697-3847.....	154	8115-01-706-0081.....	158
8115-01-696-3677.....	155	8115-01-697-3848.....	154	8115-01-706-0082.....	158
8115-01-696-3678.....	155	8115-01-697-4194.....	154	8115-01-706-1367.....	154
8115-01-696-4182.....	155	8115-01-697-4199.....	155	8115-01-706-1542.....	154
8115-01-696-4183.....	155	8115-01-697-4200.....	155	8115-01-706-1543.....	154
8115-01-696-4685.....	156	8115-01-699-4669.....	161	8115-01-706-1984.....	154
8115-01-696-4952.....	155	8115-01-699-5593.....	161		
8115-01-696-8173.....	157	8115-01-699-9098.....	159	8125	
8115-01-696-8174.....	157	8115-01-699-9100.....	159	8125-00-488-7952.....	298
8115-01-696-8177.....	157	8115-01-699-9101.....	159	8125-00-782-4000.....	298
8115-01-696-8178.....	157	8115-01-699-9103.....	159	8125-01-577-0210.....	298
8115-01-696-8179.....	157	8115-01-700-0043.....	159	8125-01-577-0212.....	298
8115-01-696-8180.....	157	8115-01-700-0044.....	159		
8115-01-696-8468.....	158	8115-01-700-0045.....	159	8135	
8115-01-696-8469.....	156	8115-01-700-0512.....	159	8135-00-013-8961.....	152
8115-01-696-8470.....	153	8115-01-700-0513.....	159	8135-00-021-5865.....	314
8115-01-696-8471.....	157	8115-01-700-1801.....	159	8135-00-050-7698.....	173
8115-01-696-8472.....	156	8115-01-700-1802.....	159	8135-00-079-2415.....	173
8115-01-696-8473.....	153	8115-01-700-1803.....	159	8135-00-092-3220.....	173
8115-01-696-8473.....	154	8115-01-700-3697.....	159	8135-00-116-1443.....	171
8115-01-696-8474.....	157	8115-01-700-3698.....	159	8135-00-116-1447.....	172
8115-01-696-8475.....	155	8115-01-700-3699.....	159	8135-00-132-9067.....	152
8115-01-696-8476.....	157	8115-01-701-3730.....	159	8135-00-132-9589.....	174
8115-01-696-8477.....	157	8115-01-701-3732.....	157	8135-00-142-9004.....	171
8115-01-696-8478.....	157	8115-01-701-4618.....	154	8135-00-142-9005.....	171
8115-01-696-8479.....	157	8115-01-701-4619.....	154	8135-00-142-9008.....	171
8115-01-696-8480.....	155	8115-01-702-2508.....	154	8135-00-142-9016.....	172
8115-01-696-8481.....	157	8115-01-702-4983.....	154	8135-00-142-9021.....	171
8115-01-696-8483.....	155	8115-01-702-4984.....	154	8135-00-155-5473.....	179
8115-01-696-8484.....	157	8115-01-702-4985.....	154	8135-00-160-7752.....	174
8115-01-696-8486.....	157	8115-01-702-7950.....	154	8135-00-160-7753.....	174
8115-01-696-8487.....	156	8115-01-702-7952.....	154	8135-00-160-7757.....	174
8115-01-696-8488.....	157	8115-01-702-7953.....	154	8135-00-160-7759.....	174
8115-01-696-8489.....	153	8115-01-702-8829.....	154	8135-00-160-7762.....	174
8115-01-696-8491.....	153	8115-01-702-8830.....	154	8135-00-160-7764.....	174
8115-01-696-8492.....	157	8115-01-703-0270.....	154	8135-00-160-7766.....	174
8115-01-696-8493.....	153	8115-01-703-3980.....	158	8135-00-160-7768.....	174
8115-01-696-8494.....	157	8115-01-705-3253.....	158	8135-00-160-7769.....	174
8115-01-696-8496.....	154	8115-01-705-3254.....	158	8135-00-160-7771.....	174
8115-01-696-8497.....	156	8115-01-705-3255.....	158	8135-00-160-7776.....	175
8115-01-696-8498.....	157	8115-01-705-4083.....	158	8135-00-163-7925.....	153
8115-01-696-8499.....	158	8115-01-705-4084.....	158	8135-00-171-1559.....	174
8115-01-696-8500.....	156	8115-01-705-4085.....	158	8135-00-178-9151.....	168
8115-01-696-8501.....	156	8115-01-705-5763.....	158	8135-00-178-9192.....	168
8115-01-696-8502.....	153	8115-01-705-5764.....	158	8135-00-178-9193.....	168
8115-01-696-8503.....	153	8115-01-705-5765.....	158	8135-00-180-5922.....	172
8115-01-696-8930.....	153			8135-00-204-9151.....	152

8135-00-222-4027.....	174	8135-00-579-6491.....	173	8135-01-087-3599.....	171
8135-00-224-8885.....	173	8135-00-584-0610.....	173	8135-01-087-3602.....	172
8135-00-226-3124.....	174	8135-00-584-0619.....	173	8135-01-087-3603.....	171
8135-00-233-3871.....	173	8135-00-598-6097.....	179	8135-01-088-3849.....	171
8135-00-238-6917.....	168	8135-00-601-9221.....	172	8135-01-120-8754.....	176
8135-00-239-1648.....	168	8135-00-618-1783.....	173	8135-01-122-5904.....	171
8135-00-239-5285.....	170	8135-00-654-9834.....	175	8135-01-126-1435.....	152
8135-00-239-5288.....	176	8135-00-664-0015.....	172	8135-01-126-1436.....	152
8135-00-239-5291.....	175	8135-00-664-0057.....	171	8135-01-126-6275.....	170
8135-00-239-5293.....	175	8135-00-664-4092.....	152	8135-01-150-3052.....	173
8135-00-239-5294.....	176	8135-00-664-6948.....	171	8135-01-163-3486.....	174
8135-00-239-5308.....	176	8135-00-664-6958.....	171	8135-01-175-7168.....	172
8135-00-245-9439.....	175	8135-00-680-2777.....	175	8135-01-185-6816.....	174
8135-00-264-3826.....	314	8135-00-702-3158.....	175	8135-01-187-6614.....	172
8135-00-270-8717.....	179	8135-00-719-4825.....	172	8135-01-189-7111.....	172
8135-00-271-1446.....	179	8135-00-721-9725.....	314	8135-01-234-6649.....	172
8135-00-281-4069.....	176	8135-00-724-0551.....	314	8135-01-235-8057.....	172
8135-00-281-4071.....	176	8135-00-724-0552.....	314	8135-01-250-2301.....	172
8135-00-281-4115.....	152	8135-00-753-4661.....	173	8135-01-250-4931.....	94
8135-00-281-4118.....	152	8135-00-753-4662.....	174	8135-01-321-4201.....	173
8135-00-281-5105.....	152	8135-00-754-2692.....	314	8135-01-324-2664.....	172
8135-00-281-9086.....	314	8135-00-808-6446.....	171	8135-01-386-2322.....	173
8135-00-282-0565.....	173	8135-00-810-0481.....	175	8135-01-408-9952.....	172
8135-00-283-0664.....	176	8135-00-813-5192.....	153	8135-01-495-0660.....	174
8135-00-283-0666.....	176	8135-00-822-9433.....	314	8135-01-498-1809.....	171
8135-00-283-0667.....	176	8135-00-838-0122.....	314	8135-01-499-5302.....	174
8135-00-283-0668.....	176	8135-00-855-6968.....	171	8135-01-546-7619.....	137
8135-00-283-0669.....	176	8135-00-855-6969.....	171	8135-01-546-7622.....	137
8135-00-283-0670.....	176	8135-00-926-4906.....	152	8135-01-546-7623.....	171
8135-00-283-0671.....	176	8135-00-926-4908.....	153	8135-01-598-1648.....	170
8135-00-285-1163.....	170	8135-00-926-8990.....	171	8135-01-599-3188.....	170
8135-00-285-4747.....	176	8135-00-926-8991.....	172	8135-01-599-3189.....	170
8135-00-285-4748.....	176	8135-00-935-6596.....	171	8135-01-602-6306.....	170
8135-00-286-8565.....	176	8135-00-946-2090.....	124	8135-01-615-1230.....	311
8135-00-290-1077.....	175	8135-00-952-7188.....	314	8135-01-625-4516.....	170
8135-00-290-1086.....	176	8135-00-956-2151.....	176	8135-01-640-9308.....	170
8135-00-290-3400.....	175	8135-00-956-2153.....	176	8135-01-640-9309.....	170
8135-00-291-0962.....	161	8135-00-966-2532.....	175	8135-01-640-9310.....	170
8135-00-292-2345.....	168	8135-00-966-2533.....	175	8135-01-696-5919.....	152
8135-00-292-2351.....	168	8135-00-973-1835.....	175	8135-01-696-9644.....	152
8135-00-292-2354.....	168	8135-00-985-7242.....	172	8135-01-696-9976.....	152
8135-00-292-2355.....	168	8135-01-005-8974.....	172	8135-01-697-0598.....	152
8135-00-292-9719.....	174	8135-01-008-8099.....	171	8135-01-697-0600.....	152
8135-00-292-9728.....	174	8135-01-015-2810.....	173	8135-01-697-9954.....	170
8135-00-292-9789.....	171	8135-01-015-4139.....	173	8135-01-697-9955.....	170
8135-00-300-4905.....	171	8135-01-016-9995.....	175	8135-01-697-9956.....	170
8135-00-397-2583.....	172	8135-01-018-2858.....	170	8135-01-697-9959.....	170
8135-00-476-5268.....	314	8135-01-019-4165.....	174		
8135-00-531-7721.....	176	8135-01-023-4126.....	175	8305	
8135-00-543-6574.....	174	8135-01-023-4348.....	177	8305-00-170-9472.....	292
8135-00-543-6844.....	171	8135-01-030-1634.....	175	8305-00-205-3065.....	292
8135-00-558-1242.....	175	8135-01-050-7970.....	171	8305-00-205-3495.....	294
8135-00-558-1245.....	175	8135-01-054-0738.....	175	8305-00-205-3496.....	294
8135-00-579-6487.....	173	8135-01-057-3607.....	172	8305-00-262-3321.....	294
8135-00-579-6489.....	173	8135-01-059-4636.....	172	8305-00-913-5817.....	292

8305-00-927-3829. 536
 8305-00-927-3831. 536
 8305-01-125-0725. 294

8315

8315-01-463-5853. 292
 8315-01-504-8856. 67

8340

8340-00-068-7908. 381
 8340-00-205-1911. 381
 8340-01-448-7002. 381
 8340-01-448-7004. 381
 8340-01-487-5610. 537
 8340-01-487-5719. 537

8415

8415-00-051-1173. 317
 8415-00-177-4974. 344
 8415-00-177-4978. 344
 8415-00-222-8074. 317
 8415-00-559-5613. 405
 8415-00-634-0205. 317
 8415-00-634-2410. 317
 8415-00-634-4657. 405
 8415-00-634-4658. 405
 8415-00-634-4660. 405
 8415-00-634-4661. 405
 8415-00-634-5021. 405
 8415-00-634-5023. 317
 8415-00-634-5026. 405
 8415-00-634-5027. 405
 8415-00-721-6590. 405
 8415-00-899-3026. 317
 8415-00-935-3132. 342
 8415-00-935-3139. 342
 8415-00-935-3140. 342
 8415-01-045-0587. 317
 8415-01-392-8448. 297, 340
 8415-01-394-0216. 344
 8415-01-444-1495. 344
 8415-01-463-5927. 343
 8415-01-463-5928. 343
 8415-01-463-5934. 343
 8415-01-464-6612. 344
 8415-01-482-1205. 168
 8415-01-492-0176. 297, 340
 8415-01-492-0178. 297, 340
 8415-01-492-0179. 297, 340
 8415-01-492-0180. 297, 340
 8415-01-598-4865. 343
 8415-01-598-4867. 343
 8415-01-598-4868. 343
 8415-01-598-4870. 343
 8415-01-598-4872. 343
 8415-01-598-4873. 343

8415-01-598-4875. 343
 8415-01-598-4877. 343
 8415-01-598-4880. 343
 8415-01-598-4881. 343
 8415-01-610-7322. 405
 8415-01-610-7323. 405
 8415-01-610-7324. 405
 8415-01-610-7325. 405
 8415-01-610-7326. 405
 8415-01-610-7327. 405
 8415-01-664-0164. 343
 8415-01-664-0167. 343
 8415-01-692-2644. New-5

8455

8455-01-412-9537. 33
 8455-01-545-3657. 33
 8455-01-645-2727. 33
 8455-01-645-2729. 32
 8455-01-645-2730. 32
 8455-01-645-2732. 33
 8455-01-648-5708. 33
 8455-01-648-5709. 32
 8455-01-648-5710. 33
 8455-01-666-0465. 32
 8455-01-666-0466. 32
 8455-01-666-0467. 33
 8455-01-666-0468. 33
 8455-01-666-0469. 33
 8455-01-666-0470. 33
 8455-01-698-8428. New-4
 8455-01-698-8429. New-4
 8455-01-698-8430. New-5
 8455-01-698-8431. New-4

8460

8460-01-070-7516. 44
 8460-01-193-9769. 44
 8460-01-364-9493. 44
 8460-01-490-7344. 169

8465

8465-00-177-4975. 344
 8465-01-396-9919. 534
 8465-01-396-9921. 534
 8465-01-396-9922. 534
 8465-01-396-9927. 535
 8465-01-396-9928. 535
 8465-01-444-1493. 344
 8465-01-444-2530. 344
 8465-01-444-2531. 344
 8465-01-444-9043. 344
 8465-01-495-6522. 535
 8465-01-517-4760. 534
 8465-01-517-4767. 534
 8465-01-517-4769. 534

8465-01-517-4774. 535
 8465-01-517-6850. 535

8510

8510-01-490-7318. 312

8520

8520-00-082-2146. 259
 8520-00-129-0803. 255
 8520-00-228-0598. 256
 8520-00-531-6484. 255
 8520-00-550-6417. 259
 8520-00-551-0375. 255
 8520-00-634-1594. 259
 8520-00-782-3509. 259
 8520-01-303-4037. 312
 8520-01-303-4038. 312
 8520-01-303-4039. 312
 8520-01-303-6438. 312
 8520-01-370-2162. 258, 300, 375
 8520-01-370-4284. 258, 300, 375
 8520-01-371-0047. 258
 8520-01-378-3090. 256
 8520-01-381-1914. 256
 8520-01-411-0628. 255
 8520-01-415-2925. 256
 8520-01-422-2216. 262
 8520-01-425-5328. 257, 375
 8520-01-432-2618. 256
 8520-01-454-1144. 262
 8520-01-458-0767. 257, 375
 8520-01-490-7324. 255
 8520-01-490-7358. 260
 8520-01-490-7365. 260
 8520-01-490-7370. 255
 8520-01-521-4206. 256
 8520-01-522-0828. 260
 8520-01-522-0829. 255
 8520-01-522-0830. 260
 8520-01-522-0831. 255
 8520-01-522-0834. 255
 8520-01-522-0835. 260
 8520-01-522-0837. 256
 8520-01-522-0838. 256
 8520-01-522-0839. 256
 8520-01-522-0840. 257, 375
 8520-01-522-3886. 261
 8520-01-522-3887. 261
 8520-01-522-3888. 261
 8520-01-555-2891. 258
 8520-01-555-2902. 258
 8520-01-555-2903. 312
 8520-01-555-3732. 312
 8520-01-556-2576. 257
 8520-01-556-2577. 257

8520-01-556-2834..... 261
 8520-01-566-2392..... 261
 8520-01-574-6494..... 258
 8520-01-579-3825..... 261
 8520-01-615-6021..... 262, 324
 8520-01-640-6481..... 258
 8520-01-640-6482..... 260
 8520-01-640-7213..... 258
 8520-01-647-1707..... 257
 8520-01-647-1708..... 257
 8520-01-649-2723..... 257
 8520-01-649-2724..... 257
 8520-01-660-2067..... 256
 8520-01-660-2068..... 256
 8520-01-684-2496..... 260
 8520-01-684-3252..... 255
 8520-01-684-3253..... 255
 8520-01-691-2733..... 260

8530

8530-01-293-1384..... 311
 8530-01-293-1385..... 311
 8530-01-293-1387..... 312
 8530-01-293-1388..... 312
 8530-01-490-7372..... 312
 8530-01-615-6022..... 312
 8530-01-698-8424..... New-6

8540

8540-00-262-7178..... 248
 8540-00-266-9898..... 315
 8540-00-276-7569..... 253
 8540-00-276-7570..... 252
 8540-00-279-7777..... 252
 8540-00-281-8360..... 253
 8540-00-285-7001..... 252
 8540-00-291-0389..... 248
 8540-00-291-0392..... 248
 8540-00-530-3770..... 251
 8540-00-793-5425..... 253
 8540-00-900-4891..... 253
 8540-00-965-4691..... 252
 8540-00-965-5790..... 252
 8540-01-055-6094..... 251
 8540-01-055-6134..... 248
 8540-01-056-2897..... 252
 8540-01-359-0764..... 251
 8540-01-359-0798..... 248
 8540-01-378-1315..... 249
 8540-01-378-6218..... 251
 8540-01-380-0690..... 251
 8540-01-462-5333..... 249
 8540-01-494-0909..... 248
 8540-01-494-0911..... 248
 8540-01-494-1900..... 248
 8540-01-554-7678..... 251

8540-01-590-9068..... 251
 8540-01-590-9069..... 249
 8540-01-590-9072..... 251
 8540-01-590-9073..... 251
 8540-01-591-5146..... 249
 8540-01-591-5823..... 249
 8540-01-592-3021..... 249
 8540-01-592-3323..... 249
 8540-01-592-3324..... 249
 8540-01-630-8728..... 251
 8540-01-630-8729..... 251
 8540-01-632-1023..... 253
 8540-01-667-1042..... 248
 8540-01-667-1043..... 248
 8540-01-677-0076..... 250
 8540-01-691-2277..... New-5

9310

9310-00-160-7853..... 411
 9310-00-160-7857..... 411
 9310-00-160-7858..... 411
 9310-00-955-0217..... 115
 9310-01-083-5210..... 104
 9310-01-083-5211..... 104

9330

9330-00-618-7214..... 94
 9330-00-618-7215..... 94
 9330-01-358-4390..... 94
 9330-01-358-4391..... 94
 9330-01-358-4392..... 94
 9330-01-358-7525..... 94
 9330-01-358-7527..... 94
 9330-01-358-7529..... 94
 9330-01-490-7374..... 22

9390

9390-00-481-3424..... 420

9905

9905-00-178-9200..... 412
 9905-00-202-3639..... 346
 9905-00-205-2795..... 346
 9905-00-245-7826..... 347
 9905-00-424-9829..... 346, 374
 9905-00-527-4997..... 346, 374
 9905-00-537-7730..... 347
 9905-00-537-8954..... 347
 9905-00-537-8955..... 347
 9905-00-537-8956..... 347
 9905-00-537-8957..... 347
 9905-00-559-2971..... 347
 9905-00-721-8734..... 347
 9905-00-866-0334..... 95
 9905-01-357-9983..... 40
 9905-01-357-9984..... 40
 9905-01-357-9985..... 40

9905-01-357-9986..... 40
 9905-01-385-7522..... 40
 9905-01-408-2270..... 40
 9905-01-408-6049..... 40
 9905-01-408-6051..... 40
 9905-01-458-1192..... 347, 432
 9905-01-458-2057..... 347, 432
 9905-01-458-2058..... 347, 432
 9905-01-462-6247..... 347
 9905-01-462-6249..... 347
 9905-01-462-6770..... 347
 9905-01-462-6965..... 347
 9905-01-462-6971..... 347
 9905-01-588-2362..... 288
 9905-01-661-2139..... 348
 9905-01-661-2140..... 348
 9905-01-661-2143..... 348
 9905-01-661-2144..... 348
 9905-01-661-2145..... 348
 9905-01-661-2146..... 348
 9905-01-661-2147..... 348
 9905-01-661-2148..... 348
 9905-01-661-2149..... 348
 9905-01-661-2150..... 348
 9905-01-661-2151..... 348
 9905-01-661-2152..... 348
 9905-01-661-2153..... 348
 9905-01-665-3314..... 348
 9905-01-665-3315..... 348
 9905-01-665-3316..... 348

9920

9920-00-292-9946..... 298



Global Supply[®]
Your Reliable Government Source

Order Form

To fill out this form electronically, [click here](#).

Customer ID:

Date

Customer Name

Telephone Number Fax Number

Ship-To Address

Customer E-mail Address

Optional Document Number (14 digits)

Signature of Approving/Ordering Official (Optional)

If Paying with Government Purchase Card

(Government Purchase Card users must provide an AAC/DoDAAC to validate orders.)

If Paying with Activity Address Code

Government Purchase Card Number

Activity Address Code

Expiration Date AAC/DoDAAC

Access Code

Comments:

Fax or email your order anytime, 24 hours a day!

	NSN/Part Number	Quantity	Item Description	U/I	Unit Price	Extended Price
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						

Fax to 800-856-7057 or email to ncscorders@gsa.gov.

(Your order will be confirmed by fax or email.)

Estimated Total Cost

Thank you for your order!

For GSA Use Only

Store <input type="text"/>	Ticket Number <input type="text"/>	Lines <input type="text"/>	Total <input type="text"/>	Fax Back (Date/Time/Initials) <input type="text"/>
----------------------------	------------------------------------	----------------------------	----------------------------	--

Subscribe. View. Download. Order

At GSA, meeting our customers' needs for product and acquisition information is important to us. That's why we maintain an online library of GSA publications. Through www.gsa.gov/cmls, you can view and order publications at no charge. Along with the latest GSA Global Supply® catalogs, CMLS offers you publications containing useful information about GSA's array of solutions in all categories of products and services.

CMLS offers:

- A way to subscribe for future email communications in categories of interest
- Registration to receive the monthly FedMark e-newsletter featuring the latest news for the acquisition community
- The ability to search and view publications pertaining to a wide variety of acquisition solutions
- Downloadable electronic versions of many publications in PDF and flipbook formats
- Complimentary publications ready to ship to your door
- Easy online ordering with email confirmation

Contact us today!

Visit us online at www.gsa.gov/cmls or
email us at ncscustomer.service@gsa.gov.

Subscribe, view, download, and order publications via www.gsa.gov/cmls.

U.S. GENERAL SERVICES ADMINISTRATION

GPO PuDDC
GENERAL SERVICES ADMINISTRATION
FEDERAL ACQUISITION SERVICE
31451 UNITED AVE
PUEBLO CO 81001

BOUND PRINTED
MATTER
GENERAL SERVICES
ADMINISTRATION
PERMIT G-30

OFFICIAL BUSINESS

Penalty for Private Use \$300

Ordering Information

- ▶ To order online, visit us at www.GSAglobalsupply.gsa.gov.
- ▶ Call 800-488-3111 (9 p.m. Sundays to 9:30 p.m. Fridays, ET).
If using your government purchase card, please have your card ready and your six-character Activity Address Code to validate your order.
- ▶ Fax your order to 800-856-7057.

www.GSAglobalsupply.gsa.gov | Call Center 800-488-3111

www.gsa.gov
July 2023
05-23-00112

Access publications via
www.gsa.gov/cmls.

